

# Water Resources Data California Water Year 1987

Volume 5. Ground-water data for California



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-87-5  
Prepared in cooperation with other Federal, State,  
and local agencies

1986																																
OCTOBER							NOVEMBER							DECEMBER																		
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S												
			1	2	3	4							1		1	2	3	4	5	6												
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13												
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20												
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27												
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31															
							30																									
1987																																
JANUARY							FEBRUARY							MARCH																		
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S												
				1	2	3	1	2	3	4	5	6	7	1	2	3	4	5	6	7												
4	5	6	7	8	9	10	8	9	10	11	12	13	14	8	9	10	11	12	13	14												
11	12	13	14	15	16	17	15	16	17	18	19	20	21	15	16	17	18	19	20	21												
18	19	20	21	22	23	24	22	23	24	25	26	27	28	22	23	24	25	26	27	28												
25	26	27	28	29	30	31								29	30	31																
APRIL							MAY							JUNE																		
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S												
			1	2	3	4						1	2		1	2	3	4	5	6												
5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13												
12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20												
19	20	21	22	23	24	25	17	18	19	20	21	22	23																			



# Water Resources Data California Water Year 1987

Volume 5. Ground-water data for California

by C.E. Lamb, R.P. Fogelman, and D.A. Grillo



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-87-5

Prepared in cooperation with other Federal, State,  
and local agencies

U.S. GEOLOGICAL SURVEY  
RECEIVED

APR 21 1989

San Diego, CA  
WATER RESOURCES DIV.

DEPARTMENT OF THE INTERIOR  
DONALD PAUL HODEL, *Secretary*  
U.S. GEOLOGICAL SURVEY  
Dallas L. Peck, *Director*

---

For information on the water program in California write to  
District Chief, Water Resources Division  
U.S. Geological Survey  
Room W-2234, Federal Building  
2800 Cottage Way  
Sacramento, California 95825



## PREFACE

This volume of the annual hydrologic data report of California is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for California are contained in five volumes:

- Volume 1. Southern Great Basin from Mexican Border to Mono Lake Basin, and Pacific Slope Basins from Tijuana River to Santa Maria River
- Volume 2. Pacific Slope Basins from Arroyo Grande to Oregon State Line except Central Valley
- Volume 3. Southern Central Valley Basins and The Great Basin from Walker River to Truckee River
- Volume 4. Northern Central Valley Basins and The Great Basin from Honey Lake Basin to Oregon State Line
- Volume 5. Ground-water data for California

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to U.S. Geological Survey policy and established guidelines, the individuals contributing significantly to the collection, processing, and tabulation of the data are given on page V.

This report was prepared in cooperation with other Federal and State agencies, under the general supervision of John M. Klein, District Chief, California.

<b>REPORT DOCUMENTATION PAGE</b>	<b>1. REPORT NO.</b> USGS/WRD/HD-89/221	<b>2.</b>	<b>3. Recipient's Accession No.</b>
<b>4. Title and Subtitle</b> Water Resources Data for California, Water Year 1987 Volume 5. Ground-Water Data for California		<b>5. Report Date</b> February 1989	
<b>7. Author(s)</b> C.E. Lamb, R.P. Fogelman, and D.A. Grillo		<b>8. Performing Organization Rept. No.</b> USGS-WDR-CA-87-5	
<b>9. Performing Organization Name and Address</b> U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825		<b>10. Project/Task/Work Unit No.</b>	
		<b>11. Contract(C) or Grant(G) No.</b> (C) (G)	
<b>12. Sponsoring Organization Name and Address</b> U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825		<b>13. Type of Report &amp; Period Covered</b> Annual--Oct. 1, 1986 to Sept. 30, 1987	
		<b>14.</b>	
<b>15. Supplementary Notes</b>  Prepared in cooperation with other Federal, State, and local agencies.			
<b>16. Abstract (Limit: 200 words)</b> Water resources data for the 1987 water year for California consist of records of stage, discharge, and water quality of streams; stage and contents in lakes and reservoirs; and water levels and water quality in wells. Volume 5 contains water levels for 786 observation wells and water-quality data for 168 observation wells. These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in California.			
<b>17. Document Analysis a. Descriptors</b>  *California, *Hydrologic data, *Ground water, Chemical analyses, Water temperature, Sampling sites, Water levels, Water analyses  <b>b. Identifiers/Open-Ended Terms</b>    <b>c. COSATI Field/Group</b>			
<b>18. Availability Statement:</b> No restriction on distribution. This report may be purchased from National Technical Information Service Springfield, VA 22161		<b>19. Security Class (This Report)</b> Unclassified	<b>21. No. of Pages</b> 300
		<b>20. Security Class (This Page)</b> Unclassified	<b>22. Price</b>

WATER RESOURCES DIVISION

E. Jerre McClelland, Assistant District Chief for Hydrologic Data  
Kenneth W. Lee, Chief of Operations

Jeffrey Agajanian, Hydrologic Technician  
Joy L. Anderson, Technical Publications Editor  
Brian S. Baharie, Hydrologic Technician  
Charles Berenbrock, Hydrologist  
James C. Bowers, Supervisory Hydrologist  
Daniel J. Bright, Hydrologist  
Louis A. Caldwell, Hydrologic Technician  
Frank A. Carson, Hydrologic Technician  
Joanna M. Combs, Hydrologic Clerk  
Michael J. De Grand, Hydrologic Technician  
Daniel J. Downing, Hydrologic Technician  
Lowell F.W. Duell, Hydrologist  
Ronald G. Fay, Hydrologic Technician  
David M. Flynn, Hydrologic Technician  
Lawrence A. Freeman, Hydrologic Technician  
James J. Gibbons, Hydrologic Technician  
Marti E. Ikehara, Hydrologist  
Randy M. Jensen, Hydrologic Technician  
Mark V. Johnson, Hydrologic Technician  
Gail L. Keeter, Hydrologic Technician  
Willie B. Kinsey, Hydrologic Technician  
Floyd E. Lee, Hydrologic Technician  
David A. Leighton, Hydrologic Technician  
Kenneth L. Markham, Supervisory Hydrologic Technician  
Peter Martin, Hydrologist  
Bradley E. Mayo, Hydrologic Technician  
Christopher E. McConaughy, Hydrologist  
Michael C. McFadden, Hydrologist  
Jon C. McNulty, Hydrologic Technician  
James R. Mullen, Hydrologist  
John R. Palmer, Supervisory Hydrologic Technician  
Keith G. Polinoski, Supervisory Hydrologic Technician  
Ronald L. Rodgers, Scientific Illustrator  
Julia A. Schulenburg, Data Management Assistant  
Johnnevan M. Shay, Hydrologic Technician  
G. Bryant Smith, Supervisory Hydrologic Technician  
J. Michael Smith, Hydrologic Technician  
Gregory F. Susich, Hydrologic Technician  
Teresa M. Templin, Publications Clerk  
John T. Van Den Bergh, Hydrologic Technician  
Michael D. Webster, Hydrologic Technician  
Michael L. Wulfeck, Hydrologic Technician  
  
Stuart H. Hoffard, Hydrologist  
Richard A. Hunrichs, Hydrologist  
Rick T. Iwatsubo, Biologist  
Robert W. Meyer, Hydrologist  
Robert G. Simpson, Hydrologist



## CONTENTS

	Page
Preface.....	III
Introduction.....	1
Cooperation.....	2
Summary of hydrologic conditions.....	2
Ground water.....	2
Explanation of the records.....	3
Latitude-longitude system.....	3
Local well numbers.....	3
Records of ground-water levels.....	4
Data collection and computation.....	4
Records of ground-water quality.....	4
Data collection and computation.....	4
Data presentation.....	5
Access to WATSTORE data.....	5
Definition of terms.....	5
Remark codes.....	7
Publications on Techniques of Water-Resources Investigations.....	8
Ground-water records.....	11
Ground-water wells, by county, for which records are published.....	11
Index.....	291

## ILLUSTRATIONS

	Page
Figure 1. System for numbering wells and miscellaneous sites (latitude and longitude).....	3
2. California well-numbering system.....	3
3-19. Index maps to location of wells:	
3. Contra Costa County.....	12
4. Glenn County.....	15
5. Humboldt County.....	20
6. Imperial County.....	23
7. Inyo County.....	34
8. Kern County.....	40
9. Los Angeles County.....	76
10. Merced County.....	117
11. Riverside County.....	140
12. San Bernardino County.....	152
13. San Diego County.....	182
14. San Joaquin County.....	187
15. San Luis Obispo County.....	193
16. Santa Barbara County.....	199
17. Sutter County.....	278
18. Ventura County.....	284
19. Yolo County.....	287



WATER RESOURCES DATA--CALIFORNIA, WATER YEAR 1987

VOLUME 5--GROUND-WATER DATA FOR CALIFORNIA

---

By C.E. Lamb, R.P. Fogelman, and D.A. Grillo

---

INTRODUCTION

The Water Resources Division of the U.S. Geological Survey, in cooperation with State agencies, obtains a large amount of data pertaining to the water resources of California each water year. These data, accumulated during many water years, constitute a valuable data base for developing an improved understanding of the water resources of the State. To make these data readily available to interested parties outside the Geological Survey, the data are published annually in this report series entitled "Water Resources Data for California."

This report includes records on ground water in California. Specifically, it contains water-level records for 786 observation wells and water-quality records in 168 monitoring wells.

This series of annual reports for California began with the 1961 water year report that contained only data relating to the quantities of surface water. For the 1964 water year, a similar report was introduced that contained only data relating to water quality. Beginning with the 1975 water year, the report format changed to one volume containing data on quantities of surface water, quality of surface and ground water, and ground-water levels. Beginning with the 1985 water year, ground-water levels and quality were published in a separate volume for California.

Prior to introduction of this series and for several water years concurrent with it, water-resources data for California were published in U.S. Geological Survey Water-Supply Papers. Data on stream discharge and stage and on lake or reservoir contents and stage through September 1960 were published annually under the title "Surface-Water Supply of the United States, Parts 9, 10, and 11." For the 1961 through 1970 water years, the data were published in two 5-year reports. Data on chemical quality, temperature, and suspended sediment for the 1941 through 1970 water years were published annually under the title "Quality of Surface Waters of the United States." Water levels for the 1935 through 1974 water years were published under the title "Ground-Water Levels in the United States, Southwestern States." The above-mentioned Water-Supply Papers may be consulted in public libraries of the principal cities of the United States and may be purchased from U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Building 810, Box 25425, Denver, CO 80225.

Publications similar to this report are published annually by the U.S. Geological Survey for all States. These official reports have an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is "U.S. Geological Survey Water-Data Report CA-87-5." For archiving and general distribution, the reports for 1971-74 water years also are identified as water-data reports. These water-data reports are for sale in paper copy or in microfiche by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the District Chief at the address given on back of title page or by telephone (916) 978-4668.

## COOPERATION

The U.S. Geological Survey and organizations of the State of California have had cooperative agreements for the systematic collection of water-resource records since 1903. Organizations that provided data are acknowledged in the well descriptions. Organizations that assisted through cooperative agreement with the Survey are:

Antelope Valley-East Kern Water Agency, Wallace G. Spinarski, General Manager.  
 California Department of Water Resources, David N. Kennedy, Director.  
 California Water Resources Control Board, Lahontan Region, Robert S. Dodd, Senior Civil Engineer.  
 Carpinteria County Water District, Robert R. Lieberknecht, General Manager-Secretary.  
 Coachella Valley Water District, Thomas E. Levy, General Manager.  
 Desert Water Agency, Jack H. Oberle, General Manager.  
 Imperial County Department of Public Works, S. Harry Orfanos, Director.  
 Indian Wells Valley Water District, Joe Mont-Eton, General Manager.  
 Merced, City of, Stevan M. Stroud, City Engineer.  
 Mojave Water Agency, Jon D. Edson, General Manager.  
 San Bernardino Valley Municipal Water District, G. Louis Fletcher, General Manager.  
 Santa Barbara, City of, Robert W. Puddicombe, Director.  
 Santa Barbara County Water Agency, James M. Stubchaer, Engineer-Manager.

Assistance was also provided by the following Federal agencies:

U.S. Department of the Air Force, Vandenberg Air Force Base  
 U.S. Department of the Interior, Bureau of Indian Affairs  
 U.S. Department of the Interior, Bureau of Reclamation  
 U.S. Department of the Interior, National Park Service  
 U.S. Department of Justice, U.S. Penitentiary, Lompoc  
 U.S. Department of the Navy, Marine Corps Air Ground Combat Center, Twentynine Palms  
 U.S. Department of the Navy, Marine Corps Base, Camp Pendleton  
 U.S. Department of the Navy, Naval Weapons Center, China Lake

## SUMMARY OF HYDROLOGIC CONDITIONS

Ground Water

The geography and geology of California are sufficiently complex that a summary of ground-water conditions in the State is difficult. Descriptions of conditions in specific basins and valleys apply only to those areas and cannot be transferred to other areas.

Ground-water levels fluctuate in response to a variety of stresses and changes in stress. Short- and long-term climatic conditions can lead to changes in natural recharge and discharge. Superimposed on the natural fluctuations in water levels are changes caused by increasing or decreasing ground-water withdrawals and, in some areas, changes caused by recharge from surface irrigation.

Streamflow runoff for water year 1987 was about the 10th driest of this century. The 1987 water year was considered a critically dry year and was comparable in intensity to the droughts of 1920, 1929, 1933, and 1934.

In southern California, in the San Gabriel Valley of Los Angeles County, the net decrease of the water level in index well 001S010W07R02S was about 11 feet during 1987.

In the Buttes subunit of the Antelope Valley in Los Angeles County, the water level in index well 006N010W22D01S continued to rise as it has since 1982. The water level rose 1.12 feet during the period February 1986 to February 1987; a total of 12.80 feet since October 1982.

The water level declined 1.17 feet in index well 026S040E19P01M in Indian Wells Valley in Kern County.



## EXPLANATION OF THE RECORDS

The ground-water records published in this report are for the 1987 water year that began October 1, 1986, and ended September 30, 1987. A calendar of the water year is provided on the inside of the front cover. The records contain quality of ground water and ground-water level data. The following sections of the introductory text are presented to provide users with a more detailed explanation of how the hydrologic data published in this report were collected, analyzed, computed, and arranged for presentation.

Latitude-Longitude System

The identification numbers for wells are assigned according to the grid system of latitude and longitude (fig. 1). The number consists of 15 digits. The first six digits denote the degrees, minutes, and seconds of latitude, the next seven digits denote degrees, minutes, and seconds of longitude, and the last two digits (assigned sequentially) identify the wells or other sites within a 1-second grid. This site-identification number, once assigned, is a pure number, and has no locational significance. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number.




Figure 1.--System for numbering wells and miscellaneous sites (latitude and longitude).

Local Well Numbers

Wells and springs in California are assigned numbers according to their location on the grid system for the subdivision of public land (fig. 2). For example, in the number 005S010E22G01M, the first four characters indicate the township (T.5 S.), and the next four characters indicate the range (R.10 E.); the digits following the range indicate the section (sec. 22); the letter following the section number indicates the 40-acre subdivision of the section. Within each 40-acre tract, the wells are numbered serially, as indicated by the last two digits. The final letter indicates the base line and meridian designations as follows: H, Humboldt; M, Mount Diablo; S, San Bernardino.




Figure 2.--California well-numbering system.

### Records of Ground-Water Levels

Records are obtained through cooperative efforts of many Federal, State, and local agencies for about a thousand observation wells throughout California and are placed in computer storage. Information about the availability of the data in the water-level file may be obtained from the District Chief, California District. (See address on back of title page.)

#### Data Collection and Computation

Measurements of water levels are made in many types of wells under varying conditions, but the methods of measurement are standardized to the extent possible. The equipment and measuring techniques used at each observation well ensure that measurements at each well are of consistent accuracy and reliability.

Tables of water-level data are presented by counties arranged in alphabetical order. The prime identification number of a given well is the local well number, an alpha numeric number, derived from the township-range location of the well. The secondary identification number of a given well is the 15-digit number that precedes the local well number.

Water-level records are obtained from direct measurements with a steel tape or electric sounder or from the graph or punched tape of a water-stage recorder. The water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. The elevation of the land-surface datum is given in the well description.

Water levels are reported to as many significant figures as can be justified by local conditions. For example, in a measurement of a depth to water of several hundred feet, the error of determining the water value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water, the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot or a larger unit.

A table of water levels follows the station description of each well. Water levels are reported in feet below land-surface datum, and all measurements of water level for the water year are listed. The highest and lowest water levels of record and their dates of occurrence are shown below the data table. Missing records on daily tables are indicated by dashes in place of the water level.

### Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records; for most sampling sites they consist of only one set of measurements for the water year. The quality of ground water ordinarily changes only slowly; therefore, for most general purposes one annual sampling, or only a few samples taken at infrequent intervals during the year, is sufficient. Frequent measurement of the same constituents is not necessary unless there is concern with a particular problem, such as monitoring for trends in nitrate concentration. In special cases where the quality of ground water may change more rapidly, more frequent measurements are made to identify the nature of the changes.

#### Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as a part of special studies in specific areas. Consequently, a number of chemical analyses may be presented for some counties but none are presented for others. As a result, the records for a year, by themselves, do not provide a balanced view of ground-water quality statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" manuals listed in this report. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. All samples were obtained by trained personnel. The wells sampled were pumped long enough to ensure that the water collected came directly from the aquifer.

## Data Presentation

The records of ground-water quality are published in a section titled QUALITY OF GROUND WATER immediately following the ground-water-level records. Data for quality of ground water are listed alphabetically by county and are identified by well number. No descriptive statements are given for ground-water-quality records; however, the well number, date of sampling, and other pertinent data are given in the table containing the chemical analyses of the ground water.

Values for dissolved nitrite plus nitrate ( $\text{NO}_2 + \text{NO}_3$ , as N) are not included in the calculation for dissolved solids, sum of constituents.

## ACCESS TO WATSTORE DATA

The National WATER Data STOrage and RETrieval System (WATSTORE) was established for handling water data collected through the activities of the U.S. Geological Survey and to provide more effective and efficient means of releasing the data to the public. The system is operated and maintained on the central computer facilities of the Survey at its National Center in Reston, Virginia.

WATSTORE can provide a variety of useful products ranging from simple data tables to complex statistical analyses. A minimal fee, plus the actual computer cost incurred in producing a desired product, is charged to the requester. Information about the availability of specific types of data, the acquisition of data or products, and user charges can be obtained locally from each of the Water Resources Division's District offices (see address given on the back of the title page).

General inquiries about WATSTORE may be directed to:

Chief Hydrologist  
U.S. Geological Survey  
437 National Center  
Reston, VA 22092

## DEFINITION OF TERMS

Terms related to water-quality, and other hydrologic data, as used in this report are defined below. A table for converting inch-pound units to International System (SI) Units is printed on the inside of the back cover.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Artesian means confined and is used to describe a well in which the water level stands above the top of the aquifer tapped by a well. A flowing artesian well is one in which the water level is above the land surface.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Color unit is produced by 1 milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Dissolved is that material in a representative water sample which passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate. It is recognized that certain kinds of samples cannot be filtered; to provide for this, procedures that are considered equivalent to filtering through a 0.45-micrometer membrane filter will be identified and announced at a later date.

Dissolved-solids concentration of water is determined either analytically by the "residue-on-evaporation" method, or mathematically by totaling the concentrations of individual constituents reported in a comprehensive chemical analysis. During the analytical determination of dissolved solids, the bicarbonate (generally a major dissolved component of water) is converted to carbonate. Therefore, in the mathematical calculation of dissolved-solids concentration, the bicarbonate value, in milligrams per liter, is multiplied by 0.492 to reflect the change.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap that is required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate ( $\text{CaCO}_3$ ).

Land-surface datum (LSD) is a datum plane that is approximately at land surface at each ground-water observation well.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per liter (UG/L, ug/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to 1 milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in milligrams per liter and is based on the mass of sediment per liter of water-sediment mixture.

Pesticides are chemical compounds used to control undesirable organisms. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

pH of water is the negative logarithm of the hydrogen-ion activity. Solutions with pH less than 7 are termed "acidic," and solutions with a pH greater than 7 are termed "basic." Solutions with a pH of 7 are neutral. The presence and concentration of many dissolved chemical constituents found in water are, in part, influenced by the hydrogen-ion activity of water. Biological processes including growth, distribution of organisms, and toxicity of the water to organisms also are influenced, in part, by the hydrogen-ion activity of water.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Sodium-adsorption-ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions with soil and is an index of sodium or alkali hazard to the soil. Waters range in respect to sodium hazard from those which can be used for irrigation on almost all soils to those which are generally unsatisfactory for irrigation.

Specific conductance is a measure of the ability of water to conduct an electrical current. It is expressed in microsiemens per centimeter at 25 °C. Specific conductance is related to the type and concentration of ions in solution and can be used for approximating the dissolved-solids content in water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in microsiemens). This relation is not constant from well to well, and it may vary with changes in the composition of the water.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of undissolved material in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) the material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total."

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses, because different digestion procedures are likely to produce different analytical results.

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in the dissolved and suspended phases of the sample. A knowledge of the expected form is required to judge when the results should be reported as "total." (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all the constituent in the sample.)

WSP is used as an abbreviation for "Water-Supply Paper" in reference to previously published reports.

## REMARK CODES

Two remark codes may follow water-level data under the headings "M" (method) and "S" (status). In this report the following remark codes may appear with the data:

PRINTED OUTPUT "M"

A	Airline
B	Continuous recorder
H	Calibrated pressure gage
R	Reported
S	Steel tape
T	Electric tape
Z	Other

REMARKPRINTED OUTPUT "S"

D	Dry
F	Flowing
G	Nearby flowing
H	Nearby recently flowing
N	No measurement
O	Obstruction
P	Pumping
R	Recently pumped
S	Nearby pumping
T	Nearby recently pumped
V	Foreign substance
W	Well destroyed
X	Surface-water effects
Z	Other

REMARK

## PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Building 810, Denver, CO 80225. Prepayment is required. Remittance should be sent by check or money order payable to U.S. Geological Survey, Department of the Interior. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

- 1-D1. Water temperature--influential factors, field measurement, and data presentation, by H.H. Stevens, Jr., J.F. Ficke, and G.F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. Guidelines for collection and field analysis of ground-water samples for selected unstable constituents, by W.W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. Application of surface geophysics to ground-water investigations, by A.A.R. Zohdy, G.P. Eaton, and D.R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-E1. Application of borehole geophysics to water-resources investigations, by W.S. Keys, and L.M. MacCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 3-A1. General field and office procedures for indirect discharge measurements, by M.A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. Measurement of peak discharge by slope-area method, by Tate Dalrymple and M.A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. Measurement of peak discharge at culverts by indirect methods, by G.L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. Measurement of peak discharge at width contractions by indirect methods, by H.F. Matthai: USGS--TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. Measurement of peak discharge at dams by indirect methods, by Harry Hulsing: USGS--TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. General procedure for gaging streams, by R.W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. Stage measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. Discharge measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. Measurement of time of travel and dispersion in streams by dye tracing, by E.F. Hubbard, F.A. Kilpatrick, L.A. Martens, and J.F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
- 3-A10. Discharge ratings at gaging stations, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. Measurement of discharge by moving-boat method, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A13. Computation of continuous records of streamflow, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. Use of flumes in measuring discharge, by F.A. Kilpatrick and V.R. Schneider: USGS--TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. Computation of water-surface profiles in open channels, by Jacob Davidian: USGS--TWRI Book 3, Chapter A15. 1984. 48 pages.
- 3-B1. Aquifer-test design, observation, and data analysis, by R.W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- 3-B2. Introduction to ground-water hydraulics, a programmed text for self-instruction, by G.D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.

- 3-B3. Type curves for selected problems of flow to wells in confined aquifers, by J.E. Reed: USGS--TWRI Book 3, Chapter B3. 1980. 106 pages.
- 3-B5. Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems--an introduction, by O. L. Franke, T. E. Reilly and G. D. Bennett, USGS--TWRI, Book 3, Chapter B5, 1987.
- 3-C1. Fluvial sediment concepts, by H.P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. Field methods for measurement of fluvial sediment, by H.P. Guy and V.W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. Computation of fluvial sediment discharge, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. Some statistical tools in hydrology, by H.C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. Frequency curves, by H.C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. Low-flow investigations by H.C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. Storage analyses for water supply, by H.C. Riggs and C.H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. Regional analyses of streamflow characteristics, by H.C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. Computation of rate and volume of stream depletion by wells, by C.T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. Methods for determination of inorganic substances in water and fluvial sediments, edited by M.W. Skougstad and others: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.
- 5-A2. Determination of minor elements in water by emission spectroscopy, by P.R. Barnett and E.C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. Methods for analysis of organic substances in water, by D.F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages.
- 5-A4. Methods for collection and analysis of aquatic biological and microbiological samples, edited by P.E. Greeson, T.A. Ehlke, G.A. Irwin, B.W. Lium, and K.V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 322 pages.
- 5-A5. Methods for determination of radioactive substances in water and fluvial sediments, by L.L. Thatcher, V.J. Janzer, and K.W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. Quality assurance practices for the chemical and biological analyses of water and fluvial sediments, by L.C. Friedman, and D.E. Erdmann: USGS--TWRI Book 5, Chapter A6. 1982. 181 pages.
- 5-C1. Laboratory theory and methods for sediment analysis, by H.P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 7-C1. Finite difference model for aquifer simulation in two dimensions with results of numerical experiments, by P.C. Trescott, G.F. Pinder, and S.P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. Computer model of two-dimensional solute transport and dispersion in ground water, by L.F. Konikow and J.D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. A model for simulation of flow in singular and interconnected channels by R.W. Shaffranek, R.A. Baltzer, and D.E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. Methods of measuring water levels in deep wells, by M.S. Garber and F.C. Koopman: USGS--TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-A2. Installation and service manual for U.S. Geological Survey manometers, by J.D. Craig: USGS--TWRI Book 8, Chapter A2. 1983. 57 pages.
- 8-B2. Calibration and maintenance of vertical-axis type current meters, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.





CONTRA COSTA COUNTY

LOCAL NUMBER 002N001E18C01M.....	13
LOCAL NUMBER 002N001E18D01M.....	13
LOCAL NUMBER 002N002W13F01M.....	13

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 3.--Index map to location of wells in Contra Costa County.

WATER LEVELS, CONTRA COSTA COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 380131121543101

LOCAL NUMBER 002N001E18C01M

1 MI SOUTHWEST OF PITTSBURG. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM UNKNOWN, DEPTH 205 FT. ALTITUDE OF LSD 21 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	17.22 S	MAY 14, 1987	16.87 S
PERIOD OF RECORD	HIGHEST 16.29	APR 25, 1983	LOWEST 19.57 OCT 28, 1971

SITE NUMBER 380129121543901

LOCAL NUMBER 002N001E18D01M

1 MI SOUTHWEST OF PITTSBURG. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 125 FT. ALTITUDE OF LSD 25 FT. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	18.49 S	MAY 14, 1987	17.78 S
PERIOD OF RECORD	HIGHEST 17.68	APR 28, 1986	LOWEST 28.4 OCT 15, 1979

SITE NUMBER 380049122015301

LOCAL NUMBER 002N002W13P01M

NEAR PORT CHICAGO. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM UNKNOWN, DEPTH 139 FT. ALTITUDE OF LSD 45 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	23.28 S	MAY 14, 1987	22.93 S
PERIOD OF RECORD	HIGHEST 19.61	APR 21, 1978	LOWEST 32.28 APR 18, 1979

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

GLENN COUNTY

LOCAL NUMBER 019N001W32G01M.....	16
LOCAL NUMBER 019N001W32G02M.....	17
LOCAL NUMBER 019N001W32G03M.....	18

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 4.--Index map to location of wells in Glenn County.

WATER LEVELS, GLENN COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 392730121593001

LOCAL NUMBER 019N001W32G01M

0.5 MI SOUTH OF BUTTE CITY. DRILLED ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM  
3 IN, DEPTH 1333 FT, SCREENED 1328-1333 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO  
CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.39	1.55	1.73	1.84	1.68	1.52	1.12	0.95	0.98	---	1.67	1.98
2	1.36	1.55	1.73	1.87	1.64	1.49	1.12	0.96	1.07	---	1.61	1.98
3	1.39	1.55	1.73	1.70	1.50	1.49	1.11	0.97	1.07	---	1.63	1.98
4	1.39	1.51	1.73	1.59	1.61	1.45	1.11	0.96	1.07	---	1.69	1.98
5	1.39	1.51	1.71	1.58	1.66	1.35	1.13	0.92	1.13	---	1.71	1.98
6	1.42	1.53	1.71	1.72	1.66	0.94	1.13	0.91	1.15	---	1.73	1.98
7	1.42	1.53	1.72	1.78	1.66	1.19	1.13	0.91	1.15	---	1.74	1.98
8	1.42	1.63	1.78	1.90	1.65	1.26	1.13	0.91	1.17	---	1.80	1.98
9	1.42	1.63	1.78	1.92	1.61	1.30	1.13	0.91	1.16	---	1.81	2.10
10	1.42	1.60	1.82	1.92	1.61	1.30	1.12	0.91	1.16	---	1.81	2.15
11	1.42	1.58	1.82	1.92	1.61	1.31	1.09	0.88	1.15	---	1.82	2.15
12	1.42	1.58	1.85	1.90	1.61	1.21	1.09	0.82	1.21	---	1.84	2.15
13	1.42	1.53	1.86	1.92	1.31	0.72	1.09	0.81	1.22	---	1.84	2.15
14	1.42	1.51	1.86	1.90	1.24	0.69	1.09	0.77	1.22	---	1.81	2.15
15	1.52	1.60	1.82	1.86	1.33	0.76	1.09	0.77	1.25	---	1.86	2.15
16	1.52	1.60	1.82	1.87	1.34	0.95	1.09	0.80	1.26	---	1.86	2.15
17	1.55	1.60	1.82	1.87	1.47	1.04	1.05	0.85	1.26	---	1.86	2.15
18	1.56	1.55	1.82	1.89	1.49	1.04	1.06	0.86	1.26	---	1.88	2.15
19	1.56	1.59	1.82	1.89	1.51	1.05	1.09	0.86	1.24	---	1.93	2.15
20	1.53	1.59	1.81	1.89	1.60	1.08	1.09	0.87	1.22	---	1.93	2.15
21	1.53	1.65	1.89	1.90	1.52	1.03	1.08	0.92	1.25	---	1.93	2.15
22	1.53	1.69	1.88	1.83	1.50	1.04	1.08	0.97	1.25	---	1.93	2.40
23	1.49	1.72	1.88	1.79	1.32	1.05	0.96	0.98	1.27	---	1.93	2.39
24	1.53	1.72	1.87	1.79	1.31	1.05	0.99	0.96	---	---	1.93	2.38
25	1.56	1.70	1.87	1.82	1.35	1.11	0.96	0.95	---	---	1.96	2.38
26	1.56	1.70	1.87	1.76	1.46	1.11	0.96	0.94	---	---	1.98	2.38
27	1.51	1.70	1.87	1.72	1.50	1.14	0.96	0.96	---	---	1.98	2.38
28	1.51	1.70	1.89	1.68	1.52	1.12	0.93	0.97	---	1.67	1.98	2.40
29	1.51	1.73	1.93	1.63	---	1.12	0.93	0.96	---	1.65	1.98	2.42
30	1.55	1.73	1.92	1.66	---	1.14	0.91	0.97	---	1.66	1.98	2.42
31	1.55	---	1.87	1.68	---	1.14	---	0.98	---	1.67	1.98	---

PERIOD OF RECORD    HIGHEST    +1.03    DEC 12, 1983    LOWEST    8.03    NOV 15, 1979

WATER LEVELS, GLENN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 392730121593002

LOCAL NUMBER 019N001W32G02M

0.5 MI SOUTH OF BUTTE CITY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM  
3 IN, DEPTH 968 FT, SCREENED 963-968 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO  
CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.22	8.13	8.53	8.39	8.00	7.73	7.14	7.22	8.05	8.78	9.11	9.54
2	8.26	8.14	8.48	8.40	7.98	7.73	7.14	7.25	8.07	8.79	9.05	9.54
3	8.27	8.12	8.48	8.19	7.68	7.72	7.09	7.26	8.21	8.79	9.05	9.50
4	8.27	8.11	8.48	7.97	7.85	7.64	7.06	7.27	8.21	8.81	9.10	9.53
5	8.31	8.12	8.45	7.97	7.96	7.51	7.09	7.23	8.29	8.87	9.12	9.54
6	8.29	8.15	8.45	8.23	7.99	6.59	7.13	7.23	8.32	8.84	9.15	9.53
7	8.27	8.16	8.51	8.33	7.99	7.14	7.12	7.26	8.36	8.89	9.22	9.53
8	8.23	8.23	8.55	8.45	7.95	7.36	7.10	7.36	8.37	8.90	9.28	9.53
9	8.21	8.24	8.55	8.47	7.91	7.47	7.08	7.36	8.39	8.88	9.30	9.51
10	8.21	8.20	8.57	8.47	7.92	7.44	7.06	7.36	8.40	8.90	9.31	9.52
11	8.19	8.21	8.57	8.46	7.94	7.50	7.04	7.36	8.45	8.94	9.33	9.48
12	8.21	8.16	8.59	8.43	7.85	7.28	7.04	7.36	8.56	8.96	9.35	9.43
13	8.25	8.13	8.59	8.43	7.43	6.29	7.04	7.36	8.54	9.06	9.34	9.43
14	8.25	8.21	8.57	8.37	7.10	6.46	7.07	7.30	8.52	9.04	9.30	9.48
15	8.21	8.26	8.53	8.34	7.54	6.64	7.09	7.35	8.58	9.06	9.33	9.48
16	8.18	8.27	8.54	8.34	7.43	7.00	7.08	7.48	8.62	9.02	9.36	9.47
17	8.20	8.27	8.54	8.33	7.73	7.14	7.03	7.56	8.64	9.05	9.34	9.45
18	8.21	8.24	8.53	8.34	7.78	7.15	7.13	7.60	8.65	9.12	9.35	9.45
19	8.17	8.33	8.53	8.34	7.80	7.16	7.12	7.61	8.61	9.12	9.35	9.46
20	8.15	8.33	8.50	8.33	7.86	7.21	7.05	7.68	8.59	9.00	9.38	9.45
21	8.15	8.36	8.56	8.33	7.75	7.13	7.02	7.78	8.62	9.15	9.37	9.43
22	8.13	8.44	8.53	8.27	7.74	7.13	6.95	7.82	8.62	9.18	9.38	9.63
23	8.10	8.47	8.53	8.22	7.61	7.13	6.99	7.93	8.60	9.18	9.45	9.64
24	8.14	8.46	8.50	8.22	7.62	7.12	7.11	7.90	8.68	9.19	9.45	9.62
25	8.14	8.47	8.50	8.24	7.67	7.15	7.07	7.87	8.67	9.20	9.45	9.54
26	8.12	8.47	8.49	8.06	7.73	7.19	7.12	7.98	8.68	9.22	9.46	9.52
27	8.10	8.47	8.49	8.06	7.76	7.21	7.13	8.00	8.70	9.20	9.46	9.52
28	8.10	8.43	8.51	8.09	7.77	7.20	7.18	8.04	8.73	9.06	9.50	9.52
29	8.10	8.51	8.55	7.89	---	7.19	7.15	8.01	8.68	9.06	9.51	9.52
30	8.12	8.52	8.52	8.02	---	7.22	7.19	8.03	8.74	9.07	9.51	9.52
31	8.10	---	8.44	7.93	---	7.17	---	8.04	---	9.07	9.51	---

PERIOD OF RECORD      HIGHEST      1.95 FEB 19, 1986      LOWEST      12.02 SEP 08, 1981

## WATER LEVELS, GLENN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 392730121593003

LOCAL NUMBER 019N001W32G03M

0.5 MI SOUTH OF BUTTE CITY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM  
3 IN, DEPTH 595 FT, SCREENED 590-595 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO  
CURRENT YEAR. RECORDER INSTALLED 1979.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.86	16.03	16.25	15.75	15.11	14.45	13.44	15.89	20.03	20.23	20.43	19.60
2	15.81	16.10	16.23	15.72	15.07	14.45	13.52	16.03	19.77	20.23	20.51	19.50
3	15.81	16.11	16.20	15.59	14.93	14.45	13.56	16.11	19.67	20.17	20.51	19.42
4	15.81	16.12	16.18	15.45	14.92	14.45	13.70	16.13	19.60	20.12	20.43	19.42
5	15.79	16.16	16.14	15.43	14.96	14.36	13.96	16.13	19.58	20.00	20.32	19.45
6	15.76	16.18	16.13	15.50	14.96	13.98	14.24	16.13	19.58	19.87	20.24	19.46
7	15.74	16.20	16.11	15.52	14.96	14.15	14.41	16.13	19.52	19.74	20.22	19.46
8	15.70	16.28	16.11	15.56	14.93	14.23	14.53	16.23	19.33	19.64	20.24	19.35
9	15.69	16.29	16.11	15.57	14.89	14.29	14.55	16.39	19.12	19.62	20.26	19.27
10	15.68	16.29	16.11	15.57	14.88	14.29	14.55	16.68	18.95	19.69	20.28	19.26
11	15.65	16.29	16.11	15.57	14.87	14.29	14.53	17.02	18.86	19.87	20.29	19.26
12	15.65	16.29	16.11	15.54	14.83	14.18	14.53	17.29	18.80	20.09	20.39	19.26
13	15.65	16.28	16.11	15.54	14.59	13.70	14.53	17.50	18.71	20.22	20.47	19.27
14	15.65	16.26	16.07	15.50	14.40	13.57	14.53	17.58	18.63	20.24	20.53	19.27
15	15.65	16.27	16.01	15.43	14.52	13.66	14.52	17.67	18.62	20.44	20.63	19.14
16	15.65	16.28	16.00	15.43	14.52	13.75	14.57	17.77	18.62	20.69	20.71	18.98
17	15.65	16.28	15.99	15.42	14.61	13.78	14.65	17.83	18.81	20.92	20.71	18.80
18	15.65	16.28	15.99	15.42	14.62	13.79	14.86	17.83	19.19	21.12	20.55	18.64
19	15.65	16.28	15.99	15.42	14.62	13.75	15.18	17.83	19.53	21.14	20.54	18.46
20	15.65	16.29	15.96	15.40	14.64	13.74	15.36	17.83	19.78	21.05	20.54	18.32
21	15.65	16.30	15.96	15.40	14.59	13.58	15.47	18.07	19.97	20.87	20.54	18.16
22	15.65	16.35	15.96	15.34	14.55	13.56	15.49	18.29	20.11	20.72	20.54	18.03
23	15.74	16.36	15.96	15.29	14.43	13.55	15.51	18.49	20.19	20.58	20.54	18.02
24	15.77	16.36	15.95	15.28	14.40	13.50	15.56	18.76	20.46	20.45	20.37	18.01
25	15.81	16.35	15.94	15.27	14.40	13.49	15.56	19.12	20.57	20.33	20.21	18.00
26	15.81	16.35	15.93	15.22	14.40	13.49	15.58	19.42	20.58	20.28	20.18	17.97
27	15.83	16.33	15.90	15.19	14.43	13.49	15.58	19.75	20.58	20.20	20.17	17.90
28	15.86	16.27	15.89	15.15	14.44	13.48	15.58	19.92	20.46	20.18	20.11	17.83
29	15.90	16.25	15.88	15.11	---	13.47	15.59	19.97	20.36	20.20	19.97	17.73
30	15.96	16.25	15.87	15.11	---	13.46	15.73	20.05	20.25	20.31	19.83	17.63
31	15.98	---	15.80	15.11	---	13.45	---	20.19	---	20.37	19.72	---

PERIOD OF RECORD      HIGHEST      5.52 MAR 03, 1983      LOWEST      22.49 AUG 01, 1981



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

HUMBOLDT COUNTY

LOCAL NUMBER 002S002W03E01H.....	21
LOCAL NUMBER 002S002W09H01H.....	21

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 5.--Index map to location of wells in Humboldt County.

WATER LEVELS, HUMBOLDT COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 401843124170301

LOCAL NUMBER 002S002W03E01H

NEAR PETROLIA. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF THE COAST RANGE OF PLIOCENE-HOLOCENE AGE. DIAM 8 IN, DEPTH 50 FT. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1986	15.50 S	APR 15, 1987	13.57 SR
PERIOD OF RECORD	HIGHEST	13.58 APR 03, 1985	LOWEST 16.93 OCT 02, 1984

SITE NUMBER 401928124171801

LOCAL NUMBER 002S002W09H01H

NEAR PETROLIA. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF THE COAST RANGE OF PLIOCENE-HOLOCENE AGE. DIAM 8 IN, DEPTH 34 FT. ALTITUDE OF LSD 76 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1986	13.61 S	APR 15, 1987	9.55 S
PERIOD OF RECORD	HIGHEST	5.04 MAR 04, 1980	LOWEST 13.62 OCT 02, 1984

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

IMPERIAL COUNTY

LOCAL NUMBER 009S009E04M01S.....	24
LOCAL NUMBER 015S011E32R01S.....	24
LOCAL NUMBER 016S009E24B01S.....	24, 32
LOCAL NUMBER 016S009E24D01S.....	24, 32
LOCAL NUMBER 016S009E24R01S.....	25, 32
LOCAL NUMBER 016S009E25K02S.....	25
LOCAL NUMBER 016S009E25K04S.....	32
LOCAL NUMBER 016S009E25Q01S.....	25
LOCAL NUMBER 016S009E35M01S.....	25
LOCAL NUMBER 016S009E36D02S.....	26, 32
LOCAL NUMBER 016S009E36G04S.....	26
LOCAL NUMBER 016S009E36H01S.....	26, 32
LOCAL NUMBER 016S010E14N01S.....	26
LOCAL NUMBER 016S010E16D01S.....	27
LOCAL NUMBER 016S010E18P01S.....	27
LOCAL NUMBER 016S010E27R01S.....	27
LOCAL NUMBER 016S010E29H01S.....	27
LOCAL NUMBER 016S010E29L01S.....	28, 32
LOCAL NUMBER 016S010E29R02S.....	28
LOCAL NUMBER 016S010E30R01S.....	32
LOCAL NUMBER 016S010E42A05S.....	28, 32
LOCAL NUMBER 016S011E23B01S.....	28
LOCAL NUMBER 016S011E27F01S.....	29
LOCAL NUMBER 016S011E42L01S.....	29
LOCAL NUMBER 016S011E42M01S.....	29
LOCAL NUMBER 016S011E42M05S.....	29
LOCAL NUMBER 017S010E11B01S.....	30
LOCAL NUMBER 017S010E11G01S.....	30
LOCAL NUMBER 017S010E11G04S.....	30
LOCAL NUMBER 017S010E11H01S.....	30
LOCAL NUMBER 017S010E11H02S.....	31
LOCAL NUMBER 017S011E16J01S.....	31
LOCAL NUMBER 017S011E18K01S.....	31
LOCAL NUMBER 017S011E22E02S.....	31




Figure 6.--Index map to location of wells in Imperial County.

WATER LEVELS, IMPERIAL COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 332501116025701

LOCAL NUMBER 009S009E04M01S

NORTH OF DESERT SHORES. DRILLED GEOTHERMAL TEST WELL. DIAM 2 IN, DEPTH 489 FT, SCREENED 486-489 FT. ALTITUDE OF LSD -105 FT. RECORDS AVAILABLE 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 18, 1987	95.33 S	SEP 14, 1987	98.93 S
PERIOD OF RECORD	HIGHEST	71.58 JUN 13, 1979	LOWEST 98.93 SEP 14, 1987

SITE NUMBER 324851115505901

LOCAL NUMBER 015S011E32R01S

ABOUT 1.5 MI NORTH OF PLASTER CITY. DRILLED UNUSED WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 152 FT, PERFORATED 138-140 FT. WELL FILLED IN TO 145.8 FT IN 1974. ALTITUDE OF LSD 65 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	48.87 S	MAR 30, 1987	48.34 S
PERIOD OF RECORD	HIGHEST	48.34 MAR 30, 1987	LOWEST 101.00 MAR 19, 1964

SITE NUMBER 324608115593501

LOCAL NUMBER 016S009E24B01S

ABOUT 2 MI NORTH OF OCOTILLO. BORED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 128.8 FT, SAND POINT 125-128.5 FT. ALTITUDE OF LSD 385 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	106.58 S	APR 03, 1987	106.64 S
PERIOD OF RECORD	HIGHEST	105.34 NOV 17, 1976	LOWEST 106.58 OCT 23, 1986

SITE NUMBER 324558115595201

LOCAL NUMBER 016S009E24D01S

ABOUT 2 MI NORTH OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 150 FT, CASED TO 145.5 FT, SAND POINT 145.5-149 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	105.62 S	APR 03, 1987	105.67 S
PERIOD OF RECORD	HIGHEST	103.86 APR 28, 1977	LOWEST 105.62 OCT 23, 1986

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324518115591501

LOCAL NUMBER 016S009E24R01S

ABOUT 1 MI NORTH OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 105 FT, CASED TO 101.5 FT, SAND POINT 98-101.5 FT. ALTITUDE OF LSD 335 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	60.04 S	APR 02, 1987	59.97 S
PERIOD OF RECORD	HIGHEST	58.00	NOV 17, 1976
		LOWEST	60.23
			SEP 22, 1983

SITE NUMBER 324439115593401

LOCAL NUMBER 016S009E25K02S

IN OCOTILLO, EAST OF IMPERIAL HWY. DRILLED COMMERCIAL WATER-TABLE WELL. DIAM 10 IN, DEPTH 420 FT IN 1974, PERFORATED 132-192, 242-372 FT. ALTITUDE OF LSD 364 FT. RECORDS AVAILABLE 1972, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	94.24 SR	OCT 24, 1986	94.03 S	MAR 31, 1987	93.78 S
PERIOD OF RECORD	HIGHEST	83.00	AUG 24, 1972	LOWEST	101.47
					MAR 14, 1979

SITE NUMBER 324426115593601

LOCAL NUMBER 016S009E25Q01S

IN OCOTILLO, NORTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 128 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1974, 1976, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	106.72 S	MAR 30, 1987	106.04 S
PERIOD OF RECORD	HIGHEST	104.24	DEC 01, 1974
		LOWEST	107.20
			OCT 06, 1982

SITE NUMBER 324345116010001

LOCAL NUMBER 016S009E35M01S

ABOUT 1 MI WEST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 535 FT, PERFORATED 415-425, 470-495 FT. ALTITUDE OF LSD 610 FT. RECORDS AVAILABLE 1962, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	329.06 SR	MAR 30, 1987	325.27 S
PERIOD OF RECORD	HIGHEST	321.00	MAR , 1962
		LOWEST	327.04
			APR 28, 1977

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324422116000301

LOCAL NUMBER 016S009E36D02S

ABOUT 300 FT EAST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 200 FT, PERFORATED 150-200 FT. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	160.68 S	APR 01, 1987	160.50 S
PERIOD OF RECORD	HIGHEST 157.90	JUN 26, 1975	LOWEST 160.68 OCT 23, 1986

SITE NUMBER 324401115593201

LOCAL NUMBER 016S009E36G04S

SOUTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10.75 IN, DEPTH 561 FT, PERFORATED 340-560 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	122.61 S	APR 03, 1987	122.40 S
PERIOD OF RECORD	HIGHEST 122.14	MAR 28, 1986	LOWEST 136.47 JUN 28, 1975

SITE NUMBER 324407115590901

LOCAL NUMBER 016S009E36H01S

ABOUT 0.56 MI EAST OF HWY S-2 SOUTH OF INTERSTATE 8. DRILLED INDUSTRIAL-DOMESTIC WATER-TABLE WELL IN SAND AND CLAY. DIAM 10.75 IN, DEPTH 410 FT, PERFORATED 60-380 FT. ALTITUDE OF LSD 342 FT. RECORDS AVAILABLE 1954, 1960, 1966, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	84.19 SR	APR 02, 1987	83.42 S
PERIOD OF RECORD	HIGHEST 68.50	MAR 21, 1954	LOWEST 85.00 MAY , 1960

SITE NUMBER 324620115544301

LOCAL NUMBER 016S010E14N01S

ABOUT 1.25 MI NORTHEAST OF PAINTED GORGE ROAD AND HWY 80. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, WELL POINT 120-122 FT. ALTITUDE OF LSD 225 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	95.36 S	MAR 30, 1987	95.34 S
PERIOD OF RECORD	HIGHEST 92.37	DEC 08, 1975	LOWEST 96.78 MAY 13, 1975



WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324700115565201

LOCAL NUMBER 016S010E16D01S

ABOUT 2.17 MI NORTH OF HWY 80 ON JEEP TRAIL ABOUT 1.5 MI NORTHEAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 105 FT, 60 FT IN 1975. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	43.45 S	MAR 30, 1987	43.56 S
PERIOD OF RECORD	HIGHEST 39.60	APR 26, 1977	LOWEST 46.25 JUN 23, 1975

SITE NUMBER 324612115583901

LOCAL NUMBER 016S010E18P01S

ABOUT 2.5 MI NORTHEAST OF OCOTILLO AND 2 MI NORTHWEST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 6.6 IN, DEPTH DRILLED 300 FT, 196.2 FT IN 1975, 70 FT ON 04-11-1985. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	D	MAR 30, 1987	D
PERIOD OF RECORD	HIGHEST 69.57	OCT 15, 1976	LOWEST 73.24 OCT 06, 1978

SITE NUMBER 324430115555501

LOCAL NUMBER 016S010E27R01S

ABOUT 2 MI EAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 104 FT, SAND POINT 102-104 FT. ALTITUDE OF LSD 300 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	98.54 S	MAR 31, 1987	98.53 S
PERIOD OF RECORD	HIGHEST 98.53	MAR 31, 1987	LOWEST 98.97 MAY 12, 1975

SITE NUMBER 324458115570301

LOCAL NUMBER 016S010E29H01S

ABOUT 2.6 MI NORTHEAST OF COYOTE WELLS ON HWY 80. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 38.7 FT, SAND POINT 36.7-38.7 FT. ALTITUDE OF LSD 250 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	23.93 S	MAR 30, 1987	24.00 S
PERIOD OF RECORD	HIGHEST 21.53	APR 26, 1978	LOWEST 23.50 APR 26, 1985

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324440115574301

LOCAL NUMBER 016S010E29L01S

ABOUT 2 MI EAST OF OCOTILLO ON HWY 80. UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 50 FT, SAND POINT 44.5-48 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	29.19 S	APR 03, 1987	29.22 S
PERIOD OF RECORD	HIGHEST	23.32 NOV 09, 1976	LOWEST 28.60 APR 03, 1986

SITE NUMBER 324428115570701

LOCAL NUMBER 016S010E29R02S

ABOUT 1 MI EAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 30.15 FT, SAND POINT 28-30 FT. ALTITUDE OF LSD 258 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	D	MAR 31, 1987	D
PERIOD OF RECORD	HIGHEST	9.74 MAY 12, 1975	LOWEST 16.24 OCT 23, 1984

SITE NUMBER 324329115580501

LOCAL NUMBER 016S010E42A05S

ABOUT 2 MI SOUTHEAST OF OCOTILLO IN NO MIRAGE SUBDIVISION OFF HWY 98. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 328 FT. RECORDS AVAILABLE 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	77.68 S	APR 03, 1987	77.70 S
PERIOD OF RECORD	HIGHEST	73.21 DEC 30, 1974	LOWEST 77.18 MAR 28, 1986

SITE NUMBER 324603115480501

LOCAL NUMBER 016S011E23B01S

ABOUT 3.5 MI SOUTHEAST OF PLASTER CITY. AUGERED UNUSED WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 127 FT IN 1964, 114.7 FT IN 1974, PERFORATED 121-123 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	40.32 S	MAR 31, 1987	40.44 S
PERIOD OF RECORD	HIGHEST	39.34 APR 25, 1978	LOWEST 101.17 MAR 19, 1964

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324500115492101

LOCAL NUMBER 016S011E27F01S

ABOUT 1.85 MI SOUTHWEST OF INTERSTATE 8 AND DUNAWAY RD. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 134.5 FT, SAND POINT 132.5-134.5 FT. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	98.89 S	MAR 31, 1987	98.85 S
PERIOD OF RECORD	HIGHEST	92.95 MAY 07, 1975	LOWEST 99.16 OCT 08, 1982

SITE NUMBER 324251115522201

LOCAL NUMBER 016S011E42L01S

ABOUT 7.2 MI SOUTHEAST OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AND TERTIARY AGE. DIAM 2 IN, DEPTH 143.5 FT, SAND POINT 141.5-143.5 FT. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1975-76, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1987	26.36 S
PERIOD OF RECORD	HIGHEST 22.85 OCT 07, 1982 LOWEST 44.77 MAY 09, 1975

SITE NUMBER 324258115523501

LOCAL NUMBER 016S011E42M01S

ABOUT 7 MI SOUTHEAST OF OCOTILLO. UNUSED WATER-TABLE WELL. DIAM 50 IN, DEPTH 7 FT IN 1980. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1949, 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	D	MAR 31, 1987	D
PERIOD OF RECORD	HIGHEST 4.17 MAR 30, 1983	LOWEST 7.50 JAN 18, 1949	

SITE NUMBER 324258115524101

LOCAL NUMBER 016S011E42M05S

ABOUT 6.9 MI SOUTHEAST OF OCOTILLO. UNUSED WATER-TABLE WELL. DIAM 5 IN, DEPTH 6.5 FT, 4.9 FT IN 1980, DEEPEMED TO 10 FT ON 12-18-1981. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1949, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	4.75 S	MAR 31, 1987	3.92 S
PERIOD OF RECORD	HIGHEST 3.33 APR 27, 1977	LOWEST 5.00 OCT 07, 1982	

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324138115552901

LOCAL NUMBER 017S010E11B01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 7 IN, DEPTH 301 FT. ALTITUDE OF LSD 376 FT. RECORDS AVAILABLE 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	163.30 S	APR 03, 1987	163.14 S
PERIOD OF RECORD	HIGHEST 154.80	JAN 08, 1976	LOWEST 163.49 OCT 24, 1984

SITE NUMBER 324123115552901

LOCAL NUMBER 017S010E11G01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED COMMERCIAL WATER-TABLE WELL. DIAM 8.6 IN, DEPTH 300 FT, CASED TO 300 FT, PERFORATED 160-300 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1967, 1971-72, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	182.68 S	MAR 31, 1987	182.73 SR
PERIOD OF RECORD	HIGHEST 164.94	JUN 27, 1975	LOWEST 232.80 NOV 06, 1981

SITE NUMBER 324119115553201

LOCAL NUMBER 017S010E11G04S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED UNUSED WATER-TABLE WELL. DIAM 10.75 IN, DEPTH 200.6 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	187.22 S	MAR 31, 1987	186.69 S
PERIOD OF RECORD	HIGHEST 186.69	MAR 31, 1987	LOWEST 206.21 OCT 07, 1982

SITE NUMBER 324114115552301

LOCAL NUMBER 017S010E11H01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 350 FT. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	171.33 S	APR 01, 1987	171.01 S
PERIOD OF RECORD	HIGHEST 158.27	JUN 15, 1964	LOWEST 174.33 OCT 26, 1983

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324118115552101

LOCAL NUMBER 017S010E11H02S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND CLAY. DIAM 4 IN, DEPTH 344 FT. ALTITUDE OF LSD 376 FT. RECORDS AVAILABLE 1973, 1978 TO 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	187.41 SR	MAR 31, 1987	W
PERIOD OF RECORD    HIGHEST 165.00 MAR , 1973    LOWEST 189.87 OCT 07, 1982			

SITE NUMBER 324013115511101

LOCAL NUMBER 017S011E16J01S

ABOUT 11.5 MI EAST OF HWY 98 AND INTERSTATE 8 NEAR SUNRISE BUTTE. DRILLED UNUSED WATER-TABLE WELL IN CLAY AND SILT. DIAM 4 IN, DEPTH 336.5 FT, PERFORATED 226-366 FT. ALTITUDE OF LSD 298.7 FT. RECORDS AVAILABLE 1970, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	95.55 S	APR 01, 1987	95.44 S
PERIOD OF RECORD    HIGHEST 95.00 MAY 19, 1970    LOWEST 96.66 FEB 04, 1975			

SITE NUMBER 324009115532301

LOCAL NUMBER 017S011E18K01S

ABOUT 8 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 IN SOUTHERN END OF CRUCIFIXION THORNS AREA. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 147.29 FT, SAND POINT 145.5-147.5 FT. ALTITUDE OF LSD 341.6 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	135.69 S	APR 01, 1987	135.60 S
PERIOD OF RECORD    HIGHEST 135.60 APR 01, 1987    LOWEST 136.76 MAY 14, 1975			

SITE NUMBER 323934115504701

LOCAL NUMBER 017S011E22E02S

ABOUT 12 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 AND ABOUT 1 MI SOUTHEAST OF SUNRISE BUTTE. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 119.65 FT, SAND POINT 117.6-119.6 FT. ALTITUDE OF LSD 303.9 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	101.07 S	APR 01, 1987	100.94 S
PERIOD OF RECORD    HIGHEST 100.94 OCT 30, 1985, APR 01, 1987    LOWEST 102.48 MAY 08, 1975			

## WATER QUALITY, IMPERIAL COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3
016S009E24B01S	04-03-87	1600	106.64	129.00	2200	8.40	29.0	23	0
016S009E24D01S	04-03-87	1430	105.67	149.00	800	8.40	28.5	42	0
016S009E24R01S	04-02-87	1230	59.97	102.00	680	8.30	28.5	61	0
016S009E25K04S	04-01-87	1330	--	--	630	8.10	29.5	71	0
016S009E36D02S	04-01-87	1500	160.50	200.00	600	8.10	29.0	48	0
016S009E36H01S	04-02-87	1000	83.42	380.00	485	8.10	31.0	60	0
016S010E29L01S	04-03-87	1300	29.22	48.00	1160	8.40	28.0	32	0
016S010E30R01S	04-02-87	1445	--	--	1090	7.70	27.5	180	41
016S010E42A05S	04-03-87	1045	77.70	--	720	8.30	29.0	34	0
	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
016S009E24B01S	5.6	2.2	450	97	42	2.7	189	290	400
016S009E24D01S	11	3.5	150	88	10	3.6	99	140	93
016S009E24R01S	15	5.7	110	78	6	5.0	98	90	84
016S009E25K04S	20	5.1	98	74	5	4.4	125	50	83
016S009E36D02S	15	2.6	100	80	7	3.8	135	25	85
016S009E36H01S	18	3.7	74	71	4	4.0	105	31	61
016S010E29L01S	7.4	3.4	220	93	17	2.9	147	68	240
016S010E30R01S	49	15	150	63	5	5.2	143	68	210
016S010E42A05S	8.7	3.1	140	89	11	2.7	180	57	83
	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	
016S009E24B01S	1.6	22	1290	<0.100	<0.010	780	120	<10	
016S009E24D01S	1.0	18	486	1.40	<0.010	430	<3	<1	
016S009E24R01S	0.80	25	399	1.10	<0.010	270	30	15	
016S009E25K04S	0.80	32	376	1.60	<0.010	250	11	2	
016S009E36D02S	2.0	36	354	0.750	<0.010	670	16	<1	
016S009E36H01S	0.70	36	299	1.70	<0.010	220	4	<1	
016S010E29L01S	0.90	20	651	<0.100	<0.010	390	100	5	
016S010E30R01S	0.80	40	654	6.80	<0.010	460	10	3	
016S010E42A05S	2.6	38	448	0.920	<0.010	760	11	1	

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

INYO COUNTY

LOCAL NUMBER 015S044E36G01M.....	35
LOCAL NUMBER 015S044E36G02M.....	35
LOCAL NUMBER 015S044E36H01M.....	35
LOCAL NUMBER 015S044E36H02M.....	35
LOCAL NUMBER 015S044E36J01M.....	36
LOCAL NUMBER 015S044E36J05M.....	36
LOCAL NUMBER 015S044E36J06M.....	36
LOCAL NUMBER 015S044E36K03M.....	36
LOCAL NUMBER 015S044E36K04M.....	37
LOCAL NUMBER 015S044E36K05M.....	37
LOCAL NUMBER 015S044E36L01M.....	37
LOCAL NUMBER 015S044E36M01M.....	37
LOCAL NUMBER 015S044E36M02M.....	38
LOCAL NUMBER 015S045E31M01M.....	38
LOCAL NUMBER 015S045E31M02M.....	38
LOCAL NUMBER 024S040E34E01M.....	38




Figure 7.--Index map to location of wells in Inyo County.



## WATER LEVELS, INYO COUNTY

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 363633117083201

LOCAL NUMBER 015S044E36G01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 47 FT, CASED TO 46.9 FT, SAND POINT 44.9-46.9 FT. ALTITUDE OF LSD -25.21 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR. RECORDER FROM NOVEMBER 1973-APRIL 1975.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	23.81 S
PERIOD OF RECORD	HIGHEST 20.45 SEP 21, 1978      LOWEST 23.81 OCT 09, 1986

SITE NUMBER 363633117083202

LOCAL NUMBER 015S044E36G02M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 27.7 FT, CASED TO 27.7 FT, SAND POINT 24.7-27.7 FT. ALTITUDE OF LSD -25.31 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	23.37 S
PERIOD OF RECORD	HIGHEST 21.05 NOV 03, 1973      LOWEST 23.41 SEP 04, 1986

SITE NUMBER 363633117083001

LOCAL NUMBER 015S044E36H01M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASED TO 51.2 FT, SAND POINT 49.2-51.2 FT. ALTITUDE OF LSD -26.20 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	24.18 S
PERIOD OF RECORD	HIGHEST 22.25 NOV 03, 1973      LOWEST 24.15 SEP 04, 1986

SITE NUMBER 363633117083002

LOCAL NUMBER 015S044E36H02M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 28.25 FT, CASED TO 28.25 FT, SAND POINT 25.25-28.25 FT. ALTITUDE OF LSD -26.10 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	24.30 S
PERIOD OF RECORD	HIGHEST 18.04 NOV 03, 1973      LOWEST 24.24 SEP 04, 1986

## WATER LEVELS, INYO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 363629117083001

LOCAL NUMBER 015S044E36J01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASED TO 50.7 FT, SAND POINT 48.7-50.7 FT. ALTITUDE OF LSD -22.76 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	27.82 S
PERIOD OF RECORD	HIGHEST 24.90 NOV 28, 1973      LOWEST 29.00 NOV 02, 1973

SITE NUMBER 363624117083601

LOCAL NUMBER 015S044E36J05M

ABOUT 0.3 MI EAST OF STOVEPIPE WELLS GAS STATION AND 180 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 44.3 FT, CASED TO 44.3 FT, PERFORATED 32.55-44.3 FT. ALTITUDE OF LSD -15.30 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	36.76 S
PERIOD OF RECORD	HIGHEST 36.06 MAY 16, 1980      LOWEST 37.69 MAY 16, 1980

SITE NUMBER 363624117083101

LOCAL NUMBER 015S044E36J06M

ABOUT 0.25 MI EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASED TO 46 FT, PERFORATED 36-46 FT. ALTITUDE OF LSD -12.64 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	38.39 S
PERIOD OF RECORD	HIGHEST 37.69 MAY 16, 1980      LOWEST 40.32 SEP 04, 1986

SITE NUMBER 363624117082401

LOCAL NUMBER 015S044E36K03M

ABOUT 780 FT EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASED TO 45.42 FT, PERFORATED 37.42-45.42 FT. ALTITUDE OF LSD -9.66 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	40.34 S
PERIOD OF RECORD	HIGHEST 39.42 JUN 17, 1980      LOWEST 40.32 SEP 04, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 363624117082001

LOCAL NUMBER 015S044E36K04M

ABOUT 280 FT EAST OF STOVEPIPE WELLS GAS STATION AND 113 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 47 FT, CASED TO 47 FT, PERFORATED 38-47 FT. ALTITUDE OF LSD -7.98 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	41.06 S
PERIOD OF RECORD	HIGHEST 40.53 JUN 17, 1980      LOWEST 41.04 SEP 04, 1986

SITE NUMBER 363623117084001

LOCAL NUMBER 015S044E36K05M

ABOUT 270 FT SOUTHEAST OF STOVEPIPE WELLS GROCERY STORE NEAR SWIMMING POOL. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 60 FT, CASED TO 59 FT, PERFORATED 49-59 FT. ALTITUDE OF LSD 0.73 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	49.58 S
PERIOD OF RECORD	HIGHEST 49.02 APR 28, 1985      LOWEST 49.58 OCT 09, 1986

SITE NUMBER 363623117084901

LOCAL NUMBER 015S044E36L01M

ABOUT 150 FT SOUTHWEST OF STOVEPIPE WELLS GROCERY STORE. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 56.6 FT, CASED TO 56.6 FT, PERFORATED 46.5-56.6 FT. ALTITUDE OF LSD -1.85 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	46.35 S
PERIOD OF RECORD	HIGHEST 45.07 JUN 17, 1980      LOWEST 46.35 OCT 09, 1986

SITE NUMBER 363621117091801

LOCAL NUMBER 015S044E36M01M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 43.8 FT, CASED TO 45.3 FT, SAND POINT 43.3-45.3 FT. ALTITUDE OF LSD -15.22 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1986	28.76 S
PERIOD OF RECORD	HIGHEST 27.70 APR 09, 1974      LOWEST 28.73 SEP 05, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 363621117091802

LOCAL NUMBER 015S044E36M02M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 32.7 FT, CASED TO 32.7 FT, SAND POINT 29.7-32.7 FT. ALTITUDE OF LSD -15.33 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1986	28.61 S					
PERIOD OF RECORD	HIGHEST	18.46	NOV 03, 1973	LOWEST	28.65	SEP 05, 1986

SITE NUMBER 363627117080301

LOCAL NUMBER 015S045E31M01M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 37.4 FT, CASED TO 37.4 FT, SAND POINT 35.4-37.4 FT. ALTITUDE OF LSD -26.50 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR. PUBLISHED IN OPEN-FILE REPORT 79-203 AS 015S044E36J03M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1986	28.21 S					
PERIOD OF RECORD	HIGHEST	26.83	JAN 18, 1978	LOWEST	28.16	SEP 03, 1986

SITE NUMBER 363627117080302

LOCAL NUMBER 015S045E31M02M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 30.3 FT, CASED TO 30.3 FT, SAND POINT 28.3-30.3 FT. ALTITUDE OF LSD -26.64 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR. PUBLISHED IN OPEN-FILE REPORT 79-203 AS 015S044E36J04M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1986	28.13 S					
PERIOD OF RECORD	HIGHEST	27.20	NOV 29, 1973	FEB 14, 1974	LOWEST	28.13 OCT 09, 1986

SITE NUMBER 354824117385701

LOCAL NUMBER 024S040E34E01M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 10.5 MI NORTH-NORTHEAST OF MAIN GATE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 21.9 FT IN 1972, SCREENED 20.3-22.3 FT. ALTITUDE OF LSD 2176.7 FT. RECORDS AVAILABLE 1953-54, 1959, 1961-63, 1965-67, 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
MAY 14, 1987	5.04 S	SEP 21, 1987	5.07 S			
PERIOD OF RECORD	HIGHEST	3.99	APR 15, 1986	LOWEST	5.07	SEP 21, 1987

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

KERN COUNTY

LOCAL NUMBER 025S038E11L01M.....	67, 72	LOCAL NUMBER 031S038E06E01M.....	53
LOCAL NUMBER 025S038E13L01M.....	41	LOCAL NUMBER 031S038E18P01M.....	53
LOCAL NUMBER 025S038E23G01M.....	41	LOCAL NUMBER 031S039E24P01M.....	53
LOCAL NUMBER 025S038E23J01M.....	41	LOCAL NUMBER 032S036E35D01M.....	53
LOCAL NUMBER 025S038E25L01M.....	41	LOCAL NUMBER 032S037E09Q01M.....	54
LOCAL NUMBER 025S039E31R01M.....	42, 67, 72	LOCAL NUMBER 032S037E11N01M.....	54
LOCAL NUMBER 025S040E35P01M.....	42	LOCAL NUMBER 032S037E12M01M.....	54
LOCAL NUMBER 026S039E07N01M.....	42	LOCAL NUMBER 032S037E22N01M.....	54, 67
LOCAL NUMBER 026S039E08E01M.....	42	LOCAL NUMBER 032S037E26N01M.....	55
LOCAL NUMBER 026S039E13R04M.....	43	LOCAL NUMBER 032S039E33L01M.....	55
LOCAL NUMBER 026S039E17F02M.....	43, 67, 72	LOCAL NUMBER 009N009W06E01S.....	55
LOCAL NUMBER 026S039E19Q01M.....	43	LOCAL NUMBER 009N009W10R01S.....	55
LOCAL NUMBER 026S039E24K01M.....	43	LOCAL NUMBER 009N009W27H02S.....	56
LOCAL NUMBER 026S039E24R01M.....	44	LOCAL NUMBER 009N010W08P01S.....	56
LOCAL NUMBER 026S039E30F01M.....	44	LOCAL NUMBER 009N010W12R01S.....	56
LOCAL NUMBER 026S040E14B01M.....	44, 67	LOCAL NUMBER 009N010W24C01S.....	56
LOCAL NUMBER 026S040E19P01M.....	44	LOCAL NUMBER 009N010W28F02S.....	57
LOCAL NUMBER 026S040E20N01M.....	45	LOCAL NUMBER 009N011W36L01S.....	57
LOCAL NUMBER 026S040E22A01M.....	67, 72	LOCAL NUMBER 009N012W16E04S.....	57
LOCAL NUMBER 026S040E22B01M.....	67, 72	LOCAL NUMBER 009N012W23N01S.....	57
LOCAL NUMBER 026S040E22H03M.....	45, 67, 72	LOCAL NUMBER 009N012W33P01S.....	58
LOCAL NUMBER 026S040E22P01M.....	45	LOCAL NUMBER 009N013W07Q03S.....	58
LOCAL NUMBER 026S040E22P03M.....	45, 67	LOCAL NUMBER 009N013W14Q01S.....	58
LOCAL NUMBER 026S040E22P04M.....	46, 67	LOCAL NUMBER 009N013W27K01S.....	58
LOCAL NUMBER 026S040E23A03M.....	46, 67	LOCAL NUMBER 009N014W01H01S.....	59
LOCAL NUMBER 026S040E23A04M.....	46, 67	LOCAL NUMBER 009N014W20B01S.....	59
LOCAL NUMBER 026S040E23D01M.....	67	LOCAL NUMBER 009N014W24D03S.....	59
LOCAL NUMBER 026S040E28J01M.....	46	LOCAL NUMBER 009N014W27R01S.....	59
LOCAL NUMBER 026S040E30K02M.....	47, 67, 72	LOCAL NUMBER 009N015W26N01S.....	60, 67
LOCAL NUMBER 026S040E33P04M.....	47, 67	LOCAL NUMBER 009N015W30Q01S.....	60
LOCAL NUMBER 027S039E08A01M.....	47	LOCAL NUMBER 009N016W36A01S.....	60
LOCAL NUMBER 027S039E16C01M.....	47	LOCAL NUMBER 010N009W04D01S.....	60
LOCAL NUMBER 027S040E01K01M.....	48	LOCAL NUMBER 010N009W24A02S.....	61
LOCAL NUMBER 027S040E02J01M.....	48	LOCAL NUMBER 010N011W08P01S.....	61
LOCAL NUMBER 027S040E04A01M.....	48	LOCAL NUMBER 010N012W12K01S.....	61
LOCAL NUMBER 029S039E23J02M.....	67	LOCAL NUMBER 010N012W13H01S.....	61
LOCAL NUMBER 029S039E33H01M.....	48	LOCAL NUMBER 010N012W15M03S.....	67
LOCAL NUMBER 029S039E33K01M.....	49	LOCAL NUMBER 010N012W20C06S.....	62
LOCAL NUMBER 029S039E34D01M.....	49	LOCAL NUMBER 010N012W22J01S.....	62
LOCAL NUMBER 030S037E13C01M.....	49	LOCAL NUMBER 010N013W19M01S.....	62
LOCAL NUMBER 030S037E24J03M.....	67	LOCAL NUMBER 010N013W21B01S.....	67
LOCAL NUMBER 030S037E24M02M.....	67	LOCAL NUMBER 010N013W32D01S.....	67
LOCAL NUMBER 030S037E26E01M.....	67	LOCAL NUMBER 010N014W24A01S.....	62
LOCAL NUMBER 030S037E27H02M.....	49	LOCAL NUMBER 010N015W33D01S.....	63
LOCAL NUMBER 030S037E34H02M.....	50, 67	LOCAL NUMBER 011N008W29K01S.....	63
LOCAL NUMBER 030S037E34R01M.....	67	LOCAL NUMBER 011N009W13D01S.....	63
LOCAL NUMBER 030S037E36G01M.....	50	LOCAL NUMBER 011N009W17N01S.....	63
LOCAL NUMBER 030S038E03K02M.....	50	LOCAL NUMBER 011N009W24A01S.....	64
LOCAL NUMBER 030S038E04D02M.....	67	LOCAL NUMBER 011N009W30H01S.....	64
LOCAL NUMBER 030S038E17F01M.....	50	LOCAL NUMBER 011N009W36R01S.....	64
LOCAL NUMBER 030S038E24F01M.....	51	LOCAL NUMBER 011N010W12F01S.....	64
LOCAL NUMBER 030S038E30P01M.....	51	LOCAL NUMBER 011N011W07A01S.....	65
LOCAL NUMBER 030S038E30Q01M.....	51	LOCAL NUMBER 011N011W09A01S.....	65
LOCAL NUMBER 030S038E31C01M.....	51	LOCAL NUMBER 011N012W22F02S.....	65
LOCAL NUMBER 031S037E04J01M.....	52	LOCAL NUMBER 011N012W26J01S.....	65
LOCAL NUMBER 031S037E04Q01M.....	52	LOCAL NUMBER 011N013W19C01S.....	66
LOCAL NUMBER 031S037E05M01M.....	67	LOCAL NUMBER 011N013W29M01S.....	66
LOCAL NUMBER 031S037E10B01M.....	67	LOCAL NUMBER 011N014W14B01S.....	67
LOCAL NUMBER 031S037E33H01M.....	52	LOCAL NUMBER 012N012W35R01S.....	66
LOCAL NUMBER 031S037E35N01M.....	52		




Figure 8.--Index map to location of wells in Kern County.

WATER LEVELS, KERN COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 354541117501901

LOCAL NUMBER 025S038E13L01M

ABOUT 7.5 MI NORTH OF INYOKERN, EAST OF BROWN ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 444 FT, PERFORATED 109-444 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	137.68 S	MAY 14, 1987	133.17 S	JUL 23, 1987	134.88 S	SEP 19, 1987	135.82 S
PERIOD OF RECORD	HIGHEST	123.58	JAN 13, 1978	LOWEST	137.68	OCT 23, 1986	

SITE NUMBER 354458117511801

LOCAL NUMBER 025S038E23G01M

ABOUT 0.80 MI WEST OF RAILROAD TRACKS AND 2.65 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 259 FT IN 1953. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1921, 1946, 1953-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
SEP 19, 1987	232.82 S				
PERIOD OF RECORD	HIGHEST	202.22	APR 07, 1953	LOWEST	232.82 SEP 19, 1987

SITE NUMBER 354449117505001

LOCAL NUMBER 025S038E23J01M

ABOUT 0.40 MI WEST OF BROWN ROAD ON ARGONAUT STREET. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 701 FT, PERFORATED 240-630 FT. ALTITUDE OF LSD 2376 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	188.79 S	MAY 13, 1987	184.96 S	SEP 20, 1987	192.04 S
PERIOD OF RECORD	HIGHEST	184.96	MAY 13, 1987	LOWEST	192.04 SEP 20, 1987

SITE NUMBER 354346117503001

LOCAL NUMBER 025S038E25L01M

ABOUT 0.25 MI WEST OF RAILROAD TRACKS AND 1.25 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 222.2 FT, PERFORATED 212-232 FT. ALTITUDE OF LSD 2329.2 FT. RECORDS AVAILABLE 1952-59, 1961-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	144.59 S	SEP 20, 1987	146.34 S		
PERIOD OF RECORD	HIGHEST	119.39	JAN 20, 1954	LOWEST	148.58 SEP 28, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 354240117485301

LOCAL NUMBER 025S039E31R01M

ABOUT 0.9 MI EAST OF RAILROAD AND LELITER ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 603 FT, CASED TO 480 FT, PERFORATED 120-180 FT. ALTITUDE OF LSD 2260 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	73.70 B	OCT 07, 1986	73.58 B	OCT 13, 1986	73.34 B	OCT 19, 1986	73.22 B
02	73.70 B	08	73.54 B	14	73.28 B	20	73.27 B
03	73.72 B	09	73.51 B	15	73.30 B	23	73.29 S
04	73.72 B	10	73.43 B	16	73.29 B	MAY 13, 1987	73.57 S
05	73.57 B	11	73.35 B	17	73.35 B	SEP 21	74.36 S
06	73.57 B	12	73.44 B	18	73.29 B		

PERIOD OF RECORD    HIGHEST    71.13    JUL 31, 1986    LOWEST    76.43    SEP 19, 1986

SITE NUMBER 354240117383501

LOCAL NUMBER 025S040E35P01M

ABOUT 250 FT SOUTHWEST OF TOWER ROAD AND 2.5 MI NORTH OF GOVERNMENT RAILROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 15.4 FT, PERFORATED 8.3-17.6 FT. ALTITUDE OF LSD 2158.8 FT. RECORDS AVAILABLE 1953-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 14, 1987	8.36 S	SEP 21, 1987	8.48 S

PERIOD OF RECORD    HIGHEST    7.77    APR 22, 1985    LOWEST    9.59    DEC 17, 1953

SITE NUMBER 354055117494401

LOCAL NUMBER 026S039E07N01M

ABOUT 0.50 MI WEST OF RAILROAD TRACKS AND ON ATHEL STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 368 FT IN 1952. ALTITUDE OF LSD 2394.3 FT. RECORDS AVAILABLE 1946, 1952-53, 1958, 1960-62, 1964-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 13, 1987	220.96 S

PERIOD OF RECORD    HIGHEST    184.11    OCT 20, 1953    LOWEST    220.96    MAY 13, 1987

SITE NUMBER 354123117482601

LOCAL NUMBER 026S039E08E01M

ABOUT 1 MI EAST OF BROWN ROAD AND 1.2 MI NORTH OF CADDY ROAD. DRILLED WELL. DIAM 4 IN, DEPTH 880 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	133.33 S	JUL 22, 1987	134.12 S	SEP 21, 1987	134.69 S

PERIOD OF RECORD    HIGHEST    129.95    MAY 13, 1985    MAY 15, 1985    LOWEST    134.69    SEP 21, 1987



## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353959117431903

LOCAL NUMBER 026S039E13R04M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.5 MI NORTH OF SNORT ACCESS ROAD AND 1.2 MI EAST OF SNORT TOWER. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 800 FT, PERFORATED 640-780 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUL 02, 1987	160.54 S	SEP 21, 1987	162.67 S
PERIOD OF RECORD	HIGHEST 160.54	JUL 02, 1987	LOWEST 162.67 SEP 21, 1987

SITE NUMBER 354033117480901

LOCAL NUMBER 026S039E17F02M

ABOUT 1 MI EAST OF BROWN ROAD AND 0.15 MI NORTH OF CADDY ROAD. DRILLED WELL. DIAM 14 IN, DEPTH 881 FT, CASED TO 881 FT, PERFORATED 681-881 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	172.50 B	OCT 08, 1986	172.30 B	OCT 15, 1986	172.30 B	OCT 22, 1986	172.44 B
02	172.45 B	09	172.35 B	16	172.36 B	23	172.46 S
03	172.37 B	10	172.40 B	17	172.35 B	MAY 13, 1987	171.63 S
04	172.27 B	11	172.36 B	18	172.35 B	JUL 22	171.80 S
05	172.18 B	12	172.28 B	19	172.33 B	SEP 21	173.04 S
06	172.19 B	13	172.26 B	20	172.33 B		
07	172.25 B	14	172.30 B	21	172.38 B		
PERIOD OF RECORD	HIGHEST 168.19	MAY 13, 1985	LOWEST 174.67	AUG 18, 1986			

SITE NUMBER 354408117485801

LOCAL NUMBER 026S039E19Q01M

AT INYOKERN. DRILLED UNUSED WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 371 FT, CASED TO 256 FT. ALTITUDE OF LSD 2418.3 FT. RECORDS AVAILABLE 1945, 1952-64, 1966-73, 1975 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	232.36 S	SEP 19, 1987	233.49 S
PERIOD OF RECORD	HIGHEST 207.50	SEP 07, 1945	LOWEST 234.30 APR 15, 1986

SITE NUMBER 353921117433901

LOCAL NUMBER 026S039E24K01M

ABOUT 0.30 MI NORTH OF GOVERNMENT RAILROAD AND 3.15 MI WEST OF SANDQUIST ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 323.1 FT IN 1953, PERFORATED 190-197, 230-278, 287-301 FT. ALTITUDE OF LSD 2347.4 FT. RECORDS AVAILABLE 1952-79, 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	202.70 S	SEP 21, 1987	203.86 S
PERIOD OF RECORD	HIGHEST 153.54	MAR 16, 1953	LOWEST 203.86 SEP 21, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353911117432601

LOCAL NUMBER 026S039E24R01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 3.1 MI WEST OF INTERSECTION OF RIDGECREST INYOKERN ROAD AND NORTH CHINA LAKE BLVD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 480 FT, PERFORATED 160-281, 412-460 FT. ALTITUDE OF LSD 2344.9 FT. RECORDS AVAILABLE 1944-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 13, 1987	206.80	S			
PERIOD OF RECORD	HIGHEST	128.00	APR 20, 1944	LOWEST	206.80 MAY 13, 1987

SITE NUMBER 353851117491401

LOCAL NUMBER 026S039E30F01M

AT INYOKERN. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 385 FT IN 1966, PERFORATED 250-321, 369-386 FT. ALTITUDE OF LSD 2433.5 FT. RECORDS AVAILABLE 1944, 1950, 1966-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
MAY 13, 1987	247.56	S	SEP 19, 1987	248.39	S
PERIOD OF RECORD	HIGHEST	220.00	SEP 17, 1944	LOWEST	248.39 SEP 19, 1987

SITE NUMBER 354039117382801

LOCAL NUMBER 026S040E14B01M

ABOUT 200 FT EAST OF NORTH POLE LINE ROAD AND 0.60 MI SOUTHWEST OF INTERSECTION OF WATER AND POLE LINE ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 22 FT, WELL POINT 20-22 FT. ALTITUDE OF LSD 2186.5 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 12, 1987	1.46	S			
PERIOD OF RECORD	HIGHEST	1.43	APR 01, 1985	LOWEST	6.96 OCT 16, 1975

SITE NUMBER 353910117430201

LOCAL NUMBER 026S040E19P01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 0.30 MI EAST OF EXTENSION OF JACKS RANCH ROAD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 261 FT, PERFORATED 192-220, 253-259 FT. ALTITUDE OF LSD 2336 FT. RECORDS AVAILABLE 1944, 1946, 1952-60, 1963, 1965 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 13, 1987	191.82	S			
PERIOD OF RECORD	HIGHEST	135.90	FEB 20, 1946	LOWEST	191.82 MAY 13, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353910117420801

LOCAL NUMBER 026S040E20N01M

ABOUT 2.85 MI WEST OF INTERSECTION OF RIDGECREST INYOKERN ROAD AND NORTH CHINA LAKE BLVD AND 100 FT NORTH OF RIDGECREST-INYOKERN ROAD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 190.1 FT IN 1952. ALTITUDE OF LSD 2311.8 FT. RECORDS FURNISHED BY U.S. NAVY IN 1945. RECORDS AVAILABLE 1945, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	159.70 S	SEP 21, 1987	164.35 S
PERIOD OF RECORD	HIGHEST 112.00	SEP 07, 1945	LOWEST 164.35 SEP 21, 1987

SITE NUMBER 353942117390803

LOCAL NUMBER 026S040E22H03M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX ROAD AND SOUTH LAURISTEN ROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 97 FT, WELL POINT 95-97 FT. ALTITUDE OF LSD 2226.23 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 01, 1987	21.22 S
PERIOD OF RECORD	HIGHEST 18.29 OCT 22, 1974 LOWEST 21.22 JUN 01, 1987

SITE NUMBER 353908117395201

LOCAL NUMBER 026S040E22P01M

ABOUT 100 FT WEST OF BULLARD ROAD AND ABOUT 0.25 MI NORTH OF INYOKERN ROAD. DRILLED UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE. DIAM 8 IN, DEPTH 1358 FT, PERFORATED 530-830 FT. ALTITUDE OF LSD 2258.7 FT. RECORDS AVAILABLE 1954 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 12, 1987	102.45 S	MAY 27, 1987	103.15 S	SEP 19, 1987	109.15 S
PERIOD OF RECORD	HIGHEST 64.28 MAY 13, 1954	LOWEST 109.15	SEP 19, 1987		

SITE NUMBER 353912117394601

LOCAL NUMBER 026S040E22P03M

ABOUT 0.1 MI EAST OF WATER TANKS ON BULLARD ROAD AND 0.15 MI NORTH OF EAST INYOKERN ROAD. DRILLED OBSERVATION WELL (1981). DIAM 6 IN, DEPTH 415 FT IN 1981. ALTITUDE OF LSD 2273 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	95.37 B	OCT 08, 1986	95.43 B	OCT 15, 1986	95.45 B	OCT 22, 1986	95.51 B
02	95.35 B	09	95.44 B	16	95.50 B	23	95.52 S
03	95.39 B	10	95.43 B	17	95.49 B	MAY 12, 1987	95.32 S
04	95.44 B	11	95.41 B	18	95.47 B	26	95.43 S
05	94.43 B	12	95.45 B	19	95.50 B	SEP 19	96.45 S
06	95.44 B	13	95.49 B	20	95.51 B		
07	95.44 B	14	95.51 B	21	95.52 B		
PERIOD OF RECORD	HIGHEST 37.65 OCT 01, 1983	LOWEST 96.45	SEP 19, 1987				

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353912117394602

LOCAL NUMBER 026S040E22P04M

ABOUT 0.1 MI EAST OF WATER TANKS ON BULLARD ROAD AND 0.15 MI NORTH OF EAST INYOKERN ROAD. DRILLED WELL IN 1981. OBSERVATION WELL. DIAM 6 IN, DEPTH 215 FT IN 1981. ALTITUDE OF LSD 2273 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	40.43 B	OCT 08, 1986	40.37 B	OCT 15, 1986	40.28 B	OCT 22, 1986	40.20 B
02	40.42 B	09	40.35 B	16	40.28 B	23	40.20 B
03	40.46 B	10	40.30 B	17	40.24 B	MAY 12, 1987	40.83 S
04	40.49 B	11	40.28 B	18	40.23 B	26	40.85 S
05	40.42 B	12	40.31 B	19	40.23 B	SEP 19	68.15 S
06	40.41 B	13	40.32 B	20	40.24 B	21	68.38 S
07	40.40 B	14	40.30 B	21	40.24 B		

PERIOD OF RECORD    HIGHEST    36.73    JUN 02, 1985    LOWEST    68.38    SEP 21, 1987

SITE NUMBER 353955117381601

LOCAL NUMBER 026S040E23A03M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.65 MI WEST OF POLE LINE ROAD AND 0.15 MI NORTH OF KNOX ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 360 FT, PERFORATED 300-340 FT. ALTITUDE OF LSD 2210 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	23.60 S	MAY 12, 1987	23.64 S	SEP 21, 1987	24.34 S
PERIOD OF RECORD	HIGHEST	23.60	DEC 11, 1986	LOWEST	24.34
					SEP 21, 1987

SITE NUMBER 353955117381602

LOCAL NUMBER 026S040E23A04M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.65 MI WEST OF POLE LINE ROAD AND 0.15 MI NORTH OF KNOX ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 240 FT, PERFORATED 180-220 FT. ALTITUDE OF LSD 2210 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	14.31 S	MAY 12, 1987	18.56 S	SEP 21, 1987	19.92 S
PERIOD OF RECORD	HIGHEST	14.31	DEC 11, 1986	LOWEST	19.92
					SEP 21, 1987

SITE NUMBER 353828117401301

LOCAL NUMBER 026S040E28J01M

ABOUT 0.70 MI SOUTH OF RIDGECREST-INYOKERN ROAD AND 0.10 MI WEST OF NORTH CHINA LAKE BLVD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2288.9 FT. RECORDS AVAILABLE 1948, 1952-69, 1971-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 13, 1987	121.94 S
PERIOD OF RECORD	HIGHEST    98.30    DEC 30, 1948    LOWEST    121.94    MAY 13, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353844117424401

LOCAL NUMBER 026S040E30K02M

SOUTHEAST OF INYOKERN HWY AND JACK RANCH ROAD INTERSECTION. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 802 FT, PERFORATED 220-470, 600-760 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1968-71, 1974-79, 1981.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 14, 1987	236.26 SP	SEP 21, 1987	248.60 SP
PERIOD OF RECORD	HIGHEST 183.03	OCT 13, 1970	LOWEST 222.59 APR 03, 1985

SITE NUMBER 353723117404303

LOCAL NUMBER 026S040E33P04M

ABOUT 100 FT NORTH OF WEST RIDGECREST BLVD AND 0.30 MI WEST OF COURTHOUSE. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 304 FT, PERFORATED 169-182, 198-216, 233-252, 256-272, 278-290 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1966, 1970-72, 1974-75, 1976-78.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 14, 1987	168.26 S	MAY 28, 1987	168.39 S	SEP 21, 1987	172.46 S
PERIOD OF RECORD	HIGHEST 144.49	OCT 28, 1971	LOWEST 172.46	SEP 21, 1987	

SITE NUMBER 353626117475101

LOCAL NUMBER 027S039E08A01M

ABOUT 500 FT EAST OF RANDBURG-INYOKERN ROAD AND 100 FT SOUTH OF WEST BOWMAN ROAD, GENERALLY 3 MI SOUTH OF THE TOWN OF INYOKERN. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8.4 IN, DEPTH 385 FT, PERFORATIONS UNKNOWN. ALTITUDE OF LSD 2535 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUL 22, 1987	342.17 S	SEP 19, 1987	342.55 S
PERIOD OF RECORD	HIGHEST 342.17	JUL 22, 1987	LOWEST 342.55 SEP 19, 1987

SITE NUMBER 353534117471901

LOCAL NUMBER 027S039E16C01M

ABOUT 1 MI SOUTH OF BOWMAN ROAD AND 0.4 MI EAST OF RANDBURG-INYOKERN ROAD, ABOUT 4 MI SOUTHEAST OF THE TOWN OF INYOKERN. DRILLED AGRICULTURAL WATER-TABLE WELL. DIAM 8.625 IN, DEPTH 502 FT, PERFORATED 370-502 FT. ALTITUDE OF LSD 2582.3 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	388.64 S	JUL 22, 1987	388.98 S	SEP 19, 1987	396.95 SR
PERIOD OF RECORD	HIGHEST 387.34	JAN 23, 1986	LOWEST 388.98	JUL 22, 1987	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353652117372701

LOCAL NUMBER 027S040E01K01M

ABOUT 0.50 MI SOUTH OF STATE HWY 178 AND 1.3 MI EAST OF SOUTH RICHMOND STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2318.1 FT. RECORDS AVAILABLE 1952-58, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	137.98 S	SEP 19, 1987	138.33 S
PERIOD OF RECORD	HIGHEST 127.65	MAY 21, 1952	LOWEST 142.92 NOV 14, 1967

SITE NUMBER 353644117380601

LOCAL NUMBER 027S040E02J01M

SOUTHEAST OF RIDGECREST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 220 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1958, 1960-62, 1964-66, 1968, 1977-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 01, 1987	126.23 S	SEP 20, 1987	126.63 S
PERIOD OF RECORD	HIGHEST 106.36	JAN 21, 1960	LOWEST 138.47 APR 01, 1985

SITE NUMBER 353717117402001

LOCAL NUMBER 027S040E04A01M

ABOUT 200 FT EAST OF WARNER STREET AND 0.10 MI SOUTH OF WEST RIDGECREST BLVD. DIAM 16 IN, DEPTH 273 FT. ALTITUDE OF LSD 2305 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	145.34 S	SEP 20, 1987	145.83 S
PERIOD OF RECORD	HIGHEST 126.50	SEP 18, 1969	LOWEST 146.75 SEP 28, 1986

SITE NUMBER 352209117472201

LOCAL NUMBER 029S039E33H01M

SOUTHEAST OF INTERSECTION OF REDROCK ROAD AND GARLOCK ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 460 FT, PERFORATED 200-460 FT. ALTITUDE OF LSD 2095 FT. RECORDS AVAILABLE 1958, 1976, 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 11, 1987	209.22 S
PERIOD OF RECORD	HIGHEST 176.50 FEB 13, 1958 LOWEST 250.90 APR 17, 1981

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 352209117475201

LOCAL NUMBER 029S039E33K01M

NORTHEAST OF CANTIL. DRILLED UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE. DIAM 16 IN, DEPTH 403.4 FT, CASED TO 402 FT, PERFORATED 210-402 FT. ALTITUDE OF LSD 2050 FT. RECORDS AVAILABLE 1958, 1976, 1978-84.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 11, 1987	225.70 S
PERIOD OF RECORD	HIGHEST 131.16 FEB 13, 1958      LOWEST 244.46 MAR 06, 1984

SITE NUMBER 342233117470601

LOCAL NUMBER 029S039E34D01M

NORTHEAST OF CANTIL. DRILLED IRRIGATION WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2110 FT. RECORDS AVAILABLE 1978-79, 1982-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 11, 1987	215.51 S
PERIOD OF RECORD	HIGHEST 193.30 MAR 14, 1979      LOWEST 224.30 MAY 16, 1985

SITE NUMBER 351948117573901

LOCAL NUMBER 030S037E13C01M

ABOUT 1.5 MI NORTH OF CANTIL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 650 FT, PERFORATED 90-336 FT. ALTITUDE OF LSD 2150 FT. RECORDS AVAILABLE 1974, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	135.37 S
PERIOD OF RECORD	HIGHEST 125.45 FEB 03, 1981      LOWEST 144.84 JAN 14, 1976

SITE NUMBER 351741117590901

LOCAL NUMBER 030S037E27H02M

ABOUT 0.9 MI NORTHEAST OF RANCHO SECO, 1.2 MI SOUTH OF STATE HWY 14 AND 100 FT WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2040 FT. RECORDS AVAILABLE 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	224.54 S
PERIOD OF RECORD	HIGHEST 170.79 FEB 15, 1973      LOWEST 251.70 MAR 07, 1984

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 351659117591901

LOCAL NUMBER 030S037E34H02M

ABOUT 0.33 MI SOUTH OF MUNSEY ROAD AND 0.11 MI WEST OF NEURALIA ROAD. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 456 FT. ALTITUDE OF LSD 2025 FT. RECORDS AVAILABLE 1978-79, 1982-84.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	235.65	S			
PERIOD OF RECORD	HIGHEST	232.56	MAR 26, 1986	LOWEST	247.37 MAR 07, 1984

SITE NUMBER 351659117571001

LOCAL NUMBER 030S037E36G01M

ABOUT 2 MI SOUTH OF CANTIL. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 938 FT, PERFORATED 12-52, 106-110, 138-144, 171-180, 238-250, 293-309, 418-424, 436-440, 446-450, 457-463, 767-787, 816-824, 832-838, 902-907, 916-919 FT. ALTITUDE OF LSD 1968 FT. RECORDS AVAILABLE 1917, 1929, 1953, 1958, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 23, 1986	131.76	S	FEB 23, 1987	129.97	S
PERIOD OF RECORD	HIGHEST	18.00	OCT 29, 1929	LOWEST	148.40 APR 17, 1980

SITE NUMBER 352101117530401

LOCAL NUMBER 030S038E03K02M

ABOUT 1.5 MI SOUTH OF SALTDALE. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1895 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 11, 1987	14.40	S			
PERIOD OF RECORD	HIGHEST	14.40	MAR 11, 1987	LOWEST	52.91 MAR 08, 1977

SITE NUMBER 351937117555901

LOCAL NUMBER 030S038E17F01M

NORTHEAST OF CANTIL. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 700 FT, PERFORATED 179-674 FT. ALTITUDE OF LSD 1945 FT. RECORDS AVAILABLE 1968, 1976, 1979, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	131.45	S			
PERIOD OF RECORD	HIGHEST	102.00	MAR 11, 1968	LOWEST	131.45 FEB 23, 1987



WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 351838117511601

LOCAL NUMBER 030S038E24F01M

IN FREMONT VALLEY, ABOUT 1 MI EAST OF CANTIL. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 5 IN, DEPTH 449.9 FT. ALTITUDE OF LSD 1940 FT. RECORDS AVAILABLE 1953, 1958, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	38.99 S				
PERIOD OF RECORD	HIGHEST	12.19	MAY 07, 1953	LOWEST	38.99 FEB 23, 1987

SITE NUMBER 351714117563001

LOCAL NUMBER 030S038E30P01M

EAST OF INTERSECTION OF MUNSEY ROAD AND NEURALIA ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 20-12 IN, DEPTH 643 FT, 20-IN CSG 0-150 FT, 12-IN CSG 150-643 FT, PERFORATED 130-150, 153-643 FT. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1953, 1958-59, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	130.05 S				
PERIOD OF RECORD	HIGHEST	23.88	JAN 31, 1958	LOWEST	133.12 APR 17, 1980

SITE NUMBER 351714117562801

LOCAL NUMBER 030S038E30Q01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 12 IN, DEPTH 78.5 FT IN 1976. ALTITUDE OF LSD 1955 FT. RECORDS AVAILABLE 1958, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	46.78 S				
PERIOD OF RECORD	HIGHEST	13.01	JAN 31, 1958	LOWEST	61.60 OCT 24, 1976

SITE NUMBER 351712117562801

LOCAL NUMBER 030S038E31C01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1967, 1976, 1978-84.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 12, 1987	114.21 S				
PERIOD OF RECORD	HIGHEST	112.68	MAR 27, 1986	LOWEST	142.90 APR 23, 1980

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 351548118001601

LOCAL NUMBER 031S037E04J01M

SOUTHWEST OF INTERSECTION OF NEURALIA ROAD AND MUNSEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 864 FT, CASED TO 806 FT, PERFORATED 306-806 FT. ALTITUDE OF LSD 2050 FT. RECORDS AVAILABLE 1974, 1976, 1979, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	346.70	S			
PERIOD OF RECORD	HIGHEST	130.48	FEB 15, 1974	LOWEST	350.20 APR 23, 1986

SITE NUMBER 351528118003201

LOCAL NUMBER 031S037E04Q01M

ABOUT 2 MI SOUTH OF MUNSEY ROAD AND 1.28 MI WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2100 FT. RECORDS AVAILABLE 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 23, 1987	397.60	S			
PERIOD OF RECORD	HIGHEST	152.00	FEB 15, 1974	LOWEST	415.45 MAY 16, 1985

SITE NUMBER 351131118001201

LOCAL NUMBER 031S037E33H01M

SOUTH OF CANTIL. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 535 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1956, 1958-59, 1961, 1964-65, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 23, 1986	280.15	S	FEB 23, 1987	276.82	S
PERIOD OF RECORD	HIGHEST	230.00	JUN 19, 1956	LOWEST	281.05 OCT 15, 1980

SITE NUMBER 351104117590401

LOCAL NUMBER 031S037E35N01M

ABOUT 4 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE. DIAM 16 IN, DEPTH 429.2 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1953, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 23, 1986	257.32	S	FEB 23, 1987	255.76	S
PERIOD OF RECORD	HIGHEST	230.79	JAN 22, 1953	LOWEST	267.04 APR 15, 1969

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 351607117565601

LOCAL NUMBER 031S038E06E01M

SOUTHEAST OF INTERSECTION OF MUNSEY ROAD AND NEURALIA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 700 FT, CASSED TO 700 FT, PERFORATED 396-700 FT. ALTITUDE OF LSD 2015 FT. RECORDS AVAILABLE 1976, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	261.61 S
PERIOD OF RECORD	HIGHEST 261.61 FEB 23, 1987      LOWEST 299.50 FEB 18, 1982

SITE NUMBER 351347117562601

LOCAL NUMBER 031S038E18P01M

ABOUT 3 MI EAST-NORTHEAST OF INTERSECTION OF PHILLIPS ROAD AND NEURALIA ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 151.5 FT. ALTITUDE OF LSD 2225 FT. RECORDS AVAILABLE 1917, 1953, 1958, 1964-65, 1974-77, 1979-81, 1983 TO CURRENT YEAR

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	132.39 S
PERIOD OF RECORD	HIGHEST 132.39 FEB 23, 1987      LOWEST 149.17 APR 14, 1983

SITE NUMBER 351256117445401

LOCAL NUMBER 031S039E24P01M

ABOUT 19 MI SOUTHWEST OF RED MTN. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 840 FT, CASSED TO 793 FT. ALTITUDE OF LSD 2925 FT. RECORDS AVAILABLE 1957, 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	421.84 S
PERIOD OF RECORD	HIGHEST 384.00 NOV 09, 1957      LOWEST 426.50 APR 30, 1980

SITE NUMBER 350637118052901

LOCAL NUMBER 032S036E35D01M

ABOUT 6 MI NORTHEAST OF MOJAVE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 800 FT, CASSED TO 800 FT, PERFORATED 340-360, 395-411, 425-466, 482-494, 522-530, 542-550, 563-570, 577-606, 611-630, AND 717-725 FT. ALTITUDE OF LSD 2692 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	272.80 S
PERIOD OF RECORD	HIGHEST 263.93 JUL 17, 1957      AUG 14, 1957      LOWEST 272.80 FEB 23, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350919118003701

LOCAL NUMBER 032S037E09Q01M

IN FREMONT VALLEY, ABOUT 12 MI NORTHEAST OF MOJAVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 711 FT. ALTITUDE OF LSD 2410 FT. RECORDS AVAILABLE 1953, 1956, 1958, 1961, 1967-84.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 337.90 S

PERIOD OF RECORD    HIGHEST 275.00 APR 15, 1953 JUN 19, 1956    LOWEST 364.67 JAN 28, 1958

SITE NUMBER 350919117590301

LOCAL NUMBER 032S037E11N01M

ABOUT 2 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 600 FT. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1953, 1958-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 292.38 S

PERIOD OF RECORD    HIGHEST 268.09 JAN 22, 1953    LOWEST 292.38 FEB 23, 1987

SITE NUMBER 350933117575001

LOCAL NUMBER 032S037E12M01M

IN FREMONT VALLEY, ABOUT 13 MI NORTHWEST OF MUROC JUNCTION. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 430.8 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 244.87 S

PERIOD OF RECORD    HIGHEST 242.00 MAR 17, 1970    LOWEST 245.31 MAR 26, 1986

SITE NUMBER 350737118000301

LOCAL NUMBER 032S037E22N01M

ABOUT 500 FT NORTH OF CALIFORNIA CITY BLVD AND 30 FT EAST OF YORBA BLVD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 730 FT. ALTITUDE OF LSD 2460 FT. RECORDS AVAILABLE 1953-56, 1958-59, 1961-62, 1964-80. 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 11, 1987 371.19 S

PERIOD OF RECORD    HIGHEST 353.00 JAN 21, 1953    LOWEST 394.25 JAN 28, 1958

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350623117590401

LOCAL NUMBER 032S037E26N01M

NORTHEAST OF INTERSECTION OF NEURALIA ROAD AND REDWOOD BLVD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2420 FT. RECORDS AVAILABLE 1952-55, 1958, 1961-62, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	339.23 S	MAR 11, 1987	336.28 S
PERIOD OF RECORD	HIGHEST 323.08	JUL 26, 1961	LOWEST 441 JUL 15, 1958

SITE NUMBER 350616117475501

LOCAL NUMBER 032S039E33L01M

IN PEERLESS VALLEY, APPROXIMATELY 1 MI NORTHWEST OF AERIAL ACRES. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 1400 FT. ALTITUDE OF LSD 2465 FT. RECORDS AVAILABLE 1956-57, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	489.07 S	FEB 25, 1987	487.92 S
PERIOD OF RECORD	HIGHEST 267.50	DEC 12, 1956	LOWEST 518.60 SEP 14, 1978

SITE NUMBER 345420117524801

LOCAL NUMBER 009N009W06E01S

ON THE WEST SIDE OF SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 112 FT IN 1942 AND 103.7 FT IN 1951, PERFORATED 35-96 FT. ALTITUDE OF LSD 2290.2 FT. RECORDS AVAILABLE 1948, 1951-53, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 26, 1987	52.48 S		
PERIOD OF RECORD	HIGHEST 41.30	JAN 22, 1948	LOWEST 52.48 FEB 26, 1987

SITE NUMBER 345244117484201

LOCAL NUMBER 009N009W10R01S

AT EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 9 IN, DEPTH 106 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1951-53, 1958-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	88.20 S	FEB 25, 1987	88.30 S
PERIOD OF RECORD	HIGHEST 17.59	MAY 06, 1952	LOWEST 88.30 FEB 25, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345051117485001

LOCAL NUMBER 009N009W27H02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	87.36 S				
PERIOD OF RECORD	HIGHEST	22.71	AUG 14, 1957	LOWEST	87.36 FEB 25, 1987

SITE NUMBER 345302117574001

LOCAL NUMBER 009N010W08P01S

ABOUT 0.2 MI SOUTH OF ROSAMOND BLVD AND 2.5 MI WEST OF LANCASTER BLVD. STOCK WATER-TABLE WELL. DIAM 6 IN, DEPTH 136.65 FT. ALTITUDE OF LSD 2372 FT. RECORDS AVAILABLE 1951-52, 1954, 1963-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 26, 1987	82.18 S				
PERIOD OF RECORD	HIGHEST	82.18	FEB 26, 1987	LOWEST	88.04 MAR 14, 1963

SITE NUMBER 345252117525201

LOCAL NUMBER 009N010W12R01S

ABOUT 2 MI EAST OF LANCASTER BLVD AND 2.75 MI SOUTHEAST OF CONTROL TOWER. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 252 FT WHEN DRILLED, 186.6 FT IN 1951. ALTITUDE OF LSD 2280.69 FT. RECORDS AVAILABLE 1948, 1951-54, 1956-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 23, 1986	96.60 S	FEB 26, 1987	95.15 S		
PERIOD OF RECORD	HIGHEST	11.10	JAN 22, 1948	LOWEST	96.60 OCT 23, 1986

SITE NUMBER 345158117533201

LOCAL NUMBER 009N010W24C01S

ABOUT 1.4 MI EAST OF LANCASTER BLVD AND 0.7 MI NORTH OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 750 FT, PERFORATED 156-733 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1952-53, 1958, 1960, 1962-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 26, 1987	110.44 S				
PERIOD OF RECORD	HIGHEST	20.29	DEC 08, 1952	LOWEST	115.20 MAR 07, 1984

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345042117564301

LOCAL NUMBER 009N010W28F02S

ABOUT 2 MI WEST OF SOUTHWEST CORNER OF ROGERS LAKE. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 140.3 FT. ALTITUDE OF LSD 2290 FT. RECORDS AVAILABLE 1957-78, 1980-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 25, 1987	86.56	S				
PERIOD OF RECORD	HIGHEST	44.55	JUL 17, 1957	LOWEST	86.56	FEB 25, 1987

SITE NUMBER 344947117594801

LOCAL NUMBER 009N011W36L01S

ABOUT 1 MI EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 134.7 FT. ALTITUDE OF LSD 2295 FT. RECORDS AVAILABLE 1951-54, 1956-71, 1974-78, 1981-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 25, 1987	100.33	S				
PERIOD OF RECORD	HIGHEST	25.22	APR 10, 1951	LOWEST	106.78	APR 14, 1981

SITE NUMBER 345237118095101

LOCAL NUMBER 009N012W16E04S

ABOUT 0.7 MI NORTH OF ROSAMOND BLVD AND 50 FT WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2380 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 12, 1987	22.01	S				
PERIOD OF RECORD	HIGHEST	21.38	MAR 26, 1985	LOWEST	29.18	FEB 15, 1974

SITE NUMBER 345112118075101

LOCAL NUMBER 009N012W23N01S

ABOUT 0.77 MI SOUTH OF ROSAMOND BLVD AND 125 FT EAST OF DIVISION STREET. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 266.7 FT IN 1951, 263.65 FT IN 1973. ALTITUDE OF LSD 2294 FT. RECORDS AVAILABLE 1951-54, 1956-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 22, 1987	67.47	S				
PERIOD OF RECORD	HIGHEST	17.41	MAR 22, 1951	LOWEST	67.47	FEB 22, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344917118093501

LOCAL NUMBER 009N012W33P01S

ABOUT 200 FT NORTH OF AVENUE A AND 0.25 MI WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987	72.10 S
--------------	---------

PERIOD OF RECORD	HIGHEST	69.74	FEB 28, 1979	LOWEST	72.10	FEB 23, 1987
------------------	---------	-------	--------------	--------	-------	--------------

SITE NUMBER 345252118174601

LOCAL NUMBER 009N013W07Q03S

ABOUT 0.03 MI WEST OF MANLEY ROAD AND 0.1 MI NORTH OF WILLOW SPRINGS TOWN. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 185 FT. ALTITUDE OF LSD 2605 FT. RECORDS AVAILABLE 1929, 1956, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 22, 1986	85.80 S	FEB 25, 1987	72.64 S
--------------	---------	--------------	---------

PERIOD OF RECORD	HIGHEST	0.31	NOV 14, 1929	LOWEST	89.65	OCT 15, 1975
------------------	---------	------	--------------	--------	-------	--------------

SITE NUMBER 345202118133501

LOCAL NUMBER 009N013W14Q01S

ABOUT 0.08 MI EAST OF 55TH STREET WEST AND 0.14 MI NORTH OF ROSAMOND BLVD. PUBLIC SUPPLY WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1967-76, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987	190.25 S
--------------	----------

PERIOD OF RECORD	HIGHEST	187.36	NOV 15, 1967	LOWEST	202.88	MAR 30, 1978
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 345021118144601

LOCAL NUMBER 009N013W27K01S

ABOUT 0.29 MI NORTH OF GASKILL ROAD AND 30 FT EAST OF 65TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 550 FT. ALTITUDE OF LSD 2390 FT. RECORDS AVAILABLE 1964, 1971, 1976, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987	171.93 S
--------------	----------

PERIOD OF RECORD	HIGHEST	171.93	FEB 25, 1987	LOWEST	272.00	MAY 11, 1971
------------------	---------	--------	--------------	--------	--------	--------------



WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344400118184501

LOCAL NUMBER 009N014W01H01S

ABOUT 1.25 MI WEST OF WILLOW SPRINGS ROAD AND ON NORTH SIDE OF DIRT ROAD WHICH IS 1.5 MI NORTH OF WILLOW SPRINGS. DRILLED UNUSED WATER-TABLE WELL. DIAM 18 IN, DEPTH 760.5 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	158.99 S				
PERIOD OF RECORD	HIGHEST	115.00	MAY 23, 1956	LOWEST	177.50 OCT 26, 1971

SITE NUMBER 345143118231401

LOCAL NUMBER 009N014W20B01S

ABOUT 120 FT SOUTH OF ROSAMOND BLVD AND 35 FT EAST OF 145TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 540 FT, PERFORATED 290-540 FT. ALTITUDE OF LSD 2656.4 FT. RECORDS AVAILABLE 1955, 1960-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 22, 1986	339.50 S	FEB 25, 1987	339.15 S		
PERIOD OF RECORD	HIGHEST	231.60	MAY 24, 1955	LOWEST	339.59 OCT 27, 1983

SITE NUMBER 345147118193201

LOCAL NUMBER 009N014W24D03S

ABOUT 110 FT EAST OF 110TH STREET WEST AND 100 FT SOUTH OF ROSAMOND BLVD. IRRIGATION WELL. WELL. DIAM 14 IN, DEPTH 600 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	304.24 S				
PERIOD OF RECORD	HIGHEST	218.26	FEB 15, 1973	LOWEST	359.41 MAR 08, 1977

SITE NUMBER 345007118205001

LOCAL NUMBER 009N014W27R01S

ABOUT 1 MI NORTH OF AVENUE A AND 0.8 MI EAST OF 130TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2522.9 FT. RECORDS AVAILABLE 1957-63, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	321.20 S				
PERIOD OF RECORD	HIGHEST	220.20	NOV 21, 1957	LOWEST	382.50 MAR 10, 1977

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345001118264501

LOCAL NUMBER 009N015W26N01S

NEAR INTERSECTION OF 170TH STREET WEST AND GASKILL ROAD. DRILLED DOMESTIC WATER-TABLE WELL. IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 600 FT, PERFORATED 280-600 FT. ALTITUDE OF LSD 2642.4 FT. RECORDS AVAILABLE 1962-63, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	282.96 S
PERIOD OF RECORD	HIGHEST 182.35 FEB 19, 1963      LOWEST 300.62 APR 15, 1981

SITE NUMBER 345000118302201

LOCAL NUMBER 009N015W30Q01S

ABOUT 1 MI NORTH OF KERN COUNTY LINE AND 0.3 MI WEST OF 210TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 1.5-2 IN, DEPTH 404 FT, 1.5-IN CSG 0-401.5 FT, 2-IN CSG 401.5-413 FT, PERFORATED 401.5-413 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	393.15 S
PERIOD OF RECORD	HIGHEST 336.39 APR 13, 1965      LOWEST 393.48 FEB 26, 1986

SITE NUMBER 344953118310601

LOCAL NUMBER 009N016W36A01S

ABOUT 100 FT WEST OF 220TH STREET WEST AND 1 MI NORTH OF AVENUE A. DRILLED UNUSED WELL. DIAM 14-12 IN, 14-IN CSG 0-605 FT, 12-IN CSG 605-1085 FT, PERFORATED 340-1085 FT. ALTITUDE OF LSD 2885 FT. MEASUREMENTS FURNISHED 1955-60. RECORDS AVAILABLE 1955-60, 1962, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	297.80 S
PERIOD OF RECORD	HIGHEST 254.1 NOV 15, 1957      LOWEST 299.65 MAR 07, 1984

SITE NUMBER 345951117503501

LOCAL NUMBER 010N009W04D01S

NORTHEAST OF ROSAMOND BLVD AND LAKE SHORE DRIVE, AT NORTH END OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL IN LAKESHORE DEPOSITS. DIAM 12 IN, DEPTH 502 FT, CASED TO 500 FT, PERFORATED 144-195, 200-433 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	124.99 S	FEB 24, 1987	124.09 S
PERIOD OF RECORD	HIGHEST 94.21 JUL 08, 1959	LOWEST 124.99	OCT 23, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345712117463601

LOCAL NUMBER 010N009W24A02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 281 FT. ALTITUDE OF LSD 2287 FT. RECORDS AVAILABLE 1954, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS							
FEB 24, 1987	90.16 S							
PERIOD OF RECORD	HIGHEST	72.25	NOV 29, 1956	MAR 07, 1957	JUN 05, 1957	LOWEST	90.16	FEB 24, 1987

SITE NUMBER 345809118040901

LOCAL NUMBER 010N011W08P01S

ABOUT 0.05 MI NORTH OF NORTHERN BOUNDARY OF EDWARDS AIR FORCE BASE, 2.5 MI SOUTHWEST OF BROWN BUTTE. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 280 FT. ALTITUDE OF LSD 2504 FT. RECORDS AVAILABLE 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 22, 1987	57.24 S					
PERIOD OF RECORD	HIGHEST	53.00	MAR 09, 1977	LOWEST	57.45	FEB 12, 1974

SITE NUMBER 345829118061301

LOCAL NUMBER 010N012W12K01S

NEAR EDWARDS AIR FORCE BASE. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 224 FT. ALTITUDE OF LSD 2520 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 22, 1987	83.02 S					
PERIOD OF RECORD	HIGHEST	81.43	MAR 25, 1985	LOWEST	83.02	FEB 22, 1987

SITE NUMBER 345747118054301

LOCAL NUMBER 010N012W13H01S

ABOUT 4 MI SOUTHWEST OF BROWN BUTTE AND 0.35 MI SOUTH OF NORTHERN MILITARY BOUNDARY. DRILLED TEST WELL. DIAM 12 IN, DEPTH 185 FT, CASED 0-153 FT, OPEN HOLE 153-175 FT, PERFORATED 75-147 FT. ALTITUDE OF LSD 2505 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 22, 1987	59.42 S					
PERIOD OF RECORD	HIGHEST	51.76	NOV 08, 1956	LOWEST	63.24	FEB 04, 1975

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345701118103601

LOCAL NUMBER 010N012W20C06S

ABOUT 200 FT SOUTH OF BACKUS ROAD AND 15 FT NORTHWEST OF TANK TOWER. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 2655 FT. RECORDS AVAILABLE 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	107.85 S
PERIOD OF RECORD	HIGHEST 101.60 MAR 27, 1978      LOWEST 108.80 MAR 24, 1973

SITE NUMBER 345640118080301

LOCAL NUMBER 010N012W22J01S

ABOUT 1.25 MI SOUTHEAST OF ACTIS. DRILLED TEST WELL. DIAM 12 IN, DEPTH 242 FT, CASSED TO 237 FT, PERFORATED 130-230 FT. ALTITUDE OF LSD 2530 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 22, 1987	43.01 S
PERIOD OF RECORD	HIGHEST 33.00 MAY 18, 1956      LOWEST 43.01 FEB 22, 1987

SITE NUMBER 345636118182001

LOCAL NUMBER 010N013W19M01S

ABOUT 0.5 MI SOUTH OF BACKUS ROAD AND 0.8 MI WEST OF WILLOW SPRINGS ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 770 FT. ALTITUDE OF LSD 2905 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	317.20 S	FEB 23, 1987	316.81 S
PERIOD OF RECORD	HIGHEST 217.20 OCT 30, 1984	LOWEST 319.38 SEP 18, 1969	

SITE NUMBER 345651118183201

LOCAL NUMBER 010N014W24A01S

ABOUT 1 MI WEST OF WILLOW SPRINGS ROAD AND 0.24 MI SOUTH OF BACKUS ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2945 FT. RECORDS AVAILABLE 1978-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 11, 1987	341.32 S
PERIOD OF RECORD	HIGHEST 337.92 FEB 22, 1979      LOWEST 346.35 DEC 05, 1978

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345508118290501

LOCAL NUMBER 010N015W33D01S

ABOUT 5.5 MI NORTHWEST OF INTERSECTION OF ROSAMOND BLVD AND 170TH STREET WEST. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3370 FT. RECORDS AVAILABLE 1962, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	157.40	S			
PERIOD OF RECORD	HIGHEST 154.50	MAY 02, 1962	LOWEST 161.20	MAR 29, 1985	

SITE NUMBER 350113117444801

LOCAL NUMBER 011N008W29K01S

ABOUT 5.5 MI WEST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 485.37 FT IN 1973, PERFORATED 96-495 FT. ALTITUDE OF LSD 2351.82 FT. RECORDS AVAILABLE 1955, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	180.28	S			
PERIOD OF RECORD	HIGHEST 139.24	JAN 15, 1958	LOWEST 180.28	FEB 24, 1987	

SITE NUMBER 350323117471901

LOCAL NUMBER 011N009W13D01S

ABOUT 4 MI NORTHEAST OF NORTH EDWARDS. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 312 FT, CASED TO 312 FT, PERFORATED 96-312 FT. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1958, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	200.45	S			
PERIOD OF RECORD	HIGHEST 158.34	JAN 16, 1958	LOWEST 201.83	MAR 26, 1985	

SITE NUMBER 350249117514301

LOCAL NUMBER 011N009W17N01S

ABOUT 3 MI NORTHWEST OF NORTH EDWARDS. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 184.6 FT. ALTITUDE OF LSD 2319.9 FT. RECORDS AVAILABLE 1951-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	151.93	S			
PERIOD OF RECORD	HIGHEST 129.53	NOV 03, 1952	LOWEST 151.93	FEB 25, 1987	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350232117463201

LOCAL NUMBER 011N009W24A01S

ABOUT 2.1 MI WEST OF GEPHARDT ROAD AND 2.5 MI NORTH OF HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 900 FT, CASED TO 888 FT, PERFORATED 200-870 FT. ALTITUDE OF LSD 2348.77 FT. RECORDS AVAILABLE 1958, 1966-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	171.45 S
PERIOD OF RECORD	HIGHEST 136.28 JAN 16, 1958      LOWEST 171.45 FEB 24, 1987

SITE NUMBER 350114117514901

LOCAL NUMBER 011N009W30H01S

ABOUT 0.85 MI NORTH OF HWY 466 AND 200 FT WEST OF CASTLE BUTTE ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 270 FT IN 1958, 248.6 FT IN 1973. ALTITUDE OF LSD 2298.31 FT. RECORDS AVAILABLE 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	115.67 S
PERIOD OF RECORD	HIGHEST 93.20 JAN 28, 1958      LOWEST 115.67 FEB 25, 1987

SITE NUMBER 350002117463301

LOCAL NUMBER 011N009W36R01S

ABOUT 1.5 MI SOUTHWEST OF INTERSECTION OF TWENTY MULE TEAM ROAD AND HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 258 FT, CASED TO 298 FT, PERFORATED 100-132 FT. ALTITUDE OF LSD 2312.46 FT. RECORDS AVAILABLE 1954, 1956, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	118.45 S
PERIOD OF RECORD	HIGHEST 98.25 MAY 05, 1954      LOWEST 118.45 FEB 24, 1987

SITE NUMBER 350405117532201

LOCAL NUMBER 011N010W12F01S

ABOUT 0.68 MI NORTH OF TWIN BUTTES AVENUE AND 100 FT WEST OF JACINTO STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	183.55 S
PERIOD OF RECORD	HIGHEST 170.90 APR 25, 1967      LOWEST 183.55 FEB 25, 1987

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350411118044101

LOCAL NUMBER 011N011W07A01S

ABOUT 5 MI SOUTHWEST OF CALIFORNIA CITY. DRILLED TEST WELL. DIAM 14 IN, DEPTH 414 FT, CASSED TO 414 FT, PERFORATED 305-356 FT. ALTITUDE OF LSD 2627.9 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	208.95 S	FEB 24, 1987	208.82 S
PERIOD OF RECORD	HIGHEST 200.82	MAR 16, 1970	LOWEST 208.95 OCT 23, 1986

SITE NUMBER 350411118023601

LOCAL NUMBER 011N011W09A01S

NORTHEAST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 422 FT, CASSED TO 422 FT, PERFORATED 262-295, 352-362 FT. ALTITUDE OF LSD 2549.6 FT. RECORDS AVAILABLE 1956-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	131.44 S	FEB 24, 1987	131.40 S
PERIOD OF RECORD	HIGHEST 124.59	OCT 17, 1956	LOWEST 131.44 OCT 23, 1986

SITE NUMBER 350212118083701

LOCAL NUMBER 011N012W22F02S

ABOUT 2.3 MI SOUTHEAST OF MOJAVE, 0.45 MI SOUTH OF STATE HWY 58 AND 11.45 MI EAST OF STATE HWY 14. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 350 FT, PERFORATED 244-346 FT. ALTITUDE OF LSD 2663 FT. RECORDS AVAILABLE 1968, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 22, 1987	247.02 S
PERIOD OF RECORD	HIGHEST 246.82 MAR 28, 1988 LOWEST 260.50 JUN 03, 1974

SITE NUMBER 350206118065801

LOCAL NUMBER 011N012W26J01S

ABOUT 3 MI EAST OF MOJAVE, 1 MI SOUTH OF HWY 466 AND 300 FT WEST OF DIRT ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 225 FT. ALTITUDE OF LSD 2594.6 FT. RECORDS AVAILABLE 1918, 1929-30, 1952, 1954-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 22, 1987	171.04 S
PERIOD OF RECORD	HIGHEST 155.00 , 1918 LOWEST 211.33 OCT 20, 1970

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350214118180701

LOCAL NUMBER 011N013W19C01S

WEST OF OAK CREEK. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 430 FT, PERFORATED 230-358 AND 376-430 FT. ALTITUDE OF LSD 3610 FT. RECORDS AVAILABLE 1953, 1955-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	263.50 S	FEB 22, 1987	268.36 S
PERIOD OF RECORD	HIGHEST 180.88	OCT 27, 1983	LOWEST 344.69 MAR 30, 1978

SITE NUMBER 350055118172601

LOCAL NUMBER 011N013W29M01S

WEST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 749 FT, CASSED TO 744 FT, PERFORATED 520-724 FT. ALTITUDE OF LSD 3350 FT. RECORDS AVAILABLE 1954-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 22, 1987	295.95 S
PERIOD OF RECORD	HIGHEST 278.40 NOV 01, 1984 LOWEST 336.19 OCT 17, 1978

SITE NUMBER 350505118065001

LOCAL NUMBER 012N012W35R01S

ABOUT 4.25 MI NORTHEAST OF MOJAVE. DRILLED TEST WELL. DIAM 14 IN, DEPTH 640 FT, CASSED TO 640 FT, PERFORATED 375-380, 396-402, 422-434, 452-472, 482-514, 546-560 FT. ALTITUDE OF LSD 2743.3 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	323.82 S
PERIOD OF RECORD	HIGHEST 316.11 JUL 17, 1957 AUG 14, 1957 LOWEST 323.98 MAR 26, 1985



## WATER QUALITY, KERN COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
025S038E11L01M	07-23-87	1300	400.00	540	7.50	24.5	--	0	--
025S038E11L01M	09-20-87	1300	400.00	355	6.60	--	94	0	24
025S039E31R01M	10-23-86	1400	480.00	4060	9.40	21.0	50	0	10
025S039E31R01M	05-31-87	1125	480.00	3820	9.40	22.0	150	0	41
026S039E17F02M	05-31-87	1500	881.00	360	8.80	22.0	15	0	4.9
026S039E17F02M	07-22-87	1600	881.00	300	7.40	26.0	--	0	--
026S040E14B01M	05-27-87	1250	22.00	6400	7.90	23.5	860	550	250
026S040E22A01M	05-31-87	0900	153.00	9400	7.50	22.0	2400	2200	420
026S040E22B01M	06-02-87	1140	60.00	7200	7.70	25.0	920	640	120
026S040E22H03M	06-02-87	1100	97.00	9200	7.40	26.0	3000	2700	450
026S040E22P03M	05-26-87	1740	415.00	2220	8.80	27.0	8	0	2.1
026S040E22P04M	05-26-87	1635	215.00	2250	7.30	--	940	850	270
026S040E23A03M	10-23-86	1100	360.00	2100	8.60	23.5	24	0	6.4
026S040E23A03M	05-27-87	1035	360.00	2170	8.70	24.5	12	0	2.7
026S040E23A04M	05-27-87	1250	240.00	2150	8.80	24.0	12	0	2.7
026S040E23D01M	05-26-87	2005	400.00	2900	9.00	24.5	15	0	3.2
026S040E30K02M	05-14-87	1600	760.00	375	8.90	32.0	47	0	13
026S040E33P04M	05-28-87	1610	290.00	660	8.70	27.0	25	0	7.7
029S039E23J02M	08-21-87	1000	600.00	730	7.70	26.0	160	0	40
030S037E24J03M	09-27-87	1420	250.00	790	--	22.0	--	0	--
030S037E24M02M	09-27-87	1300	615.00	730	--	27.0	--	0	--
030S037E26E01M	09-27-87	1215	485.00	785	--	24.5	--	0	--
030S037E34H02M	09-27-87	1100	456.00	765	--	23.5	--	0	--
030S037E34R01M	09-27-87	1120	603.00	790	--	22.5	--	0	--
030S038E04D02M	09-27-87	1450	300.00	4800	--	30.0	--	0	--
031S037E05M01M	09-27-87	1020	--	735	--	28.0	--	0	--
031S037E10B01M	08-21-87	1230	450.00	635	8.40	30.5	--	0	--
032S037E22N01M	08-19-87	1345	--	730	7.70	26.0	130	0	37
009N015W26N01S	08-21-87	1700	600.00	365	7.30	23.5	130	0	43
010N012W15M03S	08-19-87	1600	--	360	7.90	24.0	93	0	27
010N013W21B01S	08-20-87	1100	--	720	7.70	26.0	190	51	63
010N013W32D01S	08-19-87	1745	--	635	7.40	24.0	210	27	61
011N014W14B01S	08-20-87	1330	60.00	1010	6.30	15.0	430	0	86

## WATER QUALITY, KERN COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
025S038E11L01M	--	--	--	--	--	186	--	--	--
025S038E11L01M	8.3	61	57	3	4.8	193	41	12	1.4
025S039E31R01M	6.0	1000	97	63	7.9	--	150	820	3.0
025S039E31R01M	11	710	91	26	6.1	--	110	550	2.1
026S039E17F02M	0.64	52	85	6	3.7	106	6.7	7.2	3.2
026S039E17F02M	--	--	--	--	--	108	--	--	--
026S040E14B01M	57	890	69	14	19	307	710	1300	1.2
026S040E22A01M	320	1500	57	14	59	162	5200	400	1.1
026S040E22B01M	150	1300	74	19	41	282	3200	210	1.2
026S040E22H03M	450	1400	50	11	45	272	5500	260	2.1
026S040E22P03M	0.70	520	99	82	7.1	880	11	230	5.1
026S040E22P04M	65	170	28	3	20	93	1100	140	0.50
026S040E23A03M	2.0	400	96	37	9.3	--	52	370	2.1
026S040E23A03M	1.2	440	97	58	13	487	42	340	2.6
026S040E23A04M	1.2	430	97	56	12	760	31	250	2.5
026S040E23D01M	1.8	720	98	82	11	1030	330	370	6.0
026S040E30K02M	3.5	60	73	4	1.9	89	27	36	0.90
026S040E33P04M	1.4	110	89	10	2.7	86	27	96	1.2
029S039E23J02M	15	87	53	3	6.1	162	89	69	0.30
030S037E24J03M	--	--	--	--	--	--	--	--	--
030S037E24M02M	--	--	--	--	--	--	--	--	--
030S037E26E01M	--	--	--	--	--	--	--	--	--
030S037E34H02M	--	--	--	--	--	--	--	--	--
030S037E34R01M	--	--	--	--	--	--	--	--	--
030S038E04D02M	--	--	--	--	--	--	--	--	--
031S037E05M01M	--	--	--	--	--	--	--	--	--
031S037E10B01M	--	--	--	--	--	95	--	--	--
032S037E22N01M	9.3	100	62	4	3.4	184	88	65	0.50
009N015W26N01S	4.8	31	34	1	1.9	173	16	11	0.20
010N012W15M03S	6.2	41	48	2	2.0	96	60	13	0.30
010N013W21B01S	7.9	83	48	3	2.8	139	200	12	0.60
010N013W32D01S	13	53	36	2	2.1	179	78	41	0.30
011N014W14B01S	53	78	28	2	2.5	468	94	19	1.1

## WATER QUALITY, KERN COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC DIS, (MG/L AS N)	PHOS- PHOROUS DIS- SOLVED (MG/L AS P)
025S038E11L01M	--	--	--	--	--	--	--	--	--
025S038E11L01M	24	--	296	0.830	--	--	--	--	--
025S039E31R01M	32	--	2680	0.150	2.60	3.3	2.2	4.8	1.40
025S039E31R01M	35	--	1890	0.140	--	--	--	--	--
026S039E17F02M	30	--	173	<0.100	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--	--
026S040E14B01M	69	--	3500	3.10	--	--	--	--	--
026S040E22A01M	68	--	8080	1.20	--	--	--	--	--
026S040E22B01M	68	--	5290	3.70	--	--	--	--	--
026S040E22H03M	69	--	8350	<0.100	--	--	--	--	--
026S040E22P03M	26	--	1340	<0.100	--	--	--	--	--
026S040E22P04M	63	--	1890	1.10	--	--	--	--	--
026S040E23A03M	46	--	1100	<0.100	0.760	0.98	0.84	1.6	0.080
026S040E23A03M	54	--	1190	<0.100	--	--	--	--	--
026S040E23A04M	48	--	1240	<0.100	--	--	--	--	0.170
026S040E23D01M	14	--	2090	<0.100	--	--	--	--	--
026S040E30K02M	33	--	240	2.50	0.100	0.13	1.0	1.1	0.010
026S040E33P04M	37	--	343	1.70	--	--	--	--	--
029S039E23J02M	36	440	451	2.50	--	--	--	--	--
030S037E24J03M	--	--	--	--	--	--	--	--	--
030S037E24M02M	--	--	--	--	--	--	--	--	--
030S037E26E01M	--	--	--	--	--	--	--	--	--
030S037E34H02M	--	--	--	--	--	--	--	--	--
030S037E34R01M	--	--	--	--	--	--	--	--	--
030S038E04D02M	--	--	--	--	--	--	--	--	--
031S037E05M01M	--	--	--	--	--	--	--	--	--
031S037E10B01M	--	--	--	--	--	--	--	--	--
032S037E22N01M	27	441	443	0.540	--	--	--	--	--
009N015W26N01S	28	233	252	2.80	--	--	--	--	--
010N012W15M03S	69	262	279	0.720	--	--	--	--	--
010N013W21B01S	54	501	510	0.600	--	--	--	--	--
010N013W32D01S	25	375	395	3.10	--	--	--	--	--
011N014W14B01S	27	607	645	0.800	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, KERN COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORGANIC DIS- SOLVED (MG/L AS P)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)
025S038E11L01M	--	--	--	--	--	--	--	--
025S038E11L01M	--	--	--	--	--	380	--	--
025S039E31R01M	1.60	4.9	0.0	--	--	27000	--	--
025S039E31R01M	--	--	--	--	--	18000	--	--
026S039E17F02M	--	--	--	--	--	600	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S040E14B01M	--	--	--	--	--	7900	--	--
026S040E22A01M	--	--	--	700	200	12000	1	<10
026S040E22B01M	--	--	--	1600	100	10000	<1	<10
026S040E22H03M	--	--	--	220	200	11000	1	<10
026S040E22P03M	--	--	--	--	--	15000	--	--
026S040E22P04M	--	--	--	--	--	710	--	--
026S040E23A03M	0.080	0.25	0.0	--	--	5500	--	--
026S040E23A03M	--	--	--	--	--	5800	--	--
026S040E23A04M	--	--	0.17	--	--	5700	--	--
026S040E23D01M	--	--	--	--	--	19000	--	--
026S040E30K02M	0.020	0.06	0.0	--	--	390	--	--
026S040E33P04M	--	--	--	--	--	660	--	--
029S039E23J02M	<0.010	--	--	--	--	550	--	--
030S037E24J03M	--	--	--	--	--	--	--	--
030S037E24M02M	--	--	--	--	--	--	--	--
030S037E26E01M	--	--	--	--	--	--	--	--
030S037E34H02M	--	--	--	--	--	--	--	--
030S037E34R01M	--	--	--	--	--	--	--	--
030S038E04D02M	--	--	--	--	--	--	--	--
031S037E05M01M	--	--	--	--	--	--	--	--
031S037E10B01M	--	--	--	--	--	--	--	--
032S037E22N01M	0.010	0.03	--	--	--	420	--	--
009N015W26N01S	<0.010	--	--	--	--	20	--	--
010N012W15M03S	0.020	0.06	--	--	--	130	--	--
010N013W21B01S	0.030	0.09	--	--	--	270	--	--
010N013W32D01S	0.010	0.03	--	--	--	160	--	--
011N014W14B01S	<0.010	--	--	--	--	560	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, KERN COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY DIS- SOLVED (UG/L AS HG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	ZINC, DIS- SOLVED (UG/L AS ZN)
025S038E11L01M	--	--	--	--	--	--	--	--
025S038E11L01M	--	150	--	2	--	--	--	--
025S039E31R01M	--	30	--	20	--	--	--	--
025S039E31R01M	--	40	--	30	--	--	--	--
026S039E17F02M	--	23	--	7	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S040E14B01M	--	60	--	100	--	--	--	--
026S040E22A01M	3	50	<5	160	<0.1	4	<1.0	30
026S040E22B01M	5	200	<5	170	<0.1	2	<1.0	80
026S040E22H03M	<1	990	<5	460	0.4	2	<1.0	20
026S040E22P03M	--	110	--	20	--	--	--	--
026S040E22P04M	--	90	--	130	--	--	--	--
026S040E23A03M	--	38	--	8	--	--	--	--
026S040E23A03M	--	40	--	20	--	--	--	--
026S040E23A04M	--	60	--	10	--	--	--	--
026S040E23D01M	--	180	--	20	--	--	--	--
026S040E30K02M	--	20	--	<1	--	--	--	--
026S040E33P04M	--	<3	--	5	--	--	--	--
029S039E23J02M	--	9	--	17	--	--	--	--
030S037E24J03M	--	--	--	--	--	--	--	--
030S037E24M02M	--	--	--	--	--	--	--	--
030S037E26E01M	--	--	--	--	--	--	--	--
030S037E34H02M	--	--	--	--	--	--	--	--
030S037E34R01M	--	--	--	--	--	--	--	--
030S038E04D02M	--	--	--	--	--	--	--	--
031S037E05M01M	--	--	--	--	--	--	--	--
031S037E10B01M	--	--	--	--	--	--	--	--
032S037E22N01M	--	8	--	3	--	--	--	--
009N015W26N01S	--	5	--	<1	--	--	--	--
010N012W15M03S	--	<3	--	<1	--	--	--	--
010N013W21B01S	--	29	--	6	--	--	--	--
010N013W32D01S	--	5	--	<1	--	--	--	--
011N014W14B01S	--	49	--	9	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, KERN COUNTY--Continued

## RADIOCHEMICAL AND ORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	GROSS BETA, DIS- SOLVED (PCI/L AS CS-137)	GROSS ALPHA, DIS- SOLVED (UG/L AS U-NAT)	GROSS BETA, DIS- SOLVED (PCI/L AS SR/ YT-90)	H-2 / H-1 STABLE ISOTOPE RATIO PER MIL	O-18 / O-16 STABLE ISOTOPE RATIO PER MIL	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)
025S038E11L01M	07-23-87	1300	--	--	--	-87.0	-11.65	--	--
025S039E31R01M	05-31-87	1125	18	7.6	12	--	--	--	--
026S039E17F02M	05-31-87	1500	5.0	1.5	3.8	--	--	--	--
026S039E17F02M	07-22-87	1600	--	--	--	-102.0	-13.55	--	--
026S040E22A01M	05-31-87	0900	--	--	--	--	--	<3.0	<3.0
026S040E22B01M	06-02-87	1140	--	--	--	--	--	<3.0	<3.0
026S040E22H03M	06-02-87	1100	--	--	--	--	--	<3.0	<3.0
026S040E30K02M	05-14-87	1600	--	--	--	-99.5	-13.25	--	--
	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)
025S038E11L01M	--	--	--	--	--	--	--	--	--
025S039E31R01M	--	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--	--
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	17	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E30K02M	--	--	--	--	--	--	--	--	--
	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
025S038E11L01M	--	--	--	--	--	--	--	--	--
025S039E31R01M	--	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--	--
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E30K02M	--	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, KERN COUNTY--Continued

## RADIOCHEMICAL AND ORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	1,1,2,2- TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- DIBROMO ETHYL- ENE TOTAL (UG/L)	1,2- TRANS DI CHLORO- ETHENE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	STYRENE TOTAL (UG/L)
025S038E11L01M	--	--	--	--	--	--	--	--
025S039E31R01M	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	10	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E30K02M	--	--	--	--	--	--	--	--

	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)	XYLENE TOTAL WATER WHOLE TOT REC (UG/L)
025S038E11L01M	--	--	--	--	--	--	--	--
025S039E31R01M	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S039E17F02M	--	--	--	--	--	--	--	--
026S040E22A01M	<3.0	<3.0	<3.0	5.5	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	270	<3.0	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E30K02M	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

LOS ANGELES COUNTY

LOCAL NUMBER 004N008W07R01S.....	77	LOCAL NUMBER 007N010W29B01S.....	89
LOCAL NUMBER 004N013W07Q01S.....	77	LOCAL NUMBER 007N010W29P01S.....	89
LOCAL NUMBER 004N013W12C03S.....	77	LOCAL NUMBER 007N010W32B01S.....	89
LOCAL NUMBER 004N013W13L01S.....	77	LOCAL NUMBER 007N010W33J01S.....	90
LOCAL NUMBER 004N013W15A01S.....	78	LOCAL NUMBER 007N011W01Q01S.....	90
LOCAL NUMBER 005N009W05E02S.....	78	LOCAL NUMBER 007N011W09P02S.....	90
LOCAL NUMBER 005N009W05R02S.....	78	LOCAL NUMBER 007N011W10F02S.....	90
LOCAL NUMBER 005N009W08R01S.....	78	LOCAL NUMBER 007N011W14P02S.....	91
LOCAL NUMBER 005N009W20K01S.....	79	LOCAL NUMBER 007N011W18N01S.....	115
LOCAL NUMBER 005N010W03L01S.....	79	LOCAL NUMBER 007N011W19E01S.....	115
LOCAL NUMBER 005N010W06N01S.....	79	LOCAL NUMBER 007N011W21E01S.....	91
LOCAL NUMBER 005N010W12M02S.....	79	LOCAL NUMBER 007N011W27Q01S.....	91
LOCAL NUMBER 005N010W17L01S.....	80	LOCAL NUMBER 007N011W28Q01S.....	91
LOCAL NUMBER 005N010W17R01S.....	80	LOCAL NUMBER 007N011W29H01S.....	92
LOCAL NUMBER 005N011W01M01S.....	80	LOCAL NUMBER 007N011W31M01S.....	92
LOCAL NUMBER 005N011W04R02S.....	80	LOCAL NUMBER 007N011W33N01S.....	92
LOCAL NUMBER 005N011W12R01S.....	81	LOCAL NUMBER 007N012W02E08S.....	92
LOCAL NUMBER 005N012W32M01S.....	81	LOCAL NUMBER 007N012W12R01S.....	93
LOCAL NUMBER 005N013W25C03S.....	81	LOCAL NUMBER 007N012W13H02S.....	93
LOCAL NUMBER 005N013W36L01S.....	115	LOCAL NUMBER 007N012W15F01S.....	93
LOCAL NUMBER 006N008W09Q01S.....	81	LOCAL NUMBER 007N012W19R01S.....	93
LOCAL NUMBER 006N008W19E01S.....	82	LOCAL NUMBER 007N012W21A04S.....	94
LOCAL NUMBER 006N009W04H02S.....	82	LOCAL NUMBER 007N012W22K01S.....	94
LOCAL NUMBER 006N009W07J01S.....	82	LOCAL NUMBER 007N012W24A01S.....	94
LOCAL NUMBER 006N009W11N01S.....	82	LOCAL NUMBER 007N012W24Q03S.....	94
LOCAL NUMBER 006N009W30F01S.....	83	LOCAL NUMBER 007N012W27H01S.....	95
LOCAL NUMBER 006N009W33C01S.....	83	LOCAL NUMBER 007N012W29P01S.....	95
LOCAL NUMBER 006N010W05H01S.....	83	LOCAL NUMBER 007N012W35M01S.....	95
LOCAL NUMBER 006N010W17N01S.....	83	LOCAL NUMBER 007N013W03E01S.....	95
LOCAL NUMBER 006N010W22D01S.....	84	LOCAL NUMBER 007N013W06A04S.....	96
LOCAL NUMBER 006N010W34D01S.....	84	LOCAL NUMBER 007N013W13F03S.....	115
LOCAL NUMBER 006N010W35A01S.....	84	LOCAL NUMBER 007N013W13N01S.....	96
LOCAL NUMBER 006N011W03E02S.....	84	LOCAL NUMBER 007N013W16A04S.....	96
LOCAL NUMBER 006N011W06G02S.....	85	LOCAL NUMBER 007N013W26J02S.....	96
LOCAL NUMBER 006N011W09P01S.....	85	LOCAL NUMBER 007N013W34B01S.....	97
LOCAL NUMBER 006N011W11M01S.....	85	LOCAL NUMBER 007N014W13A01S.....	97
LOCAL NUMBER 006N011W16J01S.....	85	LOCAL NUMBER 008N009W06D01S.....	97
LOCAL NUMBER 006N011W31A01S.....	86	LOCAL NUMBER 008N010W04E01S.....	97
LOCAL NUMBER 006N012W07A01S.....	86	LOCAL NUMBER 008N010W08R03S.....	98
LOCAL NUMBER 006N012W12M01S.....	86	LOCAL NUMBER 008N010W22H03S.....	115
LOCAL NUMBER 007N009W17N02S.....	86	LOCAL NUMBER 008N010W22P03S.....	115
LOCAL NUMBER 007N010W01P03S.....	87	LOCAL NUMBER 008N010W23F02S.....	98
LOCAL NUMBER 007N010W03A01S.....	87	LOCAL NUMBER 008N010W28B01S.....	98
LOCAL NUMBER 007N010W05E01S.....	87	LOCAL NUMBER 008N010W30R01S.....	98
LOCAL NUMBER 007N010W05N05S.....	87	LOCAL NUMBER 008N011W14R01S.....	99
LOCAL NUMBER 007N010W09H01S.....	88	LOCAL NUMBER 008N011W15Q01S.....	99
LOCAL NUMBER 007N010W15J01S.....	88	LOCAL NUMBER 008N011W18Q01S.....	99
LOCAL NUMBER 007N010W19D01S.....	88	LOCAL NUMBER 008N011W22P02S.....	99
LOCAL NUMBER 007N010W19Q01S.....	88	LOCAL NUMBER 008N011W24R02S.....	100
LOCAL NUMBER 007N010W22P01S.....	89	LOCAL NUMBER 008N011W24R03S.....	100



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

LOS ANGELES COUNTY

LOCAL NUMBER	008N011W32P01S.....	100
LOCAL NUMBER	008N011W34D02S.....	100
LOCAL NUMBER	008N011W34R02S.....	101
LOCAL NUMBER	008N012W02Q01S.....	101
LOCAL NUMBER	008N012W05D01S.....	101
LOCAL NUMBER	008N012W10J01S.....	101
LOCAL NUMBER	008N012W14R01S.....	102
LOCAL NUMBER	008N012W20B02S.....	102
LOCAL NUMBER	008N012W21R01S.....	102
LOCAL NUMBER	008N012W26F01S.....	102
LOCAL NUMBER	008N012W28D01S.....	103
LOCAL NUMBER	008N012W30K01S.....	103
LOCAL NUMBER	008N012W31Q02S.....	103
LOCAL NUMBER	008N012W32L01S.....	103
LOCAL NUMBER	008N012W34K01S.....	104
LOCAL NUMBER	008N013W02Q01S.....	104
LOCAL NUMBER	008N013W03M01S.....	104
LOCAL NUMBER	008N013W05E01S.....	104
LOCAL NUMBER	008N013W07B01S.....	105
LOCAL NUMBER	008N013W09K01S.....	105
LOCAL NUMBER	008N013W11M01S.....	115
LOCAL NUMBER	008N013W11Q01S.....	105
LOCAL NUMBER	008N013W14B02S.....	105
LOCAL NUMBER	008N013W15M01S.....	106
LOCAL NUMBER	008N013W18Q02S.....	106
LOCAL NUMBER	008N013W20B01S.....	106
LOCAL NUMBER	008N013W23E01S.....	106
LOCAL NUMBER	008N013W23M01S.....	107
LOCAL NUMBER	008N013W25Q01S.....	107
LOCAL NUMBER	008N013W26K01S.....	107
LOCAL NUMBER	008N013W31Q01S.....	107
LOCAL NUMBER	008N013W34P03S.....	108
LOCAL NUMBER	008N013W35M01S.....	108
LOCAL NUMBER	008N013W36L01S.....	108, 115
LOCAL NUMBER	008N014W05Q01S.....	108
LOCAL NUMBER	008N014W10L01S.....	109
LOCAL NUMBER	008N014W12C01S.....	109
LOCAL NUMBER	008N014W13G01S.....	115
LOCAL NUMBER	008N014W17M01S.....	109
LOCAL NUMBER	008N014W18N01S.....	109
LOCAL NUMBER	008N014W23G01S.....	110
LOCAL NUMBER	008N014W24C01S.....	110
LOCAL NUMBER	008N015W02Q02S.....	110
LOCAL NUMBER	008N015W08L01S.....	110
LOCAL NUMBER	008N015W10P02S.....	111
LOCAL NUMBER	008N015W27H02S.....	111
LOCAL NUMBER	008N015W33G01S.....	111
LOCAL NUMBER	008N016W02R01S.....	111
LOCAL NUMBER	008N016W03F01S.....	112
LOCAL NUMBER	008N016W05C01S.....	112
LOCAL NUMBER	008N016W09G02S.....	112
LOCAL NUMBER	008N016W13N01S.....	115
LOCAL NUMBER	008N016W18H02S.....	112
LOCAL NUMBER	008N016W22Q04S.....	113
LOCAL NUMBER	008N016W23G01S.....	113
LOCAL NUMBER	008N017W01N01S.....	113
LOCAL NUMBER	008N017W04D01S.....	113
LOCAL NUMBER	001S010W07R02S.....	114

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 9.--Index map to location of wells in Los Angeles County.

WATER LEVELS, LOS ANGELES COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342631117445101

LOCAL NUMBER 004N008W07R01S

ABOUT 4.4 MI SOUTH OF INTERSECTION OF PEARBLOSSOM HWY AND 213TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 4307 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 23, 1987	110.62 S					
PERIOD OF RECORD	HIGHEST	94.68	APR 15, 1983	LOWEST	130.75	MAR 28, 1978

SITE NUMBER 342612118163401

LOCAL NUMBER 004N013W07Q01S

ABOUT 300 FT NORTH OF SOLEDAD CYN ROAD AND 0.1 MI EAST OF INDIAN CYN ROAD TO SANTA CLARA DIVIDE. DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 40 FT. ALTITUDE OF LSD 2200 FT. RECORDS AVAILABLE 1965, 1978-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 26, 1987	7.95 S					
PERIOD OF RECORD	HIGHEST	3.56	MAR 13, 1980	LOWEST	7.95	FEB 26, 1987

SITE NUMBER 342706118114501

LOCAL NUMBER 004N013W12C03S

ABOUT 0.1 MI NORTHEAST OF ACTON CAMP. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD 2635 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1950-51, 1953, 1955-58, 1963, 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
OCT 23, 1986	10.80 S	FEB 26, 1987	10.80 S			
PERIOD OF RECORD	HIGHEST	3.07	MAR 06, 1984	LOWEST	50.11	SEP 21, 1965

SITE NUMBER 342539118113601

LOCAL NUMBER 004N013W13L01S

EAST OF MOODY CYN ROAD NEAR RESERVOIR. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2960 FT. RECORDS AVAILABLE 1965, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 26, 1987	17.85 S					
PERIOD OF RECORD	HIGHEST	7.68	MAR 13, 1980	LOWEST	56.65	SEP 21, 1965

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342609118131101

LOCAL NUMBER 004N013W15A01S

ABOUT 2 MI SOUTHWEST OF ACTON. DOMESTIC WATER-TABLE WELL. DIAM 14 IN, DEPTH 60 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1965, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	15.38 S
PERIOD OF RECORD	HIGHEST 6.64 MAR 13, 1980 LOWEST 29.05 SEP 20, 1965

SITE NUMBER 343312117510101

LOCAL NUMBER 005N009W05E02S

ABOUT 0.32 MI SOUTH OF AVENUE S AND 0.87 MI WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2866 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	59.65 S
PERIOD OF RECORD	HIGHEST 53.50 MAR 08, 1984 LOWEST 67.57 AUG 20, 1981

SITE NUMBER 343242117500601

LOCAL NUMBER 005N009W05R02S

ABOUT 0.9 MI SOUTH OF AVENUE S AND 100 FT WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 143.7 FT IN 1964, DEPTH ABOUT 134 FT IN 1981. ALTITUDE OF LSD 2908 FT. RECORDS AVAILABLE 1964, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	101.60 S
PERIOD OF RECORD	HIGHEST 97.18 MAR 05, 1984 LOWEST 138.34 MAY 05, 1964

SITE NUMBER 343141117501201

LOCAL NUMBER 005N009W08R01S

NEAR INTERSECTION OF PEARBLOSSOM HWY AND 165TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 II, DEPTH UNKNOWN. ALTITUDE OF LSD 3000 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	136.47 S
PERIOD OF RECORD	HIGHEST 128.83 MAR 28, 1985 LOWEST 188.30 MAR 31, 1978

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343011117502901

LOCAL NUMBER 005N009W20K01S

ABOUT 0.27 MI WEST OF 165TH STREET EAST AND 0.24 MI SOUTH OF PEARBLOSSOM HWY.  
UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 286 FT, CASED TO 286 FT. ALTITUDE OF LSD 3178 FT.  
RECORDS FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES, LOS ANGELES COUNTY FLOOD CONTROL  
DISTRICT AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1957-62, 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	188.45 S	FEB 24, 1987	191.84 S
PERIOD OF RECORD	HIGHEST	127.50 MAR 05, 1984	LOWEST 269.40 AUG 01, 1966

SITE NUMBER 343251117545901

LOCAL NUMBER 005N010W03L01S

ABOUT 0.30 MI EAST OF 16TH STREET EAST AND 0.31 MI NORTH OF AVENUE T. PUBLIC SUPPLY WATER-TABLE  
WELL. DIAM 8 IN. ALTITUDE OF LSD 2802 FT. RECORDS AVAILABLE 1961, 1963, 1968-70, 1973 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	94.51 S
PERIOD OF RECORD	HIGHEST 89.29 DEC 10, 1963      LOWEST 110.55 FEB 23, 1979

SITE NUMBER 343237117582601

LOCAL NUMBER 005N010W06N01S

NEAR INTERSECTION OF AVENUE T AND 87TH STREET EAST. UNUSED WELL. DIAM 14 IN, DEPTH  
UNKNOWN. ALTITUDE OF LSD 2777 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL  
DISTRICT. RECORDS AVAILABLE 1926, 1928, 1930, 1938-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	108.50 S
PERIOD OF RECORD	HIGHEST 85.05 MAR 02, 1945      LOWEST 147.30 JUL 17, 1956

SITE NUMBER 343205117525801

LOCAL NUMBER 005N010W12M02S

ABOUT 2 MI NORTH OF HWY 138 AND 0.24 MI EAST OF 136TH STREET EAST. UNUSED WELL. DIAM 8 IN,  
DEPTH 116.7 FT. ALTITUDE OF LSD 2912 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	57.40 S
PERIOD OF RECORD	HIGHEST 55.43 MAR 28, 1985      LOWEST 58.66 MAY 06, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 34311517565601

LOCAL NUMBER 005N010W17L01S

ABOUT 0.48 MI EAST OF 36TH STREET EAST AND 100 FT SOUTH OF PEARBLOSSOM HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 370 FT, PERFORATED 250-370 FT. ALTITUDE OF LSD 2955 FT. RECORDS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT 1960-81. MEASUREMENTS BY U.S. GEOLOGICAL SURVEY BEGINNING 1982. RECORDS AVAILABLE 1960, 1964, 1976-78, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	193.37 S
PERIOD OF RECORD	HIGHEST 166.60 APR 19, 1960      LOWEST 217.50 NOV 04, 1977

SITE NUMBER 343051117563001

LOCAL NUMBER 005N010W17R01S

ABOUT 0.1 MI WEST OF 106TH STREET EAST AND 50 FT NORTH OF AVENUE V. UNUSED WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3032 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	273.50 S
PERIOD OF RECORD	HIGHEST 249.02 JAN 09, 1964      LOWEST 273.50 FEB 25, 1987

SITE NUMBER 343259117593101

LOCAL NUMBER 005N011W01M01S

NORTHWEST OF INTERSECTION OF 80TH STREET EAST AND AVENUE T. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 414 FT IN 1963, 396.29 FT IN 1967, CASED TO 392 FT, PERFORATED 100-364 FT. ALTITUDE OF LSD 2739 FT. RECORDS AVAILABLE 1955, 1963, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	87.55 S	FEB 26, 1987	92.74 S
PERIOD OF RECORD	HIGHEST 64.48 APR 10, 1980	LOWEST 111.37 OCT 11, 1977	

SITE NUMBER 343234118015101

LOCAL NUMBER 005N011W04R02S

ABOUT 50 FT NORTH OF AVENUE T AND 300 FT WEST OF PEARBLOSSOM HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH REPORTED 300 FT IN 1949, PERFORATED 140-280 FT. ALTITUDE OF LSD 2755 FT. RECORDS AVAILABLE 1949, 1951-52, 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	156.02 S
PERIOD OF RECORD	HIGHEST 147.75 NOV 23, 1949      LOWEST 182.69 MAR 26, 1980

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343148117582901

LOCAL NUMBER 005N011W12R01S

ABOUT 120 FT WEST OF 87TH STREET EAST AND 0.12 MI NORTH OF AVENUE U. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 602 FT. ALTITUDE OF LSD 2841 FT. RECORDS 1937-45, 1949-52 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1927, 1937-45, 1949-52, 1961, 1963-64, 1968, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	175.37 S
PERIOD OF RECORD	HIGHEST 110.00 NOV , 1927      LOWEST 204.40 AUG 09, 1972

SITE NUMBER 342824118094301

LOCAL NUMBER 005N012W32M01S

ABOUT 25 FT NORTH OF CARSON MESA ROAD AND ABOUT 10 FT WEST OF DRIVE. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	95.40 S
PERIOD OF RECORD	HIGHEST 40.25 APR 12, 1983      LOWEST 95.40 FEB 26, 1987

SITE NUMBER 342934118114901

LOCAL NUMBER 005N013W25C03S

SOUTHEAST OF INTERSECTION OF SIERRA HWY AND CROWN VALLEY ROAD. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2961 FT. RECORDS AVAILABLE 1965, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	188.87 S
PERIOD OF RECORD	HIGHEST 188.87 FEB 26, 1987      LOWEST 215.78 MAR 07, 1977

SITE NUMBER 343701117433001

LOCAL NUMBER 006N008W09Q01S

ABOUT 200 FT NORTH OF AVENUE O AND 0.55 MI EAST OF 220TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2791 FT. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	53.10 S
PERIOD OF RECORD	HIGHEST 48.79 MAR 29, 1978      LOWEST 53.76 FEB 27, 1979

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343541117461801

LOCAL NUMBER 006N008W19E01S

NEAR INTERSECTION OF 200TH STREET EAST AND AVENUE P-8. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2774 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	155.87 S
PERIOD OF RECORD	HIGHEST 147.44 MAR 26, 1964      LOWEST 156.33 APR 14, 1981

SITE NUMBER 343824117493801

LOCAL NUMBER 006N009W04H02S

ABOUT 0.58 MI NORTH OF AVENUE N AND 100 FT WEST OF 170TH STREET EAST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 10 IN, DEPTH 336 FT. ALTITUDE OF LSD 2595 FT. RECORDS AVAILABLE 1949-62, 1964, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	192.20 S	FEB 25, 1987	190.43 SR
PERIOD OF RECORD	HIGHEST 120.56 NOV 23, 1949      LOWEST 192.20 OCT 22, 1986		

SITE NUMBER 343726117514501

LOCAL NUMBER 006N009W07J01S

ABOUT 140 FT WEST OF 150TH STREET EAST AND 0.52 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 243 FT, CASED TO 243 FT, PERFORATED 163-243 FT. ALTITUDE OF LSD 2618 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	133.95 S
PERIOD OF RECORD	HIGHEST 128.02 JAN 27, 1964      LOWEST 150.59 FEB 27, 1979

SITE NUMBER 343703117482801

LOCAL NUMBER 006N009W11N01S

ABOUT 550 FT NORTH OF AVENUE O AND 300 FT EAST OF 180TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 295 FT. ALTITUDE OF LSD 2666 FT. RECORDS AVAILABLE 1951-62, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	178.70 S
PERIOD OF RECORD	HIGHEST 132.80 FEB 17, 1958      LOWEST 179.00 MAR 29, 1985



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343450117522501

LOCAL NUMBER 006N009W30F01S

ABOUT 130 FT NORTH OF PALMDALE BLVD AND 0.7 MI WEST OF 150TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH REPORTED 312 FT IN 1922 AND 92.3 FT IN 1964. ALTITUDE OF LSD 2758 FT. RECORDS AVAILABLE 1951, 1954-62, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	42.62 S
PERIOD OF RECORD	HIGHEST 15.05 APR 14, 1969      LOWEST 59.63 MAR 08, 1977

SITE NUMBER 343408117500701

LOCAL NUMBER 006N009W33C01S

ABOUT 0.25 MI SOUTH OF AVENUE R AND 140 FT WEST OF 165TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 738 FT, PERFORATED 180-738 FT. ALTITUDE OF LSD 2823 FT. RECORDS AVAILABLE 1964, 1967, 1973-80, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	105.97 S
PERIOD OF RECORD	HIGHEST 105.97 FEB 24, 1987      LOWEST 196.53 FEB 26, 1976

SITE NUMBER 343820117570501

LOCAL NUMBER 006N010W05H01S

ABOUT 20 FT NORTH OF AVENUE M-8 AND 40 FT WEST OF 100TH STREET EAST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 425 FT. ALTITUDE OF LSD 2552 FT. RECORDS IN 1956 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1952-53, 1956, 1963, 1974-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	236.30 T
PERIOD OF RECORD	HIGHEST 230.00 JUL , 1952      AUG 07, 1953      LOWEST 266.2      APR 15, 1981

SITE NUMBER 343608117580501

LOCAL NUMBER 006N010W17N01S

ABOUT 58 FT EAST OF 90TH STREET EAST AND 45 FT NORTH OF AVENUE P. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2605 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1945, 1964, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	159.07 S
PERIOD OF RECORD	HIGHEST 132.64 MAR 08, 1984      LOWEST 202.85 JAN 20, 1964

WATER LEVELS, LOS ANGELES COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343557117554801

LOCAL NUMBER 006N010W22D01S

ABOUT 120 FT NORTH OF ACCESS ROAD, 0.25 MI SOUTH OF AVENUE P AND 0.16 MI EAST OF 110TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2645 FT. RECORDS AVAILABLE 1951, 1957, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	155.57 S	FEB 25, 1987	155.19 S
PERIOD OF RECORD    HIGHEST 143.00 JAN   , 1951    LOWEST 172.22 NOV 17, 1981			

SITE NUMBER 343422117555801

LOCAL NUMBER 006N010W34D01S

ABOUT 100 FT EAST OF 110TH STREET EAST AND 90 FT SOUTH OF CENTERLINE AVENUE R. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8 IN, DEPTH 300 FT. ALTITUDE OF LSD 2706 FT. RECORDS AVAILABLE 1957-60, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 25, 1987	129.05 S	MAR 29, 1987	128.04 S
PERIOD OF RECORD    HIGHEST 124.50 OCT 09, 1957    LOWEST 141.87 FEB 14, 1973			

SITE NUMBER 343420117535501

LOCAL NUMBER 006N010W35A01S

ABOUT 1.95 MI EAST OF 110TH STREET EAST AND 160 FT SOUTH OF AVENUE R. UNUSED WELL. DIAM 10 IN, DEPTH 81.5 FT. ALTITUDE OF LSD 2750 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	48.50 S
PERIOD OF RECORD    HIGHEST 48.50 FEB 25, 1987    LOWEST 68.70 MAR 09, 1964	

SITE NUMBER 343820118022101

LOCAL NUMBER 006N011W03E02S

ABOUT 0.25 MI EAST OF 50TH STREET EAST AND 0.5 MI SOUTH OF AVENUE M. DIAM 16 IN, DEPTH 700 FT. ALTITUDE OF LSD 2493 FT. RECORDS AVAILABLE 1960, 1962-63, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	306.71 S
PERIOD OF RECORD    HIGHEST 202.00 FEB 12, 1962    LOWEST 352.35 SEP 03, 1981	

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343829118050301

LOCAL NUMBER 006N011W06G02S

ABOUT 0.53 MI EAST OF 20TH STREET EAST AND 0.3 MI SOUTH OF AVENUE M. DRILLED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 1200 FT. ALTITUDE OF LSD 2480 FT. RECORDS AVAILABLE 1967, 1969-73, 1975-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1987	336.40 S
PERIOD OF RECORD	HIGHEST 282.40 MAR 15, 1967      LOWEST 339.87 FEB 09, 1982

SITE NUMBER 343700118031101

LOCAL NUMBER 006N011W09P01S

ABOUT 0.26 MI EAST OF INTERSECTION OF AVENUE O AND 40TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 652 FT, PERFORATED 537-652 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1956, 1963, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	277.40 T
PERIOD OF RECORD	HIGHEST 257.00 AUG , 1956      LOWEST 341.30 SEP 03, 1981

SITE NUMBER 343726118012001

LOCAL NUMBER 006N011W11M01S

ABOUT 0.02 MI EAST OF 60TH STREET EAST AND 0.54 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH REPORTED 445 FT, CASED TO 431 FT, PERFORATED 311-431 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1960, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1987	302.90 S
PERIOD OF RECORD	HIGHEST 300.00 APR , 1963      LOWEST 341.48 APR 10, 1980

SITE NUMBER 343628118022701

LOCAL NUMBER 006N011W16J01S

ABOUT 0.39 MI NORTH OF INTERSECTION OF AVENUE P AND 50TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 630 FT, PERFORATED 322-630 FT. ALTITUDE OF LSD 2547 FT. RECORDS AVAILABLE 1964, 1970, 1972-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	311.40 S
PERIOD OF RECORD	HIGHEST 311.40 FEB 26, 1987      LOWEST 370.65 OCT 22, 1970

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343419118044401

LOCAL NUMBER 006N011W31A01S

ABOUT 0.21 MI WEST OF 30TH STREET EAST AND 0.06 MI SOUTH OF AVENUE R. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 444 FT. ALTITUDE OF LSD 2633 FT. RECORDS AVAILABLE 1963, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	P
PERIOD OF RECORD	HIGHEST 220.10 NOV 13, 1963      LOWEST 263.17 MAR 06, 1984

SITE NUMBER 343741118110301

LOCAL NUMBER 006N012W07A01S

ABOUT 500 FT WEST OF 30TH STREET WEST AND 40 FT SOUTH OF AVENUE N-3. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14, DEPTH 432 FT IN 1951, 411 FT IN 1961, CASED TO 432 FT, PERFORATED 276-432 FT. ALTITUDE OF LSD 2597 FT. RECORDS AVAILABLE 1955, 1957, 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	348.71 S
PERIOD OF RECORD	HIGHEST 284.10 MAR 12, 1957      LOWEST 349.43 FEB 26, 1986

SITE NUMBER 343716118063501

LOCAL NUMBER 006N012W12M01S

ABOUT 1.4 MI NORTHWEST OF INTERSECTION OF AVENUE P AND 15TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 10.5 IN, DEPTH 430 FT. ALTITUDE OF LSD 2560 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1987	411.61 S
PERIOD OF RECORD	HIGHEST 308.40 MAY 13, 1963      LOWEST 411.61 FEB 27, 1987

SITE NUMBER 344124117514301

LOCAL NUMBER 007N009W17N02S

ABOUT 250 FT EAST OF 150TH STREET EAST AND 100 FT NORTH OF AVENUE J. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 303 FT. ALTITUDE OF LSD 2492 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	248.27 S
PERIOD OF RECORD	HIGHEST 192.35 MAR 01, 1960      LOWEST 255.70 NOV 03, 1967

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344312117532101

LOCAL NUMBER 007N010W01P03S

ABOUT 200 FT NORTH OF AVENUE H AND 0.52 MI WEST OF 140TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL. DIAM ABOUT 8.5 IN, DEPTH 544 FT, PERFORATED 347-544 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1970, 1973, 1975-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 349.19 S

PERIOD OF RECORD    HIGHEST 335.00 JUL 14, 1970    LOWEST 370.00 MAR 08, 1977

SITE NUMBER 344404117550001

LOCAL NUMBER 007N010W03A01S

ABOUT 0.08 MI WEST OF 120TH STREET EAST AND 0.99 MI NORTH OF AVENUE H. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 600 FT IN 1973. ALTITUDE OF LSD 2403 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY WATERWORKS DIVISION 1965-72. RECORDS AVAILABLE 1965-72, 1977, 1979-80, 1983.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 293.42 S

PERIOD OF RECORD    HIGHEST 243.00 MAR 03, 1966    LOWEST 355.00 OCT 01, 1972

SITE NUMBER 344337117575501

LOCAL NUMBER 007N010W05E01S

ABOUT 0.21 MI EAST OF 90TH STREET EAST AND 35 FT NORTH OF AVENUE G-8. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 601 FT, PERFORATED 120-400 FT. ALTITUDE OF LSD 2391 FT. RECORDS AVAILABLE 1951-53, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 165.30 S

PERIOD OF RECORD    HIGHEST 112.04 FEB 14, 1952    LOWEST 213.95 OCT 21, 1970

SITE NUMBER 344320117575601

LOCAL NUMBER 007N010W05N05S

ABOUT 500 FT NORTH OF AVENUE H AND 0.23 MI EAST OF 90TH STREET EAST. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 400 FT. ALTITUDE OF LSD 2398 FT. RECORDS AVAILABLE 1971, 1973-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 22, 1986 227.97 S      FEB 23, 1987 230.71 S

PERIOD OF RECORD    HIGHEST 227.97 OCT 22, 1986    LOWEST 264.75 MAR 09, 1976

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344244117555901

LOCAL NUMBER 007N010W09H01S

ABOUT 0.49 MI SOUTH OF AVENUE H AND 90 FT WEST OF 110TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2421 FT. RECORDS AVAILABLE 1978-84.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	262.67 S
PERIOD OF RECORD	HIGHEST 262.67 FEB 23, 1987      LOWEST 294.75 SEP 21, 1978

SITE NUMBER 344138117551001

LOCAL NUMBER 007N010W15J01S

ABOUT 0.27 MI NORTH OF AVENUE J AND 0.78 MI EAST OF 110TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 700 FT. ALTITUDE OF LSD 2460 FT. RECORDS AVAILABLE 1966, 1973-75, 1977, 1979-80, 1982.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 03, 1987	N
PERIOD OF RECORD	HIGHEST 326.01 MAR 16, 1966      LOWEST 395.30 MAR 07, 1977

SITE NUMBER 344119117591201

LOCAL NUMBER 007N010W19D01S

ABOUT 0.11 MI SOUTH OF AVENUE J AND 50 FT EAST OF 80TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 333 FT. ALTITUDE OF LSD 2446 FT. RECORDS AVAILABLE 1951, 1956-57, 1966-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	273.20 S
PERIOD OF RECORD	HIGHEST 183.83 MAR 27, 1951      LOWEST 293.05 MAR 07, 1977

SITE NUMBER 344033117582401

LOCAL NUMBER 007N010W19Q01S

ABOUT 60 FT NORTH OF AVENUE K AND 0.27 MI WEST OF 90TH STREET EAST. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 600 FT. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	315.88 S
PERIOD OF RECORD	HIGHEST 315.88 FEB 24, 1987      LOWEST 344.60 SEP 03, 1981

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344044117552901

LOCAL NUMBER 007N010W22P01S

ABOUT 0.5 MI EAST OF 110TH STREET EAST AND 0.5 MI SOUTH OF AVENUE J. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 474 FT IN 1974. ALTITUDE OF LSD 2481 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 331.69 S

PERIOD OF RECORD HIGHEST 322.00 MAR 16, 1967 LOWEST 345.80 MAR 07, 1977

SITE NUMBER 344029117573601

LOCAL NUMBER 007N010W29B01S

ABOUT 0.25 MI SOUTH OF AVENUE K AND 0.5 MI EAST OF 90TH STREET EAST. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2503 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 325.49 S

PERIOD OF RECORD HIGHEST 201.52 DEC 19, 1950 LOWEST 348.70 SEP 03, 1981

SITE NUMBER 343946117574701

LOCAL NUMBER 007N010W29P01S

ABOUT 0.35 MI EAST OF 90TH STREET EAST AND 0.15 MI NORTH OF AVENUE L. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2487 FT. RECORDS AVAILABLE 1950, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 334.60 S

PERIOD OF RECORD HIGHEST 334.60 FEB 23, 1987 LOWEST 355.02 SEP 02, 1981

SITE NUMBER 343926117573701

LOCAL NUMBER 007N010W32B01S

ABOUT 0.5 MI EAST OF 90TH STREET EAST AND 0.26 MI SOUTH OF AVENUE L. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 504 FT. ALTITUDE OF LSD 2517 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 24, 1987 328.89 S

PERIOD OF RECORD HIGHEST 328.89 FEB 24, 1987 LOWEST 343.50 SEP 02, 1981

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343925117561301

LOCAL NUMBER 007N010W33J01S

ABOUT 0.75 MI NORTH OF AVENUE M AND 0.21 MI WEST OF 110TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 415 FT. ALTITUDE OF LSD 2538 FT. RECORDS AVAILABLE 1950-51, 1957, 1973-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	326.88 S
PERIOD OF RECORD	HIGHEST 241.32 DEC 21, 1950      LOWEST 341.60 MAR 21, 1973

SITE NUMBER 344310117593001

LOCAL NUMBER 007N011W01Q01S

ABOUT 30 FT NORTH OF AVENUE H AND 0.25 MI WEST OF 80TH STREET EAST. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 350 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1958-63, 1965-68, 1970-71, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	188.27 S
PERIOD OF RECORD	HIGHEST 179.49 MAR 12, 1958      LOWEST 218.72 OCT 21, 1970

SITE NUMBER 344218118030701

LOCAL NUMBER 007N011W09P02S

ABOUT 0.36 MI EAST OF 40TH STREET EAST AND 200 FT NORTH OF CENTERLINE AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2386 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	217.72 S
PERIOD OF RECORD	HIGHEST 192.56 NOV 14, 1963      LOWEST 223.59 MAR 08, 1977

SITE NUMBER 344244118015301

LOCAL NUMBER 007N011W10F02S

ABOUT 0.6 MI NORTH OF AVENUE I AND 0.5 MI EAST OF 50TH STREET EAST. UNUSED WELL. DIAM 12 IN, DEPTH 307.3 FT, CASED TO 150 FT. ALTITUDE OF LSD 2396 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	182.17 S
PERIOD OF RECORD	HIGHEST 182.17 FEB 26, 1987      LOWEST 218.12 MAR 09, 1976



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344125118005201

LOCAL NUMBER 007N011W14P02S

ABOUT 0.57 MI WEST OF 70TH STREET EAST AND 70 FT NORTH OF AVENUE J. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 500 FT IN 1963, 472 FT IN 1973, CASED TO 280 FT. ALTITUDE OF LSD 2425 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	254.84 S
PERIOD OF RECORD	HIGHEST 238.10 NOV 21, 1963      LOWEST 294.38 MAR 09, 1976

SITE NUMBER 344058118032401

LOCAL NUMBER 007N011W21E01S

ABOUT 0.54 MI NORTH OF AVENUE K AND 0.12 MI EAST OF 40TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2422 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	144.29 S
PERIOD OF RECORD	HIGHEST 102.76 MAR 20, 1967      LOWEST 144.29 FEB 26, 1987

SITE NUMBER 343939118013701

LOCAL NUMBER 007N011W27Q01S

ABOUT 0.27 MI WEST OF 60TH STREET EAST AND 40 FT NORTH OF CENTERLINE AVENUE L. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 650 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953-54, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	302.71 S
PERIOD OF RECORD	HIGHEST 200.00      , 1953      LOWEST 343.41 MAR 07, 1977

SITE NUMBER 343939118025201

LOCAL NUMBER 007N011W28Q01S

ABOUT 0.45 MI WEST OF 50TH STREET EAST AND 100 FT NORTH OF AVENUE L. UNUSED WELL. DIAM 17 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	289.14 S
PERIOD OF RECORD	HIGHEST 267.84 DEC 31, 1963      LOWEST 315.85 OCT 08, 1982

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344006118033001

LOCAL NUMBER 007N011W29H01S

ABOUT 35 FT WEST OF CENTERLINE 40TH STREET EAST AND 85 FT NORTH OF AVENUE K-8. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 679 FT, PERFORATED 319-679 FT. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1959-60, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	276.25 S
PERIOD OF RECORD	HIGHEST 249.00 DEC 10, 1963      LOWEST 313.02 APR 15, 1981

SITE NUMBER 343909118053601

LOCAL NUMBER 007N011W31M01S

ABOUT 140 FT EAST OF CENTERLINE 20TH STREET EAST AND 0.47 MI NORTH OF AVENUE M. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 385.6 FT. ALTITUDE OF LSD 2468 FT. RECORDS AVAILABLE 1951-52, 1964, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	308.03 S
PERIOD OF RECORD	HIGHEST 184.57 MAR 04, 1952      LOWEST 308.03 FEB 24, 1987

SITE NUMBER 343847118032001

LOCAL NUMBER 007N011W33N01S

ABOUT 0.14 MI EAST OF 40TH STREET EAST AND 40 FT NORTH OF AVENUE M. IRRIGATION WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1951, 1954, 1956-65, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	305.56 S
PERIOD OF RECORD	HIGHEST 215.39 NOV 17, 1951      LOWEST 327.80 MAR 09, 1976

SITE NUMBER 344343118074701

LOCAL NUMBER 007N012W02E08S

ABOUT 0.7 MI NORTH OF AVENUE H AND 50 FT EAST OF DIVISION STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 150 FT, PERFORATED 90-150 FT. ALTITUDE OF LSD 2326 FT. RECORDS AVAILABLE 1963, 1974-82, 1984.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 03, 1987	N
PERIOD OF RECORD	HIGHEST 38.96 SEP 10, 1963      LOWEST 61.23 MAR 08, 1984

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344217118054101

LOCAL NUMBER 007N012W12R01S

ABOUT 225 FT WEST OF 20TH STREET EAST AND 250 FT NORTH OF AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1963, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	129.84 S
PERIOD OF RECORD	HIGHEST 94.90 SEP 25, 1963      LOWEST 142.00 SEP 20, 1978

SITE NUMBER 344150118055401

LOCAL NUMBER 007N012W13H02S

ABOUT 225 FT NORTH OF LANCASTER BLVD AND 0.21 MI WEST OF 20TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 218 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	160.02 S	FEB 24, 1987	159.59 S
PERIOD OF RECORD	HIGHEST 113.95 SEP 25, 1963      LOWEST 160.02 OCT 22, 1986		

SITE NUMBER 344159118083101

LOCAL NUMBER 007N012W15F01S

ABOUT 50 FT NORTH OF KITTERING STREET AND 130 FT WEST OF ELM STREET. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1924, 1934, 1942-63, 1965-66, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	176.50 S
PERIOD OF RECORD	HIGHEST 26.70 OCT 28, 1942      LOWEST 176.50 FEB 24, 1987

SITE NUMBER 344030118110001

LOCAL NUMBER 007N012W19R01S

ABOUT 100 FT NORTH OF AVENUE K AND 200 FT WEST OF 30TH STREET WEST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT, PERFORATED 100-400 FT. ALTITUDE OF LSD 2386 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT; LOS ANGELES COUNTY ENGINEERS; AND CALIFORNIA WATER RIGHTS BOARD. RECORDS AVAILABLE 1951, 1953, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	224.35 S
PERIOD OF RECORD	HIGHEST 96.00 NOV 07, 1951      LOWEST 224.35 FEB 25, 1987

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344109118090601

LOCAL NUMBER 007N012W21A04S

ABOUT 0.25 MI WEST OF 10TH STREET WEST AND 0.25 MI SOUTH OF AVENUE J. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2365 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	191.39 S
PERIOD OF RECORD	HIGHEST 124.70 DEC 13, 1963      LOWEST 194.45 APR 22, 1986

SITE NUMBER 344043118080301

LOCAL NUMBER 007N012W22K01S

ABOUT 360 FT WEST OF SIERRA HWY AND 0.26 MI NORTH OF AVENUE K. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 400 FT. ALTITUDE OF LSD 2407 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1961, 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	250.85 S
PERIOD OF RECORD	HIGHEST 169.60 MAY 01, 1961      LOWEST 251.20 APR 22, 1986

SITE NUMBER 344120118055301

LOCAL NUMBER 007N012W24A01S

ABOUT 0.77 MI EAST OF 10TH STREET EAST AND 250 FT SOUTH OF AVENUE J. DRILLED UNUSED WELL. DIAM 8 IN, DEPTH 230.5 FT, PERFORATED 180-400 FT. ALTITUDE OF LSD 2401 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	217.97 S
PERIOD OF RECORD	HIGHEST 177.74 OCT 03, 1963      LOWEST 217.97 FEB 24, 1987

SITE NUMBER 344032118060601

LOCAL NUMBER 007N012W24Q03S

ABOUT 0.47 MI WEST OF 20TH STREET EAST AND 200 FT NORTH OF AVENUE K. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 630 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	266.45 S
PERIOD OF RECORD	HIGHEST 263.07 MAY 09, 1983      LOWEST 266.45 FEB 24, 1987

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344004118075901

LOCAL NUMBER 007N012W27H01S

ABOUT 0.14 MI WEST OF SIERRA HWY AND 0.49 MI SOUTH OF AVENUE K. IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 500 FT, PERFORATED 189-500 FT. ALTITUDE OF LSD 2449 FT. RECORDS AVAILABLE 1949, 1954, 1959, 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	313.22	S			
PERIOD OF RECORD	HIGHEST 151.00	DEC , 1949	LOWEST 318.90	MAY 06, 1983	

SITE NUMBER 343938118102901

LOCAL NUMBER 007N012W29P01S

ABOUT 40 FT NORTH OF AVENUE L AND 300 FT WEST OF 25TH STREET WEST. UNUSED WELL. DIAM 14 IN, DEPTH 445 FT. ALTITUDE OF LSD 2449 FT. RECORDS AVAILABLE 1939-43, 1945-47, 1949-52, 1963, 1969, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	304.10	S			
PERIOD OF RECORD	HIGHEST 111.3	DEC 09, 1939	LOWEST 304.10	FEB 24, 1987	

SITE NUMBER 343900118074401

LOCAL NUMBER 007N012W35M01S

ABOUT 0.71 MI SOUTH OF AVENUE L AND 290 FT WEST OF SIERRA HWY. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN, DEPTH 504.5 FT, PERFORATED 220-540 FT. ALTITUDE OF LSD 2512 FT. RECORDS AVAILABLE 1948, 1957, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 22, 1986	369.25	S	FEB 24, 1987	365.69	S
PERIOD OF RECORD	HIGHEST 209.00	, 1948	LOWEST 369.25	OCT 22, 1986	

SITE NUMBER 344338118151301

LOCAL NUMBER 007N013W03E01S

ABOUT 0.39 MI SOUTH OF AVENUE G AND 50 FT EAST OF 70TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12-10 IN, DEPTH 400 FT, 12-IN CSG 0-75 FT, 10-IN CSG 75-400 FT, PERFORATED 69-400 FT. ALTITUDE OF LSD 2381 FT. RECORDS AVAILABLE 1920, 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 22, 1986	162.09	S	FEB 25, 1987	159.96	S
PERIOD OF RECORD	HIGHEST 32.00	JAN 16, 1920	LOWEST 219.10	MAY 29, 1963	

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344353118172401

LOCAL NUMBER 007N013W06A04S

ABOUT 250 FT WEST OF 90TH STREET WEST AND 450 FT SOUTH OF AVENUE G. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2431 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987 211.70 S

PERIOD OF RECORD    HIGHEST 211.70    FEB 25, 1987    LOWEST 243.25    SEP 21, 1978

SITE NUMBER 344122118125701

LOCAL NUMBER 007N013W13N01S

ABOUT 55 FT NORTH OF AVENUE J AND 0.12 MI EAST OF 50TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987 143.65 S

PERIOD OF RECORD    HIGHEST 142.72    MAR 24, 1980    LOWEST 157.55    DEC 08, 1978

SITE NUMBER 344213118151301

LOCAL NUMBER 007N013W16A04S

ABOUT 150 FT SOUTH OF AVENUE I AND 100 FT WEST OF 70TH STREET WEST. DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2367 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987 102.93 S

PERIOD OF RECORD    HIGHEST 98.58    SEP 20, 1978    LOWEST 102.93    FEB 25, 1987

SITE NUMBER 344000118130601

LOCAL NUMBER 007N013W26J02S

ABOUT 0.08 MI NORTH OF AVENUE K-10 AND 70 FT WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 606 FT, CASED TO 606 FT, PERFORATED 288-606 FT. ALTITUDE OF LSD 2417 FT. RECORDS AVAILABLE 1957-61, 1963-64, 1967, 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987 222.31 S

PERIOD OF RECORD    HIGHEST 216.00    APR 05, 1957    LOWEST 329.60    AUG 24, 1972

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343932118144001

LOCAL NUMBER 007N013W34B01S

ABOUT 0.35 MI WEST OF 60TH STREET WEST AND 0.08 MI SOUTH OF AVENUE L. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 26-14 IN, DEPTH 485 FT, 26-IN CSG 0-15 FT, 14-IN CSG 15-475 FT, PERFORATED 250-475 FT. ALTITUDE OF LSD 2433 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	221.27 S
PERIOD OF RECORD	HIGHEST 221.27 FEB 25, 1987      LOWEST 371.14 OCT 27, 1971

SITE NUMBER 344209118183801

LOCAL NUMBER 007N014W13A01S

ABOUT 200 FT SOUTH OF AVENUE I AND 0.23 MI WEST OF 100TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 519 FT, CASED TO 519 FT, PERFORATED 249-519 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953, 1955-57, 1959-60, 1962-63, 1967-68, 1970-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	258.80 S
PERIOD OF RECORD	HIGHEST 219.00 OCT 14, 1953      LOWEST 307.23 OCT 22, 1970

SITE NUMBER 344911117524001

LOCAL NUMBER 008N009W06D01S

ABOUT 0.8 MI NORTH OF AVENUE B, 75 FT WEST OF DIRT ROAD AND 300 FT SOUTH OF RAILROAD TRACK. DRILLED BASE SUPPLY WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 2293 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	37.99 S
PERIOD OF RECORD	HIGHEST 26.90 MAR 12, 1959      LOWEST 47.30 APR 13, 1983

SITE NUMBER 344957117565801

LOCAL NUMBER 008N010W04E01S

ABOUT 0.56 MI NORTH OF AVENUE B AND 400 FT EAST OF 100TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 128.6 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1966, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	D
PERIOD OF RECORD	HIGHEST 88.10 MAR 10, 1966      LOWEST 119.30 MAR 28, 1985

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344736117571801

LOCAL NUMBER 008N010W08R03S

ABOUT 0.21 MI WEST OF 100TH STREET EAST AND 50 FT NORTH OF AVENUE C. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 230 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1961-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	85.78	S			
PERIOD OF RECORD	HIGHEST	55.84	JAN 09, 1961	LOWEST	85.78 FEB 25, 1987

SITE NUMBER 344627117543001

LOCAL NUMBER 008N010W23F02S

ABOUT 0.25 MI EAST OF 120TH STREET EAST AND 0.25 MI SOUTH OF AVENUE D. DRILLED UNUSED WELL IN DUNE SAND. DIAM 12 IN, DEPTH 250 FT, PERFORATED 120-226 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1968, 1970-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 12, 1987	135.48	S			
PERIOD OF RECORD	HIGHEST	108.10	MAR 06, 1968	LOWEST	135.48 MAR 12, 1987

SITE NUMBER 344542117562301

LOCAL NUMBER 008N010W28B01S

ABOUT 0.78 MI EAST OF 100TH STREET EAST, 0.2 MI SOUTH OF AVENUE E, AND 240 FT WEST OF DIRT ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 215 FT. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-54, 1956-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 26, 1987	150.20	S			
PERIOD OF RECORD	HIGHEST	66.75	JAN 23, 1951	LOWEST	150.22 APR 02, 1986

SITE NUMBER 344457117581001

LOCAL NUMBER 008N010W30R01S

ABOUT 68 FT WEST OF 90TH STREET EAST AND 25 FT NORTH OF AVENUE F. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 1064 FT, PERFORATED 650-1064 FT. ALTITUDE OF LSD 2361 FT. RECORDS AVAILABLE 1973, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 12, 1987	141.50	T			
PERIOD OF RECORD	HIGHEST	131.84	MAR 30, 1978	LOWEST	158.2 APR 16, 1981



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344643118002001

LOCAL NUMBER 008N011W14R01S

ABOUT 57 FT WEST OF 70TH STREET EAST AND 24 FT NORTH OF AVENUE D. DRILLED IRRIGATION WELL.  
DIAM 12 IN, DEPTH 186 FT. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	85.02 S
PERIOD OF RECORD	HIGHEST 84.88 APR 02, 1986      LOWEST 99.47 OCT 15, 1968

SITE NUMBER 344641118015301

LOCAL NUMBER 008N011W15Q01S

ABOUT 0.51 MI EAST OF 50TH STREET EAST AND 36 FT NORTH OF AVENUE D. DRILLED WATER-  
TABLE WELL. DIAM 12 IN, DEPTH 179.2 FT. ALTITUDE OF LSD 2307 FT. RECORDS AVAILABLE 1952, 1954, 1958-  
72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	78.42 S
PERIOD OF RECORD	HIGHEST 77.98 NOV 06, 1952      LOWEST 90.85 FEB 28, 1961

SITE NUMBER 344641118050501

LOCAL NUMBER 008N011W18Q01S

ABOUT 1.5 MI SOUTH OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 7 IN, DEPTH 286.7 FT.  
ALTITUDE OF LSD 2298 FT. RECORDS AVAILABLE 1951-52, 1958-68, 1974-78, 1981, 1984 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1987	26.83 S
PERIOD OF RECORD	HIGHEST 19.10 MAR 07, 1968      LOWEST 86.48 SEP 17, 1964

SITE NUMBER 344548118005401

LOCAL NUMBER 008N011W22P02S

ABOUT 0.5 MI EAST OF 50TH STREET EAST AND 40 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE  
WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2323 FT. RECORDS AVAILABLE 1978 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	99.99 S
PERIOD OF RECORD	HIGHEST 99.99 FEB 26, 1987      LOWEST 109.75 DEC 08, 1978

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344551117591401

LOCAL NUMBER 008N011W24R02S

ABOUT 175 FT WEST OF 80TH STREET EAST AND 175 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 132.5 FT, PERFORATED 120-270 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1951, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	105.03 S
PERIOD OF RECORD	HIGHEST 103.31 APR 13, 1983      LOWEST 124.86 MAY 25, 1951

SITE NUMBER 344550117591901

LOCAL NUMBER 008N011W24R03S

ABOUT 0.11 MI WEST OF 80TH STREET EAST AND 25 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 302 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	108.92 S
PERIOD OF RECORD	HIGHEST 108.00 APR 13, 1983      LOWEST 121.03 MAR 07, 1977

SITE NUMBER 344403118041601

LOCAL NUMBER 008N011W32P01S

ABOUT 0.28 MI EAST OF 30TH STREET EAST AND 120 FT NORTH OF AVENUE G. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 120 FT. ALTITUDE OF LSD 2342 FT. RECORDS AVAILABLE 1963, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	115.05 S
PERIOD OF RECORD	HIGHEST 94.80 OCT 22, 1963      LOWEST 115.05 FEB 26, 1987

SITE NUMBER 344443118021301

LOCAL NUMBER 008N011W34D02S

ABOUT 0.25 MI SOUTH OF AVENUE F AND 0.2 MI EAST OF 50TH STREET EAST. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 250.5 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1951-54, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	125.25 S	FEB 26, 1987	122.98 S
PERIOD OF RECORD	HIGHEST 110.89 FEB 15, 1952	LOWEST 158.09	OCT 26, 1961

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344403118012101

LOCAL NUMBER 008N011W34R02S

ABOUT 90 FT NORTH OF AVENUE G AND 42 FT WEST OF 60TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-52, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1987	133.50 SS
PERIOD OF RECORD	HIGHEST 127.18 FEB 13, 1973      LOWEST 215.30 SEP 19, 1964

SITE NUMBER 344825118071801

LOCAL NUMBER 008N012W02Q01S

AT WEST EDGE OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 7 IN, DEPTH 260 FT IN 1951 AND 226.4 FT IN 1965. ALTITUDE OF LSD 2283 FT. RECORDS AVAILABLE 1951-54, 1956-77, 1979-83.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	50.54 S
PERIOD OF RECORD	HIGHEST .66 APR 14, 1953      LOWEST 50.84 FEB 10, 1982

SITE NUMBER 344913118110001

LOCAL NUMBER 008N012W05D01S

ABOUT 200 FT EAST OF 30TH STREET WEST AND 130 FT SOUTH OF AVENUE A. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 465.3 FT. ALTITUDE OF LSD 2329 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	139.17 S
PERIOD OF RECORD	HIGHEST 41.70 APR 19, 1951      LOWEST 154.30 FEB 12, 1974

SITE NUMBER 344747118075001

LOCAL NUMBER 008N012W10J01S

ABOUT 0.3 MI NORTH OF AVENUE C AND 100 FT WEST OF DIVISION STREET. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 91 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1960, 1965-67, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	37.20 S
PERIOD OF RECORD	HIGHEST 13.67 MAR 23, 1960      LOWEST 37.20 FEB 25, 1987

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344646118065201

LOCAL NUMBER 008N012W14R01S

ABOUT 1.1 MI NORTH OF AVENUE E AND 0.14 MI WEST OF 10TH STREET EAST. DRILLED STOCK WELL.  
DIAM 12 IN, DEPTH 404 FT IN 1949, 187.7 FT IN 1958. ALTITUDE OF LSD 2291 FT. RECORDS  
AVAILABLE 1951-52, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	67.64 S
PERIOD OF RECORD	HIGHEST 26.15 MAY 02, 1958      LOWEST 72.35 MAR 08, 1977

SITE NUMBER 344635118102301

LOCAL NUMBER 008N012W20B02S

ABOUT 75 FT SOUTH OF AVENUE D AND 0.45 MI WEST OF 20TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM.  
DIAM 6 IN, DEPTH 287.2 FT. ALTITUDE OF LSD 2317.5 FT. RECORDS AVAILABLE 1941-44, 1951-54,  
1956-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 12, 1987	81.05 S
PERIOD OF RECORD	HIGHEST .00 OCT 30, 1968      LOWEST 82.24 APR 14, 1981

SITE NUMBER 344547118090601

LOCAL NUMBER 008N012W21R01S

ABOUT 0.32 MI WEST OF SIERRA HWY AND 200 FT NORTH OF AVENUE E. UNUSED WELL. DIAM 8 IN, DEPTH  
139.4 FT. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	73.44 S
PERIOD OF RECORD	HIGHEST 72.16 MAR 08, 1984      LOWEST 83.65 OCT 08, 1982

SITE NUMBER 344523118073301

LOCAL NUMBER 008N012W26F01S

ABOUT 1425 FT EAST OF DIVISION STREET AND 2300 FT SOUTH OF AVENUE E. DRILLED UNUSED WATER-TABLE  
WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1951, 1974 TO  
CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	21.15 S
PERIOD OF RECORD	HIGHEST 14.27 JAN 24, 1951      LOWEST 22.49 FEB 12, 1974

WATER LEVELS, LOS ANGELES COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344534118094301

LOCAL NUMBER 008N012W28D01S

ABOUT 0.2 MI SOUTH OF AVENUE E AND 0.76 MI WEST OF 10TH STREET WEST. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 316 FT, PERFORATED 48-316 FT. ALTITUDE OF LSD 2308 FT. RECORDS AVAILABLE 1951, 1974-75, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	61.33 S
PERIOD OF RECORD	HIGHEST 11.89 APR 26, 1951      LOWEST 64.39 MAR 19, 1986

SITE NUMBER 344517118112801

LOCAL NUMBER 008N012W30K01S

ABOUT 0.5 MI SOUTH OF AVENUE E AND 0.4 MI WEST OF 30TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 170.9 FT. ALTITUDE OF LSD 2324 FT. RECORDS AVAILABLE 1951, 1956-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	83.47 S
PERIOD OF RECORD	HIGHEST 33.68 APR 26, 1951      LOWEST 105.85 OCT 20, 1970

SITE NUMBER 344405118111901

LOCAL NUMBER 008N012W31Q02S

ABOUT 0.08 MI NORTH OF AVENUE G, 0.26 MI WEST OF 30TH STREET WEST AND 200 FT SOUTH OF DIRT ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2322 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	68.55 S
PERIOD OF RECORD	HIGHEST 42.80 NOV 02, 1967      LOWEST 68.55 FEB 25, 1987

SITE NUMBER 344426118104101

LOCAL NUMBER 008N012W32L01S

ABOUT 0.5 MI SOUTH OF AVENUE F AND 0.28 MI EAST OF 30TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	65.28 S
PERIOD OF RECORD	HIGHEST 45.47 AUG 15, 1963      LOWEST 65.28 FEB 25, 1987

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344418118081401

LOCAL NUMBER 008N012W34K01S

ABOUT 0.63 MI SOUTH OF AVENUE F AND 0.08 MI EAST OF 5TH STREET WEST. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2316 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	54.11 S
PERIOD OF RECORD	HIGHEST 48.75 FEB 13, 1979      LOWEST 54.11 FEB 25, 1987

SITE NUMBER 344822118134001

LOCAL NUMBER 008N013W02Q01S

ABOUT 0.55 MI EAST OF 60TH STREET WEST AND 100 FT NORTH OF AVENUE B. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2373 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	176.37 S
PERIOD OF RECORD	HIGHEST 174.84 FEB 25, 1986      LOWEST 216.90 MAR 09, 1977

SITE NUMBER 344834118151401

LOCAL NUMBER 008N013W03M01S

IN CENTER OF AVENUE A-12 AND 25 FT EAST OF 70TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 765 FT, CASED TO 765 FT, PERFORATED 350-765 FT. ALTITUDE OF LSD 2400 FT. RECORDS AVAILABLE 1955-56, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	205.71 S
PERIOD OF RECORD	HIGHEST 205.71 FEB 23, 1987      LOWEST 265.90 MAR 09, 1977

SITE NUMBER 344848118172301

LOCAL NUMBER 008N013W05E01S

ABOUT 70 FT EAST OF 90TH STREET WEST AND 45 FT NORTH OF AVENUE A-8. IRRIGATION WATER-TABLE WELL. DIAM 18 IN, DEPTH 552 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1945, 1957-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	251.33 S
PERIOD OF RECORD	HIGHEST 104.00 DEC 03, 1945      LOWEST 322.60 NOV 01, 1967

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344819118175201

LOCAL NUMBER 008N013W07B01S

ABOUT 0.49 MI WEST OF INTERSECTION OF AVENUE B AND 90TH STREET WEST AND 50 FT SOUTH OF AVENUE B. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 496 FT, PERFORATED 320-496 FT. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1961, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	269.49 S
PERIOD OF RECORD	HIGHEST 269.49 FEB 24, 1987      LOWEST 290.83 MAY 18, 1983

SITE NUMBER 344758118154401

LOCAL NUMBER 008N013W09K01S

SOUTHEAST CORNER OF INTERSECTION OF 75TH STREET WEST AND AVENUE B-6. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1957-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	215.90 S
PERIOD OF RECORD	HIGHEST 169.50 MAR 12, 1958      LOWEST 228.35 OCT 13, 1970

SITE NUMBER 344733118133901

LOCAL NUMBER 008N013W11Q01S

ABOUT 0.51 MI EAST OF 60TH STREET WEST AND 0.1 MI NORTH OF AVENUE L. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 575 FT, PERFORATED 200-575 FT. ALTITUDE OF LSD 2374 FT. RECORDS AVAILABLE 1947, 1951, 1956-63, 1974-76, 1979-80, 1982-83.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	176.24 S
PERIOD OF RECORD	HIGHEST 110.00 JAN 26, 1947      LOWEST 209.96 FEB 10, 1976

SITE NUMBER 344725118132701

LOCAL NUMBER 008N013W14B02S

ABOUT 250 FT SOUTH OF AVENUE C AND 200 FT WEST OF 52ND STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM ABOUT 6.5 IN, DEPTH 159 FT. ALTITUDE OF LSD 2370 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	148.16 S
PERIOD OF RECORD	HIGHEST 134.80 MAR 28, 1978      LOWEST 148.46 APR 08, 1980

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344657118151301

LOCAL NUMBER 008N013W15M01S

ABOUT 0.43 MI NORTH OF AVENUE D AND 100 FT EAST OF 70TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 551 FT, PERFORATED 200-551 FT. ALTITUDE OF LSD 2402 FT. RECORDS AVAILABLE 1953-56, 1974-82.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	204.21 S
PERIOD OF RECORD	HIGHEST 178.00 , 1956 LOWEST 247.90 FEB 13, 1974

SITE NUMBER 344647118175401

LOCAL NUMBER 008N013W18Q02S

ABOUT 0.5 MI WEST OF 90TH STREET WEST AND 0.21 MI NORTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 533 FT, PERFORATED 255-533 FT. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	250.07 S
PERIOD OF RECORD	HIGHEST 250.07 FEB 24, 1987 LOWEST 295.00 FEB , 1973

SITE NUMBER 344623118164901

LOCAL NUMBER 008N013W20B01S

ABOUT 0.5 MI EAST OF 90TH STREET WEST AND 0.2 MI SOUTH OF AVENUE D. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 610 FT, PERFORATED 232-610 FT. ALTITUDE OF LSD 2430 FT. RECORDS AVAILABLE 1952-59, 1961-63, 1967, 1970, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	230.20 S
PERIOD OF RECORD	HIGHEST 165.00 DEC , 1952 LOWEST 298.50 OCT 23, 1970

SITE NUMBER 344620118140901

LOCAL NUMBER 008N013W23E01S

ABOUT 250 FT EAST OF 60TH STREET WEST AND 0.18 MI NORTH OF AVENUE D-8. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 2063 FT IN 1928, CASED TO 529 FT. ALTITUDE OF LSD 2382 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	178.27 S
PERIOD OF RECORD	HIGHEST 176.57 MAR 21, 1963 LOWEST 208.67 FEB 13, 1974



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344607118140801

LOCAL NUMBER 008N013W23M01S

ABOUT 125 FT EAST OF 60TH STREET WEST AND 100 FT SOUTH OF AVENUE D8. UNUSED WELL. DIAM 8 IN, DEPTH 450 FT, PERFORATED 50-450 FT. ALTITUDE OF LSD 2376 FT. MEASUREMENTS PRIOR TO 1983 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT, SOUTHERN CALIFORNIA ELECTRIC AND CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1942-43, 1945-56, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 161.08 S

PERIOD OF RECORD    HIGHEST    50.62   NOV 28, 1942    LOWEST   186.95   APR 26, 1983

SITE NUMBER 344500118122201

LOCAL NUMBER 008N013W25Q01S

ABOUT 0.18 MI NORTH OF AVENUE F AND 200 FT WEST OF 42ND STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2333 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 84.10 S

PERIOD OF RECORD    HIGHEST    55.98   FEB 18, 1975    LOWEST   84.17   FEB 25, 1986

SITE NUMBER 344509118133801

LOCAL NUMBER 008N013W26K01S

ABOUT 0.32 MI NORTH OF AVENUE F AND EAST OF 55TH STREET WEST. DRILLED DOMESTIC WATER-TABLE WELL. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 23, 1987 117.98 S

PERIOD OF RECORD    HIGHEST   117.86   FEB 27, 1986    LOWEST   120.58   FEB 08, 1982

SITE NUMBER 344403118175001

LOCAL NUMBER 008N013W31Q01S

ABOUT 0.11 MI NORTH OF AVENUE G AND 0.49 MI WEST OF 90TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 655 FT, PERFORATED 300-655 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 24, 1987 220.77 S

PERIOD OF RECORD    HIGHEST   220.77   FEB 24, 1987    LOWEST   293.10   OCT 02, 1962

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344400118144801

LOCAL NUMBER 008N013W34P03S

ABOUT 275 FT NORTH OF AVENUE G AND 0.57 MI WEST OF 60TH STREET WEST. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 200 FT. ALTITUDE OF LSD 2365 FT. RECORDS AVAILABLE 1963, 1967, 1970-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 04, 1987	N
PERIOD OF RECORD	HIGHEST 72.83 AUG 09, 1963      LOWEST 94.64 MAR 26, 1985

SITE NUMBER 344425118141001

LOCAL NUMBER 008N013W35M01S

ABOUT 30 FT SOUTH OF CENTERLINE AVENUE F-8 AND 50 FT EAST OF CENTERLINE 60TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 255.5 FT. ALTITUDE OF LSD 2354 FT. RECORDS AVAILABLE 1952, 1959, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	130.79 S
PERIOD OF RECORD	HIGHEST 78.90 NOV 13, 1952      LOWEST 141.70 MAR 13, 1980

SITE NUMBER 344415118130501

LOCAL NUMBER 008N013W36L01S

ABOUT 0.5 MI NORTH OF AVENUE G AND 0.3 MI WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 1200 FT, CASSED TO 1100 FT, PERFORATED 117-1100 FT. ALTITUDE OF LSD 2340 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY ENGINEERS. RECORDS AVAILABLE 1958-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 23, 1987	131.80 S
PERIOD OF RECORD	HIGHEST 102.00 JUN 02, 1959      LOWEST 206.00 OCT 11, 1965 MAR 01, 1968

SITE NUMBER 344818118225701

LOCAL NUMBER 008N014W05Q01S

ABOUT 0.25 MI WEST OF INTERSECTION OF 140TH STREET WEST AND AVENUE B. UNUSED WELL. DIAM 10 IN, DEPTH 500 FT. ALTITUDE OF LSD 2558 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	263.63 S
PERIOD OF RECORD	HIGHEST 263.63 FEB 24, 1987      LOWEST 282.37 MAY 18, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344751118210701

LOCAL NUMBER 008N014W10L01S

ABOUT 0.5 MI SOUTH OF INTERSECTION OF AVENUE B AND 130TH STREET WEST. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2525 FT. RECORDS AVAILABLE 1967, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	261.02 S
PERIOD OF RECORD	HIGHEST 252.00 DEC 27, 1967      LOWEST 276.05 MAY 18, 1983

SITE NUMBER 344819118191301

LOCAL NUMBER 008N014W12C01S

ABOUT 50 FT SOUTH OF AVENUE B AND 0.25 MI EAST OF 110TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 653 FT. ALTITUDE OF LSD 2480 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	299.54 S
PERIOD OF RECORD	HIGHEST 299.54 FEB 24, 1987      LOWEST 354.40 SEP 21, 1978

SITE NUMBER 344658118234201

LOCAL NUMBER 008N014W17M01S

ABOUT 0.45 MI NORTH OF AVENUE D AND 150 FT EAST OF 150TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 828 FT, CASED TO 670 FT, PERFORATED 270-670 FT. ALTITUDE OF LSD 2592 FT. RECORDS AVAILABLE 1958, 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	173.39 S
PERIOD OF RECORD	HIGHEST 172.50 MAY 08, 1962      LOWEST 190.00 NOV 20, 1958

SITE NUMBER 344635118244301

LOCAL NUMBER 008N014W18N01S

ABOUT 350 FT NORTH OF AVENUE D AND 50 FT EAST OF 160TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16-14 IN, DEPTH 865 FT, 16-IN CSG 0-450 FT, 14-IN CSG 450-865 FT, PERFORATED 250-865 FT. ALTITUDE OF LSD 2642 FT. RECORDS AVAILABLE 1954-55, 1958, 1960, 1962, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	111.60 S	FEB 24, 1987	110.85 S
PERIOD OF RECORD	HIGHEST 111.60 OCT 22, 1986	LOWEST 205.30 NOV 26, 1958	

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344607118195901

LOCAL NUMBER 008N014W23G01S

ABOUT 100 FT EAST OF 115TH STREET WEST AND 0.5 MI SOUTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 420 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1952, 1954, 1956-60, 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 24, 1987 273.60 S

PERIOD OF RECORD    HIGHEST 182.40 JUL 22, 1952    LOWEST 293.69 FEB 22, 1979

SITE NUMBER 344652118185701

LOCAL NUMBER 008N014W24C01S

ABOUT 0.48 MI EAST OF 110TH STREET WEST AND 100 FT SOUTH OF AVENUE D. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 618 FT, PERFORATED 500-618 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1955, 1967, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 24, 1987 262.19 S

PERIOD OF RECORD    HIGHEST 230.5 JUN 15, 1955    LOWEST 289.02 DEC 26, 1967

SITE NUMBER 344816118260901

LOCAL NUMBER 008N015W02Q02S

ABOUT 0.3 MI WEST OF 170TH STREET WEST AND 100 FT NORTH OF AVENUE B. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2635 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1987 288.39 S

PERIOD OF RECORD    HIGHEST 288.39 FEB 25, 1987    LOWEST 296.42 AUG 18, 1981

SITE NUMBER 344745118293301

LOCAL NUMBER 008N015W08L01S

NEAR INTERSECTION OF 205TH STREET WEST AND AVENUE B-8. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2720 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 24, 1987 150.12 S

PERIOD OF RECORD    HIGHEST 150.12 FEB 24, 1987    LOWEST 165.07 AUG 19, 1981

WATER LEVELS, LOS ANGELES COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344727118273101

LOCAL NUMBER 008N015W10P02S

NORTHEAST OF INTERSECTION OF 190TH STREET WEST AND AVENUE C. DRILLED UNUSED WATER-TABLE WELL.  
 DIAM 12 IN, DEPTH DRILLED 621 FT, PERFORATED 361-621 FT. ALTITUDE OF LSD 2710 FT. RECORDS  
 AVAILABLE 1965, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	155.35	S			
PERIOD OF RECORD	HIGHEST	155.35	FEB 24, 1987	LOWEST	200.00 MAR 23, 1965

SITE NUMBER 344522118270801

LOCAL NUMBER 008N015W27H02S

ABOUT 0.25 MI SOUTH OF AVENUE E AND 0.24 MI WEST OF 180TH STREET WEST. DOMESTIC WELL. DIAM  
 6 IN, DEPTH 353 FT. ALTITUDE OF LSD 2798 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	152.50	S			
PERIOD OF RECORD	HIGHEST	152.50	FEB 25, 1987	LOWEST	161.78 MAY 18, 1983

SITE NUMBER 344421118282201

LOCAL NUMBER 008N015W33G01S

ABOUT 100 FT NORTH OF AVENUE F-8 AND 0.4 MI WEST OF 190TH STREET WEST. DOMESTIC WATER-TABLE WELL.  
 DIAM 12 IN, DEPTH 281.5 FT. ALTITUDE OF LSD 2930 FT. MEASUREMENTS PRIOR TO 1968 FURNISHED BY  
 CALIFORNIA STATE DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1946-50, 1953-63, 1967 TO CURRENT  
 YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 25, 1987	208.10	S			
PERIOD OF RECORD	HIGHEST	194.00	JAN 23, 1946	LOWEST	284.00 NOV 12, 1959

SITE NUMBER 344814118322401

LOCAL NUMBER 008N016W02R01S

ABOUT 0.22 MI WEST OF 230TH STREET WEST AND 60 FT NORTH OF AVENUE B. DRILLED TEST WELL.  
 DIAM 1.5 IN, DEPTH 319 FT, CASED TO 343.5 FT, PERFORATED 343.5-347 FT. ALTITUDE OF LSD 2795 FT.  
 RECORDS AVAILABLE 1965, 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 24, 1987	175.24	S			
PERIOD OF RECORD	HIGHEST	165.03	APR 06, 1965	LOWEST	190.67 MAR 29, 1978

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344841118335001

LOCAL NUMBER 008N016W03F01S

ABOUT 0.5 MI NORTH OF AVENUE B AND 0.5 MI WEST OF 240TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 1.5-2 IN, DEPTH 326 FT, 1.5-IN CSG 0-295.5 FT, 2-IN CSG 295.5-326 FT, PERFORATED 317-326 FT. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1965, 1967 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	211.45 S	FEB 24, 1987	210.90 S
PERIOD OF RECORD	HIGHEST 191.64	APR 13, 1965	LOWEST 220.57 OCT 14, 1980

SITE NUMBER 344857118360901

LOCAL NUMBER 008N016W05C01S

ABOUT 0.25 MI EAST OF 270TH STREET WEST AND 0.19 MI SOUTH OF AVENUE A. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2900 FT. RECORDS AVAILABLE 1959, 1962, 1973-76, 1978-80, 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	238.87 S
PERIOD OF RECORD	HIGHEST 212.73 APR 02, 1962 LOWEST 255.02 FEB 21, 1975

SITE NUMBER 344806118343801

LOCAL NUMBER 008N016W09G02S

ABOUT 300 FT WEST-SOUTHWEST OF LAKE HOLIDAY AND 0.47 MI EAST OF L.A. AQUEDUCT. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 300 FT. ALTITUDE OF LSD 2890 FT. RECORDS AVAILABLE 1965, 1974-77, 1980-84.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	242.34 S
PERIOD OF RECORD	HIGHEST 240.29 FEB 26, 1986 LOWEST 260.90 MAR 11, 1977

SITE NUMBER 344701118363401

LOCAL NUMBER 008N016W18H02S

ABOUT 0.15 MI WEST OF 270TH STREET WEST AND 150 FT NORTH OF HWY 138. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10-8 IN, DEPTH 400 FT, 10-IN CSG 0-183 FT, 8-IN CSG 183-400 FT. ALTITUDE OF LSD 2987 FT. RECORDS AVAILABLE 1956-62, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	155.80 S
PERIOD OF RECORD	HIGHEST 120.40 OCT 07, 1958 LOWEST 308.00 NOV 08, 1962

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344541118333901

LOCAL NUMBER 008N016W22Q04S

ABOUT 1 MI SOUTH OF INTERSECTION OF AVENUE D AND 245TH STREET WEST. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 160 FT, PERFORATED 60-160 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1956-63, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	56.40 S
PERIOD OF RECORD	HIGHEST 32.77 MAY 19, 1983      LOWEST 76.2 OCT 26, 1960

SITE NUMBER 344605118324601

LOCAL NUMBER 008N016W23G01S

ABOUT 0.11 MI WEST OF 235TH STREET WEST AND 0.5 MI SOUTH OF HWY 138. UNUSED WELL. DIAM 8 IN, DEPTH 90 FT. ALTITUDE OF LSD 2913 FT. MEASUREMENTS PRIOR TO 1973 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1956-63, 1973-78, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1987	64.15 S
PERIOD OF RECORD	HIGHEST .00 MAR 31, 1978      LOWEST 93.70 NOV 12, 1957

SITE NUMBER 344812118383401

LOCAL NUMBER 008N017W01N01S

NEAR INTERSECTION OF AVENUE B AND 290TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14-12-10 IN, DEPTH 787 FT, 14-IN CSG 0-489 FT, 12-IN CSG 489-603 FT, 10-IN CSG 603-787 FT. ALTITUDE OF LSD 2955 FT. RECORDS AVAILABLE 1945, 1953-54, 1962, 1964, 1967-68, 1970-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 24, 1987	259.50 S
PERIOD OF RECORD	HIGHEST 199.60 NOV 13, 1945      LOWEST 315.91 MAR 21, 1967

SITE NUMBER 344858118414101

LOCAL NUMBER 008N017W04D01S

ABOUT 1.5 MI NORTH OF HWY 138, 2 MI WEST OF 300TH STREET WEST AND 0.16 MI NORTH OF ROAD. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 530 FT. ALTITUDE OF LSD 3036 FT. RECORDS AVAILABLE 1948, 1951, 1962, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1986	127.00 T	FEB 24, 1987	133.50 S
PERIOD OF RECORD	HIGHEST 105.56 OCT 23, 1979	LOWEST 161.33	OCT 11, 1972

WATER LEVELS, LOS ANGELES COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 340535117573501

LOCAL NUMBER 001S010W07R02S

NEAR INTERSECTION OF LOS ANGELES AND MAINE STREETS IN BALDWIN PARK. DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 200 FT, PERFORATED 74-174, 181-196 FT. ALTITUDE OF LSD 387 FT. RECORDS AVAILABLE 1932 TO CURRENT YEAR. COMPARABLE RECORDS 1903-32 AS PUBLISHED IN PREVIOUS WATER-SUPPLY PAPERS WERE FOR WELL 42(001S010W18A01S).

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1986	147.61 S	JAN 27, 1987	147.40 S	APR 23, 1987	145.84 S	JUL 28, 1987	153.38 S
NOV 24	149.21 S	FEB 23	146.53 S	MAY 20	147.38 S	AUG 26	156.25 S
DEC 22	148.70 S	MAR 18	145.70 S	JUN 24	150.34 S	SEP 24	158.58 S
PERIOD OF RECORD		HIGHEST 62.40	MAY 31, 1943	JUN 30, 1944	LOWEST 183.79	DEC 22, 1977	



## WATER QUALITY, LOS ANGELES COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
005N013W36L01S	09-26-87	0900	635	--	20.0	--	0	--	--
007N011W18N01S	09-26-87	1330	418	--	20.5	--	0	--	--
007N011W19E01S	09-26-87	1410	190	--	22.5	--	0	--	--
007N013W13F03S	09-26-87	1630	910	--	24.5	--	0	--	--
008N010W22H03S	09-26-87	1115	390	--	22.5	--	0	--	--
008N010W22P03S	09-26-87	1130	350	--	21.0	--	0	--	--
008N013W11M01S	08-20-87	1810	375	7.70	24.0	82	0	27	3.5
008N013W36L01S	08-21-87	1500	525	7.50	21.5	160	25	51	8.1
008N014W13G01S	08-20-87	1930	525	7.60	26.5	160	19	56	6.1
008N016W13N01S	08-21-87	1830	360	7.70	20.5	59	0	20	2.3

	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)
005N013W36L01S	--	--	--	--	--	--	--	--	--
007N011W18N01S	--	--	--	--	--	--	--	--	--
007N011W19E01S	--	--	--	--	--	--	--	--	--
007N013W13F03S	--	--	--	--	--	--	--	--	--
008N010W22H03S	--	--	--	--	--	--	--	--	--
008N010W22P03S	--	--	--	--	--	--	--	--	--
008N013W11M01S	48	55	2	1.8	94	42	26	0.30	19
008N013W36L01S	50	40	2	1.5	136	49	50	0.40	38
008N014W13G01S	45	37	2	2.3	146	49	39	0.20	34
008N016W13N01S	57	67	3	1.5	121	35	10	0.50	30

	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
005N013W36L01S	--	--	--	--	--	--	--	--
007N011W18N01S	--	--	--	--	--	--	--	--
007N011W19E01S	--	--	--	--	--	--	--	--
007N013W13F03S	--	--	--	--	--	--	--	--
008N010W22H03S	--	--	--	--	--	--	--	--
008N010W22P03S	--	--	--	--	--	--	--	--
008N013W11M01S	224	234	2.20	<0.010	--	130	5	<1
008N013W36L01S	341	342	2.70	<0.010	--	470	5	<1
008N014W13G01S	322	330	2.40	<0.010	--	120	5	8
008N016W13N01S	225	242	3.00	0.010	0.03	50	9	<1

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

MERCED COUNTY

LOCAL NUMBER 005S012E19M01M.....	118	LOCAL NUMBER 007S014E26H01M.....	127
LOCAL NUMBER 005S012E22P01M.....	118	LOCAL NUMBER 007S014E27R01M.....	127
LOCAL NUMBER 005S013E07L01M.....	118, 137, 138	LOCAL NUMBER 007S014E31J01M.....	127
LOCAL NUMBER 005S013E14P01M.....	118, 137, 138	LOCAL NUMBER 007S015E18K01M.....	127
LOCAL NUMBER 005S013E36F02M.....	119, 137, 138	LOCAL NUMBER 008S010E16Q01M.....	128
LOCAL NUMBER 005S014E02Q02M.....	119, 137, 138	LOCAL NUMBER 008S010E16Q02M.....	128
LOCAL NUMBER 005S014E05D01M.....	119	LOCAL NUMBER 008S010E16Q03M.....	128
LOCAL NUMBER 005S014E11A01M.....	137, 138	LOCAL NUMBER 008S010E16Q04M.....	128
LOCAL NUMBER 005S014E29K02M.....	119	LOCAL NUMBER 008S010E21B01M.....	129
LOCAL NUMBER 006S010E02P02M.....	120	LOCAL NUMBER 008S010E21G01M.....	129
LOCAL NUMBER 006S010E20R02M.....	120	LOCAL NUMBER 008S010E21G02M.....	129
LOCAL NUMBER 006S011E06L01M.....	120	LOCAL NUMBER 008S010E21G03M.....	129
LOCAL NUMBER 006S011E19J01M.....	120	LOCAL NUMBER 008S010E21G04M.....	130
LOCAL NUMBER 006S011E34F01M.....	121	LOCAL NUMBER 008S010E21G05M.....	130
LOCAL NUMBER 006S012E27B01M.....	121	LOCAL NUMBER 008S010E21H01M.....	130
LOCAL NUMBER 006S012E34D01M.....	121	LOCAL NUMBER 008S010E21H02M.....	130
LOCAL NUMBER 006S012E35K01M.....	121	LOCAL NUMBER 008S010E22L01M.....	131
LOCAL NUMBER 006S013E04Q01M.....	137, 138	LOCAL NUMBER 008S010E22L02M.....	131
LOCAL NUMBER 006S013E19B01M.....	122	LOCAL NUMBER 008S010E22M01M.....	131
LOCAL NUMBER 006S013E28A01M.....	122	LOCAL NUMBER 008S010E22M02M.....	131
LOCAL NUMBER 006S013E31N01M.....	122	LOCAL NUMBER 008S010E22P02M.....	132
LOCAL NUMBER 006S013E32N02M.....	137, 138	LOCAL NUMBER 008S010E22R02M.....	132
LOCAL NUMBER 006S013E36L01M.....	122	LOCAL NUMBER 008S010E22R03M.....	132
LOCAL NUMBER 006S014E32A02M.....	123, 137, 138	LOCAL NUMBER 008S010E22R04M.....	132
LOCAL NUMBER 007S009E12H01M.....	123	LOCAL NUMBER 008S012E03P01M.....	133
LOCAL NUMBER 007S010E04Q01M.....	123	LOCAL NUMBER 008S012E34L01M.....	133
LOCAL NUMBER 007S010E21A01M.....	123	LOCAL NUMBER 008S013E19H01M.....	133
LOCAL NUMBER 007S010E23K03M.....	124	LOCAL NUMBER 008S013E19H02M.....	133
LOCAL NUMBER 007S012E06R01M.....	124	LOCAL NUMBER 008S014E11A01M.....	134
LOCAL NUMBER 007S012E10F02M.....	124	LOCAL NUMBER 008S015E16J01M.....	134
LOCAL NUMBER 007S012E24J01M.....	124	LOCAL NUMBER 008S016E21A01M.....	134
LOCAL NUMBER 007S013E03D01M.....	125, 137	LOCAL NUMBER 009S012E02G01M.....	134
LOCAL NUMBER 007S013E12E01M.....	125	LOCAL NUMBER 009S014E01J01M.....	135
LOCAL NUMBER 007S013E16N01M.....	125, 137, 138	LOCAL NUMBER 009S014E19D01M.....	135
LOCAL NUMBER 007S013E18E01M.....	125	LOCAL NUMBER 009S015E29F01M.....	135
LOCAL NUMBER 007S013E22R01M.....	126	LOCAL NUMBER 009S016E18D01M.....	135
LOCAL NUMBER 007S013E29G01M.....	126	LOCAL NUMBER 010S013E02F02M.....	136
LOCAL NUMBER 007S014E09R01M.....	126, 137, 138		
LOCAL NUMBER 007S014E15P01M.....	137, 138		
LOCAL NUMBER 007S014E22F01M.....	126		

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 10.--Index map to location of wells in Merced County.

WATER LEVELS, MERCED COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372904120415501

LOCAL NUMBER 005S012E19M01M

8.0 MI WEST OF TURLOCK. OBSERVATION WELL. DIAM 6.62 IN, DEPTH 194 FT, PERFORATED 155-165, 184-194 FT. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	81.55 S	JUL 16, 1987	102.00 SR
PERIOD OF RECORD	HIGHEST	74.68 FEB 13, 1985	LOWEST 106.07 JUL 16, 1986

SITE NUMBER 372842120382601

LOCAL NUMBER 005S012E22P01M

6 MI SOUTHEAST OF MONTPELIER. STOCK WELL. ALTITUDE OF LSD 206 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	127.14 S	JUL 14, 1987	132.50 SR
PERIOD OF RECORD	HIGHEST	118.85 MAR 15, 1978	LOWEST 131.29 JUL 16, 1986

SITE NUMBER 373044120350801

LOCAL NUMBER 005S013E07L01M

2 MI SOUTH OF SNELLING. IRRIGATION WELL. ALTITUDE OF LSD 200 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	77.98 S	JUL 14, 1987	89.34 SR
PERIOD OF RECORD	HIGHEST	77.98 FEB 02, 1987	LOWEST 110.24 JUL 14, 1986

SITE NUMBER 372935120305601

LOCAL NUMBER 005S013E14P01M

1 MI EAST OF HOPETON. DOMESTIC WELL. ALTITUDE OF LSD 190 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	31.70 S	JUL 14, 1987	35.64 SR
PERIOD OF RECORD	HIGHEST	22.95 JAN 23, 1984	LOWEST 38.00 JUL 14, 1986

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372726120294601

LOCAL NUMBER 005S013E36F02M

6 MI SOUTHWEST OF SNELLING. DOMESTIC WELL. ALTITUDE OF LSD 250 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	90.56 S	JUL 14, 1987	94.04 SP
PERIOD OF RECORD	HIGHEST	80.91 APR 21, 1971	LOWEST 95.01 JUN 29, 1982

SITE NUMBER 373116120235701

LOCAL NUMBER 005S014E02Q02M

3 MI EAST OF SNELLING. DOMESTIC WELL. ALTITUDE OF LSD 276 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	13.33 S	JUL 14, 1987	18.00 SR
PERIOD OF RECORD	HIGHEST	13.33 FEB 02, 1987	LOWEST 13.33 FEB 02, 1987

SITE NUMBER 373203120274401

LOCAL NUMBER 005S014E05D01M

1.6 MI NORTHWEST OF SNELLING. STOCK WELL. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 02, 1987	129.16 S
PERIOD OF RECORD	HIGHEST 110.10 APR 28, 1981 LOWEST 136.15 JUN 24, 1985

SITE NUMBER 372806120272201

LOCAL NUMBER 005S014E29K02M

10.5 MI NORTH OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 15, 1987	91.96 S
PERIOD OF RECORD	HIGHEST 89.50 JUN 29, 1982 LOWEST 95.16 DEC 09, 1981

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372602120503201

LOCAL NUMBER 006S010E02P02M

1.7 MI NORTH OF HILMAR. DOMESTIC WELL. ALTITUDE OF LSD 95 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	10.01 S	JUL 16, 1987	11.30 SR
PERIOD OF RECORD	HIGHEST	7.61 JUL 27, 1983	LOWEST 14.80 MAY 02, 1978

SITE NUMBER 372329120532401

LOCAL NUMBER 006S010E20R02M

2.3 MI SOUTHWEST OF IRWIN. IRRIGATION WELL. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	14.22 S	JUL 16, 1987	P
PERIOD OF RECORD	HIGHEST	10.83 FEB 01, 1983	LOWEST 40.53 AUG 19, 1981

SITE NUMBER 372627120482301

LOCAL NUMBER 006S011E06L01M

1.5 MI NORTHWEST OF DELHI. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	24.10 S	JUL 16, 1987	72.61 SR
PERIOD OF RECORD	HIGHEST	17.67 FEB 09, 1981	LOWEST 72.61 JUL 16, 1987

SITE NUMBER 372338120474401

LOCAL NUMBER 006S011E19J01M

2.8 MI SOUTHWEST OF DELHI. DOMESTIC WELL. ALTITUDE OF LSD 110 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	31.41 S	JUL 16, 1987	40.21 SR
PERIOD OF RECORD	HIGHEST	24.92 FEB 01, 1983	LOWEST 36.45 JUN 27, 1985

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372209120451201

LOCAL NUMBER 006S011E34F01M

2.2 MI SOUTHWEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 117 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	26.07 S	JUL 16, 1987	P
PERIOD OF RECORD	HIGHEST	5.25 OCT 27, 1980	LOWEST 26.07 FEB 03, 1987

SITE NUMBER 372318120381601

LOCAL NUMBER 006S012E27B01M

1.4 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 158 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	47.04 S	JUL 17, 1987	50.76 S
PERIOD OF RECORD	HIGHEST	39.68 JAN 25, 1984	LOWEST 72.18 MAY 30, 1978

SITE NUMBER 372217120384501

LOCAL NUMBER 006S012E34D01M

2.3 MI SOUTHWEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	32.65 S	JUL 17, 1987	34.26 S
PERIOD OF RECORD	HIGHEST	22.80 SEP 15, 1975	LOWEST 40.48 SEP 27, 1977

SITE NUMBER 372151120370301

LOCAL NUMBER 006S012E35K01M

1.3 MI NORTH OF ATWATER. DOMESTIC WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	36.51 S	JUL 17, 1987	44.15 SR
PERIOD OF RECORD	HIGHEST	27.30 JAN 25, 1984	LOWEST 47.22 AUG 21, 1981

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372407120345701

LOCAL NUMBER 006S013E19B01M

1.8 MI NORTHEAST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 199 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	66.80 S	JUL 17, 1987	74.77 SR
PERIOD OF RECORD	HIGHEST 60.80	JAN 25, 1984	LOWEST 103.30 MAY 02, 1977

SITE NUMBER 372323120323401

LOCAL NUMBER 006S013E28A01M

3.8 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	57.28 S	JUL 17, 1987	67.51 S
PERIOD OF RECORD	HIGHEST 49.20	FEB 01, 1977	LOWEST 96.48 AUG 29, 1977

SITE NUMBER 372145120352501

LOCAL NUMBER 006S013E31N01M

1 MI NORTHWEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 163 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	38.28 S	JUL 17, 1987	39.31 S
PERIOD OF RECORD	HIGHEST 33.27	JAN 25, 1984	LOWEST 49.80 NOV 28, 1977

SITE NUMBER 372201120295001

LOCAL NUMBER 006S013E36L01M

4.4 MI NORTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	29.77 S	JUL 13, 1987	48.47 S
PERIOD OF RECORD	HIGHEST 29.77	FEB 02, 1987	LOWEST 83.00 SEP 27, 1977



WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372226120270001

LOCAL NUMBER 006S014E32A02M

3 MI NORTH OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 229 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	61.26 SR	JUL 15, 1987	66.79 SR
PERIOD OF RECORD	HIGHEST	63.88 JUL 15, 1986	LOWEST 66.79 JUL 15, 1987

SITE NUMBER 372032120552301

LOCAL NUMBER 007S009E12H01M

4.1 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 71 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	10.26 S	JUL 16, 1987	9.80 S
PERIOD OF RECORD	HIGHEST	4.06 JUL 28, 1983	LOWEST 10.26 FEB 03, 1987

SITE NUMBER 372251120522501

LOCAL NUMBER 007S010E04Q01M

1.9 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 82 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	15.35 S	JUL 16, 1987	16.53 S
PERIOD OF RECORD	HIGHEST	8.71 JAN 23, 1984	LOWEST 18.08 AUG 19, 1981

SITE NUMBER 371849120521901

LOCAL NUMBER 007S010E21A01M

1.7 MI SOUTHWEST OF STEVINSON. DOMESTIC WELL. ALTITUDE OF LSD 75 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	5.52 S	JUL 16, 1987	4.42 S
PERIOD OF RECORD	HIGHEST	1.70 JAN 24, 1984	LOWEST 10.25 FEB 14, 1986

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371626120501201

LOCAL NUMBER 007S010E23K03M

1.6 MI SOUTHEAST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 81 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 03, 1987	7.26 S				
PERIOD OF RECORD	HIGHEST	1.43	FEB 01, 1983	LOWEST	12.12 JUN 27, 1985

SITE NUMBER 372058120411001

LOCAL NUMBER 007S012E06R01M

3.2 MI WEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 126 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 03, 1987	24.89 S	JUL 16, 1987	33.62 S		
PERIOD OF RECORD	HIGHEST	19.66	JAN 23, 1984	LOWEST	33.62 JUL 16, 1987

SITE NUMBER 372020120383501

LOCAL NUMBER 007S012E10F02M

0.1 MI SOUTHWEST OF ATWATER. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH 55 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 03, 1987	28.16 S	JUL 16, 1987	29.36 SR		
PERIOD OF RECORD	HIGHEST	23.36	JAN 23, 1984	LOWEST	42.53 JUL 06, 1977

SITE NUMBER 371830120354401

LOCAL NUMBER 007S012E24J01M

2.7 MI SOUTH OF ATWATER. IRRIGATION ARTESIAN WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 232 FT. ALTITUDE OF LSD 136 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 03, 1987	14.67 S	JUL 16, 1987	19.93 SR		
PERIOD OF RECORD	HIGHEST	10.21	JAN 24, 1984	LOWEST	46.92 SEP 27, 1977

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 372128120322001

LOCAL NUMBER 007S013E03D01M

3.5 MI WEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 171 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 03, 1987	33.76 S					
PERIOD OF RECORD	HIGHEST	32.50	NOV 26, 1979	LOWEST	68.08	AUG 29, 1977

SITE NUMBER 372033120295801

LOCAL NUMBER 007S013E12E01M

2.9 MI NORTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 167 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
FEB 04, 1987	29.60 S	JUL 17, 1987	33.29 SR			
PERIOD OF RECORD	HIGHEST	23.17	JAN 05, 1977	LOWEST	44.22	AUG 04, 1977

SITE NUMBER 371914120331901

LOCAL NUMBER 007S013E16N01M

4.3 MI NORTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 149 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
FEB 04, 1987	14.17 S	JUL 15, 1987	P			
PERIOD OF RECORD	HIGHEST	9.61	JUL 25, 1983	LOWEST	33.20	OCT 20, 1977

SITE NUMBER 371927120354201

LOCAL NUMBER 007S013E18E01M

1.9 MI SOUTH OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
FEB 03, 1987	20.08 S	JUL 16, 1987	22.63 S			
PERIOD OF RECORD	HIGHEST	9.40	SEP 09, 1975	LOWEST	42.63	AUG 29, 1977

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371818120312201

LOCAL NUMBER 007S013E22R01M

2.3 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 02, 1987	19.90 S	JUL 16, 1987	24.40 SR
PERIOD OF RECORD	HIGHEST	15.76 JAN 24, 1984	LOWEST 32.10 DEC 29, 1977

SITE NUMBER 371745120340401

LOCAL NUMBER 007S013E29G01M

4.7 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 140 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	14.73 S	JUL 16, 1987	17.21 SR
PERIOD OF RECORD	HIGHEST	10.56 FEB 02, 1983	LOWEST 18.84 JUL 16, 1986

SITE NUMBER 372002120261001

LOCAL NUMBER 007S014E09R01M

3.4 MI NORTHEAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 185 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	0	JUL 15, 1987	27.81 SR
PERIOD OF RECORD	HIGHEST	14.57 NOV 19, 1970	LOWEST 54.30 SEP 26, 1977

SITE NUMBER 371839120252401

LOCAL NUMBER 007S014E22F01M

3.4 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 191 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	21.75 S	JUL 17, 1987	23.52 S
PERIOD OF RECORD	HIGHEST	16.59 JAN 02, 1981	LOWEST 80.20 MAR 01, 1977

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371753120234601

LOCAL NUMBER 007S014E26H01M

4.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	15.20 S	JUL 17, 1987	11.20 SR
PERIOD OF RECORD	HIGHEST	7.70 MAY 31, 1978	LOWEST 33.44 NOV 30, 1977

SITE NUMBER 371729120245301

LOCAL NUMBER 007S014E27R01M

3.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 186 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	18.90 S	JUL 17, 1987	21.31 S
PERIOD OF RECORD	HIGHEST	15.52 JAN 24, 1984	LOWEST 55.90 JUN 30, 1978

SITE NUMBER 371649120280901

LOCAL NUMBER 007S014E31J01M

1.7 MI SOUTH OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 165 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	19.09 S	JUL 17, 1987	43.41 S
PERIOD OF RECORD	HIGHEST	11.18 FEB 02, 1983	LOWEST 54.90 AUG 31, 1978

SITE NUMBER 371919120215801

LOCAL NUMBER 007S015E18K01M

6.5 MI EAST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 212 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1987	28.82 S	JUL 17, 1987	27.84 S
PERIOD OF RECORD	HIGHEST	25.8 JUL 26, 1983	LOWEST 29.98 JUL 17, 1986

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371357120522701

LOCAL NUMBER 008S010E16Q01M

7.0 MI SOUTHEAST OF GUSTINE. DOMESTIC WELL. DIAM 2 IN, DEPTH 119.65 FT, PERFORATED 117.6-119 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 16, 1987	18.72 SR	JUN 16, 1987	10.49 S
PERIOD OF RECORD	HIGHEST	10.49 JUN 16, 1987	LOWEST 10.49 JUN 16, 1987

SITE NUMBER 371352120522501

LOCAL NUMBER 008S010E16Q02M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 346 FT, PERFORATED 326-336 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	11.43 S	MAR 18, 1987	5.20 S	JUN 18, 1987	9.95 S	SEP 17, 1987	16.76 S
PERIOD OF RECORD	HIGHEST	5.20 MAR 18, 1987	LOWEST	16.76 SEP 17, 1987			

SITE NUMBER 371352120522502

LOCAL NUMBER 008S010E16Q03M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 210 FT, PERFORATED 200-210 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	4.72 S	MAR 18, 1987	3.30 S	JUN 18, 1987	7.00 S	SEP 17, 1987	8.10 S
PERIOD OF RECORD	HIGHEST	1.82 MAY 19, 1986	LOWEST	8.18 SEP 10, 1986			

SITE NUMBER 371357120522702

LOCAL NUMBER 008S010E16Q04M

7.0 MI SOUTHEAST OF GUSTINE. DOMESTIC WELL. ALTITUDE OF LSD 77.0 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
SEP 15, 1987	8.45 S
PERIOD OF RECORD	HIGHEST 8.45 SEP 15, 1987 LOWEST 8.45 SEP 15, 1987

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371345120522301

LOCAL NUMBER 008S010E21B01M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 17 FT, PERFORATED 7-17 FT.  
ALTITUDE OF LSD 77.2 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1986	3.64 S	MAR 16, 1987	2.89 S	JUN 16, 1987	5.08 S	SEP 15, 1987	5.00 S
PERIOD OF RECORD	HIGHEST	2.89	MAR 16, 1987	LOWEST	5.56	SEP 08, 1986	

SITE NUMBER 371331120521501

LOCAL NUMBER 008S010E21G01M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 14.5 FT. ALTITUDE OF LSD 76.0 FT.  
RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1986	1.17 S	MAR 17, 1987	0.90 S	JUN 16, 1987	4.22 S	SEP 15, 1987	2.86 S
PERIOD OF RECORD	HIGHEST	0.90	MAR 17, 1987	LOWEST	5.24	SEP 08, 1986	

SITE NUMBER 371339120522001

LOCAL NUMBER 008S010E21G02M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 70 FT, PERFORATED 20-70 FT.  
ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1986	2.26 S	MAR 17, 1987	0.50 S	JUN 16, 1987	4.22 S	SEP 15, 1987	4.10 S
PERIOD OF RECORD	HIGHEST	0.50	MAR 17, 1987	LOWEST	4.61	SEP 08, 1986	

SITE NUMBER 371333120521701

LOCAL NUMBER 008S010E21G03M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 18.7 FT, PERFORATED 15.7-18.7 FT.  
ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1986	1.89 S	MAR 17, 1987	1.52 S	JUN 16, 1987	4.72 S	SEP 15, 1987	4.42 S
PERIOD OF RECORD	HIGHEST	1.52	MAR 17, 1987	LOWEST	5.35	SEP 08, 1986	

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371333120521703

LOCAL NUMBER 008S010E21G04M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 38.6 FT, PERFORATED 35.6-38.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1986	2.96 S	MAR 17, 1987	1.90 S	JUN 16, 1987	4.70 S	SEP 15, 1987	4.65 S
PERIOD OF RECORD	HIGHEST	1.90	MAR 17, 1987	LOWEST	5.53	SEP 08, 1986	

SITE NUMBER 371333120521702

LOCAL NUMBER 008S010E21G05M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 28.6 FT, PERFORATED 25.6-28.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1986	2.57 S	MAR 17, 1987	1.95 S	JUN 16, 1987	4.70 S	SEP 15, 1987	5.80 S
PERIOD OF RECORD	HIGHEST	1.95	MAR 17, 1987	LOWEST	5.80	SEP 15, 1987	

SITE NUMBER 371327120520701

LOCAL NUMBER 008S010E21H01M

7.3 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE OF LSD 76.0 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1986	3.00 S	MAR 17, 1987	2.23 S	JUN 17, 1987	6.88 S	SEP 16, 1987	6.63 S
PERIOD OF RECORD	HIGHEST	2.23	MAR 17, 1987	LOWEST	7.99	SEP 08, 1986	

SITE NUMBER 371325120520001

LOCAL NUMBER 008S010E21H02M

7.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.3 FT, PERFORATED 5.3-10.3 FT. ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1986	1.34 S	MAR 17, 1987	2.07 S	JUN 17, 1987	6.89 S	SEP 16, 1987	7.22 S
PERIOD OF RECORD	HIGHEST	1.34	DEC 02, 1986	LOWEST	9.00	SEP 08, 1986	



WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371315120514101

LOCAL NUMBER 008S010E22L01M

8.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	2.22 S	MAR 18, 1987	1.70 S	JUN 17, 1987	6.25 S	SEP 16, 1987	7.14 S
PERIOD OF RECORD	HIGHEST	1.70	MAR 18, 1987	LOWEST	7.99	SEP 09, 1986	

SITE NUMBER 371314120513401

LOCAL NUMBER 008S010E22L02M

8.0 MI SOUTHEAST OF GUSTINE. IRRIGATION WELL. ALTITUDE OF LSD 77.0 FT. RECORDS AVAILABLE FROM MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 18, 1987	10.93 S	SEP 16, 1987	3.40 S
PERIOD OF RECORD	HIGHEST	3.40	SEP 16, 1987
		LOWEST	10.93
		JUN 18, 1987	

SITE NUMBER 371322120515301

LOCAL NUMBER 008S010E22M01M

7.6 MI SOUTH EAST OF GUSTINE. OBSERVATION WELL. DIAM 1.25 IN, DEPTH 20 FT, PERFORATED 5-20 FT. ALTITUDE OF LSD 76.5 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1986	1.41 S	MAR 17, 1987	2.14 S	JUN 17, 1987	6.24 S	SEP 16, 1987	6.82 S
PERIOD OF RECORD	HIGHEST	1.41	DEC 02, 1986	LOWEST	8.76	SEP 08, 1986	

SITE NUMBER 371320120514801

LOCAL NUMBER 008S010E22M02M

7.8 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.5 FT, PERFORATED 5.5-10.5 FT. ALTITUDE OF LSD 74.6 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1986	.65 S	MAR 18, 1987	1.05 S	JUN 17, 1987	5.30 S	SEP 16, 1987	5.89 S
PERIOD OF RECORD	HIGHEST	.65	DEC 02, 1986	LOWEST	7.27	SEP 09, 1986	

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371310120512801

LOCAL NUMBER 008S010E22P02M

8.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 11 FT, PERFORATED 6-11 FT. ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	3.59 S	MAR 18, 1987	2.67 S	JUN 17, 1987	7.2 S	SEP 15, 1987	D
PERIOD OF RECORD	HIGHEST	2.67	MAR 18, 1987	LOWEST	9.13	SEP 09, 1986	

SITE NUMBER 371312120510301

LOCAL NUMBER 008S010E22R02M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 19 FT, PERFORATED 14-19 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	6.29 S	MAR 16, 1987	4.64 S	JUN 18, 1987	5.63 S	SEP 16, 1987	6.58 S
PERIOD OF RECORD	HIGHEST	4.64	MAR 16, 1987	LOWEST	8.66	SEP 08, 1986	

SITE NUMBER 371312120510302

LOCAL NUMBER 008S010E22R03M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 39 FT, PERFORATED 34-39 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	7.89 S	MAR 16, 1987	5.94 S	JUN 18, 1987	7.53 S	SEP 16, 1987	8.45 S
PERIOD OF RECORD	HIGHEST	5.94	MAR 16, 1987	LOWEST	9.21	SEP 09, 1986	

SITE NUMBER 371312120510303

LOCAL NUMBER 008S010E22R04M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 79 FT, PERFORATED 74-79 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 03, 1986	6.98 S	MAR 16, 1987	5.43 S	JUN 18, 1987	7.70 S	SEP 16, 1987	8.58 S
PERIOD OF RECORD	HIGHEST	5.43	MAR 16, 1987	LOWEST	9.35	SEP 09, 1986	

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371538120383001

LOCAL NUMBER 008S012E03P01M

9.3 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 109 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	12.90 S	JUL 16, 1987	13.70 S
PERIOD OF RECORD	HIGHEST	3.59 FEB 02, 1983	LOWEST 24.00 NOV 28, 1979

SITE NUMBER 371126120384101

LOCAL NUMBER 008S012E34L01M

9.3 MI NORTHWEST OF EL NIDO. DOMESTIC WELL. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	8.41 S	JUL 16, 1987	16.79 SR
PERIOD OF RECORD	HIGHEST	2.62 FEB 02, 1983	LOWEST 15.66 JUN 24, 1985

SITE NUMBER 371320120344301

LOCAL NUMBER 008S013E19H01M

7.6 MI SOUTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	18.27 S	JUL 16, 1987	P
PERIOD OF RECORD	HIGHEST	17.70 FEB 14, 1985	LOWEST 38.74 JUN 18, 1984

SITE NUMBER 371326120344201

LOCAL NUMBER 008S013E19H02M

7.7 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	14.70 S	JUL 16, 1987	33.57 SR
PERIOD OF RECORD	HIGHEST	12.19 FEB 02, 1983	LOWEST 36.60 DEC 27, 1979

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371524120234901

LOCAL NUMBER 008S014E11A01M

5.8 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 188 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	21.73 S	JUL 17, 1987	P
PERIOD OF RECORD	HIGHEST 21.73	FEB 03, 1987	LOWEST 30.80 JUN 25, 1985

SITE NUMBER 371411120194001

LOCAL NUMBER 008S015E16J01M

0.3 MI NORTHWEST OF PLAINSBURG. IRRIGATION WELL. ALTITUDE OF LSD 216 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	82.02 S	JUL 17, 1987	94.20 SR
PERIOD OF RECORD	HIGHEST 75.15	FEB 14, 1985	LOWEST 104.38 JUL 02, 1982

SITE NUMBER 371342120132901

LOCAL NUMBER 008S016E21A01M

2 MI EAST OF LEGRAND. IRRIGATION WELL. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	52.57 S	JUL 07, 1987	P
PERIOD OF RECORD	HIGHEST 38.20	JAN 24, 1984	LOWEST 91.00 JUL 16, 1986

SITE NUMBER 371050120373101

LOCAL NUMBER 009S012E02G01M

8 MI NORTHWEST OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	7.30 S	JUL 16, 1987	12.80 S
PERIOD OF RECORD	HIGHEST 2.26	FEB 02, 1983	LOWEST 20.51 JUN 24, 1985

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 371034120225601

LOCAL NUMBER 009S014E01J01M

2.6 MI SOUTHWEST OF ATHLONE. IRRIGATION WELL. ALTITUDE OF LSD 147 FT. RECORDS AVAILABLE 1975 TO 1979, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	48.44 S	JUL 17, 1987	104.30 S
PERIOD OF RECORD	HIGHEST 48.44	FEB 03, 1987	LOWEST 104.30 JUL 17, 1987

SITE NUMBER 370831120291201

LOCAL NUMBER 009S014E19D01M

0.6 MI NORTH OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 143 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	51.27 S	JUL 17, 1987	P
PERIOD OF RECORD	HIGHEST 51.27	FEB 03, 1987	LOWEST 183.94 JUL 03, 1979

SITE NUMBER 370713120212401

LOCAL NUMBER 009S015E29F01M

5.2 MI WEST OF CHOWCHILLA. IRRIGATION WELL. ALTITUDE OF LSD 196 FT. RECORDS AVAILABLE 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	56.72 S	JUL 17, 1987	105.02 S
PERIOD OF RECORD	HIGHEST 55.55	FEB 14, 1985	LOWEST 146.81 SEP 03, 1979

SITE NUMBER 370915120162301

LOCAL NUMBER 009S016E18D01M

2.5 MI NORTH OF CHOWCHILLA. DOMESTIC WELL. ALTITUDE OF LSD 239 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	121.48 S	JUL 17, 1987	134.80 S
PERIOD OF RECORD	HIGHEST 121.48	FEB 03, 1987	LOWEST 151.09 DEC 10, 1981

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 370528120311501

LOCAL NUMBER 010S013E02F02M

1.5 MI NORTHWEST OF RED TOP. IRRIGATION WELL. ALTITUDE OF LSD 124 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1987	53.05 S	JUL 17, 1987	80.71 SS
PERIOD OF RECORD	HIGHEST	47.10 JAN 24, 1984	LOWEST 95.23 JUN 26, 1985

## WATER QUALITY, MERCED COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)
005S013E07L01M	07-14-87	1730	172	7.80	24.0	14	5.8	13	1.4
005S013E14P01M	07-14-87	1305	96	8.00	23.5	8.3	2.8	7.4	1.2
005S013E36F02M	07-14-87	1435	271	7.50	20.5	21	7.1	22	1.6
005S014E02Q02M	07-14-87	0930	207	7.10	23.5	17	9.5	14	2.8
005S014E11A01M	07-14-87	1110	165	7.10	23.0	13	6.0	10	2.8
006S013E04Q01M	07-14-87	1600	388	7.10	21.5	40	14	23	2.5
006S013E32N02M	07-13-87	1430	257	7.90	24.0	21	4.9	21	6.5
006S014E32A02M	07-15-87	1530	236	7.40	25.0	18	6.8	20	2.3
007S013E03D01M	07-13-87	1710	318	7.40	22.0	26	8.9	24	4.5
007S013E16N01M	07-15-87	1200	567	7.30	19.5	65	23	22	2.6
007S014E09R01M	07-15-87	1015	288	7.50	19.0	22	11	24	2.7
007S014E15P01M	07-15-87	1705	137	7.80	21.5	9.9	5.5	9.5	0.50

	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)
005S013E07L01M	83	3.6	4.0	0.20	35	118	2.20	0.030	<10
005S013E14P01M	39	2.6	2.6	0.10	31	83	1.10	0.030	<10
005S013E36F02M	78	4.9	20	0.10	61	208	9.20	0.090	<10
005S014E02Q02M	94	5.7	7.5	0.10	85	187	0.630	0.020	<10
005S014E11A01M	64	4.1	6.7	0.20	86	172	1.90	0.040	<10
006S013E04Q01M	177	7.4	11	0.30	60	258	3.10	0.060	<10
006S013E32N02M	82	7.7	13	0.20	58	191	4.80	<0.010	<10
006S014E32A02M	125	2.9	2.9	0.10	42	157	1.30	0.070	<10
007S013E03D01M	106	8.0	18	0.20	65	235	5.70	0.020	<10
007S013E16N01M	247	17	18	0.10	65	380	5.20	0.040	<10
007S014E09R01M	123	7.6	10	0.20	62	206	2.10	0.110	<10
007S014E15P01M	61	3.5	1.6	0.20	54	115	0.560	0.110	<10

	ARSENIC DIS- SOLVED (UG/L AS AS)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)
005S013E07L01M	1	<1	9	<1	2	<3	<5	<4
005S013E14P01M	<1	<1	5	<1	<1	4	<5	<4
005S013E36F02M	2	<1	3	<1	<1	4	<5	7
005S014E02Q02M	<1	<1	<1	<1	<1	11	<5	<4
005S014E11A01M	1	1	<1	<1	3	5	<5	5
006S013E04Q01M	<1	<1	7	<1	1	<3	<5	7
006S013E32N02M	3	<1	10	<1	<1	6	<5	<4
006S014E32A02M	1	<1	7	1	4	6	<5	6
007S013E03D01M	2	<1	8	2	<1	<3	<5	<4
007S013E16N01M	2	<1	5	<1	<1	<3	<5	12
007S014E09R01M	4	<1	10	<1	<1	<3	<5	6
007S014E15P01M	7	<1	8	<1	1	<3	<5	5

	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY DIS- SOLVED (UG/L AS HG)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	ZINC, DIS- SOLVED (UG/L AS ZN)
005S013E07L01M	<1	0.1	2	2	<1	150	10	11
005S013E14P01M	<1	0.1	<1	2	<1	96	6	14
005S013E36F02M	<1	<0.1	1	<1	<1	270	12	29
005S014E02Q02M	10	<0.1	1	3	<1	130	4	18
005S014E11A01M	5	<0.1	<1	<1	<1	140	7	1700
006S013E04Q01M	10	<0.1	1	<1	<1	520	9	6
006S013E32N02M	2	0.1	1	4	<1	240	31	7
006S014E32A02M	3	0.1	1	3	<1	230	8	260
007S013E03D01M	<1	0.1	2	3	<1	310	24	7
007S013E16N01M	<1	--	<1	2	<1	760	19	3
007S014E09R01M	<1	0.1	1	<1	<1	240	18	7
007S014E15P01M	<1	--	4	<1	<1	76	35	10

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, MERCED COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	PCB, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
005S013E07L01M	07-14-87	1730	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S013E14P01M	07-14-87	1305	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S013E36F02M	07-14-87	1435	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S014E02Q02M	07-14-87	0930	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S014E11A01M	07-14-87	1110	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S013E04Q01M	07-14-87	1600	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S013E32N02M	07-13-87	1430	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S014E32A02M	07-15-87	1530	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S013E03D01M	07-13-87	1710	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S013E16N01M	07-15-87	1200	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S014E09R01M	07-15-87	1015	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S014E15P01M	07-15-87	1705	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)
005S013E07L01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S013E14P01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S013E36F02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S014E02Q02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S014E11A01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S013E04Q01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S013E32N02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S014E32A02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S013E03D01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S013E16N01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S014E09R01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S014E15P01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	MIREX, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)
005S013E07L01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S013E14P01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S013E36F02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S014E02Q02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S014E11A01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S013E04Q01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S013E32N02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S014E32A02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S013E03D01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S013E16N01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S014E09R01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S014E15P01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

RIVERSIDE COUNTY

LOCAL NUMBER 002S006W31C01S.....	145
LOCAL NUMBER 003S004E20D01S.....	141, 149
LOCAL NUMBER 003S004E20F01S.....	141, 149
LOCAL NUMBER 003S004E20F02S.....	141, 149
LOCAL NUMBER 003S004E20F03S.....	141, 149
LOCAL NUMBER 003S004E20J01S.....	142, 149
LOCAL NUMBER 003S004E20J02S.....	142, 149
LOCAL NUMBER 003S004E20J03S.....	142, 149
LOCAL NUMBER 003S004E29F01S.....	142, 149
LOCAL NUMBER 003S004E29R01S.....	143, 149
LOCAL NUMBER 003S004E30C01S.....	149
LOCAL NUMBER 004S003W29Q01S.....	145
LOCAL NUMBER 007S003E07C02S.....	143
LOCAL NUMBER 007S003E31Q01S.....	143
LOCAL NUMBER 007S003E34E01S.....	143
LOCAL NUMBER 007S004E13N01S.....	144
LOCAL NUMBER 007S004E24E01S.....	144
LOCAL NUMBER 007S004E24Q01S.....	144
LOCAL NUMBER 008S002W20R01S.....	145
LOCAL NUMBER 008S002W28M01S.....	145
LOCAL NUMBER 008S002W28M02S.....	146
LOCAL NUMBER 008S002W28M03S.....	146
LOCAL NUMBER 008S002W28P01S.....	146
LOCAL NUMBER 008S002W28Q02S.....	146
LOCAL NUMBER 008S002W28Q03S.....	147
LOCAL NUMBER 008S002W28R01S.....	147
LOCAL NUMBER 008S002W29A01S.....	147
LOCAL NUMBER 008S002W29C01S.....	147
LOCAL NUMBER 008S002W29D02S.....	148
LOCAL NUMBER 008S002W29G01S.....	148
LOCAL NUMBER 008S002W29J02S.....	148
LOCAL NUMBER 008S002W34B02S.....	148
LOCAL NUMBER 008S003E02K01S.....	144




Figure 11.--Index map to location of wells in Riverside County.

WATER LEVELS, RIVERSIDE COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 335407116353401

LOCAL NUMBER 003S004E20D01S

ABOUT 0.75 MI SOUTH OF INTERSTATE 10 NEAR 29 PALMS ROAD. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 580 FT, PERFORATED 560-580 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	157.28 S	APR 28, 1987	150.98 S
PERIOD OF RECORD	HIGHEST	150.98	APR 28, 1987
		LOWEST	554.50 MAR 14, 1978

SITE NUMBER 335348116352701

LOCAL NUMBER 003S004E20F01S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 640 FT, PERFORATED 600-640 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	132.57 S	APR 29, 1987	134.37 S
PERIOD OF RECORD	HIGHEST	132.57	NOV 12, 1986
		LOWEST	486.40 SEP 25, 1979

SITE NUMBER 335348116352702

LOCAL NUMBER 003S004E20F02S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	150.68 S	APR 29, 1987	144.78 S
PERIOD OF RECORD	HIGHEST	144.78	APR 29, 1987
		LOWEST	490.60 SEP 25, 1979

SITE NUMBER 335348116352703

LOCAL NUMBER 003S004E20F03S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 1140 FT, PERFORATED 1100-1140 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	162.45 S	APR 29, 1987	153.70 S
PERIOD OF RECORD	HIGHEST	153.70	APR 29, 1987
		LOWEST	494.20 SEP 25, 1979

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 335339116345301

LOCAL NUMBER 003S004E20J01S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 590 FT, PERFORATED 550-590 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	57.90 S	APR 28, 1987	100.65 S
PERIOD OF RECORD	HIGHEST	57.90 NOV 12, 1986	LOWEST 417.20 OCT 02, 1980

SITE NUMBER 335339116345302

LOCAL NUMBER 003S004E20J02S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 730 FT, PERFORATED 690-730 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	103.89 S	APR 28, 1987	104.54 S
PERIOD OF RECORD	HIGHEST	103.89 NOV 12, 1986	LOWEST 419.00 JUL 16, 1980

SITE NUMBER 335339116345303

LOCAL NUMBER 003S004E20J03S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	118.79 S	APR 28, 1987	112.64 S
PERIOD OF RECORD	HIGHEST	112.64 APR 28, 1987	LOWEST 423.40 JUL 16, 1980

SITE NUMBER 335304116353001

LOCAL NUMBER 003S004E29F01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
DEPTH 575 FT, CASSED TO 575 FT, PERFORATED 555-575 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE  
1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 11, 1986	116.97 S	APR 28, 1987	121.35 S
PERIOD OF RECORD	HIGHEST	116.97 NOV 11, 1986	LOWEST 547.00 DEC 21, 1977

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 335231116345401

LOCAL NUMBER 003S004E29R01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 551 FT, CASED TO 551 FT, PERFORATED 431-551 FT. ALTITUDE OF LSD 777 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 11, 1986	162.55 S	APR 27, 1987	127.84 S
PERIOD OF RECORD	HIGHEST	127.84	APR 27, 1987
		LOWEST	516.39 MAR 14, 1978

SITE NUMBER 333501116424601

LOCAL NUMBER 007S003E07C02S

ABOUT 0.69 MI WEST OF BAUTISTA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 201 FT, PERFORATED 160-200 FT. ALTITUDE OF LSD 4055 FT. RECORDS AVAILABLE 1962, 1969, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	113.42 S	MAR 19, 1987	113.63 SR	JUN 25, 1987	115.13 SR	SEP 15, 1987	115.53 SR
PERIOD OF RECORD	HIGHEST	110.55	AUG 20, 1973	LOWEST	140.00	OCT 11, 1962	

SITE NUMBER 333044116422501

LOCAL NUMBER 007S003E31Q01S

ABOUT 3.3 MI SOUTHEAST OF HWY 71. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 150 FT. ALTITUDE OF LSD 3841 FT. RECORDS AVAILABLE 1970, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 06, 1986	P	MAR 19, 1987	29.53 S
PERIOD OF RECORD	HIGHEST	28.77	MAR 31, 1980
		LOWEST	57.85 JAN 28, 1975

SITE NUMBER 333122116394001

LOCAL NUMBER 007S003E34E01S

ABOUT 0.35 MI NORTH OF RESERVATION ROAD. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 9 IN, DEPTH 249 FT, PERFORATED 40-182 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1946, 1951-54, 1960, 1969, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	55.05 S	MAR 19, 1987	55.17 S	JUN 25, 1987	59.48 S	SEP 15, 1987	63.06 S
PERIOD OF RECORD	HIGHEST	34.50	JAN 31, 1951	LOWEST	76.75	JUL 24, 1973	

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 333335116315501

LOCAL NUMBER 007S004E13N01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 83.4 FT, PERFORATED 18-103 FT. ALTITUDE OF LSD 4577.2 FT. RECORDS AVAILABLE 1938, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	21.23 S	MAR 19, 1987	21.00 S	JUN 25, 1987	21.34 S	SEP 15, 1987	21.81 S
PERIOD OF RECORD	HIGHEST	18	SEP 10, 1938	LOWEST	42.40	AUG 24, 1978	

SITE NUMBER 333316116315801

LOCAL NUMBER 007S004E24E01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8.5 FT, DEPTH 184 FT, PERFORATED 64-194 FT. ALTITUDE OF LSD 4620 FT. RECORDS AVAILABLE 1962, 1968, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	41.85 S	MAR 19, 1987	28.09 SP	JUN 25, 1987	28.15 S	SEP 15, 1987	28.73 SP
PERIOD OF RECORD	HIGHEST	24.15	DEC 06, 1984	LOWEST	66.67	MAR 30, 1978	

SITE NUMBER 333249116312401

LOCAL NUMBER 007S004E24Q01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN 0-85 FT, 6 IN 78-150 FT, DEPTH 90 FT IN 1938, DEEPENED TO 150 FT IN 1939, PERFORATED 45-83 FT. ALTITUDE OF LSD 4725 FT. RECORDS AVAILABLE 1938, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	49.93 S	JUN 25, 1987	52.87 S	SEP 15, 1987	52.93 S
PERIOD OF RECORD	HIGHEST	18.06	JUN 15, 1983	LOWEST	56.80
					SEP 07, 1976

SITE NUMBER 333012116380801

LOCAL NUMBER 008S003E02K01S

ABOUT 0.16 MI WEST OF INTERSECTION OF BAILEY AND TERWILLIGER ROADS, 0.26 MI NORTHWEST OF WINDMILL. DRILLED UNUSED WATER-TABLE WELL. DIAM 7.75 IN, DEPTH 296.25 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	46.55 S	MAR 19, 1987	46.07 S	JUN 25, 1987	47.64 S	SEP 15, 1987	49.42 S
PERIOD OF RECORD	HIGHEST	36.20	MAR 12, 1973	LOWEST	60.45	SEP 15, 1981	

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 335731117330601

LOCAL NUMBER 002S006W31C01S

ABOUT 0.35 MI SOUTHEAST OF INTERSECTION OF ADAMS AVE AND SCHLEISMAN ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 601 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT PRIOR TO 1982; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAY 01, 1987	29.41 S					
PERIOD OF RECORD	HIGHEST	22.50	JUL 02, 1970	LOWEST	41.20	JUN 06, 1974

SITE NUMBER 334717117124401

LOCAL NUMBER 004S003W29Q01S

NORTH OF INTERSECTION OF WILSON AND SAN JACINTO ROADS. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 1624 FT, CASED TO 1624 FT. ALTITUDE OF LSD 1417 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1974-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAY 01, 1987	135.06 S					
PERIOD OF RECORD	HIGHEST	135.06	MAY 01, 1987	LOWEST	209.60	OCT 16, 1977

SITE NUMBER 332741117060401

LOCAL NUMBER 008S002W20R01S

ABOUT 0.32 MI NORTHEAST OF PALA TEMECULA HWY. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 16 IN, DEPTH 990 FT, PERFORATED 410-990 FT. ALTITUDE OF LSD 1087 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
DEC 09, 1986	127.02 SR					
PERIOD OF RECORD	HIGHEST	26.50	DEC 31, 1967	JAN 29, 1968	LOWEST	145.00 MAY 03, 1971

SITE NUMBER 332657117054601

LOCAL NUMBER 008S002W28M01S

ABOUT 0.13 MI SOUTHWEST OF PALA-TEMECULA HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 269 FT. ALTITUDE OF LSD 1126 FT. RECORDS FURNISHED BY CALIFORNIA STATE WATER RESOURCES AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1953-54, 1958-68, 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	88.63 SR	MAR 18, 1987	74.04 SR	JUN 24, 1987	156.67 SS	SEP 21, 1987	126.44 SS
PERIOD OF RECORD	HIGHEST	51.49	MAY 14, 1980	LOWEST	165.23	JUL 15, 1976	

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 332657117055101

LOCAL NUMBER 008S002W28M02S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1958-61, 1967, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	46.79 S	MAR 18, 1987	47.21 S	JUN 24, 1987	49.39 SS	SEP 21, 1987	51.00 SS
PERIOD OF RECORD		HIGHEST	27.06	APR 08, 1980	LOWEST	56.35	NOV 07, 1975

SITE NUMBER 332705117054901

LOCAL NUMBER 008S002W28M03S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 600 FT, PERFORATED 200-600 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	72.92 S	MAR 18, 1987	65.67 SR
PERIOD OF RECORD		HIGHEST	49.33
		MAY 14, 1980	LOWEST
		116.65	SEP 23, 1977

SITE NUMBER 332649117053701

LOCAL NUMBER 008S002W28P01S

ABOUT 0.10 MI WEST OF PALA-TEMECULA HWY. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 6 IN, DEPTH 138 FT. ALTITUDE OF LSD 1150 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	22.46 S	MAR 18, 1987	23.07 S	JUN 24, 1987	24.39 S	SEP 21, 1987	25.19 S
PERIOD OF RECORD		HIGHEST	6.77	FEB 29, 1980	LOWEST	32.40	NOV 07, 1975

SITE NUMBER 332646117052201

LOCAL NUMBER 008S002W28Q02S

ON PECHANGA INDIAN RESERVATION, ABOUT 200 FT SOUTHEAST OF WINDMILL. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 96 FT. ALTITUDE OF LSD 1160 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	34.22 SR	MAR 18, 1987	33.94 S	JUN 24, 1987	37.25 SR	SEP 21, 1987	37.78 SR
PERIOD OF RECORD		HIGHEST	24.59	APR 08, 1980	LOWEST	44.61	FEB 17, 1978



WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 332655117051801

LOCAL NUMBER 008S002W28Q03S

ON PECHANGA INDIAN RESERVATION, ABOUT 0.32 MI EAST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1170 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	93.41 S	MAR 18, 1987	93.69 S	SEP 21, 1987	93.89 S
PERIOD OF RECORD	HIGHEST	54.47	MAY 14, 1980	LOWEST	95.56 MAR 30, 1973

SITE NUMBER 332653117050301

LOCAL NUMBER 008S002W28R01S

SOUTHEAST OF TEMECULA ON PECHANGA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 12.25 IN, DEPTH 1002 FT, Cased to 1000 FT, PERFORATED 130-220, 250-350, 400-710, 750-780, 830-870, 930-940, 975-1000 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	132.09 SR	MAR 18, 1987	143.62 SR	JUN 25, 1987	139.65 SP	SEP 21, 1987	93.42 SR
PERIOD OF RECORD	HIGHEST	46.86	APR 08, 1980	LOWEST	133.50	DEC 18, 1973	

SITE NUMBER 332724117061101

LOCAL NUMBER 008S002W29A01S

ABOUT 2 MI SOUTH OF HWY 71 AND 60 FT SOUTHWEST OF PALA-TEMECULA HWY. DIAM 8.6 IN, DEPTH 348 FT. ALTITUDE OF LSD 1090 FT. RECORDS AVAILABLE 1980-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	47.37 S	MAR 18, 1987	47.74 S	JUN 24, 1987	51.82 S	SEP 21, 1987	55.40 SR
PERIOD OF RECORD	HIGHEST	21.21	FEB 29, 1980	LOWEST	51.82	JUN 24, 1987	

SITE NUMBER 332732117063001

LOCAL NUMBER 008S002W29C01S

ON PECHANGA INDIAN RESERVATION, ABOUT 550 FT WEST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 500 FT. ALTITUDE OF LSD 1071 FT. RECORDS FURNISHED BY CALIFORNIA STATE WATER RESOURCES AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1918, 1951, 1953-54, 1958-68, 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 05, 1986	5.55 S	MAR 18, 1987	W				
PERIOD OF RECORD	HIGHEST	.00	AUG 03, 1978	SEP 08, 1978	LOWEST	18.55	SEP 24, 1975

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 332722117064701

LOCAL NUMBER 008S002W29D02S

ON PECHANGA INDIAN RESERVATION. DRILLED DOMESTIC WELL. DEPTH 265 FT. ALTITUDE OF LSD 1090 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 18, 1987	10.69 S	JUN 24, 1987	13.41 SR	SEP 21, 1987	13.83 S
PERIOD OF RECORD	HIGHEST	10.69	MAR 18, 1987	LOWEST	13.83 SEP 21, 1987

SITE NUMBER 332719117061501

LOCAL NUMBER 008S002W29G01S

SOUTHEAST OF TEMECULA ON PECHANGA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 176 FT IN 1951, 159.1 FT IN 1972. ALTITUDE OF LSD 1091.1 FT. RECORDS AVAILABLE 1925-28, 1934-37, 1940, 1951-54, 1956, 1958-68, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	44.38 S	MAR 18, 1987	44.92 S	JUN 24, 1987	48.29 S	SEP 21, 1987	51.67 ST
PERIOD OF RECORD	HIGHEST	17.70	APR 08, 1980	LOWEST	55.40	SEP 03, 1951	

SITE NUMBER 332703117060401

LOCAL NUMBER 008S002W29J02S

ON PECHANGA INDIAN RESERVATION, SOUTHEAST OF TEMECULA. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 8 IN, DEPTH 150 FT. ALTITUDE OF LSD 1110 FT. RECORDS AVAILABLE 1967, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	29.01 S	MAR 18, 1987	29.39 SR	JUN 24, 1987	31.77 S	SEP 21, 1987	33.96 SR
PERIOD OF RECORD	HIGHEST	12.33	APR 08, 1980	LOWEST	45.11	SEP 21, 1987	

SITE NUMBER 332639117042301

LOCAL NUMBER 008S002W34B02S

ABOUT 7.1 MI NORTH OF PALA. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 221 FT. ALTITUDE OF LSD 1240 FT. RECORDS AVAILABLE 1972, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1986	42.29 S	MAR 18, 1987	42.63 S	JUN 25, 1987	43.88 S	SEP 21, 1987	45.11 S
PERIOD OF RECORD	HIGHEST	7.38	MAY 14, 1980	LOWEST	45.11	SEP 21, 1987	

## WATER QUALITY, RIVERSIDE COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND	DEPTH OF WELL, TOTAL	SPE- CIFIC CON- DUCT- ANCE	PH (STAND- ARD UNITS)	TEMPER-	HARD- NESS	HARD- NESS NONCARB	CALCIUM
			SURFACE (WATER LEVEL) (FEET)	(FEET)	(US/CM)		ATURE WATER (DEG C)	TOTAL (MG/L AS CACO3)	WH WAT TOT FLD MG/L AS CACO3	DIS- SOLVED (MG/L AS CA)
003S004E20D01S	11-13-86	0930	157.28	580.00	865	8.00	16.0	300	170	90
003S004E20D01S	04-28-87	0930	150.98	580.00	835	8.00	17.5	290	160	89
003S004E20F01S	12-04-86	1230	132.57	640.00	830	8.00	18.0	260	130	72
003S004E20F01S	04-30-87	0930	134.37	640.00	825	7.90	17.0	270	140	75
003S004E20F02S	12-04-86	1400	150.68	890.00	345	8.00	19.0	140	8	43
003S004E20F02S	04-30-87	1100	144.78	890.00	315	8.20	17.5	110	0	34
003S004E20F03S	12-04-86	1100	162.45	1140.00	270	8.10	18.5	89	0	26
003S004E20F03S	04-30-87	1230	153.70	1140.00	275	8.10	17.5	89	0	26
003S004E20J01S	12-03-86	1200	57.90	590.00	755	8.10	18.0	260	140	74
003S004E20J01S	04-29-87	1000	100.65	590.00	820	8.10	17.5	260	130	70
003S004E20J02S	12-03-86	1500	103.89	730.00	670	8.50	18.5	210	130	58
003S004E20J02S	04-29-87	1230	104.54	730.00	705	8.90	18.0	220	160	60
003S004E20J03S	12-03-86	1330	118.79	890.00	655	7.80	19.0	280	150	82
003S004E20J03S	04-29-87	1400	112.64	890.00	675	7.90	18.0	280	150	81
003S004E29F01S	11-12-86	1030	116.97	575.00	755	8.70	16.0	230	150	68
003S004E29F01S	04-28-87	1300	121.35	575.00	830	8.20	18.0	300	180	97
003S004E29R01S	12-02-86	1830	162.55	551.00	730	7.90	18.0	290	180	95
003S004E29R01S	04-27-87	1800	127.84	551.00	800	7.90	20.0	280	160	90
003S004E30C01S	11-14-86	0815	--	726.00	770	7.80	19.0	360	230	110
003S004E30C01S	04-27-87	1500	--	726.00	790	7.90	19.5	360	230	110
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)	
003S004E20D01S	18	50	26	1	6.8	131	220	59	0.60	17
003S004E20D01S	17	58	30	2	6.7	131	220	55	0.60	17
003S004E20F01S	19	79	39	2	7.3	128	210	57	0.50	13
003S004E20F01S	20	70	35	2	7.0	131	220	56	0.50	13
003S004E20F02S	8.8	19	22	0.7	3.0	136	22	14	0.80	24
003S004E20F02S	7.3	22	29	0.9	3.4	124	20	11	0.80	24
003S004E20F03S	5.8	24	36	1	3.0	108	14	11	0.80	24
003S004E20F03S	5.8	24	36	1	2.8	112	14	10	0.80	24
003S004E20J01S	18	58	32	2	7.0	121	190	52	0.80	15
003S004E20J01S	21	69	36	2	6.2	127	210	54	0.50	9.6
003S004E20J02S	15	53	35	2	9.0	76	190	52	0.50	14
003S004E20J02S	18	49	31	1	8.0	66	200	57	0.50	19
003S004E20J03S	18	25	16	0.7	4.0	126	140	44	0.70	24
003S004E20J03S	19	25	16	0.7	4.0	135	150	46	0.60	23
003S004E29F01S	15	52	32	2	6.3	80	210	58	0.50	8.5
003S004E29F01S	15	49	25	1	6.2	123	220	57	0.50	17
003S004E29R01S	14	38	21	1	5.9	118	180	54	0.40	16
003S004E29R01S	13	52	28	1	7.0	121	210	54	0.50	18
003S004E30C01S	20	24	13	0.6	6.1	130	190	57	0.60	20
003S004E30C01S	20	23	12	0.6	6.0	130	200	56	0.60	20

## WATER QUALITY, RIVERSIDE COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	RESIDUE VOLATILE, TILE, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L) AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L) AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L) AS PO4)	BORON, DIS- SOLVED (UG/L) AS B)	IRON, DIS- SOLVED (UG/L) AS FE)	MANGA- NESE, DIS- SOLVED (UG/L) AS MN)
003S004E20D01S	552	541	--	0.310	<0.010	--	70	6	4
003S004E20D01S	552	543	82	0.340	<0.010	--	70	<3	4
003S004E20F01S	538	536	66	0.280	0.020	0.06	100	14	2
003S004E20F01S	543	542	75	0.340	0.010	0.03	90	5	<1
003S004E20F02S	229	221	31	1.10	0.020	0.06	20	21	9
003S004E20F02S	192	200	36	0.800	0.020	0.06	30	16	6
003S004E20F03S	162	176	32	0.620	0.040	0.12	40	23	13
003S004E20F03S	174	177	48	0.620	0.020	0.06	30	4	2
003S004E20J01S	487	490	64	0.460	0.020	0.06	80	7	17
003S004E20J01S	530	518	62	0.320	0.010	0.03	150	9	5
003S004E20J02S	426	440	54	0.500	<0.010	--	50	9	12
003S004E20J02S	455	453	64	0.400	<0.010	--	50	<3	<1
003S004E20J03S	416	416	56	0.590	0.020	0.06	20	6	2
003S004E20J03S	449	432	101	0.610	0.010	0.03	10	<3	1
003S004E29F01S	475	468	--	0.290	<0.010	--	50	<3	4
003S004E29F01S	553	537	80	0.340	<0.010	--	40	<3	3
003S004E29R01S	484	476	69	0.460	<0.010	--	40	7	40
003S004E29R01S	524	518	75	0.280	<0.010	--	70	6	55
003S004E30C01S	478	507	--	0.400	<0.010	--	20	7	<1
003S004E30C01S	523	515	97	0.380	<0.010	--	10	<3	<1

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN BERNARDINO COUNTY

LOCAL NUMBER 026S040E01A02M.....	175	LOCAL NUMBER 009N003E20L01S.....	164
LOCAL NUMBER 027S040E01K01M.....	153	LOCAL NUMBER 009N003E34N01S.....	164
LOCAL NUMBER 001N005E02N01S.....	153	LOCAL NUMBER 010N003E15Q01S.....	164
LOCAL NUMBER 001N005E36K02S.....	153, 175	LOCAL NUMBER 010N003E26K01S.....	164
LOCAL NUMBER 001N006E31C01S.....	153	LOCAL NUMBER 004N001W14B03S.....	165
LOCAL NUMBER 001N007E22L02S.....	175	LOCAL NUMBER 004N001W14C02S.....	165
LOCAL NUMBER 001N007E23A01S.....	154	LOCAL NUMBER 004N001W21G01S.....	165, 175
LOCAL NUMBER 002N006E11M01S.....	154	LOCAL NUMBER 004N003W05A02S.....	165, 175
LOCAL NUMBER 002N006E18B01S.....	154	LOCAL NUMBER 004N003W30A06S.....	166
LOCAL NUMBER 002N006E30L01S.....	154	LOCAL NUMBER 004N004W01D02S.....	166
LOCAL NUMBER 002N007E02C01S.....	155	LOCAL NUMBER 004N004W28E02S.....	166
LOCAL NUMBER 002N007E03B01S.....	155	LOCAL NUMBER 005N004W11P03S.....	166
LOCAL NUMBER 002N007E03E01S.....	155	LOCAL NUMBER 005N005W22E02S.....	167
LOCAL NUMBER 002N007E04H01S.....	155	LOCAL NUMBER 005N007W24D03S.....	175
LOCAL NUMBER 002N007E05B01S.....	156	LOCAL NUMBER 006N005W19J02S.....	167
LOCAL NUMBER 002N007E14K01S.....	156	LOCAL NUMBER 006N007W10P02S.....	167, 175
LOCAL NUMBER 003N006E02J01S.....	156	LOCAL NUMBER 006N007W23C01S.....	167
LOCAL NUMBER 003N006E16A01S.....	156	LOCAL NUMBER 008N001W21G01S.....	168
LOCAL NUMBER 003N006E27B01S.....	157	LOCAL NUMBER 008N003W05J01S.....	168
LOCAL NUMBER 003N007E19N01S.....	157	LOCAL NUMBER 008N004W12Q01S.....	168
LOCAL NUMBER 003N007E20C01S.....	157	LOCAL NUMBER 008N004W13B01S.....	175
LOCAL NUMBER 003N007E20M01S.....	157	LOCAL NUMBER 008N005W21C01S.....	168
LOCAL NUMBER 003N007E27H01S.....	158, 175	LOCAL NUMBER 009N001W09C02S.....	169, 175, 180
LOCAL NUMBER 003N007E28D01S.....	158, 175	LOCAL NUMBER 009N001W09G07S.....	169, 175, 180
LOCAL NUMBER 003N007E28R01S.....	158	LOCAL NUMBER 009N001W09G08S.....	169, 175, 180
LOCAL NUMBER 003N007E29G01S.....	158	LOCAL NUMBER 009N001W09L01S.....	169
LOCAL NUMBER 003N007E29R01S.....	159	LOCAL NUMBER 009N001W10E04S.....	170, 175, 180
LOCAL NUMBER 003N007E31E01S.....	159, 175	LOCAL NUMBER 009N001W10J10S.....	170, 175, 180
LOCAL NUMBER 003N007E32D01S.....	159, 175	LOCAL NUMBER 009N001W11K05S.....	170, 175, 180
LOCAL NUMBER 003N007E32J01S.....	159	LOCAL NUMBER 009N001W11K07S.....	170, 175, 180
LOCAL NUMBER 003N007E34D01S.....	160	LOCAL NUMBER 009N001W11M01S.....	171, 175, 180
LOCAL NUMBER 003N008E29L01S.....	160	LOCAL NUMBER 009N001W11P01S.....	171, 175, 180
LOCAL NUMBER 003N008E34D01S.....	160	LOCAL NUMBER 009N001W11P02S.....	171, 175, 180
LOCAL NUMBER 004N001E13M01S.....	161	LOCAL NUMBER 009N001W11R02S.....	171
LOCAL NUMBER 004N002E13P01S.....	161	LOCAL NUMBER 009N001W12N01S.....	172, 175, 180
LOCAL NUMBER 004N003E23G01S.....	161	LOCAL NUMBER 009N001W13B03S.....	172
LOCAL NUMBER 004N003E24Q01S.....	161	LOCAL NUMBER 009N001W13B04S.....	172
LOCAL NUMBER 004N008E32R01S.....	160	LOCAL NUMBER 009N002W05N07S.....	172
LOCAL NUMBER 005N001E17D01S.....	162	LOCAL NUMBER 009N002W21R02S.....	173, 175
LOCAL NUMBER 005N001E32L01S.....	162	LOCAL NUMBER 009N003W13R01S.....	173
LOCAL NUMBER 009N001E03H01S.....	162, 175	LOCAL NUMBER 010N003W26R01S.....	173
LOCAL NUMBER 009N002E11H01S.....	162	LOCAL NUMBER 010N004W33D01S.....	173
LOCAL NUMBER 009N002E14N02S.....	163	LOCAL NUMBER 011N003W28R02S.....	174
LOCAL NUMBER 009N002E20Q01S.....	163	LOCAL NUMBER 011N004W29R01S.....	174
LOCAL NUMBER 009N003E06H01S.....	163	LOCAL NUMBER 011N006W17P02S.....	174
LOCAL NUMBER 009N003E15E01S.....	163, 175	LOCAL NUMBER 001S004W19E01S.....	174




Figure 12.--Index map to location of wells in San Bernardino County.

WATER LEVELS, SAN BERNARDINO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 353652117372701

LOCAL NUMBER 027S040E01K01M

ABOUT 0.50 MI SOUTH OF STATE HWY 178 AND 1.3 MI EAST OF SOUTH RICHMOND STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2318.1 FT. RECORDS AVAILABLE 1952-58, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 13, 1987	137.98 S	SEP 19, 1987	138.33 S
PERIOD OF RECORD	HIGHEST 127.65	MAY 21, 1952	LOWEST 142.92 NOV 14, 1967

SITE NUMBER 341144116260601

LOCAL NUMBER 001N005E02N01S

ABOUT 5.5 MI NORTH OF YUCCA VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3520 FT. RECORDS AVAILABLE 1952-53, 1958-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	39.90 S	DEC 10, 1986	40.73 S	MAR 26, 1987	42.29 S	MAY 12, 1987	43.17 S
PERIOD OF RECORD	HIGHEST 30.41	APR 14, 1982	LOWEST 80.17	APR 04, 1968			

SITE NUMBER 340736116244601

LOCAL NUMBER 001N005E36K02S

IN YUCCA VALLEY AT HI DESERT WATER DISTRICT OFFICE. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 805 FT REPORTED IN 1978, PERFORATED 250-805 FT. ALTITUDE OF LSD 3230 FT. RECORDS FURNISHED BY HI DESERT WATER DISTRICT, PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	361.74 S	MAR 26, 1987	346.53 S
PERIOD OF RECORD	HIGHEST 203.60	MAR 07, 1978	LOWEST 361.74 OCT 08, 1986

SITE NUMBER 340750116234401

LOCAL NUMBER 001N006E31C01S

SOUTHWEST OF INTERSECTION OF PAXTON AND Balsa ROADS IN YUCCA VALLEY. PUBLIC SUPPLY WELL. DIAM UNKNOWN, DEPTH 730 FT WHEN DRILLED. ALTITUDE OF LSD 3199 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	198.07 S	DEC 10, 1986	190.28 S	MAR 26, 1987	190.45 S	MAY 12, 1987	P
PERIOD OF RECORD	HIGHEST 158.78	MAR 25, 1981	LOWEST 209.86	JUL 16, 1986			

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 340945116125001

LOCAL NUMBER 001N007E23A01S

ABOUT 1.9 MI EAST OF SUNFAIR. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 368.5 FT, PERFORATED 360-370 FT. ALTITUDE OF LSD 2376 FT. RECORDS AVAILABLE 1969, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	210.86 S	DEC 10, 1986	210.92 S	MAR 26, 1987	210.80 S	MAY 12, 1987	210.63 S
PERIOD OF RECORD	HIGHEST	209.96	JAN 09, 1980	LOWEST	211.10	JAN 24, 1986	

SITE NUMBER 341622116194601

LOCAL NUMBER 002N006E11M01S

ON 29 PALMS MARINE CORPS BASE, ALONG GIANT ROCK ROAD. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 790 FT. ALTITUDE OF LSD 2803 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 20, 1987	485.16 S		
PERIOD OF RECORD	HIGHEST	482.0	MAR 13, 1986
	LOWEST	485.16	JAN 20, 1987

SITE NUMBER 341556116233401

LOCAL NUMBER 002N006E18B01S

IN LANDERS, SOUTHWEST OF POST OFFICE. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 310 FT, PERFORATED 187-305 FT. ALTITUDE OF LSD 3087 FT. RECORDS AVAILABLE 1963, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	216.70 S	APR 02, 1987	216.43 S
PERIOD OF RECORD	HIGHEST	185.60	JUL , 1963
	LOWEST	216.70	DEC 11, 1986

SITE NUMBER 341345116234701

LOCAL NUMBER 002N006E30L01S

ABOUT 20 MI NORTHWEST OF TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 377 FT. ALTITUDE OF LSD 3328 FT. RECORDS AVAILABLE 1958, 1966-71, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	314.31 S	APR 02, 1987	318.80 S
PERIOD OF RECORD	HIGHEST	311.65	MAY 22, 1958
	LOWEST	359.04	APR 21, 1969



## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341741116132501

LOCAL NUMBER 002N007E02C01S

ABOUT 10.5 MI NORTHWEST OF HDQ. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 341.8 FT IN 1982. ALTITUDE OF LSD 2272.11 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 18, 1987	128.71 S	JAN 19, 1987	128.63 S	JAN 20, 1987	128.69 S	JAN 21, 1987	144.2 Z
PERIOD OF RECORD		HIGHEST	25.00 MAR 14, 1952	LOWEST	144.2	JAN 21, 1987	

SITE NUMBER 341736116141201

LOCAL NUMBER 002N007E03B01S

SUPPLY WELL 2A. ABOUT 11 MI NORTHWEST OF HDQ. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH DRILLED 800 FT, CASED TO 700 FT. ALTITUDE OF LSD 2355.3 FT. RECORDS AVAILABLE 1953-68, 1970, 1972-75, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 18, 1987	151.48 S	JAN 19, 1987	151.45 S	JAN 21, 1987	151.39 S
PERIOD OF RECORD		HIGHEST	104.21 MAR 27, 1953	LOWEST	151.48 JAN 18, 1987

SITE NUMBER 341723116143601

LOCAL NUMBER 002N007E03E01S

SUPPLY WELL 6A. ABOUT 10.5 MI NORTHWEST OF HDQ. DRILLED SUPPLY WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 510 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1968-70, 1972-75, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 18, 1987	180.47 S	JAN 21, 1987	180.85 S
PERIOD OF RECORD		HIGHEST	153.31 DEC 11, 1968
		LOWEST	192.10 JUN 23, 1982

SITE NUMBER 341720116145601

LOCAL NUMBER 002N007E04H01S

ABOUT 11.5 MI NORTHWEST OF HDQ. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 482.4 FT IN 1982. ALTITUDE OF LSD 2442.17 FT. RECORDS AVAILABLE 1952-68, 1970, 1973, 1975, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 18, 1987	210.80 S
PERIOD OF RECORD	
HIGHEST	188.64 MAY 30, 1953
LOWEST	210.80 JAN 18, 1987

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341742116160701

LOCAL NUMBER 002N007E05B01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI EAST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 405 FT, PERFORATED 385-405 FT. ALTITUDE OF LSD 2586.7 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 13, 1987	351.04 S	JAN 18, 1987	351.20 S	JAN 19, 1987	351.07 S
PERIOD OF RECORD	HIGHEST	351.04	JAN 13, 1987	LOWEST	356.2 MAR 13, 1986

SITE NUMBER 341520116130101

LOCAL NUMBER 002N007E14K01S

NORTHWEST OF TWENTYNINE PALMS. UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 644 FT, PERFORATED 450-525, 538-548, 550-558 FT. ALTITUDE OF LSD 2540 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1975, 1979-80.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 23, 1987	337.39 S				
PERIOD OF RECORD	HIGHEST	334.00	JUL 25, 1952	LOWEST	357.68 APR 26, 1979

SITE NUMBER 342221116190801

LOCAL NUMBER 003N006E02J01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI SOUTHEAST OF EMERSON DRY LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 335 FT, PERFORATED 315-335 FT. ALTITUDE OF LSD 2413 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 21, 1987	159.74 S				
PERIOD OF RECORD	HIGHEST	159.49	JUN 12, 1986	LOWEST	159.74 JAN 21, 1987

SITE NUMBER 342107116210401

LOCAL NUMBER 003N006E16A01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI SOUTH OF EMERSON DRY LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 295 FT. PERFORATED 275-295 FT. ALTITUDE OF LSD 2507 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 21, 1987	174.75 S				
PERIOD OF RECORD	HIGHEST	174.64	MAR 13, 1986	LOWEST	174.75 JAN 21, 1987

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341925116202501

LOCAL NUMBER 003N006E27B01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 7 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 415 FT, PERFORATED 395-415 FT. ALTITUDE OF LSD 2643 FT. RECORDS

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 20, 1987 307.91 S

PERIOD OF RECORD HIGHEST 277.9 MAR 13, 1986 LOWEST 307.91 JAN 20, 1987

SITE NUMBER 341939116174501

LOCAL NUMBER 003N007E19N01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 4 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 334 FT, PERFORATED 275-295 FT. ALTITUDE OF LSD 2488.4 FT. RECORD AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 21, 1987 237.86 S

PERIOD OF RECORD HIGHEST 236.8 MAR 13, 1986 LOWEST 237.86 JAN 21, 1987

SITE NUMBER 342111116174801

LOCAL NUMBER 003N007E20C01S

ON 29 PALMS MARINE CORPS BASE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH 605 FT, PERFORATED. ALTITUDE OF LSD 2444.9 FT. RECORDS AVAILABLE 1976, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 21, 1987 194.43 S

PERIOD OF RECORD HIGHEST 189.7 APR 02, 1986 LOWEST 196.65 JUL 22, 1986

SITE NUMBER 341952116164601

LOCAL NUMBER 003N007E20M01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 295 FT, PERFORATED 275-295 FT. ALTITUDE OF LSD 2457.5 FT. RECORD AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 21, 1987 207.36

PERIOD OF RECORD HIGHEST 207.15 JUL 22, 1986 LOWEST 207.36 JAN 21, 1987

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341909116134101

LOCAL NUMBER 003N007E27H01S

ABOUT 1 MI NORTH OF SURPRISE SPRINGS. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 587 FT, PERFORATED 472-492, 552-572 FT. ALTITUDE OF LSD 2240 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 30, 1987	408.79 S
PERIOD OF RECORD	HIGHEST 408.79 JAN 30, 1987      LOWEST 408.79 JAN 30, 1987

SITE NUMBER 341918116153001

LOCAL NUMBER 003N007E28D01S

ON 29 PALMS MARINE CORPS BASE. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 620 FT, PERFORATED 398-498 538-558, 578-598 FT. ALTITUDE OF LSD 2473.19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 30, 1987	226.94 S
PERIOD OF RECORD	HIGHEST 226.94 JAN 30, 1987      LOWEST 226.94 JAN 30, 1987

SITE NUMBER 341836116150501

LOCAL NUMBER 003N007E28R01S

SUPPLY WELL 7A. IN SUPRISE SPRINGS AREA. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH CASED 600 FT. ALTITUDE OF LSD 2519.3 FT. RECORDS AVAILABLE 1978, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1987	285.09 S	JAN 23, 1987	284.96 S
PERIOD OF RECORD	HIGHEST 279.00 JUN 25, 1978	LOWEST 291.49 JUN 21, 1982	

SITE NUMBER 341912116160801

LOCAL NUMBER 003N007E29G01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 1.5 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH CASED 348 FT, PERFORATED 312-348 FT. ALTITUDE OF LSD 2500.6 FT. RECORD AVAILABLE 1976, 1982, 1984, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 18, 1987	253.38 S
PERIOD OF RECORD	HIGHEST 248 MAR 02, 1976      LOWEST 253.8 APR 02, 1986

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341843116155201

LOCAL NUMBER 003N007E29R01S

SUPPLY WELL 9A. IN SUPRISE SPRINGS AREA. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH CASED 600 FT. ALTITUDE OF LSD 2519.9 FT. RECORDS AVAILABLE 1978, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 18, 1987	277.35 S	JAN 22, 1987	277.35 S	JAN 23, 1987	277.32 S
PERIOD OF RECORD	HIGHEST 270.60	AUG 03, 1978	LOWEST 277.35	JAN 18, 1987	JAN 22, 1987

SITE NUMBER 341823116175001

LOCAL NUMBER 003N007E31E01S

ABOUT 4 MI WEST OF SURPRISE SPRINGS. DRILLED WELL IN ALLUVIUM. DIAM 10 IN, DEPTH DRILLED 430 FT, PERFORATED 300-328, 340-401 FT. DEBRIS IN WELL AT 300 FT CLEANED OUT IN JANUARY 1987. ALTITUDE OF LSD 2514 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1975, 1987 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1987	250.93 R	FEB 01, 1987	250.76
PERIOD OF RECORD	HIGHEST 249.40	NOV 17, 1966	LOWEST 250.99 NOV 27, 1970

SITE NUMBER 341826116164501

LOCAL NUMBER 003N007E32D01S

ABOUT 3 MI WEST OF SURPRISE SPRINGS. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 620 FT, PERFORATED 418-438, 498-538, 578-598 FT. ALTITUDE OF LSD 2544 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 30, 1987	297.79 S
PERIOD OF RECORD	HIGHEST 295.28 OCT 09, 1987 LOWEST 297.79 JAN 30, 1987

SITE NUMBER 341804116155101

LOCAL NUMBER 003N007E32J01S

SUPPLY WELL 8A. SUPRISE SPRINGS AREA. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH CASED 600 FT. ALTITUDE OF LSD 2548.5 FT. RECORDS AVAILABLE 1978, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1987	313.66 S	JAN 23, 1987	313.42 S
PERIOD OF RECORD	HIGHEST 305.40 SEP 16, 1978	LOWEST 313.66	JAN 22, 1987

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 341833116144201

LOCAL NUMBER 003N007E34D01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 1 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH 405 FT. ALTITUDE OF LSD 2500.9 FT. RECORDS AVAILABLE 1976, 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 18, 1987	265.32 S
PERIOD OF RECORD	HIGHEST 257 MAR 02, 1976 LOWEST 273.91 JUL 22, 1986

SITE NUMBER 341845116100701

LOCAL NUMBER 003N008E29L01S

SUPPLY WELL 1A. ABOUT 8.5 MI NORTHWEST OF HDQ. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 600 FT IN 1952. ALTITUDE OF LSD 1905.72 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1982, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 19, 1987	105.03 S
PERIOD OF RECORD	HIGHEST 102.02 MAY 30, 1953 LOWEST 105.03 JAN 19, 1987

SITE NUMBER 341823116082201

LOCAL NUMBER 003N008E34D01S

OLD SUPPLY WELL 3. ABOUT 7 MI NORTHWEST OF HDQ. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 32.1 FT IN 1978. ALTITUDE OF LSD 1823.9 FT. RECORDS AVAILABLE 1952, 1960, 1962-67, 1970, 1973, 1975, 1978, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 18, 1987	24.08 S
PERIOD OF RECORD	HIGHEST 23.96 APR 26, 1952 LOWEST 26.2 APR 02, 1986

SITE NUMBER 342304116094201

LOCAL NUMBER 004N008E32R01S

IN DEADMAN BASIN. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 340 FT, PERFORATED 320-340 FT. ALTITUDE OF LSD 2062 FT. RECORDS AVAILABLE 1987.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 22, 1987	D
PERIOD OF RECORD	HIGHEST -- LOWEST --

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342603116501801

LOCAL NUMBER 004N001E13M01S

ABOUT 0.35 MI SOUTH OF HWY 247 ON DALLAS AVE IN LUCERNE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 270 FT IN 1954. ALTITUDE OF LSD 3014 FT. RECORDS AVAILABLE 1953-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	174.63 S	DEC 10, 1986	174.35 S	MAY 12, 1987	174.30 S
PERIOD OF RECORD	HIGHEST	170.00	JAN , 1953	LOWEST	182.00 MAR 26, 1981

SITE NUMBER 342551116434301

LOCAL NUMBER 004N002E13P01S

ABOUT 1.3 MI NORTH OF HWY 247 ON GREEN ROCK MINE ROAD. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2995 FT. RECORDS AVAILABLE 1975, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	108.63 S	APR 02, 1987	108.60 S
PERIOD OF RECORD	HIGHEST	108.54	JAN 18, 1985
		LOWEST	110.92 JAN 21, 1975

SITE NUMBER 342517116380601

LOCAL NUMBER 004N003E23G01S

ABOUT 4.5 MI NORTH OF HWY 247. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 107 FT, PERFORATED 76-107 FT. ALTITUDE OF LSD 2850 FT. RECORDS AVAILABLE 1950, 1975, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	73.13 S	DEC 10, 1986	73.14 S	APR 02, 1987	73.08 S	MAY 12, 1987	73.05 S
PERIOD OF RECORD	HIGHEST	71.80	OCT 14, 1950	LOWEST	75.50	APR 25, 1975	

SITE NUMBER 342448116371501

LOCAL NUMBER 004N003E24Q01S

ABOUT 3 MI NORTH OF HWY 247, NORTHEAST OF OLD WOMAN SPRINGS. DRILLED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 240.8 FT. ALTITUDE OF LSD 2833 FT. RECORDS AVAILABLE 1954-67, 1969-71, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	56.00 S	APR 02, 1987	55.97 S
PERIOD OF RECORD	HIGHEST	54.60	MAY 06, 1954
		LOWEST	58.56 FEB 28, 1980

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343153116542301

LOCAL NUMBER 005N001E17D01S

ABOUT 6.5 MI NORTH OF LUCERNE VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 169.5 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1954-55, 1960-71, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	149.46 S	DEC 10, 1986	150.09 S	APR 01, 1987	149.75 S	MAY 12, 1987	149.98 S
PERIOD OF RECORD	HIGHEST	62.27	APR 22, 1954	LOWEST	150.09	DEC 10, 1986	

SITE NUMBER 342837116540401

LOCAL NUMBER 005N001E32L01S

ABOUT 2.25 MI NORTH OF HWY 247 ON MIDWAY AVE. DOMESTIC WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 2870 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	157.99 S	APR 01, 1987	152.54 S
PERIOD OF RECORD	HIGHEST	136.88	MAR 19, 1980
		LOWEST	161.35
			OCT 16, 1985

SITE NUMBER 345413116512901

LOCAL NUMBER 009N001E03H01S

ABOUT 2 MI WEST OF YERMO. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 137 FT REPORTED WHEN DRILLED, DEPTH 125 FT IN 1960. ALTITUDE OF LSD 1948 FT. RECORDS FURNISHED BY BUREAU OF RECLAMATION AND SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT 1946-60. RECORDS AVAILABLE 1946-60, 1962, 1964, 1967-69, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	112.04 S	DEC 11, 1986	113.58 S	MAR 30, 1987	115.19 S	MAY 13, 1987	117.43 S
PERIOD OF RECORD	HIGHEST	55.00	JUL 22, 1946	LOWEST	117.43	MAY 13, 1987	

SITE NUMBER 345316116441001

LOCAL NUMBER 009N002E11H01S

ABOUT 0.25 MI WEST OF CONDOR AND 0.5 MI NORTH OF VALLEY CENTER. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 140 FT. ALTITUDE OF LSD 1865 FT. RECORDS AVAILABLE 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	47.55 S	MAR 30, 1987	49.24 S
PERIOD OF RECORD	HIGHEST	17.50	JAN 12, 1960
		LOWEST	49.24
			MAR 30, 1987



## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345206116445201

LOCAL NUMBER 009N002E14N02S

ABOUT 5 MI WEST OF INTERSECTION OF NEWBERRY AND SILVER VALLEY ROADS. IRRIGATION WATER-TABLE WELL. DIAM 12 IN, REPORTED DEPTH 300 FT, DEPTH 215.3 FT IN 1961. ALTITUDE OF LSD 1886 FT. RECORDS AVAILABLE 1928, 1930-35, 1937-58, 1960-61, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	69.37 S	DEC 12, 1986	61.91 S	MAR 30, 1987	68.02 S	MAY 13, 1987	68.53 S
PERIOD OF RECORD	HIGHEST	15.30	NOV 16, 1945	LOWEST	69.37	OCT 08, 1986	

SITE NUMBER 345110116473601

LOCAL NUMBER 009N002E20Q01S

AT DAGGETT AIRPORT. UNUSED WATER TABLE WELL. DIAM 8 IN, DEPTH 90 FT. ALTITUDE OF LSD 1921.4 FT. RECORDS IN 1932, 1941-48, 1952-57, 1959 FURNISHED BY U.S. BUREAU OF RECLAMATION AND SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1932, 1941-48, 1952-71, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	D	MAR 30, 1987	D
PERIOD OF RECORD	HIGHEST	41.81	NOV 15, 1945
	LOWEST	89.77	OCT 19, 1984

SITE NUMBER 345410116415101

LOCAL NUMBER 009N003E06H01S

ABOUT 2 MI WEST OF NEWBERRY ROAD AND 1.6 MI NORTH OF VALLEY CENTER ROAD. DOMESTIC WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1832 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	75.85 SR	DEC 11, 1986	76.01 S	MAR 30, 1987	76.67 S	MAY 13, 1987	77.35 SR
PERIOD OF RECORD	HIGHEST	60.66	DEC 04, 1980	LOWEST	76.67	MAR 30, 1987	

SITE NUMBER 345224116393901

LOCAL NUMBER 009N003E15E01S

ABOUT 0.5 MI SOUTH OF VALLEY CENTER ROAD ON NEWBERRY ROAD. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1828 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1986	79.33 S	DEC 11, 1986	76.39 S	MAR 31, 1987	79.73 S	MAY 03, 1987	SO
PERIOD OF RECORD	HIGHEST	70.09	DEC 04, 1980	LOWEST	86.24	OCT 18, 1985	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345127116412101

LOCAL NUMBER 009N003E20L01S

ALONG BLACK BUTTE ROAD ABOUT 0.5 MI EAST OF MT. VIEW RD. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1850 FT. RECORDS AVAILABLE 1967-71, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1987	108.91 S
PERIOD OF RECORD	HIGHEST 108.91 APR 08, 1987      LOWEST 108.91 APR 08, 1987

SITE NUMBER 344927116394101

LOCAL NUMBER 009N003E34N01S

EAST OF POST OFFICE AT NEWBERRY. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 99 FT IN 1959. ALTITUDE OF LSD 1820 FT. RECORDS AVAILABLE 1959, 1964, 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	55.48 S	MAR 30, 1987	56.00 S
PERIOD OF RECORD	HIGHEST 23.10 DEC 17, 1959	LOWEST 56.00 MAR 30, 1987	

SITE NUMBER 345709116390501

LOCAL NUMBER 010N003E15Q01S

ABOUT 0.5 MI WEST OF HARVARD ROAD AND NORTH OF CHEROKEE ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 186.4 FT IN 1959, 165 FT IN 1980. ALTITUDE OF LSD 1808 FT. RECORDS AVAILABLE 1959, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1987	121.50 S
PERIOD OF RECORD	HIGHEST 78.00 JUN 12, 1959      LOWEST 121.50 MAR 31, 1987

SITE NUMBER 345539116375801

LOCAL NUMBER 010N003E26K01S

ABOUT 0.8 MI NORTHEAST OF INTERSECTION OF MOJAVE TRAIL AND HARVARD ROAD, ADJACENT TO SOUTH BANK OF MOJAVE RIVER CHANNEL. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 100 FT. ALTITUDE OF LSD 1751 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 23, 1987	24.08 ST
PERIOD OF RECORD	HIGHEST --      LOWEST --

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342636116570201

LOCAL NUMBER 004N001W14B03S

SOUTHEAST OF INTERSECTION OF HWY 247 AND HIGHLAND ROAD IN LUCERNE VALLEY. COMMERCIAL WELL.  
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2035 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	92.10 S	APR 01, 1987	92.59 S
PERIOD OF RECORD	HIGHEST	84.96 MAR 20, 1980	LOWEST 93.57 OCT 16, 1985

SITE NUMBER 342625116571301

LOCAL NUMBER 004N001W14C02S

NEAR INTERSECTION OF HWY 247 AND HWY 18. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH  
105 FT, CASED TO 30 FT. ALTITUDE OF LSD 2950 FT. RECORDS AVAILABLE 1954, 1982 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1986	21.92 S	APR 01, 1987	20.93 S
PERIOD OF RECORD	HIGHEST	1.50 FEB 19, 1954	LOWEST 28.27 OCT 16, 1985

SITE NUMBER 342519116591401

LOCAL NUMBER 004N001W21G01S

ABOUT 0.4 MI WEST OF INTERSECTION OF CUSTER AVENUE AND SUTTER ROAD. DOMESTIC WELL. DIAM  
UNKNOWN, DEPTH 250 FT. ALTITUDE OF LSD 3121 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	170.24 S	DEC 12, 1986	170.33 S	APR 02, 1987	170.48 S	MAY 21, 1987	170.38 S
PERIOD OF RECORD	HIGHEST	168.35 DEC 11, 1980	LOWEST	183.00 OCT 16, 1985			

SITE NUMBER 342813117123301

LOCAL NUMBER 004N003W05A02S

ABOUT 0.1 MI WEST OF INTERSECTION OF BEAR VALLEY ROAD AND KIOWA ROAD IN APPLE VALLEY. DRILLED  
DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 300 FT, PERFORATED 238-268 FT.  
ALTITUDE OF LSD 3002 FT. RECORDS AVAILABLE 1953, 1956, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 10, 1986	213.04 S	DEC 12, 1986	203.86 S	APR 01, 1987	213.84 S
PERIOD OF RECORD	HIGHEST	182.12 MAR 21, 1980	LOWEST	213.84 APR 01, 1987	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342436117133801

LOCAL NUMBER 004N003W30A06S

ABOUT 0.2 MI EAST OF MOJAVE RIVER AND 0.4 MI SOUTHWEST OF INTERSECTION OF ROCK SPRINGS ROAD AND DEEP CREEK ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 123 FT, PERFORATED 70-120 FT. ALTITUDE OF LSD 2894 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 23, 1987	69.93 SR				
PERIOD OF RECORD	HIGHEST	--	LOWEST	--	

SITE NUMBER 342815117152701

LOCAL NUMBER 004N004W01D02S

WEST OF INTERSECTION OF BEAR VALLEY ROAD AND FISH HATCHERY ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 50 FT. ALTITUDE OF LSD 2827 FT. RECORDS AVAILABLE 1957, 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 10, 1986	30.79 S	DEC 12, 1986	29.32 S	APR 01, 1987	29.13 S	MAY 12, 1987	P
PERIOD OF RECORD	HIGHEST	14.72	APR 02, 1969	LOWEST	33.40	OCT 16, 1985	

SITE NUMBER 342425117182602

LOCAL NUMBER 004N004W28E02S

NEAR INTERSECTION OF LIME STREET AND HESPERIA ROAD IN HESPERIA. DRILLED PUBLIC-SUPPLY WELL. DIAM 14 IN, DEPTH 593 FT. ALTITUDE OF LSD 3280 FT. MEASUREMENTS FURNISHED BY HESPERIA COUNTY WATER DISTRICT 1971-81; BY USGS STARTING IN 1982. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
DEC 11, 1986	463.46 S	APR 01, 1987	W		
PERIOD OF RECORD	HIGHEST	454.00	MAR 04, 1980	LOWEST	514.80 JUN 12, 1979

SITE NUMBER 343150117151502

LOCAL NUMBER 005N004W11P03S

IN APPLE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 145 FT. ALTITUDE OF LSD 2788 FT. RECORDS AVAILABLE 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 10, 1986	56.94 S	DEC 12, 1986	56.59 S	APR 01, 1987	54.52 S	MAY 13, 1987	56.66 S
PERIOD OF RECORD	HIGHEST	51.27	OCT 19, 1983	LOWEST	58.09	JUL 14, 1986	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343027117235001

LOCAL NUMBER 005N005W22E02S

AT INTERSECTION OF PEARBLOSSOM HWY AND HWY 395. DOMESTIC WELL. DIAM 8 IN, DEPTH REPORTED 510 FT IN 1960. ALTITUDE OF LSD 3122 FT. RECORDS AVAILABLE 1960-71, 1978, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 10, 1986	O	DEC 12, 1986	O	MAR 30, 1987	O	MAY 12, 1987	335.85 S
PERIOD OF RECORD	HIGHEST	301.94	MAR 15, 1961	LOWEST	335.85	MAY 12, 1987	

SITE NUMBER 343900117261801

LOCAL NUMBER 006N005W19J02S

ABOUT 1.5 MI NORTHWEST OF ADELANTO. DRILLED UNUSED WATER-TABLE WELL. DIAM 9 IN, DEPTH 1200 FT. ALTITUDE OF LSD 2838 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	78.66 S	MAR 30, 1987	78.65 S
PERIOD OF RECORD	HIGHEST	78.3	APR 17, 1979
		LOWEST	80.03
			OCT 17, 1985

SITE NUMBER 343712117361701

LOCAL NUMBER 006N007W10P02S

ABOUT 1.3 MI NORTH OF EL MIRAGE ROAD ON EL MIRAGE AIRPORT ROAD. DOMESTIC WELL. DIAM 12-8 IN, DEPTH 320 FT, PERFORATED 70-85, 110-170, 210-265, 300-320 FT, 12-IN CSG 0-260 FT, 10-IN CSG 260-290 FT, 8-IN CSG 290-320 FT. ALTITUDE OF LSD 2864 FT. RECORDS AVAILABLE 1962, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1987	36.23 SR
PERIOD OF RECORD	HIGHEST
	26.52
	APR 10, 1980
	LOWEST
	40.00
	JAN , 1962

SITE NUMBER 343555117351201

LOCAL NUMBER 006N007W23C01S

SOUTH OF EL MIRAGE ROAD ABOUT 1 MI EAST OF EL MIRAGE AIRPORT ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2913 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 10, 1986	104.62 S	DEC 16, 1986	103.30 SZ	MAY 12, 1987	103.44 S
PERIOD OF RECORD	HIGHEST	103.44	MAY 12, 1987	LOWEST	105.40
					JAN 16, 1985

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344610116590301

LOCAL NUMBER 008N001W21G01S

NEAR STODDARD. DRILLED UNUSED WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2920 FT. RECORDS AVAILABLE 1962, 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1986	129.69 S	DEC 10, 1986	129.62 S	MAR 31, 1987	129.30 S	MAY 15, 1987	129.08 S
PERIOD OF RECORD	HIGHEST	129.08	MAY 15, 1987	LOWEST	131.15	FEB 21, 1962	

SITE NUMBER 344841117125301

LOCAL NUMBER 008N003W05J01S

ABOUT 2.1 MI SOUTHEAST OF INTERSECTION OF HINKLEY ROAD AND NATIONAL TRAILS HWY, ADJACENT TO SOUTH BANK OF MOJAVE RIVER. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 115 FT. ALTITUDE OF LSD 2290 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 22, 1987	6.49 S				
PERIOD OF RECORD	HIGHEST	6.49	APR 22, 1987	LOWEST	6.49 APR 22, 1987

SITE NUMBER 344728117145601

LOCAL NUMBER 008N004W12Q01S

ABOUT 16 MI SOUTHWEST OF BARSTOW. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 49.1 FT. ALTITUDE OF LSD 2329 FT. RECORDS AVAILABLE 1931-32, 1935-37, 1939-41, 1943-64, 1966-70, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	13.97 S	MAR 30, 1987	13.58 S		
PERIOD OF RECORD	HIGHEST	7.16	MAY 13, 1954	LOWEST	33.50 OCT 31, 1963

SITE NUMBER 344636117243801

LOCAL NUMBER 008N005W21C01S

ABOUT 3.9 MI EAST OF HWY 395 AND ASTLEY RANCHO. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2620 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	206.49 S	DEC 12, 1986	O	MAR 30, 1987	206.80 S	MAY 12, 1987	206.54 S
PERIOD OF RECORD	HIGHEST	200.35	OCT 18, 1984	LOWEST	206.80	MAR 30, 1987	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345334116592501

LOCAL NUMBER 009N001W09C02S

IN MOJAVE RIVER CHANNEL AT BARSTOW. AUGERED OBSERVATION WATER-TABLE WELL IN CHANNEL DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 99.3 FT, CASED TO 99.3 FT, SLOTTED 79.3-99.3 FT. ALTITUDE OF LSD 2055 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 26, 1987	9.59 S	JAN 28, 1987	9.52 S
PERIOD OF RECORD	HIGHEST	4.32 SEP 27, 1983	LOWEST 9.59 JAN 26, 1987

SITE NUMBER 345312116590401

LOCAL NUMBER 009N001W09G07S

AT CITY OF BARSTOW RECLAMATION PLANT. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 50 FT, CASED TO 48 FT, PERFORATED 48-50 FT. ALTITUDE OF LSD 2052.82 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 26, 1987	13.58 S
PERIOD OF RECORD	HIGHEST 9.85 JUN 18, 1985 LOWEST 29.48 MAY 25, 1977

SITE NUMBER 345312116590402

LOCAL NUMBER 009N001W09G08S

AT CITY OF BARSTOW RECLAMATION PLANT. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 101 FT, CASED TO 99 FT, PERFORATED 99-101 FT. ALTITUDE OF LSD 2052.56 FT. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 26, 1987	14.87 S
PERIOD OF RECORD	HIGHEST 11.39 JUN 18, 1985 LOWEST 33.32 NOV 02, 1977

SITE NUMBER 345259116592401

LOCAL NUMBER 009N001W09L01S

SOUTH OF INTERSECTION OF VICTOR STREET AND ARMORY ROAD IN BARSTOW. DIAM 6 IN, DEPTH 127 FT. ALTITUDE OF LSD 2097 FT. RECORDS AVAILABLE 1967-71, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	48.74 S	MAR 30, 1987	46.23 S
PERIOD OF RECORD	HIGHEST 44.25 MAR 17, 1983	LOWEST 56.73 APR 19, 1971	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345304116584201

LOCAL NUMBER 009N001W10E04S

EAST OF BARSTOW RECLAMATION POND 2. DRILLED OBSERVATION WATER-TABLE WELL IN CHANNEL DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 101.6 FT, CASED TO 101.6 FT, SAND POINT 99.6-101.6 FT. ALTITUDE OF LSD 2060 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 26, 1987	19.54	S				
PERIOD OF RECORD	HIGHEST	15.50	JUN 05, 1980	LOWEST	19.54	JAN 26, 1987

SITE NUMBER 345303116574302

LOCAL NUMBER 009N001W10J10S

IN MOJAVE RIVER CHANNEL AT BARSTOW. AUGERED OBSERVATION WATER-TABLE WELL IN CHANNEL DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 70 FT, CASED TO 70 FT, SLOTTED 50-70 FT. ALTITUDE OF LSD 2025 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 28, 1987	5.52	S				
PERIOD OF RECORD	HIGHEST	3.20	APR 21, 1981	LOWEST	5.52	JAN 28, 1987

SITE NUMBER 345256116565601

LOCAL NUMBER 009N001W11K05S

ON GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 56 FT, CASED TO 54 FT, PERFORATED 54-56 FT. ALTITUDE OF LSD 2022.39 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 27, 1987	10.27	S				
PERIOD OF RECORD	HIGHEST	6.39	OCT 11, 1979	LOWEST	21.04	NOV 04, 1976

SITE NUMBER 345256116565603

LOCAL NUMBER 009N001W11K07S

ON GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 102 FT, CASED TO 100 FT, PERFORATED 100-102 FT. ALTITUDE OF LSD 2022.44 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 27, 1987	10.16	S				
PERIOD OF RECORD	HIGHEST	8.08	JUN 04, 1980	LOWEST	21.04	NOV 04, 1976



## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345257116572801

LOCAL NUMBER 009N001W11M01S

NEAR GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 51 FT, CASED TO 49 FT, PERFORATED 49-51 FT. ALTITUDE OF LSD 2033.26 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 28, 1987	14.83 S
PERIOD OF RECORD	HIGHEST 12.42 JUN 02, 1980 LOWEST 27.27 NOV 02, 1977

SITE NUMBER 345253116571201

LOCAL NUMBER 009N001W11P01S

ON GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 52 FT, CASED TO 50 FT, PERFORATED 49-52 FT. ALTITUDE OF LSD 2034 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 27, 1987	21.93 S
PERIOD OF RECORD	HIGHEST 19.77 JUN 03, 1980 LOWEST 33.74 NOV 03, 1976

SITE NUMBER 345253116571202

LOCAL NUMBER 009N001W11P02S

ON GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 115 FT, CASED TO 113 FT, PERFORATED 113-115 FT. ALTITUDE OF LSD 2036.96 FT. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 27, 1987	22.36 S
PERIOD OF RECORD	HIGHEST 20.15 JUN 03, 1980 LOWEST 33.80 NOV 02, 1977

SITE NUMBER 345243116563802

LOCAL NUMBER 009N001W11R02S

NEAR GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 102 FT, SAND POINT 100-102 FT. ALTITUDE OF LSD 2032.51 FT. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	21.85 S	JAN 28, 1987	21.14 S	MAY 12, 1987	20.90 S		
DEC 11	21.45 S	MAR 30	20.86 S				
PERIOD OF RECORD	HIGHEST 19.02 JUN 17, 1983	LOWEST 31.80	NOV 03, 1976				

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345245116562301

LOCAL NUMBER 009N001W12N01S

IN MOJAVE RIVER CHANNEL AT BARSTOW. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 92 FT, CASSED TO 90 FT, PERFORATED 90-92 FT. ALTITUDE OF LSD 2007.02 FT. RECORDS AVAILABLE 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 29, 1987	8.02 S					
PERIOD OF RECORD	HIGHEST	3.20	JUN 03, 1980	LOWEST	49.94	NOV 04, 1976

SITE NUMBER 345225116555001

LOCAL NUMBER 009N001W13B03S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF NATIONAL TRAILS HWY AND NEBO ST, NEAR BANK OF MOJAVE RIVER CHANNEL. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 66 FT, PERFORATED 45-50 FT. ALTITUDE OF LSD 1995 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 10, 1987	8.90 S					
PERIOD OF RECORD	HIGHEST	8.90	FEB 10, 1987	LOWEST	8.90	FEB 10, 1987

SITE NUMBER 345225116555002

LOCAL NUMBER 009N001W13B04S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF NATIONAL TRAILS HWY AND NEBO ST, NEAR BANK OF MOJAVE RIVER CHANNEL. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 120 FT, PERFORATED 105-110 FT. ALTITUDE OF LSD 1995 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
FEB 10, 1987	8.51 S					
PERIOD OF RECORD	HIGHEST	8.51	FEB 10, 1987	LOWEST	8.51	FEB 10, 1987

SITE NUMBER 345339117065001

LOCAL NUMBER 009N002W05N07S

ABOUT 0.2 MI SOUTH OF MOJAVE RIVER AND 0.3 MI NORTHEAST OF INTERSECTION OF LENWOOD ROAD AND AGATE ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 200 FT, PERFORATED 80-195 FT. ALTITUDE OF LSD 2184 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 28, 1987	63.30 SR					
PERIOD OF RECORD	HIGHEST	--		LOWEST	--	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345105117045701

LOCAL NUMBER 009N002W21R02S

ON EAST SIDE OF JUNCTION OF LENWOOD ROAD AND INTERSTATE 15. COMMERCIAL WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2392 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	235.15 S	DEC 10, 1986	245.28 S	MAR 30, 1987	234.82 S	MAY 12, 1987	242.38 SP
PERIOD OF RECORD	HIGHEST	233.04	JAN 22, 1986	LOWEST	245.28	DEC 10, 1986	

SITE NUMBER 345153117080701

LOCAL NUMBER 009N003W13R01S

ABOUT 2 MI SOUTHWEST OF LENWOOD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 212 FT. ALTITUDE OF LSD 2245 FT. RECORDS AVAILABLE 1954, 1963-71, 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	85.72 S	DEC 11, 1986	86.05 S	MAR 30, 1987	86.78 S	MAY 12, 1987	87.40 S
PERIOD OF RECORD	HIGHEST	60.60	APR 20, 1954	LOWEST	89.14	NOV 14, 1968	

SITE NUMBER 345520117081901

LOCAL NUMBER 010N003W26R01S

ABOUT 0.2 MI WEST OF SUMMERSSET ROAD ON HWY 58. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 215 FT, PERFORATED 117-160, 180-196 FT, CASED TO 203 FT. ALTITUDE OF LSD 2182 FT. RECORDS AVAILABLE 1953-55, 1957-61, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 16, 1986	93.81 S	MAR 31, 1987	89.35 S				
PERIOD OF RECORD	HIGHEST	68.97	DEC 17, 1953	LOWEST	114.40	DEC 11, 1980	

SITE NUMBER 345516117183601

LOCAL NUMBER 010N004W33D01S

ABOUT 1 MI EAST OF HARPER LAKE ROAD AND SOUTH OF HWY 58. UNUSED WELL. DIAM 8 IN, DEPTH 363 FT. ALTITUDE OF LSD 2279 FT. RECORDS AVAILABLE 1967, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	266.69 S	DEC 11, 1986	266.82 S	MAR 31, 1987	266.98 S		
PERIOD OF RECORD	HIGHEST	257.03	MAR 15, 1967	LOWEST	266.98	MAR 31, 1987	

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 350039117112101

LOCAL NUMBER 011N003W28R02S

ABOUT 5 MI NORTH OF HINKLEY. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 241.8 FT IN 1978.  
 ALTITUDE OF LSD 2073 FT. RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 12, 1986	53.75 S	MAR 31, 1987	53.81 S	MAY 12, 1987	54.36 S
PERIOD OF RECORD	HIGHEST	26.00	JUN 26, 1953	LOWEST	54.36 MAY 12, 1987

SITE NUMBER 350039117185301

LOCAL NUMBER 011N004W29R01S

ABOUT 2.9 MI EAST OF LOCKHART. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 500 FT IN 1952,  
 303 FT IN 1968, 361.2 FT IN 1978. ALTITUDE OF LSD 2045 FT. RECORDS AVAILABLE 1953-71, 1978 TO  
 CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	173.50 S	DEC 11, 1986	169.07 S	MAR 31, 1987	169.36 S
PERIOD OF RECORD	HIGHEST	83.42	NOV 17, 1960	LOWEST	183.27 JUL 15, 1986

SITE NUMBER 350235117321501

LOCAL NUMBER 011N006W17P02S

ABOUT 6 MI NORTHEAST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 647 FT. ALTITUDE  
 OF LSD 2550 FT. RECORDS AVAILABLE 1953, 1968, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1986	264.12 S	DEC 11, 1986	264.52 S	MAR 31, 1987	264.18 S	MAY 12, 1987	263.96 S
PERIOD OF RECORD	HIGHEST	262.00	JUL 13, 1953	LOWEST	265.52	AUG 09, 1968	

SITE NUMBER 340416117205101

LOCAL NUMBER 001S004W19E01S

EAST OF MERIDIAN AVENUE, NORTH OF VALLEY BLVD. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN,  
 DEPTH 222 FT, CASED TO 251 FT, PERFORATED 223-244 FT. ALTITUDE OF LSD 1038.9 FT. RECORDS AVAILABLE  
 1964, 1967-70, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 20, 1986	149.40 SZ	MAY 01, 1987	149.62 S	JUN 18, 1987	150.31 SZ
PERIOD OF RECORD	HIGHEST	148.38	MAY 15, 1986	LOWEST	193.94 JAN 02, 1969

## WATER QUALITY, SAN BERNARDINO COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
001N005E36K02S	06-24-87	1000	--	805.00	258	8.10	23.0	56	0	18
001N007E22L02S	06-24-87	1130	--	393.00	271	8.40	24.5	60	0	19
003N007E27H01S	01-30-87	1400	410.09	572.00	1070	8.70	24.5	39	8	14
003N007E28D01S	01-31-87	1200	226.93	618.00	410	7.60	22.0	34	0	12
003N007E31E01S	01-20-87	1400	--	401.00	240	--	20.5	--	0	--
003N007E32D01S	01-18-87	1000	600.00	618.00	410	--	--	18	0	6.6
003N007E32D01S	01-18-87	1200	820.00	618.00	800	--	--	18	0	6.0
003N007E32D01S	01-31-87	1600	297.79	618.00	390	7.70	20.5	30	0	11
004N001W21G01S	06-24-87	1415	--	250.00	412	7.80	24.0	120	0	35
004N003W05A02S	06-24-87	1545	--	300.00	322	8.10	21.0	110	32	31
005N007W24D03S	06-26-87	1015	--	660.00	498	8.40	28.0	69	7	22
006N007W10P02S	06-26-87	1200	--	320.00	562	8.20	20.0	110	51	35
008N004W13B01S	06-24-87	1745	--	--	1330	7.40	19.5	370	66	120
009N001E03H01S	06-25-87	1145	--	125.00	1300	7.80	22.0	400	270	130
009N001W09C02S	01-28-87	1340	9.52	99.30	826	7.40	18.0	200	45	60
009N001W09C02S	05-22-87	0915	9.74	99.30	903	7.40	19.0	220	67	68
009N001W09G07S	01-26-87	1315	13.58	50.00	1210	7.40	19.5	230	51	69
009N001W09G07S	05-19-87	1515	11.47	50.00	1180	7.60	19.5	180	0	53
009N001W09G08S	01-26-87	1215	14.87	101.00	3340	7.20	19.5	1000	790	310
009N001W09G08S	05-19-87	1345	13.95	101.00	3620	7.20	19.5	1100	840	330
009N001W10E04S	01-26-87	1530	19.54	102.00	1270	7.20	18.5	240	12	73
009N001W10E04S	05-20-87	0930	19.37	102.00	1300	7.20	18.0	260	26	78
009N001W10J10S	01-28-87	1540	5.52	70.00	730	7.70	18.5	210	35	63
009N001W10J10S	05-22-87	1130	5.48	70.00	922	7.40	18.5	270	78	81
009N001W11K05S	01-27-87	1350	10.27	56.00	910	7.40	18.5	260	62	81
009N001W11K05S	05-21-87	1530	10.20	56.00	948	7.40	20.0	270	61	83
009N001W11K07S	01-27-87	1445	10.16	102.00	1100	7.40	18.5	380	140	120
009N001W11K07S	05-21-87	1630	10.08	102.00	1110	7.40	19.5	360	120	110
009N001W11M01S	01-29-87	0850	14.83	51.00	979	8.90	16.5	78	0	13
009N001W11M01S	05-20-87	1800	14.54	51.00	1230	7.80	18.5	190	0	48
009N001W11P01S	01-27-87	0855	21.93	52.00	1520	7.50	18.5	270	3	82
009N001W11P01S	05-20-87	1200	21.77	52.00	1490	7.30	20.0	260	0	78
009N001W11P02S	01-27-87	1105	22.36	115.00	1190	7.30	19.0	270	11	83
009N001W11P02S	05-20-87	1245	22.17	115.00	1270	7.70	21.0	290	29	90
009N001W12N01S	01-29-87	1200	8.02	92.00	1310	7.30	18.5	320	62	100
009N001W12N01S	05-21-87	1830	7.83	92.00	1310	7.50	19.5	330	67	100
009N002W21R02S	06-25-87	0830	--	--	1190	7.70	23.5	250	89	74
009N003E15E01S	06-25-87	1615	--	--	426	7.90	26.5	79	0	27
026S040E01A02M	06-01-87	1920	--	190.00	18500	--	24.0	5	0	1.7

## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)
001N005E36K02S	2.6	32	55	2	1.2	92	12	10	0.40	27
001N007E22L02S	3.0	35	55	2	1.4	106	11	6.4	0.50	26
003N007E27H01S	1.0	180	90	13	3.0	31	220	110	5.4	25
003N007E28D01S	1.0	59	77	5	3.3	97	38	11	1.2	20
003N007E31E01S	--	--	--	--	--	--	--	--	--	--
003N007E32D01S	0.32	64	87	7	2.3	--	46	30	0.50	17
003N007E32D01S	0.70	160	94	17	2.7	--	210	30	1.9	22
003N007E32D01S	0.60	63	80	5	2.8	89	44	16	1.0	21
004N001W21G01S	6.9	40	42	2	2.5	135	56	10	0.50	30
004N003W05A02S	7.3	22	30	1	2.0	76	62	9.6	0.30	31
005N007W24D03S	3.4	70	68	4	3.3	62	160	3.8	0.30	16
006N007W10P02S	5.3	69	57	3	3.5	58	190	7.8	0.50	18
008N004W13B01S	18	140	45	3	2.8	308	150	140	0.70	29
009N001E03H01S	18	99	35	2	3.1	125	160	240	0.40	21
009N001W09C02S	11	95	51	3	2.5	150	210	39	0.60	29
009N001W09C02S	13	110	51	3	2.6	157	210	43	0.60	29
009N001W09G07S	15	150	57	4	13	183	220	150	1.0	22
009N001W09G07S	12	170	66	6	8.5	196	160	140	0.80	30
009N001W09G08S	62	350	42	5	5.7	236	930	510	0.50	29
009N001W09G08S	65	380	43	5	6.0	249	980	570	0.50	29
009N001W10E04S	14	180	62	5	4.1	228	190	170	0.30	29
009N001W10E04S	15	180	60	5	5.2	231	210	160	0.30	31
009N001W10J10S	12	67	41	2	2.9	172	84	68	0.50	23
009N001W10J10S	16	89	42	2	2.8	191	130	100	0.50	24
009N001W11K05S	15	93	43	3	3.0	202	110	100	0.60	23
009N001W11K05S	15	97	44	3	3.0	208	120	100	0.50	24
009N001W11K07S	20	95	35	2	3.6	241	140	130	0.50	23
009N001W11K07S	21	96	36	2	3.5	245	140	120	0.40	24
009N001W11M01S	11	170	82	9	3.1	153	44	200	0.20	5.5
009N001W11M01S	16	190	69	6	3.0	218	150	200	0.40	18
009N001W11P01S	16	210	62	6	2.9	268	170	210	0.60	27
009N001W11P01S	16	210	63	6	2.9	268	170	220	0.70	27
009N001W11P02S	16	150	54	4	4.6	263	130	150	0.50	21
009N001W11P02S	17	150	52	4	3.7	266	170	170	0.50	22
009N001W12N01S	18	150	50	4	3.6	262	190	170	0.50	24
009N001W12N01S	19	160	51	4	3.5	261	160	160	0.50	24
009N002W21R02S	15	160	58	5	3.0	158	290	100	2.9	49
009N003E15E01S	2.7	64	64	3	1.0	169	23	18	0.50	28
026S040E01A02M	0.30	4300	99	830	42	--	950	3700	3.7	69

## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS NO2)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC DIS. (MG/L AS N)
001N005E36K02S	--	169	--	--	--	2.40	--	--	--	--
001N007E22L02S	--	177	--	--	--	2.50	--	--	--	--
003N007E27H01S	--	578	--	--	--	<0.100	0.020	0.03	1.2	1.2
003N007E28D01S	--	207	--	--	--	0.540	0.510	0.66	0.59	1.1
003N007E31E01S	--	--	--	--	--	--	--	--	--	--
003N007E32D01S	--	212	--	--	--	--	--	--	--	--
003N007E32D01S	--	513	--	--	--	--	--	--	--	--
003N007E32D01S	--	217	--	--	--	0.760	0.100	0.13	--	<0.20
004N001W21G01S	--	266	--	--	--	0.820	--	--	--	--
004N003W05A02S	--	213	--	--	--	0.580	--	--	--	--
005N007W24D03S	--	319	--	--	--	0.750	--	--	--	--
006N007W10F02S	--	366	--	--	--	0.460	--	--	--	--
008N004W13B01S	--	812	--	--	--	6.10	--	--	--	--
009N001E03H01S	--	768	--	--	--	4.90	--	--	--	--
009N001W09C02S	557	553	--	<0.010	--	3.50	--	--	--	--
009N001W09C02S	620	588	--	<0.010	--	3.90	--	--	--	--
009N001W09G07S	746	757	1.29	0.010	0.03	1.30	--	--	--	--
009N001W09G07S	713	715	4.69	0.010	0.03	4.70	--	--	--	--
009N001W09G08S	2520	2390	--	<0.010	--	12.0	--	--	--	--
009N001W09G08S	2710	2560	--	<0.010	--	12.0	--	--	--	--
009N001W10E04S	792	799	--	<0.010	--	<0.100	--	--	--	--
009N001W10E04S	826	819	--	<0.010	--	<0.100	--	--	--	--
009N001W10J10S	453	447	--	<0.010	--	5.30	--	--	--	--
009N001W10J10S	581	571	--	<0.010	--	3.00	--	--	--	--
009N001W11K05S	566	562	--	<0.010	--	3.40	--	--	--	--
009N001W11K05S	590	582	--	<0.010	--	3.30	--	--	--	--
009N001W11K07S	696	697	--	<0.010	--	4.30	--	--	--	--
009N001W11K07S	703	681	4.09	0.010	0.03	4.10	--	--	--	--
009N001W11M01S	544	539	--	<0.010	--	<0.100	--	--	--	--
009N001W11M01S	753	758	--	<0.010	--	<0.100	--	--	--	--
009N001W11P01S	884	883	--	<0.010	--	0.540	--	--	--	--
009N001W11P01S	894	888	--	<0.010	--	0.440	--	--	--	--
009N001W11P02S	724	716	--	<0.010	--	0.380	--	--	--	--
009N001W11P02S	762	784	--	<0.010	--	<0.100	--	--	--	--
009N001W12N01S	832	825	--	<0.010	--	2.60	--	--	--	--
009N001W12N01S	817	794	2.29	0.010	0.03	2.30	--	--	--	--
009N002W21R02S	--	805	--	--	--	3.30	--	--	--	--
009N003E15E01S	--	267	--	--	--	0.260	--	--	--	--
026S040E01A02M	--	11700	--	--	--	<0.100	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	PHOS- PHOROUS DIS- SOLVED (MG/L AS P)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORGANIC DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)
001N005E36K02S	--	0.020	0.06	--	--	--	--	--	40	--
001N007E22L02S	--	0.010	0.03	--	--	--	--	--	60	--
003N007E27H01S	0.020	0.040	0.12	0.0	40	20	9	2	880	1
003N007E28D01S	0.010	0.010	0.03	0.0	100	2	14	<0.5	80	1
003N007E31E01S	--	--	--	--	--	--	--	--	--	--
003N007E32D01S	--	--	--	--	--	--	--	--	60	--
003N007E32D01S	--	--	--	--	--	--	--	--	110	--
003N007E32D01S	0.150	0.180	0.55	0.0	60	6	12	2	70	1
004N001W21G01S	--	0.020	0.06	--	--	--	--	--	100	--
004N003W05A02S	--	0.010	0.03	--	--	--	--	--	70	--
005N007W24D03S	--	<0.010	--	--	--	--	--	--	20	--
006N007W10P02S	--	<0.010	--	--	--	--	--	--	30	--
008N004W13B01S	--	0.030	0.09	--	--	--	--	--	350	--
009N001E03H01S	--	0.030	0.09	--	--	--	--	--	280	--
009N001W09C02S	--	--	--	--	--	--	--	--	560	--
009N001W09C02S	--	--	--	--	--	--	--	--	610	--
009N001W09G07S	--	--	--	--	--	--	--	--	540	--
009N001W09G07S	--	--	--	--	--	--	--	--	650	--
009N001W09G08S	--	--	--	--	--	--	--	--	2300	--
009N001W09G08S	--	--	--	--	--	--	--	--	2300	--
009N001W10E04S	--	--	--	--	--	--	--	--	700	--
009N001W10E04S	--	--	--	--	--	--	--	--	760	--
009N001W10J10S	--	--	--	--	--	--	--	--	330	--
009N001W10J10S	--	--	--	--	--	--	--	--	440	--
009N001W11K05S	--	--	--	--	--	--	--	--	430	--
009N001W11K05S	--	--	--	--	--	--	--	--	470	--
009N001W11K07S	--	--	--	--	--	--	--	--	410	--
009N001W11K07S	--	--	--	--	--	--	--	--	450	--
009N001W11M01S	--	--	--	--	--	--	--	--	810	--
009N001W11M01S	--	--	--	--	--	--	--	--	770	--
009N001W11P01S	--	--	--	--	--	--	--	--	1000	--
009N001W11P01S	--	--	--	--	--	--	--	--	1000	--
009N001W11P02S	--	--	--	--	--	--	--	--	770	--
009N001W11P02S	--	--	--	--	--	--	--	--	770	--
009N001W12N01S	--	--	--	--	--	--	--	--	660	--
009N001W12N01S	--	--	--	--	--	--	--	--	690	--
009N002W21R02S	--	0.010	0.03	--	--	--	--	--	1300	--
009N003E15E01S	--	0.020	0.06	--	--	--	--	--	120	--
026S040E01A02M	--	--	--	--	--	--	--	--	170000	--

&lt;Actual value is known to be less than the value shown.



## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	ZINC, DIS- SOLVED (UG/L AS ZN)
001N005E36K02S	--	--	7	--	--	<1	--	--	--	--
001N007E22L02S	--	--	<3	--	--	1	--	--	--	--
003N007E27H01S	<3	<10	41	<10	46	11	20	260	7	11
003N007E28D01S	<3	<10	36	<10	12	48	10	310	10	12
003N007E31E01S	--	--	--	--	--	--	--	--	--	--
003N007E32D01S	--	--	420	--	--	7	--	--	--	--
003N007E32D01S	--	--	640	--	--	12	--	--	--	--
003N007E32D01S	<3	<10	22	<10	11	21	10	200	8	10
004N001W21G01S	--	--	8	--	--	<1	--	--	--	--
004N003W05A02S	--	--	12	--	--	<1	--	--	--	--
005N007W24D03S	--	--	19	--	--	3	--	--	--	--
006N007W10P02S	--	--	7	--	--	2	--	--	--	--
008N004W13B01S	--	--	5	--	--	<1	--	--	--	--
009N001E03H01S	--	--	5	--	--	3	--	--	--	--
009N001W09C02S	--	--	4	--	--	10	--	--	--	--
009N001W09C02S	--	--	<3	--	--	16	--	--	--	--
009N001W09G07S	--	--	42	--	--	1400	--	--	--	--
009N001W09G07S	--	--	55	--	--	1300	--	--	--	--
009N001W09G08S	--	--	110	--	--	20	--	--	--	--
009N001W09G08S	--	--	50	--	--	10	--	--	--	--
009N001W10E04S	--	--	<3	--	--	1300	--	--	--	--
009N001W10E04S	--	--	<3	--	--	1	--	--	--	--
009N001W10J10S	--	--	3	--	--	1	--	--	--	--
009N001W10J10S	--	--	4	--	--	5	--	--	--	--
009N001W11K05S	--	--	6	--	--	16	--	--	--	--
009N001W11K05S	--	--	<3	--	--	18	--	--	--	--
009N001W11K07S	--	--	810	--	--	18	--	--	--	--
009N001W11K07S	--	--	810	--	--	24	--	--	--	--
009N001W11M01S	--	--	24	--	--	7	--	--	--	--
009N001W11M01S	--	--	640	--	--	170	--	--	--	--
009N001W11P01S	--	--	75	--	--	64	--	--	--	--
009N001W11P01S	--	--	110	--	--	70	--	--	--	--
009N001W11P02S	--	--	240	--	--	74	--	--	--	--
009N001W11P02S	--	--	220	--	--	83	--	--	--	--
009N001W12N01S	--	--	140	--	--	4	--	--	--	--
009N001W12N01S	--	--	65	--	--	10	--	--	--	--
009N002W21R02S	--	--	12	--	--	7	--	--	--	--
009N003E15E01S	--	--	23	--	--	61	--	--	--	--
026S040E01A02M	--	--	740	--	--	20	--	--	--	--

&lt;Actual value is known to be less than the value shown.

## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	PHENOLS TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
009N001W09C02S	01-28-87	1340	1.6	<1	0.05
009N001W09C02S	05-22-87	0915	1.4	<1	0.05
009N001W09G07S	01-26-87	1315	6.5	<1	0.20
009N001W09G07S	05-19-87	1515	5.1	<1	0.24
009N001W09G08S	01-26-87	1215	2.5	<1	0.17
009N001W09G08S	05-19-87	1345	3.2	<1	0.19
009N001W10E04S	01-26-87	1530	3.7	1	0.22
009N001W10E04S	05-20-87	0930	3.8	4	0.22
009N001W10J10S	01-28-87	1540	2.4	<1	0.08
009N001W10J10S	05-22-87	1130	2.1	<1	0.07
009N001W11K05S	01-27-87	1350	2.2	2	0.17
009N001W11K05S	05-21-87	1530	12	5	0.15
009N001W11K07S	01-27-87	1445	2.1	<1	0.43
009N001W11K07S	05-21-87	1630	2.0	<1	0.39
009N001W11M01S	01-29-87	0850	5.7	<1	0.21
009N001W11M01S	05-20-87	1800	4.5	3	0.21
009N001W11P01S	01-27-87	0855	2.7	2	0.11
009N001W11P01S	05-20-87	1200	3.5	4	0.13
009N001W11P02S	01-27-87	1105	5.7	3	0.20
009N001W11P02S	05-20-87	1245	3.2	3	0.24
009N001W12N01S	01-29-87	1200	2.3	<1	0.38
009N001W12N01S	05-21-87	1830	2.2	<1	0.27

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN DIEGO COUNTY

LOCAL NUMBER 010S006E21A01S.....	183
LOCAL NUMBER 011S002E28R01S.....	183
LOCAL NUMBER 011S006E11D02S.....	183
LOCAL NUMBER 012S002E03B02S.....	183
LOCAL NUMBER 012S003E10H01S.....	184
LOCAL NUMBER 014S006E08F03S.....	184
LOCAL NUMBER 015S001E18L03S.....	184
LOCAL NUMBER 015S008E17D02S.....	184
LOCAL NUMBER 016S003W13Q04S.....	185
LOCAL NUMBER 017S001W30B01S.....	185
LOCAL NUMBER 018S002W21H03S.....	185




Figure 13.--Index map to location of wells in San Diego County.

## WATER LEVELS, SAN DIEGO COUNTY

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 331800116210001

LOCAL NUMBER 010S006E21A01S

ABOUT 0.1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY AND HENDERSON CANYON ROADS. DRILLED  
 UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 310 FT. ALTITUDE OF LSD 640 FT.  
 RECORDER INSTALLED BY CALIFORNIA STATE WATER RESOURCES DEPARTMENT IN 1952. RECORDS AVAILABLE  
 1952-76, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 18, 1987	182.07 S	SEP 17, 1987	186.23 S
PERIOD OF RECORD	HIGHEST	130.55 JAN 03, 1953	LOWEST 186.23 SEP 17, 1987

SITE NUMBER 331057116462001

LOCAL NUMBER 011S002E28R01S

ABOUT 7 MI WEST OF HWY 79 ON THE SANTA YSABEL INDIAN RESERVATION. DRILLED UNUSED DOMESTIC WELL. DIAM 8 IN, DEPTH  
 53 FT. ALTITUDE OF LSD 3300 FT. RECORDS AVAILABLE 1952, 1979, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1986	26.69 S	MAR 19, 1987	27.56 S	JUN 26, 1987	28.99 S	SEP 25, 1987	30.13 S
PERIOD OF RECORD	HIGHEST	26.4 NOV 05, 1952	LOWEST	30.13 SEP 25, 1987			

SITE NUMBER 331432116194602

LOCAL NUMBER 011S006E11D02S

ABOUT 1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY ROAD AND PALM CANYON DRIVE. DRILLED  
 DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 218 FT. ALTITUDE OF LSD 500 FT.  
 RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 18, 1987	45.71 S	SEP 17, 1987	48.27 S
PERIOD OF RECORD	HIGHEST	17.53 NOV 16, 1953	LOWEST 65.60 AUG 14, 1958

SITE NUMBER 331005116453301

LOCAL NUMBER 012S002E03B02S

ABOUT 5.8 MI WEST OF HWY 79 ON THE SANTA YSABEL INDIAN RESERVATION. DRILLED PUBLIC-SUPPLY WELL. DIAM 6 IN, DEPTH  
 UNKNOWN. ALTITUDE OF LSD 3310 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1986	21.47 S	MAR 19, 1987	20.18 S	JUN 26, 1987	23.61 S	SEP 25, 1987	24.42 S
PERIOD OF RECORD	HIGHEST	20.18 MAR 19, 1987	LOWEST	24.42 SEP 25, 1987			

WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 330846116391301

LOCAL NUMBER 012S003E10H01S

ABOUT 1.3 MI EAST OF HWY 79 ON THE SANTA YSABEL INDIAN RESERVATION. DRILLED PUBLIC-SUPPLY WELL. DIAM 6 IN, DEPTH 150 FT. ALTITUDE OF LSD 3590 FT. RECORDS AVAILABLE 1980, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1986	21.89 S	MAR 19, 1987	27.40 SP	JUN 26, 1987	28.66 SP	SEP 25, 1987	34.95 SP
PERIOD OF RECORD	HIGHEST	9.5	MAY 20, 1980	LOWEST	21.89	DEC 10, 1986	

SITE NUMBER 325808116232801

LOCAL NUMBER 014S006E08F03S

ABOUT 1 MI NORTHEAST OF TROUTMAN MTN. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 110 FT. ALTITUDE OF LSD 1645 FT. RECORDS AVAILABLE 1960, 1962, 1964-66, 1968, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 18, 1987	66.83 S	SEP 17, 1987	65.59 S
PERIOD OF RECORD	HIGHEST	65.31	MAR 16, 1962
		LOWEST	78.20
			OCT 01, 1982

SITE NUMBER 325159116551101

LOCAL NUMBER 015S001E18L03S

ABOUT 0.3 MI NORTHEAST OF INTERSECTION OF MAPLEVIEW STREET AND HWY 67, NORTH OF LAKESIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 395 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 20, 1987	18.20 S
PERIOD OF RECORD	HIGHEST
	15.41
	MAR 11, 1983
	LOWEST
	22.43
	AUG 13, 1985

SITE NUMBER 325215116110701

LOCAL NUMBER 015S008E17D02S

WEST OF BOW WILLOW RANGER STATION. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 87 FT. ALTITUDE OF LSD 610 FT. RECORDS AVAILABLE 1966, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 18, 1987	41.15 S	SEP 17, 1987	W
PERIOD OF RECORD	HIGHEST	38.48	MAR 01, 1985
		LOWEST	71.40
			FEB 01, 1979

WATER LEVELS, SAN DIEGO COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 324630117082701

LOCAL NUMBER 016S003W13Q04S

ABOUT 0.3 MI SOUTHWEST OF INTERSECTION OF FRIARS ROAD AND STADIUM WAY, NORTH OF UNIVERSITY HEIGHTS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 52.45 FT. ALTITUDE OF LSD 45 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 20, 1987	12.27 S
PERIOD OF RECORD	HIGHEST 11.39 APR 09, 1986 LOWEST 14.86 AUG 25, 1981

SITE NUMBER 324005117012001

LOCAL NUMBER 017S001W30B01S

ABOUT 0.25 MI FROM SOUTHEAST CORNER OF BONITA AND CENTRAL AVENUES IN SUNNYSIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 20, 1987	10.39 S
PERIOD OF RECORD	HIGHEST 7.02 MAR 11, 1983 LOWEST 12.83 AUG 25, 1981

SITE NUMBER 323530117050701

LOCAL NUMBER 018S002W21H03S

ABOUT 0.25 MI SOUTH OF MAIN STREET NEAR INTERSTATE 5, EAST OF IMPERIAL BEACH. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. DIAM 13 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 12 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 20, 1987	8.02 S
PERIOD OF RECORD	HIGHEST 7.52 MAR 11, 1983 LOWEST 11.03 DEC 07, 1978

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN JOAQUIN COUNTY

LOCAL NUMBER 002N004E02L01M.....	188
LOCAL NUMBER 002N004E02L02M.....	189
LOCAL NUMBER 002N004E02L03M.....	190
LOCAL NUMBER 002N004E02L04M.....	191






Figure 14.--Index map to location of wells in San Joaquin County.

WATER LEVELS, SAN JOAQUIN COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 380250121301601

LOCAL NUMBER 002N004E02L01M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 57 FT, PERFORATED 52-57 FT. ALTITUDE OF LSD 7.15 FT. RECORDS AVAILABLE 1983 TO 1987 (DISCONTINUED).

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.09	15.01	14.82	13.90	14.59	15.07	14.94	15.01	15.01	14.74	14.99	14.92
2	15.07	15.01	14.72	13.90	14.37	14.98	14.81	14.96	14.99	14.80	14.90	15.11
3	15.09	14.87	14.59	13.56	14.26	14.86	14.62	14.96	14.74	14.74	14.91	15.22
4	15.05	14.71	14.36	13.48	14.22	14.63	14.58	14.89	14.69	14.83	15.06	15.31
5	14.93	14.52	14.15	13.45	---	14.30	14.63	14.82	14.76	15.03	15.16	15.45
6	14.81	14.36	14.09	13.47	---	14.23	14.62	14.75	15.06	15.20	15.29	15.41
7	14.67	14.31	13.91	13.27	14.03	14.13	14.67	14.85	15.21	15.33	15.20	15.41
8	14.40	14.45	13.95	13.30	14.06	13.99	14.81	15.04	15.33	15.34	15.09	15.37
9	14.34	14.65	13.92	13.45	14.08	14.09	14.99	15.22	15.45	15.28	14.99	15.23
10	14.30	14.74	13.94	13.54	14.21	14.19	15.10	15.34	15.35	15.04	14.90	15.11
11	14.35	14.88	13.88	13.66	14.39	14.39	15.22	15.41	15.14	14.84	14.89	15.04
12	14.62	14.85	13.92	13.72	14.56	14.54	15.57	15.36	15.04	14.69	14.88	14.93
13	14.90	14.79	13.75	13.96	14.42	14.74	15.68	15.23	14.78	14.61	14.78	14.79
14	15.03	14.71	13.69	14.10	14.72	14.86	15.61	15.08	14.54	14.58	14.65	14.93
15	15.04	14.85	13.71	14.15	14.65	14.91	15.48	14.82	14.67	14.52	14.64	15.11
16	14.95	14.82	13.66	14.33	14.82	15.03	15.36	14.61	14.69	14.45	14.75	15.30
17	14.99	14.69	13.71	14.37	14.81	15.01	15.06	14.54	14.73	14.50	14.88	15.38
18	14.93	14.48	13.64	14.28	14.75	14.81	14.81	14.46	14.79	14.88	14.93	15.41
19	14.85	14.42	13.65	14.19	14.68	14.70	15.00	14.39	14.94	15.09	15.22	15.52
20	14.71	14.39	13.58	14.23	14.54	14.70	14.87	14.43	15.07	15.22	15.41	15.52
21	14.63	14.27	13.79	14.12	14.10	14.34	14.75	14.72	15.32	15.36	15.42	15.48
22	14.42	14.45	13.72	13.90	13.92	14.36	14.66	15.09	15.55	15.43	15.38	15.30
23	14.31	14.61	13.67	13.57	13.76	14.16	14.93	15.32	15.49	15.29	15.38	15.23
24	14.43	14.69	13.67	13.50	13.94	14.21	15.26	15.47	15.37	15.18	15.29	15.18
25	14.58	14.64	13.64	13.55	14.18	14.43	15.54	15.43	15.20	15.17	15.20	15.14
26	14.69	14.73	13.64	13.65	14.52	14.68	15.55	15.43	15.03	15.13	15.10	15.09
27	14.79	14.74	13.55	13.72	14.92	14.96	15.45	15.37	14.89	15.07	15.15	14.99
28	14.88	14.63	13.62	13.94	15.10	15.18	15.29	15.25	14.77	15.02	15.12	14.84
29	14.90	14.61	13.74	14.25	---	15.25	15.19	15.05	14.75	14.95	15.07	14.81
30	14.92	14.74	13.83	14.42	---	15.25	15.05	14.98	14.71	14.95	14.91	14.88
31	14.92	---	13.92	14.57	---	15.11	---	14.98	---	14.99	14.77	---

PERIOD OF RECORD    HIGHEST    11.57    DEC 27, 1983    LOWEST    15.68    APR 13, 1987

## WATER LEVELS, SAN JOAQUIN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 380250121301602

LOCAL NUMBER 002N004E02L02M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 32 FT, PERFORATED 27-32 FT. ALTITUDE OF LSD 7.15 FT. RECORDS AVAILABLE 1983 TO 1987 (DISCONTINUED).

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.82	---	---	14.67	15.36	15.83	15.73	---	---	---	16.12	16.15
2	15.70	---	---	14.60	15.23	15.75	15.62	---	---	15.87	16.13	16.34
3	15.69	---	---	14.39	15.16	15.70	15.50	---	---	15.89	16.16	16.39
4	15.66	---	---	14.32	15.17	15.53	15.50	---	---	16.04	16.26	16.37
5	15.53	---	---	14.41	15.21	15.27	15.55	---	15.88	16.18	16.25	16.37
6	15.53	---	---	14.52	15.19	15.22	15.57	---	16.15	16.35	16.24	16.34
7	15.58	---	---	14.40	15.18	15.17	15.74	---	16.29	16.38	16.14	16.32
8	15.58	---	---	14.43	15.24	15.12	15.86	---	16.29	16.24	15.97	16.31
9	15.55	---	---	14.58	15.28	15.25	16.05	---	16.29	16.16	15.89	16.24
10	15.47	---	---	14.63	15.38	15.33	16.13	---	16.13	15.94	15.86	16.15
11	---	---	---	14.72	15.49	15.48	16.18	---	15.98	15.79	15.86	16.11
12	---	---	---	14.78	15.60	15.57	16.39	---	15.77	15.70	15.87	16.06
13	---	---	---	14.93	15.41	15.72	16.42	---	16.08	15.65	15.85	16.07
14	---	---	---	15.01	15.53	15.74	16.34	---	16.00	15.65	15.78	16.18
15	---	---	---	14.97	15.50	15.72	16.22	---	15.81	15.66	15.88	16.37
16	---	---	---	15.10	15.60	15.78	16.12	---	15.71	15.64	16.02	16.48
17	---	---	---	15.11	15.63	15.77	15.92	---	15.62	15.80	16.10	16.50
18	---	---	14.50	15.03	15.58	15.62	15.73	---	15.57	16.10	16.08	16.46
19	---	---	14.47	14.96	15.57	15.55	15.87	---	15.51	16.26	16.25	16.47
20	---	---	14.44	15.01	15.51	15.57	15.81	---	15.52	16.31	16.34	16.46
21	---	---	14.64	14.99	15.21	15.32	15.76	---	15.49	16.32	16.29	16.41
22	---	---	14.72	14.88	15.10	15.37	15.82	---	15.51	16.31	16.26	16.29
23	---	---	14.73	14.70	14.99	15.28	16.05	---	15.50	16.18	16.29	16.22
24	---	---	14.81	14.68	15.18	15.38	16.23	---	15.67	16.06	16.18	16.20
25	---	---	14.84	14.75	15.37	15.55	16.33	---	15.76	16.06	16.16	16.16
26	---	---	14.85	14.83	15.63	15.73	16.28	---	15.84	16.06	16.13	16.15
27	---	---	14.80	14.86	15.83	15.91	16.14	---	15.95	16.03	16.15	16.10
28	---	---	14.85	15.01	15.89	16.01	16.06	---	---	16.01	16.16	16.08
29	---	---	14.92	15.22	---	16.01	---	---	---	15.93	16.14	16.09
30	---	---	14.93	15.24	---	15.98	---	---	---	15.95	16.08	16.14
31	---	---	14.94	15.33	---	15.82	---	---	---	15.99	16.05	---

PERIOD OF RECORD      HIGHEST    12.60    DEC 27, 1985      LOWEST    16.50    SEP 17, 1987

WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 380250121301603

LOCAL NUMBER 002N004E02L03M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 47 FT, PERFORATED 42-47 FT. ALTITUDE OF LSD -5.71 FT. RECORDS AVAILABLE 1983 TO 1987 (DISCONTINUED).

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.09	3.08	2.92	1.91	2.40	2.89	2.77	2.95	2.95	2.78	3.13	3.25
2	3.04	3.03	2.80	1.84	2.25	2.80	2.67	2.90	2.94	2.86	3.19	3.42
3	3.05	2.88	2.63	1.61	2.17	2.71	2.53	2.92	2.78	2.93	3.26	3.48
4	2.99	2.73	2.49	1.54	2.21	2.53	2.53	2.90	2.84	3.10	3.36	3.44
5	2.88	2.61	2.35	1.61	2.26	2.28	2.58	2.91	3.04	3.31	3.33	3.43
6	2.80	2.59	2.37	1.73	2.25	2.23	2.63	2.95	3.32	3.44	3.30	3.35
7	2.72	2.62	2.20	1.59	2.25	2.21	2.83	3.09	3.43	3.42	3.13	3.33
8	2.65	2.76	2.24	1.63	2.32	2.20	3.02	3.24	3.40	3.31	2.99	3.31
9	2.64	2.95	2.21	1.63	2.38	2.35	3.21	3.36	3.40	3.20	2.90	3.24
10	2.65	3.05	2.21	1.70	2.47	2.46	3.31	3.35	3.25	2.93	2.84	3.14
11	2.72	3.11	2.14	1.81	2.58	2.62	3.35	3.30	3.06	2.76	2.85	3.09
12	2.92	3.08	2.15	1.86	2.70	2.73	3.52	3.21	2.95	2.66	2.86	3.07
13	3.13	3.00	2.09	2.04	2.45	2.83	3.53	3.08	2.77	2.61	2.83	3.13
14	3.18	2.89	1.98	2.09	2.61	2.87	3.44	2.95	2.59	2.61	2.77	3.32
15	3.11	2.91	1.95	2.05	2.56	2.79	3.32	2.76	2.69	2.61	2.93	3.50
16	2.95	2.88	1.85	2.17	2.67	2.85	3.22	2.61	2.74	2.61	3.10	3.62
17	2.94	2.78	1.80	2.17	2.65	2.83	2.97	2.56	2.85	2.82	3.22	3.60
18	2.88	2.62	1.72	2.09	2.61	2.66	2.76	2.52	3.07	3.21	3.19	3.54
19	2.80	2.58	1.71	2.03	2.58	2.58	2.92	2.52	3.24	3.37	3.30	3.53
20	2.70	2.62	1.66	2.07	2.51	2.59	2.87	2.67	3.35	3.38	3.39	3.48
21	2.66	2.57	1.87	2.05	2.26	2.34	2.86	2.95	3.44	3.33	3.34	3.43
22	2.64	2.75	1.93	1.95	2.16	2.40	2.96	3.23	3.48	3.32	3.29	3.30
23	2.60	2.89	1.93	1.73	2.11	2.35	3.20	3.37	3.39	3.16	3.28	3.25
24	2.77	2.93	1.97	1.73	2.27	2.46	3.40	3.39	3.26	3.06	3.23	3.21
25	2.92	2.89	1.98	1.83	2.48	2.69	3.48	3.31	3.13	3.05	3.16	3.17
26	3.02	2.98	2.01	1.94	2.74	2.88	3.42	3.30	2.96	3.04	3.10	3.18
27	3.11	2.99	1.95	2.01	2.91	3.05	3.32	3.25	2.85	3.00	3.16	3.12
28	3.17	2.88	2.01	2.13	2.96	3.10	3.20	3.15	2.77	2.96	3.17	3.13
29	3.16	2.84	2.11	2.30	---	3.09	3.11	2.95	2.76	2.89	3.15	3.18
30	3.12	2.91	2.14	2.28	---	3.06	2.98	2.90	2.74	2.90	3.10	3.27
31	3.06	---	2.16	2.38	---	2.91	---	2.91	---	2.97	3.09	---

PERIOD OF RECORD    HIGHEST + 0.04 DEC 27, 1983    LOWEST    3.62 SEP 16, 1987

## WATER LEVELS, SAN JOAQUIN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 380250121301604

LOCAL NUMBER 002N004E02L04M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 20 FT, PERFORATED 15-20 FT. ALTITUDE OF LSD -5.71 FT. RECORDS AVAILABLE 1983 TO 1987 (DISCONTINUED).

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.96	3.96	3.78	2.69	3.32	3.82	3.70	4.10	4.02	3.90	4.16	4.25
2	3.95	3.93	3.72	2.65	3.23	3.75	3.63	4.07	4.01	3.96	4.20	4.35
3	3.98	3.83	3.64	2.47	3.18	3.69	3.51	4.09	3.88	4.00	4.24	4.38
4	3.96	3.73	3.55	2.46	3.23	3.57	3.52	4.10	3.92	4.10	4.29	4.35
5	3.89	3.65	3.44	2.54	3.28	3.34	3.58	3.96	4.07	4.25	4.26	4.35
6	3.83	3.61	3.42	2.64	3.29	3.30	3.63	4.05	4.26	4.34	4.24	4.33
7	3.76	3.62	3.14	2.46	3.30	3.29	3.81	4.12	4.33	4.32	4.14	4.33
8	3.70	3.71	3.10	2.46	3.40	3.29	4.00	4.23	4.30	4.24	4.04	4.33
9	3.66	3.83	3.03	2.49	3.42	3.40	4.14	4.30	4.30	4.18	3.98	4.29
10	3.63	3.90	2.99	2.55	3.47	3.46	4.21	4.28	4.21	3.95	3.95	4.21
11	3.68	3.94	2.92	2.64	3.56	3.60	4.22	4.22	4.08	3.81	3.96	4.19
12	3.83	3.90	2.90	2.71	3.65	3.67	4.34	4.19	4.00	3.74	3.98	4.14
13	3.98	3.85	2.84	2.85	3.39	3.73	4.35	4.10	3.87	3.72	3.96	4.16
14	4.03	3.78	2.77	2.91	3.52	3.75	4.28	4.01	3.73	3.74	3.87	4.27
15	3.98	3.82	2.73	2.89	3.51	3.69	4.21	3.84	3.80	3.75	3.95	4.38
16	3.88	3.78	2.67	3.00	3.63	3.74	4.14	3.73	3.87	3.75	4.06	4.44
17	3.88	3.72	2.63	3.02	3.64	3.73	3.97	3.70	3.94	3.89	4.11	4.45
18	3.83	3.63	2.57	2.97	3.62	3.62	3.80	3.68	4.10	4.16	4.08	4.41
19	3.77	3.61	2.56	2.93	3.62	3.56	3.94	3.69	4.21	4.27	4.21	4.41
20	3.72	3.61	2.51	2.97	3.56	3.58	3.91	3.81	4.27	4.27	4.30	4.41
21	3.69	3.59	2.75	2.98	3.39	3.36	3.90	4.00	4.33	4.24	4.29	4.40
22	3.67	3.70	2.82	2.91	3.27	3.44	3.99	4.19	4.36	4.23	4.27	4.32
23	3.63	3.80	2.82	2.75	3.20	3.42	---	4.29	4.31	4.11	4.27	4.28
24	3.72	3.83	2.85	2.73	3.32	3.50	---	4.30	4.22	4.04	4.24	4.26
25	3.83	3.80	2.85	2.82	3.46	3.66	---	4.25	4.14	4.07	4.20	4.24
26	3.88	3.84	2.86	2.88	3.67	3.81	---	4.26	4.02	4.08	4.17	4.22
27	3.94	3.84	2.83	2.91	3.82	3.91	---	4.22	3.93	4.06	4.21	4.19
28	3.99	3.75	2.85	3.01	3.86	3.94	---	4.13	3.86	4.03	4.23	4.18
29	3.98	3.72	2.91	3.16	---	3.94	3.97	3.99	3.86	3.96	4.22	4.17
30	3.97	3.76	2.94	3.17	---	3.92	4.07	3.95	3.86	3.97	4.18	4.21
31	3.94	---	2.95	3.27	---	3.81	---	3.98	---	4.04	4.15	---

PERIOD OF RECORD      HIGHEST      0.88 DEC 27, 1985      LOWEST      4.45 SEP 17, 1987

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN LUIS OBISPO COUNTY

LOCAL NUMBER 010N025W17K01S.....	194
LOCAL NUMBER 010N025W20H01S.....	194
LOCAL NUMBER 010N025W23E01S.....	194
LOCAL NUMBER 010N026W04R01S.....	194
LOCAL NUMBER 010N036W02Q01S.....	195
LOCAL NUMBER 010N036W02Q03S.....	195
LOCAL NUMBER 010N036W02Q04S.....	195
LOCAL NUMBER 010N036W02Q07S.....	195
LOCAL NUMBER 011N036W35J02S.....	195
LOCAL NUMBER 011N036W35J03S.....	195
LOCAL NUMBER 011N036W35J04S.....	195
LOCAL NUMBER 011N036W35J05S.....	195




Figure 15.--Index map to location of wells in San Luis Obispo County.

WATER LEVELS, SAN LUIS OBISPO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345644119341501

LOCAL NUMBER 010N025W17K01S

EAST OF CUYAMA, NORTH OF HWY 166. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 304 FT. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1947, 1955, 1966, 1968, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 25, 1987	198.73 S
PERIOD OF RECORD	HIGHEST 49.10 OCT 23, 1947      LOWEST 217.74 DEC 11, 1968

SITE NUMBER 345604119340001

LOCAL NUMBER 010N025W20H01S

ABOUT 1.4 MI EAST OF CUYAMA NEAR HWY 166. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 656 FT IN 1946, PERFORATED 108-656 FT. ALTITUDE OF LSD 2335 FT. RECORDS AVAILABLE 1946-47, 1956, 1961, 1966, 1968, 1979-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 25, 1987	304.96 S
PERIOD OF RECORD	HIGHEST 59.00 JUL 08, 1946      LOWEST 336.49 APR 26, 1979

SITE NUMBER 345612119313001

LOCAL NUMBER 010N025W23E01S

ABOUT 5 MI EAST OF CUYAMA. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 810 FT, PERFORATED 175-810 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1947-48, 1953, 1955, 1966, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 25, 1987	355.10 T
PERIOD OF RECORD	HIGHEST 106.10 FEB 10, 1947      LOWEST 364.95 APR 22, 1983

SITE NUMBER 345822119391801

LOCAL NUMBER 010N026W04R01S

ABOUT 3.15 MI NORTHWEST OF CUYAMA. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 238 FT, PERFORATED 108-232 FT. ALTITUDE OF LSD 2116 FT. RECORDS AVAILABLE 1947, 1955, 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 24, 1987	84.98 S
PERIOD OF RECORD	HIGHEST 18.60 APR 13, 1955      LOWEST 84.98 APR 24, 1987



## WATER QUALITY, SAN LUIS OBISPO COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
				(US/CM)					
010N036W02Q01S	10-21-86	1320	671.00	1070	--	22.0	480	280	110
010N036W02Q03S	10-21-86	1350	444.00	960	--	18.0	430	220	99
010N036W02Q04S	10-21-86	1415	378.00	950	--	19.5	380	180	85
010N036W02Q07S	11-04-86	1200	47.00	1120	--	17.0	460	190	110
011N036W35J02S	10-21-86	1140	615.00	1060	7.20	20.0	470	250	110
011N036W35J03S	10-21-86	1105	495.00	1580	--	18.0	700	470	170
011N036W35J04S	10-21-86	1020	228.00	1790	--	17.0	910	630	220
011N036W35J05S	10-21-86	1230	138.00	1470	--	17.0	700	450	170
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	
010N036W02Q01S	51	53	19	1	3.0	207	370	29	0.20
010N036W02Q03S	44	46	19	1	2.9	212	300	22	0.20
010N036W02Q04S	41	43	20	1	2.5	205	290	21	0.20
010N036W02Q07S	44	75	26	2	4.5	269	160	160	0.40
011N036W35J02S	47	54	20	1	3.3	215	370	32	0.20
011N036W35J03S	68	86	21	1	3.5	236	570	62	0.40
011N036W35J04S	88	93	18	1	4.2	287	690	78	0.40
011N036W35J05S	66	78	20	1	3.4	243	520	53	0.40
	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	
010N036W02Q01S	42	785	0.460	--	<0.010	130	6	<1	
010N036W02Q03S	37	680	0.440	--	<0.010	140	12	1	
010N036W02Q04S	31	639	0.540	0.03	0.010	130	16	<1	
010N036W02Q07S	29	751	<0.100	0.25	0.080	160	3000	380	
011N036W35J02S	40	788	0.490	--	<0.010	150	7	1	
011N036W35J03S	31	1150	3.10	0.03	0.010	210	10	<1	
011N036W35J04S	30	1390	2.50	0.06	0.020	220	12	3	
011N036W35J05S	29	1070	1.10	0.12	0.040	190	26	34	

&lt; Actual value is known to be less than value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY

LOCAL NUMBER 004N025W19F04S.....	200	LOCAL NUMBER 004N027W21B01S.....	211
LOCAL NUMBER 004N025W19H01S.....	200	LOCAL NUMBER 004N027W22B02S.....	211, 265
LOCAL NUMBER 004N025W19J05S.....	200	LOCAL NUMBER 004N027W22B03S.....	212, 265
LOCAL NUMBER 004N025W19M03S.....	200	LOCAL NUMBER 004N027W22B04S.....	212, 265
LOCAL NUMBER 004N025W20K03S.....	201	LOCAL NUMBER 004N027W22B05S.....	212, 265
LOCAL NUMBER 004N025W20L04S.....	201	LOCAL NUMBER 004N027W23D01S.....	265
LOCAL NUMBER 004N025W21N01S.....	201	LOCAL NUMBER 004N027W23E01S.....	212, 265
LOCAL NUMBER 004N025W21N04S.....	201	LOCAL NUMBER 004N027W23E02S.....	213, 265
LOCAL NUMBER 004N025W21R01S.....	202	LOCAL NUMBER 004N027W23E03S.....	213, 265
LOCAL NUMBER 004N025W22R01S.....	202	LOCAL NUMBER 004N027W23E04S.....	213, 265
LOCAL NUMBER 004N025W22R04S.....	202	LOCAL NUMBER 004N027W23E05S.....	213, 265
LOCAL NUMBER 004N025W23P01S.....	202	LOCAL NUMBER 004N027W23E06S.....	214, 265, 268
LOCAL NUMBER 004N025W26A01S.....	203	LOCAL NUMBER 004N027W23F02S.....	214, 268
LOCAL NUMBER 004N025W27F02S.....	203	LOCAL NUMBER 004N027W23F03S.....	214, 268
LOCAL NUMBER 004N025W27G01S.....	203	LOCAL NUMBER 004N027W23F04S.....	215, 268
LOCAL NUMBER 004N025W27Q02S.....	203	LOCAL NUMBER 004N027W23F05S.....	215, 268
LOCAL NUMBER 004N025W28F07S.....	204	LOCAL NUMBER 004N027W23F06S.....	215, 268
LOCAL NUMBER 004N025W28F08S.....	204	LOCAL NUMBER 004N027W23F07S.....	216, 268
LOCAL NUMBER 004N025W28F09S.....	204	LOCAL NUMBER 004N027W23H01S.....	216
LOCAL NUMBER 004N025W28F10S.....	204	LOCAL NUMBER 004N027W23H03S.....	216, 268, 271
LOCAL NUMBER 004N025W28J01S.....	205	LOCAL NUMBER 004N027W23H04S.....	216, 271
LOCAL NUMBER 004N025W28M01S.....	205	LOCAL NUMBER 004N028W01R02S.....	217
LOCAL NUMBER 004N025W29D01S.....	205	LOCAL NUMBER 004N028W02P03S.....	217
LOCAL NUMBER 004N025W29D07S.....	205	LOCAL NUMBER 004N028W02Q01S.....	217
LOCAL NUMBER 004N025W29L01S.....	206	LOCAL NUMBER 004N028W12H03S.....	271
LOCAL NUMBER 004N025W29R01S.....	206	LOCAL NUMBER 004N028W12H04S.....	218
LOCAL NUMBER 004N025W30D01S.....	206	LOCAL NUMBER 004N028W12L06S.....	218
LOCAL NUMBER 004N025W35E01S.....	206	LOCAL NUMBER 004N028W12P05S.....	218
LOCAL NUMBER 004N026W23A02S.....	207	LOCAL NUMBER 004N028W12R03S.....	271
LOCAL NUMBER 004N027W05P01S.....	207	LOCAL NUMBER 004N028W16J05S.....	219
LOCAL NUMBER 004N027W07D01S.....	207, 265	LOCAL NUMBER 004N030W01G01S.....	219
LOCAL NUMBER 004N027W07G07S.....	265	LOCAL NUMBER 005N029W31C01S.....	219
LOCAL NUMBER 004N027W07H05S.....	265	LOCAL NUMBER 005N030W19E01S.....	219
LOCAL NUMBER 004N027W07Q05S.....	207	LOCAL NUMBER 005N030W28R01S.....	220
LOCAL NUMBER 004N027W07R03S.....	208	LOCAL NUMBER 005N030W30N02S.....	220
LOCAL NUMBER 004N027W08E01S.....	208	LOCAL NUMBER 005N031W35B01S.....	220
LOCAL NUMBER 004N027W08L03S.....	265	LOCAL NUMBER 005N032W35F01S.....	220
LOCAL NUMBER 004N027W08R02S.....	208, 265	LOCAL NUMBER 006N029W05A01S.....	221
LOCAL NUMBER 004N027W09M01S.....	208	LOCAL NUMBER 006N029W06F01S.....	221
LOCAL NUMBER 004N027W14K02S.....	209	LOCAL NUMBER 006N029W06G01S.....	221
LOCAL NUMBER 004N027W14P01S.....	209	LOCAL NUMBER 006N029W07L01S.....	221
LOCAL NUMBER 004N027W14R01S.....	209	LOCAL NUMBER 006N029W08P01S.....	222
LOCAL NUMBER 004N027W15E01S.....	209	LOCAL NUMBER 006N029W08P02S.....	222, 271
LOCAL NUMBER 004N027W15K01S.....	210	LOCAL NUMBER 006N029W09J01S.....	222
LOCAL NUMBER 004N027W16E02S.....	210	LOCAL NUMBER 006N030W01R03S.....	222
LOCAL NUMBER 004N027W16R01S.....	210, 265	LOCAL NUMBER 006N030W07G05S.....	223
LOCAL NUMBER 004N027W17J01S.....	210, 265	LOCAL NUMBER 006N030W07G06S.....	223
LOCAL NUMBER 004N027W17M01S.....	265	LOCAL NUMBER 006N030W09N01S.....	223
LOCAL NUMBER 004N027W18Q01S.....	211	LOCAL NUMBER 006N031W01P02S.....	223
LOCAL NUMBER 004N027W18Q04S.....	211	LOCAL NUMBER 006N031W01P03S.....	224

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

LOCAL NUMBER 006N031W02K01S.....	224	LOCAL NUMBER 007N034W20K06S.....	271, 276
LOCAL NUMBER 006N031W03A01S.....	224	LOCAL NUMBER 007N034W20L03S.....	271
LOCAL NUMBER 006N031W10F01S.....	224	LOCAL NUMBER 007N034W20M02S.....	236
LOCAL NUMBER 006N031W11D04S.....	225	LOCAL NUMBER 007N034W22J06S.....	236
LOCAL NUMBER 006N031W13D01S.....	225	LOCAL NUMBER 007N034W24N01S.....	236
LOCAL NUMBER 006N031W16N02S.....	225	LOCAL NUMBER 007N034W26H03S.....	236
LOCAL NUMBER 006N032W02Q01S.....	225	LOCAL NUMBER 007N034W27F04S.....	237
LOCAL NUMBER 006N032W06K01S.....	226	LOCAL NUMBER 007N034W27P05S.....	271
LOCAL NUMBER 006N032W11L03S.....	226	LOCAL NUMBER 007N034W29E04S.....	237
LOCAL NUMBER 006N032W16P03S.....	226	LOCAL NUMBER 007N034W30L03S.....	237
LOCAL NUMBER 006N032W18H01S.....	226	LOCAL NUMBER 007N034W31C03S.....	237
LOCAL NUMBER 006N033W11M01S.....	227	LOCAL NUMBER 007N034W35F02S.....	238
LOCAL NUMBER 006N034W01P01S.....	227	LOCAL NUMBER 007N034W35K09S.....	238
LOCAL NUMBER 006N034W06C01S.....	227	LOCAL NUMBER 007N035W17G01S.....	271
LOCAL NUMBER 007N024W13C02S.....	227	LOCAL NUMBER 007N035W17K01S.....	238
LOCAL NUMBER 007N029W28D01S.....	228	LOCAL NUMBER 007N035W17K20S.....	238, 271
LOCAL NUMBER 007N030W16B01S.....	228	LOCAL NUMBER 007N035W17M01S.....	239
LOCAL NUMBER 007N030W22E01S.....	228	LOCAL NUMBER 007N035W17Q06S.....	239, 271
LOCAL NUMBER 007N030W27H01S.....	228	LOCAL NUMBER 007N035W18H01S.....	239
LOCAL NUMBER 007N030W29D01S.....	229	LOCAL NUMBER 007N035W18J02S.....	239
LOCAL NUMBER 007N030W29N02S.....	229	LOCAL NUMBER 007N035W21G02S.....	240, 271
LOCAL NUMBER 007N030W30M01S.....	229	LOCAL NUMBER 007N035W22J01S.....	240
LOCAL NUMBER 007N030W32R01S.....	229	LOCAL NUMBER 007N035W22L01S.....	240
LOCAL NUMBER 007N030W33M01S.....	271	LOCAL NUMBER 007N035W22M01S.....	240
LOCAL NUMBER 007N030W33M02S.....	230	LOCAL NUMBER 007N035W23B02S.....	241, 271
LOCAL NUMBER 007N030W34G01S.....	271	LOCAL NUMBER 007N035W23E02S.....	241
LOCAL NUMBER 007N030W35R01S.....	230	LOCAL NUMBER 007N035W24J04S.....	241
LOCAL NUMBER 007N031W22A03S.....	230	LOCAL NUMBER 007N035W24K05S.....	241
LOCAL NUMBER 007N031W23P01S.....	230	LOCAL NUMBER 007N035W25F05S.....	242
LOCAL NUMBER 007N031W35K01S.....	231	LOCAL NUMBER 007N035W25F06S.....	242
LOCAL NUMBER 007N031W36L02S.....	231	LOCAL NUMBER 007N035W25F07S.....	242
LOCAL NUMBER 007N032W07B01S.....	231	LOCAL NUMBER 007N035W26F04S.....	242, 271
LOCAL NUMBER 007N033W19D01S.....	231	LOCAL NUMBER 007N035W27F01S.....	243
LOCAL NUMBER 007N033W27G01S.....	232	LOCAL NUMBER 007N035W27H01S.....	243
LOCAL NUMBER 007N033W27J01S.....	232	LOCAL NUMBER 007N035W27P01S.....	243
LOCAL NUMBER 007N033W36J01S.....	232	LOCAL NUMBER 007N035W30G01S.....	243
LOCAL NUMBER 007N033W36J02S.....	232	LOCAL NUMBER 007N035W31J01S.....	244
LOCAL NUMBER 007N034W09H05S.....	233	LOCAL NUMBER 007N035W32N01S.....	244
LOCAL NUMBER 007N034W09H06S.....	233	LOCAL NUMBER 007N035W33J01S.....	244
LOCAL NUMBER 007N034W12E01S.....	233	LOCAL NUMBER 007N035W33J02S.....	244, 271
LOCAL NUMBER 007N034W14F03S.....	233	LOCAL NUMBER 007N035W33J03S.....	245
LOCAL NUMBER 007N034W14L01S.....	234	LOCAL NUMBER 007N035W33J04S.....	271
LOCAL NUMBER 007N034W15D01S.....	234	LOCAL NUMBER 007N035W35A03S.....	245
LOCAL NUMBER 007N034W15D02S.....	234	LOCAL NUMBER 008N031W25Q01S.....	245
LOCAL NUMBER 007N034W15E01S.....	234	LOCAL NUMBER 008N032W25D01S.....	245
LOCAL NUMBER 007N034W15P01S.....	235	LOCAL NUMBER 008N032W27H01S.....	271
LOCAL NUMBER 007N034W19C03S.....	235, 271, 276	LOCAL NUMBER 008N032W27P02S.....	271
LOCAL NUMBER 007N034W19C04S.....	235, 271, 276	LOCAL NUMBER 008N032W28P01S.....	246
LOCAL NUMBER 007N034W19J06S.....	271, 276	LOCAL NUMBER 008N032W29L03S.....	271
LOCAL NUMBER 007N034W20K04S.....	235	LOCAL NUMBER 008N032W30D01S.....	246

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

LOCAL NUMBER 008N033W19G02S.....	271	LOCAL NUMBER 009N034W03A02S.....	256
LOCAL NUMBER 008N033W19K01S.....	246	LOCAL NUMBER 009N034W03F01S.....	256
LOCAL NUMBER 008N033W20Q02S.....	246	LOCAL NUMBER 009N034W03N01S.....	256
LOCAL NUMBER 008N033W20R01S.....	247	LOCAL NUMBER 009N034W06C01S.....	256
LOCAL NUMBER 008N033W22E01S.....	271	LOCAL NUMBER 009N034W06K02S.....	257
LOCAL NUMBER 008N033W23Q02S.....	247	LOCAL NUMBER 009N034W08H01S.....	257
LOCAL NUMBER 008N033W24B02S.....	271	LOCAL NUMBER 009N034W09R01S.....	257
LOCAL NUMBER 008N034W02M01S.....	271	LOCAL NUMBER 009N034W15Q01S.....	257
LOCAL NUMBER 008N034W09K01S.....	247	LOCAL NUMBER 009N034W34P01S.....	258
LOCAL NUMBER 008N034W14L01S.....	247	LOCAL NUMBER 010N025W29K02S.....	258
LOCAL NUMBER 008N034W15F02S.....	248	LOCAL NUMBER 010N025W30F01S.....	258
LOCAL NUMBER 008N034W15F04S.....	248	LOCAL NUMBER 010N026W09R03S.....	271
LOCAL NUMBER 008N034W16C01S.....	248	LOCAL NUMBER 010N026W15N01S.....	258
LOCAL NUMBER 008N034W16C02S.....	248	LOCAL NUMBER 010N026W20M01S.....	259
LOCAL NUMBER 008N034W16C03S.....	249	LOCAL NUMBER 010N026W21G01S.....	271
LOCAL NUMBER 008N034W16C04S.....	249	LOCAL NUMBER 010N027W11A03S.....	259
LOCAL NUMBER 008N034W16C05S.....	271	LOCAL NUMBER 010N033W07M01S.....	259
LOCAL NUMBER 008N034W16D02S.....	249	LOCAL NUMBER 010N033W07Q02S.....	259
LOCAL NUMBER 008N034W16F01S.....	249	LOCAL NUMBER 010N033W07R01S.....	260
LOCAL NUMBER 008N034W16G02S.....	250	LOCAL NUMBER 010N033W16N02S.....	260
LOCAL NUMBER 008N034W16G03S.....	250	LOCAL NUMBER 010N033W19K01S.....	260
LOCAL NUMBER 008N034W16J01S.....	250	LOCAL NUMBER 010N033W20H01S.....	260
LOCAL NUMBER 008N034W17E01S.....	250	LOCAL NUMBER 010N033W20L01S.....	261
LOCAL NUMBER 008N034W17G01S.....	251	LOCAL NUMBER 010N033W21R01S.....	271
LOCAL NUMBER 008N034W17H01S.....	251	LOCAL NUMBER 010N033W27K02S.....	261
LOCAL NUMBER 008N034W17K02S.....	251	LOCAL NUMBER 010N033W27R01S.....	261
LOCAL NUMBER 008N034W17Q01S.....	251	LOCAL NUMBER 010N033W28F01S.....	261
LOCAL NUMBER 008N034W21A01S.....	252	LOCAL NUMBER 010N033W33H01S.....	262
LOCAL NUMBER 008N034W22F01S.....	252	LOCAL NUMBER 010N033W36A01S.....	262
LOCAL NUMBER 008N034W23B01S.....	252	LOCAL NUMBER 010N034W13C01S.....	262
LOCAL NUMBER 008N034W24E01S.....	271	LOCAL NUMBER 010N034W13G01S.....	262
LOCAL NUMBER 008N035W12M01S.....	252, 271	LOCAL NUMBER 010N034W13J01S.....	263
LOCAL NUMBER 009N024W33M01S.....	253, 271	LOCAL NUMBER 010N034W14E05S.....	263
LOCAL NUMBER 009N025W13B01S.....	253	LOCAL NUMBER 010N034W26H02S.....	271
LOCAL NUMBER 009N025W27C01S.....	253	LOCAL NUMBER 010N034W29N01S.....	271
LOCAL NUMBER 009N026W01F03S.....	253	LOCAL NUMBER 010N034W31L02S.....	263
LOCAL NUMBER 009N032W07A01S.....	254	LOCAL NUMBER 010N035W09F01S.....	263
LOCAL NUMBER 009N032W08N01S.....	271	LOCAL NUMBER 010N035W14C02S.....	271
LOCAL NUMBER 009N032W16L01S.....	254	LOCAL NUMBER 010N035W14P01S.....	264
LOCAL NUMBER 009N032W17G01S.....	254	LOCAL NUMBER 010N035W18F02S.....	264
LOCAL NUMBER 009N032W19A01S.....	254		
LOCAL NUMBER 009N032W23K01S.....	255		
LOCAL NUMBER 009N032W33M01S.....	255		
LOCAL NUMBER 009N033W24L01S.....	255		
LOCAL NUMBER 009N033W28M01S.....	255		




Figure 16.--Index map to location of wells in Santa Barbara County.

WATER LEVELS, SANTA BARBARA COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342501119323101

LOCAL NUMBER 004N025W19F04S

ABOUT 1.2 MI EAST OF NIDEVER ROAD AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 8 IN, DEPTH 250 FT IN 1941. ALTITUDE OF LSD 106 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	86.54 S	JAN 22, 1987	87.88 S	APR 20, 1987	83.85 S	AUG 31, 1987	92.96 S
NOV 25	88.58 S	FEB 16	86.95 S	MAY 20	85.08 S	SEP 24	94.55 S
DEC 17	88.42 S	MAR 20	84.83 S	JUN 16	87.40 S		
PERIOD OF RECORD	HIGHEST	52.93	MAR 22, 1983	LOWEST	123.40	MAR 22, 1950	

SITE NUMBER 342503119320101

LOCAL NUMBER 004N025W19H01S

EAST OF CRAVENS LANE AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 360 FT IN 1949. ALTITUDE OF LSD 120 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1948-50, 1956, 1972, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	89.35 S	JAN 20, 1987	87.90 S	APR 20, 1987	82.77 S	AUG 27, 1987	96.67 S
NOV 25	92.09 S	FEB 16	85.65 S	MAY 20	88.30 S	SEP 24	98.34 S
DEC 17	90.68 S	MAR 20	83.63 S	JUN 16	91.44 S		
PERIOD OF RECORD	HIGHEST	62.74	JUN 16, 1983	LOWEST	112.14	DEC 12, 1949	

SITE NUMBER 342446119315701

LOCAL NUMBER 004N025W19J05S

SOUTH OF FOOTHILL ROAD AND EAST OF CRAVENS LANE. DRILLED ARTESIAN WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 55 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING AUGUST 1978. RECORDS AVAILABLE 1941-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1986	52.98 S	JAN 23, 1987	50.28 S	MAY 20, 1987	50.35 S	SEP 28, 1987	62.28 S
DEC 17	53.23 S	APR 20	44.85 S	JUN 19	53.77 SR		
PERIOD OF RECORD	HIGHEST	20.67	MAY 17, 1983	LOWEST	92.95	SEP 25, 1951	

SITE NUMBER 342448119323601

LOCAL NUMBER 004N025W19M03S

WEST OF CRAVANS LANE AND SOUTH OF FOOTHILL ROAD. DRILLED ARTESIAN WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 65 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	56.08 S	JAN 22, 1987	55.67 S	APR 20, 1987	51.82 S	AUG 31, 1987	63.10 SS
NOV 25	56.96 S	FEB 16	54.33 S	MAY 20	54.03 S	SEP 24	63.47 S
DEC 17	56.85 S	MAR 19	52.44 S	JUN 16	56.46 S		
PERIOD OF RECORD	HIGHEST	29.66	MAR 22, 1983	LOWEST	88.28	DEC 14, 1949	

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342440119310601

LOCAL NUMBER 004N025W20K03S

AT CARPINTERIA HIGH SCHOOL. DRILLED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 408 FT IN 1949. ALTITUDE OF LSD 60 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	32.66 S	JAN 22, 1987	33.46 S	APR 20, 1987	27.55 S	AUG 27, 1987	41.84 S
NOV 26	34.96 S	FEB 18	30.42 S	MAY 20	31.85 S	SEP 24	41.35 S
DEC 17	35.53 S	MAR 20	28.58 S	JUN 16	35.19 S		

PERIOD OF RECORD    HIGHEST    0.32    JUN 17, 1983    LOWEST    70.90    NOV 22, 1950

SITE NUMBER 342451119313001

LOCAL NUMBER 004N025W20L04S

ABOUT 60 FT EAST OF SANTA MONICA CREEK AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 264 FT, PERFORATED 62-254 FT. ALTITUDE OF LSD 111 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS AVAILABLE 1947, 1949 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	103.06 S	JAN 22, 1987	103.98 S	APR 20, 1987	97.10 S	AUG 19, 1987	111.48 S
NOV 25	105.42 S	FEB 16	101.15 S	MAY 20	100.29 S	SEP 24	114.78 S
DEC 17	106.05 S	MAR 20	98.82 S	JUN 16	104.05 S		

PERIOD OF RECORD    HIGHEST    71.04    JUN 15, 1983    LOWEST    153.17    SEP 25, 1951

SITE NUMBER 342428119304201

LOCAL NUMBER 004N025W21N01S

ABOUT 100 FT NORTH OF FOOTHILL ROAD AND 700 FT EAST OF LINDEN AVENUE. DRILLED IRRIGATION WELL. DIAM 12 TO 6 IN, DEPTH 405 FT. ALTITUDE OF LSD 44 FT. RECORDS AVAILABLE 1936, 1938, 1941-42, 1945-46, 1949-50, 1959, 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	12.96 S	JAN 22, 1987	9.52 S	APR 21, 1987	12.80 S	AUG 24, 1987	30.63 S
NOV 26	17.61 S	FEB 16	7.42 S	MAY 20	27.27 S	SEP 24	34.44 S
DEC 18	12.81 S	MAR 23	5.78 S	JUN 15	29.81 S		

PERIOD OF RECORD    HIGHEST    +0.29    JUL 21, 1982    LOWEST    67.14    NOV 22, 1950

SITE NUMBER 342425119303302

LOCAL NUMBER 004N025W21N04S

IN CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 406 FT. ALTITUDE OF LSD 60 FT. RECORDS AVAILABLE 1949, 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	16.58 S	JAN 22, 1987	12.34 S	APR 21, 1987	21.49 S	AUG 25, 1987	54.48 S
NOV 26	21.34 S	FEB 18	10.57 S	MAY 21	38.10 S	SEP 24	58.87 S
DEC 18	15.71 S	MAR 23	9.10 S	JUN 16	37.75 S		

PERIOD OF RECORD    HIGHEST    0.22    SEP 17, 1982    LOWEST    58.87    SEP 24, 1987

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342427119294601

LOCAL NUMBER 004N025W21R01S

NORTHEAST OF CARPINTERIA. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 468 FT, CASED TO 434 FT, PERFORATED 82-90, 120-150, 170-176, 239-240, 289-304, 314-318, 340-341, 356-386, 412-416 FT. ALTITUDE OF LSD 127 FT. MEASUREMENTS BEGINNING 2/15/78 COLLECTED BY U.S. GEOLOGICAL SURVEY AND CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1986	55.78 S	JAN 22, 1987	55.82 S	APR 21, 1987	53.35 S	AUG 24, 1987	69.10 S
NOV 26	60.96 S	FEB 18	54.28 S	MAY 20	59.96 S	SEP 24	71.12 S
DEC 17	58.10 S	MAR 23	52.71 S	JUN 16	63.06 S		

PERIOD OF RECORD    HIGHEST    30.28    FEB 17, 1984    LOWEST    126.08    NOV 26, 1951

SITE NUMBER 342429119284901

LOCAL NUMBER 004N025W22R01S

EAST OF CARPINTERIA. DIAM UNKNOWN, DEPTH 128.9 FT IN 1941. ALTITUDE OF LSD 211 FT. MEASUREMENTS BEGINNING 1/25/78 COLLECTED BY USGS AND CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941-44, 1949-50, 1956 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1986	25.25 SS	JAN 22, 1987	20.60 S	APR 21, 1987	20.86 S	SEP 24, 1987	40.63 S
NOV 26	23.59 S	FEB 17	19.18 S	MAY 21	27.06 S		
DEC 17	22.08 SS	MAR 23	16.00 S	JUN 16	29.67 S		

PERIOD OF RECORD    HIGHEST    11.26    APR 06, 1944    LOWEST    115.14    OCT 30, 1961

SITE NUMBER 342430119284701

LOCAL NUMBER 004N025W22R04S

EAST OF LILLINGSTON CANYON ROAD IN CARPINTERIA. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH REPORTED 504 FT, PERFORATED 192-504 FT. ALTITUDE OF LSD 218 FT. RECORDS AVAILABLE 1949, 1950, 1956, 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 26, 1986	15.89 S	MAR 23, 1987	10.80 S	JUN 16, 1987	25.65 S
JAN 22, 1987	14.42 S	APR 21	17.63 S	AUG 24	36.67 S
FEB 17	12.55 S	MAY 21	27.04 S	SEP 24	35.92 S

PERIOD OF RECORD    HIGHEST    7.26    MAY 16, 1983    LOWEST    97.43    NOV 24, 1950

SITE NUMBER 342427119281701

LOCAL NUMBER 004N025W23P01S

EAST OF CARPINTERIA. DRILLED OBSERVATION WELL. DIAM 10 IN, DEPTH 465 FT. ALTITUDE OF LSD 480 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1945-46, 1948-50, 1954-55, 1959, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1986	220.30 S	JAN 23, 1987	212.40 S	APR 21, 1987	212.79 S	AUG 25, 1987	225.97 S
NOV 26	216.27 S	FEB 17	211.46 S	MAY 21	214.32 S	SEP 24	229.44 S
DEC 18	215.82 S	MAR 23	209.80 S	JUN 16	223.20 S		

PERIOD OF RECORD    HIGHEST    204.85    JAN 17, 1984    LOWEST    341.80    DEC 14, 1949



WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342414119274201

LOCAL NUMBER 004N025W26A01S

NORTH OF SHEPHERD ROAD AND WEST OF JUNCTION HWY 150. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 480 FT, PERFORATED 228-480 FT. ALTITUDE OF LSD 420 FT. MEASUREMENTS BEGINNING IN 1978 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1944 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1986	188.66 S	JAN 22, 1987	184.65 S	APR 21, 1987	183.90 S	AUG 24, 1987	193.98 S
NOV 26	187.55 S	FEB 17	183.55 S	MAY 22	185.79 S	SEP 25	196.70 S
DEC 18	186.63 S	MAR 20	181.93 S	JUN 17	187.77 S		

PERIOD OF RECORD    HIGHEST    174.44    JAN 17, 1984    LOWEST    387.00    NOV 28, 1955

SITE NUMBER 342404119291201

LOCAL NUMBER 004N025W27F02S

SOUTH OF LILLINGSTON CYN ROAD AND WEST OF CASITAS PASS ROAD. PUBLIC SUPPLY WELL. DIAM 10-14 IN, DEPTH 1150 FT, PERFORATED 455-801 FT. ALTITUDE OF LSD 140 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1975, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 23, 1987	76.12 S	FEB 16, 1987	72.55 S	MAR 23, 1987	67.87 S	APR 21, 1987	67.55 S

PERIOD OF RECORD    HIGHEST    31.57    MAR 14, 1984    LOWEST    115.10    DEC 19, 1977

SITE NUMBER 342400119285401

LOCAL NUMBER 004N025W27G01S

NORTH OF CASITAS PASS ROAD AND SOUTH OF GOBENADOR CREEK. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 174 FT. MEASUREMENTS BEGINNING IN 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1949, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1986	120.32 SS	JAN 23, 1987	104.93 S	APR 21, 1987	97.38 S	AUG 24, 1987	119.67 S
NOV 26	109.35 S	FEB 18	102.13 S	MAY 22	108.08 S	SEP 24	124.20 S
DEC 19	111.62 S	MAR 23	96.80 S	JUN 17	112.05 S		

PERIOD OF RECORD    HIGHEST    6.40    JUN 19, 1941    LOWEST    124.20    DEC 19, 1977    SEP 24, 1987

SITE NUMBER 342339119290801

LOCAL NUMBER 004N025W27Q02S

SOUTH OF CASITAS PASS ROAD AND EAST OF CARPINTERIA CREEK. DRILLED OBSERVATION WELL. DIAM 10 IN, DEPTH 198 FT. ALTITUDE OF LSD 127 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1986	75.14 SS	DEC 18, 1986	76.25 S	FEB 16, 1987	76.25 S	APR 21, 1987	75.87 S
NOV 26	75.88 S	JAN 23, 1987	76.46 S	MAR 23	75.72 S		

PERIOD OF RECORD    HIGHEST    64.87    MAY 21, 1985    LOWEST    131.35    JAN 30, 1941

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342409119302101

LOCAL NUMBER 004N025W28F07S

ON CORNER OF CASITAS PASS ROAD AND SHEMA STREET. DRILLED PUBLIC SUPPLY ARTESIAN WELL.  
DIAM 16 IN 0-290 FT, 10 IN 290-1245 FT, DEPTH 1271 FT, CASED TO 1245 FT, PERFORATED 310-350,  
400-420, 890-930, 1140-1180, 1210-1230 FT. ALTITUDE OF LSD 60 FT. MEASUREMENTS FURNISHED BY  
CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 26, 1986	55.57	S	FEB 16, 1987	26.65	S	MAY 22, 1987	237.97	SP
DEC 18	39.63	S	MAR 20	24.46	S	JUN 17	239.81	SP
JAN 23, 1987	29.54	S	APR 21	231.46	SP	SEP 29	236.00	P
PERIOD OF RECORD	HIGHEST		8.40	JAN 19, 1981		LOWEST	55.57	NOV 26, 1986

SITE NUMBER 342407119302201

LOCAL NUMBER 004N025W28F08S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMA STREET. DRILLED TEST ARTESIAN  
WELL. DIAM UNKNOWN, DEPTH 300 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY  
CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 20, 1986	66.11	SS	JAN 23, 1987	64.60	S	APR 21, 1987	63.34	SS	SEP 29, 1987	61.6	RS
NOV 26	65.46	S	FEB 18	64.28	S	MAY 22	62.87	SS			
DEC 18	65.16	S	MAR 23	63.69	S	JUN 17	62.50	SS			
PERIOD OF RECORD	HIGHEST		1.00	FEB 18, 1981		MAR 17, 1981	APR 20, 1981		MAY 15, 1981		
	LOWEST		78.91	FEB 03, 1986							

SITE NUMBER 342407119302202

LOCAL NUMBER 004N025W28F09S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMA STREET. DRILLED OBSERVATION ARTESIAN  
WELL. DIAM UNKNOWN, DEPTH 900 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY  
CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 20, 1986	21.69	SS	JAN 23, 1987	22.92	S	APR 21, 1987	22.60	SS	SEP 29, 1987	27.39	SS
NOV 26	22.80	S	FEB 18	22.80	S	MAY 22	23.41	SS			
DEC 18	22.94	S	MAR 23	22.60	S	JUN 17	24.08	SS			
PERIOD OF RECORD	HIGHEST		7.43	MAY 15, 1981		LOWEST	27.39	SEP 29, 1987			

SITE NUMBER 342407119302203

LOCAL NUMBER 004N025W28F10S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMA STREET. DRILLED OBSERVATION ARTESIAN  
WELL. DIAM UNKNOWN, DEPTH 1140 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY  
CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 20, 1986	10.89	SS	JAN 23, 1987	11.82	S	APR 21, 1987	11.85	SS	SEP 29, 1987	15.14	SS
NOV 26	11.58	S	FEB 18	11.87	S	MAY 22	12.32	SS			
DEC 18	11.66	S	MAR 23	11.90	S	JUN 17	12.82	SS			
PERIOD OF RECORD	HIGHEST		1.78	MAR 17, 1982		LOWEST	16.59	JUN 19, 1985			

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342357119295501

LOCAL NUMBER 004N025W28J01S

EAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 175 FT. ALTITUDE OF LSD 89 FT. MEASUREMENTS BEGINNING IN 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1919, 1930, 1937-38, 1940-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	42.15 S	JAN 23, 1987	40.66 S	APR 21, 1987	42.03 S	AUG 18, 1987	55.92 S
NOV 26	44.46 S	FEB 16	39.63 S	MAY 21	47.97 S		
DEC 18	43.00 S	MAR 23	38.25 S	JUN 16	51.48 S		
PERIOD OF RECORD    HIGHEST    14.44    JAN 16, 1984    LOWEST    138.20    OCT 24, 1960							

SITE NUMBER 342354119303001

LOCAL NUMBER 004N025W28M01S

ABOUT 1700 FT NORTHEAST OF U.S. HWY 101 AND 200 FT NORTHWEST OF CASITAS PASS ROAD. DRILLED OBSERVATION ARTESIAN WELL. DIAM 2 IN, DEPTH 151.7 FT. ALTITUDE OF LSD 57 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1986	10.11 S	JAN 23, 1987	8.79 S	APR 21, 1987	5.54 S	AUG 17, 1987	25.47 S
NOV 26	14.73 S	FEB 18	6.63 S	MAY 22	17.33 S	SEP 28	27.61 S
DEC 19	9.93 S	MAR 20	5.07 S	JUN 17	22.51 S		
PERIOD OF RECORD    HIGHEST    +0.75    MAR 25, 1986    LOWEST    95.61    OCT 31, 1951							

SITE NUMBER 342418119314601

LOCAL NUMBER 004N025W29D01S

ABOUT 1 MI NORTH OF HWY 101 ON WEST SIDE OF SANTA MONICA ROAD. DRILLED DOMESTIC ARTESIAN WELL. DIAM 12 IN, DEPTH 147 FT. ALTITUDE OF LSD 17 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS AVAILABLE 1938, 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	13.55 SS	JAN 23, 1987	10.67 S	APR 20, 1987	5.08 S	AUG 17, 1987	21.69 SS
NOV 25	15.55 SS	FEB 16	8.13 S	MAY 20	13.29 SS	SEP 24	24.80 SS
DEC 17	15.64 SS	MAR 19	5.37 S	JUN 15	16.64 SS		
PERIOD OF RECORD    HIGHEST    +1.00    OCT 28, 1969    MAR 26, 1970    LOWEST    57.28    SEP 25, 1951							

SITE NUMBER 342420119313801

LOCAL NUMBER 004N025W29D07S

ABOUT 0.04 MI NORTH OF CENTERLINE OF VIA REAL AND 0.11 MI EAST OF SANTA MONICA ROAD. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 14.5 IN, DEPTH 950 FT, PERFORATED 215-950 FT. ALTITUDE OF LSD 45 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 21, 1987	16.37 S	FEB 16, 1987	12.89 S	MAR 19, 1987	10.33 S	APR 20, 1987	14.36 S
PERIOD OF RECORD    HIGHEST    +2.45    NOV 20, 1979    LOWEST    53.40    DEC 19, 1977							

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342349119312801

LOCAL NUMBER 004N025W29L01S

NEAR INTERSECTION OF HOLLY AVENUE AND 3RD STREET. DRILLED ABANDONED ARTESIAN WELL. DIAM 2 IN, DEPTH 110 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1946, 1950-71, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	9.72 S	JAN 20, 1987	F	APR 20, 1987	F	AUG 17, 1987	26.45 S
NOV 25	5.82 S	FEB 16	F	MAY 20	18.15 S	SEP 24	28.27 S
DEC 17	11.83 S	MAR 19	F	JUN 15	21.59 S		
PERIOD OF RECORD	HIGHEST	+1.60	OCT 28, 1969	LOWEST	51.24	SEP 25, 1951	

SITE NUMBER 342343119305201

LOCAL NUMBER 004N025W29R01S

NEAR CARPINTERIA UNION JR. HIGH SCHOOL, SOUTH OF TENNIS COURT. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 176 FT. ALTITUDE OF LSD 32 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1986	4.87 S	JAN 21, 1987	0.84 S	APR 21, 1987	F	AUG 17, 1987	10.64 S
NOV 26	5.51 S	FEB 18	F	MAY 20	5.62 S	SEP 28	11.87 S
DEC 19	3.15 S	MAR 23	F	JUN 17	8.28 S		
PERIOD OF RECORD	HIGHEST	+0.28	AUG 15, 1985	LOWEST	73.90	SEP 21, 1961	

SITE NUMBER 342419119323701

LOCAL NUMBER 004N025W30D01S

NEAR SANDYLAND PROTECTIVE ASSOCIATION, 400 FT EAST OF DRIVEWAY. DRILLED DOMESTIC-PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 210 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941, 1945, 1947-66, 1969-71, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	0.44 S	JAN 23, 1987	0.42 S	APR 20, 1987	+0.20 S	AUG 31, 1987	5.64 S
NOV 25	1.62 S	FEB 16	0.06 S	MAY 20	0.30 S	SEP 24	6.76 S
DEC 17	1.02 S	MAR 20	+0.16 S	JUN 16	1.30 S		
PERIOD OF RECORD	HIGHEST	+1.92	NOV 19, 1979	LOWEST	48.73	NOV 26, 1951	

SITE NUMBER 342315119282901

LOCAL NUMBER 004N025W35E01S

ABOUT 2 MI SOUTHEAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 420 FT, PERFORATED 260-385 FT. ALTITUDE OF LSD 249 FT. MEASUREMENTS BEGINNING 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1939, 1941, 1949, 1956, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1986	168.62 S	JAN 23, 1987	165.80 S	APR 21, 1987	165.46 SS	SEP 25, 1987	165.50 S
NOV 26	167.20 S	FEB 18	164.54 S	JUN 16	167.67 S		
DEC 18	165.11 S	MAR 20	164.07 S	AUG 24	163.60 S		
PERIOD OF RECORD	HIGHEST	113.00	DEC 27, 1983	LOWEST	210.80	DEC 19, 1977	

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342512119335701

LOCAL NUMBER 004N026W23A02S

WEST OF FLEISCHMANN FIELD IN SERENA PARK. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH 330 FT. ALTITUDE OF LSD 63 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING 1978. RECORDS AVAILABLE 1941, 1947-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1986	50.15 S	JAN 22, 1987	49.22 S	APR 20, 1987	48.06 S	AUG 31, 1987	O
NOV 25	52.67 S	FEB 16	46.10 S	MAY 20	49.16 S	SEP 24	55.20 S
DEC 17	50.84 S	MAR 20	43.30 S	JUN 22	53.07 S		

PERIOD OF RECORD    HIGHEST    40.20    JUN 16, 1983    LOWEST    79.91    AUG 31, 1953

SITE NUMBER 342705119435801

LOCAL NUMBER 004N027W05P01S

ABOUT 700 FT NORTH OF FOOTHILL ROAD IN THE SAN ROQUE CREEK CHANNEL. DRILLED OBSERVATION WELL. DIAM 5 IN, DEPTH 160 FT, PERFORATED 60-160 FT. ALTITUDE OF LSD 306 FT. MEASUREMENTS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	111.25 T	JAN 09, 1987	D	APR 09, 1987	D	AUG 12, 1987	D
NOV 12	108.53 T	FEB 05	D	MAY 07	D	SEP 09	110.61 T
DEC 04	D	MAR 11	D	JUN 05	110.45 T		

PERIOD OF RECORD    HIGHEST    100.55    JUL 07, 1986    LOWEST    137.93    DEC 04, 1985

SITE NUMBER 342647119451701

LOCAL NUMBER 004N027W07D01S

ON ROYAL GATE PROPERTIES, ABOUT 15 FT SOUTH OF VIA DIEGO AT VIA ROSA. DRILLED PRODUCTION WELL. DIAM 16 IN, DEPTH 500 FT, PERFORATED 215-310, 330-480 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	68.55 T	FEB 05, 1987	61.45 T	MAY 07, 1987	61.62 T
DEC 04	64.82 T	MAR 11	60.65 T	JUN 08	75.30 TR
JAN 09, 1987	62.33 T	APR 09	60.82 T	SEP 09	P

PERIOD OF RECORD    HIGHEST    52.88    FEB 07, 1986    LOWEST    77.10    DEC 10, 1987

SITE NUMBER 342610119444801

LOCAL NUMBER 004N027W07Q05S

ABOUT 100 FT NORTH AND 9 FT WEST OF SOUTH BOUNDARY OF YMCA. DRILLED PRODUCTION WELL. DIAM 8 IN, DEPTH 585 FT, PERFORATED 200-580 FT. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	61.72 T	FEB 05, 1987	41.85 T	MAY 07, 1987	45.42 T	SEP 09, 1987	54.67 T
DEC 04	43.10 S	MAR 11	41.40 S	JUN 05	47.90 T		
JAN 09, 1987	41.65 S	APR 09	42.76 T	AUG 12	66.50		

PERIOD OF RECORD    HIGHEST    24.25    JAN 07, 1986    LOWEST    66.50    AUG 12, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342608119444001

LOCAL NUMBER 004N027W07R03S

IN AVOCADO ORCHARD 100 FT SOUTH OF YMCA BUILDING, 30 FT SOUTH OF FENCE AND 270 FT WEST OF HITCHCOCK ST. DRILLED PRODUCTION WELL. DIAM 10 IN, DEPTH 510 FT, PERFORATED 165-500 FT. ALTITUDE OF LSD 185 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1986	60.43 T	FEB 05, 1987	57.82 T	MAY 07, 1987	60.23 T	SEP 09, 1987	66.12 T
DEC 04	58.50 T	MAR 11	57.50 T	JUN 05	62.00 T		
JAN 09, 1987	57.50 T	APR 09	58.43 T	AUG 12	51.55 T		
PERIOD OF RECORD		HIGHEST	37.42 NOV 06, 1984	LOWEST	66.12 SEP 09, 1987		

SITE NUMBER 342637119440901

LOCAL NUMBER 004N027W08E01S

IN TRIANGULAR PARK 0.4 MI NORTH OF CHUPAROSA ROAD AND ABOUT 120 FT SOUTHWEST OF DNTRANCE TO HOUSE AT 166 CANON DR. DRILLED OBSERVATION WELL. DIAM 13 3/8 IN, DEPTH 580 FT, PERFORATED 52-580 FT. ALTITUDE OF LSD 251 FT. RECORDS AVAILABLE 1948, 1976, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	95.00 T	JAN 09, 1987	97.00 T	APR 09, 1987	96.65 T	JUL 15, 1987	98.36 T
NOV 12	95.00 T	FEB 05	96.60 T	MAY 07	96.13 T	AUG 10	98.87 T
DEC 04	95.00 T	MAR 11	96.85 T	JUN 05	100.87 T	SEP 09	103.82 T
PERIOD OF RECORD		HIGHEST	53.57 MAY 08, 1986	LOWEST	132.69 MAR 24, 1948		

SITE NUMBER 342618119432501

LOCAL NUMBER 004N027W08R02S

NEAR INTERSECTION OF ALAMAR AVENUE AND STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 265 FT, PERFORATED 155-205 FT, CASED TO 205 FT. ALTITUDE OF LSD 230 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	104.83 T	FEB 05, 1987	107.12 T	JUN 05, 1987	108.67 T	SEP 09, 1987	109.92 T
NOV 12	106.67 T	MAR 11	107.58 T	JUL 15	109.23 T		
DEC 04	106.94 T	APR 09	107.38 T	AUG 12	108.53 T		
JAN 09, 1987	107.20 T	MAY 06	108.85 T	21	107.89 S		
PERIOD OF RECORD		HIGHEST	86.50 SEP 01, 1983	LOWEST	115.17 APR 03, 1985		

SITE NUMBER 342611119432701

LOCAL NUMBER 004N027W09M01S

ALONG MISSION CREEK NORTH OF STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 180 FT, CASED TO 120 FT, PERFORATED 30-110 FT. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	109.50 T	FEB 05, 1987	107.85 T	JUN 05, 1987	109.45 T	SEP 21, 1987	108.11 T
NOV 12	108.31 T	MAR 11	108.07 T	JUL 14	109.84 T		
DEC 04	108.07 T	APR 09	108.14 T	AUG 10	107.11 T		
JAN 09, 1987	107.90 T	MAY 06	109.77 T	SEP 09	109.55 T		
PERIOD OF RECORD		HIGHEST	92.92 SEP 01, 1983	LOWEST	116.90 JUL 14, 1982		

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342534119404301

LOCAL NUMBER 004N027W14K02S

NORTH OF VOLUNTARIO STREET IN SCHOOL PARKING LOT. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 450 FT, CASED TO 380 FT, PERFORATED 260-380 FT. ALTITUDE OF LSD 42.3 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	54.90 T	JAN 09, 1987	41.53 T	APR 09, 1987	33.75 T	JUL 14, 1987	31.75 T
NOV 12	53.75 T	FEB 05	37.91 T	MAY 07	32.61 T	AUG 12	32.66 T
DEC 04	49.25 T	MAR 11	35.36 T	JUN 05	31.75 T	SEP 09	41.22 T

PERIOD OF RECORD    HIGHEST    30.00    JUN 08, 1983    LOWEST    66.08    SEP 08, 1980

SITE NUMBER 342524119405201

LOCAL NUMBER 004N027W14P01S

SOUTHWEST OF MILPAS STREET AND NORTH OF HIGHWAY 101. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 950 FT, CASED TO 783 FT, PERFORATED 181-783 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS BEGINNING 7/13/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1950-55, 1957, 1968, 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	77.31 T	JAN 09, 1987	30.00 T	APR 09, 1987	18.16 T	JUL 14, 1987	12.89 T
NOV 12	65.00 T	FEB 05	24.51 T	MAY 06	16.98 T	AUG 10	15.3 T
DEC 04	41.05 T	MAR 11	20.60 T	JUN 05	13.97 T	SEP 09	41.83 T

PERIOD OF RECORD    HIGHEST    12.25    JUN 08, 1983    LOWEST    88.80    JUL 23, 1968

SITE NUMBER 342523119402001

LOCAL NUMBER 004N027W14R01S

ABOUT 0.3 MI NORTHEAST OF MILPAS STREET AND 0.1 MI SOUTHEAST OF CARPINTERIA STREET. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 13 IN, DEPTH 700 FT, PERFORATED 107-635 FT. ALTITUDE OF LSD 27.84 FT. MEASUREMENTS BEGINNING 6/17/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1948-55, 1968, 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	41.72 T	JAN 09, 1987	26.35 T	APR 09, 1987	20.00 T	JUL 14, 1987	17.88 T
NOV 12	40.00 T	FEB 05	23.47 T	MAY 07	18.75 T	AUG 12	18.66 T
DEC 04	33.00 T	MAR 11	21.15 T	JUN 05	18.24 T	SEP 09	25.49 T

PERIOD OF RECORD    HIGHEST    17.88    JUL 14, 1987    LOWEST    130.60    JUL 23, 1968

SITE NUMBER 342546119421701

LOCAL NUMBER 004N027W15E01S

NEAR ALAMEDA PLAZA IN SANTA BARBARA. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 145 FT. MEASUREMENTS BEGINNING 5/11/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	118.70 T	JAN 09, 1987	110.56 T	APR 09, 1987	105.57 T	JUL 14, 1987	103.82 T
NOV 12	119.10 T	FEB 05	108.50 T	MAY 07	106.00 T	AUG 12	104.18 T
DEC 04	114.60 T	MAR 11	106.80 T	JUN 05	104.53 T	SEP 09	108.57 T

PERIOD OF RECORD    HIGHEST    91.30    APR 08, 1976    LOWEST    122.47    OCT 13, 1980

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342538119413401

LOCAL NUMBER 004N027W15K01S

NEAR INTERSECTION SALSIPUEDES AND CANON PERDIDO STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 500 FT, CASSED TO 464 FT, PERFORATED 280-464 FT. ALTITUDE OF LSD 18.9 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 13, 1986	50.57	T	JAN 09, 1987	22.37	T	APR 09, 1987	13.18	T	JUL 14, 1987	9.48	T
NOV 12	49.43	T	FEB 05	18.47	T	MAY 07	11.58	T	AUG 10	8.7	T
DEC 04	29.88	T	MAR 11	15.53	T	JUN 05	9.92	T	SEP 09	33.77	T

PERIOD OF RECORD    HIGHEST    8.31    JUN 08, 1983    LOWEST    77.77    NOV 13, 1979

SITE NUMBER 342543119431101

LOCAL NUMBER 004N027W16E02S

NEAR THE INTERSECTION OF CASTILLO AND PADRE STREETS IN SANTA BARBARA. DRILLED PRODUCTION WELL. DIAM 12 IN, DEPTH 403 FT, PERFORATED 203-223, 263-283, 303-383 FT. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 13, 1986	54.42	T	JAN 09, 1987	47.80	T	APR 09, 1987	46.40	T	JUL 15, 1987	46.25	T
NOV 12	52.35	T	FEB 05	46.39	T	MAY 06	46.14	T	AUG 12	46.19	T
DEC 04	49.02	T	MAR 11	45.94	T	JUN 05	45.91	T	SEP 09	47.71	T

PERIOD OF RECORD    HIGHEST    44.20    JUN 06, 1985    LOWEST    54.42    OCT 13, 1986

SITE NUMBER 342521119422401

LOCAL NUMBER 004N027W16R01S

NEAR INTERSECTION OF VICTORIA AND DE LA VINA STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 720 FT, CASSED TO 625 FT, PERFORATED 545-625 FT. ALTITUDE OF LSD 84.8 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 10, 1986	115.51	S	FEB 05, 1987	71.90	T	JUN 05, 1987	62.48	T	SEP 09, 1987	92.52	T
NOV 17	112.33	S	MAR 11	68.05	T	JUL 15	63.56	T			
DEC 04	92.00	T	APR 09	65.73	T	AUG 10	62.92	T			
JAN 09, 1987	77.55	T	MAY 07	64.19	T	SEP 02	88.80	S			

PERIOD OF RECORD    HIGHEST    60.64    MAR 10, 1984    LOWEST    136.14    AUG 06, 1980

SITE NUMBER 342541119433501

LOCAL NUMBER 004N027W17J01S

ON BANK OF MISSION CREEK WEST OF JUNIPERO STREET. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 385 FT, CASSED TO 320 FT, PERFORATED 190-320 FT. ALTITUDE OF LSD 138.8 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 13, 1986	43.30	T	JAN 09, 1987	44.90	T	APR 09, 1987	43.30	T	JUL 15, 1987	44.85	T
NOV 12	46.18	T	FEB 05	44.37	T	MAY 07	43.91	T	AUG 12	43.11	T
DEC 04	45.37	T	MAR 11	44.23	T	JUN 05	44.02	T	SEP 09	45.90	T

PERIOD OF RECORD    HIGHEST    35.90    MAY 03, 1985    LOWEST    53.09    JUL 14, 1981



WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342525119444701

LOCAL NUMBER 004N027W18Q01S

EAST OF MODOC ROAD AND NORTH OF PALERMO ROAD. DRILLED OBSERVATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	13.68 T	JAN 09, 1987	12.96 T	APR 09, 1987	12.68 T	JUL 15, 1987	13.45 T
NOV 12	11.48 T	FEB 05	12.87 S	MAY 06	12.84 T	AUG 12	14.00 T
DEC 04	13.07 T	MAR 11	12.85 S	JUN 05	13.10 S	SEP 09	13.13 T

PERIOD OF RECORD    HIGHEST    11.48    NOV 12, 1986    LOWEST    14.00    AUG 12, 1987

SITE NUMBER 342520119445501

LOCAL NUMBER 004N027W18Q04S

ABOUT 120 FT SOUTH-SOUTHWEST FROM CROSSING OF TORINO DRIVE OVER ARROYO BURRO, AND 13 FT EAST-SOUTHEAST FROM CURB OF TORINO DRIVE. DIAM 8 IN, DEPTH 240 FT, PERFORATED 90-130 FT, SLOTTED 130-230 FT. ALTITUDE OF LSD 95 FT. RECORDS 1985 TO CURRENT YEAR.

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	7.87 T	JAN 09, 1987	9.23 S	APR 09, 1987	8.98 T	JUL 15, 1987	9.37 T
NOV 12	8.78 T	FEB 05	9.27 S	MAY 06	8.80 T		
DEC 04	9.30 S	MAR 11	9.12 S	JUN 05	9.40 S		

PERIOD OF RECORD    HIGHEST    7.87    OCT 13, 1986    LOWEST    9.92    APR 03, 1985

SITE NUMBER 342506119423801

LOCAL NUMBER 004N027W21B01S

NEAR WILSON SCHOOL IN SANTA BARBARA. UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION. DIAM 16 IN, DEPTH 454 FT, CASED TO 454 FT, PERFORATED 145-350 FT. ALTITUDE OF LSD 68 FT. MEASUREMENTS BEGINNING 5-11-76 FURNISHED BY CITY OF SANTA BARBARA. RECORDER INSTALLED 3/1979. RECORDS AVAILABLE 1931, 1948-50, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	79.50 T	JAN 09, 1987	55.91 T	APR 09, 1987	47.01 T	JUL 14, 1987	45.63 T
NOV 12	78.65 T	FEB 05	51.00 T	MAY 07	46.30 T		
DEC 04	67.73 T	MAR 11	48.40 T	JUN 05	45.32 T		

PERIOD OF RECORD    HIGHEST    37.00    JAN 23, 1948    LOWEST    94.84    SEP 14, 1948

SITE NUMBER 342509119413701

LOCAL NUMBER 004N027W22B02S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 230 FT, CASED TO 230 FT, PERFORATED 220-230 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	90.36 T	JAN 09, 1987	12.18 T	APR 09, 1987	3.19 T	JUL 14, 1987	22.33 T
NOV 12	91.31 T	FEB 05	8.26 T	MAY 07	4.00 T	AUG 10	26.13 T
DEC 04	25.10 T	MAR 11	5.89 T	JUN 05	2.30 T	SEP 09	52.67 T

PERIOD OF RECORD    HIGHEST    2.30    JUN 05, 1987    LOWEST    91.31    NOV 12, 1986

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342509119413702

LOCAL NUMBER 004N027W22B03S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 435 FT, CASED TO 435 FT, PERFORATED 425-435 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	84.00 T	JAN 09, 1987	14.23 T	APR 09, 1987	4.62 T	JUL 15, 1987	12.00 T
NOV 12	82.38 T	FEB 05	9.67 T	MAY 07	3.48 T	AUG 10	9.00 T
DEC 04	25.88 T	MAR 11	6.46 T	JUN 05	3.08 T	SEP 09	29.52 T
PERIOD OF RECORD		HIGHEST	3.04 FEB 06, 1984	LOWEST	84.00 OCT 13, 1986		

SITE NUMBER 342509119413703

LOCAL NUMBER 004N027W22B04S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 660 FT, CASED TO 660 FT, PERFORATED 650-660 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	68.98 T	JAN 09, 1987	20.80 T	APR 09, 1987	10.26 T	JUL 15, 1987	8.19 T
NOV 12	69.50 T	FEB 05	14.93 T	MAY 06	5.42 T	AUG 10	14.87 T
DEC 04	35.43 T	MAR 11	10.88 T	JUN 05	4.62 T	SEP 09	45.23 T
PERIOD OF RECORD		HIGHEST	3.48 APR 08, 1976	LOWEST	113.04 MAY 19, 1980		

SITE NUMBER 342509119413704

LOCAL NUMBER 004N027W22B05S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 780 FT, CASED TO 780 FT, PERFORATED 770-780 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	71.00 T	JAN 09, 1987	21.12 T	APR 09, 1987	8.84 T	JUL 15, 1987	13.18 T
NOV 12	69.52 TS	FEB 05	15.35 T	MAY 06	6.83 T	AUG 10	17.11 T
DEC 04	35.97 T	MAR 11	11.30 T	JUN 05	5.00 T	SEP 09	45.16 T
PERIOD OF RECORD		HIGHEST	1.18 APR 08, 1976	LOWEST	87.78 AUG 06, 1980		

SITE NUMBER 342453119411101

LOCAL NUMBER 004N027W23E01S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 805 FT, SCREENED 775-780, 785-790, 795-800 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	26.72 T	FEB 03, 1987	7.126 S	MAY 06, 1987	0.72 T	AUG 26, 1987	6.91 S
NOV 12	26.60 T	05	6.79 T	JUN 05	0.21 T	SEP 09	11.91 T
DEC 04	19.56 T	MAR 11	3.84 TG	23	+0.6 S		
23	18.03 S	APR 09	2.06 TG	JUL 15	0.24 T		
JAN 09, 1987	11.84 T	21	1.45 S	AUG 12	0.99 T		
PERIOD OF RECORD		HIGHEST	+0.6 JUN 23, 1987	LOWEST	57.22 MAY 20, 1980		

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342453119411102

LOCAL NUMBER 004N027W23E02S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 660 FT, SCREENED 600-605, 640-645, 650-655 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	25.05 T	DEC 23, 1986	14.33	MAR 21, 1987	8.70	JUL 15, 1987	+0.63 T
29	23.77 S	JAN 09, 1987	11.45 T	APR 09	1.39 TG	AUG 12	0.66 T
NOV 12	26.99 T	FEB 05	6.95 T	MAY 06	0.73 T	26	6.70 S
DEC 04	18.22 T	MAR 11	3.95 TG	JUN 05	0.38 T	SEP 09	11.97 T

PERIOD OF RECORD    HIGHEST    +0.63    APR 06, 1982    JUL 15, 1987    LOWEST    34.66    MAY 20, 1980

SITE NUMBER 342453119411103

LOCAL NUMBER 004N027W23E03S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 4 IN, DEPTH 850 FT, CASED TO 385 FT, SCREENED 355-370, 375-380 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	53.60 T	FEB 03, 1987	0.33 S	MAY 06, 1987	F	AUG 26, 1987	28.61 S
NOV 12	48.60 T	05	F	JUN 05	F	SEP 09	33.20 T
DEC 04	18.00 T	MAR 11	F	23	F		
23	9.36 S	APR 09	F	JUL 15	+0.77 T		
JAN 09, 1987	4.00 T	21	F	AUG 12	F		

PERIOD OF RECORD    HIGHEST    +0.95    MAY 27, 1982    LOWEST    53.60    OCT 13, 1986

SITE NUMBER 342453119411104

LOCAL NUMBER 004N027W23E04S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 180 FT, SCREENED 150-155, 160-165, 170-175 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	4.63 T	FEB 03, 1987	0.73 S	APR 21, 1987	+0.23	JUL 15, 1987	F
NOV 12	29.00 T	05	0.65 T	MAY 06	F	AUG 12	+0.45
DEC 04	3.02 T	MAR 11	0.30 TG	JUN 05	F	26	1.56 S
JAN 09, 1987	1.90 T	APR 09	F	23	F	SEP 09	3.04 T

PERIOD OF RECORD    HIGHEST    +1.36    FEB 23, 1982    LOWEST    29.00    NOV 12, 1986

SITE NUMBER 342501119410501

LOCAL NUMBER 004N027W23E05S

IN CITY OF SANTA BARBARA, WEST SIDE OF SEWAGE TREATMENT PLANT. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 760 FT, PERFORATED 674-714 FT. ALTITUDE OF LSD 11.3 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	31.07 S	DEC 22, 1986	15.06 S	APR 13, 1987	3.98	JUL 06, 1987	1.42 S
14	30.18 S	JAN 20, 1987	10.62 S	28	3.31 S	23	4.27 S
16	30.07 S	FEB 02	8.67 S	MAY 12	2.78 S	AUG 25	10.29 S
27	29.90 S	17	7.33 S	19	2.73 S	SEP 01	13.31 S
NOV 11	29.01 S	MAR 04	6.08 S	JUN 02	2.33 S	14	16.55 S
26	23.69 S	12	4.98 S	15	1.8 S	21	19.20 S
DEC 08	18.09 S	18	5.06 S	30	1.69 S		

PERIOD OF RECORD    HIGHEST    1.42    JUL 06, 1987    LOWEST    37.30    SEP 15, 1986

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342501119410502

LOCAL NUMBER 004N027W23E06S

IN CITY OF SANTA BARBARA, WEST SIDE OF SEWAGE TREATMENT PLANT. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 495 FT, PERFORATED 475-495 FT. ALTITUDE OF LSD 11.3 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	32.09 S	DEC 22, 1986	16.17 S	MAR 12, 1987	2.89 S	JUN 25, 1987	F
14	31.98 S	30	13.85 S	18	2.57 S	JUL 06	F
27	31.23 S	JAN 05, 1987	12.21 S	APR 13	1.57	23	2.94 S
NOV 11	30.93 S	20	8.55 S	28	0.96 S	AUG 25	7.72 S
26	27.46 S	FEB 02	6.32 S	MAY 12	0.54 S	SEP 01	12.46 S
DEC 03	23.66 S	17	4.75 S	JUN 02	0.25 S	14	17.58 S
08	21.34 S	MAR 04	3.55 S	15	SF	21	19.55 S

PERIOD OF RECORD    HIGHEST    0.25    JUN 02, 1987    LOWEST    33.84    SEP 15, 1986

SITE NUMBER 342455119405602

LOCAL NUMBER 004N027W23F02S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 380 FT, PERFORATED 360-380 FT. CEMENT SEAL FROM LAND SURFACE TO DEPTH OF 50 FT. ALTITUDE OF LSD 6.5 FT. USED AS COASTAL MONITOR FOR SALT-WATER INTRUSION STUDY. RECORDS AVAILABLE 1986 TO PRESENT.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	39.25 S	DEC 22, 1986	8.19 S	MAR 31, 1987	F	JUN 30, 1987	F
14	39.58 S	JAN 05, 1987	2.70 S	APR 13	F	JUL 06	F
27	38.72 S	20	0.07 S	22	F	22	10.65 S
NOV 11	38.41 S	FEB 02	+1.43 S	28	F	AUG 26	25.12 S
26	20.37 S	17	F	MAY 12	F	SEP 15	30.88 Z
DEC 01	15.50 S	MAR 04	F	19	F	22	32.81 S
03	13.89 S	12	F	JUN 02	F		
08	11.47 S	18	F	15	F		

PERIOD OF RECORD    HIGHEST    +1.43    FEB 02, 1987    LOWEST    44.35    SEP 14, 1986

SITE NUMBER 342455119405603

LOCAL NUMBER 004N027W23F03S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 550 FT, PERFORATED 530-550 FT. ALTITUDE OF LSD 6.8 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	22.72 S	JAN 05, 1987	7.26 S	MAR 31, 1987	+0.83 S	JUN 30, 1987	+2.29 Z
14	22.44 S	20	4.11 S	APR 13	+0.69 S	JUL 06	+2.37 Z
27	21.71 S	28	2.40 S	28	+1.45 S	22	+0.64 S
NOV 11	21.65 S	FEB 02	2.45 S	MAY 12	+1.88 S	AUG 26	1.43 S
26	19.34 S	17	0.53 S	19	+1.70 S	SEP 14	3.26 S
DEC 03	15.87 S	MAR 04	+0.43 S	JUN 02	+1.40 S	22	4.04 S
08	14.78 S	12	+0.41 S	15	+1.88 S		
22	10.61 S	18	+1.49 S	25	+1.93 Z		

PERIOD OF RECORD    HIGHEST    +2.37    JUL 06, 1987    LOWEST    24.19    SEP 14, 1986

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342455119405604

LOCAL NUMBER 004N027W23F04S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 4.5 IN, DEPTH 802 FT, PERFORATED 762-802 FT. ALTITUDE OF LSD 6.8 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	30.14 S	JAN 05, 1987	15.35 S	MAR 31, 1987	7.70 S	JUL 06, 1987	4.95 S
14	29.55 S	20	12.93 S	APR 13	6.98 S	22	7.09 S
16	29.36 S	28	11.73 S	28	5.97 S	28	7.09 S
27	28.79 S	FEB 02	11.46 S	MAY 12	6.22 S	AUG 26	11.67 S
NOV 11	28.46 S	17	10.15 S	19	6.34 S	SEP 01	13.6 S
26	25.27 S	MAR 04	9.18 S	JUN 02	6.03 S	14	16.51 S
DEC 08	21.04 S	12	8.61 S	15	5.60 S	22	19.12 S
22	18.43 S	18	8.43 S	30	5.35 S		

PERIOD OF RECORD    HIGHEST    4.95    JUL 06, 1987    LOWEST    33.33    SEP 14, 1986

SITE NUMBER 342452119405501

LOCAL NUMBER 004N027W23F05S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 4.5 IN, DEPTH 815 FT, PERFORATED 775-815 FT. ALTITUDE OF LSD 9.6 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	32.23 S	DEC 22, 1986	21.92 S	MAR 18, 1987	13.73 S	JUN 15, 1987	2.18 S
14	32.53 S	JAN 05, 1987	20.23 S	31	12.18 S	30	2.28 S
16	32.16 S	20	18.37 S	APR 13	10.83 S	JUL 06	2.73 S
27	31.69 S	28	16.68 S	28	4.53 S	23	3.44 S
NOV 11	31.62 S	FEB 02	18.10 S	MAY 12	4.53 S	AUG 25	4.54 S
26	28.28 S	17	14.88 S	21	3.09 S	SEP 01	5.42 S
DEC 08	24.63 S	MAR 04	13.37 S	JUN 07	3.11 S	14	5.67 S

PERIOD OF RECORD    HIGHEST    2.18    JUN 15, 1987    LOWEST    36.00    SEP 15, 1986

SITE NUMBER 342452119405502

LOCAL NUMBER 004N027W23F06S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 560 FT, PERFORATED 540-560 FT. ALTITUDE OF LSD 9.6 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	17.01 S	DEC 22, 1986	17.79 S	MAR 18, 1987	1.02 S	JUN 30, 1987	7.40 S
14	17.17 S	23	17.79 S	31	1.22 S	JUL 06	4.56 S
16	17.21 S	30	15.73 S	APR 13	1.27 S	23	19.20 S
27	17.39 S	JAN 05, 1987	13.84 S	28	0.53 S	28	7.59 S
NOV 11	17.64 S	20	10.31 S	MAY 12	0.49 S	AUG 25	5.30 S
26	17.84 S	FEB 02	7.97 S	JUN 02	0.48 S	SEP 14	12.76 S
DEC 08	17.89 S	MAR 04	4.69 S	15	0.48 S		

PERIOD OF RECORD    HIGHEST    0.48    JUN 02, 1987    JUN 15, 1987    LOWEST    28.19    MAR 24, 1986

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342452119405503

LOCAL NUMBER 004N027W23F07S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 297 FT, OPEN HOLE AT BOTTOM. ALTITUDE OF LSD 9.6 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 06, 1986	41.70 S	JAN 20, 1987	3.16 S	MAR 31, 1987	F	JUN 15, 1987	F
14	42.01 S	FEB 02	1.36 S	APR 13	F	JUL 06	F
16	41.32 S	17	0.96 S	28	0.84 S	23	12.26 S
JAN 05, 1987	5.64 S	MAR 04	F	MAY 12	F	AUG 25	27.06 S
12	F	18	F	JUN 02	F	SEP 15	33.11 Z

PERIOD OF RECORD    HIGHEST    0.84    APR 28, 1987    LOWEST    46.77    SEP 15, 1986

SITE NUMBER 342459119402601

LOCAL NUMBER 004N027W23H01S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 845 FT, CASED TO 781 FT, SCREENED 746.5-751.5, 756.7-761.7, 766.9-771.9, 777.5-781 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	15.23 T	JAN 09, 1987	5.83 T	APR 09, 1987	F	JUL 15, 1987	F
NOV 12	14.87 T	FEB 05	2.75 T	MAY 06	F	AUG 12	F
DEC 04	9.00 T	MAR 11	1.67 T	JUN 05	F	SEP 09	3.13 T

PERIOD OF RECORD    HIGHEST    +0.75    MAR 01, 1984    LOWEST    25.53    JUL 23, 1980

SITE NUMBER 342459119402603

LOCAL NUMBER 004N027W23H03S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 4 IN, DEPTH 635 FT, CASED TO 310 FT, SCREENED 284-299 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	8.39 T	FEB 05, 1987	1.81 T	JUN 05, 1987	F	AUG 27, 1987	3.00 S
NOV 12	9.00 T	MAR 11	F	24	+0.80 S	SEP 09	3.18 T
DEC 04	4.52 T	APR 09	F	JUL 15	F		
JAN 09, 1987	2.63 T	MAY 06	F	AUG 12	F		

PERIOD OF RECORD    HIGHEST    +0.80    JUN 24, 1987    LOWEST    13.67    SEP 22, 1980

SITE NUMBER 342459119402604

LOCAL NUMBER 004N027W23H04S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 635 FT, CASED TO 95 FT, SCREENED 75.5-91 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	4.00 T	FEB 05, 1987	1.37 T	JUN 05, 1987	1.10 T	AUG 27, 1987	1.59 S
NOV 12	2.64 T	MAR 11	1.40 TG	24	+0.90 S	SEP 09	1.50 T
DEC 04	0.85 T	APR 09	1.14 TG	JUL 15	0.66 T		
JAN 09, 1987	1.80 T	MAY 06	F	AUG 12	1.23 T		

PERIOD OF RECORD    HIGHEST    +0.90    JUN 24, 1987    LOWEST    6.00    FEB 07, 1986

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342703119453301

LOCAL NUMBER 004N028W01R02S

ABOUT 100 FT WEST OF CIENEGUITAS ROAD, 15 FT SOUTH OF GAS STATION PROPERTY. DRILLED UNUSED WELL. DIAM 6 IN, DEPTH 200 FT, PERFORATED 180-200 FT. ALTITUDE OF LSD 215 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	62.24	JAN 09, 1987	59.98 T	JUL 15, 1987	61.12 T		
NOV 12	60.30 T	FEB 05	60.05 T	AUG 12	62.23 T		
DEC 04	59.70 T	JUN 05	61.30 T	SEP 09	63.11 T		
PERIOD OF RECORD	HIGHEST	56.14	NOV 29, 1984	LOWEST	63.11	SEP 09, 1987	

SITE NUMBER 342709119471401

LOCAL NUMBER 004N028W02P03S

NORTH OF CATHEDRAL OAKS ROAD AT EAST END OF TUCKERS GROVE. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 271.4 FT, PERFORATED 40-297 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1946, 1951-52, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 10, 1987	38.96 S				
PERIOD OF RECORD	HIGHEST	23.88	APR 12, 1984	LOWEST	73.38 OCT 10, 1968

SITE NUMBER 342708119465401

LOCAL NUMBER 004N028W02Q01S

NORTH OF FOOTHILL BLVD AND EAST OF TUCKERS GROVE. DIAM 4-6 IN, DEPTH 13.50 FT. ALTITUDE OF 203.27 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 04, 1986	188.18 T	FEB 05, 1987	188.77 T	MAY 07, 1987	O		
JAN 09, 1987	188.64 T	MAR 11	189.22 T	JUN 05	O		
PERIOD OF RECORD	HIGHEST	170.90	FEB 07, 1986	LOWEST	189.33	APR 15, 1986	

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342639119452801

LOCAL NUMBER 004N028W12H04S

ABOUT 111 FT SOUTH OF CENTERLINE OF LA COLINA ROAD AND 59 FT WEST OF CENTERLINE OF PESETAS LANE IN NORTHEAST CORNER OF SANTA BARBARA MEDICAL FOUNDATION PARKING LOT. DRILLED PRODUCTION WELL. DIAM 8 IN, DEPTH 290 FT, PERFORATED 200-250, 260-280 FT. ALTITUDE OF LSD 172 FT. RECORDS AVAILABLE 1977, 1978, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	67.54 B	OCT 07, 1986	68.28 B	OCT 13, 1986	68.90 B	APR 13, 1987	53.30 T
02	67.65 B	08	68.33 B	NOV 17	59.07	MAY 06	53.90 T
03	67.82 B	09	68.37 B	DEC 04	57.06 T	JUN 05	64.55 T
04	67.82 B	10	68.44 B	JAN 09, 1987	54.37 T	JUL 15	68.90 T
05	67.89 B	11	68.55 B	FEB 05	53.67 T	AUG 10	69.42 T
06	68.19 B	12	68.61 B	MAR 11	52.85 T	SEP 09	74.58 T

PERIOD OF RECORD    HIGHEST    35.37    NOV 15, 1984    LOWEST    74.58    SEP 09, 1987

SITE NUMBER 342632119460603

LOCAL NUMBER 004N028W12L06S

NORTH OF CALLE REAL AND EAST OF EL SUENO ROAD. DIAM 8 IN, DEPTH 325 FT. ALTITUDE OF 130 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	99.00 T	FEB 05, 1987	101.85 T	MAY 06, 1987	102.23 TT	AUG 12, 1987	99.68 T
DEC 04	102.40 T	MAR 11	101.40 T	JUN 05	102.95 TS	SEP 09	105.59 T
JAN 09, 1987	101.70 T	APR 09	99.68 TT	JUL 15	101.10 T		

PERIOD OF RECORD    HIGHEST    96.98    JUN 04, 1986    LOWEST    105.59    SEP 09, 1987

SITE NUMBER 342617119455801

LOCAL NUMBER 004N028W12P05S

BETWEEN GOLETA AND SANTA BARBARA. DIAM 16 IN, DEPTH 355 FT. ALTITUDE OF LSD 105 FT. RECORDS BEGINNING IN 1971 FURNISHED BY GOLETA WATER DISTRICT. RECORDS AVAILABLE 1956, 1959 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 13, 1986	150.73 T	JAN 09, 1987	145.90 T	APR 09, 1987	145.31 T	JUL 15, 1987	147.06 T
NOV 12	147.31 T	FEB 05	145.77 T	MAY 06	148.06 T	AUG 12	149.5 T
DEC 04	146.16 T	MAR 11	145.65 T	JUN 05	148.37 T	SEP 09	149.85 T

PERIOD OF RECORD    HIGHEST    115.18    APR 02, 1979    LOWEST    207.78    OCT 29, 1970



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342539119483504

LOCAL NUMBER 004N028W16J05S

SOUTH OF HOLLISTER ROAD AND EAST OF MORE ROAD. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 62 FT, SAND POINT 18.2-20.2 FT. ALTITUDE OF LSD 25 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1987	7.97 S
PERIOD OF RECORD	HIGHEST 3.00 DEC 13, 1962      LOWEST 8.60 APR 15, 1977

SITE NUMBER 342732119583101

LOCAL NUMBER 004N030W01G01S

NORTH OF LAS VARAS RANCH HDQ. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 350 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1987	201.31 S
PERIOD OF RECORD	HIGHEST 89.80 MAR 25, 1971      LOWEST 201.31 APR 10, 1987

SITE NUMBER 342838119573501

LOCAL NUMBER 005N029W31C01S

ABOUT 1.75 MI NORTH OF HWY 101 IN DOTY CANYON. DRILLED UNUSED WELL. DIAM 10-8 IN, DEPTH 1510 FT, 10-IN CSG 0-209 FT, 8-IN CSG 0-1510 FT, PERFORATED 290-320, 400-420, 470-510, 550-600, 620-1510 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1987	35.00 S
PERIOD OF RECORD	HIGHEST 33.42 APR 04, 1983      LOWEST 81.22 NOV 16, 1962

SITE NUMBER 343008120035801

LOCAL NUMBER 005N030W19E01S

ABOUT 200 FT FROM REFUGIO PASS ROAD. DRILLED IRRIGATION WELL. DIAM 12-8 IN, DEPTH 505 FT, 12-IN CSG 0-43 FT, 8-IN CSG 0-211 FT, PERFORATED 205-347 FT. ALTITUDE OF LSD 330 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
APR 13, 1987	+0.42 S
PERIOD OF RECORD	HIGHEST +0.82 MAR 31, 1983      LOWEST 31.21 SEP 30, 1963

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342845120010701

LOCAL NUMBER 005N030W28R01S

ABOUT 1.18 MI NORTH OF HWY 101 AND 50 FT EAST OF CANADA DEL CAPITAN. DOMESTIC WELL. DIAM UNKNOWN, DEPTH 198 FT. ALTITUDE OF LSD 350 FT. RECORDS AVAILABLE 1963-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 13, 1987	78.72	SR
PERIOD OF RECORD	HIGHEST 18.30 MAR 31, 1970	LOWEST 56.79 OCT 23, 1963

SITE NUMBER 342850120040002

LOCAL NUMBER 005N030W30N02S

NORTH OF HWY 101 AND WEST OF REFUGIO ROAD. IRRIGATION WELL. DIAM 10 IN, DEPTH 93 FT. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1962-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 13, 1987	16.32	SR
PERIOD OF RECORD	HIGHEST 11.87 MAR 24, 1986	LOWEST 36.46 JUL 27, 1964

SITE NUMBER 342845120053801

LOCAL NUMBER 005N031W35B01S

ABOUT 1.2 MI NORTH OF HWY 101 IN TAJIGUAS CANYON. DRILLED IRRIGATION WELL. DIAM 48-12 IN, DEPTH 76 FT, 48-IN CSG 0-30 FT, 12-IN CSG 0-76 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 13, 1987	8.28	S
PERIOD OF RECORD	HIGHEST 5.49 MAY 01, 1979	LOWEST 13.75 APR 15, 1977

SITE NUMBER 342835120120501

LOCAL NUMBER 005N032W35F01S

NORTH OF GAVIOTA REFINERY. DRILLED PUBLIC SUPPLY WELL. DIAM 8 IN, DEPTH 1300 FT, CASED TO 900 FT. ALTITUDE OF LSD 118 FT. RECORDS AVAILABLE 1962-67, 1969-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 13, 1987		W
PERIOD OF RECORD	HIGHEST 37.30 NOV 07, 1962	LOWEST 130.9 AUG 25, 1964

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343755119570901

LOCAL NUMBER 006N029W05A01S

IN JOHNSON CANYON. STOCK WELL. DIAM UNKNOWN, DEPTH 93 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1964, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	10.82 S
PERIOD OF RECORD	HIGHEST +0.01 APR 01, 1983      LOWEST 23.95 OCT 19, 1967

SITE NUMBER 343746119583101

LOCAL NUMBER 006N029W06F01S

ABOUT 0.8 MI NORTHEAST OF HAPPY CANYON CREEK BRIDGE ON HAPPY CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 72 FT, PERFORATED 35-53 FT. ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1952, 1954-59, 1963-64, 1967-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	18.00 S
PERIOD OF RECORD	HIGHEST 7.69 MAR 24, 1969      LOWEST 33.68 OCT 11, 1955

SITE NUMBER 343746119582201

LOCAL NUMBER 006N029W06G01S

ABOUT 0.2 MI NORTHEAST OF HAPPY CANYON RANCH ROAD. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 128 FT, CASED TO 102 FT, PERFORATED 57-96 FT. ALTITUDE OF LSD 875 FT. RECORDS AVAILABLE 1954, 1957-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	51.66 S
PERIOD OF RECORD	HIGHEST 27.99 MAR 24, 1969      LOWEST 55.00 AUG 10, 1954

SITE NUMBER 343646119583001

LOCAL NUMBER 006N029W07L01S

NORTHEAST OF CACHUMA VILLAGE. UNUSED WELL. DIAM 8 IN, DEPTH 440 FT. ALTITUDE OF LSD 868 FT. RECORDS AVAILABLE 1960, 1963-64, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	195.65 S
PERIOD OF RECORD	HIGHEST 193.58 APR 13, 1984      LOWEST 225.85 OCT 14, 1969

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343632119573301

LOCAL NUMBER 006N029W08P01S

NORTHEAST OF CACHUMA VILLAGE. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 252 FT, PERFORATED 210-237 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1934, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	217.26 S
PERIOD OF RECORD	HIGHEST 198.00 OCT 06, 1934      LOWEST 247.95 MAR 24, 1967

SITE NUMBER 343632119573302

LOCAL NUMBER 006N029W08P02S

NORTHEAST OF CACHUMA VILLAGE. DOMESTIC WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	216.70 S
PERIOD OF RECORD	HIGHEST 216.70 APR 14, 1987      LOWEST 238.03 MAR 25, 1970

SITE NUMBER 343636119555701

LOCAL NUMBER 006N029W09J01S

ON JANEWAY RANCH, NORTH OF LAKE CACHUMA. DOMESTIC WELL. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 803 FT. RECORDS AVAILABLE 1963-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1987	12.75 S
PERIOD OF RECORD	HIGHEST 10.58 MAR 27, 1981      LOWEST 28.13 APR 01, 1983

SITE NUMBER 343718119592001

LOCAL NUMBER 006N030W01R03S

ABOUT 250 FT SOUTH OF HAPPY CANYON ROAD. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 400 FT, CASED TO 340 FT, PERFORATED 28-110 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1949, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	15.15 S
PERIOD OF RECORD	HIGHEST 8.48 APR 01, 1983      LOWEST 31.26 MAR 15, 1971

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343651120043401

LOCAL NUMBER 006N030W07G05S

WEST OF SANTA BARBARA AVENUE EXTENSION. PUBLIC SUPPLY WELL. DIAM UNKNOWN, DEPTH 158 FT. ALTITUDE OF LSD 600 FT. RECORDS AVAILABLE 1962-79, 1981, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 16, 1987	67.79	S			
PERIOD OF RECORD	HIGHEST	41.64	JUN 28, 1962	LOWEST	69.98 APR 01, 1981

SITE NUMBER 343651120043402

LOCAL NUMBER 006N030W07G06S

WEST OF SANTA BARBARA AVENUE EXTENSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 667 FT, CASED TO 564 FT, PERFORATED 305-326, 331-355, 395-410 FT. ALTITUDE OF LSD 600 FT. RECORDS AVAILABLE 1962-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 16, 1987	67.45	S			
PERIOD OF RECORD	HIGHEST	40.06	APR 22, 1963	LOWEST	69.72 APR 22, 1980

SITE NUMBER 343627120030801

LOCAL NUMBER 006N030W09N01S

SOUTH OF HWY 150 NEAR INTERSECTION OF ROAD TO LOS OLIVOS AND SANTA YNEZ. DRILLED STOCK WELL. DIAM 8 IN, DEPTH 160 FT. ALTITUDE OF LSD 660.01 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 14, 1987	43.11	S			
PERIOD OF RECORD	HIGHEST	24.06	JUL 27, 1960	LOWEST	57.35 APR 27, 1978

SITE NUMBER 343727120055801

LOCAL NUMBER 006N031W01P02S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH REPORTED 350 FT. ALTITUDE OF LSD 620 FT. RECORDS AVAILABLE 1956-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 16, 1987	69.26	S			
PERIOD OF RECORD	HIGHEST	40.90	MAR 12, 1958	LOWEST	72.29 APR 01, 1981

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343728120055101

LOCAL NUMBER 006N031W01P03S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 1006 FT, CASED TO 508 FT, PERFORATED 195-360, 410-490 FT. ALTITUDE OF LSD 640 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	98.03	S
PERIOD OF RECORD	HIGHEST 79.76 MAR 27, 1969	LOWEST 113.25 APR 22, 1980

SITE NUMBER 343741120064801

LOCAL NUMBER 006N031W02K01S

ABOUT 2850 FT SOUTH OF BASELINE AVENUE AND 700 FT EAST OF ALAMO-PINTADO ROAD. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 71.3 FT. ALTITUDE OF LSD 627 FT. RECORDS AVAILABLE 1942, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	27.43	S
PERIOD OF RECORD	HIGHEST 18.02 APR 05, 1983	LOWEST 58.90 OCT 11, 1968

SITE NUMBER 343759120072901

LOCAL NUMBER 006N031W03A01S

ABOUT 0.25 MI SOUTH OF BALLARD ON ALAMO PINTADO ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 196 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	164.03	S
PERIOD OF RECORD	HIGHEST 148.65 SEP 14, 1971	LOWEST 168.49 APR 19, 1984

SITE NUMBER 343656120080601

LOCAL NUMBER 006N031W10F01S

ABOUT 1.5 MI NORTH ALONG ROAD FROM HWY 150 IN SOLVANG AND 100 FT WEST OF ADOBE CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 265 FT. ALTITUDE OF LSD 540 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	70.32	S
PERIOD OF RECORD	HIGHEST 62.59 MAR 22, 1985	LOWEST 74.90 OCT 12, 1966

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343705120071001

LOCAL NUMBER 006N031W11D04S

ON NORTH BANK OF ALAMO PINTADO CREEK AT BRIDGE ON SOLVANG-LOS OLIVOS ROAD.  
 DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 452 FT, PERFORATED 93-102, 131-147,  
 197-205, 227-447 FT. ALTITUDE OF LSD 558.51 FT. RECORDS AVAILABLE 1955-59, 1963-64, 1966  
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	28.03	S
PERIOD OF RECORD	HIGHEST 23.40	APR 06, 1983      LOWEST 67.19      OCT 31, 1957

SITE NUMBER 343623120061201

LOCAL NUMBER 006N031W13D01S

ABOUT 150 FT SOUTH OF HWY 150 AND 1850 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL. DIAM  
 10 IN, DEPTH REPORTED 170 FT IN 1941. ALTITUDE OF LSD 608 FT. RECORDS AVAILABLE 1941 TO  
 CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	110.90	S
PERIOD OF RECORD	HIGHEST 102.58	MAR 09, 1942      LOWEST 132.10      OCT 23, 1961

SITE NUMBER 343535120091101

LOCAL NUMBER 006N031W16N02S

ABOUT 2.5 MI EAST OF BUELLTON. DIAM 16 IN, DEPTH 47 FT. ALTITUDE OF LSD 366.29 FT. RECORDS  
 AVAILABLE 1941-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	23.90	S
PERIOD OF RECORD	HIGHEST 6.48	APR 06, 1942      LOWEST 35.92      NOV 24, 1961

SITE NUMBER 343719120124901

LOCAL NUMBER 006N032W02Q01S

ABOUT 100 FT NORTH OF HWY 150 AND 1.3 MI NORTHWEST OF BUELLTON. DRILLED DOMESTIC WELL. DIAM  
 8 IN, DEPTH 110 FT, PERFORATED 50-76 FT. ALTITUDE OF LSD 359.46 FT. RECORDS AVAILABLE 1949  
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 16, 1987	61.42	S
PERIOD OF RECORD	HIGHEST 55.33	APR 01, 1969      LOWEST 63.28      OCT 11, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343739120171301

LOCAL NUMBER 006N032W06K01S

ABOUT 50 FT SOUTH AND 200 FT WEST OF JUNCTION OF HWY 150 AND SANTA ROSA ROAD. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 74 FT. ALTITUDE OF LSD 383.55 FT. RECORDS IN 1932-34 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 16, 1987	34.25	S				
PERIOD OF RECORD	HIGHEST	10.50	JUL 09, 1932	LOWEST	34.25	APR 16, 1987

SITE NUMBER 343646120131801

LOCAL NUMBER 006N032W11L03S

ABOUT 1.6 MI WEST OF BUELLTON, 2400 FT NORTH OF SANTA ROSA ROAD. DUG DOMESTIC WELL. DIAM 12 IN, DEPTH 22 FT IN 1949, PERFORATED 31-39 FT. ALTITUDE OF LSD 302.38 FT. RECORDS AVAILABLE 1949-55, 1970-72, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 16, 1987	10.38	S				
PERIOD OF RECORD	HIGHEST	5.13	APR 25, 1978	LOWEST	15.00	OCT 27, 1955

SITE NUMBER 343544120151801

LOCAL NUMBER 006N032W16P03S

ON RANCH JABALI. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 70 FT. ALTITUDE OF LSD 293.18 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 17, 1987	45.87	S				
PERIOD OF RECORD	HIGHEST	41.82	FEB 24, 1943	LOWEST	53.66	NOV 27, 1961

SITE NUMBER 343613120164501

LOCAL NUMBER 006N032W18H01S

ABOUT 5 MI WEST OF BUELLTON, 75 FT NORTH OF SANTA ROSA ROAD. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 50 FT. ALTITUDE OF LSD 267.09 FT. RECORDS IN 1932-34, 1936-42 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1936-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 17, 1987	34.89	S				
PERIOD OF RECORD	HIGHEST	27.90	MAR 07, 1941	LOWEST	42.79	SEP 27, 1961



WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343647120194601

LOCAL NUMBER 006N033W11M01S

EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 65 FT, PERFORATED 4-30, 56-63 FT. ALTITUDE OF LSD 203.82 FT. MEASUREMENTS BEGINNING IN 1971 FURNISHED BY U.S. BUREAU OF RECLAMATION. RECORDS AVAILABLE 1947, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1986	10.2 R	DEC 29, 1986	10.1 R	FEB 24, 1987	10.0 RV	APR 17, 1987	9.08 S
NOV 25	10.1 R	JAN 27, 1987	10.1 R	MAR 26	10.0 R	27	10.2 R

APR 27, 1987  
PERIOD OF RECORD HIGHEST 4.29 FEB 27, 1950 LOWEST 18.13 SEP 27, 1961

SITE NUMBER 343737120245901

LOCAL NUMBER 006N034W01P01S

ABOUT 2 MI SOUTHEAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 164 FT, PERFORATED 54-72, 127-162 FT. ALTITUDE OF LSD 150.36 FT. RECORDS AVAILABLE 1948-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 20, 1987	42.03 ST

PERIOD OF RECORD HIGHEST 34.47 MAR 22, 1967 LOWEST 46.86 SEP 27, 1961

SITE NUMBER 343815120300601

LOCAL NUMBER 006N034W06C01S

SOUTH OF HWY 246 ON SAN PASQUAL ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 100 FT. ALTITUDE OF LSD 103 FT. MEASUREMENTS FURNISHED BY CITY OF SANTA BARBARA 1930-34, 1939-41. RECORDS AVAILABLE 1930-34, 1939-42, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 27, 1987	66.71 S

PERIOD OF RECORD HIGHEST 44.49 MAY 08, 1941 LOWEST 66.71 APR 27, 1987

SITE NUMBER 344224119223901

LOCAL NUMBER 007N024W13C02S

ABOUT 1.8 MI NORTHWEST OF APACHE SCHOOL. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT. ALTITUDE OF LSD 3435 FT. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 24, 1987	21.16 S

PERIOD OF RECORD HIGHEST 17.98 APR 10, 1979 LOWEST 44.23 DEC 27, 1951

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343946119563701

LOCAL NUMBER 007N029W28D01S

ABOUT 125 FT WEST OF HAPPY CANYON ROAD AND 50 FT EAST OF HAPPY CANYON CREEK. DIAM 12 IN, DEPTH 73.8 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1941-43, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	49.37 S
PERIOD OF RECORD	HIGHEST 6.05 APR 26, 1978 LOWEST 60.44 OCT 10, 1966

SITE NUMBER 344127120023301

LOCAL NUMBER 007N030W16B01S

NORTHEAST OF LOS OLIVOS. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 150 FT. ALTITUDE OF LSD 1077 FT. RECORDS AVAILABLE 1950, 1954-59, 1963-64, 1966-72, 1975, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	21.13 S
PERIOD OF RECORD	HIGHEST 8.48 APR 04, 1983 LOWEST 36.10 SEP 19, 1950

SITE NUMBER 344023120015101

LOCAL NUMBER 007N030W22E01S

ABOUT 0.1 MI NORTH OF BAR GO RANCH. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 229 FT. ALTITUDE OF LSD 920 FT. RECORDS AVAILABLE 1948, 1954-59, 1963-64, 1966-73, 1975 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	7.29 S
PERIOD OF RECORD	HIGHEST 1.28 MAR 16, 1971 LOWEST 11.19 APR 20, 1964

SITE NUMBER 343935120010801

LOCAL NUMBER 007N030W27H01S

IN CORRALES CANYON. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 188 FT, PERFORATED 145-171 FT. ALTITUDE OF LSD 852 FT. RECORDS AVAILABLE 1939, 1942, 1954-59, 1963, 1966, 1968 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	5.75 S
PERIOD OF RECORD	HIGHEST 4.28 APR 15, 1980 LOWEST 22.60 OCT 11, 1966

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343946120035801

LOCAL NUMBER 007N030W29D01S

ABOUT 5000 FT NORTH OF ROBLAR AVENUE AND 4100 FT EAST OF TORRENCE AVENUE. STOCK WELL. DIAM 6 IN, DEPTH 290 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1941, 1957-59, 1963-64, 1966-72, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1987	46.52 S
PERIOD OF RECORD	HIGHEST 15.57 APR 05, 1983      LOWEST 110.60 OCT 16, 1968

SITE NUMBER 343903120040701

LOCAL NUMBER 007N030W29N02S

ABOUT 360 FT NORTH OF ROBLAR AVENUE. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 485 FT. ALTITUDE OF LSD 820 FT. RECORDS AVAILABLE 1954-59, 1963-64, 1966-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	274.08 S
PERIOD OF RECORD	HIGHEST 230.44 MAR 18, 1954      LOWEST 295.06 APR 11, 1977

SITE NUMBER 343921120051601

LOCAL NUMBER 007N030W30M01S

ABOUT 2000 FT NORTH OF ROBLAR AVENUE AND 2500 FT WEST OF TORRENCE AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 795 FT. RECORDS AVAILABLE 1939, 1956-59, 1966-74, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1987	147.33 S
PERIOD OF RECORD	HIGHEST 102.00      , 1939      LOWEST 184.74 APR 27, 1978

SITE NUMBER 343812120031701

LOCAL NUMBER 007N030W32R01S

ABOUT 225 FT NORTH OF BASELINE AVENUE AND 6800 FT EAST OF TORRENCE AVENUE. DOMESTIC WELL. DIAM 10 IN, DEPTH 242 FT. ALTITUDE OF LSD 701 FT. RECORDS AVAILABLE 1942-43, 1945, 1950, 1952-59, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 14, 1987	165.94 S
PERIOD OF RECORD	HIGHEST 82.15 APR 10, 1945      LOWEST 191.09 JUN 12, 1978

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343834120030001

LOCAL NUMBER 007N030W33M02S

NORTH OF BASELINE AVENUE AND EAST OF MORO AVENUE. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 318 FT, PERFORATED 165-173, 178-183, 196-199, 211-216, 221-241, 254-292, 299-318 FT. ALTITUDE OF LSD 746 FT. RECORDS AVAILABLE 1953-72, 1974-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 15, 1987	197.80	S			
PERIOD OF RECORD	HIGHEST	158.00	FEB 13, 1953	LOWEST	214.20 APR 11, 1979

SITE NUMBER 343809120000601

LOCAL NUMBER 007N030W35R01S

ABOUT 1000 FT NORTHWEST OF ENTRANCE TO STARLANE RANCH. DRILLED STOCK WELL. DIAM 10 IN, DEPTH 300 FT, PERFORATED 201-203, 223-242, 264-268, 283-288 FT. ALTITUDE OF LSD 880 FT. RECORDS AVAILABLE 1952, 1956-59, 1963-64, 1966-72, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 14, 1987	192.24	S			
PERIOD OF RECORD	HIGHEST	186.49	MAR 20, 1985	LOWEST	236.73 APR 26, 1978

SITE NUMBER 344044120072801

LOCAL NUMBER 007N031W22A03S

ABOUT 1 MI NORTH OF SAN MARCOS PASS ROAD ON FOXEN CANYON ROAD. IRRIGATION WELL. DIAM 9 IN, DEPTH 224 FT, CASED TO 224 FT, PERFORATED 95-105, 110-135, 140-150, 182-188, 210-218 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE 1958-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 15, 1987	59.38	S			
PERIOD OF RECORD	HIGHEST	31.62	APR 20, 1984	LOWEST	67.99 APR 11, 1977

SITE NUMBER 344002120070001

LOCAL NUMBER 007N031W23P01S

ABOUT 850 FT WEST OF GRAND AVENUE AND 450 FT EAST OF ALAMO PINTADO CREEK. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 141.4 FT. ALTITUDE OF LSD 822 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 15, 1987	31.54	S			
PERIOD OF RECORD	HIGHEST	8.09	AUG 07, 1942	LOWEST	105.08 AUG 22, 1966

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343827120064601

LOCAL NUMBER 007N031W35K01S

ABOUT 1900 FT NORTH OF BASELINE AVENUE AND 550 FT EAST OF ALAMO-PINTADO ROAD. IRRIGATION WELL.  
 DIAM UNKNOWN, DEPTH 149.4 FT. ALTITUDE OF LSD 683 FT. RECORDS AVAILABLE 1942-43, 1945, 1957-  
 59, 1964, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 16, 1987	34.50	S				
PERIOD OF RECORD	HIGHEST	20.47	APR 05, 1983	LOWEST	100.54	OCT 23, 1967

SITE NUMBER 343831120055001

LOCAL NUMBER 007N031W36L02S

ABOUT 2000 FT NORTH OF BASELINE ROAD AND 50 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL.  
 DIAM 12 IN, DEPTH 230 FT. ALTITUDE OF LSD 721 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 16, 1987	45.90	S				
PERIOD OF RECORD	HIGHEST	16.54	APR 07, 1943	LOWEST	128.20	OCT 14, 1968

SITE NUMBER 344215120170001

LOCAL NUMBER 007N032W07B01S

IN DRUM CANYON. STOCK WELL. DIAM 16 IN, DEPTH 77 FT. ALTITUDE OF LSD 1030 FT. RECORDS  
 AVAILABLE 1941, 1945, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 16, 1987	53.42	S				
PERIOD OF RECORD	HIGHEST	5.01	APR 06, 1983	LOWEST	58.84	OCT 21, 1969

SITE NUMBER 344035120235901

LOCAL NUMBER 007N033W19D01S

IN CEBADA CANYON, NORTH OF HWY 154. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 760 FT, CASED TO 552 FT,  
 PERFORATED 228-264 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1958, 1966 TO CURRENT YEAR.  
 AVAILABLE 1958, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 17, 1987	194.22	S				
PERIOD OF RECORD	HIGHEST	186.30	MAR 30, 1967	LOWEST	202.38	OCT 19, 1970

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343926120201001

LOCAL NUMBER 007N033W27G01S

ABOUT 1 MI SOUTH OF HWY 150. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 750 FT, CASED TO 735 FT, PERFORATED 435-735 FT. ALTITUDE OF LSD 432 FT. RECORDS AVAILABLE 1967, 1969-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 16, 1987 361.46 S

PERIOD OF RECORD    HIGHEST   347.77   APR 11, 1974    LOWEST   374.08   DEC 27, 1977

SITE NUMBER 343923120200101

LOCAL NUMBER 007N033W27J01S

IN SANTA RITA VALLEY. DUG STOCK WELL. DIAM 20 IN, DEPTH 52.5 FT. ALTITUDE OF LSD 458.2 FT. RECORDS AVAILABLE 1941, 1945, 1955-58, 1966-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 16, 1987 20.99 S

PERIOD OF RECORD    HIGHEST   17.11   APR 06, 1983    LOWEST   35.05   NOV 08, 1957

SITE NUMBER 343824120175201

LOCAL NUMBER 007N033W36J01S

ABOUT 0.73 MI NORTHWEST OF INTERSECTION OF DRUM CANYON ROAD AND HWY 150. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 190 FT, PERFORATED 125-190 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1941, 1945-46, 1948, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 17, 1987 151.77 S

PERIOD OF RECORD    HIGHEST   114.10   OCT 22, 1946    LOWEST   152.20   OCT 19, 1970

SITE NUMBER 343825120174601

LOCAL NUMBER 007N033W36J02S

ABOUT 0.65 MI WEST OF HWY 154. UNUSED WELL. DIAM 8 IN, DEPTH 97.5 FT. ALTITUDE OF LSD 478 FT. RECORDS AVAILABLE 1941, 1954, 1957, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 17, 1987 56.00 S

PERIOD OF RECORD    HIGHEST   51.00   APR 23, 1984    LOWEST   69.77   NOV 03, 1954

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344221120273501

LOCAL NUMBER 007N034W09H05S

ABOUT 1.12 MI NORTHWEST OF STATE HWY 1 AND 0.51 MI NORTHEAST OF LOMPOC-CASMALIA ROAD. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 960 FT, CASED TO 853 FT, PERFORATED 653-853 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1960-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 251.14 S

PERIOD OF RECORD HIGHEST 218.90 MAR 28, 1962 LOWEST 284.70 MAR 03, 1966

SITE NUMBER 344221120273502

LOCAL NUMBER 007N034W09H06S

ABOUT 1.9 MI NORTH OF INTERSECTION OF LOMPOC-CASMALIA ROAD AND CABRILLO HWY. INDUSTRIAL WELL. DIAM 16 IN, DEPTH 816 FT, CASED TO 810 FT, PERFORATED 594-810 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 252.97 S

PERIOD OF RECORD HIGHEST 241.60 MAR 23, 1976 LOWEST 252.97 APR 27, 1987

SITE NUMBER 344219120250601

LOCAL NUMBER 007N034W12E01S

ABOUT 5 MI NORTH-NORTHEAST OF LOMPOC. DRILLED OBSERVATION WELL. DIAM 8 TO 6 IN, DEPTH 377 FT, 8-IN CSG 0-278 FT, 6-IN CSG 278-385 FT, PERFORATED 345-385 FT. ALTITUDE OF LSD 385.83 FT. RECORDS AVAILABLE 1949-50, 1956, 1959, 1961-66, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 321.02 S

PERIOD OF RECORD HIGHEST 301.00 JUN 19, 1949 LOWEST 321.02 APR 27, 1987

SITE NUMBER 344130120255201

LOCAL NUMBER 007N034W14F03S

ABOUT 2.5 MI NORTH OF PURISIMA MISSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 397 FT, PERFORATED 169-397 FT. ALTITUDE OF LSD 268 FT. RECORDS AVAILABLE 1958, 1962-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 215.30 T

PERIOD OF RECORD HIGHEST 194.40 FEB 25, 1963 LOWEST 224.40 APR 16, 1973

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344117120255001

LOCAL NUMBER 007N034W14L01S

NORTH OF LOMPOC ON BURTON MESA ROAD. TEST WELL. DIAM 6 IN, DEPTH 550 FT, PERFORATED 200-550 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 207.67 S

PERIOD OF RECORD    HIGHEST 205.85    APR 25, 1984    LOWEST 208.20    APR 02, 1986

SITE NUMBER 344140120272301

LOCAL NUMBER 007N034W15D01S

ABOUT 3.75 MI NORTH OF LOMPOC ON LOMPOC-CASMALIA RD. DRILLED PUBLIC SUPPLY WELL. DIAM 24 TO 16 IN, DEPTH 790 FT, PERFORATED 450-790 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1960-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 130.62 ST

PERIOD OF RECORD    HIGHEST 111.22    JUL 27, 1960    LOWEST 150.00    JAN 28, 1960

SITE NUMBER 344140120272302

LOCAL NUMBER 007N034W15D02S

ABOUT 1.2 MI NORTH OF INTERSECTION OF HWY 1 AND LOMPOC-CASMALIA ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 690 FT, CASED TO 690 FT, PERFORATED 486-666 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 129.55 ST

PERIOD OF RECORD    HIGHEST 123.54    OCT 20, 1970    LOWEST 129.50    NOV 28, 1977

SITE NUMBER 344134120272201

LOCAL NUMBER 007N034W15E01S

IN CANYON SOUTHEAST OF VANDENBERG VILLAGE. DRILLED PUBLIC SUPPLY WELL. DIAM 18 IN, DEPTH 770 FT, CASED TO 749 FT, PERFORATED 511-725 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 27, 1987 131.59 S

PERIOD OF RECORD    HIGHEST 122.06    MAR 07, 1968    LOWEST 136.30    APR 10, 1974



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344100120270401

LOCAL NUMBER 007N034W15P01S

ABOUT .25 MI NORTHEAST OF INTERSECTION OF HWY 1 AND LOMPOC-CASMALIA ROAD, 300 FT EAST OF HWY 1.  
 DRILLED STOCK WELL. DIAM 14 IN, DEPTH 924 FT, CASED TO 924 FT, PERFORATED 200-440, 800-920  
 FT. ALTITUDE OF LSD 300 FT. RECORDS AVAILABLE 1963, 1969, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 20, 1987 246.03 S

PERIOD OF RECORD HIGHEST 225.00 NOV , 1963 LOWEST 277.13 MAR 23, 1976

SITE NUMBER 344045120300702

LOCAL NUMBER 007N034W19C03S

AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 85 FT, PERFORATED  
 65-85 FT. ALTITUDE OF LSD 118.5 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JUL 22, 1987 77.76 S

PERIOD OF RECORD HIGHEST 74.43 JAN 11, 1984 LOWEST 77.76 JUL 22, 1987

SITE NUMBER 344046120300801

LOCAL NUMBER 007N034W19C04S

AT U.S. PENITENTIARY. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 2 IN, DEPTH 83  
 FT, SCREENED 73-83 FT. ALTITUDE OF LSD 119 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JUL 22, 1987 76.18 S

PERIOD OF RECORD HIGHEST 73.28 JAN 11, 1984 LOWEST 76.18 JUL 22, 1987

SITE NUMBER 344017120285502

LOCAL NUMBER 007N034W20K04S

ON VANDENBERG AFB, SOUTH OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DRILLED  
 DEPTH 186 FT, DEPTH 144.5 FT IN 1966, PERFORATED 90-174 FT. ALTITUDE OF LSD 72 FT. RECORDS  
 AVAILABLE 1941-42, 1955, 1966-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 07, 1986 30.29 S MAY 14, 1987 29.62 S

PERIOD OF RECORD HIGHEST 15.70 OCT 18, 1942 LOWEST 37.00 APR 04, 1974

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344023120292802

LOCAL NUMBER 007N034W20M02S

ON VANDENBERG AFB, SOUTHWEST OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DEPTH 192 FT, PERFORATED 77-93, 101-177 FT. ALTITUDE OF LSD 70 FT. RECORDS AVAILABLE 1941-42, 1955-56, 1966-73, 1975-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 07, 1986	31.61 S		MAY 14, 1987	33.32 S	
PERIOD OF RECORD	HIGHEST	18.40	APR 01, 1942	LOWEST	42.67 MAY 16, 1986

SITE NUMBER 344033120263404

LOCAL NUMBER 007N034W22J06S

WEST OF LA PURISIMA MISSION ALONG LOMPOC-CASMALIA ROAD. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 135 FT. ALTITUDE OF LSD 90 FT. RECORDS AVAILABLE 1949-54, 1957-58, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 17, 1987	40.15 S	
PERIOD OF RECORD	HIGHEST	27.77 NOV 23, 1949 LOWEST 55.34 APR 16, 1973

SITE NUMBER 344010120251601

LOCAL NUMBER 007N034W24N01S

SOUTHEAST OF LA PURISIMA MISSION ALONG LOMPOC-CASMALIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 183 FT. ALTITUDE OF LSD 130.4 FT. MEASUREMENTS 1930-35 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1924, 1930-35, 1949, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	72.19 S	
PERIOD OF RECORD	HIGHEST	38.00 JUL , 1924 LOWEST 78.99 SEP 21, 1971

SITE NUMBER 343943120252201

LOCAL NUMBER 007N034W26H03S

ABOUT 1.5 MI NORTHEAST OF LOMPOC. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 123 FT, 43 FT IN 1966, CLEANED OUT TO 83 FT IN 1967. ALTITUDE OF LSD 112.92 FT. MEASUREMENTS FURNISHED BY U.S. BUREAU OF RECLAMATION AND ALSO MEASURED BY U.S.G.S. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1986	56.4 R		DEC 24, 1986	55.3 R		FEB 26, 1987	61.4 R		APR 17, 1987	54.23 S
NOV 26	56.0 R		JAN 29, 1987	54.8 R		MAR 27	54.2 R		28	54.5 R
PERIOD OF RECORD	HIGHEST	40.13	MAR 09, 1950	LOWEST	61.4	FEB 26, 1987				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343939120265301

LOCAL NUMBER 007N034W27F04S

ABOUT 0.5 MI NORTH OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 178 FT, PERFORATED 110-172 FT. ALTITUDE OF LSD 96.79 FT. MEASUREMENTS FURNISHED BY U.S. BUREAU OF RECLAMATION AND ALSO MEASURED BY U.S.G.S. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1986	46.3 R	DEC 24, 1986	47.3 RV	FEB 26, 1987	45.9 RV	APR 17, 1987	45.84 S
NOV 26	45.4 R	JAN 29, 1987	46.5 RV	MAR 27	44.6 RO	28	45.0 RV
PERIOD OF RECORD		HIGHEST	31.91	FEB 03, 1953	LOWEST	57.40	AUG 28, 1977

SITE NUMBER 343948120292002

LOCAL NUMBER 007N034W29E04S

ABOUT 2.5 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 176 FT. ALTITUDE OF LSD 67.71 FT. RECORDS AVAILABLE 1945-76, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 26, 1987	30.50 S
PERIOD OF RECORD	
HIGHEST	18.36
MAR 31, 1958	LOWEST
48.14	JUL 24, 1963

SITE NUMBER 343941120300102

LOCAL NUMBER 007N034W30L03S

SOUTH OF CENTRAL AVENUE AND EAST OF ARTESIA SCHOOL. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 31.8 FT IN 1947. ALTITUDE OF LSD 58.79 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 26, 1987	23.29 S
PERIOD OF RECORD	
HIGHEST	13.74
APR 08, 1983	LOWEST
26.41	APR 24, 1951

SITE NUMBER 343901120300302

LOCAL NUMBER 007N034W31C03S

ABOUT 2.25 MI WEST-NORTHWEST OF LOMPOC. BORED OBSERVATION WELL. DIAM UNKNOWN, DEPTH 28 FT. ALTITUDE OF LSD 64.68 FT. RECORDS AVAILABLE 1947-59, 1961-68, 1974 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 26, 1987	20.14 S
PERIOD OF RECORD	
HIGHEST	12.24
APR 29, 1953	LOWEST
21.97	DEC 26, 1951

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343846120255101

LOCAL NUMBER 007N034W35F02S

ABOUT 1 MI EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 15 IN, DEPTH 102 FT IN 1963, 101 FT IN 1965, PERFORATED 30-54, 96-136 FT. ALTITUDE OF LSD 99.8 FT. RECORDS 1930-40, 1942 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-68, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 17, 1987	17.75	S
PERIOD OF RECORD	HIGHEST 9.50 MAR 06, 1941	LOWEST 37.48 OCT 25, 1966

SITE NUMBER 343840120254701

LOCAL NUMBER 007N034W35K09S

ABOUT 0.5 MI EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 128 FT, PERFORATED 52-80, 112-124 FT. RECORDS IN 1960-69 AND REPORTED MEASUREMENTS BEGINNING IN 1970 FURNISHED BY U.S. BUREAU OF RECLAMATION. RECORDS AVAILABLE 1950, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1986	22.1	R	DEC 24, 1986	21.2	R	FEB 26, 1987	21.0	R	APR 17, 1987	21.59
NOV 26	21.7	R	JAN 29, 1987	21.2	R	MAR 27	20.5	R	28	20.8
PERIOD OF RECORD	HIGHEST 18.4		MAR 28, 1983			APR 26, 1983	LOWEST 42.00		SEP 16, 1964	

SITE NUMBER 344116120351401

LOCAL NUMBER 007N035W17K01S

ON VANDENBERG AFB, SOUTH OF LAGOON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DRILLED DEPTH 190 FT, DEPTH 186.7 FT IN 1966, PERFORATED 175-185 FT. ALTITUDE OF LSD 10 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 07, 1986	2.87	S	MAY 20, 1987	3.41	S
PERIOD OF RECORD	HIGHEST 0.02		APR 05, 1967	LOWEST 4.36	
				MAY 16, 1986	

SITE NUMBER 344112120351001

LOCAL NUMBER 007N035W17K20S

NORTH OF OCEAN PARK ROAD. DIAM 6 INCHES, DEPTH 126 FT. PERFORATED 96-116 FT. ALTITUDE OF LSD 24 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 07, 1986	16.55	S	MAY 20, 1987	16.89	S
PERIOD OF RECORD	HIGHEST 15.21		NOV 20, 1984	LOWEST 18.60	
				OCT 31, 1985	

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344114120353501

LOCAL NUMBER 007N035W17M01S

NEAR OCEAN BEACH COUNTY PARK AT SURF. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT IN 1966, PERFORATED 115-120 FT. ALTITUDE OF LSD 9.74 FT. RECORDS AVAILABLE 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 26, 1987	3.62	S			
PERIOD OF RECORD	HIGHEST	1.68	JAN 26, 1968	LOWEST	5.40 AUG 07, 1978

SITE NUMBER 344110120351201

LOCAL NUMBER 007N035W17Q06S

ON VANDENBERG AFB. DIAM 6 INCHES, DEPTH 87 FT. PERFORATED 57-77 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 07, 1986	10.75	S	MAY 20, 1987	10.77	S
PERIOD OF RECORD	HIGHEST	9.57	NOV 20, 1984	LOWEST	12.50 OCT 31, 1985

SITE NUMBER 344135120355201

LOCAL NUMBER 007N035W18H01S

ON VANDENBERG AFB, NORTH OF LAGOON. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 111.5 FT IN 1966, PERFORATED 83-88 FT. ALTITUDE OF LSD 5.87 FT. RECORDS AVAILABLE 1963-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 26, 1987	0.90	S			
PERIOD OF RECORD	HIGHEST	0.44	APR 07, 1981	LOWEST	2.60 APR 05, 1967

SITE NUMBER 344118120355902

LOCAL NUMBER 007N035W18J02S

NEAR SOUTH EXIT ROAD AT OCEAN BEACH COUNTY PARK. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 121.7 FT IN 1966, PERFORATED 100-105 FT. ALTITUDE OF LSD 7.38 FT. RECORDS AVAILABLE 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 26, 1987	2.66	S			
PERIOD OF RECORD	HIGHEST	2.34	DEC 29, 1964	LOWEST	4.85 MAR 26, 1969

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344041120341101

LOCAL NUMBER 007N035W21G02S

ON VANDENBERG AIR FORCE BASE. DIAM 6 INCHES, DEPTH 180 FT. PERFORATED 150-170 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	12.61 S	MAY 14, 1987	12.46 S
PERIOD OF RECORD	HIGHEST	10.14 MAY 25, 1983	LOWEST 13.55 JUN 20, 1982

SITE NUMBER 344021120324101

LOCAL NUMBER 007N035W22J01S

ABOUT 1 MI WEST OF MAIN GATE OF PT. AGUILLO U.S.N.S. BORED IRRIGATION WELL. DIAM 16 IN, DEPTH 182 FT, PERFORATED 133-180 FT. ALTITUDE OF LSD 31.76 FT. RECORDS 1930-35 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1941-42, 1945-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 27, 1987	18.68 S
PERIOD OF RECORD	HIGHEST 6.01 APR 08, 1958 LOWEST 24.06 MAY 08, 1984

SITE NUMBER 344025120331301

LOCAL NUMBER 007N035W22L01S

ON VANDENBERG AFB, ABOUT 0.50 MI NORTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 219 FT, PERFORATED 172-189 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1934-35, 1953, 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	19.40 S	MAY 14, 1987	20.30 S
PERIOD OF RECORD	HIGHEST	10.70 APR 05, 1967	LOWEST 24.80 SEP 19, 1935

SITE NUMBER 344025120333401

LOCAL NUMBER 007N035W22M01S

ON VANDENBERG AFB, WEST OF RENWICK AVE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 180 FT. ALTITUDE OF LSD 29 FT. RECORDS AVAILABLE 1933, 1935, 1937, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	14.15 S	MAY 14, 1987	13.27 S
PERIOD OF RECORD	HIGHEST	2.87 MAR 27, 1952	LOWEST 20.20 SEP 19, 1935

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344048120320201

LOCAL NUMBER 007N035W23B02S

ABOUT 3500 FT SOUTHEAST OF THE INTERSECTION OF 13TH AND TERRA STREET. DIAM 6 IN, DEPTH 80 FT, CASED TO 80 FT, PERFORATED 20-60 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JAN 08, 1987	18.40	SZ
PERIOD OF RECORD	HIGHEST 17.63	MAY 23, 1980      LOWEST 19.77      JUN 20, 1984

SITE NUMBER 344043120322402

LOCAL NUMBER 007N035W23E02S

ABOUT 5.29 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 212 FT, PERFORATED 170-190 FT. ALTITUDE OF LSD 36.11 FT. RECORDS 1930-35 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1937-38, 1941-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 27, 1987	19.53	S
PERIOD OF RECORD	HIGHEST 8.03	SEP 28, 1954      LOWEST 65.00      APR 28, 1943      MAY 12, 19, 26, 1943

SITE NUMBER 344021120303504

LOCAL NUMBER 007N035W24J04S

ABOUT 3.5 MI NORTHWEST OF LOMPOC. DRILLED UNUSED WELL. DIAM 8-30 IN, DEPTH 171 FT, 8-IN CSG TO 171 FT, 30-IN CSG TO 10 FT, PERFORATED 165-170 FT. ALTITUDE OF LSD 52 FT. RECORDS AVAILABLE 1961, 1974-82.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	33.62	S
PERIOD OF RECORD	HIGHEST 24.77	APR 05, 1982      LOWEST 52.00      , 1961

SITE NUMBER 344029120310305

LOCAL NUMBER 007N035W24K05S

ABOUT 0.9 MI NORTH OF CENTRAL AVENUE AND 75 FT EAST OF DE WOLF AVENUE. IRRIGATION WELL. DIAM 14 IN, DEPTH 174 FT, PERFORATED 130-135, 140-170 FT. ALTITUDE OF LSD 51 FT. RECORDS AVAILABLE 1973-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	26.05	S
PERIOD OF RECORD	HIGHEST 18.62	APR 25, 1978      LOWEST 28.77      APR 26, 1984

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343947120310701

LOCAL NUMBER 007N035W25F05S

ABOUT 0.25 FT WEST OF DEWOLFE AVENUE AND 500 FT NORTH OF CENTRAL AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 184 FT, PERFORATED 145-175 FT. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1939-41, 1945-48, 1950, 1952-55, 1957-73, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	29.61	S
PERIOD OF RECORD	HIGHEST 5.72 MAR 27, 1941	LOWEST 37.45 JUL 24, 1963

SITE NUMBER 343947120310703

LOCAL NUMBER 007N035W25F06S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 19.3 FT IN 1945. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	12.50	S
PERIOD OF RECORD	HIGHEST 3.84 APR 04, 1969	LOWEST 16.18 OCT 28, 1964

SITE NUMBER 343947120310702

LOCAL NUMBER 007N035W25F07S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 32 FT, CASED TO 29.5 FT, SAND POINT 29.5 FT. ALTITUDE OF LSD 46.9 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 26, 1987	12.12	S
PERIOD OF RECORD	HIGHEST 5.70 APR 25, 1978	LOWEST 19.96 FEB 04, 1964

SITE NUMBER 343948120320901

LOCAL NUMBER 007N035W26F04S

NORTH OF CENTRAL AVENUE AND WEST OF UNION AVENUE. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 190 FT IN 1952. ALTITUDE OF LSD 35 FT. RECORDS AVAILABLE 1970-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 27, 1987	23.00	SS
PERIOD OF RECORD	HIGHEST 10.43 APR 02, 1982	LOWEST 25.80 MAY 08, 1984



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343952120332001

LOCAL NUMBER 007N035W27F01S

ON VANDENBERG AFB, ABOUT 0.45 MI EAST OF ARGUELLO BLVD AND 50 FT NORTH OF CLARK STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH DRILLED 123 FT. ALTITUDE OF LSD 27.63 FT. RECORDS PRIOR TO 1942 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-32, 1934, 1942, 1953 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	14.92 S	MAY 14, 1987	14.27 S
PERIOD OF RECORD	HIGHEST	2.52 APR 21, 1958	LOWEST 23.23 AUG 05, 1930

SITE NUMBER 343948120330101

LOCAL NUMBER 007N035W27H01S

ON VANDENBERG AFB, ABOUT 200 FT SOUTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 142 FT, PERFORATED 80-124 FT. ALTITUDE OF LSD 27 FT. RECORDS IN 1935-42 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1935-42, 1953-59, 1966 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	16.05 S	MAY 14, 1987	15.64 S
PERIOD OF RECORD	HIGHEST	1.50 APR 02, 1941	LOWEST 21.40 JUL 31, 1936

SITE NUMBER 343923120332501

LOCAL NUMBER 007N035W27F01S

ON VANDENBERG AFB, SOUTH OF HWY 246. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN CASING TO 582 FT, DEPTH 677 FT, PERFORATED 562-577 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	226.89 S	MAY 14, 1987	226.33 S
PERIOD OF RECORD	HIGHEST	222.24 APR 24, 1963	LOWEST 235.20 APR 10, 1979

SITE NUMBER 343944120361901

LOCAL NUMBER 007N035W30G01S

ON VANDENBERG AFB, ABOUT 0.1 MI SOUTH OF ROAD TO LAUNCH COMPLEX A. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 277 FT, PERFORATED 115-275 FT. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1958-61, 1963 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 14, 1987	96.98 S
PERIOD OF RECORD	HIGHEST 95.82 MAR 13, 1985 LOWEST 98.34 JUL 31, 1958

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343841120355201

LOCAL NUMBER 007N035W31J01S

ON VANDENBERG AFB, IN BEAR CREEK AREA. DIAM 6 IN, DEPTH 625 FT, PERFORATED 571-591 FT.  
 ALTITUDE OF LSD 160 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	52.72 S	MAY 14, 1987	52.36 S
PERIOD OF RECORD	HIGHEST	48.18 OCT 30, 1963	LOWEST 66.49 JAN 04, 1963

SITE NUMBER 343831120354301

LOCAL NUMBER 007N035W32N01S

ON SOUTH VANDENBERG AFB IN BEAR CREEK AREA. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN,  
 DEPTH DRILLED 300 FT, DEPTH 224.6 FT IN 1966, PERFORATED 10-210 FT. ALTITUDE OF LSD 175 FT.  
 RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	3.14 S	MAY 14, 1987	2.60 S
PERIOD OF RECORD	HIGHEST	2.60 MAY 14, 1987	LOWEST 9.47 JUN 25, 1958

SITE NUMBER 343846120334801

LOCAL NUMBER 007N035W33J01S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH  
 DRILLED 380 FT, DEPTH 186 FT IN 1966, PERFORATED 113-155, 173-244 FT. ALTITUDE OF LSD 177 FT.  
 RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	122.79 S	MAY 14, 1987	123.41 SS
PERIOD OF RECORD	HIGHEST	109.89 NOV 25, 1958	LOWEST 127.29 JUN 05, 1967

SITE NUMBER 343846120334802

LOCAL NUMBER 007N035W33J02S

ON VANDENBERG AFB, ABOUT 1.8 MI SOUTH OF SOUTH BASE ENTRANCE IN LOMPOC CANYON. DRILLED  
 PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 530 FT, PERFORATED 170-210, 375-465 FT.  
 ALTITUDE OF LSD 177 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	137.13 S	MAY 14, 1987	147.43 SS
PERIOD OF RECORD	HIGHEST	112.94 OCT 29, 1958	LOWEST 151.00 SEP 28, 1965

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 343837120335201

LOCAL NUMBER 007N035W33J03S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH DRILLED 660 FT, 14 IN CSG 0-518 FT, PERFORATED 96-160, 428-460 FT. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1960-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1986	136.48 S	MAY 14, 1987	132.88 SS
PERIOD OF RECORD	HIGHEST	127.92 MAR 13, 1985	LOWEST 164.74 OCT 28, 1964

SITE NUMBER 343859120314003

LOCAL NUMBER 007N035W35A03S

NORTH OF ARTESIA AVENUE AND EAST OF OCEAN AVENUE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 100 FT, PERFORATED 78-92 FT. ALTITUDE OF LSD 45.68 FT. RECORDS AVAILABLE 1945, 1947-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 26, 1987	18.44 S
PERIOD OF RECORD	HIGHEST 5.41 APR 29, 1958 LOWEST 25.81 JUL 27, 1950

SITE NUMBER 344418120053101

LOCAL NUMBER 008N031W25Q01S

IN SYCAMORE CANYON. STOCK WELL. DIAM 12 IN, DEPTH 190 FT, CASED TO 190 FT. ALTITUDE OF LSD 1220 FT. RECORDS AVAILABLE 1967-73, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1987	49.26 S
PERIOD OF RECORD	HIGHEST 15.49 APR 05, 1983 LOWEST 49.36 MAR 31, 1976

SITE NUMBER 344457120122101

LOCAL NUMBER 008N032W25D01S

ABOUT 2.4 MI NORTH OF HWY 101 ON ALISO CANYON ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12.75 IN, DEPTH 881 FT, PERFORATED 268-700 FT. ALTITUDE OF LSD 763 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	85.18 S
PERIOD OF RECORD	HIGHEST 48.29 FEB 27, 1980 LOWEST 85.18 JUL 01, 1987

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344417120151001

LOCAL NUMBER 008N032W28P01S

ABOUT 1.5 MI EAST OF LOS ALAMOS. IRRIGATION WELL. DIAM 12 IN, DEPTH 235 FT, PERFORATED 67-79, 81-101 FT. ALTITUDE OF LSD 616 FT. RECORDS AVAILABLE 1943, 1955, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 01, 1987	69.29	SS
PERIOD OF RECORD	HIGHEST 23.12 DEC 02, 1943	LOWEST 76.38 SEP 19, 1986

SITE NUMBER 344457120174001

LOCAL NUMBER 008N032W30D01S

NORTH OF HWY 135 AND 0.33 MI WEST OF BELL STREET. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL. DIAM 16 IN, DEPTH 899 FT, PERFORATED 265-355, 378-409, 463-523, 667-895 FT. ALTITUDE OF LSD 540 FT. RECORDER INSTALLED 12/1977. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 01, 1987	56.37	S
PERIOD OF RECORD	HIGHEST 23.18 APR 30, 1978	LOWEST 67.73 AUG 01, 1985

SITE NUMBER 344530120231601

LOCAL NUMBER 008N033W19K01S

NEAR LOS ALAMOS. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 300 FT. ALTITUDE OF LSD 368 FT. RECORDS AVAILABLE 1952, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 01, 1987	67.59	S
PERIOD OF RECORD	HIGHEST 45.58 JUN 17, 1958	LOWEST 67.59 JUL 01, 1987

SITE NUMBER 344518120221002

LOCAL NUMBER 008N033W20Q02S

ABOUT 5.5 MI WEST OF LOS ALAMOS ON HWY 137 AND 200 FT WEST OF BACHELOR ROAD. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH 260 FT. ALTITUDE OF LSD 408 FT. RECORDS AVAILABLE 1958, 1967-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 22, 1987	31.99	S
PERIOD OF RECORD	HIGHEST 7.37 JAN 16, 1958	LOWEST 46.34 AUG 29, 1968

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344517120220701

LOCAL NUMBER 008N033W20R01S

ABOUT 5.15 MI WEST OF LOS ALAMOS AND 50 FT SOUTH OF LOS ALAMOS ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 75 FT. ALTITUDE OF LSD 410 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1987	40.22 S
PERIOD OF RECORD	HIGHEST 21.20 JAN 30, 1947      LOWEST 40.22 APR 22, 1987

SITE NUMBER 344516120190201

LOCAL NUMBER 008N033W23Q02S

WEST OF LOS ALAMOS AND NORTH OF HWY 135. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 311 FT, CASSED TO 220 FT, PERFORATED 52-220 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1955, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	17.17 S
PERIOD OF RECORD	HIGHEST 6.90 APR 21, 1955      LOWEST 44.53 SEP 25, 1985

SITE NUMBER 344712120273901

LOCAL NUMBER 008N034W09K01S

ON VANDENBERG AFB, ABOUT 1.7 MI NORTHEAST OF INTERSECTION OF VANDENBERG ROAD AND SAN ANTONIO ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 620 FT, PERFORATED 120-320, 380-580 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	94.58 S
PERIOD OF RECORD	HIGHEST 82.75 MAR 22, 1979      LOWEST 94.58 JUL 01, 1987

SITE NUMBER 344624120253901

LOCAL NUMBER 008N034W14L01S

ABOUT 80 FT WEST OF HWY 1 AND 85 FT NORTH OF SAN ANTONIO ROAD. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 640 FT, CASSED TO 593 FT, PERFORATED 320-440, 500-560 FT. ALTITUDE OF LSD 330 FT. RECORDER INSTALLED JUNE 20, 1980. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	26.50 B	OCT 10, 1986	26.51 B	OCT 19, 1986	26.43 B	OCT 28, 1986	26.40 B
02	26.48 B	11	26.50 B	20	26.42 B	29	26.40 B
03	26.57 B	12	26.50 B	21	26.43 B	30	26.38 B
04	26.58 B	13	26.52 B	22	26.36 B	31	26.34 B
05	26.54 B	14	26.51 B	23	26.40 B	NOV 01	26.37 B
06	26.53 B	15	26.48 B	24	26.44 B	02	26.36 B
07	26.52 B	16	26.50 B	25	26.43 B	03	26.33 B
08	26.52 B	17	26.50 B	26	26.40 B	04	26.33 S
09	26.52 B	18	26.46 B	27	26.40 B	JUL 01, 1987	29.43 S
PERIOD OF RECORD	HIGHEST 17.59 MAR 19, 1981	LOWEST 29.43 JUL 01, 1987					

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344628120264201

LOCAL NUMBER 008N034W15F02S

ON VANDENBERG AFB, AT THE EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 338 FT, PERFORATED 98-298 FT. ALTITUDE OF LSD 310 FT. RECORDER INSTALLED OCT. 20, 1978. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1986	16.39 B	OCT 10, 1986	16.62 B	OCT 19, 1986	16.66 B	OCT 28, 1986	16.77 B
02	16.54 B	11	16.61 B	20	16.69 B	29	16.79 B
03	16.62 B	12	16.69 B	21	16.64 B	30	16.71 B
04	16.59 B	13	16.68 B	22	16.69 B	31	16.76 B
05	16.58 B	14	16.63 B	23	16.83 B	NOV 01	16.83 B
06	16.59 B	15	16.67 B	24	16.82 B	02	16.79 B
07	16.58 B	16	16.71 B	25	16.70 B	03	16.76 B
08	16.61 B	17	16.67 B	26	16.78 B	04	16.80 S
09	16.61 B	18	16.65 B	27	16.77 B	JUL 01, 1987	17.17 S

PERIOD OF RECORD    HIGHEST    10.52    MAR 15, 1979    MAR 20, 1979    LOWEST    17.60    OCT 19-21, 1982

SITE NUMBER 344628120264203

LOCAL NUMBER 008N034W15F04S

ON VANDENBERG AFB, AT EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 475 FT, PERFORATED 375-435 FT. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	15.97 S

PERIOD OF RECORD    HIGHEST    10.05    FEB 24, 1984    LOWEST    16.24    OCT 22, 1982

SITE NUMBER 344640120274401

LOCAL NUMBER 008N034W16C01S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 86.25 FT, SCREENED 85-89 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	68.33 S

PERIOD OF RECORD    HIGHEST    39.92    FEB 05, 1970    LOWEST    68.33    JUL 01, 1987

SITE NUMBER 344640120274402

LOCAL NUMBER 008N034W16C02S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 169.43 FT, SCREENED 168-172 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	62.21 S

PERIOD OF RECORD    HIGHEST    33.91    FEB 05, 1970    LOWEST    62.21    JUL 01, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344640120274403

LOCAL NUMBER 008N034W16C03S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 317.68 FT, SCREENED 320-324 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 01, 1987	46.32	S				
PERIOD OF RECORD	HIGHEST	27.05	AUG 26, 1971	LOWEST	46.32	JUL 01, 1987

SITE NUMBER 344640120274404

LOCAL NUMBER 008N034W16C04S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 560 FT, SCREENED 556-560 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 01, 1987	51.57	S				
PERIOD OF RECORD	HIGHEST	21.06	FEB 05, 1970	LOWEST	51.57	JUL 01, 1987

SITE NUMBER 344638120280701

LOCAL NUMBER 008N034W16D02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 62 FT, SAND POINT 60.5-62 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 01, 1987	16.53	S				
PERIOD OF RECORD	HIGHEST	+2.66	APR 26, 1977	LOWEST	16.53	JUL 01, 1987

SITE NUMBER 344636120274201

LOCAL NUMBER 008N034W16F01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 59 FT, SAND POINT 57.5-59 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 01, 1987	20.18	S				
PERIOD OF RECORD	HIGHEST	+0.99	JAN 22, 1979	LOWEST	20.18	JUL 01, 1987

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344628120273201

LOCAL NUMBER 008N034W16G02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN PASO ROBLES FORMATION. DIAM 14 IN, DEPTH DRILLED 700 FT, PERFORATED 52-680 FT. ALTITUDE OF LSD 306 FT. RECORDS AVAILABLE 1964, 1966-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1986	43.69 S	JAN 26, 1987	40.23 S	MAY 26, 1987	43.66 S	AUG 25, 1987	45.82 T
25	43.39 S	MAR 25	36.06 S	JUN 25	44.88 S	SEP 28	46.35 S
DEC 23	41.55 S	APR 24	42.55	JUL 27	44.28 S		
PERIOD OF RECORD		HIGHEST	14.67 DEC 01, 1966	LOWEST	46.35 SEP 28, 1987		

SITE NUMBER 344626120272901

LOCAL NUMBER 008N034W16G03S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 58 FT, SAND POINT 54.5-56 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	25.18 S
PERIOD OF RECORD	
HIGHEST	10.08 APR 29, 1976
LOWEST	25.18 JUL 01, 1987

SITE NUMBER 344620120271701

LOCAL NUMBER 008N034W16J01S

ON VANDENBERG AFB, IN BARKA SLOUGH. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 597 FT, PERFORATED 256-558 FT. ALTITUDE OF LSD 320 FT. RECORDS AVAILABLE 1961, 1966-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 01, 1987	42.22 SV
PERIOD OF RECORD	
HIGHEST	2.50 SEP 29, 1961
LOWEST	41.51 SEP 18, 1986

SITE NUMBER 344630120290101

LOCAL NUMBER 008N034W17E01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 97 FT, SAND POINT 87.5-89 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUL 02, 1987	10.59 S
PERIOD OF RECORD	
HIGHEST	5.26 JUN 27, 1983
LOWEST	10.59 JUL 02, 1987



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344637120282901

LOCAL NUMBER 008N034W17G01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
JUL 01, 1987	+2.94 S
PERIOD OF RECORD	HIGHEST +9.01 SEP 26, 1978      LOWEST +0.27 NOV 21, 1980

SITE NUMBER 344633120281901

LOCAL NUMBER 008N034W17H01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
JUL 01, 1987	1.42 S
PERIOD OF RECORD	HIGHEST +7.54 FEB 25, 1983      LOWEST 1.92 OCT 28, 1985

SITE NUMBER 344618120283201

LOCAL NUMBER 008N034W17K02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 60 FT, SAND POINT 58.5-60 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
JUL 02, 1987	4.00 Z
PERIOD OF RECORD	HIGHEST +9.55 FEB 25, 1983      LOWEST 4.00 JUL 02, 1987

SITE NUMBER 344611120283001

LOCAL NUMBER 008N034W17Q01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 62 FT, SAND POINT 46-47.5 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
JUL 02, 1987	+5.20 Z
PERIOD OF RECORD	HIGHEST +8.55 APR 26, 1983      LOWEST +1.31 APR 23, 1981

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344550120273901

LOCAL NUMBER 008N034W21A01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL IN CAREAGA SAND OF PLIOCENE AGE. DIAM 6 IN, DEPTH 271 FT, PERFORATED 71-271 FT. ALTITUDE OF LSD 300 FT. RECORDER INSTALLED JAN. 5, 1978. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 02, 1987	10.47	S
PERIOD OF RECORD	HIGHEST 2.10 APR 25, 1978	LOWEST 10.47 JUL 02, 1987

SITE NUMBER 344539120263902

LOCAL NUMBER 008N034W22F01S

ABOUT 1.25 MI WEST OF HWY 135 AND 1 AND SOUTH OF SAN ANTONIO ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 318 FT, CASED TO 269 FT, PERFORATED 105-115, 168-173 FT. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1967, 1971, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 02, 1987	39.53	S
PERIOD OF RECORD	HIGHEST 26.00 AUG 28, 1967	LOWEST 39.53 JUL 02, 1987

SITE NUMBER 344546120252901

LOCAL NUMBER 008N034W23B01S

ABOUT 8.3 MI WEST OF LOS ALAMOS. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 150 FT. ALTITUDE OF LSD 315 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 20, 1987	21.46	S
PERIOD OF RECORD	HIGHEST 12.57 MAR 01, 1945	LOWEST 36.36 MAR 08, 1972

SITE NUMBER 344650120312001

LOCAL NUMBER 008N035W12M01S

ON VANDENBERG AFB, ALONG SAN ANTONIO CREEK, 2 MI DOWNSTREAM FROM BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 120 FT, PERFORATED 60-100 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
JUN 26, 1987	14.67	JUL 02, 1987	14.43	S
PERIOD OF RECORD	HIGHEST 6.35 APR 08, 1983	LOWEST 14.71	SEP 24, 1982	

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344910119270501

LOCAL NUMBER 009N024W33M01S

ABOUT 0.5 MI EAST OF HWY 33, NORTH OF QUATAL CANYON ROAD. DRILLED OBSERVATION WELL. DIAM 13 IN, DEPTH 233 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1950-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 24, 1987	159.52	S			
PERIOD OF RECORD	HIGHEST	126.64	MAY 11, 1984	LOWEST	207.54 APR 06, 1976

SITE NUMBER 345206119294701

LOCAL NUMBER 009N025W13B01S

ABOUT 3 MI NORTH OF VENTUCOPA. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 119 FT, DEEPENED TO 175 FT IN 1966, PERFORATED 120-175 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1946, 1952-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 24, 1987	101.58	S			
PERIOD OF RECORD	HIGHEST	84.47	APR 22, 1983	LOWEST	123.35 DEC 27, 1960

SITE NUMBER 345023119322601

LOCAL NUMBER 009N025W27C01S

IN SANTA BARBARA CANYON. DRILLED STOCK WELL. DIAM 6 IN, DEPTH 95 FT. ALTITUDE OF LSD 2820 FT. RECORDS AVAILABLE 1941-43, 1966, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 24, 1987	75.89	S			
PERIOD OF RECORD	HIGHEST	33.69	APR 22, 1983	LOWEST	83.85 DEC 27, 1977

SITE NUMBER 345325119365603

LOCAL NUMBER 009N026W01F03S

ABOUT 2.7 MI EAST OF BELL ROAD AND 0.57 MI SOUTH OF FOOTHILL ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 500 FT. ALTITUDE OF LSD 2604.5 FT. RECORDS AVAILABLE 1980, TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 24, 1987	297.20	S			
PERIOD OF RECORD	HIGHEST	293.78	APR 23, 1983	LOWEST	297.20 APR 24, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345238120164701

LOCAL NUMBER 009N032W07A01S

ABOUT 2100 FT SOUTH-SOUTHWEST FROM SANTA MARIA MESA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 452 FT, PERFORATED 107-115, 154-189, 235-238, 282-290, 410-416, 428-436 FT. ALTITUDE OF LSD 490 FT. RECORDS AVAILABLE 1944, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 139.72 S

PERIOD OF RECORD    HIGHEST    96    NOV 18, 1944    LOWEST    159.03    APR 05, 1977

SITE NUMBER 345116120150601

LOCAL NUMBER 009N032W16L01S

ABOUT 1200 FT NORTH OF SISQUOC ROAD AND 2200 FT EAST OF TEPUSQUET CANYON ROAD. IRRIGATION WELL. DIAM 16 IN, DEPTH 109.7 FT IN 1942, PERFORATED 36-95 FT. ALTITUDE OF LSD 468 FT. RECORDS AVAILABLE 1929, 1938, 1942, 1945, 1947, 1950, 1953, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 40.53 S

PERIOD OF RECORD    HIGHEST    9.75    MAY 20, 1938    LOWEST    67.11    APR 05, 1977

SITE NUMBER 345129120160301

LOCAL NUMBER 009N032W17G01S

ON HWY 148 ABOUT 2 MI EAST OF SISQUOC. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 107 FT. ALTITUDE OF LSD 447 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 51.44 S

PERIOD OF RECORD    HIGHEST    11.22    APR 05, 1943    LOWEST    86.59    OCT 26, 1960

SITE NUMBER 345056120163901

LOCAL NUMBER 009N032W19A01S

ON WEST SIDE OF LONG CANYON, AT TOP EDGE OF HILLTOP. DOMESTIC WELL. DIAM 13 IN, DEPTH 357.77 FT IN 1961; DRILLED OUT AND CEMENTED AT 550 FT IN 1964, PERFORATED 500-530, 548-578 FT. ALTITUDE OF LSD 727.6 FT. RECORDS AVAILABLE 1961, 1964, 1966-71, 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 361.11 S

PERIOD OF RECORD    HIGHEST    350.59    APR 06, 1970    LOWEST    432.40    APR 07, 1969

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345035120123501

LOCAL NUMBER 009N032W23K01S

ABOUT 7600 FT EAST OF FOXEN CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 75 FT, PERFORATED 34-55 FT. ALTITUDE OF LSD 532 FT. RECORDS AVAILABLE 1940, 1943, 1950-52, 1958, 1960-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 24, 1987 22.72 S

PERIOD OF RECORD	HIGHEST	5.90	APR 27, 1978	LOWEST	33	SEP 19, 1940
------------------	---------	------	--------------	--------	----	--------------

SITE NUMBER 344835120152701

LOCAL NUMBER 009N032W33M01S

IN LONG CANYON. STOCK WELL. DIAM 10 IN, DEPTH 120.28 FT IN 1961, 99 FT IN 1967. ALTITUDE OF LSD 745 FT. RECORDS AVAILABLE 1961, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 56.20 S

PERIOD OF RECORD	HIGHEST	53.77	MAR 28, 1974	LOWEST	73.20	MAR 25, 1976
------------------	---------	-------	--------------	--------	-------	--------------

SITE NUMBER 345024120181801

LOCAL NUMBER 009N033W24L01S

NORTH OF INTERSECTION OF PALMER AND CAT CANYON ROADS. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN, DEPTH 622 FT, CASED TO 622 FT, PERFORATED 432-600 FT. ALTITUDE OF LSD 531 FT. RECORDS AVAILABLE 1951-57, 1961-62, 1964, 1970-71, 1973-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 202.59 S

PERIOD OF RECORD	HIGHEST	157.28	JUL 01, 1955	LOWEST	217.50	APR 13, 1961
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 344936120214301

LOCAL NUMBER 009N033W28M01S

ABOUT 3.3 MI SOUTH OF ORCUTT ROAD, 800 FT WEST OF HWY 101. DRILLED STOCK WELL. DIAM 8 IN, DEPTH 385 FT, CASED TO 318 FT, PERFORATED 188-205, 250-318 FT. ALTITUDE OF LSD 903 FT. RECORDS AVAILABLE 1956, 1961, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 20, 1987 263.60 T

PERIOD OF RECORD	HIGHEST	198.05	APR 12, 1979	LOWEST	271.40	MAR 13, 1968
------------------	---------	--------	--------------	--------	--------	--------------

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345340120261801

LOCAL NUMBER 009N034W03A02S

ABOUT 1000 FT WEST OF ORCUTT ROAD AND 50 FT SOUTH OF LAKEVIEW RD. DRILLED PUBLIC SUPPLY WELL.  
DIAM 16 IN, DEPTH 350 FT, PERFORATED 247-251, 258-271, 284-331 FT. ALTITUDE OF LSD 270 FT.  
RECORDS AVAILABLE 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 21, 1987 183.73 S

PERIOD OF RECORD HIGHEST 177.13 APR 09, 1986 LOWEST 235.00 OCT 08, 1968

SITE NUMBER 345324120263801

LOCAL NUMBER 009N034W03F01S

ABOUT 2700 FT WEST OF ORCUTT ROAD AND 1900 FT SOUTH OF LAKEVIEW ROAD. DRILLED PUBLIC SUPPLY WELL.  
DIAM 16 IN, DEPTH 461 FT, PERFORATED 321-327, 345-358, 368-376, 382-392, 419-449 FT.  
ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1942, 1966-67, 1969-72, 1974, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 185.10 SR

PERIOD OF RECORD HIGHEST 150.26 AUG 27, 1942 LOWEST 250.50 APR 05, 1977

SITE NUMBER 345251120270701

LOCAL NUMBER 009N034W03N01S

ABOUT 5350 FT NORTH OF MAIN STREET IN ORCUTT AND 250 FT EAST OF LOWER ORCHID ROAD. DRILLED  
PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 232 FT, PERFORATED 163-190 FT. ALTITUDE OF LSD 258 FT.  
RECORDS AVAILABLE 1932-34, 1937-42, 1945, 1947, 1955-72, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 21, 1987 W

PERIOD OF RECORD HIGHEST 142.00 JUN 30, 1937 JUL 31, 1937 JUN 30, 1938 LOWEST 201.06 APR 01, 1970

SITE NUMBER 345330120300801

LOCAL NUMBER 009N034W06C01S

ABOUT 3 MI WEST OF SANTA MARIA. DOMESTIC WELL. DIAM 10 IN, DEPTH 300 FT. ALTITUDE OF LSD  
132 FT. RECORDS AVAILABLE 1966-75, 197 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 21, 1987 45.98 S

PERIOD OF RECORD HIGHEST 45.98 APR 21, 1987 LOWEST 110.95 AUG 02, 1966

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345300120294101

LOCAL NUMBER 009N034W06K02S

ABOUT 970 FT NORTH OF JUNCTION OF ORCUTT-CASMALIA ROAD, 50 FT WEST OF CASMALIA HWY. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 139 FT. ALTITUDE OF LSD 161 FT. RECORDS AVAILABLE 1942, 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 21, 1987	69.77 S
PERIOD OF RECORD	HIGHEST 59.22 MAR 26, 1942      LOWEST 99.67 OCT 08, 1968

SITE NUMBER 345225120283101

LOCAL NUMBER 009N034W08H01S

ABOUT 100 FT SOUTH OF ORCUTT-CASMALIA RD AND 5750 FT WEST OF SOUTH BLOSSER RD. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 222 FT. RECORDS AVAILABLE 1955 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 21, 1987	127.00 S
PERIOD OF RECORD	HIGHEST 119.73 MAR 25, 1958      LOWEST 156.20 JUL 27, 1959

SITE NUMBER 345205120271801

LOCAL NUMBER 009N034W09R01S

ABOUT 0.1 MI EAST OF SOUTH BLOSSER RD AND 0.3 MI SOUTH OF HWY 1. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 510 FT, CASED TO 510 FT, PERFORATED 363-382, 418-458 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 21, 1987	173.91 S
PERIOD OF RECORD	HIGHEST 168.85 APR 08, 1986      LOWEST 224.89 DEC 27, 1977

SITE NUMBER 345110120263001

LOCAL NUMBER 009N034W15Q01S

ON ELKHORN GOLF COURSE NEAR ORCUTT. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 512 FT, CASED TO 512 FT, PERFORATED 385-412, 423-435 FT. ALTITUDE OF LSD 430 FT. RECORDS AVAILABLE 1961, 1964, 1966-72, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 21, 1987	W
PERIOD OF RECORD	HIGHEST 317.10 APR 02, 1985      LOWEST 369.29 APR 27, 1978

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 344836120265401

LOCAL NUMBER 009N034W34P01S

ON VANDENBERG AFB ABOUT 4 MI SOUTH OF ORCUTT. DIAM 6 IN, DEPTH 420 FT, CASED TO 240 FT, PERFORATED 100-220 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 01, 1987	61.33	S				
PERIOD OF RECORD	HIGHEST	46.60	OCT 24, 1979	LOWEST	62.02	MAR 26, 1986

SITE NUMBER 345500119343201

LOCAL NUMBER 010N025W29K02S

ABOUT 6.5 MI EAST OF NEW CUYAMA. IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 450 FT, CASED TO 296 FT, PERFORATED 120-296 FT. ALTITUDE OF LSD 2357 FT. RECORDS AVAILABLE 1966, 1968, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 25, 1987	331.49	S				
PERIOD OF RECORD	HIGHEST	121.20	DEC 11, 1968	LOWEST	334.77	APR 17, 1981

SITE NUMBER 345512119354101

LOCAL NUMBER 010N025W30F01S

ABOUT 0.85 MI SOUTH OF HWY 166 ON KIRSCHENMANN ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 212 FT IN 1970, PERFORATED 124-160, 170-187, 196-202, 229-232, 241-250, 265-268, 274-313, 332-370 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1941-56, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 25, 1987	167.83	S				
PERIOD OF RECORD	HIGHEST	47.36	APR 24, 1945	LOWEST	167.83	APR 25, 1987

SITE NUMBER 345631119391501

LOCAL NUMBER 010N026W15N01S

ON RUSSELL RANCH. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 781 FT, PERFORATED 94-106, 118-124, 142-154, 172-190, 196-226, 238-244, 262-274, 286-346, 358-370, 382-388, 406-418, 430-484, 502-544 FT. ALTITUDE OF LSD 2210 FT. MEASUREMENTS 3/24/70-4/27/77 FORMERLY PUBLISHED FOR WELL 10N/26W-16Q1. RECORDS AVAILABLE 1948, 1955, 1958, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 24, 1987	163.24	S				
PERIOD OF RECORD	HIGHEST	25.00	NOV , 1948	LOWEST	163.26	APR 06, 1985



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345603119411901

LOCAL NUMBER 010N026W20M01S

SOUTH OF NEW CUYAMA. DIAM 16 IN, DEPTH 790 FT, PERFORATED 350-790 FT. ALTITUDE OF LSD 2165 FT.  
RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 24, 1987	98.80	SR				
PERIOD OF RECORD	HIGHEST	58.37	APR 11, 1986	LOWEST	88.12	APR 16, 1982

SITE NUMBER 345807119433501

LOCAL NUMBER 010N027W11A03S

ABOUT 3 MI NORTHWEST OF NEW CUYAMA. UNUSED WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD  
1978 FT. RECORDS AVAILABLE 1955-60, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 24, 1987	61.90	S				
PERIOD OF RECORD	HIGHEST	21.85	FEB 27, 1959	LOWEST	77.74	AUG 25, 1976

SITE NUMBER 345725120235701

LOCAL NUMBER 010N033W07M01S

ABOUT 1650 FT NORTH OF MAIN STREET AND 2450 FT EAST OF SUEY ROAD. DRILLED IRRIGATION WELL.  
DIAM 16 IN, DEPTH 253 FT, PERFORATED 130-146, 186-214, 218-226, 229-238 FT. ALTITUDE OF  
LSD 255 FT. RECORDS AVAILABLE 1940, 1942, 1955, 1958-59, 1967-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 23, 1987	113.04	SR				
PERIOD OF RECORD	HIGHEST	58.49	APR 11, 1979	LOWEST	132.45	JAN 04, 1955

SITE NUMBER 345716120232301

LOCAL NUMBER 010N033W07Q02S

ABOUT 640 FT NORTH OF EAST MAIN STREET AND 1.12 MI EAST OF SUEY ROAD. DRILLED IRRIGATION WELL.  
DIAM 14 IN, DEPTH 200 FT, PERFORATED 120-180 FT. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE  
1951, 1955, 1958-59, 1970-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 22, 1987	107.73	S				
PERIOD OF RECORD	HIGHEST	49.38	APR 29, 1980	LOWEST	137.00	JUL 10, 1951

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345710120230801

LOCAL NUMBER 010N033W07R01S

ABOUT 35 FT NORTH OF MAIN STREET AND 4200 FT EAST OF BATTLES ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 210 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1928, 1934, 1936, 1942, 1947, 1955-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 23, 1987	104.82 SR
PERIOD OF RECORD	HIGHEST 38.05 APR 11, 1979      LOWEST 139.68 NOV 19, 1964

SITE NUMBER 345627120214401

LOCAL NUMBER 010N033W16N02S

ABOUT 0.6 MI EAST OF PHILBRIC ROAD AND 1.1 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 240 FT. ALTITUDE OF LSD 292 FT. RECORDS AVAILABLE 1952, 1955, 1958-59, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1987	80.87 SR
PERIOD OF RECORD	HIGHEST 12.61 APR 11, 1979      LOWEST 118.21 APR 06, 1977

SITE NUMBER 345538120231101

LOCAL NUMBER 010N033W19K01S

ABOUT 0.25 MI NORTH OF BETTERAVIA ROAD, 30 FT NORTHEAST OF RESERVOIR. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 292 FT WHEN DRILLED, DEEPENED TO 423 FT IN 1957, PERFORATED 262-295, 305-417 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1950, 1953, 1957, 1966-72, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 23, 1987	133.32 S
PERIOD OF RECORD	HIGHEST 106.01 APR 02, 1985      LOWEST 183.60 SEP 29, 1966

SITE NUMBER 345552120220001

LOCAL NUMBER 010N033W20H01S

ABOUT 0.5 MI EAST OF PHILBRIC ROAD AND 0.7 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 251 FT, PERFORATED 100-106, 126-132, 161-175 FT. ALTITUDE OF LSD 300 FT. REPORTED MEASUREMENTS FURNISHED BY SAN JOAQUIN POWER DIVISION OF PACIFIC GAS AND ELECTRIC COMPANY AND J.B. LIPPINCOTT ENGINEERING OFFICES. RECORDS AVAILABLE 1929-40, 1942, 1950, 1955, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1987	87.33 S
PERIOD OF RECORD	HIGHEST 51.10 APR 29, 1980      LOWEST 136.99 APR 25, 1962

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345547120222301

LOCAL NUMBER 010N033W20L01S

ABOUT 30 FT WEST OF SISQUOC ROAD AND 225 FT SOUTH OF OLD RAILROAD TRACKS. IRRIGATION WELL. DIAM 16 IN, DEPTH 300 FT, PERFORATED 95-105, 114-130, 148-160, 264-278 FT. ALTITUDE OF LSD 294 FT. RECORDS AVAILABLE 1937, 1942, 1950, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 107.82 S

PERIOD OF RECORD    HIGHEST    63.04    JAN 22, 1970    LOWEST    172.30    JUN 27, 1961

SITE NUMBER 345449120200501

LOCAL NUMBER 010N033W27K02S

ABOUT 1.45 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 95-110, 138-156 FT. ALTITUDE OF LSD 344 FT. RECORDS AVAILABLE 1933, 1936, 1938-39, 1941, 1943, 1947, 1950, 1955-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 71.81 S

PERIOD OF RECORD    HIGHEST    34.18    APR 02, 1970    LOWEST    127.70    DEC 27, 1961

SITE NUMBER 345433120194401

LOCAL NUMBER 010N033W27R01S

ABOUT 1.9 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 130-224 FT. ALTITUDE OF LSD 352 FT. RECORDS AVAILABLE 1926, 1937-39, 1942-43, 1947, 1949-50, 1955, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 81.08 S

PERIOD OF RECORD    HIGHEST    35.50    MAY 21, 1943    LOWEST    120.50    AUG 09, 1950

SITE NUMBER 345500120211901

LOCAL NUMBER 010N033W28F01S

ABOUT 0.6 MI SOUTH OF GATES. IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 149-154, 170-175, 196-216, 238-248, 291-311, 320-326, 342-348 FT. ALTITUDE OF LSD 316 FT. RECORDS AVAILABLE 1933, 1936-37, 1942, 1947, 1949-50, 1955, 1958, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 129.95 SR

PERIOD OF RECORD    HIGHEST    72.50    JAN 29, 1942    LOWEST    197.90    SEP 29, 1966

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345406120204901

LOCAL NUMBER 010N033W33H01S

IN BRADLEY CANYON. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 290 FT, PERFORATED 204-232, 245-250, 270-280 FT. ALTITUDE OF LSD 402 FT. RECORDS AVAILABLE 1929, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 207.43 S

PERIOD OF RECORD    HIGHEST    179.50    JAN 29, 1947       LOWEST    264.30    SEP 28, 1965

SITE NUMBER 345423120175001

LOCAL NUMBER 010N033W36A01S

ABOUT 3 MI NORTH OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 16 IN, DEPTH 162 FT, PERFORATED 30-76 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1939-42, 1951-53, 1958-59, 1966-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 23, 1987 27.42 S

PERIOD OF RECORD    HIGHEST    7.05    JAN 20, 1942       LOWEST    27.42    APR 23, 1987

SITE NUMBER 345657120242901

LOCAL NUMBER 010N034W13C01S

WEST OF SUEY, 0.25 MI SOUTH OF MAIN STREET. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 209 FT, PERFORATED 125-175, 182-204 FT. ALTITUDE OF LSD 249 FT. RECORDS AVAILABLE 1927, 1929-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 120.22 ST

PERIOD OF RECORD    HIGHEST    86.30    MAY 10, 1984       LOWEST    190.80    OCT 08, 1953

SITE NUMBER 345644120241801

LOCAL NUMBER 010N034W13G01S

ABOUT 1.7 MI EAST-SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 136-160, 165-170, 344-360, 363-373, 390-395 FT. ALTITUDE OF LSD 253 FT. RECORDS AVAILABLE 1933-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 118.91 SR

PERIOD OF RECORD    HIGHEST    89.50    APR 01, 1970       LOWEST    158.40    MAR 25, 1976

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345635120235901

LOCAL NUMBER 010N034W13J01S

ABOUT 0.3 MI NORTH OF INTERSECTION OF ROSEMARY AND STOWELL ROADS. DRILLED IRRIGATION WELL.  
DIAM 16 IN, DEPTH 308 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1947-52, 1955, 1959,  
1967-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 118.34 S

PERIOD OF RECORD HIGHEST 85.74 MAY 11, 1984 LOWEST 171.00 AUG 08, 1947

SITE NUMBER 345649120255201

LOCAL NUMBER 010N034W14E05S

IN SANTA MARIA. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 322 FT, PERFORATED 150-188, 312-322 FT. ALTITUDE  
OF LSD 220 FT. RECORDS AVAILABLE 1951, 1955, 1957, 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1986	119.00 TR	JAN 26, 1987	116.06 S	MAY 26, 1987	120.05 TV	AUG 25, 1987	123.90 TV
NOV 20	117.3 T	FEB 23	132.30 SV	JUN 25	121.50 T	SEP 28	125.53 TV
DEC 23	116.43 S	MAR 25	167.89 S	JUL 24	122.50		

PERIOD OF RECORD HIGHEST 96.36 JAN 25, 1985 LOWEST 177.92 MAR 23, 1978

SITE NUMBER 345358120295401

LOCAL NUMBER 010N034W31L02S

ABOUT 1.4 MI SOUTH OF BETTERAVIA ROAD AND 0.5 MI WEST OF MAHONEY ROAD. DRILLED DOMESTIC WELL.  
DIAM 8 IN, DEPTH 140 FT, CASED TO 140 FT, PERFORATED 120-140 FT. ALTITUDE OF LSD 175 FT.  
RECORDS AVAILABLE 1955, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 21, 1987 92.84 S

PERIOD OF RECORD HIGHEST 91.27 APR 08, 1986 LOWEST 139.22 OCT 08, 1968

SITE NUMBER 345751120340001

LOCAL NUMBER 010N035W09F01S

ABOUT 0.6 MI NORTHEAST OF GUADALUPE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 198 FT,  
PERFORATED 228-240 FT. ALTITUDE OF LSD 88 FT. RECORDS AVAILABLE 1930, 1933, 1935-36, 1938-74,  
1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 22, 1987 42.47 S

PERIOD OF RECORD HIGHEST 13.74 FEB 29, 1944 LOWEST 74.24 JUL 24, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 345624120320901

LOCAL NUMBER 010N035W14P01S

ABOUT 1500 FT NORTH OF CORRALILLOS CANYON ROAD AND 6500 FT WEST OF INTERSECTION WITH BETTERAVIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 320 FT, PERFORATED 96-103, 129-132, 151-158, 180-193, 280-310 FT. ALTITUDE OF LSD 122 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 21, 1987	53.84 S
PERIOD OF RECORD	HIGHEST 41.72 APR 07, 1986 LOWEST 57.96 MAY 08, 1984

SITE NUMBER 345659120362002

LOCAL NUMBER 010N035W18F02S

ABOUT 0.8 MI SOUTH OF MAIN ST AND 1.8 MI WEST OF HWY 1. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 360 FT, PERFORATED 143-180, 236-251 FT. ALTITUDE OF LSD 49 FT. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 20, 1987	9.80 S
PERIOD OF RECORD	HIGHEST 3.38 APR 08, 1986 LOWEST 29.13 OCT 07, 1968

## WATER QUALITY, SANTA BARBARA COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
004N027W07D01S	08-11-87	1340	--	1490	7.30	17.5	580	280	140	56
004N027W07G07S	08-11-87	1000	--	1450	7.00	20.0	600	330	150	54
004N027W07H05S	08-12-87	0935	--	1190	7.10	21.0	500	230	140	36
004N027W08L03S	08-21-87	1250	--	944	7.00	24.0	380	83	98	32
004N027W08R02S	08-21-87	1100	107.89	1220	6.80	19.0	520	300	140	41
004N027W16R01S	09-02-87	1115	91.22	978	8.50	23.5	310	0	86	22
004N027W17J01S	08-20-87	1315	43.92	809	7.30	21.0	310	72	82	26
004N027W17M01S	08-11-87	1240	--	1440	6.80	19.5	470	180	100	53
004N027W22B02S	08-13-87	1405	27.09	1020	6.90	20.5	380	170	96	33
004N027W22B03S	08-13-87	1215	15.22	654	7.20	21.0	250	0	64	22
004N027W22B04S	08-13-87	1610	14.04	2200	8.80	21.5	130	6	17	21
004N027W22B05S	08-12-87	1500	--	3010	8.40	22.0	290	3	67	29
004N027W23D01S	08-20-87	1230	4.43	587	6.80	21.0	220	44	56	19
004N027W23E01S	10-29-86	1545	--	10900	6.80	20.0	--	0	--	--
004N027W23E01S	12-23-86	1145	--	13100	6.80	21.5	--	0	--	--
004N027W23E01S	02-03-87	1030	7.12	10400	6.60	22.0	--	0	--	--
004N027W23E01S	04-21-87	1200	2.85	7050	6.80	21.5	2900	2800	750	260
004N027W23E01S	06-23-87	1330	+0.68	9500	6.80	24.5	--	0	--	--
004N027W23E01S	08-26-87	1600	6.91	11300	6.90	22.5	--	0	--	--
004N027W23E02S	10-30-86	1020	--	10300	6.80	22.0	--	0	--	--
004N027W23E02S	12-23-86	1340	15.73	11800	6.80	21.5	--	0	--	--
004N027W23E02S	02-03-87	1130	6.63	7630	6.70	22.0	--	0	--	--
004N027W23E02S	04-21-87	1250	--	6550	7.00	22.0	3100	3000	820	260
004N027W23E02S	06-23-87	1145	+0.69	11000	6.90	24.0	--	0	--	--
004N027W23E02S	08-26-87	1645	6.70	11900	6.90	22.0	--	0	--	--
004N027W23E03S	10-30-86	1240	--	580	7.10	22.0	--	0	--	--
004N027W23E03S	12-23-86	1550	10.76	575	7.00	20.0	--	0	--	--
004N027W23E03S	02-03-87	1230	0.33	532	6.80	20.5	--	0	--	--
004N027W23E03S	04-21-87	1500	--	539	7.00	20.5	230	14	60	20
004N027W23E03S	06-23-87	1300	--	625	6.70	21.0	--	0	--	--
004N027W23E03S	08-26-87	1440	28.61	646	7.30	20.0	--	0	--	--
004N027W23E04S	10-29-86	1445	--	612	7.00	20.0	--	0	--	--
004N027W23E04S	12-23-86	1330	--	650	7.00	20.0	--	0	--	--
004N027W23E04S	02-03-87	1315	0.65	625	6.80	20.0	--	0	--	--
004N027W23E04S	04-21-87	1420	0.77	595	7.00	20.0	260	33	63	24
004N027W23E04S	06-23-87	1100	--	689	6.80	20.5	--	0	--	--
004N027W23E04S	08-26-87	1405	1.56	701	6.90	20.0	--	0	--	--
004N027W23E05S	10-16-86	1500	30.07	7450	6.40	24.0	--	0	--	--
004N027W23E05S	01-02-87	0945	--	7740	6.50	22.0	--	0	--	--
004N027W23E05S	02-05-87	1500	8.67	5890	6.90	23.0	--	0	--	--
004N027W23E05S	03-12-87	1155	4.98	6750	6.70	23.0	--	0	--	--
004N027W23E05S	04-23-87	1135	--	4140	6.80	23.0	3400	3200	880	280
004N027W23E05S	05-19-87	1100	2.73	5750	6.80	23.0	--	0	--	--
004N027W23E05S	06-30-87	1100	1.69	7570	6.60	23.0	3500	3500	940	290
004N027W23E05S	07-28-87	1115	--	7640	6.70	--	--	0	--	--
004N027W23E05S	08-25-87	1115	10.29	8720	6.70	23.0	--	0	--	--
004N027W23E05S	09-21-87	1230	19.20	6200	7.00	24.0	--	0	--	--
004N027W23E06S	10-30-86	1535	31.24	635	7.50	20.5	--	0	--	--
004N027W23E06S	12-03-86	1445	23.66	715	7.40	21.0	--	0	--	--
004N027W23E06S	12-30-86	1145	13.85	685	7.30	20.0	--	0	--	--
004N027W23E06S	02-05-87	1515	6.32	660	7.20	22.5	--	0	--	--
004N027W23E06S	03-12-87	1120	2.89	720	7.30	21.5	--	0	--	--
004N027W23E06S	04-23-87	1215	--	640	7.40	22.0	290	8	79	22
004N027W23E06S	05-19-87	1045	0.54	665	7.50	21.5	--	0	--	--
004N027W23E06S	06-25-87	1430	--	703	7.10	22.0	--	0	--	--

+ Indicates reading above land surface.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)
004N027W07D01S	99	27	2	2.3	305	310	110	0.60	29
004N027W07G07S	80	23	1	1.8	272	330	95	0.50	29
004N027W07H05S	60	21	1	1.5	271	250	51	0.30	28
004N027W08L03S	62	26	1	1.5	294	200	41	0.30	39
004N027W08R02S	56	19	1	1.0	217	320	70	0.30	30
004N027W16R01S	110	44	3	2.0	312	87	120	0.60	31
004N027W17J01S	47	25	1	1.2	240	110	54	0.40	33
004N027W17M01S	100	32	2	1.2	292	100	200	0.40	27
004N027W22B02S	46	21	1	1.3	210	110	110	0.40	33
004N027W22B03S	45	28	1	1.6	251	57	27	0.30	34
004N027W22B04S	400	87	16	4.3	123	0.40	610	0.70	1.9
004N027W22B05S	520	79	14	5.9	284	19	800	0.80	6.7
004N027W23D01S	41	29	1	1.2	174	100	21	0.40	39
004N027W23E01S	--	--	--	--	--	--	5000	--	--
004N027W23E01S	--	--	--	--	--	--	5100	--	--
004N027W23E01S	--	--	--	--	--	--	9700	--	--
004N027W23E01S	1700	56	14	7.5	112	600	4600	0.10	23
004N027W23E01S	--	--	--	--	--	--	4800	--	--
004N027W23E01S	--	--	--	--	--	--	5100	--	--
004N027W23E02S	--	--	--	--	--	--	5200	--	--
004N027W23E02S	--	--	--	--	--	--	5200	--	--
004N027W23E02S	--	--	--	--	--	--	5200	--	--
004N027W23E02S	1700	54	14	8.1	119	700	4800	<0.10	21
004N027W23E02S	--	--	--	--	--	--	4700	--	--
004N027W23E02S	--	--	--	--	--	--	5000	--	--
004N027W23E03S	--	--	--	--	--	--	30	--	--
004N027W23E03S	--	--	--	--	--	--	26	--	--
004N027W23E03S	--	--	--	--	--	--	27	--	--
004N027W23E03S	47	30	1	1.2	218	90	26	0.50	39
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	29	--	--
004N027W23E04S	--	--	--	--	--	--	48	--	--
004N027W23E04S	--	--	--	--	--	--	46	--	--
004N027W23E04S	--	--	--	--	--	--	47	--	--
004N027W23E04S	54	31	2	1.1	223	87	52	0.60	39
004N027W23E04S	--	--	--	--	--	--	49	--	--
004N027W23E04S	--	--	--	--	--	--	44	--	--
004N027W23E05S	--	--	--	--	--	--	3300	--	--
004N027W23E05S	--	--	--	--	--	--	2900	--	--
004N027W23E05S	--	--	--	--	--	--	2600	--	--
004N027W23E05S	--	--	--	--	--	--	2600	--	--
004N027W23E05S	240	13	2	4.2	143	330	2700	0.20	41
004N027W23E05S	--	--	--	--	--	--	2700	--	--
004N027W23E05S	280	15	2	5.1	68	340	2800	0.10	15
004N027W23E05S	--	--	--	--	--	--	2500	--	--
004N027W23E05S	--	--	--	--	--	--	2400	--	--
004N027W23E05S	--	--	--	--	--	--	3100	--	--
004N027W23E06S	--	--	--	--	--	--	16	--	--
004N027W23E06S	--	--	--	--	--	--	16	--	--
004N027W23E06S	--	--	--	--	--	--	13	--	--
004N027W23E06S	--	--	--	--	--	--	16	--	--
004N027W23E06S	--	--	--	--	--	--	16	--	--
004N027W23E06S	50	27	1	1.9	280	110	17	0.40	39
004N027W23E06S	--	--	--	--	--	--	22	--	--
004N027W23E06S	--	--	--	--	--	--	15	--	--

&lt; Actual value is known to be less than the value shown.



## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
004N027W07D01S	964	938	1.90	0.030	0.09	--	180	20	4
004N027W07G07S	988	948	10.0	0.030	0.09	--	130	15	<3
004N027W07H05S	812	773	10.0	0.030	0.09	--	90	6	<1
004N027W08L03S	624	655	1.10	0.060	0.18	--	80	18	32
004N027W08R02S	850	807	4.20	0.080	0.25	--	90	4	<1
004N027W16R01S	571	647	<0.100	0.020	0.06	--	720	73	78
004N027W17J01S	520	501	0.560	0.180	0.55	--	70	290	440
004N027W17M01S	869	801	10.0	0.020	0.06	--	120	570	42
004N027W22B02S	618	613	13.0	<0.010	--	--	40	140	300
004N027W22B03S	391	403	<0.100	<0.010	--	--	40	1100	69
004N027W22B04S	1140	1130	<0.100	<0.010	--	--	3300	60	10
004N027W22B05S	1600	1620	<0.100	<0.010	--	--	4500	310	20
004N027W23D01S	391	383	0.260	0.080	0.25	--	40	31	5
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E01S	8340	8020	<0.100	<0.010	--	100	320	13000	860
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E02S	8750	8400	<0.100	<0.010	--	200	350	15000	820
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	399	419	<0.100	0.010	0.03	61	90	4400	70
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	430	460	0.740	0.010	0.03	70	140	1600	140
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	5090	4560	<0.100	0.020	0.06	300	50	130	90
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	4970	4710	--	--	--	--	50	130	80
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	100	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	465	488	<0.100	0.090	0.28	100	50	180	300
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
004N027W23E06S	07-23-87	1015	--	--	--	--	--	0	--	--
004N027W23E06S	09-01-87	1000	12.46	708	7.40	22.0	--	0	--	--
004N027W23E06S	09-21-87	1430	19.55	697	7.50	22.0	--	0	--	--
004N027W23F02S	10-29-86	1055	38.72	590	6.80	20.5	--	0	--	--
004N027W23F02S	12-03-86	1045	13.89	590	6.90	20.0	--	0	--	--
004N027W23F02S	12-30-86	1445	--	515	6.80	19.5	--	0	--	--
004N027W23F02S	02-03-87	1510	+1.43	541	6.80	20.5	--	0	--	--
004N027W23F02S	03-13-87	1100	--	585	6.80	19.5	--	0	--	--
004N027W23F02S	04-22-87	1120	--	615	7.00	21.0	250	52	65	21
004N027W23F02S	05-19-87	1415	--	545	6.90	20.0	--	0	--	--
004N027W23F02S	06-23-87	1500	--	609	6.80	20.0	--	0	--	--
004N027W23F02S	07-22-87	1405	--	--	--	--	--	0	--	--
004N027W23F02S	08-26-87	1110	25.12	647	7.00	20.5	--	0	--	--
004N027W23F02S	09-22-87	1145	32.81	588	6.80	20.5	--	0	--	--
004N027W23F03S	10-29-86	1215	21.71	645	6.90	20.5	--	0	--	--
004N027W23F03S	12-03-86	1220	15.87	665	7.10	20.5	--	0	--	--
004N027W23F03S	12-30-86	1545	--	566	6.70	20.0	--	0	--	--
004N027W23F03S	01-28-87	1310	--	1010	7.30	20.0	--	0	--	--
004N027W23F03S	02-04-87	1215	2.45	1020	7.00	21.5	--	0	--	--
004N027W23F03S	03-13-87	1300	0.41	1070	6.60	21.0	--	0	--	--
004N027W23F03S	04-23-87	1415	--	2450	7.10	21.0	710	500	160	76
004N027W23F03S	05-19-87	1450	+1.70	708	6.90	22.0	--	0	--	--
004N027W23F03S	06-25-87	1130	+1.93	686	6.60	22.0	--	0	--	--
004N027W23F03S	07-22-87	1245	--	--	--	--	--	0	--	--
004N027W23F03S	08-26-87	1145	1.43	680	6.90	22.0	--	0	--	--
004N027W23F03S	09-22-87	1545	4.04	850	6.90	21.5	--	0	--	--
004N027W23F04S	10-16-86	1035	--	29500	6.30	24.0	--	0	--	--
004N027W23F04S	01-28-87	1320	--	29300	7.10	21.5	--	0	--	--
004N027W23F04S	02-05-87	1115	11.46	26600	6.80	22.0	--	0	--	--
004N027W23F04S	03-12-87	1500	8.61	24900	6.80	22.5	--	0	--	--
004N027W23F04S	04-23-87	1520	--	17300	6.70	21.0	5900	5800	1200	710
004N027W23F04S	05-19-87	1525	6.34	25400	6.80	22.5	--	0	--	--
004N027W23F04S	06-30-87	1345	5.35	29000	6.60	23.5	--	0	--	--
004N027W23F04S	07-28-87	1325	--	28800	6.60	--	--	0	--	--
004N027W23F04S	09-01-87	1245	13.60	23300	6.70	23.0	--	0	--	--
004N027W23F04S	09-22-87	1430	5.60	32200	6.60	23.0	--	0	--	--
004N027W23F05S	10-16-86	1305	32.16	28300	6.50	24.0	--	0	--	--
004N027W23F05S	01-28-87	1120	--	42200	6.90	21.5	--	0	--	--
004N027W23F05S	02-05-87	1300	18.10	28500	6.80	22.5	--	0	--	--
004N027W23F05S	03-13-87	0955	--	32300	6.50	21.5	--	0	--	--
004N027W23F05S	04-24-87	0930	--	26700	6.20	21.5	6400	6300	970	960
004N027W23F05S	05-21-87	1110	3.09	15000	6.80	20.5	--	0	--	--
004N027W23F05S	06-30-87	1535	2.28	23500	6.70	22.0	--	0	--	--
004N027W23F05S	07-24-87	1430	--	20800	6.80	--	--	0	--	--
004N027W23F05S	09-02-87	1525	5.42	15200	7.20	21.5	--	0	--	--
004N027W23F06S	07-28-87	1530	--	1860	10.00	--	--	0	--	--
004N027W23F06S	08-27-87	1420	5.30	2440	9.50	20.0	--	0	--	--
004N027W23F07S	04-23-87	1335	--	--	--	--	--	0	--	--
004N027W23F07S	06-24-87	1510	--	702	6.60	20.5	--	0	--	--
004N027W23F07S	07-23-87	1335	--	--	--	--	--	0	--	--
004N027W23F07S	08-27-87	1415	27.06	604	6.90	20.5	--	0	--	--
004N027W23H03S	10-30-86	1325	--	8150	6.70	22.0	--	0	--	--
004N027W23H03S	01-13-87	1040	--	7140	6.80	19.5	--	0	--	--
004N027W23H03S	02-04-87	1440	1.81	5160	6.70	20.0	--	0	--	--
004N027W23H03S	06-24-87	1145	+0.8	5300	6.60	20.0	--	0	--	--

+ Indicates reading above land surface.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)
004N027W23E06S	--	--	--	--	--	--	13	--	--
004N027W23E06S	--	--	--	--	--	--	20	--	--
004N027W23E06S	--	--	--	--	--	--	22	--	--
004N027W23F02S	--	--	--	--	--	--	20	--	--
004N027W23F02S	--	--	--	--	--	--	18	--	--
004N027W23F02S	--	--	--	--	--	--	19	--	--
004N027W23F02S	--	--	--	--	--	--	20	--	--
004N027W23F02S	--	--	--	--	--	--	53	--	--
004N027W23F02S	38	25	1	1.1	197	100	27	0.40	39
004N027W23F02S	--	--	--	--	--	--	27	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	34	--	--
004N027W23F02S	--	--	--	--	--	--	27	--	--
004N027W23F02S	--	--	--	--	--	--	24	--	--
004N027W23F03S	--	--	--	--	--	--	17	--	--
004N027W23F03S	--	--	--	--	--	--	16	--	--
004N027W23F03S	--	--	--	--	--	--	14	--	--
004N027W23F03S	--	--	--	--	--	--	150	--	--
004N027W23F03S	--	--	--	--	--	--	140	--	--
004N027W23F03S	--	--	--	--	--	--	150	--	--
004N027W23F03S	410	55	7	4.2	213	240	830	0.30	40
004N027W23F03S	--	--	--	--	--	--	63	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	28	--	--
004N027W23F03S	--	--	--	--	--	--	19	--	--
004N027W23F03S	--	--	--	--	--	--	100	--	--
004N027W23F04S	--	--	--	--	--	--	12000	--	--
004N027W23F04S	--	--	--	--	--	--	12000	--	--
004N027W23F04S	--	--	--	--	--	--	14000	--	--
004N027W23F04S	--	--	--	--	--	--	13000	--	--
004N027W23F04S	5100	65	30	14	146	1700	11000	<0.10	36
004N027W23F04S	--	--	--	--	--	--	11000	--	--
004N027W23F04S	--	--	--	--	--	--	12000	--	--
004N027W23F04S	--	--	--	--	--	--	10000	--	--
004N027W23F04S	--	--	--	--	--	--	11000	--	--
004N027W23F04S	--	--	--	--	--	--	12000	--	--
004N027W23F05S	--	--	--	--	--	--	11000	--	--
004N027W23F05S	--	--	--	--	--	--	17000	--	--
004N027W23F05S	--	--	--	--	--	--	15000	--	--
004N027W23F05S	--	--	--	--	--	--	16000	--	--
004N027W23F05S	7400	72	41	19	116	2200	15000	<0.10	33
004N027W23F05S	--	--	--	--	--	--	7200	--	--
004N027W23F05S	--	--	--	--	--	--	8500	--	--
004N027W23F05S	--	--	--	--	--	--	7400	--	--
004N027W23F05S	--	--	--	--	--	--	6700	--	--
004N027W23F06S	--	--	--	--	--	--	110	--	--
004N027W23F06S	--	--	--	--	--	--	290	--	--
004N027W23F07S	--	--	--	--	--	--	27	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	25	--	--
004N027W23H03S	--	--	--	--	--	--	4700	--	--
004N027W23H03S	--	--	--	--	--	--	4300	--	--
004N027W23H03S	--	--	--	--	--	--	3300	--	--
004N027W23H03S	--	--	--	--	--	--	2800	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	100	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	390	410	<0.100	0.060	0.18	40	30	28	15
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	100	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	1880	1890	<0.100	0.120	0.37	100	160	40	300
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	20500	19800	<0.100	0.030	0.09	100	1500	240	160
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	27400	26700	<0.100	0.010	0.03	200	2500	520	2400
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F06S	--	--	--	--	--	--	--	--	--
004N027W23F06S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
004N027W23H03S	08-27-87	1200	3.00	3750	7.20	19.5	--	0	--
004N027W23H04S	10-30-86	1340	--	1570	7.00	20.0	--	0	--
004N027W23H04S	01-13-87	1130	--	1610	6.80	19.0	--	0	--
004N027W23H04S	02-04-87	1335	1.30	1570	6.90	19.5	--	0	--
004N027W23H04S	04-22-87	1350	3.17	1140	7.00	20.0	720	450	180
004N027W23H04S	06-24-87	1055	--	--	--	--	--	0	--
004N027W23H04S	07-28-87	1420	--	1720	6.80	--	--	0	--
004N027W23H04S	08-27-87	1040	1.59	1630	6.80	19.5	--	0	--
004N028W12H03S	08-19-87	1115	--	1490	7.30	23.5	630	340	160
004N028W12R03S	08-11-87	1505	--	1070	7.20	22.0	410	79	110
006N029W08P02S	07-07-87	1215	--	650	7.40	22.5	300	8	48
007N030W33M01S	06-26-87	1420	--	760	7.70	21.0	410	41	32
007N030W34G01S	07-07-87	1015	--	928	7.70	20.0	440	32	38
007N034W19C03S	07-22-87	1145	76.26	1460	7.10	19.5	--	0	--
007N034W19C04S	07-23-87	0840	74.68	780	9.10	19.5	--	0	--
007N034W19C04S	07-23-87	0850	--	--	--	--	--	0	--
007N034W19J06S	07-22-87	1345	--	1780	7.40	20.5	590	280	170
007N034W20K06S	06-25-87	1045	--	--	--	--	--	0	--
007N034W20K06S	06-25-87	1635	--	1140	7.60	21.0	440	190	130
007N034W20L03S	06-25-87	1540	--	1480	7.50	21.0	410	110	120
007N034W27P05S	06-24-87	1230	--	1990	7.30	18.0	870	420	190
007N035W17G01S	05-20-87	1540	4.93	3800	7.20	21.0	980	380	160
007N035W17K20S	05-20-87	1320	16.89	3580	7.20	18.5	1100	730	190
007N035W17Q06S	05-20-87	1220	10.77	9350	7.20	19.5	1700	1200	230
007N035W21G02S	05-08-87	1230	--	2830	7.90	19.0	1100	590	240
007N035W23B02S	05-08-87	1045	--	1410	7.80	17.0	280	120	64
007N035W26F04S	06-24-87	1340	--	2670	7.40	19.0	1100	630	230
007N035W33J02S	06-26-87	1055	--	702	7.30	18.0	170	62	37
007N035W33J04S	06-26-87	1130	--	1070	7.70	18.5	380	190	100
008N032W27H01S	07-29-87	1125	--	987	7.30	22.0	410	130	93
008N032W27P02S	07-29-87	1000	--	542	7.10	20.0	170	42	39
008N032W29L03S	06-25-87	1125	--	536	6.70	19.0	160	69	37
008N033W19G02S	06-25-87	0935	--	1580	7.60	16.5	530	140	110
008N033W22E01S	06-25-87	1035	--	1350	7.30	21.0	510	250	140
008N033W24B02S	07-23-87	1500	--	574	6.60	20.0	170	120	41
008N034W02M01S	07-22-87	1650	120.00	946	7.40	22.5	240	49	60
008N034W16C05S	06-24-87	1620	--	683	7.30	21.0	200	49	60
008N034W24E01S	06-24-87	1640	--	1420	7.50	18.0	--	0	--
008N035W12M01S	06-26-87	0915	--	5750	6.90	18.5	680	0	150
009N024W33M01S	07-08-87	1515	--	1100	7.60	22.5	190	0	60
009N032W08N01S	07-15-87	1550	--	1050	7.50	19.5	480	280	98
010N026W09R03S	07-08-87	1100	--	2140	7.20	20.5	990	840	230
010N026W21G01S	07-08-87	1205	--	1880	7.40	26.0	760	630	210
010N033W21R01S	07-15-87	1435	--	1090	7.30	18.0	460	280	110
010N034W26H02S	07-15-87	1145	--	1980	7.20	19.0	910	670	200
010N034W29N01S	08-18-87	1035	--	1040	7.40	18.0	400	200	91
010N035W14C02S	08-18-87	1305	--	2070	7.40	19.0	880	580	210

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
004N027W23H03S	--	--	--	--	--	--	--	1300
004N027W23H04S	--	--	--	--	--	--	--	390
004N027W23H04S	--	--	--	--	--	--	--	370
004N027W23H04S	--	--	--	--	--	--	--	370
004N027W23H04S	66	97	23	2	1.7	277	190	400
004N027W23H04S	--	--	--	--	--	--	--	280
004N027W23H04S	--	--	--	--	--	--	--	350
004N027W23H04S	--	--	--	--	--	--	--	240
004N028W12H03S	57	98	25	2	2.3	293	410	82
004N028W12R03S	33	67	26	1	1.8	332	210	46
006N029W08P02S	44	25	15	0.6	1.9	293	9.7	27
007N030W33M01S	79	26	12	0.6	1.8	364	22	41
007N030W34G01S	85	27	12	0.6	1.2	413	39	37
007N034W19C03S	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19J06S	39	140	34	3	6.1	303	240	250
007N034W20K06S	--	--	--	--	--	--	--	--
007N034W20K06S	27	79	28	2	3.6	246	180	110
007N034W20L03S	27	130	40	3	5.4	297	160	220
007N034W27P05S	95	110	22	2	4.8	443	560	130
007N035W17G01S	140	850	65	12	23	600	270	1400
007N035W17K20S	150	690	57	9	37	366	400	1500
007N035W17Q06S	280	2200	73	23	58	498	1000	3700
007N035W21G02S	120	200	28	3	9.0	509	550	430
007N035W23B02S	29	180	58	5	2.1	160	230	220
007N035W26F04S	120	170	26	2	6.8	438	720	320
007N035W33J02S	20	81	50	3	2.9	113	38	130
007N035W33J04S	32	71	29	2	4.7	190	110	180
008N032W27H01S	42	67	26	1	7.2	280	220	31
008N032W27P02S	17	41	34	1	2.5	126	41	61
008N032W29L03S	17	43	36	2	2.6	94	71	59
008N033W19G02S	62	160	39	3	3.7	387	270	130
008N033W22E01S	40	81	25	2	3.5	266	120	170
008N033W24B02S	17	48	37	2	2.6	53	84	80
008N034W02M01S	22	110	49	3	5.9	192	85	140
008N034W16C05S	12	62	40	2	2.9	151	69	82
008N034W24E01S	--	--	--	--	--	299	--	--
008N035W12M01S	75	1100	77	19	25	1390	2.3	1400
009N024W33M01S	8.8	160	65	5	2.5	234	180	87
009N032W08N01S	57	52	19	1	2.1	202	320	22
010N026W09R03S	100	97	18	1	4.5	147	1100	24
010N026W21G01S	58	130	27	2	5.7	130	950	13
010N033W21R01S	46	56	21	1	3.4	182	350	40
010N034W26H02S	100	100	19	1	4.3	246	680	110
010N034W29N01S	43	47	20	1	2.7	202	260	59
010N035W14C02S	87	120	23	2	4.7	300	520	200

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	IODIDE, DIS- SOLVED (MG/L AS I)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 SOLVED (MG/L AS N)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)
004N027W23H03S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	0.30	--	34	1160	1140	0.650	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N028W12H03S	0.50	--	30	1070	1020	1.20	--	--
004N028W12R03S	0.40	--	33	687	704	0.760	--	--
006N029W08P02S	0.30	--	40	364	379	1.60	--	--
007N030W33M01S	0.20	--	45	445	476	2.30	--	--
007N030W34G01S	0.20	--	40	506	522	1.50	--	--
007N034W19C03S	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19J06S	0.20	--	44	1110	1070	<0.100	--	--
007N034W20K06S	--	--	--	--	--	--	--	--
007N034W20K06S	0.20	--	50	744	728	<0.100	--	--
007N034W20L03S	<0.10	--	44	922	886	<0.100	--	--
007N034W27P05S	0.40	--	38	1500	1400	<0.100	--	--
007N035W17G01S	0.60	0.170	34	--	3240	<0.100	--	--
007N035W17K20S	0.20	0.110	37	3280	3230	<0.100	--	--
007N035W17Q06S	--	0.240	--	--	7780	<0.100	--	--
007N035W21G02S	<0.10	--	41	--	1900	<0.100	0.0	2.40
007N035W23B02S	0.60	--	27	--	849	<0.100	0.08	0.120
007N035W26F04S	0.20	--	43	2000	1880	<0.100	--	--
007N035W33J02S	0.30	--	34	415	423	2.50	--	--
007N035W33J04S	0.20	--	48	660	661	0.220	--	--
008N032W27H01S	0.50	--	29	662	660	<0.100	--	--
008N032W27P02S	0.20	--	53	323	334	0.810	--	--
008N032W29L03S	0.20	--	56	354	352	1.90	--	--
008N033W19G02S	0.20	--	40	1010	1030	3.80	--	--
008N033W22E01S	0.20	--	48	831	864	23.0	--	--
008N033W24B02S	0.20	--	70	383	393	4.00	--	--
008N034W02M01S	0.30	--	51	574	594	0.850	--	--
008N034W16C05S	0.20	--	42	409	423	<0.100	--	--
008N034W24E01S	--	--	--	--	--	--	--	--
008N035W12M01S	<0.10	--	36	3030	3630	<0.100	--	--
009N024W33M01S	0.70	--	26	662	667	0.260	--	--
009N032W08N01S	0.40	--	24	735	699	0.400	--	--
010N026W09R03S	0.50	--	56	1850	1710	2.50	--	--
010N026W21G01S	0.20	--	37	1580	1480	0.160	--	--
010N033W21R01S	0.60	--	25	769	745	1.00	--	--
010N034W26H02S	0.40	--	30	1490	1390	3.20	--	--
010N034W29N01S	0.20	--	33	610	675	4.10	--	--
010N035W14C02S	0.40	--	29	1490	1400	12.0	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)
004N027W23H03S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	0.010	0.03	--	63	--	150	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N028W12H03S	0.030	0.09	--	--	--	200	--	--
004N028W12R03S	0.030	0.09	--	--	--	110	--	--
006N029W08P02S	0.020	0.06	--	--	--	50	--	--
007N030W33M01S	0.050	0.15	--	--	--	100	--	--
007N030W34G01S	0.080	0.25	--	--	--	130	--	--
007N034W19C03S	--	--	<1	--	<0.5	--	<3	<10
007N034W19C04S	--	--	<1	--	<0.5	--	<1	<10
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19J06S	0.060	0.18	--	--	--	380	--	--
007N034W20K06S	--	--	--	--	--	--	--	--
007N034W20K06S	0.030	0.09	--	--	--	190	--	--
007N034W20L03S	0.080	0.25	--	--	--	550	--	--
007N034W27P05S	<0.010	--	--	--	--	530	--	--
007N035W17G01S	0.120	0.37	--	700	--	1700	--	--
007N035W17K20S	0.080	0.25	--	100	--	450	--	--
007N035W17Q06S	0.450	1.4	--	100	--	1600	--	--
007N035W21G02S	--	--	--	--	--	320	--	--
007N035W23B02S	--	--	--	--	--	270	--	--
007N035W26F04S	<0.010	--	--	--	--	380	--	--
007N035W33J02S	0.180	0.55	--	--	--	90	--	--
007N035W33J04S	0.040	0.12	--	--	--	60	--	--
008N032W27H01S	<0.010	--	--	--	--	120	--	--
008N032W27P02S	0.040	0.12	--	--	--	90	--	--
008N032W29L03S	0.460	1.4	--	--	--	80	--	--
008N033W19G02S	0.230	0.71	--	--	--	440	--	--
008N033W22E01S	0.020	0.06	--	--	--	120	--	--
008N033W24B02S	0.260	0.80	--	--	--	70	--	--
008N034W02M01S	0.110	0.34	--	--	--	260	--	--
008N034W16C05S	0.470	1.4	--	--	--	110	--	--
008N034W24E01S	--	--	--	--	--	--	--	--
008N035W12M01S	0.050	0.15	--	--	--	9500	--	--
009N024W33M01S	0.020	0.06	--	--	--	380	--	--
009N032W08N01S	0.020	0.06	--	--	--	140	--	--
010N026W09R03S	<0.010	--	--	--	--	240	--	--
010N026W21G01S	<0.010	--	--	--	--	210	--	--
010N033W21R01S	0.040	0.12	--	--	--	190	--	--
010N034W26H02S	<0.010	--	--	--	--	230	--	--
010N034W29N01S	<0.010	--	--	--	--	120	--	--
010N035W14C02S	0.010	0.03	--	--	--	270	--	--

&lt; Actual value is known to be less than the value shown.



## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY DIS- SOLVED (UG/L AS HG)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	ZINC, DIS- SOLVED (UG/L AS ZN)
004N027W23H03S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	3600	--	1300	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--
004N028W12H03S	--	17	--	3	--	--	--	--
004N028W12R03S	--	19	--	18	--	--	--	--
006N029W08P02S	--	330	--	6	--	--	--	--
007N030W33M01S	--	5	--	1	--	--	--	--
007N030W34G01S	--	7	--	<1	--	--	--	--
007N034W19C03S	8	570	11	31	0.2	7	10	180
007N034W19C04S	2	<3	12	10	0.3	<1	7	60
007N034W19C04S	--	--	--	--	--	--	--	--
007N034W19J06S	--	230	--	520	--	--	--	--
007N034W20K06S	--	--	--	--	--	--	--	--
007N034W20K06S	--	480	--	290	--	--	--	--
007N034W20L03S	--	390	--	340	--	--	--	--
007N034W27P05S	--	2200	--	830	--	--	--	--
007N035W17G01S	--	3200	--	580	--	--	--	--
007N035W17K20S	--	5900	--	820	--	--	--	--
007N035W17Q06S	--	7600	--	590	--	--	--	--
007N035W21G02S	--	20	--	1100	--	--	--	--
007N035W23B02S	--	11	--	400	--	--	--	--
007N035W26F04S	--	1200	--	1200	--	--	--	--
007N035W33J02S	--	14	--	<1	--	--	--	--
007N035W33J04S	--	26	--	40	--	--	--	--
008N032W27H01S	--	2400	--	130	--	--	--	--
008N032W27P02S	--	43	--	31	--	--	--	--
008N032W29L03S	--	<7	--	8	--	--	--	--
008N033W19G02S	--	22	--	7	--	--	--	--
008N033W22E01S	--	7	--	7	--	--	--	--
008N033W24B02S	--	130	--	7	--	--	--	--
008N034W02M01S	--	190	--	120	--	--	--	--
008N034W16C05S	--	360	--	57	--	--	--	--
008N034W24E01S	--	--	--	--	--	--	--	--
008N035W12M01S	--	2000	--	120	--	--	--	--
009N024W33M01S	--	5	--	<1	--	--	--	--
009N032W08N01S	--	16	--	<1	--	--	--	--
010N026W09R03S	--	20	--	<10	--	--	--	--
010N026W21G01S	--	32	--	77	--	--	--	--
010N033W21R01S	--	36	--	2	--	--	--	--
010N034W26H02S	--	<3	--	<1	--	--	--	--
010N034W29N01S	--	21	--	<3	--	--	--	--
010N035W14C02S	--	<10	--	10	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## RADIOCHEMICAL AND ORGANIC DATA

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

LOCAL NUMBER	DATE	TIME	H-2 / H-1 STABLE ISOTOPE RATIO PER MIL	O-18 / O-16 STABLE ISOTOPE RATIO PER MIL	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)
007N034W19C03S	07-22-87	1145	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W19C04S	07-23-87	0840	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W19C04S	07-23-87	0850	--	--	<0.20	<0.20	1.6	<0.20	<0.20	<0.20
007N034W19J06S	07-22-87	1345	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W20K06S	06-25-87	1045	-37.5	-5.65	--	--	--	--	--	--

LOCAL NUMBER	DATE	TIME	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	1,2- DIBROMO ETHYL- ENE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)
007N034W19C03S			2.8	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20
007N034W19C04S			<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20
007N034W19C04S			<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20
007N034W19J06S			<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20
007N034W20K06S			--	--	--	--	--	--	--	--	--

LOCAL NUMBER	DATE	TIME	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)
007N034W19C03S			<0.20	<0.20	0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W19C04S			0.90	<0.20	4.4	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W19C04S			1.9	6.2	3.9	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W19J06S			<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
007N034W20K06S			--	--	--	--	--	--	--	--	--

LOCAL NUMBER	DATE	TIME	1,2- TRANS DI CHLORO- ETHENE TOTAL (UG/L)	STYRENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)	XYLENE TOTAL WATER WHOLE TOT REC (UG/L)
007N034W19C03S			<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2
007N034W19C04S			<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2
007N034W19C04S			<0.20	<0.2	<0.20	<0.20	<0.20	0.3	<0.20	<0.20	<0.20	<0.2
007N034W19J06S			<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2
007N034W20K06S			--	--	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

SUTTER COUNTY

LOCAL NUMBER 012N003E02G01M.....	279
LOCAL NUMBER 012N003E02G02M.....	280
LOCAL NUMBER 012N003E02G03M.....	281
LOCAL NUMBER 012N003E02G04M.....	282

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 17.--Index map to location of wells in Sutter County.

WATER LEVELS, SUTTER COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385501121361901

LOCAL NUMBER 012N003E02G01M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 1081 FT, CASSED TO 1081 FT, SCREENED 1066-1071 FT. ALTITUDE OF LSD 32.54 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.09	14.66	14.40	13.78	13.06	12.38	11.74	11.86	14.29	16.11	18.22	19.51
2	15.99	14.65	14.36	13.76	12.98	12.35	11.73	11.94	14.32	16.21	18.26	19.53
3	15.96	14.60	14.31	13.68	12.93	12.35	11.68	12.02	14.33	16.26	18.30	19.53
4	15.96	14.56	14.28	13.58	12.92	12.30	11.66	12.06	14.37	16.34	18.34	19.55
5	15.90	14.54	14.23	13.50	12.93	12.23	11.67	12.11	14.44	16.41	18.39	19.58
6	15.82	14.51	14.21	13.51	12.93	12.19	11.69	12.17	14.46	16.48	18.41	19.61
7	15.76	14.51	14.20	13.51	12.92	12.16	11.69	12.25	14.49	16.54	18.45	19.67
8	15.69	14.54	14.21	13.56	12.87	12.12	11.69	12.34	14.53	16.60	18.51	19.70
9	15.61	14.57	14.21	13.60	12.80	12.12	11.67	12.47	14.56	16.63	18.59	19.71
10	15.54	14.55	14.21	13.60	12.79	12.12	11.64	12.56	14.59	16.70	18.64	19.76
11	15.47	14.53	14.21	13.59	12.78	12.11	11.62	12.67	14.64	16.82	18.70	19.76
12	15.42	14.51	14.21	13.56	12.78	12.11	11.61	12.79	14.73	16.93	18.75	19.73
13	15.42	14.48	14.20	13.56	12.70	12.08	11.60	12.91	14.83	17.03	18.79	19.71
14	15.41	14.43	14.17	13.52	12.66	12.03	11.59	13.04	14.87	17.07	18.80	19.76
15	15.34	14.47	14.11	13.45	12.56	11.89	11.58	13.15	14.99	17.10	18.87	19.79
16	15.27	14.49	14.08	13.44	12.55	11.81	11.58	13.27	15.08	17.15	18.93	19.75
17	15.23	14.47	14.06	13.41	12.55	11.77	11.52	13.37	15.14	17.21	18.98	19.71
18	15.20	14.43	14.03	13.41	12.56	11.74	11.50	13.49	15.22	17.33	19.01	19.69
19	15.15	14.45	14.01	13.40	12.56	11.74	11.55	13.57	15.28	17.42	19.05	19.68
20	15.09	14.47	13.99	13.39	12.57	11.78	11.57	13.65	15.33	17.48	19.09	19.66
21	15.05	14.48	14.01	13.40	12.54	11.75	11.60	13.75	15.40	17.55	19.12	19.61
22	14.98	14.53	13.99	13.37	12.49	11.77	11.59	13.83	15.48	17.66	19.16	19.54
23	14.92	14.57	13.98	13.27	12.40	11.79	11.59	13.90	15.54	17.70	19.22	19.52
24	14.93	14.55	13.96	13.25	12.31	11.81	11.62	13.95	15.62	17.74	19.25	19.48
25	14.93	14.51	13.94	13.25	12.30	11.81	11.63	13.98	15.69	17.79	19.26	19.42
26	14.88	14.48	13.92	13.25	12.33	11.81	11.64	14.02	15.76	17.85	19.29	19.35
27	14.82	14.47	13.89	13.19	12.38	11.82	11.66	14.06	15.85	17.90	19.33	19.27
28	14.79	14.41	13.88	13.13	12.40	11.81	11.67	14.12	15.92	17.94	19.38	19.23
29	14.77	14.39	13.89	13.13	---	11.79	11.71	14.15	15.97	17.99	19.40	19.17
30	14.74	14.40	13.89	13.06	---	11.80	11.75	14.22	16.04	18.06	19.42	19.12
31	14.69	---	13.83	13.06	---	11.78	---	14.26	---	18.14	19.47	---

PERIOD OF RECORD    HIGHEST    11.50    APR 18, 1987    LOWEST    33.88    SEP 09, 1981

WATER LEVELS, SUTTER COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385501121361902

LOCAL NUMBER 012N003E02G02M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
DEPTH 721 FT, CASSED TO 711 FT, SCREENED 706-711 FT. ALTITUDE OF LSD 32.54 FT. RECORDS  
AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.08	13.23	13.09	12.74	12.26	11.69	11.11	11.24	13.12	14.29	15.74	16.86
2	14.02	13.21	13.06	12.74	12.16	11.67	11.11	11.31	13.11	14.34	15.79	16.87
3	14.02	13.17	13.05	12.61	12.14	11.67	11.07	11.32	13.13	14.36	15.86	16.87
4	14.01	13.16	13.02	12.56	12.16	11.63	11.09	11.38	13.15	14.43	15.93	16.93
5	13.95	13.15	12.98	12.54	12.17	11.52	11.10	11.42	13.17	14.46	15.96	16.95
6	13.91	13.14	12.96	12.56	12.16	11.52	11.10	11.50	13.19	14.51	15.98	17.00
7	13.86	13.12	12.97	12.56	12.16	11.51	11.10	11.56	13.22	14.55	16.02	17.05
8	13.81	13.17	12.99	12.61	12.12	11.49	11.09	11.63	13.26	14.57	16.08	17.06
9	13.77	13.17	12.98	12.64	12.08	11.50	11.07	11.71	13.28	14.58	16.14	17.07
10	13.71	13.15	12.99	12.64	12.07	11.49	11.05	11.76	13.30	14.66	16.17	17.12
11	13.67	13.15	12.99	12.62	12.08	11.50	11.01	11.80	13.34	14.75	16.22	17.11
12	13.67	13.11	12.99	12.61	12.06	11.49	11.01	11.90	13.40	14.83	16.25	17.09
13	13.67	13.07	12.98	12.63	11.92	11.46	11.01	11.99	13.42	14.89	16.26	17.11
14	13.64	13.07	12.96	12.58	11.96	11.37	11.01	12.06	13.44	14.92	16.29	17.14
15	13.57	13.11	12.92	12.55	11.85	11.28	11.01	12.13	13.53	14.95	16.35	17.14
16	13.54	13.10	12.92	12.55	11.88	11.25	10.99	12.22	13.56	14.98	16.40	17.12
17	13.55	13.08	12.91	12.55	11.87	11.21	10.94	12.28	13.61	15.06	16.42	17.12
18	13.52	13.05	12.89	12.56	11.86	11.16	10.97	12.36	13.68	15.17	16.46	17.13
19	13.47	13.10	12.87	12.54	11.87	11.14	11.01	12.41	13.73	15.20	16.51	17.13
20	13.44	13.10	12.85	12.53	11.89	11.17	11.01	12.49	13.75	15.23	16.53	17.11
21	13.42	13.15	12.89	12.54	11.83	11.10	11.01	12.60	13.80	15.31	16.55	17.08
22	13.36	13.18	12.85	12.48	11.82	11.16	10.99	12.68	13.85	15.36	16.59	17.06
23	13.35	13.19	12.85	12.42	11.71	11.15	11.00	12.71	13.89	15.36	16.64	17.05
24	13.37	13.17	12.84	12.41	11.68	11.13	11.06	12.76	13.95	15.37	16.64	16.99
25	13.36	13.16	12.83	12.42	11.68	11.17	11.10	12.79	14.00	15.41	16.65	16.95
26	13.32	13.16	12.82	12.41	11.71	11.19	11.10	12.84	14.07	15.44	16.67	16.91
27	13.31	13.16	12.80	12.33	11.74	11.19	11.10	12.90	14.13	15.47	16.73	16.86
28	13.29	13.09	12.81	12.29	11.74	11.18	11.11	12.95	14.16	15.54	16.74	16.82
29	13.28	13.11	12.84	12.29	---	11.16	11.11	12.99	14.19	15.57	16.75	16.79
30	13.27	13.12	12.82	12.24	---	11.18	11.16	13.04	14.23	15.63	16.78	16.74
31	13.22	---	12.76	12.28	---	11.13	---	13.10	---	15.69	16.83	---

PERIOD OF RECORD      HIGHEST    10.12   MAR 15, 1986      LOWEST    26.94   SEP 08, 1981

WATER LEVELS, SUTTER COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385501121361903

LOCAL NUMBER 012N003E02G03M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
DEPTH 321 FT, CASED TO 311 FT, SCREENED 306-311 FT. ALTITUDE OF LSD 32.54 FT.  
RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.60	9.66	10.06	10.08	10.07	9.24	8.60	9.39	9.41	9.21	9.11	9.50
2	8.64	9.66	10.00	10.18	9.92	9.31	8.68	9.40	9.41	9.17	9.07	9.46
3	8.79	9.60	10.03	9.95	9.99	9.32	8.60	9.29	9.40	9.10	9.07	9.42
4	8.87	9.64	9.98	9.96	10.03	9.25	8.76	9.21	9.42	9.16	9.14	9.46
5	8.82	9.68	10.00	10.01	9.99	9.21	8.89	9.16	9.43	9.18	9.20	9.49
6	8.88	9.71	9.98	10.08	9.88	9.34	8.92	9.16	9.45	9.24	9.27	9.55
7	8.90	9.73	10.07	10.10	9.81	9.28	8.96	9.16	9.45	9.29	9.29	9.57
8	8.92	9.88	10.13	10.25	9.68	9.23	8.99	9.21	9.47	9.27	9.32	9.51
9	8.95	9.86	10.09	10.25	9.64	9.23	8.96	9.27	9.42	9.17	9.26	9.50
10	8.95	9.81	10.14	10.22	9.67	9.12	8.98	9.17	9.35	9.18	9.25	9.58
11	9.02	9.84	10.13	10.15	9.79	9.18	9.01	9.15	9.40	9.22	9.26	9.46
12	9.14	9.81	10.14	10.13	9.72	9.06	9.10	9.15	9.47	9.21	9.27	9.42
13	9.26	9.75	10.09	10.16	9.59	9.12	9.17	9.16	9.37	9.13	9.21	9.52
14	9.24	9.82	10.07	10.08	9.67	8.89	9.19	9.16	9.30	9.00	9.19	9.70
15	9.20	9.93	10.00	10.08	9.45	8.87	9.25	9.11	9.34	8.92	9.22	9.76
16	9.23	9.88	10.06	10.12	9.48	8.90	9.28	9.12	9.30	8.85	9.19	9.75
17	9.35	9.85	10.07	10.17	9.39	8.84	9.18	9.19	9.28	8.90	9.14	9.78
18	9.34	9.82	10.07	10.20	9.29	8.70	9.32	9.31	9.27	8.95	9.10	9.85
19	9.34	10.00	10.05	10.15	9.21	8.64	9.48	9.37	9.19	8.88	9.11	9.89
20	9.40	9.97	10.09	10.20	9.24	8.70	9.49	9.47	9.20	8.81	9.08	9.91
21	9.41	10.06	10.23	10.27	9.02	8.49	9.46	9.68	9.28	8.89	9.08	9.84
22	9.37	10.13	10.13	10.11	9.07	8.69	9.34	9.70	9.30	8.97	9.09	---
23	9.40	10.09	10.11	10.09	8.81	8.62	9.33	9.68	9.29	8.94	9.10	9.92
24	9.54	10.03	10.15	10.19	8.92	8.60	9.31	9.68	9.34	8.96	9.13	9.94
25	9.54	10.02	10.12	10.28	9.06	8.60	9.27	9.56	9.32	9.01	9.16	9.90
26	9.48	10.06	10.13	10.22	9.20	8.63	9.30	9.57	9.33	9.01	9.27	9.80
27	9.52	10.04	10.11	10.04	9.29	8.60	9.30	9.60	9.32	9.03	9.32	9.79
28	9.53	9.98	10.20	10.16	9.31	8.57	9.29	9.60	9.27	9.06	9.33	9.80
29	9.56	10.11	10.29	10.10	---	8.57	9.24	9.53	9.19	9.09	9.37	9.82
30	9.60	10.10	10.19	10.09	---	8.67	9.37	9.48	9.17	9.11	9.42	9.79
31	9.54	---	10.10	10.15	---	8.59	---	9.46	---	9.15	9.47	---

PERIOD OF RECORD      HIGHEST      0.62      MAY 11, 1983      LOWEST      11.31      DEC 24, 1980

WATER LEVELS, SUTTER COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385501121361904

LOCAL NUMBER 012N003E02G04M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED DOMESTIC WELL. ALTITUDE OF LSD 32.54. RECORDS AVAILABLE  
JULY 19, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 23	8.88 S	FEB 20	7.36 S	JUN 02	6.48 S
NOV 24	9.82 S	MAR 24	6.86 S	JUL 28	5.51 S
JAN 22	9.97 S	APR 23	8.75 S	SEP 22	5.89 S
PERIOD OF RECORD	HIGHEST	2.59	MAR 11, 1986	LOWEST	10.10 NOV 21, 1985



GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

VENTURA COUNTY

LOCAL NUMBER 004N025W35A02S.....	285
LOCAL NUMBER 004N025W35A03S.....	285
LOCAL NUMBER 007N024W13C02S.....	285

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 18.--Index map to location of wells in Ventura County.

WATER LEVELS, VENTURA COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 342323119274601

LOCAL NUMBER 004N025W35A02S

ABOUT 3 MI EAST OF CARPINTERIA. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 413 FT, CASED TO 403 FT, PERFORATED 55-179, 231-401 FT. ALTITUDE OF LSD 147 FT. BEGINNING APR. 17, 1979, MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1945, 1949-50, 1955-56, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1986	14.87 S	JAN 23, 1987	14.90 S	APR 21, 1987	15.16 SS	AUG 24, 1987	15.85 S
NOV 26	14.94 S	FEB 17	14.98 S	MAY 22	15.37 S	SEP 25	15.43
DEC 18	14.89 S	MAR 20	15.02 S	JUN 16	15.45 S		

PERIOD OF RECORD    HIGHEST    11.09    FEB 20, 1980    LOWEST    85.76    DEC 13, 1949

SITE NUMBER 342321119274601

LOCAL NUMBER 004N025W35A03S

EAST OF RINCON CREEK RD AND SOUTH OF RINCON CREEK BRIDGE. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 145.8 FT. ALTITUDE OF LSD 147 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1978. RECORDS AVAILABLE 1941, 1945-46, 1949-50, 1955-56, 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1986	34.29 S	JAN 22, 1987	32.70 S	APR 21, 1987	32.96 SS	AUG 24, 1987	35.45 SS
NOV 26	33.66 S	FEB 16	32.40 S	MAY 22	32.75 S	SEP 25	34.83
DEC 18	32.95 S	MAR 20	31.94 S	JUN 16	33.99 S		

PERIOD OF RECORD    HIGHEST    11.48    APR 24, 1978    LOWEST    108.49    OCT 31, 1961

SITE NUMBER 344224119223901

LOCAL NUMBER 007N024W13C02S

ABOUT 1.8 MI NORTHWEST OF APACHE SCHOOL. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT. ALTITUDE OF LSD 3435 FT. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 24, 1987	21.16 S

PERIOD OF RECORD    HIGHEST    17.98    APR 10, 1979    LOWEST    44.23    DEC 27, 1951

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

YOLO COUNTY

LOCAL NUMBER 011N001E03D01M.....	288
LOCAL NUMBER 011N001E03E01M.....	288
LOCAL NUMBER 012N001E34Q01M.....	289
LOCAL NUMBER 012N001E34Q02M.....	290
LOCAL NUMBER 012N001E34Q03M.....	290

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED




Figure 19.--Index map to location of wells in Yolo County.

WATER LEVELS, YOLO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385009121512401

LOCAL NUMBER 011N001E03D01M

2.9 MI NORTHEAST OF ZAMORA. UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 500 FT. ALTITUDE OF LSD 30.16 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS	
NOV 24	16.48 S	FEB 20	9.75 S	AUG 21	40.78 S
JAN 20	11.28 S	JUN 22	48.80 S	SEP 22	32.03 S
PERIOD OF RECORD	HIGHEST	4.85	MAR 02, 1984	LOWEST	50.85 JUL 06, 1981

SITE NUMBER 384951121512401

LOCAL NUMBER 011N001E03E01M

2.7 MI NORTHEAST OF ZAMORA. DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 260 FT, PERFORATED 220-260 FT. ALTITUDE OF LSD 33.13 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS	
OCT 23	11.75 S	FEB 20	11.04 S	MAY 22	10.58 S	AUG 21	11.46 S
NOV 24	11.67 S	MAR 24	10.50 S	JUN 22	10.71 S	SEP 22	10.99 S
JAN 20	11.48 S	APR 23	9.81 S	JUL 24	11.74 S		
PERIOD OF RECORD	HIGHEST	2.15	FEB 28, 1980	LOWEST	16.19	OCT 05, 1979	

## WATER LEVELS, YOLO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385020121503601

LOCAL NUMBER 012N001E34Q01M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
 DEPTH 2125 FT, CASED TO 2125 FT, SCREENED 2120-2125 FT. ALTITUDE OF LSD 24.27 FT.  
 RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	+3.26	+3.14	+3.06	+3.06	+3.10	+3.28	+3.49	+3.66	+4.05	+4.20	+4.23	+4.12
2	+3.25	+3.14	+3.06	+3.06	+3.10	+3.28	+3.49	+3.67	+4.06	+4.20	+4.23	+4.12
3	+3.25	+3.14	+3.06	+3.06	+3.10	+3.28	+3.50	+3.68	+4.07	+4.20	+4.23	+4.12
4	+3.25	+3.13	+3.06	+3.07	+3.11	+3.29	+3.50	+3.70	+4.07	+4.20	+4.23	+4.12
5	+3.25	+3.13	+3.06	+3.07	+3.12	+3.29	+3.51	+3.71	+4.08	+4.20	+4.23	+4.12
6	+3.24	+3.12	+3.06	+3.07	+3.12	+3.29	+3.51	+3.73	+4.08	+4.20	+4.23	+4.12
7	+3.24	+3.12	+3.06	+3.08	+3.13	+3.30	+3.51	+3.75	+4.09	+4.20	+4.23	+4.12
8	+3.23	+3.12	+3.06	+3.08	+3.13	+3.31	+3.51	+3.76	+4.10	+4.21	+4.23	+4.12
9	+3.23	+3.11	+3.06	+3.08	+3.14	+3.33	+3.52	+3.77	+4.11	+4.21	+4.23	+4.12
10	+3.23	+3.11	+3.06	+3.08	+3.14	+3.33	+3.52	+3.79	+4.11	+4.21	+4.23	+4.12
11	+3.23	+3.10	+3.06	+3.08	+3.15	+3.34	+3.52	+3.80	+4.12	+4.21	+4.23	+4.12
12	+3.22	+3.10	+3.06	+3.08	+3.15	+3.35	+3.52	+3.82	+4.13	+4.21	+4.23	+4.13
13	+3.22	+3.10	+3.06	+3.08	+3.15	+3.35	+3.52	+3.84	+4.14	+4.21	+4.23	+4.13
14	+3.21	+3.10	+3.06	+3.08	+3.16	+3.36	+3.53	+3.86	+4.14	+4.22	+4.23	+4.13
15	+3.21	+3.10	+3.06	+3.08	+3.17	+3.37	+3.54	+3.88	+4.14	+4.22	+4.23	+4.13
16	+3.21	+3.09	+3.06	+3.08	+3.17	+3.38	+3.54	+3.89	+4.15	+4.22	+4.23	+4.13
17	+3.20	+3.09	+3.06	+3.08	+3.18	+3.39	+3.55	+3.90	+4.15	+4.22	+4.23	+4.13
18	+3.20	+3.09	+3.06	+3.08	+3.18	+3.40	+3.56	+3.92	+4.15	+4.22	+4.23	+4.13
19	+3.20	+3.09	+3.06	+3.08	+3.19	+3.40	+3.56	+3.94	+4.16	+4.22	+4.23	+4.13
20	+3.19	+3.09	+3.06	+3.08	+3.25	+3.41	+3.57	+3.96	+4.16	+4.22	+4.23	+4.13
21	+3.19	+3.09	+3.06	+3.08	+3.25	+3.42	+3.57	+3.97	+4.17	+4.23	+4.11	+4.13
22	+3.19	+3.09	+3.06	+3.08	+3.25	+3.42	+3.58	+3.95	+4.18	+4.23	+4.11	+4.13
23	+3.18	+3.08	+3.06	+3.08	+3.26	+3.42	+3.57	+3.97	+4.18	+4.23	+4.11	+4.13
24	+3.18	+3.05	+3.06	+3.08	+3.27	+3.48	+3.57	+3.98	+4.18	+4.23	+4.11	+4.13
25	+3.18	+3.05	+3.06	+3.08	+3.27	+3.48	+3.58	+3.99	+4.18	+4.23	+4.11	+4.13
26	+3.17	+3.05	+3.06	+3.08	+3.28	+3.48	+3.60	+4.00	+4.18	+4.23	+4.11	+4.13
27	+3.17	+3.05	+3.06	+3.08	+3.28	+3.48	+3.61	+4.01	+4.19	+4.23	+4.11	+4.13
28	+3.16	+3.05	+3.06	+3.08	+3.28	+3.48	+3.62	+4.02	+4.19	+4.23	+4.11	+4.13
29	+3.16	+3.05	+3.06	+3.08	---	+3.48	+3.63	+4.03	+4.19	+4.23	+4.11	+4.13
30	+3.15	+3.05	+3.06	+3.09	---	+3.49	+3.65	+4.03	+4.19	+4.23	+4.11	+4.14
31	+3.15	---	+3.06	+3.09	---	+3.49	---	+4.04	---	+4.23	+4.12	---

PERIOD OF RECORD      HIGHEST    +4.23 JUL 21, 1987 AND 31 OTHERS      LOWEST    0.64 APR 17, 1980

## WATER LEVELS, YOLO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SITE NUMBER 385020121503602

LOCAL NUMBER 012N001E34Q02M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
 DEPTH 1401 FT, CASED TO 1401 FT, SCREENED 1396-1401 FT. ALTITUDE OF LSD 24.27 FT.  
 RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 23	+6.03 S	JAN 20	+5.87 S	APR 23	F	JUL 24	F
NOV 24	+5.82 S	FEB 20	+6.17 S	MAY 22	F	AUG 21	F
DEC 22	+5.81 S	MAR 24	F	JUN 22	F	SEP 22	F
	HIGHEST	+6.41	JUN 24, 1986				
	LOWEST	6.31	APR 18, 1979				

SITE NUMBER 385020121503603

LOCAL NUMBER 012N001E34Q03M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
 DEPTH 947 FT, CASED TO 947 FT, SCREENED 942-947 FT. ALTITUDE OF LSD 24.27 FT.  
 RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	4.35	4.28	3.48	2.27	1.07	+0.04	---	+1.85	+1.20	1.13	3.69	5.74
2	4.37	4.27	3.42	2.24	0.99	+0.07	---	+1.84	+1.13	1.21	3.72	5.79
3	4.38	4.23	3.39	2.13	0.97	+0.10	---	+1.84	+1.08	1.29	3.81	5.81
4	4.40	4.20	3.34	2.07	0.95	+0.17	---	+1.83	+1.02	1.37	3.91	5.85
5	4.40	4.19	3.31	2.05	0.93	+0.26	---	+1.82	+ .95	1.43	3.99	5.90
6	4.40	4.16	3.27	2.05	0.89	+0.31	---	+1.81	+ .90	1.51	4.06	5.96
7	4.40	4.16	3.25	2.05	0.85	+0.38	---	+1.81	+ .84	1.60	4.12	6.03
8	4.40	4.17	3.25	2.05	0.77	+0.43	---	+1.80	+ .76	1.69	4.21	6.06
9	4.40	4.17	3.21	2.05	0.71	+0.43	---	+1.80	+ .68	1.78	4.31	6.08
10	4.40	4.14	3.17	2.01	0.68	+0.44	---	+1.79	+ .62	1.88	4.38	6.13
11	4.40	4.11	3.13	1.95	0.67	+0.45	+1.42	+1.79	+ .55	1.98	4.46	6.15
12	4.42	4.09	3.09	1.92	0.59	+0.50	---	+1.78	+ .45	2.08	4.53	6.16
13	4.45	4.04	3.05	1.87	0.49	+0.56	+1.46	+1.77	+ .36	2.18	4.56	6.22
14	4.46	3.98	2.99	1.77	0.44	+0.67	---	+1.76	+ .30	2.25	4.63	6.31
15	4.45	3.98	2.93	1.73	0.37	+0.75	---	+1.76	+ .20	2.30	4.73	6.35
16	4.44	3.97	2.88	1.71	0.38	+0.75	---	+1.75	+ .10	2.36	4.81	6.38
17	4.44	3.91	2.83	1.69	0.37	+0.75	---	+1.74	+ .03	2.46	4.88	6.41
18	4.44	3.87	2.80	1.68	0.35	+0.75	---	+1.74	.05	2.60	4.95	6.48
19	4.42	3.86	2.76	1.65	0.32	+0.76	---	+1.73	.11	2.69	5.02	6.54
20	4.41	3.84	2.72	1.62	0.28	+0.77	---	+1.72	.19	2.76	5.06	6.57
21	4.41	3.81	2.73	1.61	0.23	+0.87	---	+1.71	.28	2.85	5.24	6.58
22	4.38	3.82	2.66	1.53	0.15	+0.88	---	+1.63	.49	2.95	5.23	6.71
23	4.38	3.82	2.63	1.47	0.04	+0.89	+1.86	+1.63	.51	3.01	5.27	6.72
24	4.40	3.65	2.59	1.46	+0.01	+0.92	+1.87	+1.61	.58	3.17	5.30	6.73
25	4.40	3.64	2.57	1.44	+0.01	+ .94	+1.89	+1.59	.64	3.20	5.34	6.75
26	4.37	3.64	2.53	1.37	+0.01	+ .95	+1.88	+1.57	.72	3.25	5.40	6.75
27	4.37	3.66	2.48	1.26	0.00	---	+1.88	+1.52	.82	3.30	5.47	6.75
28	4.35	3.55	2.46	1.21	+0.01	---	+1.87	+1.47	.89	3.37	5.52	6.76
29	4.34	3.53	2.45	1.17	---	---	+1.86	+1.42	.95	3.44	5.56	6.79
30	4.33	3.52	2.39	1.13	---	---	+1.86	+1.35	1.04	3.53	5.59	6.82
31	4.30	---	2.32	1.13	---	---	---	+1.26	---	3.63	5.66	---

PERIOD OF RECORD HIGHEST + 2.16 MAY 03, 04, 05, 1984 LOWEST 19.30 NOV 09, 10, 1979



# INDEX

ACCESS TO WATSTORE DATA.....	5	Land-surface datum, definition of.....	5
Aquifer, definition of.....	5	Latitude-Longitude System.....	3
Artesian, definition of.....	5	Local Well Numbers.....	3
		Los Angeles County, index map to location of wells in.....	76
Chemical oxygen demand, definition of.....	5		
Color unit, definition of.....	5	Merced County, index map to location of wells in.....	117
Contra Costa County, index map to location of wells in.....	12	Methylene blue active substance, definition of.....	5
COOPERATION.....	2	Micrograms per liter, definition of.....	6
		Milligrams per liter, definition of.....	6
Data Collection and Computation.....	4		
Data Presentation.....	5	Pesticides, definition of.....	6
DEFINITION OF TERMS.....	5	pH, definition of.....	6
Dissolved, definition of.....	5	Polychlorinated biphenyls, definition of.....	6
Dissolved-solids concentration, definition of.....	5	PUBLICATIONS ON TECHNIQUES OF WATER- RESOURCES INVESTIGATIONS.....	8
EXPLANATION OF THE RECORDS.....	3		
		REMARK CODES, definition of.....	7
Glenn County, index map to location of wells in.....	15	Riverside County, index map to location of wells in.....	140
Ground-Water Levels, records of.....	4		
Ground-water levels and quality records by county:		San Bernardino County, index map to location of wells in.....	152
Contra Costa County.....	11	San Diego County, index map to location of wells in.....	182
Glenn County.....	14	San Joaquin County, index map to location of wells in.....	187
Humboldt County.....	19	San Luis Obispo County, index map to location of wells in.....	193
Imperial County.....	22	Santa Barbara County, index map to location of wells in.....	199
Inyo County.....	33	Sodium-adsorption-ratio, definition of.....	6
Kern County.....	39	Specific conductance, definition of.....	6
Los Angeles County.....	74	Suspended recoverable, definition of.....	6
Merced County.....	116	Suspended total, definition of.....	6
Riverside County.....	139	Suspended, definition of.....	6
San Bernardino County.....	151	Sutter County, index map to location of wells in.....	278
San Diego County.....	181	System for numbering wells and miscellaneous sites.....	3
San Joaquin County.....	186		
San Luis Obispo County.....	192	Total recoverable, definition of.....	6
Santa Barbara County.....	196	Total, definition of.....	6
Sutter County.....	277		
Ventura County.....	283	Ventura County, index map to location of wells in.....	284
Yolo County.....	286		
Ground-Water Quality, records of.....	4	Well-numbering system.....	3
		WSP, definition of.....	6
Hardness, definition of.....	5		
Humboldt County, index map to location of wells in.....	20	Yolo County, index map to location of wells in.....	287
HYDROLOGIC CONDITIONS, SUMMARY OF.....	2		
Imperial County, index map to location of wells in.....	23		
INTRODUCTION.....	1		
Inyo County, index map to location of wells in.....	34		
Kern County, index map to location of wells in.....	40		



## FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI).

Multiply inch-pound units	By	To obtain SI units
<i>Length</i>		
inches (in)	$2.54 \times 10^1$	millimeters (mm)
	$2.54 \times 10^{-2}$	meters (m)
feet (ft)	$3.048 \times 10^{-1}$	meters (m)
miles (mi)	$1.609 \times 10^0$	kilometers (km)
<i>Area</i>		
acres	$4.047 \times 10^3$	square meters (m <sup>2</sup> )
	$4.047 \times 10^{-1}$	square hectometers (hm <sup>2</sup> )
	$4.047 \times 10^{-3}$	square kilometers (km <sup>2</sup> )
square miles (mi <sup>2</sup> )	$2.590 \times 10^0$	square kilometers (km <sup>2</sup> )
<i>Volume</i>		
gallons (gal)	$3.785 \times 10^0$	liters (L)
	$3.785 \times 10^0$	cubic decimeters (dm <sup>3</sup> )
	$3.785 \times 10^{-3}$	cubic meters (m <sup>3</sup> )
million gallons	$3.785 \times 10^3$	cubic meters (m <sup>3</sup> )
	$3.785 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
cubic feet (ft <sup>3</sup> )	$2.832 \times 10^1$	cubic decimeters (dm <sup>3</sup> )
	$2.832 \times 10^{-2}$	cubic meters (m <sup>3</sup> )
cfs-days	$2.447 \times 10^3$	cubic meters (m <sup>3</sup> )
	$2.447 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
acre-feet (acre-ft)	$1.233 \times 10^3$	cubic meters (m <sup>3</sup> )
	$1.233 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
	$1.233 \times 10^{-6}$	cubic kilometers (km <sup>3</sup> )
<i>Flow</i>		
cubic feet per second (ft <sup>3</sup> /s)	$2.832 \times 10^1$	liters per second (L/s)
	$2.832 \times 10^1$	cubic decimeters per second (dm <sup>3</sup> /s)
	$2.832 \times 10^{-2}$	cubic meters per second (m <sup>3</sup> /s)
gallons per minute (gal/min)	$6.309 \times 10^{-2}$	liters per second (L/s)
	$6.309 \times 10^{-2}$	cubic decimeters per second (dm <sup>3</sup> /s)
	$6.309 \times 10^{-5}$	cubic meters per second (m <sup>3</sup> /s)
million gallons per day	$4.381 \times 10^1$	cubic decimeters per second (dm <sup>3</sup> /s)
	$4.381 \times 10^{-2}$	cubic meters per second (m <sup>3</sup> /s)
<i>Mass</i>		
tons (short)	$9.072 \times 10^{-1}$	megagrams (Mg) or metric tons

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF THE INTERIOR  
INT 413

U.S. DEPARTMENT OF THE INTERIOR  
Geological Survey, Room W-2234  
2800 Cottage Way, Federal Building  
Sacramento, CA 95825

---



OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
SPECIAL 4TH CLASS BOOK RATE

