



R
(200)
Ga3
New York
1987
V.2



Water Resources Data New York Water Year 1987

Volume 2. Long Island



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-87-2
Prepared in cooperation with the State of New York
and with other agencies

CALENDAR FOR WATER YEAR 1987

1986

OCTOBER							NOVEMBER							DECEMBER						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
			1	2	3	4							1		1	2	3	4	5	6
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20
19	20	21	22	23	24	25	16	17	18	19	20	21	22	21	22	23	24	25	26	27
26	27	28	29	30	31		23	24	25	26	27	28	29	28	29	30	31			
							30													

1987

JANUARY							FEBRUARY							MARCH						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
				1	2	3	1	2	3	4	5	6	7	1	2	3	4	5	6	7
4	5	6	7	8	9	10	8	9	10	11	12	13	14	8	9	10	11	12	13	14
11	12	13	14	15	16	17	15	16	17	18	19	20	21	15	16	17	18	19	20	21
18	19	20	21	22	23	24	22	23	24	25	26	27	28	22	23	24	25	26	27	28
25	26	27	28	29	30	31								29	30	31				

APRIL							MAY							JUNE						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
			1	2	3	4						1	2		1	2	3	4	5	6
5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13
12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20
19	20	21	22	23	24	25	17	18	19	20	21	22	23	21	22	23	24	25	26	27
26	27	28	29	30			24	25	26	27	28	29	30	28	29	30				
							31													


JULY							AUGUST							SEPTEMBER						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
			1	2	3	4						1			1	2	3	4	5	
5	6	7	8	9	10	11	2	3	4	5	6	7	8	6	7	8	9	10	11	12
12	13	14	15	16	17	18	9	10	11	12	13	14	15	13	14	15	16	17	18	19
19	20	21	22	23	24	25	16	17	18	19	20	21	22	20	21	22	23	24	25	26
26	27	28	29	30	31		23	24	25	26	27	28	29	27	28	29	30			
							30	31												



Water Resources Data New York Water Year 1987

Volume 2. Long Island

by A.G. Spinello, J.H. Nakao, R.B. Winowitch, and D.L. Simmons



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-87-2
Prepared in cooperation with the State of New York
and with other agencies



DEPARTMENT OF THE INTERIOR
DONALD PAUL HODEL, Secretary
U.S. GEOLOGICAL SURVEY
Dallas L. Peck, Director

For information on the water program in New York write to
District Chief, Water Resources Division
U.S. Geological Survey
U.S. Post Office and Courthouse
P.O. Box 1669
Albany, New York 12201

or

For information on the water program in Long Island write to
Subdistrict Chief, Water Resources Division
U.S. Geological Survey
5 Aerial Way
Syosset, New York 11791

1988

PREFACE

This volume of the annual hydrologic data report of New York is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for New York are contained in 3 volumes:

- Volume 1. Eastern New York excluding Long Island
- Volume 2. Long Island
- Volume 3. Western New York

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guidelines, the following individuals contributed significantly to the collection, processing, and tabulation of the data:

R. J. Busciolano N. W. Hagelin
A. A. Giaimo

J. A. Pitt typed the text of the report.

This report was prepared in cooperation with the State of New York and with other agencies under the general supervision of L. A. Martens, District Chief, New York.

REPORT DOCUMENTATION PAGE	1. REPORT NO. USGS/WRD/HD-88/247	2.	3. Recipient's Accession No.
4. Title and Subtitle Water Resources Data - New York, Water Year 1987 Volume 2. Long Island		5. Report Date June 1988	
7. Author(s) A. G. Spinello, J. H. Nakao, D. L. Simmons, and R. B. Winowitch		8. Performing Organization Rept. No. USGS-WDR-NY-87-2	
9. Performing Organization Name and Address U.S. Geological Survey, Water Resources Division 5 Aerial Way Syosset, New York 11791		10. Project/Task/Work Unit No.	
		11. Contract(C) or Grant(G) No. (C) (G)	
12. Sponsoring Organization Name and Address U.S. Geological Survey, Water Resources Division U.S. Post Office and Courthouse P.O. Box 1669 Albany, New York 12201		13. Type of Report & Period Covered Annual - October 1, 1986 to September 30, 1987	
15. Supplementary Notes Prepared in cooperation with the State of New York and other agencies.		14.	
16. Abstract (Limit: 200 words) Water resources data for the 1987 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; and water levels and water quality of ground-water wells. This volume contains records for water discharge at 17 gaging stations; water quality at 17 gaging stations, 217 wells, and 3 precipitation stations; and water levels at 113 observation wells. Also included are data for 74 low-flow partial-record stations. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data, together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey in cooperation with State, Federal, and other agencies in New York.			
17. Document Analysis a. Descriptors *New York, *Hydrologic data, *Groundwater, *Surface waters, *Water quality, Gaging Stations, Streamflow, Flow rates, Lakes, Reservoirs, Chemical analysis, Sediments, Water temperature, Water analysis, Water levels, Water wells, Data Collections, Sites. b. Identifiers/Open-Ended Terms c. COSATI Field/Group			
18. Availability Statement This report may be purchased from: National Technical Information Service Springfield, VA 22161		19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 218
		20. Security Class (This Page) UNCLASSIFIED	22. Price

CONTENTS

	Page
Preface.....	iii
List of gaging stations, in downstream order, for which records are published.....	vi
Introduction.....	1
Cooperation.....	2
Summary of hydrologic conditions.....	2
Definition of terms.....	3
Downstream order and station numbers.....	10
Numbering system for wells.....	10
Special networks and programs.....	11
Explanation of stage and water-discharge records.....	11
Collection and computation of data.....	11
Accuracy of field data and computed results.....	13
Other data available.....	13
Explanation of water-quality records.....	14
Classification of records.....	14
Arrangement of records.....	14
Descriptive headings.....	14
Revisions.....	14
Water analysis.....	14
Water temperatures.....	15
Sediment.....	15
Explanation of ground-water level records.....	15
Collection of data.....	15
Access to WATSTORE data.....	16
Publications on techniques of water-resources investigations.....	17
Gaging station records.....	32
Discharge at partial-record stations and miscellaneous sites.....	72
Low-flow partial-record stations.....	72
Analyses of samples collected at precipitation-quality stations.....	79
Ground-water records.....	84
Ground-water level records.....	84
Quality of ground-water records.....	149
Index.....	217

ILLUSTRATIONS

Figure 1. System for numbering wells.....	10
2. Hydrographic comparisons, East Meadow Brook at Freeport.....	19
3. Hydrographic comparisons, Nissequogue River near Smithtown.....	20
4. Hydrograph of water-table observation well S4271 at Riverhead.....	21
5. Hydrograph of water-table observation well N1259 at Plainedge.....	22
6A. Map showing location of surface-water data collection stations in Kings Queens, and Nassau Counties.....	23
6B. Map showing location of surface-water data collection stations in west half of Suffolk County.....	24
6C. Map showing location of surface-water data collection stations in east half of Suffolk County.....	25
7A. Map showing location of water-level data collection stations in Kings, Queens, and Nassau Counties.....	26
7B. Map showing location of water-level data collection stations in west half of Suffolk County.....	27
7C. Map showing location of water-level data collection stations in east half of Suffolk County.....	28
8A. Map showing location of quality of ground-water data collection stations in Kings, Queens, and Nassau Counties.....	29
8B. Map showing location of quality of ground-water data collection stations in west half of Suffolk County.....	30
8C. Map showing location of quality of ground-water data collection stations in east half of Suffolk County.....	31

TABLE

Table 1. Factors for converting inch-pound units to International System Units (SI).....	inside of back cover
---	----------------------------

vi GAGING STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE PUBLISHED
 [Letter after station name designates type of data: (d) discharge, (e) contents and/or elevation,
 (c) chemical, (b) biological, (m) microbiological, (t) water temperature, (s) sediment]

<u>STREAMS ON LONG ISLAND</u>	Page
Glen Cove Creek at Glen Cove (dct).....	32
Mill Neck Creek at Mill Neck (dct).....	34
Cold Spring Brook at Cold Spring Harbor (d).....	36
Nissequogue River near Smithtown (dcts).....	37
Peconic River at Riverhead (dct).....	42
Carmans River at Yaphank (dcts).....	44
Swan River at East Patchogue (dct).....	49
Patchogue River at Patchogue (ct).....	51
Connetquot Brook at Central Islip (d).....	52
Connetquot Brook near Central Islip (d).....	53
Connetquot River near Oakdale (dct).....	54
Champlin Creek at Islip (ct).....	56
Penataquit Creek at Bay Shore (ct).....	57
Sampawams Creek at Babylon (dct).....	58
Carlls River at Babylon (dct).....	60
Santapogue Creek at Lindenhurst (ct).....	62
Massapequa Creek at Massapequa (dct).....	63
Bellmore Creek at Bellmore (dct).....	65
East Meadow Brook at Freeport (dct).....	67
Pines Brook at Malverne (dct).....	69
Valley Stream at Valley Stream (d).....	71

INTRODUCTION

Water resources data for the 1987 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; water quality of precipitation; and water levels and water quality of ground-water wells. This volume contains records for water discharge at 17 gaging stations; water quality at 17 gaging stations, 217 wells, and 3 precipitation stations; and water levels at 113 observation wells. Also included are data for 74 low-flow partial-record stations. Locations of these sites are shown on pages 23-31. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State, local, and Federal agencies in New York.

Records of discharge and stage of streams, and contents or stage of lakes and reservoirs were first published in a series of U.S. Geological Survey water-supply papers entitled "Surface Water Supply of the United States." Through September 30, 1960, these water-supply papers were in an annual series and then in a 5-year series for 1961-65 and 1966-70. Records of chemical quality, water temperatures, and suspended sediment were published from 1941 to 1970 in an annual series of water-supply papers entitled "Quality of Surface Waters of the United States." Records of ground-water levels were published from 1935 to 1974 in a series of water-supply papers entitled "Ground-Water levels in the United States." Water-supply papers may be consulted in the libraries of the principal cities in the United States or may be purchased from the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Bldg. 41, Box 25425, Denver; Colorado, 80225.

For water years 1961 through 1970, streamflow data were released by the Geological Survey in annual reports on a State-boundary basis. Water-quality records for water years 1964 through 1970 were similarly released either in separate reports or in conjunction with streamflow records.

Beginning with the 1971 water year, water data for streamflow, water quality, and ground water are published in official Survey reports on a State-boundary basis. These official Survey reports carry an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is identified as "U.S. Geological Survey Water-Data Report NY-87-2". These water-data reports are for sale, in paper copy or in microfiche, by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the district chief at the address given on the back of the title page or by telephone (518) 472-2457.

COOPERATION

The U.S. Geological Survey and organizations of the State of New York and other agencies have had cooperative programs for the systematic collection of water records since 1900. Organizations that assisted in collecting the data included in Volume 2 through cooperative agreements with the U.S. Geological Survey are:

New York State Department of Environmental Conservation, Thomas Jorling, Commissioner.
County of Nassau, Department of Public Works, L. C. Hasl, Commissioner.
County of Suffolk, Department of Health Services, Dr. David Harris, Commissioner.
County of Suffolk, Water Authority, Leon Campo, Chairman.
The following organizations aided in collecting records:

Nassau County Department of Health, Nassau County Department of Public Works, Suffolk County Department of Health Services, and Suffolk County Water Authority.

SUMMARY OF HYDROLOGIC CONDITIONS

Streamflow and ground-water levels on Long Island were near or below average at the beginning of the 1987 water year but increased gradually until April and May. They then began a decline that continued through September (end of the water year), at which time they were near or below average (figs. 2 through 5).

Streamflow generally was below average throughout the 1987 water year. Peak discharges occurred mainly from December through April. Maximum monthly mean discharges at most stations occurred during October (the beginning of the water year).

Water levels in most wells screened in the water-table aquifer began to rise in November and December, then peaked in April or May, when they started a slow decline that continued through the rest of the water year. Record low water levels were measured in a few wells in east-central Nassau County in October. Record high water levels were measured in some wells in Queens County in January and March. Water levels were lower in most wells screened in the Lloyd and Magothy aquifers than in the previous year.

Concentrations of inorganic constituents in surface water and ground water during the 1987 water year showed no significant change from the previous year. Dissolved-solids concentrations in ground water were greatest in the upper glacial aquifer, where specific conductance had a median value of 195 $\mu\text{S}/\text{cm}$ (microsiemens per centimeter at 25° Celsius). Elevated concentrations of dissolved solids also were detected in the upper part of the Magothy aquifer, where the median specific-conductance value was 51 $\mu\text{S}/\text{cm}$.

DEFINITION OF TERMS

Terms related to streamflow, water quality, and other hydrologic data, as used in this report, are defined below. See also the table for converting inch-pound system units to International System of units (SI) on the inside of the back cover.

Acre-foot (AC-FT, acre-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Algae are mostly aquatic single-celled, colonial, or multi-celled plants, containing chlorophyll and lacking roots, stems, and leaves.

Algal growth potential (AGP) is the maximum algal dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present as stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Bacteria are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria which ferment lactose with gas formation within 48 hours at 35°C. In the laboratory these bacteria are defined as the organisms which produce colonies within 24 hours when incubated at 35°C ± 1.0°C on M-endo median (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal coliform bacteria are bacteria that are present in the intestines or feces of warm-blooded animals. They are often used as indicators of the sanitary quality of the water. In the laboratory they are defined as all organisms which produce blue colonies within 24 hours when incubated at 44.5°C ± 0.2°C on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal streptococcal bacteria are bacteria found also in intestines of warm-blooded animals. Their presence in water is considered to verify fecal pollution. They are characterized as gram-positive, cocci bacteria which are capable of growth in brain-heart infusion broth. In the laboratory they are defined as all the organisms which produce red or pink colonies within 48 hours at 35°C ± 1.0°C on KF Streptococcus agar (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Bed material: See Bottom material.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

Biomass is the amount of living matter present at any given time, expressed as the mass per unit area or volume of habitat.

Ash mass is the mass or amount of residue present after the residue from the dry mass determination has been ashed in a muffle furnace at a temperature of 500°C for 1 hour. The ash mass values of zooplankton and phytoplankton are expressed in grams per cubic meter (g/m³), and periphyton and benthic organisms in grams per square meter (g/m²).

Dry mass refers to the mass of residue present after drying in an oven at 60°C for zooplankton and 105°C for periphyton, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry mass values are expressed in the same units as ash mass.

Organic mass or volatile mass of the living substance is the difference between the dry mass and ash mass, and represents the actual mass of the living matter. The organic mass is expressed in the same units as for ash mass and dry mass.

Wet mass is the mass of living matter plus contained water.

Biomass pigment ratio is an indicator of the total proportion of periphyton which are autotrophic (plants). This is also called the Autotrophic Index.

Bottom material is the unconsolidated material of which a streambed, lake, pond, reservoir, or estuary bottom is composed.

Recoverable from bottom material is the amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of only readily soluble substances. Complete dissolution of all bottom material is not achieved by the digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Total in bottom material is the total amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total in bottom material".

Cells/volume refers to the number of cells of any organism which is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample, usually milliliters (mL) or liters (L).

Cfs-day is the volume of water represented by flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, about 646,000 gallons or 2,447 cubic meters.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water, and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Chlorophyll refers to the green pigments of plants. Chlorophyll a and b are the two most common pigments in plants.

Colloid is any substance with particles in such a fine state of subdivision dispersed in a medium, for example water, that they do not settle out; but not in so fine a state of subdivision that they can be said to be truly dissolved.

Color unit is produced by one milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Confined aquifer is the term used to describe an aquifer containing water between two relatively impermeable boundaries. The water level in a well tapping a confined aquifer stands above the top of the confined aquifer and can be higher or lower than the water table (it can also be above ground level). Formerly called artesian aquifer.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of salt water.

Cubic feet per second per square mile (CFSM) is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area.

Cubic foot per second (FT³/S, ft³/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

Discharge is the volume of water (or more broadly, volume of fluid plus suspended sediment), that passes a given point within a given period of time.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

Instantaneous discharge is the discharge at a particular instant of time.

Dissolved is that material in a representative water sample which passes through a 0.45 μ m membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate.

Diversity index is a numerical expression of evenness of distribution of aquatic organisms. The formula for diversity index is:

$$\bar{d} = - \sum_{i=1}^s \frac{n_i}{n} \log_2 \frac{n_i}{n}$$

Where n_i is the number of individuals per taxon, n is the total number of individuals, and s is the total number of taxa in the sample of the community. Diversity index values range from zero when all the organisms in the sample are the same, to some positive number, when some or all of the organisms in the sample are different.

Drainage area of a stream at a specific location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the river above the specified point. Figures of drainage area given herein include all closed basins, or noncontribution areas, within the area unless otherwise noted.

Drainage basin is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or a body of impounded surface water together with all tributary surface streams and bodies of impounded surface water.

Gage height (G.H.) is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

Gaging station is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate (CaCO_3).

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as delineated by the Office of Water Data Coordination on the State Hydrologic Unit Maps; each hydrologic unit is identified by an 8-digit number.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per gram ($\mu\text{g/g}$) is a unit expressing the concentration of a chemical element as the mass (micrograms) of the element sorbed per unit mass (gram) of sediment.

Micrograms per liter ($\mu\text{g/L}$, $\mu\text{g/L}$) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter.

Milligrams per liter (MG/L , mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in mg/L , and is based on the mass of sediment per liter of water-sediment mixture.

National Geodetic Vertical Datum of 1929 (NGVD) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level" in this series of reports. Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

Organic carbon (OC) is a measure of the organic matter present in aqueous solution and (or) suspension. May be reported in any of three categories (DOC, dissolved organic carbon; SOC, suspended organic carbon; TOC, total organic carbon).

Organism is any living entity, such as an insect, phytoplankter, or zooplankter.

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square meters (m^2), acres, or hectares. Periphyton benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliters (mL) or liters (L). Numbers of planktonic organisms can be expressed in these terms.

Total organism count is the total number of organisms collected and enumerated in any particular sample.

Partial-record station is a particular site where limited streamflow and/or water-quality data are collected systematically over a period of years for use in hydrologic analyses.

Particle-size is the diameter, in millimeters (mm), of suspended sediment or bed material determined by either sieve or sedimentation methods. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification used in this report agrees with recommendations made by the American Geophysical Union Subcommittee on Sediment Terminology.

The classification is as follows:

Classification	Size (mm)	Method of analysis
Clay.....	0.00024 - 0.004	Sedimentation.
Silt.....	.004 - .062	Sedimentation.
Sand.....	.062 - 2.0	Sedimentation or sieve.
Gravel.....	2.0 - 64.0	Sieve.

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. Most of the organic material is removed and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Percent composition is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, mass or volume.

Periphyton is the assemblage of algae, fungi, and bacteria which are attached to or live upon submerged objects in lakes or rivers.

Pesticides are chemical compounds used to control undesirable plants and animals. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

Picocurie (PC, pCi) is one trillionth (1×10^{12}) of the amount of radioactivity represented by a curie (Ci). A curie is the amount of radioactivity that yields 3.7×10^{10} radioactive disintegrations per second. A picocurie yields 2.22 dpm (disintegrations per minute).

Plankton is the community of suspended, floating, or weakly swimming organisms that live in the open water of lakes and rivers.

Phytoplankton is the plant part of the plankton. They are usually microscopic and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment, and are commonly known as algae.

Blue-green algae are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water.

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells/mL of sample.

Euglenoids (Euglenophyta) are a group of algae that are usually free-swimming and rarely creeping. They have the ability to grow either photosynthetically in the light or heterotrophically in the dark.

Fire algae (Pyrrhophyta) are free-swimming unicells characterized by a red spot.

Green-algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algal mats or floating "moss" in lakes. Their concentrations are expressed as number of cells/mL of sample.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column, and are often large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Polychlorinated naphthalenes (PCNs) are industrial chemicals that are mixtures of chlorinated naphthalene compounds. They have properties and applications similar to polychlorinated biphenyls (PCBs) and have been identified in commercial PCB preparations.

Primary productivity is a measure of the rate at which new organic matter is formed and accumulated through photosynthetic and chemosynthetic activity of producer organisms (chiefly green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated by the plants (carbon method).

Milligrams of carbon per area or volume per unit time [mg C/(m²·time) for periphyton and macrophytes and mg C/(m³·time)] for phytoplankton are units for expressing primary productivity. They define the amount of carbon dioxide consumed as measured by radioactive carbon (carbon 14). The carbon 14 method is of greater sensitivity than the oxygen light and dark bottle method, and is preferred for use in unenriched waters. Unit time may be either the hour or day, depending on the incubation period.

Milligrams of oxygen per area or volume per unit time [mg O₂/(m²·time) for periphyton and macrophytes and mg O₂/(m³·time)] for phytoplankton are the units for expressing primary productivity. They define production and respiration rates as estimated from changes in the measured dissolved oxygen concentration. The oxygen light and dark bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period.

Runoff in inches (IN., in.) shows the depth to which the drainage area would be covered if all the runoff for a given time period were uniformly distributed on it.

Sediment is solid material that originates mostly from disintegrated rocks and is transported by, suspended in, or deposited from water; it includes chemical and biochemical precipitates and decomposed organic material, such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are influenced by environmental factors. Some major factors are degree of slope, length of slope, soil characteristics, land usage, and quantity and intensity of precipitation.

Suspended sediment is the sediment that at any given time is maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid.

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 ft above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L).

Suspended-sediment discharge (tons/day) is the rate at which dry weight of sediment passes a section of a stream or is the quantity of sediment, as measured by dry weight or volume, that passes a section in a given time. It is computed by multiplying discharge times mg/L times 0.0027.

Total sediment discharge (tons/day) is the sum of the suspended-sediment discharge and the bed-load discharge. It is the total quantity of sediment, as measured by dry weight or volume, that passes a section during a given time.

Mean concentration is the time-weighted concentration of suspended sediment passing a stream section during a 24-hour day.

Solute is any substance derived from the atmosphere, vegetation, soil, or rocks that is dissolved in water.

Specific conductance is a measure of the ability of a water to conduct an electrical current. It is expressed in micromhos per centimeter at 25°C. Specific conductance is related to the type and concentrations of ions in solution and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in micromhos). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stage-discharge relation is the relation between gage height (stage) and volume of water per unit of time, flowing in a channel.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lived.

Natural substrates refers to any naturally occurring emersed or submersed solid surface, such as a rock or tree, upon which an organism lived.

Artificial substrate is a device which is purposely placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is taken. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multi-plate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection.

Surface area of a lake is that area outlined on the latest U.S.G.S. topographic map as a boundary of the lake and measured by a planimeter in acres. In localities not covered by topographic maps, the areas are computed from the best maps available at the time planimetered. All areas shown are those for the stage when the planimetered map was made.

Surficial bed material is that part (0.1 to 0.2 ft) of the bed material that is sampled using U.S. Series Bed-Material Samplers.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of the total concentration in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) that material retained on a 0.45 μm filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45 μm membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45 μm membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total".

Determinations of "suspended, total" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total concentrations of the constituent.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular mayfly, Hexagenia limbata is the following:

Kingdom.....Animal
Phylum.....Arthropoda
Class.....Insecta
Order.....Ephemeroptera
Family.....Ephemeridae
Genus.....Hexagenia
Species.....Hexagenia limbata

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water that would be contained in a vessel or reservoir that had received equal quantities of water from the stream each day for the year.

Tons per acre-foot indicates the dry mass of dissolved solids in 1 acre-foot of water. It is computed by multiplying the concentration in milligrams per liter by 0.00136.

Tons per day is the quantity of substance in solution or suspension that passes a stream section during a 24-hour day.

Total (as used in tables of chemical analyses):

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total". (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all of the constituent in the sample).

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

When virtually all of a constituent is present in the dissolved phase, the reported value for the dissolved constituent may appear slightly greater than that for the total determination. The difference is within the standard laboratory error for the analytical methods used.

Total load (tons) is the total quantity of any individual constituent, as measured by dry mass or volume, that is dissolved in a specific amount of water (discharge) during a given time. It is computed by multiplying the total discharge, times the mg/L of the constituent, times the factor 0.0027, times the number of days.

Total organic carbon (TOC) is a measure of all organic matter present in aqueous solution and suspension.

Water table is the surface of a ground-water body at which the water is at atmospheric pressure. It is defined by the levels at which water stands in wells that penetrate the water body just far enough to hold standing water.

Water-table aquifer is an unconfined aquifer whose upper boundary is the water table.

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

WRD is used as an abbreviation for "Water Resources Data" in the REVISED RECORDS paragraph to refer to State annual basic-data reports published before 1975.

WSP is used as an abbreviation for "Water-Supply Paper" in references to previously published reports.

DOWNSTREAM ORDER AND STATION NUMBERS

Since October 1, 1950, the order of listing hydrologic-station records in Survey reports is in a downstream direction along the main stream. All stations on a tributary entering upstream from a main-stream station are listed before that station. A station on a tributary that enters between two main-stream stations is listed between them. A similar order is followed in listing stations on first rank, second rank, and other ranks of tributaries. The rank of any tributary on which a station is situated with respect to the stream to which it is immediately tributary is indicated by an indentation in a list of stations in the front of the report. Each indentation represents one rank. This downstream order and system of indentation show which stations are on tributaries between any two stations and the rank of the tributary on which each station is situated.

As an added means of identification, each hydrologic station, partial-record station, and miscellaneous site has been assigned a station number. These are in the same downstream order used in this report. In assigning station numbers, no distinction is made between partial-record stations, miscellaneous sites, and other stations; therefore, the station number for a partial-record station or a miscellaneous site indicates downstream-order position in a list made up of all types of stations. Gaps are left in the series of numbers to allow for new stations that may be established; hence, the numbers are not consecutive. The complete 8-digit number for each station such as 01300500 includes the 2-digit part number "01" plus the 6-digit downstream order number "300500". (In a few instances where no gaps were left in the 8-digit numbering sequence it was necessary to add one or two digits for identification; hence, there are a few stations or miscellaneous sites with 9-or 10-digit numbers.) (If random water-quality samples are taken at a miscellaneous site where a 9-or a 10-digit downstream order identification number is used, that site is assigned a latitude-longitude number.)

NUMBERING SYSTEM FOR WELLS

The 8-digit downstream order station numbers are not assigned to wells. The well-numbering system of the U.S. Geological Survey is based on the grid system of latitude and longitude. The system provides the geographic location of the well and a unique number for each site. The number consists of 15 digits. The first 6 digits denote the degrees, minutes, and seconds of latitude, the next 7 digits denote degrees, minutes, and seconds of longitude, and the last 2 digits (assigned sequentially) identify the wells within a 1-second grid. See figure 1 below.

A local well-numbering system is also used. It is a 2-part identifier, assigned by the New York State Department of Environmental Conservation, consisting of the abbreviation of county name and the serial number of the well within the county.




Figure 1. System for numbering wells (latitude and longitude).

SPECIAL NETWORKS AND PROGRAMS

Hydrologic bench-mark station is one that provides hydrologic data for a basin in which the hydrologic regimen will likely be governed solely by natural conditions. Data collected at a bench-mark station may be used to separate effects of natural from manmade changes in other basins which have been developed and in which the physiography, climate, and geology are similar to those in the undeveloped bench-mark basin.

National stream-quality accounting network (NASQAN) is a data collection network designed by the U.S. Geological Survey to meet many of the information demands of agencies or groups involved in national or regional water-quality planning and management. Both accounting and broad-scale monitoring objectives have been incorporated into the network design. Areal configuration of the network is based on river-basin accounting units (identified by 8-digit hydrologic-unit numbers) designated by the Office of Water Data Coordination in consultation with the Water Resources Council. Primary objectives of the network are (1) to depict areal variability of streamflow and water-quality conditions nationwide on a year-by-year basis and (2) to detect and assess long-term changes in streamflow and stream quality.

Pesticide program is a network of regularly sampled water-quality stations where samples are collected to determine the concentration and distribution of pesticides in streams where potential contamination could result from the application of the commonly used insecticides and herbicides. Operation of the network is a Federal interagency activity.

Radiochemical program is a network of regularly sampled water-quality stations where samples are collected to be analyzed for radioisotopes. The streams that are sampled represent major drainage basins in the conterminous United States.

EXPLANATION OF STAGE AND WATER-DISCHARGE RECORDS

Collection and Computation of Data

The base data collected at gaging stations consist of records of stage and measurements of discharge of streams or canals, and stage, surface area, and contents of lakes or reservoirs. In addition, observations of factors affecting the stage-discharge relation or the stage-capacity relation, weather records, and other information are used to supplement base data in determining the daily flow or volume of water in storage. Records of stage are obtained from either direct readings on a nonrecording gage or from a water-stage recorder that gives either a continuous graph of the fluctuations or a tape punched at selected time intervals. Measurements of discharge are made with a current meter, using the general methods adopted by the Geological Survey. These methods are described in standard textbooks, in Water-Supply Paper 2175, and in U.S. Geological Survey Techniques of Water Resources Investigations, book 3, chapter A6.

For stream-gaging stations, rating tables giving the discharge for any stage are prepared from stage-discharge relation curves. If extensions to the rating curves are necessary to express discharge greater than measured, they are made on the basis of indirect measurements of peak discharge (such as slope-area or contracted-opening measurements, computation of flow over dams or weirs), step-backwater techniques, velocity-area studies, and logarithmic plotting. The daily mean discharge is computed from gage heights and rating tables, then the monthly and yearly mean discharges are computed from the daily figures. If the stage-discharge relation is subject to change because of frequent or continual change in the physical features that form the control, the daily mean discharge is computed by the shifting-control method, in which correction factors based on individual discharge measurements and notes by engineers and observers are used in applying the gage heights to the rating tables. If the stage-discharge relation for a station is temporarily changed by the presence of aquatic growth or debris on the control, the daily mean discharge is computed by what is basically the shifting-control method.

At some stream-gaging stations the stage-discharge relation is affected by the backwater from reservoirs, tributary streams, or other sources. This necessitates the use of the slope method in which the slope or fall in a reach of the stream is a factor in computing discharge. The slope or fall is obtained by means of an auxiliary gage set at some distance from the base gage. At some stations the stage-discharge relation is affected by changing stage; at these stations the rate of change in stage is used as a factor in computing discharge.

At some stream-gaging stations the stage-discharge relation is affected by ice in the winter, and it becomes impossible to compute the discharge in the usual manner. Discharge for periods of ice effect is computed on the basis of gage-height record and occasional winter discharge measurements. Consideration is given to the available information on temperature and precipitation, notes by gage observers and hydrologists, and comparable records of discharge for other stations in the same or nearby basins.

For a lake or reservoir station, capacity tables giving the contents for any stage are prepared from stage-area relation curves defined by surveys. The application of the stage to the capacity table gives the contents, from which the daily, monthly, or yearly change in contents is computed.

If the stage-capacity curve is subject to changes because of deposition of sediment in the reservoir, periodic resurveys of the reservoir are necessary to define new stage-capacity curves. During the period between reservoir surveys the computed contents may be increasingly in error due to the gradual accumulation of sediment.

For some gaging stations there are periods when no gage-height record is obtained or the recorded gage height is so faulty that it cannot be used to compute daily discharge or contents. This happens when the recorder stops or otherwise fails to operate properly, intakes are plugged, the float is frozen in the well, or for various other reasons. For such periods the daily discharges are estimated on the basis of recorded range in stage, prior and subsequent records, discharge measurements, weather records, and comparison with records for other stations in the same or nearby basins. Likewise daily contents may be estimated on the basis of operator's log, prior and subsequent records, inflow-outflow studies, and other information.

The data in this report generally comprise a description of the station and tabulations of daily and monthly figures. For gaging stations on streams or canals a table showing the daily discharge and monthly and yearly discharge is given. For gaging stations on lakes and reservoirs a monthly summary table of stage and contents or a table showing the daily contents is given. Tables of daily mean gage heights are included for some streamflow stations and for some reservoir stations. Records are published for the water year, which begins on October 1 and ends on September 30.

The description of the gaging station gives the location, drainage area, period of record, notations of revisions of previously published records, type and history of gages, general remarks, average discharge, and extremes of discharge or contents. The location of the gaging station and the drainage area are obtained from the most accurate maps available. River mileage, given under "LOCATION" for some stations, is that determined and used by the Corps of Engineers or other agencies. Periods for which there are published records for the present station or for stations generally equivalent to the present one are given under "PERIOD OF RECORD."

Previously published streamflow records of some stations have been found to be in error on the basis of data or information later obtained. Revisions of such records are usually published along with the current records in one of the annual or compilation reports. In order to make it easier to find such revised records, a paragraph headed "REVISED RECORDS" has been added to the description of all stations for which revised records have been published. Listed therein are all the reports in which revisions have been published, each followed by the water years for which figures are revised in that report. In listing the water years only one number is given; for instance, 1965 stands for the water year October 1, 1964, to September 30, 1965. If no daily, monthly or annual figures of discharge are affected by the revision, the fact is brought out by notations after the year dates as follows: "(M)" means that only the instantaneous maximum discharge was revised; "(m)" that only the instantaneous minimum was revised; and "(P)" that only peak discharges were revised. If the drainage area has been revised, the report in which the revised figure was first published is given. It should be noted that for 11 stations for which cubic feet per second per square mile and runoff in inches are published, a revision of the drainage area necessitates corresponding revision of all figures based on the drainage area. Revised figures of cubic feet per second per square mile and runoff in inches resulting from a revision of the drainage area only are usually not published in the annual series of reports.

The type of gage currently in use; the datum of the present gage referred to National Geodetic Vertical Datum; and a condensed history of the types, locations, and datums of previous gages used during the period of record are given under "GAGE." National Geodetic Vertical Datum is explained in "DEFINITION OF TERMS" on page 5.

Information pertaining to the accuracy of the discharge records and to conditions which affect the natural flow of the gaging station is given under "REMARKS." For reservoir stations information on the dam forming the reservoir, the capacity, outlet works and spillway, and purpose and use of the reservoir is given under "REMARKS."

The average discharge for the number of years indicated is given under "AVERAGE DISCHARGE"; it is not given for stations having fewer than 5 complete years of record or for stations where changes in water development during the period of record cause the figure to have little significance. In addition, the median of yearly mean discharges is given for stream-gaging stations having 10 or more complete years of record if the median differs from the average by more than 10 percent. Under "EXTREMES" are given first, the extremes for the period of record, second, information available outside the period of record, and last, those for the current year. Unless otherwise qualified, the maximum discharge (or contents) is the instantaneous maximum corresponding to the crest stage obtained by use of a water-stage recorder (graphic or digital), a crest-stage gage, or a nonrecording gage read at the time of the crest. If the maximum gage height did not occur on the same day as the maximum discharge (or contents), it is given separately. Similarly, the minimum is the instantaneous minimum unless otherwise qualified. For some stations peak discharges are listed with "EXTREMES FOR THE CURRENT YEAR"; if they are, all independent peaks, including the maximum for the year, above the selected base with the time of occurrence and corresponding gage heights are published in tabular format. The base discharge, which is given in the table heading, is selected so that an average of about three peaks a year will be presented. Peak discharges are not published for any canals, ditches, drains, or for any stream for which the peaks are subject to substantial control by man. Time of day is expressed in 24-hour local standard time; for example, 12:30 a.m. is 0030, 1:30 p.m. is 1330. The minimums for these stations are published in a separate paragraph following the table of peaks.

The daily table for stream-gaging stations gives the mean discharge for each day and is followed by monthly and yearly summaries. In the monthly summary below the daily table, the line headed "TOTAL" gives the sum of the daily figures. The line headed "MEAN" gives the average flow in cubic feet per second during the month. The lines headed "MAX" and "MIN" give the maximum and minimum discharges, respectively, for the month. Discharge for the month also may be expressed in cubic feet per second per square mile (line headed "CFSM"), or in inches (line headed "IN."). Figures for cubic feet per second per square mile and runoff in inches are omitted if there is extensive regulation or diversion, if the drainage area includes large noncontributing areas, or if the average annual rainfall over the drainage basin is usually less than 20 inches. In the yearly summary below the monthly summary, the figures shown are the appropriate daily discharges for the calendar and water years.

Footnotes to the table of daily discharge are introduced by the word "NOTE." Footnotes are used to indicate periods for which the discharge is computed or estimated by special methods because of no gage-height record, backwater from various sources, or other unusual conditions. Periods of no gage-height record are indicated if the period is continuous for a month or more or includes the maximum discharge for the year. Periods of backwater from an unusual source, of indefinite stage-relation, or of any other unusual condition at the gage site are indicated only if they are a month or more in length and the accuracy of the records is affected. Days on which the stage-discharge relation is affected by ice are not indicated. The methods used in computing discharge for various unusual conditions have been explained in preceding paragraphs.

For most gaging stations on lakes and reservoirs the data presented comprise a description of the station and a monthly summary table of stage and contents. For some reservoirs a table showing daily contents or stage is given. A skeleton table of capacity at given stages is published for all reservoirs for which records are published on a daily basis, but is not published for reservoirs for which only monthly data are given.

Data collected at partial-record stations follow the information for continuous-record sites. Data for partial-record discharge stations are presented in two tables. The first is a table of discharge measurements at low-flow partial-record stations, and the second is a table of annual maximum stage and discharge at crest-stage stations. The tables of partial-record stations are followed by a listing of discharge measurements made at sites other than continuous records or partial-record stations. Occasionally, a series of discharge measurements are made within a short time period to investigate the seepage gains or losses along a reach of a stream or to determine the low-flow characteristics of an area. Such measurements are also given in special tables following the tables of partial-record stations.

Accuracy of Field Data and Computed Results

The accuracy of streamflow data depends primarily on (1) the stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements, and (2) the accuracy of observations of stage, measurements of discharge, and interpretations of records.

The station description under "REMARKS" states the degree of accuracy of the records. "Excellent" means that about 95 percent of the daily discharges are within 5 percent; "good," within 10 percent; and "fair," within 15 percent. "Poor" means that daily discharges have less than "fair" accuracy.

Figures of daily mean discharge in this report are shown to the nearest hundredth of a cubic foot per second for discharges of less than 1 ft³/s; to tenths between 1.0 and 10 ft³/s; to whole numbers between 10 and 1,000 ft³/s; and to 3 significant figures above 1,000 ft³/s. The number of significant figures used is based solely on the magnitude of the figure. The same rounding rules apply to discharge figures listed for partial-record stations.

Discharge at many stations, as indicated by the monthly mean, may not reflect natural runoff due to the effects of diversion, consumption, regulation by storage, increase or decrease in evaporation due to artificial causes, or to other factors. For such stations, figures of cubic feet per second per square mile and of runoff in inches are not published unless satisfactory adjustments can be made for diversions, for changes in contents of reservoirs, or for other changes incident to use and control. Evaporation from a reservoir is not included in the adjustments for changes in reservoir contents, unless it is so stated. Even at those stations where large adjustments are made, large errors in computed runoff may occur if adjustments or losses are large in comparison with the observed discharge.

Other Data Available

Information of a more detailed nature than that published for most of the gaging stations such as observations of water temperatures, discharge measurements, gage-height records, and rating tables is on file in the district office. Also most gaging-station records are available in computer-usable form and many statistical analyses have been made.

Information on the availability of unpublished data or statistical analyses may be obtained from the district office.

EXPLANATION OF WATER-QUALITY RECORDS

Classification of Records

Water-quality data for surface-water sites are grouped into one of three classifications. A continuing record station is a site where data are collected on a regularly scheduled basis. Frequency may be once or more times daily, weekly, monthly, or quarterly. A partial-record station is a site where limited water-quality data are collected systematically over a period of years. Frequency of sampling is usually less than quarterly. A miscellaneous sampling site is a location other than a continuing or partial-record station, where random samples are collected to give better areal coverage to define water-quality conditions in the river basin.

Arrangement of Records

Water-quality records collected at a surface-water daily record station are published immediately following that record, regardless of the frequency of sample collection. Station number and name are the same for both records. Where a surface-water daily record station is not available or where the water quality differs significantly from that at the nearby surface-water station, the continuing water-quality record is published with its own station number and name in the regular downstream order sequence. Water-quality data for partial-record stations and for miscellaneous sampling sites appear in separate tables following the table of discharge measurements at miscellaneous sites. Data for precipitation-quality stations appears next. The table of ground-water quality follows ground-water level records. Data for quality of ground water is listed alphabetically by County, and is identified by well number.

Descriptive Headings

For continuing record stations, data is preceded by information pertinent to the history of station operation. These descriptive headings give details regarding location, drainage area, period of record, type of data available, instrumentation, general remarks, cooperation, and extremes for parameters currently measured daily. Headings for precipitation-quality records include location information and a description of the sample collector.

Revisions

If errors in published water-quality records are discovered after publication, appropriate updates are made to the Water-Quality File in the U.S. Geological Survey's computerized data system, WATSTORE, and subsequently by monthly transfer of update transactions to the U.S. Environmental Protection Agency's STORET system. Because the usual volume of updates makes it impractical to document individual changes in the State data-report series or elsewhere, potential users of U.S. Geological Survey water-quality data are encouraged to obtain all required data from the appropriate computer file to insure the most recent updates.

Water Analysis

Most methods for collecting and analyzing water samples are described in the U.S. Geological Survey Techniques of Water-Resources Investigations listed on a following page.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled through several vertical sections to obtain a representative sample needed for an accurate mean concentration and for use in calculating load.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between a reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determination of carbonate and bicarbonate in the laboratory.

Terminology used in reporting chemical constituents is an indication of whether all or only part of a constituent associated with the solids in a water-quality sample is determined by a chemical analysis. (See preceding section, "Definition of Terms.") The "recoverable" in the terms "Suspended, recoverable", "Total, recoverable", and "Recoverable from bottom material" indicates that the constituent was digested by a method that results in the dissolution of only readily soluble substances. Thus, the determination may not represent all of the constituent actually present in the sample. The "total" in the terms "Total", "Suspended, total", and "Total in bottom material" is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined.

For chemical-quality stations equipped with digital monitors, the records consist of daily maximum, minimum, and mean values for each constituent measured and are based upon hourly punches beginning at 0100 hours and ending at 2400 hours for the day of record. More detailed records (hourly values) may be obtained from the district office.

Water Temperatures

Water temperatures are measured at most of the water-quality stations. In addition, water temperatures are taken at time of discharge measurements for water-discharge stations. For stations where water temperatures are taken manually once or twice daily, the water temperatures are taken at about the same time each day. Large streams have a small diurnal temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where recording instruments are used, either mean temperatures and/or maximum and minimum temperatures for each day are published.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross-section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross sections.

At NASQAN stations, suspended-sediment samples were collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observations, such data are useful in establishing seasonal relations between quality and streamflow in predicting long-term sediment-discharge characteristics of the stream.

Measurements of particle-size distribution for suspended sediment have not been made for Long Island streams. Based on visual inspection of samples, the proportion of suspended sediment finer than 0.062 mm has been assumed to be greater than 95%.

EXPLANATION OF GROUND-WATER LEVEL RECORDS

Collection of Data

Although over 950 wells are measured at annual or more frequent intervals, only ground-water level data from a basic network of 113 observation wells are published herein. This basic network contains observation wells so located that the most significant data are obtained from the fewest wells in the most important aquifers.

Each well is identified by means of (1) a 15-digit number that is based on latitude and longitude and (2) a local number that is provided for local needs. See figure 1.

Measurements are made in many types of wells, under varying conditions of access and at different temperatures, hence, neither the method of measurement nor the equipment can be standardized. At each observation well, however, the equipment and techniques used are those that will ensure that measurements at each well are consistent.

Water-level measurements in this report are given in feet in reference to National Geodetic Vertical Datum of 1929. National Geodetic Vertical Datum of 1929 is the datum plane on which the national network of precise levels is based; land-surface datum is a datum plane that is approximately at land surface at each well. If known, the altitude of the land-surface datum in reference to National Geodetic Vertical Datum of 1929 is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. Water levels in wells equipped with recording gages are reported for every fifth day and the end of each month (eom).

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth to water of several hundred feet, the error in determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot.

ACCESS TO WATSTORE DATA

The National Water STorage and Retrieval System (WATSTORE) was established for handling water data collected through the activities of the U.S. Geological Survey and to provide for more effective and efficient means of releasing the data to the public. The system is operated and maintained on the central computer facilities of the Survey at its National Center in Reston, Virginia.

WATSTORE can provide a variety of useful products ranging from simple data tables to complex statistical analyses. A minimal fee, plus the actual computer cost incurred in producing a desired product, is charged to the requester. Information about the availability of specific types of data, the acquisition of data or products, and user charges can be obtained locally from each of the Water Resources Division's district offices (see address given on the back of the title page).

General inquiries about WATSTORE may be directed to:

Chief Hydrologist
U.S. Geological Survey
437 National Center
Reston, Virginia 22092

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Denver, Colorado 80225 (authorized agent of the Superintendent of Documents, Government Printing Office). Prepayment is required. Remittance should be sent by check or money order payable to the U.S. Geological Survey. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

- 1-D1. *Water temperature--influential factors, field measurement, and data presentation*, by H. H. Stevens, Jr., J. F. Ficke, and G. F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. *Guidelines for collection and field analysis of ground-water samples for selected unstable constituents*, by W. W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. *Application of surface geophysics to ground-water investigations*, by A. A. R. Zohdy, G. P. Eaton, and D. R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-E1. *Application of borehole geophysics to water-resources investigations*, by W. S. Keys and L. M. MacCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 3-A1. *General field and office procedures for indirect discharge measurements*, by M. A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. *Measurement of peak discharge by the slope-area method*, by Tate Dalrymple and M. A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. *Measurement of peak discharge at culverts by indirect methods*, by G. L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. *Measurement of peak discharge at width contractions by indirect methods*, by H. F. Matthai: USGS--TWRI Book 3, Chapter A4. 1967. 44 Pages.
- 3-A5. *Measurement of peak discharge at dams by indirect methods*, by Harry Hulsing: USGS--TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. *General procedure for gaging streams*, by R. W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. *Stage measurements at gaging stations*, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. *Discharge measurements at gaging stations*, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. *Measurement of time of travel and dispersion in streams by dye tracing*, by E. F. Hubbard, F. A. Kilpatrick, L. A. Martens, and J. F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
- 3-A10. *Discharge ratings at gaging stations*, by E. J. Kennedy: USGS--TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. *Measurement of discharge by moving-boat method*, by G. F. Smoot and C. E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A13. *Computation of continuous records of streamflow*, by E. J. Kennedy: USGS--TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. *Use of flumes in measuring discharge*, by F. A. Kilpatrick and V. R. Schneider: USGS--TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. *Computation of water-surface profiles in open channels*, by Jacob Davidian: USGS--TWRI Book 3, Chapter A15. 1984. 48 pages.
- 3-B1. *Aquifer-test design, observation, and data analysis*, by R. W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- 3-B2. *Introduction to ground-water hydraulics, a programed text for self-instruction*, by G. D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.
- 3-B3. *Type curves for selected problems of flow to wells in confined aquifers*, by J. E. Reed: USGS--TWRI Book 3, Chapter B3. 1980. 106 pages.

- 3-C1. *Fluvial sediment concepts* by H. P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. *Field methods for measurement of fluvial sediment*. by H. P. Guy and V. W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. *Computation of fluvial-sediment discharge*, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. *Some statistical tools in hydrology*, by H. C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. *Frequency curves*, by H. C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. *Low-flow investigations*, by H. C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. *Storage analyses for water supply*, by H. C. Riggs and C. H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. *Regional analyses of streamflow characteristics*, by H. C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. *Computation of rate and volume of stream depletion by wells* by C. T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. *Methods for determination of inorganic substances in water and fluvial sediments* by M. W. Skougstad and others, editors: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.
- 5-A2. *Determination of minor elements in water by emission spectroscopy*. by P. R. Barnett and E. C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. *Methods for analysis of organic substances in water*, by D. F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages.
- 5-A4. *Methods for collection and analysis of aquatic biological and microbiological samples*. edited by P. E. Greeson, T. A. Ehlke, G. A. Irwin, B. W. Lium, and K. V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 332 pages.
- 5-A5. *Methods for determination of radioactive substances in water and fluvial sediments*. by L. L. Thatcher, V. J. Janzer, and K. W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. *Quality assurance practices for the chemical and biological analyses of water and fluvial sediments*, by L. C. Friedman and D. E. Erdmann: USGS--TWRI Book 5, Chapter A6. 1982. 181 pages.
- 5-C1. *Laboratory theory and methods for sediment analysis*, by H. P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 7-C1. *Finite difference model for aquifer simulation in two dimensions with results of numerical experiments*, by P. C. Trescott, G. F. Pinder, and S. P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. *Computer model of two-dimensional solute transport and dispersion in ground water*, by L. F. Konikow and J. D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. *A model for simulation of flow in singular and interconnected channels* by R. W. Schaffranek, R. A. Baltzer, and D. E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. *Methods of measuring water levels in deep wells*. by M. S. Garber and F. C. Koopman: USGS--TWRI Book 8, Chapter A1. 1968. 23 pages
- 8-A2. *Installation and service manual for U.S. Geological Survey manometers* by J. D. Craig: USGS--TWRI Book 8, Chapter A2. 1983. 57 pages.
- 8-B2. *Calibration and maintenance of vertical-axis type current meters*. by G. F. Smoot and C. E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.




Figure 2.--Hydrographic Comparisons, East Meadow Brook at Freeport




Figure 3 --Hydrographic Comparisons, Nissequogue River near Smithtown




Figure 4.--Hydrograph of water-table observation well S4271 at Riverhead




Figure 5.--Hydrograph of water-table observation well N1259 at Plainedge




FIGURE 6A.-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6B.-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6C.-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 7A.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7B.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7C.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 8B.-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS




FIGURE 8C.-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS

STREAMS ON LONG ISLAND

01302500 GLEN COVE CREEK AT GLEN COVE, NY

LOCATION. --Lat 40°51'48", long 73°38'05", Nassau County, Hydrologic Unit 02030201, on right bank just downstream from Glen Cove Road, at 8- by 10-foot concrete culvert in Pratt Park, one block west of post office, in Glen Cove. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 11 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --October 1938 to current year. Prior to October 1967, published as Cedar Swamp Creek.

REVISED RECORDS (WATER YEARS). --WSP 971: 1939-42. WDR NY-86-2: 1960 (M).

GAGE. --Water-stage recorder and concrete control. Datum of gage is 15.68 ft above National Geodetic Vertical Datum of 1929. Prior to Oct. 31, 1977, at datum 0.15 ft higher. Prior to June 17, 1965, at datum 0.19 ft higher.

REMARKS. --No estimated daily discharges. Records good except those above 200 ft³/s, which are fair.

AVERAGE DISCHARGE. --49 years, 7.34 ft³/s.

EXTREMES FOR PERIOD OF RECORD. --Maximum discharge, 728 ft³/s Sept. 12, 1960, gage height, 7.12 ft, from rating curve extended above 110 ft³/s on basis of step-backwater method; minimum, 2.1 ft³/s Oct. 15, 1967; minimum gage height, 0.52 ft Oct. 22, 1959, Oct. 15, 1967.

EXTREMES FOR CURRENT YEAR. --Maximum discharge, 257 ft³/s Jan. 2, Mar. 1, Apr. 4, gage height, 3.70 ft from rating curve extended above 110 ft³/s on basis of step-backwater method; minimum discharge, 3.6 ft³/s Oct. 8-10, 18, Nov. 2, 3; minimum gage height, 0.65 ft Oct. 3, 8-10 (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	5.1	3.7	4.7	5.5	5.7	85	14	5.5	5.8	6.1	4.6	16
2	4.8	3.9	17	80	7.5	20	9.5	5.2	18	12	4.5	4.9
3	12	3.7	60	15	8.3	11	9.7	7.8	6.3	12	15	4.5
4	5.6	4.0	13	9.9	7.1	9.0	75	16	17	6.8	4.4	4.3
5	4.4	6.2	8.9	8.1	5.8	7.7	24	6.9	8.9	5.7	8.6	4.2
6	4.0	9.3	7.1	7.2	5.7	7.0	27	6.0	6.6	5.4	14	4.3
7	3.7	4.1	5.9	6.7	5.8	6.6	16	5.7	7.3	5.2	5.1	5.3
8	3.7	12	5.3	5.9	5.8	6.0	8.7	5.5	6.7	16	5.0	8.2
9	3.7	11	13	5.5	7.3	7.5	7.3	5.4	13	7.7	19	4.9
10	3.6	5.0	6.7	9.8	5.8	6.3	6.7	5.4	7.6	6.9	26	4.4
11	3.8	15	7.2	7.4	5.4	5.1	6.0	5.2	6.8	6.4	6.7	4.3
12	3.9	5.9	6.2	5.7	5.3	5.1	5.8	5.2	7.6	5.5	5.3	5.4
13	4.3	5.2	5.1	5.3	5.1	5.2	8.0	5.0	7.5	5.3	4.8	45
14	9.2	4.6	4.7	5.1	4.8	4.9	5.6	5.1	5.9	9.5	4.7	11
15	4.1	4.9	4.7	5.2	4.7	4.8	5.3	5.6	7.1	5.4	4.7	7.4
16	4.1	5.2	4.6	4.9	4.5	4.7	5.4	5.0	5.6	5.1	4.5	5.8
17	3.9	5.1	4.5	4.7	4.6	4.7	16	5.0	5.9	5.1	4.8	15
18	3.7	5.5	26	16	4.6	4.7	7.8	6.6	6.3	5.3	4.6	18
19	3.7	26	12	12	4.6	4.6	6.1	8.0	6.1	5.3	4.6	7.9
20	3.7	12	7.4	8.5	4.6	4.6	5.7	7.3	6.1	6.7	4.6	5.8
21	3.7	29	6.3	6.8	4.6	4.9	5.5	6.0	9.0	4.7	4.6	7.4
22	3.7	11	5.8	5.8	4.6	4.8	5.4	5.8	8.0	4.5	4.6	10
23	3.8	7.8	5.2	7.8	6.6	4.6	5.3	5.2	6.4	4.6	4.5	5.2
24	3.7	9.8	6.3	5.8	5.5	4.6	8.6	5.2	6.0	4.6	4.5	6.7
25	3.7	5.9	43	5.2	4.9	4.6	16	6.0	6.2	4.6	4.5	4.8
26	8.4	28	9.0	5.1	4.7	4.8	6.2	5.7	6.0	5.1	4.5	4.5
27	4.1	13	7.3	5.0	4.7	4.8	5.7	6.1	9.8	4.6	13	4.4
28	3.8	8.5	6.3	4.9	4.8	7.8	12	5.7	5.5	4.6	16	4.4
29	3.8	6.5	5.7	4.8	---	4.7	6.1	5.7	6.2	4.4	11	4.4
30	3.8	5.3	6.8	8.6	---	12	5.6	5.8	5.9	4.4	6.1	5.8
31	3.7	---	6.4	6.6	---	61	---	5.8	---	4.5	4.7	---
TOTAL	141.2	277.1	332.1	294.8	153.4	333.1	346.0	190.4	231.1	194.0	233.5	244.2
MEAN	4.55	9.24	10.7	9.51	5.48	10.7	11.5	6.14	7.70	6.26	7.53	8.14
MAX	12	29	60	80	8.3	85	75	16	18	16	26	45
MIN	3.6	3.7	4.5	4.7	4.5	4.6	5.3	5.0	5.5	4.4	4.4	4.2

CAL YR 1986 TOTAL 2780.0 MEAN 7.62 MAX 60 MIN 3.6
WTR YR 1987 TOTAL 2970.9 MEAN 8.14 MAX 85 MIN 3.6

STREAMS ON LONG ISLAND

01302500 GLEN COVE CREEK AT GLEN COVE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	BAROMETRIC PRESSURE (MM HG)	OXYGEN, DIS-SOLVED (MG/L)	OXYGEN, (PER-CENT SATURATION)	HARDNESS (MG/L AS CaCO3)	HARDNESS NONCARB WH WAT TOT FLD MG/L AS CaCO3
JUN 17...	1015	6.1	266	6.53	10.0	761	10.2	91	77	37
DATE	CALCIUM DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY LAB (MG/L AS CaCO3)	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	SILICA, DIS-SOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTITUENTS, DIS-SOLVED (MG/L)
JUN 17...	19	7.2	19	2.1	40	27	40	<0.10	16	150
DATE	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, ORGANIC TOTAL (MG/L AS N)	NITROGEN, TOTAL (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, RECOVERABLE (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
JUN 17...	3.89	0.010	0.120	0.78	4.8	0.040	<0.010	380	60	0.07

STREAMS ON LONG ISLAND

01303000 MILL NECK CREEK AT MILL NECK, NY

LOCATION.--Lat 40°53'15", long 73°33'51", Nassau County, Hydrologic Unit 02030201, on right bank at Beaver Lake, 30 ft upstream from Feeks Lane (Cleft Road) bridge in Mill Neck, and 1.5 mi southwest of Bayville. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 11.5 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--January 1937 to current year.

REVISED RECORDS.--WSP 1141: Drainage area.

GAGE.--Water-stage recorder and steel sheet-piling control. Datum of gage is 6.49 ft above National Geodetic Vertical Datum of 1929. Prior to June 23, 1965, at datum 0.06 ft higher.

REMARKS.--No estimated daily discharges. Records good. Slight regulation by ponds above station.

AVERAGE DISCHARGE.--50 years, 9.15 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 137 ft³/s Sept. 12, 1960, gage height, 1.60 ft from rating curve extended above 70 ft³/s; maximum gage height, 4.85 ft Sept. 21, 1938 (hurricane wave); minimum discharge, 0.09 ft³/s Dec. 11, 1941 (result of freezeup); minimum gage height, 0.14 ft Sept. 8, 1939 (result of wind action).

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 32 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
Dec. 3	0600	36	0.77	Mar. 31	1330	38	0.80
Jan. 2	1000	34	.74	Apr. 4	1800	36	.77
Mar. 1	1630	*52	*.95	Sept. 13	1730	33	.73

Minimum discharge, 5.6 ft³/s Oct. 10, 31, Aug. 23, 24, gage height, 0.23 ft.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.3	6.2	7.2	8.0	7.8	27	18	7.8	6.9	7.1	6.0	9.6
2	6.3	6.4	7.8	25	7.8	25	11	7.7	7.8	7.7	6.1	8.3
3	7.0	6.3	28	17	8.1	13	8.6	7.9	8.3	9.9	8.0	7.3
4	9.9	6.3	14	11	8.1	9.8	21	11	9.9	8.6	8.0	7.0
5	7.5	6.5	9.2	8.5	7.5	8.4	21	11	11	7.6	8.2	6.8
6	6.5	8.9	7.8	7.7	7.3	7.8	17	9.5	8.6	7.0	14	6.6
7	6.1	7.7	7.6	7.5	7.3	7.7	14	8.5	7.7	7.0	9.6	7.7
8	6.2	8.7	7.0	7.3	7.4	7.7	11	8.0	7.9	9.4	7.9	8.2
9	6.2	9.6	8.4	7.0	8.5	7.4	9.2	7.6	7.7	8.9	8.3	9.2
10	5.9	8.9	9.5	7.7	7.9	6.8	8.5	7.5	7.8	7.8	23	8.0
11	5.9	8.8	8.0	8.9	7.3	7.0	8.0	7.3	7.3	7.0	13	7.2
12	6.1	9.5	8.2	7.8	7.4	7.2	7.7	7.3	7.3	6.6	8.7	7.1
13	6.5	7.7	7.3	7.1	7.2	7.7	9.0	7.1	7.7	6.6	7.4	19
14	8.3	6.9	7.2	7.0	7.0	7.7	8.8	7.1	7.6	7.1	7.0	18
15	7.5	6.6	6.6	7.0	6.7	7.3	8.4	7.6	7.2	7.7	6.8	10
16	6.7	6.6	6.6	6.7	6.6	7.1	8.1	7.4	6.9	6.9	6.6	8.2
17	6.4	6.3	6.6	6.6	6.6	6.9	9.7	7.3	6.4	6.6	6.4	12
18	6.1	6.3	9.0	8.3	6.6	6.9	11	7.3	6.5	6.4	6.3	13
19	6.1	16	14	12	6.6	7.0	9.4	8.1	6.5	6.3	6.3	13
20	6.2	12	9.6	11	6.6	7.0	8.4	8.1	6.6	6.8	6.2	9.4
21	6.3	24	7.4	8.8	6.7	7.1	8.1	8.2	7.3	6.9	5.9	8.1
22	6.3	12	7.0	9.4	6.8	7.3	7.8	7.9	7.7	6.6	6.1	8.1
23	6.3	8.7	6.6	11	8.0	7.1	7.5	7.7	8.0	6.3	5.9	8.7
24	6.0	8.4	6.6	8.6	7.6	7.0	8.2	7.7	7.5	6.4	5.8	7.8
25	5.9	7.7	18	7.6	7.3	7.0	14	7.3	7.2	6.3	6.0	7.6
26	7.0	9.8	12	7.9	7.0	6.9	10	7.3	7.0	6.5	6.2	6.8
27	7.7	14	8.7	7.4	7.0	7.0	8.7	7.6	8.7	6.6	8.8	6.6
28	7.0	9.1	7.5	7.1	7.0	8.0	10	7.7	8.3	6.3	12	6.6
29	6.6	7.6	7.1	7.0	---	7.9	9.7	7.7	7.3	6.1	11	6.7
30	6.2	7.6	7.4	7.7	---	7.6	8.2	7.5	6.9	6.1	8.6	7.0
31	5.9	---	7.9	8.8	---	29	---	7.2	---	6.0	7.4	---
TOTAL	204.9	271.1	285.8	280.4	203.7	294.3	320.0	244.9	229.5	219.1	257.5	269.6
MEAN	6.61	9.04	9.22	9.05	7.27	9.49	10.7	7.90	7.65	7.07	8.31	8.99
MAX	9.9	24	28	25	8.5	29	21	11	11	9.9	23	19
MIN	5.9	6.2	6.6	6.6	6.6	6.8	7.5	7.1	6.4	6.0	5.8	6.6

CAL YR 1986 TOTAL 2857.3 MEAN 7.83 MAX 28 MIN 5.3
WTR YR 1987 TOTAL 3080.8 MEAN 8.44 MAX 29 MIN 5.8

01303000 MILL NECK CREEK AT MILL NECK, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	BAROMETRIC PRESSURE (MM HG)	OXYGEN, DISSOLVED (MG/L)	OXYGEN, (PERCENT SATURATION)	HARDNESS (MG/L AS CaCO3)	HARDNESS NONCARBONATE (MG/L AS CaCO3)	
JUN 15...	1015	7.0	117	9.05	27.0	755	10.9	139	43	12	
DATE		CALCIUM DIS-SOLVED (MG/L AS Ca)	MAGNESIUM, DIS-SOLVED (MG/L AS Mg)	SODIUM, DIS-SOLVED (MG/L AS Na)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY LAB (MG/L AS CaCO3)	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS Cl)	FLUORIDE, DIS-SOLVED (MG/L AS F)	SILICA, DIS-SOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTITUENTS, DIS-SOLVED (MG/L)
JUN 15...	10	4.3	11	1.5	31	16	20	<0.10	10	91	
DATE		NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, ORGANIC TOTAL (MG/L AS N)	NITROGEN, TOTAL (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS Fe)	MANGANESE, TOTAL RECOVERABLE (UG/L AS Mn)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
JUN 15...		0.080	0.020	<0.010	--	1.9	0.090	<0.010	830	50	0.06

STREAMS ON LONG ISLAND

01303500 COLD SPRING BROOK AT COLD SPRING HARBOR, NY

LOCATION.--Lat 40°51'26", long 73°27'50", Nassau County, Hydrologic Unit 02030201, on left bank 270 ft upstream from State Highway 25A, at Cold Spring Harbor State Fish Hatchery, and 1.0 mi southwest of village of Cold Spring Harbor.

DRAINAGE AREA.--About 7.3 mi².

PERIOD OF RECORD.--July 1950 to current year.

REVISED RECORDS.--WDR NY-81-2: 1954 (M), 1958 (M), 1962-63 (M), 1971 (M), 1978-79, 1980 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 5.38 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--No estimated daily discharges. Records good except those above 100 ft³/s, which are fair. Flow occasionally regulated at outlet of pond 40 ft above station. Diversion from this pond by New York State Fish Hatchery bypasses station, except during the 1979 water year. Several measurements of water temperature were made during the year.

AVERAGE DISCHARGE.--36 years (1951-78, 80-87), 2.66 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 181 ft³/s Jan. 21, 1979, gage height, 1.99 ft (result of regulation), from rating curve extended above 80 ft³/s; maximum gage height, 5.34 ft Aug. 31, 1954 (backwater from high tide), from high-water mark; minimum discharge, 0.20 ft³/s Jan. 24-27, 1967, gage height, 0.07 ft.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 16 ft³/s Mar. 1, Apr. 4, gage height, 0.63 ft; maximum gage height, 2.27 ft Jan. 2 (backwater from high tide); minimum discharge 0.26 ft³/s Sept. 23, gage height, 0.09 ft (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.4	1.1	1.4	1.6	1.9	6.9	4.8	1.4	1.4	1.2	.62	1.8
2	1.3	1.2	1.8	5.7	1.8	6.8	2.7	1.3	1.5	1.5	.62	1.5
3	1.5	1.3	7.1	4.2	1.8	3.3	1.9	1.3	1.5	2.2	1.6	1.2
4	1.8	1.1	4.3	2.4	1.7	2.2	6.6	2.2	1.8	1.8	1.8	.93
5	1.6	1.3	2.4	1.7	1.6	1.9	6.4	2.3	2.1	1.4	1.3	.86
6	1.2	1.8	1.8	1.5	1.6	1.6	4.0	2.0	1.8	1.1	1.8	.86
7	.98	1.5	1.6	1.4	1.6	1.6	3.2	1.7	1.5	.98	1.6	.94
8	.98	1.9	1.3	1.3	1.6	1.6	2.4	1.5	1.4	1.5	1.4	1.1
9	1.1	2.3	1.1	1.3	2.0	1.6	1.9	1.4	1.8	1.4	1.8	1.8
10	1.1	2.0	1.3	1.4	1.8	1.3	1.7	1.3	2.2	1.1	5.1	1.4
11	1.0	2.0	1.3	1.9	1.6	1.3	1.6	1.3	1.8	1.1	2.8	1.1
12	1.1	2.4	1.6	1.6	1.6	1.4	1.5	1.3	1.7	1.1	1.8	.88
13	1.2	1.8	1.3	1.3	1.6	1.6	1.8	1.3	1.6	.98	1.4	1.9
14	1.7	1.3	1.1	1.4	1.5	1.7	1.8	1.3	1.6	.98	1.2	2.4
15	1.5	1.1	1.1	1.6	1.4	1.5	1.6	1.4	1.5	1.1	1.1	1.6
16	1.4	1.1	1.1	1.6	1.4	1.4	1.4	1.4	1.4	.95	1.1	1.2
17	1.3	1.1	1.1	1.4	1.4	1.3	2.0	1.4	1.3	.86	1.2	2.1
18	1.1	1.1	1.7	1.9	1.4	1.3	2.2	1.3	1.3	.86	1.2	2.6
19	1.0	3.7	3.3	2.9	1.4	1.3	2.0	1.6	1.2	.86	1.1	2.4
20	1.1	3.1	2.4	3.0	1.4	1.3	1.9	1.7	1.2	.86	1.1	1.8
21	1.1	6.6	1.6	2.2	1.5	1.3	1.6	1.7	1.4	.86	.97	1.4
22	1.1	3.9	1.3	2.4	1.6	1.5	1.4	1.6	1.5	.86	.96	1.2
23	.99	2.3	1.2	2.7	2.0	1.4	1.4	1.6	1.5	.76	.93	1.4
24	1.1	2.0	1.1	2.1	1.7	1.3	1.5	1.6	1.3	.75	.87	1.5
25	1.2	1.7	3.2	1.8	1.4	1.3	2.4	1.4	1.2	.75	.89	1.4
26	1.6	2.3	2.7	2.0	1.4	1.3	2.2	1.4	1.1	.86	.98	1.2
27	1.7	3.8	1.8	1.8	1.4	1.3	1.8	1.5	2.0	.86	1.6	1.0
28	1.5	2.7	1.5	1.6	1.4	1.6	2.0	1.6	2.0	.75	2.4	.96
29	1.4	2.0	1.3	1.6	---	1.6	1.8	1.6	1.6	.72	2.6	.84
30	1.1	1.6	1.4	1.8	---	1.7	1.7	1.5	1.3	.66	1.9	.88
31	1.1	---	1.6	2.2	---	7.4	---	1.4	---	.65	1.5	---
TOTAL	39.25	63.1	58.8	63.3	44.5	64.6	71.2	47.3	46.5	32.31	47.24	42.15
MEAN	1.27	2.10	1.90	2.04	1.59	2.08	2.37	1.53	1.55	1.04	1.52	1.40
MAX	1.8	6.6	7.1	5.7	2.0	7.4	6.6	2.3	2.2	2.2	5.1	2.6
MIN	.98	1.1	1.1	1.3	1.4	1.3	1.4	1.3	1.1	.65	.62	.84

CAL YR 1986 TOTAL 783.74 MEAN 2.15 MAX 7.1 MIN .57
WTR YR 1987 TOTAL 620.24 MEAN 1.70 MAX 7.4 MIN .62

STREAMS ON LONG ISLAND

37

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY

(National stream-quality accounting network station)

LOCATION.--Lat 40°50'58", long 73°13'29", Suffolk County, Hydrologic Unit 02030201, on left bank 0.5 mi downstream from New Mill Pond, 1.0 mi southwest of Smithtown, and 1.5 mi southwest of village of Smithtown Branch. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 27 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1943 to current year.

REVISED RECORDS.--WSP 1141: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 9.59 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--No estimated daily discharges. Records excellent. Occasional regulation caused by cleaning of fish screens and trash racks at outlets of New Mill Pond on main stream and ponds on tributaries above station.

AVERAGE DISCHARGE.--44 years, 42.0 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 952 ft³/s Jan. 22, 1979, gage height, 3.22 ft (result of dam failure), from rating curve extended above 600 ft³/s; minimum, 16 ft³/s June 5, 6, 1967; minimum gage height, 0.46 ft Feb. 9, 1951; minimum daily, 19 ft³/s June 6, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 92 ft³/s Mar. 31, gage height, 1.00 ft; minimum, 30 ft³/s Oct. 1, 2, 8-12, 31, Nov. 1-5, Sept. 5-7, 10, 11, gage height, 0.60 ft.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	30	30	37	43	44	60	80	47	40	36	32	37
2	31	30	37	65	43	75	63	46	40	36	32	38
3	32	30	74	64	43	61	54	45	40	38	41	37
4	35	30	62	54	44	52	63	52	42	42	42	33
5	33	31	48	47	42	48	70	54	46	38	39	30
6	32	35	42	45	42	47	67	51	43	34	40	30
7	31	34	39	44	42	46	62	49	42	33	38	36
8	30	36	38	42	42	45	55	47	41	36	36	36
9	30	37	41	42	45	44	51	46	40	37	36	33
10	30	36	44	45	44	43	49	45	40	36	44	32
11	30	37	42	49	43	42	48	44	40	36	40	33
12	30	38	43	46	42	43	48	44	40	35	38	33
13	32	36	40	44	42	44	48	43	40	35	36	38
14	34	34	39	43	41	44	49	42	39	35	35	39
15	34	33	38	44	40	43	48	43	38	35	34	38
16	32	32	38	44	40	42	48	43	38	34	33	36
17	32	32	37	41	40	42	51	42	36	34	32	40
18	32	31	43	46	40	42	55	42	36	33	31	42
19	31	48	64	54	40	41	51	44	36	33	31	42
20	31	45	55	54	39	41	49	44	35	34	31	40
21	31	57	47	49	39	42	48	44	36	33	30	38
22	31	47	44	49	40	43	47	43	36	33	31	38
23	31	41	42	52	41	42	47	42	37	33	30	37
24	31	40	41	48	41	42	48	42	37	32	30	37
25	31	39	55	44	40	41	57	42	36	33	31	37
26	32	42	51	45	40	41	53	41	36	34	31	35
27	33	49	46	43	40	41	49	42	41	35	33	32
28	33	44	43	41	40	43	50	42	41	34	40	33
29	32	40	42	40	---	43	50	41	38	33	39	35
30	32	38	42	41	---	43	48	41	38	32	36	38
31	31	---	43	46	---	80	---	41	---	32	34	---
TOTAL	980	1132	1397	1454	1159	1446	1606	1374	1168	1074	1086	1083
MEAN	31.6	37.7	45.1	46.9	41.4	46.6	53.5	44.3	38.9	34.6	35.0	36.1
MAX	35	57	74	65	45	80	80	54	46	42	44	42
MIN	30	30	37	40	39	41	47	41	35	32	30	30

CAL YR 1986 TOTAL 13650 MEAN 37.4 MAX 95 MIN 27
WTR YR 1987 TOTAL 14959 MEAN 41.0 MAX 80 MIN 30

STREAMS ON LONG ISLAND

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--February 1967 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1978 to September 1981.

WATER TEMPERATURES: January 1978 to September 1981.

COOPERATION.--Some water-quality analyses for this station were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	TURBIDITY (NTU)	BAROMETRIC PRESURE (MM HG)	OXYGEN, DIS-SOLVED (MG/L)	OXYGEN, SATURATION (%)	COLIFORM, FECAL, 0.7 UM-MF (COLS. / 100 ML)	STREPTOCOCCI, FECAL, KF AGAR (COLS. PER 100 ML)	HARDNESS (MG/L AS CaCO3)	HARDNESS NONCALICAREOUS (MG/L AS CaCO3)
DEC												
* 02...	36	140	7.10	4.0	--	--	11.8	--	--	--	32	
22...	44	110	6.59	3.5	0.40	773	13.2	98	K5	K5	28	
MAR												
* 04...	52	--	--	7.0	--	--	--	--	--	--	38	
24...	41	139	6.76	12.5	10	763	10.6	100	--	--	29	
JUN												
* 09...	40	120	7.20	18.0	--	--	7.5	--	--	--	31	
24...	37	118	6.18	19.0	1.7	763	8.1	87	K10	K18	28	
SEP												
03...	37	114	5.96	19.0	0.40	774	9.0	96	--	--	28	
* 28...	35	154	6.80	17.0	--	--	7.5	--	--	--	30	

K Results based on colony counts outside the acceptable range (non-ideal colony count).

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)
DEC												
02...	8.0	3.0	12	1.5	16	--	--	19	<0.50	--	--	--
22...	6.7	2.7	11	1.2	--	7.0	9.4	12	<0.10	6.4	53	54
MAR												
04...	11	2.5	15	1.4	--	--	9.9	24	<0.50	--	--	--
24...	7.2	2.6	13	1.4	--	15	13	20	<0.10	7.3	72	74
JUN												
09...	7.5	2.9	10	1.2	20	--	9.2	18	<0.50	--	--	--
24...	6.9	2.6	12	1.0	--	19	10	15	<0.10	7.9	69	67
SEP												
03...	6.8	2.6	12	1.1	20	18	11	15	0.10	7.5	70	69
28...	7.5	2.8	11	1.5	--	--	10	18	<0.50	--	--	--

DATE	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)
DEC												
02...	2.60	2.60	0.010	0.011	--	0.070	0.50	0.50	0.070	0.43	0.024	0.025
22...	--	2.29	--	0.010	2.30	0.110	0.80	--	0.100	0.70	0.030	0.010
MAR												
04...	2.20	2.20	0.011	0.012	--	0.030	0.30	0.20	0.020	0.28	0.027	0.014
24...	--	--	--	<0.010	1.80	0.010	0.40	--	<0.010	--	0.020	0.010
JUN												
09...	2.00	2.00	0.022	0.023	--	<0.020	0.40	0.40	0.020	0.38	0.027	0.018
24...	--	1.29	--	0.010	1.30	0.040	0.60	--	0.040	0.56	0.290	0.020
SEP												
03...	--	--	--	<0.010	1.30	0.040	2.3	--	0.050	2.3	0.010	<0.010
28...	2.00	1.90	0.008	0.008	--	0.060	--	--	0.070	--	0.032	<0.010

STREAMS ON LONG ISLAND

41

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued

SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SEDI- MENT, SUS- PENDE (MG/L)	SEDI- MENT, DIS- CHARGE, SUS- PENDE (T/DAY)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM
MAR 24...	1330	41	1	0.11	92
JUN 24...	0815	37	3	0.30	64
SEP 03...	1400	37	1	0.10	80

STREAMS ON LONG ISLAND

01304500 PECONIC RIVER AT RIVERHEAD, NY

LOCATION. --Lat 40°54'49", long 72°41'14", Suffolk County, Hydrologic Unit 02030202, on right bank 200 ft downstream from Long Island Lighting Co. dam, 0.4 mi west of Riverhead, and 1.2 mi upstream from outlet of Sweezy Pond. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 75 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --June 1942 to current year.

GAGE. --Water-stage recorder and concrete control. Datum of gage is 6.54 ft above National Geodetic Vertical Datum of 1929.

REMARKS. --No estimated daily discharges. Records good. Flow regulated by ponds above station.

AVERAGE DISCHARGE. --45 years, 36.8 ft³/s.

EXTREMES FOR PERIOD OF RECORD. --Maximum discharge, 225 ft³/s Jan. 30, 1978, gage height, 1.20 ft (result of regulation); maximum gage height, 2.09 ft Mar. 29, 1984 (backwater from high tide); minimum discharge, 1.4 ft³/s Jan. 9, 1966, Jan. 31, 1967, Dec. 6, 1969, Jan. 27, 1972, Dec. 10, 11, 1977; minimum gage height, 0.10 ft Jan. 31, 1967, (result of freezeup), Dec. 6, 1969, Jan. 27, 1972 (result of freezeup); minimum daily, 3.7 ft³/s Aug. 2, 1944.

EXTREMES FOR CURRENT YEAR. --Maximum discharge, 77 ft³/s Apr. 8, gage height, 0.72 ft; minimum 7.6 ft³/s Feb. 10 (result of freezeup), gage height, 0.24 ft; minimum daily, 8.4 ft³/s Oct. 30, 31.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15	9.5	23	34	40	35	49	41	28	23	17	19
2	15	11	22	44	39	43	48	40	27	23	17	18
3	15	12	34	47	38	43	47	38	27	23	19	17
4	16	13	33	45	38	43	53	42	28	23	20	17
5	16	13	32	45	38	43	59	45	28	22	19	17
6	15	16	31	45	37	43	61	41	28	22	22	17
7	14	15	30	44	37	41	62	46	28	22	22	17
8	13	15	29	42	37	36	64	44	28	23	22	17
9	13	17	30	40	39	35	62	42	28	23	21	17
10	13	16	32	40	38	34	57	40	27	23	24	17
11	13	17	31	41	39	34	55	38	26	23	23	17
12	13	19	31	39	37	34	52	38	26	22	22	17
13	13	18	30	38	37	34	51	36	26	21	22	18
14	17	17	28	37	35	34	49	36	26	21	22	19
15	17	17	27	37	34	32	47	35	25	21	21	19
16	16	17	27	35	34	32	45	35	24	21	20	18
17	15	17	26	34	34	32	48	34	24	20	19	20
18	15	16	27	34	33	31	50	27	23	19	19	21
19	14	22	37	38	32	31	49	26	23	18	18	21
20	14	26	36	40	32	31	47	30	23	18	18	21
21	14	31	35	40	31	30	47	32	22	18	18	21
22	14	27	36	41	31	30	46	32	22	18	18	21
23	14	25	35	47	32	30	45	32	22	19	17	20
24	12	25	34	40	31	30	45	32	22	18	17	20
25	11	25	39	42	30	30	46	31	22	17	16	20
26	13	25	38	43	30	30	45	31	21	17	16	19
27	14	29	36	41	30	30	43	31	22	17	17	18
28	11	27	35	40	30	31	44	31	22	16	19	18
29	8.6	26	34	38	---	31	44	31	22	16	20	18
30	8.4	24	35	39	---	31	43	30	22	16	20	19
31	8.4	---	36	40	---	43	---	29	---	18	19	---
TOTAL	420.4	587.5	989	1250	973	1067	1503	1096	742	621	604	558
MEAN	13.6	19.6	31.9	40.3	34.7	34.4	50.1	35.4	24.7	20.0	19.5	18.6
MAX	17	31	39	47	40	43	64	46	28	23	24	21
MIN	8.4	9.5	22	34	30	30	43	26	21	16	16	17

CAL YR 1986 TOTAL 8157.9 MEAN 22.4 MAX 58 MIN 8.4
WTR YR 1987 TOTAL 10410.9 MEAN 28.5 MAX 64 MIN 8.4

01304500 PECONIC RIVER AT RIVERHEAD, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1966 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: June 1975 to September 1980.

WATER TEMPERATURES: June 1975 to September 1980.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)
DEC 02...	0801	22	100	6.30	4.0	11.3	8.0	2.4	8.5	1.9
MAR 05...	0750	43	--	--	5.0	--	11	2.2	8.0	1.6
JUN 09...	0910	27	--	7.00	19.0	6.2	7.0	2.3	8.0	1.5
SEP 23...	1045	20	116	6.90	18.0	6.8	7.5	2.5	8.5	1.6

DATE	ALKALINITY WH WAT TOTAL FIELD (MG/L AS CACD3)	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)
DEC 02...	15	16	15	<0.50	0.360	0.350	0.006	0.008	0.040	0.050
MAR 05...	--	13	14	<0.50	0.210	0.190	0.006	0.013	<0.020	0.020
JUN 09...	17	11	15	<0.50	0.210	0.230	0.012	0.014	0.050	0.070
SEP 23...	19	11	16	<0.50	0.140	0.090	0.004	0.006	0.060	0.050

DATE	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC DIS. (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 02...	0.30	0.50	0.048	0.054	0.021	0.018	200	200	<20	<0.02
MAR 05...	0.50	0.40	0.043	0.027	0.012	0.011	500	400	100	0.02
JUN 09...	0.60	0.80	0.116	0.088	0.064	0.045	1000	800	120	0.03
SEP 23...	--	--	0.092	0.086	0.050	0.045	E400	300	50	<0.02

STREAMS ON LONG ISLAND

01305000 CARMANS RIVER AT YAPHANK, NY

(National stream-quality accounting network station)

LOCATION. --Lat 40°49'49", long 72°54'24", Suffolk County, Hydrologic Unit 02030202, on left bank 50 ft upstream from Long Island Railroad bridge, 0.6 mi northeast of Yaphank Station, and 0.7 mi southeast of Yaphank. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 71 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --June 1942 to current year.

REVISED RECORDS. --WSP 1141: Drainage area.

GAGE. --Water-stage recorder and concrete control. Datum of gage is 17.95 ft above National Geodetic Vertical Datum of 1929. Prior to Feb. 2, 1967, at same site at datum 1.00 ft higher.

REMARKS. --Records good. Some regulation by two lakes above station.

AVERAGE DISCHARGE. --45 years, 24.1 ft³/s.

EXTREMES FOR PERIOD OF RECORD. --Maximum discharge, 110 ft³/s Jan. 26, 1978, gage height, 1.93 ft; minimum, 2.8 ft³/s Feb. 24, 1967, gage height, 0.73 ft; minimum daily, 6.2 ft³/s Feb. 28, Mar. 3, 1967 (result of temporary construction upstream).

EXTREMES FOR CURRENT YEAR. --Maximum discharge, 41 ft³/s Mar. 31, gage height, 1.47 ft (from flood marks); minimum, 11 ft³/s Nov. 1, gage height, 0.98 ft (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16	16	17	21	22	26	e35	23	22	20	19	21
2	16	17	17	30	22	27	25	24	22	21	19	20
3	17	16	30	25	22	24	23	24	22	22	27	19
4	20	16	23	22	22	23	28	27	23	21	25	19
5	18	16	20	21	21	22	29	27	24	21	22	19
6	16	19	19	21	20	22	29	25	23	20	22	18
7	15	18	19	21	20	22	26	25	22	20	21	19
8	15	19	19	21	20	22	25	24	22	22	20	19
9	16	18	21	20	23	22	25	24	22	22	20	19
10	15	18	22	23	22	21	24	24	22	21	24	19
11	16	19	20	24	21	20	24	23	22	21	22	18
12	16	18	21	22	21	20	24	24	22	21	20	18
13	15	16	19	21	21	21	25	24	22	21	20	22
14	21	16	19	21	20	21	25	24	22	20	20	22
15	18	15	19	21	20	e20	25	23	22	21	19	20
16	16	15	19	20	20	e20	25	23	22	20	20	20
17	16	15	19	20	20	e20	26	23	21	20	20	21
18	15	15	21	22	20	e20	28	23	21	20	19	21
19	16	24	28	25	20	e20	26	23	21	20	19	20
20	14	20	23	24	20	e20	25	23	21	20	19	20
21	17	24	21	22	20	e20	25	23	22	20	18	19
22	17	20	20	23	20	e21	25	23	22	19	19	19
23	17	18	20	25	21	e20	25	23	22	19	18	19
24	17	19	20	22	20	e20	25	23	21	19	18	18
25	16	18	25	22	20	e20	27	23	21	19	18	19
26	17	20	23	22	20	e20	25	23	22	20	18	18
27	18	22	21	22	20	e20	24	23	25	20	19	18
28	17	19	20	21	20	e21	25	23	23	19	22	18
29	17	18	20	20	---	e20	25	23	22	19	22	18
30	17	18	21	21	---	e19	25	22	21	19	20	18
31	16	---	22	23	---	e35	---	22	---	19	19	---
TOTAL	513	542	648	688	578	669	773	731	661	626	628	578
MEAN	16.5	18.1	20.9	22.2	20.6	21.6	25.8	23.6	22.0	20.2	20.3	19.3
MAX	21	24	30	30	23	35	35	27	25	22	27	22
MIN	14	15	17	20	20	19	23	22	21	19	18	18

CAL YR 1986 TOTAL 6814 MEAN 18.7 MAX 30 MIN 11
WTR YR 1987 TOTAL 7635 MEAN 20.9 MAX 35 MIN 14

e Estimated

01305000 CARMANS RIVER AT YAPHANK, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--December 1979 to September 1981.

WATER TEMPERATURES.--December 1979 to September 1981.

OPERATION.--Some water-quality analyses for this station were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	TURBIDITY (NTU)	BARD-METRIC PRES-SURE (MM HG)	OXYGEN, DIS-SOLVED (MG/L)	OXYGEN, SATURATION (%)	COLI-FORM, FECAL, UM-MF (COLS. / 100 ML)	STREP-TOCOCCI, FECAL, KF AGAR (COLS. PER 100 ML)	HARD-NESS (MG/L AS CaCO3)	HARD-NESS NONCARB WH WAT TOT FLD (MG/L AS CaCO3)
DEC												
* 02...	17	--	7.00	5.0	--	--	11.2	--	--	--	32	16
23...	20	115	6.42	5.5	0.60	766	12.9	101	K5	K5	31	16
MAR												
* 05...	22	--	--	5.0	--	--	--	--	--	--	42	0
25...	20	120	7.09	14.0	1.0	765	12.8	124	--	--	31	14
JUN												
* 07...	22	--	7.00	14.0	--	--	6.9	--	--	--	30	14
24...	21	118	6.70	21.5	1.6	762	9.4	106	K15	K15	32	14
SEP												
03...	19	118	6.23	19.0	0.40	772	9.2	98	--	25	32	7
* 23...	19	84	7.00	18.0	--	--	9.3	--	--	--	32	15

K Results based on colony counts outside the acceptable range (non-ideal colony count).

STREAMS ON LONG ISLAND

01305000 CARMANS RIVER AT YAPHANK, NY--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD MG/L AS CAC03	ALKA- LITY LAB (MG/L AS CAC03)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)
DEC												
02...	8.0	2.9	9.0	1.2	16	--	15	15	<0.50	--	--	--
23...	7.4	3.0	9.4	1.2	--	15	14	14	<0.10	13	73	71
MAR												
05...	12	2.9	9.0	1.2	--	--	13	16	<0.50	--	--	--
25...	7.5	3.0	9.3	1.1	--	17	14	16	<0.10	11	68	72
JUN												
09...	7.5	2.8	12	1.1	16	--	11	22	<0.50	--	--	--
24...	7.7	3.0	9.3	0.80	--	18	13	13	0.10	12	86	70
SEP												
03...	7.8	3.1	9.9	0.90	25	18	13	14	0.10	11	70	75
23...	8.0	2.9	8.5	1.4	17	--	14	16	<0.50	--	--	--

DATE	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)
DEC												
02...	1.40	1.30	0.005	0.005	--	0.030	0.40	0.40	0.040	0.36	0.014	0.014
23...	--	--	--	<0.010	1.40	0.040	1.3	--	0.040	1.3	0.050	0.020
MAR												
05...	1.30	1.30	0.005	0.012	--	<0.020	0.20	0.10	<0.020	--	0.018	0.016
25...	--	--	--	<0.010	1.10	<0.010	0.20	--	<0.010	--	0.020	0.010
JUN												
09...	1.20	1.20	0.005	0.007	--	<0.020	0.20	0.40	<0.020	--	0.022	0.020
24...	--	0.900	--	0.010	0.910	0.030	0.20	--	0.020	0.18	0.020	0.020
SEP												
03...	--	--	--	<0.010	1.00	0.020	0.50	--	0.030	0.47	0.010	<0.010
23...	1.00	1.00	0.002	0.003	--	<0.020	--	--	<0.020	--	0.068	0.049

STREAMS ON LONG ISLAND

01305000 CARMANS RIVER AT YAPHANK, NY--Continued

SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SEDI- MENT, SUS- PENDE (MG/L)	SEDI- MENT, DIS- CHARGE, SUS- PENDE (T/DAY)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM
MAR 25...	1130	20	43	2.3	6
JUN 24...	1230	21	5	0.28	62
SEP 03...	1030	19	1	0.05	83

STREAMS ON LONG ISLAND

49

01305500 SWAN RIVER AT EAST PATCHOGUE, NY

LOCATION. --Lat 40°46'01", long 72°57'39", Suffolk County, Hydrologic Unit 02030202, on left bank 94 ft downstream from Montauk Highway in East Patchogue, 200 ft downstream from outlet of Swan Lake, and 1.2 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 8.8 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --October 1946 to current year.

REVISED RECORDS. --WSP 1622: Drainage area. WDR NY-81-2: 1952-77 (M), 1978, 1979-80 (M).

GAGE. --Water-stage recorder and concrete control. Datum of gage is 2.84 ft above National Geodetic Vertical Datum of 1929.

REMARKS. --No estimated daily discharges. Records good. Flow regulated occasionally at outlet of Swan Lake.

AVERAGE DISCHARGE. --41 years, 12.6 ft³/s.

EXTREMES FOR PERIOD OF RECORD. --Maximum discharge, 52 ft³/s June 5, 1982, gage height, 2.18 ft; minimum, 0.06 ft³/s Sept. 2, 1964, gage height, 0.02 ft (result of regulation); minimum daily, 4.3 ft³/s Oct. 13, 14, 1967.

EXTREMES FOR CURRENT YEAR. --Maximum discharge, 35 ft³/s Apr. 4, gage height, 1.19 ft; minimum, 6.2 ft³/s Oct. 12, July 21; minimum gage height, 0.39 ft Oct. 12.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.2	8.3	9.3	12	12	17	14	12	10	8.7	7.7	11
2	8.1	8.5	11	23	12	12	11	12	11	9.6	8.0	8.2
3	10	8.5	18	13	12	11	11	12	11	9.6	13	8.3
4	11	8.7	11	12	12	11	17	15	11	9.0	8.9	8.1
5	8.6	9.0	12	12	12	10	14	12	11	9.2	8.0	8.0
6	8.5	10	9.9	11	12	10	15	12	11	9.3	8.7	7.9
7	8.3	9.2	9.3	12	12	11	12	12	10	9.0	8.1	7.9
8	8.2	10	9.4	12	12	11	12	12	10	13	8.1	8.0
9	8.7	10	12	12	12	11	12	12	11	9.7	8.4	8.1
10	8.4	9.1	11	15	11	11	11	12	10	8.9	12	7.7
11	8.1	11	10	14	11	11	11	12	9.8	9.0	8.9	7.8
12	7.7	10	11	13	11	11	12	11	9.9	8.9	8.5	7.7
13	7.4	9.0	10	13	11	11	12	11	10	8.5	8.6	11
14	13	8.9	10	12	11	11	12	11	10	8.9	8.1	9.0
15	9.5	8.7	10	12	11	11	12	11	9.8	8.5	7.7	8.3
16	8.6	8.5	10	12	11	11	12	11	9.8	9.5	7.7	8.3
17	8.4	8.5	10	12	11	11	13	11	9.5	9.5	7.7	9.2
18	8.3	8.7	15	15	12	11	13	11	9.4	9.3	7.6	10
19	8.1	14	16	15	12	11	12	11	9.4	8.8	7.4	9.5
20	8.2	9.7	11	13	12	11	11	11	9.3	8.9	7.3	9.1
21	8.1	13	10	12	11	11	13	11	9.3	8.6	7.7	9.0
22	8.1	9.5	10	14	12	11	12	11	9.1	8.5	7.4	8.7
23	8.1	9.0	10	18	12	11	12	11	9.7	8.2	7.2	8.5
24	8.1	11	10	12	12	11	12	11	10	8.1	6.9	8.7
25	8.1	9.9	16	11	11	11	14	11	9.4	8.0	7.1	8.4
26	8.5	12	11	11	11	11	12	11	10	8.1	7.3	8.1
27	8.8	11	11	11	11	11	12	11	12	8.1	8.3	8.1
28	9.1	9.8	11	11	11	12	14	11	10	8.1	9.3	8.1
29	8.7	9.6	10	11	---	10	13	11	9.2	7.8	8.4	8.3
30	8.5	9.4	12	13	---	11	12	11	9.1	8.0	7.9	8.7
31	8.1	---	12	12	---	24	---	11	---	7.9	7.7	---
TOTAL	267.5	292.5	348.9	401	323	359	375	355	300.7	275.2	255.6	257.7
MEAN	8.63	9.75	11.3	12.9	11.5	11.6	12.5	11.5	10.0	8.88	8.25	8.59
MAX	13	14	18	23	12	24	17	15	12	13	13	11
MIN	7.4	8.3	9.3	11	11	10	11	11	9.1	7.8	6.9	7.7

CAL YR 1986 TOTAL 3738.3 MEAN 10.2 MAX 18 MIN 4.9
WTR YR 1987 TOTAL 3811.1 MEAN 10.4 MAX 24 MIN 6.9

STREAMS ON LONG ISLAND
01305500 SWAN RIVER AT EAST PATCHOGUE, NY--Continued

WATER-QUALITY RECORDS

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM, DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)
DEC 02...	1003	9.4	--	6.80	4.0	11.9	7.0	2.1	8.5	1.4
MAR 05...	0956	10	--	--	6.0	--	10	2.1	9.0	1.6
JUN 09...	1130	10	105	7.50	18.0	8.9	7.5	2.2	9.5	1.4
SEP 24...	1400	8.5	54	7.00	16.0	9.2	7.0	2.2	10	1.5

DATE	ALKALINITY WH WAT TOTAL FIELD (MG/L AS CACO3)	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)
DEC 02...	15	12	12	<0.50	1.90	1.90	0.013	0.015	0.190	0.190
MAR 05...	--	11	13	<0.50	1.90	2.00	0.009	0.011	0.060	0.090
JUN 09...	16	10	14	<0.50	1.60	1.70	0.018	0.019	<0.020	<0.020
SEP 24...	16	10	14	<0.50	1.80	1.80	0.028	0.028	0.170	0.190

DATE	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC DIS-SOLVED (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 02...	0.50	0.40	0.023	0.008	0.012	0.013	100	100	120	<0.02
MAR 05...	0.60	0.60	0.027	0.025	0.007	0.007	300	200	220	0.03
JUN 09...	0.30	0.30	0.042	0.036	0.010	0.009	400	300	220	0.02
SEP 24...	--	--	0.059	0.049	0.015	0.013	100	100	50	<0.02

STREAMS ON LONG ISLAND

01306000 PATCHOGUE RIVER AT PATCHOGUE, NY

LOCATION.--Lat 40°45'56", long 73°01'16", Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from Montauk Highway in Patchogue, and 1.0 mi upstream from mouth.

DRAINAGE AREA.--About 13.5 square miles.

PERIOD OF RECORD.--May 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM, DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY, WH TOTAL FIELD (MG/L AS CACD3)
DEC 02...	1304	--	7.00	4.0	12.0	10	3.1	14	2.9	27
MAR 05...	1301	--	--	6.0	--	15	3.1	15	3.2	--
JUN 09...	1310	--	7.20	19.0	7.1	10	3.5	15	3.4	34
SEP 24...	1300	102	7.40	18.0	9.0	10	3.3	15	3.3	28

DATE	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA SOLVED (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)
DEC 02...	14	21	0.50	2.30	2.40	0.042	0.042	0.340	0.370	0.70
MAR 05...	12	23	<0.50	2.40	2.50	0.022	0.024	0.700	0.830	1.5
JUN 09...	12	24	<0.50	1.90	1.90	0.093	0.095	0.750	0.800	1.3
SEP 24...	13	22	<0.50	2.50	2.40	0.011	0.011	0.050	0.050	--

DATE	NITROGEN, AMMONIA + ORGANIC DIS. (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 02...	0.80	0.023	0.014	0.010	0.010	500	400	<1400	<0.02
MAR 05...	1.3	0.024	0.024	0.007	0.007	500	400	400	<0.02
JUN 09...	1.3	0.028	0.019	0.005	0.004	600	500	160	0.03
SEP 24...	--	0.037	0.035	0.005	0.008	100	200	<20	0.02

STREAMS ON LONG ISLAND

01306440 CONNETQUOT BROOK AT CENTRAL ISLIP, NY

LOCATION.--Lat 40°47'33", long 73°09'58", Suffolk County, Hydrologic Unit 02030202, 200 ft downstream from culvert on Veterans Memorial Highway, 2.0 mi northeast of Central Islip, and 3.8 mi upstream from gaging station 01306499.

DRAINAGE AREA.--About 12 mi².

PERIOD OF RECORD.--Occasional low-flow measurements, water years 1968, 1971-78. May 1979 to current year.

GAGE.--Water-stage recorder and Parshall flume. Datum of gage is 29.93 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for estimated period, which are poor.

AVERAGE DISCHARGE.--8 years, 6.24 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 40 ft³/s Aug. 4, 1979, gage height, 1.56 ft; minimum, 0.36 ft³/s July 15, 1980 (result of regulation), gage height, 0.12 ft.

EXTREMES FOR CURRENT YEAR.--Maximum recorded discharge, 12 ft³/s Mar. 1, 31, but may have been greater during period of no gage-height record Mar. 31 to May 19; minimum discharge, 0.95 ft³/s Nov. 1, gage height, 0.20 ft.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.2	1.1	2.1	3.9	4.7	7.4	e9.0	e7.0	5.3	3.5	2.2	2.9
2	1.2	1.2	2.6	7.7	4.7	7.1	e8.0	e6.5	5.4	3.9	2.2	2.6
3	1.4	1.2	6.8	6.1	4.8	5.5	e7.0	e6.5	5.5	4.4	3.5	2.4
4	1.5	1.1	4.3	5.4	4.9	5.0	e8.0	e7.5	6.4	4.1	2.9	2.5
5	1.3	1.1	3.8	5.1	4.7	4.8	e9.0	e7.5	7.0	3.7	2.9	2.5
6	1.2	1.3	3.5	5.0	4.4	4.8	e9.0	e7.2	6.1	3.6	3.4	2.4
7	1.2	1.2	3.3	4.8	4.5	4.7	e8.5	e7.0	5.8	3.6	2.9	2.5
8	1.1	1.5	3.2	4.7	4.6	4.5	e8.0	e6.8	5.6	5.3	2.8	2.6
9	1.2	1.5	3.9	4.6	5.0	4.8	e7.5	e6.6	6.6	4.9	2.9	2.6
10	1.1	1.3	3.6	5.3	4.7	4.6	e7.2	e6.5	6.7	4.2	4.1	2.5
11	1.1	1.9	3.3	5.2	4.6	4.6	e7.0	e6.5	6.0	3.8	3.4	2.5
12	1.1	1.6	3.3	4.8	4.8	4.4	e7.0	e6.5	5.8	3.5	3.1	2.3
13	1.2	1.5	3.2	4.6	4.6	4.5	e7.0	e6.2	6.0	3.5	3.0	3.2
14	1.4	1.4	3.1	4.4	4.4	4.5	e7.0	e6.2	5.8	3.5	2.9	2.8
15	1.2	1.4	3.1	4.3	4.3	4.3	e7.0	e6.2	5.4	3.6	2.8	2.6
16	1.2	1.3	3.0	4.2	4.3	4.3	e7.0	e6.2	5.1	3.3	2.6	2.5
17	1.2	1.3	3.0	3.9	4.3	4.2	e7.0	e6.0	5.0	3.2	2.6	2.8
18	1.2	1.3	4.2	4.8	4.3	4.1	e7.0	e6.0	4.9	3.0	2.5	2.9
19	1.1	3.0	5.9	5.3	4.2	4.1	e6.8	e5.8	4.6	2.7	2.4	2.8
20	1.1	1.9	5.6	5.1	4.1	4.1	e6.5	5.6	4.4	2.8	2.3	2.8
21	1.1	3.1	5.1	4.8	4.1	4.2	e6.5	5.6	4.6	2.7	2.2	2.7
22	1.1	2.2	4.9	5.1	3.9	4.1	e6.5	5.7	4.6	2.6	2.3	2.6
23	1.1	2.1	4.7	5.4	4.2	3.9	e6.5	5.7	4.7	2.6	2.3	2.6
24	1.1	2.3	4.5	4.9	4.0	3.9	e6.5	5.8	4.6	2.5	2.2	2.6
25	1.3	2.0	7.0	4.7	3.9	3.8	e7.5	5.8	4.2	2.5	2.2	2.6
26	1.5	3.0	5.2	4.9	3.8	4.0	e7.0	5.7	4.0	2.8	2.2	2.5
27	1.4	2.8	4.1	4.6	3.8	4.1	e7.0	5.7	5.4	2.5	2.8	2.5
28	1.3	2.5	4.0	4.6	3.8	4.9	e7.5	5.8	5.0	2.4	3.0	2.5
29	1.3	2.4	3.9	4.4	---	4.2	e7.2	5.8	4.3	2.3	2.8	2.4
30	1.2	2.3	4.0	4.8	---	4.0	e7.2	5.6	3.7	2.2	2.7	2.5
31	1.1	---	3.9	4.9	---	e9.0	---	5.4	---	2.2	2.6	---
TOTAL	37.7	53.8	126.1	152.3	122.4	146.4	219.9	192.9	158.5	101.4	84.7	78.2
MEAN	1.22	1.79	4.07	4.91	4.37	4.72	7.33	6.22	5.28	3.27	2.73	2.61
MAX	1.5	3.1	7.0	7.7	5.0	9.0	9.0	7.5	7.0	5.3	4.1	3.2
MIN	1.1	1.1	2.1	3.9	3.8	3.8	6.5	5.4	3.7	2.2	2.2	2.3

CAL YR 1986 TOTAL 1041.9 MEAN 2.85 MAX 8.5 MIN 1.1

WTR YR 1987 TOTAL 1474.3 MEAN 4.04 MAX 9.0 MIN 1.1

e Estimated

STREAMS ON LONG ISLAND

53

01306460 CONNETQUOT BROOK NEAR CENTRAL ISLIP, NY

LOCATION.--Lat 40°46'19", long 73°09'33", Suffolk County, Hydrologic Unit 02030202, 200 ft upstream from bridge on dirt road in Connetquot River State Park Preserve, and 1.8 mi upstream from gaging station 01306499.

DRAINAGE AREA.--About 18 mi².

PERIOD OF RECORD.--Occasional low-flow measurements, water years 1968, 1973-77. November 1977 to current year.

GAGE.--Water-stage recorder and wooden stoplog control. Datum of gage is 15.10 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for estimated period, which are fair.

AVERAGE DISCHARGE.--9 years, 28.3 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 146 ft³/s Aug. 12, 1978, gage height, 2.78 ft, from flood marks; minimum, 12 ft³/s Sept. 14, 16, Oct. 1, 2, 1986, gage height, 1.90 ft; minimum gage height, 1.85 ft July 22-26, 1986.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 53 ft³/s Dec. 3, gage height 2.34 ft; minimum, 12 ft³/s Oct. 1, 2, gage height, 1.92 ft.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12	e13	24	25	26	29	41	33	23	20	18	19
2	13	e13	23	40	26	34	36	32	22	20	18	18
3	13	e13	43	35	26	30	34	32	22	21	22	18
4	14	e13	33	32	26	29	38	34	23	20	21	18
5	14	e13	30	31	25	28	41	34	24	20	20	18
6	13	e14	29	29	24	26	41	33	23	19	22	18
7	13	e13	27	29	24	26	39	32	22	19	20	18
8	13	e15	26	28	24	26	37	31	22	22	20	18
9	13	e15	28	27	26	25	36	29	22	23	20	18
10	13	e14	29	30	25	24	35	29	23	22	24	17
11	13	e20	27	31	25	24	34	29	21	20	21	17
12	13	e18	28	29	26	23	34	29	21	20	20	17
13	13	e16	26	27	26	23	34	28	21	20	19	20
14	14	e15	25	26	25	23	34	28	21	19	19	19
15	14	e15	24	25	24	23	34	28	21	20	19	18
16	13	e14	24	24	24	23	34	28	21	19	18	18
17	13	e14	24	24	24	23	33	27	21	19	18	18
18	13	e14	26	27	24	23	34	27	21	19	18	19
19	13	e30	36	30	23	23	33	27	20	19	18	19
20	13	e20	31	29	22	23	32	25	20	19	18	19
21	13	e30	29	27	22	23	32	24	20	19	18	19
22	13	e22	28	28	22	23	32	24	20	19	18	18
23	e13	e20	27	31	22	23	32	24	20	18	17	18
24	e13	e22	26	28	22	23	32	23	20	18	17	18
25	e14	e20	33	27	22	23	35	23	20	18	17	18
26	e15	e30	29	27	22	24	34	23	20	19	17	18
27	e14	e27	27	27	22	24	34	23	22	19	19	18
28	e13	e24	26	27	22	27	35	23	22	18	20	18
29	e13	24	26	27	---	26	34	23	20	18	20	17
30	e13	24	25	28	---	25	34	23	20	18	18	18
31	e13	---	24	27	---	41	---	23	---	18	18	---
TOTAL	410	555	863	882	671	790	1048	851	638	602	592	544
MEAN	13.2	18.5	27.8	28.5	24.0	25.5	34.9	27.5	21.3	19.4	19.1	18.1
MAX	15	30	43	40	26	41	41	34	24	23	24	20
MIN	12	13	23	24	22	23	32	23	20	18	17	17

CAL YR 1986 TOTAL 6986 MEAN 19.1 MAX 43 MIN 12
WTR YR 1987 TOTAL 8446 MEAN 23.1 MAX 43 MIN 12

e Estimated

STREAMS ON LONG ISLAND

01306500 CONNETQUOD RIVER NEAR OAKDALE, NY

LOCATION.--Lat 40°44'51", long 73°09'03", Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from bridge on State Highway 27, 1.0 mi west of Oakdale. Water-quality sampling site at base gage.

DRAINAGE AREA.--About 24 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1943 to current year (monthly means estimated October 1974 to September 1975).

REVISED RECORDS.--WSP 1141: Drainage area.

GAGE.--Base gage (01306499): Water-stage recorder and wooden stoplog control. Datum of gage is 1.56 ft above National Geodetic Vertical Datum of 1929.

Supplementary gage (01306495): Water-stage recorder with concrete control on left bank of secondary channel 0.25 mi northeast of base gage at datum of 4.74 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 10, 1965, at datum 1.0 ft higher.

REMARKS.--Records fair. Flow at both gages occasionally regulated by cleaning operations at outlets of ponds above stations. Discharge figures are those of combined flows in main and secondary channels.

AVERAGE DISCHARGE.--44 years, 38.4 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily discharge, 263 ft³/s Oct. 16, 1955; minimum daily, 9.3 ft³/s Nov. 25, 1962 (result of regulation).

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 63 ft³/s Dec. 3; minimum daily, 20 ft³/s Oct. 1, 7, 10.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	20	22	30	35	37	44	58	39	31	27	26	30
2	22	22	33	53	38	52	47	38	31	29	26	27
3	23	23	63	47	37	43	42	37	32	32	33	26
4	28	24	47	40	37	40	50	41	33	32	31	24
5	24	22	40	38	36	38	54	42	35	30	30	24
6	22	27	37	37	36	36	52	40	32	30	32	24
7	20	26	32	37	35	36	49	39	31	29	30	24
8	21	28	32	35	35	36	46	38	31	36	29	26
9	21	29	36	34	37	37	44	37	32	35	30	27
10	20	26	38	36	36	36	42	37	31	32	35	26
11	21	28	34	40	35	35	41	37	31	31	32	25
12	22	31	35	36	35	35	40	37	31	31	30	25
13	22	27	32	34	35	36	40	35	31	31	29	30
14	26	25	31	35	34	36	41	35	30	31	28	30
15	24	26	31	34	33	36	40	35	30	31	27	26
16	23	26	31	33	33	35	38	34	30	29	26	26
17	22	27	30	32	33	35	40	34	29	28	26	28
18	22	26	36	35	34	34	43	33	30	28	25	30
19	23	39	48	41	34	34	40	35	29	28	25	30
20	23	35	41	40	33	34	38	34	28	28	24	30
21	22	41	38	37	33	34	38	34	29	28	24	29
22	e21	33	36	39	33	35	37	34	30	27	26	28
23	e22	32	35	43	34	34	37	34	31	27	25	28
24	e23	34	33	35	34	35	38	33	30	27	23	26
25	e24	30	44	37	33	34	46	33	29	26	23	26
26	e26	35	38	38	33	34	42	32	29	28	24	25
27	e25	40	36	40	33	34	41	32	33	27	28	25
28	e24	35	34	38	33	37	43	32	33	25	30	25
29	23	33	33	37	---	36	43	32	29	25	29	25
30	23	32	35	38	---	35	41	32	29	26	27	27
31	22	---	35	39	---	59	---	32	---	25	26	---
TOTAL	704	884	1134	1173	969	1155	1291	1097	920	899	859	802
MEAN	22.7	29.5	36.6	37.8	34.6	37.3	43.0	35.4	30.7	29.0	27.7	26.7
MAX	28	41	63	53	38	59	58	42	35	36	35	30
MIN	20	22	30	32	33	34	37	32	28	25	23	24

CAL YR 1986 TOTAL 10331 MEAN 28.3 MAX 63 MIN 19
WTR YR 1987 TOTAL 11887 MEAN 32.6 MAX 63 MIN 20

e Estimated

01306500 CONNETQUOT RIVER NEAR OAKDALE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--01306499 (Base gage): May 1966 to current year.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM, DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY TOTAL FIELD (MG/L AS CAC03)
DEC 08...	1400	20	--	6.70	6.0	9.9	6.5	2.9	8.0	1.2	17
MAR 04...	1402	24	100	--	6.0	--	10	2.7	8.5	1.3	--
JUN 08...	1330	20	--	7.10	16.0	8.7	7.0	3.0	8.5	1.2	18
SEP 28...	1130	15	37	6.80	15.0	10.1	6.5	3.0	9.0	1.3	1

DATE	SULFATE DIS-SOLVED (MG/L AS S04)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)
DEC 08...	9.2	12	<0.50	1.70	1.80	0.009	0.014	0.130	0.120	0.40
MAR 04...	9.8	14	<0.50	1.80	1.80	0.010	0.016	0.020	<0.020	0.30
JUN 08...	8.1	14	<0.50	1.80	1.70	0.018	0.019	<0.020	<0.020	0.30
SEP 28...	7.9	14	<0.50	1.70	1.60	0.012	0.012	<0.020	0.030	--

DATE	NITROGEN, AMMONIA + ORGANIC DIS. (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	MANGANESE, DIS-SOLVED (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 08...	0.40	0.037	0.030	0.015	0.014	300	300	90	--	<0.02
MAR 04...	0.10	0.027	0.021	0.005	0.005	200	100	60	3	<0.02
JUN 08...	0.20	0.025	0.020	0.013	0.006	200	200	50	--	<0.02
SEP 28...	--	0.032	<0.010	0.007	0.008	300	200	<20	--	0.05

STREAMS ON LONG ISLAND

01307000 CHAMPLIN CREEK AT ISLIP, NY

LOCATION.--Lat 40°44'13", long 73°12'08", Suffolk County, Hydrologic Unit 02030202, on right bank just upstream from Long Island Railroad bridge, 220 ft downstream from Moffit Boulevard, at Islip, and 1.8 mi upstream from mouth.

DRAINAGE AREA.--About 6.5 square miles.

PERIOD OF RECORD.--Water years 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY WH WAT TOTAL FIELD (MG/L AS CAC03)
DEC 08...	1310	260	6.50	9.0	6.4	13	3.5	21	2.4	24
MAR 04...	1301	250	--	8.0	--	22	3.7	25	3.0	--
JUN 08...	1120	--	6.70	16.0	9.4	13	3.8	24	2.5	21
SEP 24...	1130	272	6.50	14.5	6.2	12	3.6	22	4.0	21

DATE	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA SOLVED (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)
DEC 08...	20	37	<0.50	2.30	2.30	0.024	0.026	0.610	0.630	1.0
MAR 04...	20	46	<0.50	3.00	3.10	0.016	0.019	0.870	1.00	1.4
JUN 08...	18	42	<0.50	2.90	2.90	0.053	0.055	0.260	0.290	0.70
SEP 24...	18	39	<0.50	2.40	2.40	0.034	0.033	0.350	0.360	--

DATE	NITROGEN, AMMONIA + ORGANIC DIS. (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 08...	0.90	0.047	0.037	0.013	0.012	800	500	740	0.04
MAR 04...	1.4	0.046	0.029	0.007	0.006	400	300	580	0.04
JUN 08...	0.60	0.027	0.023	0.010	0.009	500	300	500	0.03
SEP 24...	--	0.058	0.050	0.012	0.009	300	200	440	0.04

01307500 PENATAQUIT CREEK AT BAY SHORE, NY

LOCATION. --Lat 40°43'37", long 73°14'41", Suffolk County, Hydrologic Unit 02030202, on right bank just upstream from Union Avenue in Bay Shore, and 4,500 ft upstream from mouth.

DRAINAGE AREA. --About 5 square miles.

PERIOD OF RECORD. --May 1966 to current year.

REMARKS. --Partial-record discharge data included in this report.

COOPERATION. --All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)	ALKALINITY WH TOTAL FIELD (MG/L AS CACD3)
DEC 08...	1120	--	7.30	9.0	7.7	16	3.7	28	2.9	31
MAR 04...	1059	280	--	8.0	--	27	3.6	30	3.2	--
JUN 08...	1005	--	6.50	15.0	8.2	16	3.5	30	3.2	26
SEP 24...	0930	240	6.70	14.5	6.7	16	3.7	30	3.2	29

DATE	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)	
DEC 08...	23	45	<0.50	3.40	3.40	0.021	0.023	0.830	0.840	1.2
MAR 04...	25	50	<0.50	3.50	3.60	0.017	0.021	1.00	1.00	1.1
JUN 08...	22	48	<0.50	3.90	3.90	0.044	0.047	0.270	0.310	0.60
SEP 24...	22	49	<0.50	3.50	3.50	0.026	0.026	0.520	0.520	--

DATE	NITROGEN, AMMONIA + ORGANIC DIS. (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 08...	1.2	0.037	0.031	0.010	0.009	600	500	1100	<0.02
MAR 04...	1.0	0.030	0.027	0.005	0.005	300	300	1100	<0.02
JUN 08...	0.80	0.024	0.023	0.004	0.004	200	200	680	0.03
SEP 24...	--	0.061	0.032	0.004	0.008	500	300	1200	0.05

STREAMS ON LONG ISLAND

01308000 SAMPANAMS CREEK AT BABYLON, NY

LOCATION.--Lat 40°42'15", long 73°18'52", Suffolk County, Hydrologic Unit 02030202, on left bank at upstream side of John Street Bridge in Babylon, 180 ft downstream from Long Island Railroad, and 0.6 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 23 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1944 to current year (monthly means estimated December 1966 to November 1967).

REVISED RECORDS.--WSP 1141: Drainage area. WSP 1702: 1955(M), 1956(M). WDR NY 1974: 1970(P).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 6.36 ft above National Geodetic Vertical Datum of 1929. October 1944 to December 1966, water-stage recorder at site 100 ft east at datum 0.34 ft higher.

REMARKS.--No estimated daily discharges. Records fair. Flow regulated slightly by pumping operations at railroad and occasionally by ponds above station. Indeterminate effect caused by ground-water pumpage for water-supply purposes at Smith Street substation 0.2 mi northwest of gage. Prior to November 1950, slight diurnal fluctuation caused by power operations.

AVERAGE DISCHARGE.--43 years, 9.69 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 136 ft³/s Sept. 12, 1960, gage height, 2.11 ft datum then in use; maximum gage height, 3.28 ft Feb. 7, 1971; minimum discharge, 1.3 ft³/s Sept. 13, 14, 1986, gage height, 0.21 ft (result of regulation); minimum gage height, 0.13 ft June 28, 1963 (datum then in use).

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 75 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
Dec. 3	0115	80	1.70	July 8	1000	79	1.94
Apr. 4	1530	*98	*1.97				

Minimum discharge, 2.2 ft³/s Sept. 27-29, gage height, 0.58 ft; minimum gage height, 0.27 ft Oct. 10.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.8	3.7	6.4	10	12	30	17	10	5.3	6.2	5.1	18
2	3.7	4.5	12	31	12	17	12	10	5.1	7.3	4.3	10
3	12	3.8	35	17	12	12	11	9.7	5.2	8.6	16	9.3
4	9.1	4.2	13	13	11	11	32	16	11	7.2	7.1	8.2
5	4.6	3.8	10	12	10	9.4	20	13	8.9	6.4	6.9	7.7
6	4.1	8.3	9.2	12	10	10	21	12	7.4	5.8	6.8	7.1
7	3.8	3.8	8.7	12	10	10	17	12	7.0	5.3	4.7	6.7
8	4.0	9.2	8.2	12	10	9.8	15	11	6.5	21	12	7.5
9	4.3	5.1	16	11	11	9.3	14	10	8.0	7.8	8.0	7.0
10	3.3	3.9	12	17	9.7	8.8	14	11	6.0	6.4	14	6.2
11	3.7	12	11	13	10	8.6	13	9.9	6.1	4.9	7.8	5.8
12	3.8	6.8	10	12	11	8.7	13	14	6.3	5.0	6.4	6.2
13	4.1	5.5	9.2	11	11	9.1	13	10	6.5	5.8	5.6	21
14	8.6	5.3	10	11	11	9.1	11	10	6.2	6.4	6.4	7.1
15	4.5	5.9	10	11	10	9.2	11	10	6.6	6.3	6.4	5.6
16	4.3	6.0	10	11	9.7	9.1	12	9.6	5.9	6.0	6.2	7.1
17	4.3	5.7	10	10	9.7	8.5	15	9.4	5.2	6.1	6.3	6.6
18	3.5	6.2	20	18	9.7	8.4	14	8.4	5.2	6.9	6.5	9.1
19	3.9	19	19	18	9.3	8.5	12	8.9	5.5	6.5	4.8	5.5
20	3.7	6.6	12	13	9.1	8.4	11	8.4	5.5	6.6	4.1	4.8
21	4.1	15	11	12	9.1	9.0	11	7.8	5.9	6.2	3.6	4.1
22	3.6	6.1	9.3	13	9.0	9.5	10	7.6	5.5	5.8	3.8	3.8
23	3.9	6.1	10	14	11	8.8	9.8	7.2	5.6	5.1	2.8	3.6
24	3.4	8.5	9.6	11	9.7	8.6	18	6.8	5.5	4.9	2.8	3.3
25	3.5	6.1	23	11	9.2	8.5	18	6.1	5.4	6.5	3.2	3.0
26	6.0	17	13	11	8.6	8.9	11	6.1	6.4	20	3.1	2.6
27	4.9	9.9	11	11	8.3	8.4	9.5	6.5	15	11	9.7	2.2
28	3.9	8.3	9.7	11	9.2	12	11	6.1	8.0	8.4	9.1	2.2
29	3.7	7.7	9.2	10	---	8.3	10	6.3	7.0	6.5	6.5	2.2
30	3.6	6.7	11	14	---	8.9	10	6.1	6.6	5.8	5.7	7.1
31	3.0	---	9.7	13	---	33	---	5.6	---	5.4	5.2	---
TOTAL	140.7	220.7	378.2	406	282.3	338.8	416.3	285.5	200.3	228.1	200.9	200.6
MEAN	4.54	7.36	12.2	13.1	10.1	10.9	13.9	9.21	6.68	7.36	6.48	6.69
MAX	12	19	35	31	12	33	32	16	15	21	16	21
MIN	3.0	3.7	6.4	10	8.3	8.3	9.5	5.6	5.1	4.9	2.8	2.2

CAL YR 1986 TOTAL 2541.3 MEAN 6.96 MAX 35 MIN 2.5
WTR YR 1987 TOTAL 3298.4 MEAN 9.04 MAX 35 MIN 2.2

01308000 SAMPANAMS CREEK AT BABYLON, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)
DEC 08...	1010	8.4	310	6.90	8.0	7.0	15	3.3	23	3.2
MAR 04...	0956	12	220	--	7.0	--	23	3.2	23	3.6
JUN 08...	0956	6.4	--	6.60	15.0	7.5	14	3.3	21	3.3
SEP 22...	1030	3.8	160	6.40	16.0	6.7	14	3.1	20	4.8

DATE	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUD- RIDE, DIS- SOLVED (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)
DEC 08...	32	30	33	<0.50	2.40	2.50	0.019	0.020	1.90	2.10
MAR 04...	--	27	32	<0.50	2.50	2.60	0.015	0.017	1.60	1.60
JUN 08...	33	27	32	<0.50	2.10	2.10	0.083	0.085	1.30	1.40
SEP 22...	32	27	34	<0.50	2.40	2.50	0.079	0.079	1.40	1.30

DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC 08...	2.7	3.0	0.043	0.035	0.013	0.013	1200	900	1500	0.04
MAR 04...	2.4	2.4	0.045	0.029	0.009	0.009	1100	1000	1200	0.05
JUN 08...	2.2	2.1	0.054	0.031	0.012	0.010	1200	900	1100	0.07
SEP 22...	--	--	0.082	0.151	0.013	0.069	1200	500	1200	0.04

STREAMS ON LONG ISLAND

01308500 CARLLS RIVER AT BABYLON, NY

LOCATION. --Lat 40°42'31", long 73°19'44", Suffolk County, Hydrologic Unit 02030202, on left bank 130 ft downstream from outlet of Southards Pond in Babylon, and 0.9 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 35 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --October 1944 to current year.

REVISED RECORDS. --WSP 1141: Drainage area. WDR NY 1972: 1947(m), 1952(m), 1954(m), 1958(m), 1960-63(m).

GAGE. --Water-stage recorder and concrete control. Datum of gage is 10.63 ft above National Geodetic Vertical Datum of 1929.

REMARKS. --No estimated daily discharges. Records good. Occasional regulation at outlet of Southards Pond.

AVERAGE DISCHARGE. --43 years, 26.5 ft³/s.

EXTREMES FOR PERIOD OF RECORD. --Maximum discharge, 243 ft³/s Jan. 21, 1979, gage height, 2.26 ft; minimum, 0.05 ft³/s Sept. 4, 1963, July 6, 1966, Aug. 29, 1972 (result of regulation); minimum gage height, 0.03 ft July 6, 1966, Aug. 29, 1972 (result of regulation); minimum daily, 4.5 ft³/s July 6, 1966.

EXTREMES FOR CURRENT YEAR. --Maximum discharge, 142 ft³/s Apr. 4, gage height, 1.67 ft; minimum, 0.35 ft³/s June 23, gage height, 0.08 ft (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11	10	21	28	28	55	45	26	17	14	12	25
2	11	12	25	72	29	48	32	25	18	15	11	15
3	15	13	91	48	30	36	30	25	18	20	28	13
4	26	21	48	38	30	32	69	34	25	16	19	12
5	15	19	35	34	28	29	66	32	27	14	15	11
6	12	29	30	31	28	28	54	28	20	13	17	12
7	11	21	29	31	28	28	45	27	19	13	14	12
8	11	24	28	29	28	27	39	25	20	37	16	14
9	12	22	37	28	30	27	36	25	19	26	21	16
10	11	20	39	37	28	25	34	24	19	19	24	12
11	11	24	31	38	27	24	33	23	17	16	17	12
12	11	28	32	30	27	25	32	27	18	16	15	12
13	11	19	27	28	27	25	31	24	18	15	12	35
14	17	16	25	27	25	24	30	22	17	15	13	24
15	14	17	25	27	24	23	29	23	17	15	12	16
16	12	16	26	27	21	23	29	21	17	14	12	18
17	12	15	26	26	24	22	33	20	15	13	12	17
18	11	15	37	38	21	19	35	21	15	13	11	23
19	11	50	59	47	20	18	30	23	14	13	10	18
20	11	27	37	40	20	18	28	22	14	12	9.7	16
21	11	43	31	33	20	20	28	22	15	13	8.8	15
22	11	28	29	33	22	22	27	21	15	12	9.4	15
23	11	23	28	38	26	18	26	21	8.5	13	9.5	15
24	10	27	27	31	25	18	29	20	12	11	9.2	14
25	10	23	54	28	23	18	40	20	13	12	9.0	14
26	13	35	36	27	23	20	30	19	14	35	8.9	13
27	14	39	30	27	22	21	28	19	28	18	16	12
28	12	28	29	27	22	28	29	20	20	14	19	12
29	11	24	28	27	---	20	28	20	16	13	15	13
30	11	22	29	30	---	20	27	20	15	13	12	17
31	10	---	29	33	---	67	---	18	---	12	12	---
TOTAL	380	710	1058	1038	706	828	1052	717	520.5	495	429.5	473
MEAN	12.3	23.7	34.1	33.5	25.2	26.7	35.1	23.1	17.3	16.0	13.9	15.8
MAX	26	50	91	72	30	67	69	34	28	37	28	35
MIN	10	10	21	26	20	18	26	18	8.5	11	8.8	11

CAL YR 1986 TOTAL 6885.4 MEAN 18.9 MAX 91 MIN 8.4
WTR YR 1987 TOTAL 8407.0 MEAN 23.0 MAX 91 MIN 8.5

01308500 CARLLS RIVER AT BABYLON, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	OXYGEN, DIS-SOLVED (MG/L)	CALCIUM, DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)
DEC 08...	0920	28	--	6.90	6.0	10.1	12	3.0	21	3.0
MAR 04...	0852	32	213	--	5.0	--	20	2.8	25	3.3
JUN 08...	0850	20	--	7.00	17.0	7.7	12	3.0	20	3.3
SEP 22...	1300	14	88	6.90	18.5	7.8	12	2.8	19	3.7

DATE	ALKALINITY WH WAT TOTAL FIELD (MG/L AS CA) CD3	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, NITRITE DIS-SOLVED (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, AMMONIA DIS-SOLVED (MG/L AS N)
DEC 08...	30	28	30	<0.50	2.20	2.20	0.017	0.023	1.90	1.90
MAR 04...	--	27	35	<0.50	2.20	2.30	0.015	0.019	1.70	1.70
JUN 08...	28	27	29	<0.50	2.00	2.00	0.040	0.042	1.10	1.10
SEP 22...	22	26	30	<0.50	2.30	2.30	0.056	0.054	0.750	0.740

DATE	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)	NITROGEN, AMMONIA + ORGANIC DIS-SOLVED (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, DIS-SOLVED (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	IRON, DIS-SOLVED (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
DEC 08...	2.8	2.9	0.045	0.038	0.010	0.008	700	700	1500	0.04
MAR 04...	2.6	2.7	0.035	0.033	0.006	0.006	500	400	1300	0.07
JUN 08...	1.9	1.8	0.034	0.027	0.006	0.005	700	600	1400	0.05
SEP 22...	--	--	0.064	0.048	0.002	0.009	500	300	1000	0.03

STREAMS ON LONG ISLAND

01309000 SANTAPOGUE CREEK AT LINDENHURST, NY

LOCATION.--Lat 40°41'30", long 73°21'20", Suffolk County, Hydrologic Unit 02030202, on left bank just upstream from East Hoffman Avenue bridge, 1.0 mi east of Long Island Railroad station in Lindenhurst, and 1.5 mi upstream from mouth.

DRAINAGE AREA.--About 7 square miles.

PERIOD OF RECORD.--Water years 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD MG/L AS CACO3
DEC 08...	0810	--	7.00	7.0	6.9	20	4.1	23	4.0	48
MAR 04...	0750	309	--	6.0	--	33	4.3	34	5.5	--
JUN 08...	0755	--	7.00	14.0	4.8	18	3.7	22	4.2	53
SEP 22...	1138	179	6.60	15.5	4.9	20	3.9	24	4.8	49

DATE	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLD- RIDE, DIS- SOLVED (MG/L AS CL)	FLUD- RIDE, DIS- SOLVED (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)
DEC 08...	35	36	<0.50	0.920	0.920	0.010	0.014	2.20	2.20	3.2
MAR 04...	33	47	<0.50	0.850	0.860	0.009	0.012	2.40	2.60	4.7
JUN 08...	28	35	<0.50	0.850	0.860	0.032	0.033	2.00	2.10	3.5
SEP 22...	30	42	<0.50	0.800	0.790	0.010	0.011	2.60	2.60	--

DATE	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC 08...	3.2	0.043	0.030	0.013	0.009	1400	900	2100	0.05
MAR 04...	3.9	0.036	0.029	0.010	0.007	1100	1000	2500	0.04
JUN 08...	3.1	0.029	0.024	0.008	0.006	1200	900	3200	0.04
SEP 22...	--	0.069	0.053	0.009	0.008	1500	1300	2100	0.05

01309500 MASSAPEQUA CREEK AT MASSAPEQUA, NY

LOCATION.--Lat 40°41'20", long 73°27'19", Nassau County, Hydrologic Unit 02030202, on left bank 3000 ft upstream from Clark Boulevard Bridge in Massapequa, and 350 ft west of Lake Shore Drive at Garfield Street in Massapequa Park. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 38 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1903, December 1936 to current year (monthly means estimated December 1959 to February 1961). Published as Massatayun Creek at Massapequa, December 1936 to September 1941.

REVISED RECORDS.--WSP 1411: Drainage area. WRD NY 1970: 1966-69 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 18.31 ft above National Geodetic Vertical Datum of 1929. Prior to October 1903, non-recording gage at different datum. December 1936 to March 1961, at same site at datum 1.0 ft higher.

REMARKS.--No estimated daily discharges. Records good.

AVERAGE DISCHARGE.--50 years (1937-87), 11.0 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 510 ft³/s July 29, 1980, gage height, 2.40 ft, from rating curve extended above 170 ft³/s; minimum, 0.95 ft³/s Aug. 4, 1963, Nov. 2, 1965, Jan. 8, 1977 (result of freezeup); minimum gage height, 0.32 ft Aug. 1, 1954, datum then in use.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 110 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
Jan. 2	0700	*96	*1.45				

Minimum discharge, 1.0 ft³/s Oct. 1, Aug. 18-21, 23-26, Sept. 28; minimum gage height, 0.60 ft Oct. 1, Sept. 28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	1.7	2.6	5.4	6.4	21	9.4	4.8	2.9	2.5	1.6	7.4
2	1.3	1.8	5.8	37	6.4	9.1	6.8	4.9	3.0	2.8	1.7	1.8
3	4.5	1.5	38	8.6	6.7	7.0	6.1	4.8	3.0	4.8	8.8	1.6
4	3.9	1.5	6.3	6.7	6.2	6.3	30	10	8.1	2.4	2.4	1.6
5	1.6	1.5	4.9	5.8	5.6	5.8	12	7.1	6.5	2.2	2.1	1.5
6	1.5	3.5	4.5	5.8	5.5	5.8	16	5.6	3.3	2.2	3.2	1.7
7	1.7	1.5	4.0	5.7	5.4	5.8	9.1	5.2	3.5	2.0	1.9	1.7
8	1.7	3.6	3.7	5.4	5.4	5.8	7.8	5.2	3.6	12	1.8	3.3
9	1.8	2.4	8.3	5.1	5.8	5.8	7.2	5.1	3.1	6.1	1.7	3.6
10	1.8	1.7	6.3	9.6	5.7	5.4	6.6	5.0	2.8	3.1	5.1	1.7
11	1.6	5.6	4.9	7.6	5.3	5.4	6.5	4.6	2.7	2.6	2.0	1.7
12	1.3	3.0	5.4	5.5	4.9	5.4	6.3	5.0	2.9	2.6	1.8	1.8
13	1.4	1.8	4.0	5.3	4.9	5.4	7.9	4.7	2.8	2.4	1.6	15
14	3.4	1.5	3.7	5.5	4.9	5.4	5.8	4.7	2.7	2.4	1.6	4.7
15	1.6	1.5	3.7	5.5	4.5	4.8	5.7	4.8	2.6	2.4	1.6	2.4
16	1.5	1.5	3.7	5.1	4.5	4.5	5.3	4.1	2.6	2.2	1.6	2.2
17	1.5	1.5	3.7	4.9	4.5	4.5	11	4.0	2.3	2.1	1.6	3.0
18	1.6	1.8	13	15	4.5	4.5	7.7	4.0	2.2	1.9	1.5	6.5
19	1.8	18	14	14	4.5	4.5	5.6	4.8	2.2	1.9	1.2	2.6
20	1.7	3.8	5.8	9.0	4.5	4.5	5.3	4.4	2.2	2.1	1.2	2.3
21	1.7	19	4.9	6.9	4.5	4.6	5.5	4.4	2.3	1.9	1.2	2.2
22	1.7	4.0	4.5	6.9	4.5	4.8	5.3	4.0	2.3	1.8	1.3	3.0
23	2.0	3.4	4.5	7.9	4.7	4.2	5.2	3.9	2.4	1.8	1.2	2.9
24	2.1	5.1	4.5	6.3	4.9	4.0	6.7	3.7	2.2	1.7	1.2	2.2
25	2.3	3.3	18	5.8	4.9	4.0	13	3.7	2.0	1.7	1.2	2.0
26	2.8	12	5.8	6.0	4.5	4.2	6.2	3.6	2.1	20	1.2	1.7
27	2.0	7.1	5.4	5.5	4.5	4.0	5.6	3.7	10	2.8	3.1	1.8
28	1.9	3.6	4.9	4.9	4.5	7.5	7.0	3.5	3.0	2.3	3.2	1.7
29	2.0	3.2	4.9	4.6	---	4.6	5.6	3.4	2.4	2.1	1.7	1.7
30	1.9	2.8	5.4	7.0	---	4.4	5.2	3.3	2.2	1.9	1.4	1.9
31	1.7	---	5.4	8.1	---	29	---	3.1	---	1.8	1.5	---
TOTAL	60.6	124.2	214.5	242.4	143.1	202.0	243.4	143.1	95.9	102.5	64.2	89.2
MEAN	1.95	4.14	6.92	7.82	5.11	6.52	8.11	4.62	3.20	3.31	2.07	2.97
MAX	4.5	19	38	37	6.7	29	30	10	10	20	8.8	15
MIN	1.3	1.5	2.6	4.6	4.5	4.0	5.2	3.1	2.0	1.7	1.2	1.5

CAL YR 1986 TOTAL 1287.0 MEAN 3.53 MAX 38 MIN 1.1
WTR YR 1987 TOTAL 1725.1 MEAN 4.73 MAX 38 MIN 1.2

STREAMS ON LONG ISLAND

013097500 MASSAPEQUA CREEK AT MASSAPEQUA, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	BAROMETRIC PRESSURE (MM OF HG)	OXYGEN, DISSOLVED (MG/L)	OXYGEN, (PERCENT SATURATION)	HARDNESS (MG/L AS CACO3)	HARDNESS NONCARB WH WAT TOT FLD MG/L AS CACO3	
JUN 16...	1130	2.6	254	6.44	22.5	757	11.6	135	56	37	
DATE		CALCIUM DISSOLVED (MG/L AS CA)	MAGNESIUM, DISSOLVED (MG/L AS MG)	SODIUM, DISSOLVED (MG/L AS NA)	POTASSIUM, DISSOLVED (MG/L AS K)	ALKALINITY LAB (MG/L AS CACO3)	SULFATE DISSOLVED (MG/L AS SO4)	CHLORIDE, DISSOLVED (MG/L AS CL)	FLUORIDE, DISSOLVED (MG/L AS F)	SILICA, DISSOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTITUENTS, DISSOLVED (MG/L)
JUN 16...	17	3.4	22	3.8	19	34	37	<0.10	7.2	140	
DATE		NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, ORGANIC TOTAL (MG/L AS N)	NITROGEN, TOTAL (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS FE)	MANGANESE, TOTAL RECOVERABLE (UG/L AS MN)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
JUN 16...	3.02	0.080	0.410	1.5	5.0	0.040	<0.010	270	440	0.10	

01310000 BELLMORE CREEK AT BELLMORE, NY

LOCATION.--Lat 40°40'43", long 73°30'58", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft east of intersection of Valentine Place and Mill Road, in Bellmore, 0.5 mi north of Sunrise Highway, and 0.5 mi northwest of Wantagh. Water-quality sampling site at base gage.

DRAINAGE AREA.--About 17 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1883 (fragmentary), July to October 1903, published in Professional Paper 44, September 1937 to current year. Prior to October 1957, published as Wantagh Stream at Wantagh. October 1957 to October 1967, published as Wantagh Stream at Bellmore.

GAGE.--Base gage (01309950): Water-stage recorder. Concrete control since July 24, 1974. Datum of gage is 15.06 ft above National Geodetic Vertical Datum of 1929. June to October 1883, determination of flow by various methods at different site and datum. July to October 1903, nonrecording gages on two channels near present site at different datum. Sept. 23, 1937, to Aug. 1, 1958, water-stage recorder with concrete control on right bank of present secondary channel about 1,000 ft east at datum 1.88 ft higher (used as supplementary gage since Aug. 1, 1958).

Supplementary gage (01309990): Water-stage recorder with concrete control on right bank of secondary channel about 1,000 ft east of base gage at datum of 16.96 ft National Geodetic Vertical Datum of 1929. Prior to July 28, 1965, at datum 2.00 ft higher. From July 28, 1965 to Oct. 6, 1965, at datum 1.00 ft higher.

REMARKS.--Records good. Prior to Nov. 4, 1955, flow at all stages regulated intermittently at outlet of Wantagh Reservoir, 1.0 mi above station, and prior to November 1953 by Browning Pond, 0.5 mi above station. Subsequent to Nov. 3, 1955, permanent diversion of a substantial portion of the flow through west branch of Bellmore Creek. Discharge figures given are those of combined flows in main and secondary channels.

AVERAGE DISCHARGE.--50 years (1937-87), 9.89 ft³/s.

EXTREMES FOR PERIOD OF RECORD (1903 and SINCE 1937).--Maximum daily discharge, 162 ft³/s Sept. 12, 1960; maximum discharge prior to beginning of diversion in November 1955, 340 ft³/s June 1, 1952, adjusted to include flow bypassing station; maximum gage height, 2.57 ft June 1, 1952, datum then in use; no flow July 24, 25, 1986.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 25 ft³/s Apr. 4; minimum daily, 0.25 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.27	.47	1.6	3.8	4.3	12	6.8	3.8	1.3	1.2	.80	3.0
2	.25	.54	4.8	23	4.7	5.2	5.4	3.8	1.5	1.5	.83	1.1
3	3.0	.51	19	5.7	4.8	4.6	5.0	3.5	1.5	2.4	2.9	.94
4	1.4	.60	3.8	4.8	4.7	4.4	25	7.0	5.6	1.4	1.0	.98
5	.63	e.60	3.2	4.5	4.5	4.0	9.4	4.6	3.0	1.1	.87	.78
6	.55	e1.7	3.0	4.6	4.6	3.9	12	3.9	1.7	1.0	1.3	.76
7	.58	.75	2.9	4.8	4.6	4.0	8.1	3.5	1.8	1.1	.91	.72
8	.57	2.6	2.7	4.0	4.6	4.0	6.8	3.4	1.9	5.8	.87	2.2
9	.59	1.3	6.1	3.9	5.0	3.9	6.3	3.1	1.7	8.2	.82	1.3
10	.49	.96	3.4	7.2	4.4	3.8	6.1	2.8	1.5	2.1	2.0	.79
11	.48	4.2	3.5	4.8	4.3	3.9	5.7	2.7	1.4	1.7	.93	.75
12	.51	2.1	3.5	4.1	4.4	4.0	5.5	2.6	1.6	1.5	.86	.78
13	.61	1.6	2.8	4.0	4.4	4.1	7.8	2.4	1.5	1.5	.80	9.0
14	1.0	1.5	2.9	4.1	4.0	3.7	5.1	2.6	1.5	1.5	.84	1.5
15	.65	1.3	2.8	4.1	4.0	3.4	5.0	2.5	1.5	1.3	.85	1.0
16	.61	1.0	2.6	3.9	3.8	3.3	5.4	2.4	1.3	1.2	.72	.99
17	.58	.88	2.4	3.9	3.9	3.3	9.0	2.3	1.2	1.2	.71	1.6
18	.52	1.0	7.9	11	3.8	3.3	6.0	2.2	1.1	1.0	.67	2.4
19	.51	9.9	7.0	9.5	3.7	3.6	5.2	2.2	1.1	1.7	.63	1.1
20	.54	1.8	3.7	5.6	3.7	3.2	4.8	2.2	1.1	1.6	.58	1.0
21	.55	9.7	3.4	4.9	3.7	3.4	4.6	2.2	1.1	1.2	.54	1.1
22	.53	2.0	3.2	5.4	3.6	3.4	4.4	2.0	1.2	.94	.57	1.2
23	.53	1.6	3.1	5.5	4.2	3.2	4.5	2.0	1.2	.87	.55	1.0
24	.53	2.3	3.3	4.2	4.2	3.2	6.2	1.9	1.1	.83	.50	1.0
25	.50	1.5	11	3.9	4.2	3.2	7.8	1.9	1.0	.83	.50	.99
26	.68	8.5	3.8	4.1	4.3	3.3	4.7	1.9	1.1	2.6	.50	.88
27	.64	3.3	3.6	3.9	4.3	3.2	4.8	1.9	5.7	1.0	1.3	.83
28	.53	2.2	3.3	3.9	3.3	5.1	5.2	1.8	1.6	.97	1.6	.83
29	.47	1.9	3.3	3.9	---	3.3	4.6	1.8	1.3	.87	.88	.84
30	.48	1.8	4.0	6.1	---	4.1	4.2	1.6	1.3	.87	.79	1.2
31	.42	---	3.3	5.0	---	20	---	1.4	---	.86	.74	---
TOTAL	20.20	70.11	134.9	172.1	118.0	141.0	201.4	83.9	51.4	51.84	28.36	42.56
MEAN	.65	2.34	4.35	5.55	4.21	4.55	6.71	2.71	1.71	1.67	.91	1.42
MAX	3.0	9.9	19	23	5.0	20	25	7.0	5.7	8.2	2.9	9.0
MIN	.25	.47	1.6	3.8	3.3	3.2	4.2	1.4	1.0	.83	.50	.72

CAL YR 1986 TOTAL 842.93 MEAN 2.31 MAX 19 MIN .00
WTR YR 1987 TOTAL 1115.75 MEAN 3.06 MAX 25 MIN .25

e Estimated

STREAMS ON LONG ISLAND

01310000 BELLMORE CREEK NEAR BELLMORE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--01309950 (Base gage): April 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	BAROMETRIC PRESSURE (MM OF HG)	OXYGEN, DIS-SOLVED (MG/L)	OXYGEN, (PERCENT SATURATION)	HARDNESS (MG/L AS CaCO3)	HARDNESS NONCARBONATE (MG/L AS CaCO3)	
JUN 16...	0945	1.2	312	6.36	17.5	758	6.4	67	62	33	
DATE	TIME	CALCIUM DIS-SOLVED (MG/L AS Ca)	MAGNESIUM DIS-SOLVED (MG/L AS Mg)	SODIUM DIS-SOLVED (MG/L AS Na)	POTASSIUM DIS-SOLVED (MG/L AS K)	ALKALINITY LAB AS CaCO3	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE DIS-SOLVED (MG/L AS Cl)	FLUORIDE DIS-SOLVED (MG/L AS F)	SILICA DIS-SOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTITUENTS, DIS-SOLVED (MG/L)
JUN 16...	19	3.5	32	3.1	29	30	52	<0.10	7.4	170	
DATE	TIME	NITROGEN, NITRATE TOTAL (MG/L AS N)	NITROGEN, NITRITE TOTAL (MG/L AS N)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, ORGANIC TOTAL (MG/L AS N)	NITROGEN, TOTAL (MG/L AS N)	PHOSPHORUS, TOTAL (MG/L AS P)	PHOSPHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECOVERABLE (UG/L AS Fe)	MANGANESE, TOTAL RECOVERABLE (UG/L AS Mn)	METHYLENE BLUE ACTIVE SUBSTANCE (MG/L)
JUN 16...	2.54	0.060	0.360	0.94	3.9	0.040	<0.010	880	750	0.07	

STREAMS ON LONG ISLAND

01310500 EAST MEADOW BROOK AT FREEPORT, NY

LOCATION. --Lat 40°39'56", long 73°34'13", Nassau County, Hydrologic Unit 02030202, on right bank 24 ft upstream from bridge on Hempstead-Babylon Turnpike and 400 ft west of Meadowbrook Parkway, in Freeport. Water-quality sampling site at discharge station.

DRAINAGE AREA. --About 31 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --October 1851 to December 1852, June to October 1883, September and October 1885 (fragmentary), June to October 1903, published in Professional Paper 44, January 1937 to current year (monthly means estimated November 1962 to December 1963).

REVISED RECORDS. --DR NY 1972: 1967-71 (P). WDR NY 1977: 1973-76 (P).

GAGE. --Water-stage recorder and concrete control. Datum of gage is 10.45 ft above National Geodetic Vertical Datum of 1929. Prior to October 1885, determinations of flow by various methods at different site and datum. June to October 1903, weir in swamp at head of Brooklyn waterworks supply pond. January 1937 to November 1962, water-stage recorder and concrete control at site 81 ft east at datum 0.47 ft higher.

REMARKS. --Records good except those below 5 cfs, which are fair.

AVERAGE DISCHARGE. --50 years (1937-87), 14.2 ft³/s.

EXTREMES FOR PERIOD OF RECORD (1903 AND SINCE 1937). --Maximum discharge, 848 ft³/s July 29, 1980, gage height, 3.57 ft; maximum gage height, 4.38 ft Sept. 12, 1960 (datum then in use); no flow Aug. 26, 1971.

EXTREMES FOR CURRENT YEAR. --Peak discharges greater than base discharge of 250 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
Dec. 3	Unknown	*268	*1.79	No other peak greater than base discharge.			

Minimum discharge, 0.12 ft³/s Oct. 3, 25, 26, gage height, 0.07 ft.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.23	.25	e2.0	4.0	5.7	55	14	5.7	2.7	3.1	1.6	8.7
2	.13	.34	e7.0	73	5.9	12	8.3	5.5	12	8.4	1.6	1.9
3	3.2	.39	e80	12	6.3	7.2	7.6	5.5	4.6	15	5.4	1.6
4	6.3	.41	e6.5	6.8	6.4	5.7	84	21	19	3.0	2.4	1.4
5	.97	.43	4.6	5.6	5.4	5.0	18	10	12	2.3	2.2	1.3
6	.59	3.9	3.8	5.1	5.1	4.7	29	7.0	4.1	2.0	4.4	1.3
7	.52	.78	3.4	4.9	5.1	4.5	13	6.4	3.4	1.9	1.9	1.3
8	.52	3.3	3.1	4.3	4.9	4.3	9.6	6.0	3.5	12	1.6	1.7
9	.53	2.3	9.4	4.3	5.7	4.2	8.6	5.6	3.6	57	1.6	1.7
10	.39	1.4	6.4	10	5.1	3.9	7.9	6.0	3.7	7.5	11	1.1
11	.31	9.9	4.3	8.1	4.7	4.0	7.5	5.0	2.8	3.7	2.2	1.1
12	.30	3.7	4.3	5.2	4.7	4.0	7.1	4.7	3.1	2.9	1.7	1.2
13	.36	1.4	3.4	4.5	4.5	4.0	12	4.5	2.9	2.6	1.6	20
14	1.9	.99	3.1	4.3	4.3	3.9	7.1	4.3	3.2	2.8	1.5	4.6
15	.79	1.0	3.0	4.3	4.0	3.7	6.9	4.4	2.9	3.7	1.6	2.1
16	.57	1.0	3.0	4.0	4.0	3.6	6.9	4.4	2.6	2.3	1.4	1.8
17	.49	1.0	2.7	4.0	4.0	3.5	23	4.1	2.3	2.0	1.4	2.3
18	.38	1.1	29	23	4.0	3.9	13	3.9	2.2	1.9	1.3	3.3
19	.31	26	19	23	4.0	3.4	7.3	4.8	2.2	16	1.1	1.9
20	.24	3.4	6.0	11	4.0	3.4	6.6	4.8	1.9	8.3	.99	1.7
21	.24	39	4.3	6.9	4.0	3.6	6.3	5.0	1.9	3.5	.85	1.6
22	.24	3.6	3.8	6.3	4.0	3.5	6.6	4.0	2.3	2.4	.98	1.8
23	.27	e3.0	3.5	8.0	4.9	3.3	6.1	3.7	2.3	2.2	.80	1.8
24	.26	e9.0	3.4	6.1	4.0	3.3	8.3	3.5	1.8	2.1	.67	1.5
25	.19	e3.0	38	4.8	4.0	3.3	20	3.3	1.7	1.9	.61	1.5
26	.99	e20	5.8	4.8	3.7	3.8	7.6	3.3	1.9	12	.57	1.2
27	.89	e8.0	4.4	5.0	3.8	3.4	6.4	3.3	24	2.7	3.8	1.1
28	.36	e3.5	4.0	4.4	3.9	5.6	11	3.3	4.2	2.1	3.6	1.0
29	.29	e3.0	3.6	4.3	---	3.9	7.3	3.1	2.5	2.1	1.7	1.0
30	.22	e2.5	4.5	9.9	---	4.2	6.4	3.0	2.1	1.8	1.5	1.6
31	.18	---	3.9	9.3	---	97	---	2.8	---	1.7	1.4	---
TOTAL	23.16	157.59	283.2	291.2	130.1	278.8	383.4	161.9	139.4	192.9	64.97	76.1
MEAN	.75	5.25	9.14	9.39	4.65	8.99	12.8	5.22	4.65	6.22	2.10	2.54
MAX	6.3	39	80	73	6.4	97	84	21	24	57	11	20
MIN	.13	.25	2.0	4.0	3.7	3.3	6.1	2.8	1.7	1.7	.57	1.0

CAL YR 1986 TOTAL 1596.76 MEAN 4.37 MAX 80 MIN .08
WTR YR 1987 TOTAL 2182.69 MEAN 5.98 MAX 97 MIN .13

e Estimated

STREAMS ON LONG ISLAND

01310500 EAST MEADOW BROOK AT FREEPORT, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--April 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	OXYGEN, (PER- CENT SATUR- ATION)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	
JUN 16...	0845	2.7	556	6.38	15.0	759	8.8	87	64	31	
DATE		CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)
JUN 16...	18	4.6	76	2.8	33	29	140	<0.10	6.3	300	
DATE		NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
JUN 16...	1.25	0.050	0.310	0.99	2.6	0.040	<0.010	330	270	0.09	

STREAMS ON LONG ISLAND

01311000 PINES BROOK AT MALVERNE, NY

LOCATION.--Lat 40°39'59", long 73°39'35", Nassau County, Hydrologic Unit 02030202, on left bank 300 ft downstream from Lakeview Avenue and southern boundary of Malverne. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 10 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--1851-52, 1856-57, 1885, 1894 (fragmentary in Professional Paper 44); December 1936 to current year (monthly means estimated March to September 1970).

REVISED RECORDS.--WSP 1432: 1937, 1940.

GAGE.--Water-stage recorder with steel plate V-notch weir and concrete controls. Datum of gage is 7.11 ft above National Geodetic Vertical Datum of 1929 (Nassau County Bench mark). Prior to 1894, determinations of flow by various methods, at different sites and datums. December 1936 to Oct. 1, 1970, at site 200 ft upstream at datum 2.31 ft higher. Oct. 1, 1970 to May 31, 1972, supplementary gage on secondary channel 10 ft downstream at same datum.

REMARKS.--No estimated daily discharges. Records good. Prior to Feb. 20, 1956, flow occasionally regulated by Pines Pond. Indeterminate diversion from Pines Pond for emergency municipal water supply for City of New York, August 1953 to September 1954.

AVERAGE DISCHARGE.--50 years (1937-87), 3.63 ft³/s.

EXTREMES FOR PERIOD OF RECORD (SINCE 1936).--Maximum discharge, 660 ft³/s June 30, 1984, gage height, 5.11 ft; no flow part of Sept. 12, 1963, and at times from 1964 to 1975, 1977, 1980-87.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 200 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
Dec. 3	0100	*215	3.93	No other peak greater than base discharge.			
Dec. 25	0345	Backwater from debris	*3.97				

No flow for all or part of many days during the year.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.00	.00	.13	.15	.16	23	.22	.31	.08	.23	.04	2.2
2	.00	.00	19	12	.22	.22	.19	.34	4.2	1.4	.02	.01
3	12	.00	45	.25	.25	.18	.32	.35	.09	4.8	6.0	.00
4	1.1	.00	1.8	.12	.20	.17	34	5.9	9.0	.05	.03	.00
5	.11	.14	1.2	.10	.19	.17	.54	.60	1.3	.04	.00	.00
6	.05	1.8	.77	.09	.19	.16	7.8	.45	.11	.02	4.2	.00
7	.01	.04	.43	.09	.19	.17	.41	.38	.11	.00	.03	.00
8	.00	4.1	.21	.07	.19	.17	.27	.39	.11	3.4	.00	.00
9	.00	3.3	9.2	.05	.28	.17	.27	.39	.11	28	.01	.00
10	.00	.24	1.9	1.7	.17	.13	.24	.29	.07	.16	9.9	.00
11	.00	15	1.5	.10	.17	.13	.24	.24	.06	.07	.03	.00
12	.00	1.2	2.0	.06	.19	.14	.25	.24	.11	.04	.01	.04
13	.00	.49	.90	.05	.19	.15	.47	.22	.59	.03	.00	10
14	.79	.17	.58	.05	.17	.14	.31	.20	.28	1.3	.00	.05
15	.11	.05	.29	.05	.17	.13	.29	.17	.07	.24	.00	.01
16	.03	.00	.12	.05	.17	.13	.27	.18	.05	.04	.01	.00
17	.00	.00	.05	.05	.18	.13	6.8	.17	.04	.03	.04	.12
18	.00	1.4	19	10	.17	.13	.39	.18	.05	.01	.00	.10
19	.00	27	2.4	7.5	.17	.13	.23	.17	.05	.07	.00	.03
20	.00	1.6	.71	.28	.17	.13	.22	.18	.03	.26	.00	.01
21	.00	25	.38	.13	.17	.13	.21	.15	.03	.05	.00	.00
22	.00	.49	.20	.14	.17	.12	.20	.15	.07	.03	.00	.00
23	.00	.24	.10	.20	.28	.11	.20	.15	.04	.00	.00	.00
24	.00	1.5	.17	.11	.18	.11	.67	.14	.03	.00	.00	.06
25	.00	.82	12	.11	.16	.11	4.7	.13	.02	.04	.00	.03
26	.19	24	.55	.11	.16	.12	.22	.13	.31	6.5	.00	.01
27	.05	2.2	.28	.09	.18	.10	.20	.13	11	.03	1.0	.00
28	.00	.49	.16	.09	.19	.52	.84	.13	.07	.00	1.1	.00
29	.00	.31	.09	.09	---	.14	.31	.12	.04	.00	.03	.00
30	.00	.22	.48	3.2	---	.97	.29	.11	.04	.00	.02	.00
31	.00	---	.38	.42	---	28	---	.10	---	.01	.03	---
TOTAL	14.44	111.80	121.98	37.50	5.28	56.31	61.57	12.79	28.16	46.85	22.50	12.67
MEAN	.47	3.73	3.93	1.21	.19	1.82	2.05	.41	.94	1.51	.73	.42
MAX	12	27	45	12	.28	28	34	5.9	11	28	9.9	10
MIN	.00	.00	.05	.05	.16	.10	.19	.10	.02	.00	.00	.00

CAL YR 1986 TOTAL 459.04 MEAN 1.26 MAX 45 MIN .00
WTR YR 1987 TOTAL 531.84 MEAN 1.46 MAX 45 MIN .00

STREAMS ON LONG ISLAND

01311000 PINES BROOK AT MALVERNE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS)	SPE-CIFIC CON-DUCT-ANCE (US/CM)	PH (STAND-ARD UNITS)	TEMPER-ATURE WATER (DEG C)	BARO-METRIC PRES-SURE (MM OF HG)	OXYGEN, DIS-SOLVED (MG/L)	OXYGEN, (PER-CENT SATUR-ATION)	HARD-NESS (MG/L AS CaCO3)	HARD-NESS NONCARB WH WAT MG/L AS CaCO3	
JUN 12...	0945	0.06	393	7.57	17.5	767	9.3	97	79	26	
DATE		CALCIUM DIS-SOLVED (MG/L AS Ca)	MAGNE-SIUM, DIS-SOLVED (MG/L AS Mg)	SODIUM, DIS-SOLVED (MG/L AS Na)	POTAS-SIUM, DIS-SOLVED (MG/L AS K)	ALKA-LINITY LAB (MG/L AS CaCO3)	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLO-RIDE, DIS-SOLVED (MG/L AS Cl)	FLUD-RIDE, DIS-SOLVED (MG/L AS F)	SILICA, DIS-SOLVED (MG/L AS SiO2)	SOLIDS, SUM OF CONSTI-TUENTS, DIS-SOLVED (MG/L)
JUN 12...	25	4.0	43	3.6	53	26	70	<0.10	7.5	210	
DATE		NITRO-GEN, NITRATE (MG/L AS N)	NITRO-GEN, NITRITE (MG/L AS N)	NITRO-GEN, AMMONIA (MG/L AS N)	NITRO-GEN, ORGANIC (MG/L AS N)	NITRO-GEN, TOTAL (MG/L AS N)	PHOS-PHORUS, TOTAL (MG/L AS P)	PHOS-PHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECOV-ERABLE (UG/L AS FE)	MANGA-NESE, TOTAL RECOV-ERABLE (UG/L AS MN)	METHY-LENE BLUE ACTIVE SUB-STANCE (MG/L)
JUN 12...	--	<0.010	<0.010	--	2.1	0.050	0.020	130	20	0.05	

01311500 VALLEY STREAM AT VALLEY STREAM, NY

LOCATION.--Lat 40°39'49", long 73°42'18", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft upstream from West Valley Stream Boulevard in Valley Stream.

DRAINAGE AREA.--About 4.5 mi².

PERIOD OF RECORD.--1851-52, 1854, 1856-57, 1885, 1894 (fragmentary in Professional Paper 44), July 1954 to current year. Prior to October 1956, published as Watts Creek at Valley Stream.

REVISED RECORDS.--WRD NY 1971: 1962-63(M), 1966-69(M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 7.49 ft above National Geodetic Vertical Datum of 1929. Prior to 1894, determinations of flow by various methods, at different sites and datums. July 1954 to July 16, 1964 at same site at datum 1.0 ft higher.

REMARKS.--No estimated daily discharges. Records good except those above 140 ft³/s, which are fair. Flow regulated occasionally by cleaning operations at outlet of Valley Stream Pond above station.

AVERAGE DISCHARGE.--33 years (1954-87), 2.18 ft³/s.

EXTREMES FOR PERIOD OF RECORD (SINCE 1954).--Maximum discharge, 274 ft³/s June 30, 1984, gage height, 5.78 ft, from rating curve extended above 130 ft³/s; no flow at times each year since 1963.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 74 ft³/s Jan. 2, gage height, 2.17 ft, from rating curve extended above 130 ft³/s; no flow for all or part of many days during year.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.00	.00	.00	.00	.14	8.1	3.5	.10	.00	.00	.00	.00
2	.00	.00	.18	22	.12	3.2	1.2	.14	.13	.00	.00	.00
3	.00	.00	18	3.8	.08	.64	.73	.21	.06	.00	.10	.00
4	.00	.00	1.0	.75	.05	.25	11	1.6	2.7	.00	.00	.00
5	.00	.00	.01	.27	.04	.19	6.3	.90	.90	.00	.00	.00
6	.00	.00	.00	.12	.04	.13	3.2	.34	.34	.00	.00	.00
7	.00	.00	.00	.06	.05	.00	1.8	.23	.31	.00	.00	.00
8	.00	.00	.00	.00	.04	.00	1.1	.18	.13	.03	.00	.00
9	.00	.00	.00	.00	.10	.00	.76	.15	.15	3.6	.00	.00
10	.00	.00	.00	.00	.06	.00	.60	.14	.20	1.1	.01	.00
11	.00	.02	.00	.00	.01	.00	.52	.12	.11	.05	.00	.00
12	.00	.00	.00	.00	.00	.00	.53	.12	.12	.04	.00	.00
13	.00	.00	.00	.00	.00	.00	.48	.03	.05	.04	.00	.10
14	.00	.00	.00	.00	.00	.00	.35	.00	.03	.04	.00	.67
15	.00	.00	.00	.00	.00	.00	.94	.05	.00	.02	.00	.00
16	.00	.00	.00	.00	.00	.00	.67	.03	.01	.00	.00	.00
17	.00	.00	.00	.00	.00	.00	3.6	.00	.00	.00	.00	.00
18	.00	.00	5.0	1.5	.00	.00	3.2	.00	.00	.00	.00	.00
19	.00	1.7	3.3	3.9	.00	.00	.51	.00	.00	.01	.00	.00
20	.00	.00	.09	2.6	.00	.00	.20	.00	.00	.03	.00	.00
21	.00	8.4	.00	1.4	.00	.00	.15	.00	.00	.00	.00	.00
22	.00	.11	.00	.86	.00	.00	.13	.00	.00	.00	.00	.00
23	.00	.00	.00	.61	.00	.00	.15	.00	.00	.00	.00	.00
24	.00	.00	.00	.35	.00	.00	.31	.00	.00	.00	.00	.00
25	.00	.00	13	.24	.00	.00	3.1	.00	.00	.00	.00	.00
26	.00	4.2	.82	.23	.00	.00	.84	.00	.01	.01	.00	.00
27	.00	3.7	.02	.23	.00	.00	.31	.00	.20	.00	.00	.00
28	.00	.03	.00	.23	.00	.00	.33	.00	.01	.00	.00	.00
29	.00	.00	.00	.19	---	.00	.33	.00	.00	.00	.00	.00
30	.00	.00	.00	.24	---	.00	.27	.00	.00	.00	.00	.00
31	.00	---	.00	.25	---	11	---	.00	---	.00	.00	---
TOTAL	.00	18.16	41.42	39.83	.73	23.51	47.11	4.34	5.46	4.97	.11	.77
MEAN	.000	.61	1.34	1.28	.026	.76	1.57	.14	.18	.16	.004	.026
MAX	.00	8.4	18	22	.14	11	11	1.6	2.7	3.6	.10	.67
MIN	.00	.00	.00	.00	.00	.00	.13	.00	.00	.00	.00	.00

CAL YR 1986 TOTAL 84.92 MEAN .23 MAX 18 MIN .00
WTR YR 1987 TOTAL 186.41 MEAN .51 MAX 22 MIN .00

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

As the number of streams on which streamflow information is likely to be desired far exceeds the number of stream-gaging stations feasible to operate at one time, the Geological Survey collects limited streamflow data at sites other than stream gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or floodflow analyses, depending on the type of data collected. In addition, discharge measurements are made at other sites not included in the partial record program. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Low-flow partial-record stations

Measurements of streamflow in the area covered by this report made at low-flow partial-record stations are given in the following table. Most of these measurements were made during periods of base flow when streamflow is primarily from ground-water storage. These measurements, when correlated with the simultaneous discharge of a nearby stream where continuous records are available, give a picture of the low-flow potentiality of the stream. The column headed "Period of record" shows the water years in which measurements were made at the same, or practically the same, site. Where "Drainage area" column is blank, drainage area was not available at time of publication.

Discharge measurements made at low-flow partial-record stations during water year 1987

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01302200	Whitney Lake Outlet at Manhasset, N.Y.	Lat 40°47'30", long 73°42'32", Nassau County, at bridge on Creek Road, at Manhasset, 0.25 mi northwest of State Highway 25A.	--	1953-87	4-23-87 8-14-87	2.1 1.3
01302300	Roslyn Brook at Roslyn, N.Y.	Lat 40°47'55", long 73°38'51", Nassau County, at Roslyn, 200 ft downstream from dam in Roslyn Park.	--	1953-87	8-14-87	.63
01302800	Island Swamp Brook at Lattingtown, N.Y.	Lat 40°53'25", long 73°37'10", Nassau County, at bridge on Lattingtown Road, 0.3 mi southwest of Lattingtown, and 1.5 mi northwest of Locust Valley.	--	1953-87	4-23-87 8-14-87	1.0 .58
01303600	Mill Creek near Huntington, N.Y.	Lat 40°52'56", long 73°25'17", Suffolk County, at culvert on Creek Road, 300 ft west on New York Ave., 1 mi northeast of Huntington.	--	1953-87	5- 6-87	3.3
01303700	Stony Hollow Run at Centerport, N.Y.	Lat 40°53'05", long 73°21'41", Suffolk County, at culvert on State Highway 25A, 0.25 mi east of Centerport, and 1.5 mi southwest of Northport.	--	1953-87	5- 6-87	1.2
01303742	Fresh Pond Outlet at Fort Salonga, N.Y.	Lat 40°55'26", long 73°17'43", Suffolk County, 200 ft downstream from Fresh Pond outlet, 0.75 mi north of Fort Salonga.	--	1977-87	5- 6-87	1.7
01303790	Northeast Branch Nissequogue River near East Hauppauge, N.Y.	Lat 40°50'27", long 73°10'41", Suffolk County, at culvert on State Highway 347, 1.5 mi northwest of East Hauppauge, and 4.0 mi upstream from gaging station near Smithtown.	--	1972-87	5-18-87	.49
01303800	Northeast Branch Nissequogue River at Smithtown, N.Y.	Lat 40°51'05", long 73°11'15", Suffolk County, 300 ft upstream from culvert on State Highway 111, 0.75 mi southeast of Smithtown, and 3.0 mi upstream from gaging station near Smithtown.	--	1948-49 1951-76 1979-87	5-18-87	2.2
01303850	Northeast Branch Nissequogue River near Hauppauge, N.Y.	Lat 40°50'43", long 73°11'50", Suffolk County, at culvert on Maple Avenue, 0.75 mi south of Smithtown, and 2.5 mi upstream from gaging station near Smithtown.	--	1972-87	5-18-87	2.5

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01303900	Northeast Branch Nissequoque River near Smithtown, N.Y.	Lat 40°50'45", long 73°12'29", Suffolk County, 10 ft upstream from culvert at Brooksite Drive, 0.75 mi southwest of Smithtown, and 2.0 mi upstream from gaging station near Smithtown.	--	1953-87	5-18-87	4.1
01303941	Nissequoque River near Hauppauge, N.Y.	Lat 40°50'30", long 73°13'43", Suffolk County, 30 ft downstream from dam at New Mill Road, 2 mi northwest of Hauppauge, and 0.5 mi upstream from gaging station near Smithtown.	--	1972-87	5-18-87	27.
01304010	Nissequoque River at Smithtown, N.Y.	Lat 40°51'48", long 73°12'05", Suffolk County, at culvert on Landing Ave., at Smithtown, and 1.5 mi downstream from gaging station near Smithtown.	--	1974-87	5-18-87	48.
01304051	Stony Brook at Stony Brook, N.Y.	Lat 40°54'53", long 73°08'52", Suffolk County, 100 ft downstream from Harbor Road, at Stony Brook.	--	1977-87	9- 2-87	2.6
01304060	Unnamed tributary to Conscience Bay at Setauket, N.Y.	Lat 40°56'49", long 73°07'01", Suffolk County, 30 ft downstream from pond below Old Field Road, at Setauket.	--	1977-87	9- 2-87	1.4
01304065	Unnamed tributary to Setauket Harbor at East Setauket, N.Y.	Lat 40°56'35", long 73°06'08", Suffolk County, at culvert on State Highway 25A, at East Setauket.	--	1977-87	9- 2-87	.23
01304070	Unnamed tributary to Port Jefferson Harbor at Port	Lat 40°56'41", long 73°04'18", Suffolk County, at culvert on Barnum Ave., at Port Jefferson.	--	1977-87	9- 2-87	.59
01304150	Fresh Pond Outlet, at Baiting Hollow, N.Y.	Lat 40°57'43", long 72°46'17", Suffolk County, 25 ft downstream from dirt road at outlet of Fresh Pond, 0.7 mi northwest of Baiting Hollow.	--	1977-87	5-13-87	.58
01304400	Peconic River at Manorville, N.Y.	Lat 40°52'38", long 72°49'42", Suffolk County, at bridge on Schultz Road, 1 mi northwest of Manorville, and 8.5 mi upstream from gaging station at Riverhead.	--	1948-49 1951-87	5-12-87	4.1
01304510	Peconic River at Nugent Drive, at Riverhead, N.Y.	Lat 40°55'03", long 72°40'11", Suffolk County, at bridge on Nugent Drive, at Riverhead, and 1.4 mi downstream from gaging station at Riverhead.	--	1976-87	5-12-87	55.
01304530	Little River near Riverhead, N.Y.	Lat 40°53'52", long 72°40'30", Suffolk County, at Wildwood Lake outlet, 500 ft east of Moriches-Riverhead Road, 1.5 mi southwest of Riverhead.	--	1952-87	5-12-87	4.3
01304560	White Brook at Riverhead, N.Y.	Lat 40°54'40", long 72°38'37", Suffolk County, at culvert on State Highway 24, 1 mi southeast of Riverhead.	--	1953-69 1973-87	5-12-87	3.4

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01304600	Big Fresh Pond Outlet at North Sea, N.Y.	Lat 40°55'49", long 72°25'04", Suffolk County, at culvert on Noyack Road, at North Sea, 3.5 mi northwest of Southampton.	--	1951-69 1971-87	3- 3-87	1.9
01304630	Mill Creek at Noyack, N.Y.	Lat 40°59'35", long 72°21'00", Suffolk County, 50 ft upstream from culvert on Noyack Road, 0.25 mi west of Noyack.	--	1958-87	3- 3-87	.63
01304660	Ligonee Brook at Sag Harbor, N.Y.	Lat 40°59'21", long 72°18'12", Suffolk County, at culvert on Brick Kiln Road, 0.75 mi southwest of Sag Harbor.	--	1953-69 1973-87	3- 3-87	.07
01304745	Weesuck Creek at East Quogue, N.Y.	Lat 40°50'52", long 72°34'42", Suffolk County, at culvert on State Highway 27A, 0.5 mi northeast of East Quogue.	--	1974-87	6- 2-87 9-16-87	2.1 1.0
01304760	Quantuck Creek at Quogue, N.Y.	Lat 40°49'57", long 72°37'06", Suffolk County, at culvert in Old Meeting House Road, 1 mi northwest of Quogue.	--	1953-69 1974-87	6- 2-87 9-16-87	1.3 1.1
01304780	Aspatuck Creek near Westhampton Beach, N.Y.	Lat 40°49'04", long 72°38'13", Suffolk County, at culvert on Brook Road, at Westhampton Beach.	--	1959-87	6- 2-87 9-16-87	1.4 .89
01304800	Beaverdam Creek at Westhampton Beach, N.Y.	Lat 40°49'23", long 72°39'42", Suffolk County, at culvert on Old Country Road, 100 ft northwest of State Highway 27A, and 1 mi northwest of Westhampton.	--	1953-87	6- 2-87 9-16-87	2.7 1.1
01304820	Speonk River at Speonk, N.Y.	Lat 40°49'06", long 72°41'29", Suffolk County, at culvert on State Highway 27A, 0.75 mi east of Speonk.	--	1974-87	3-24-87 9-15-87	.87 .72
01304830	East River at Eastport, N.Y.	Lat 40°49'24", long 72°43'02", Suffolk County, 15 ft upstream from culvert on Long Island Railroad, 200 ft south of State Highway 27A, 0.5 mi east of Eastport.	--	1953-69 1973-87	3-24-87 9-15-87	5.1 .81
01304860	Seatuck Creek at Eastport, N.Y.	Lat 40°49'30", long 72°43'43", Suffolk County, 15 ft downstream from culvert on State Highway 27A, at Eastport.	--	1953-87	3-23-87 9-15-87	3.6 3.3
01304900	Little Seatuck Creek at Eastport, N.Y.	Lat 40°49'12", long 72°44'23", Suffolk County, at culvert on Moriches Blvd., 0.75 mi southwest of Eastport.	--	1955-69 1974-87	3-24-87 9-15-87	4.2 3.1
01304960	Forge River at Moriches, N.Y.	Lat 40°48'22", long 72°50'00", Suffolk County, at culvert on State Highway 27A, at Moriches.	--	1948-50 1952-87	3-23-87 9-15-87	6.6 4.4

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01304990	Carmans River at Middle Island, N.Y.	Lat 40°51'47", long 72°56'35", Suffolk County, at culvert on East Bartlett Road, 0.75 mi south of Middle Island, and 3.0 mi upstream from gaging station at Yaphank.	--	1947-87	3-25-87 9-10-87	0.40 .14
01304995	Carmans River near Yaphank, N.Y.	Lat 40°50'29", long 72°56'13", Suffolk County, 25 ft downstream from Mill Road, 1.2 mi northwest of Yaphank, and 1.9 mi upstream from gaging station at Yaphank.	--	1973-87	3-25-87 9-10-87	5.8 7.0
01304998	Carmans River, below Lower Lake, at Yaphank, N.Y.	Lat 40°50'07", long 72°55'01", Suffolk County, at culvert on Yaphank Avenue, at Yaphank, and 0.7 mi upstream from gaging station at Yaphank.	--	1973-87	3-25-87 9-10-87	13. 10.
01305040	Carmans River at South Haven, N.Y.	Lat 40°48'09", long 72°53'09", Suffolk County, 75 ft upstream from culvert on State Highway 27A, at South Haven, and 2.6 mi downstream from gaging station at Yaphank.	--	1973-87	3-25-87 9-10-87	47. 52.
01305300	Mud Creek at East Patchogue, N.Y.	Lat 40°45'47", long 72°58'59", Suffolk County, at culvert on South Country Road, at East Patchogue, 2 mi east of Patchogue.	--	1947-69 1971-87	3-25-87	5.7
01305800	Patchogue River near Patchogue, N.Y.	Lat 40°46'55", long 73°01'19", Suffolk County, at bridge on discontinued road, 300 ft west of North Ocean Ave., and 1 mi north of State Highway 27A and gaging station at Patchogue.	--	1945-50 1952-87	3-25-87	9.4
01306000 _{c/}	Patchogue River at Patchogue, N.Y.	Lat 40°45'56", long 73°01'16", Suffolk County, at State Highway 27A, at Patchogue.	--	1946-69† 1970-73 1974-76† 1977-87	3-25-87	22.
01306400	Green Creek at West Sayville, N.Y.	Lat 40°43'51", long 73°05'32", Suffolk County, 30 ft upstream from State Highway 27A at West Sayville.	--	1953-87	3-26-87	4.1
01306470	Connetquot Brook near Oakdale, N.Y.	Lat 40°45'47", long 73°09'10", Suffolk County, 100 ft downstream from fish hatchery, and 1.1 mi upstream from gaging station 01306499.	--	1968 1973-87	6- 3-87 8-25-87	33. 21.
01306700	Kattlesnake Brook near Oakdale, N.Y.	Lat 40°44'52", long 73°08'45", Suffolk County, 50 ft downstream from State Highway 27, 1.5 mi northwest of Oakdale.	--	1944-69 1971-87	5- 8-87 8-25-87	14. 8.2

† Operated as a continuous-record gaging station.

_{c/} Water-quality data included in this report.

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01307300	Pardees Ponds Outlet at Islip, N.Y.	Lat 40°43'40", long 73°13'16", Suffolk County, at culvert on State Highway 27A, at Islip.	--	1948-72 1974-87	5- 8-87 8-25-87	3.2 .57
01307400	Awixa Creek at Islip, N.Y.	Lat 40°43'39", long 73°13'51", Suffolk County, at culvert on State Highway 27A, 0.75 mi west of Islip.	--	1948-87	5- 8-87 8-25-87	1.4 .82
01307500 _{c/}	Penataquit Creek at Bay Shore, N.Y.	Lat 40°43'37", long 73°14'41", Suffolk County, at Union Avenue, at Bayshore.	--	1945-76‡ 1977-87	5-14-87 8-25-87	6.2 3.2
01307600	Cascade Lakes Outlet at Brightwaters, N.Y.	Lat 40°42'40", long 73°15'38", Suffolk County, at culvert on Montauk Highway, at Brightwaters.	--	1958-87	5-19-87	1.5
01307920	Sampawams Creek near Deer Park, N.Y.	Lat 40°44'27", long 73°18'24", Suffolk County, 30 ft downstream from Bay Shore Road, and 2.5 mi upstream from gaging station at Babylon.	--	1965-66 1973-87	5-14-87	2.8
01307950	Sampawams Creek near North Babylon, N.Y.	Lat 40°43'37", long 73°18'46", Suffolk County, 120 ft downstream from Hunter Avenue, and 1.6 mi upstream from gaging station at Babylon.	--	1967 1971-87	5-14-87	4.1
01308200	Sampawams Creek below Hawleys Lake, at Babylon, N.Y.	Lat 40°41'48", long 73°19'04", Suffolk County at pond outlet, 200 ft upstream from State Highway 27A, at Babylon, and 0.5 mi downstream from gaging station at Babylon.	--	1953-67 1969-87	5-14-87	8.6
01308600	Carlls River at Park Avenue, Babylon, N.Y.	Lat 40°42'06", long 73°19'43", Suffolk County, at culvert on Park Avenue, at Babylon, and 0.5 mi downstream from gaging station at Babylon.	--	1968-85 1987	5-19-87	26.
01309000 _{c/}	Santapogue Creek at Lindenhurst, N.Y.	Lat 40°41'30", long 73°21'20", Suffolk County, at culvert on East Hoffman Avenue, 1 mi east of Long Island Railroad station at Lindenhurst.	--	1947-69‡ 1970-87	5-20-87	2.5
01309100	Santapogue Creek at State Highway 27A, Lindenhurst, N.Y.	Lat 40°41'02", long 73°21'06", Suffolk County, at culvert on State Highway 27A, 0.5 mi downstream from discontinued gaging station at Lindenhurst.	--	1953-69 1971-87	5-20-87	6.5

‡ Operated as a continuous-record gaging station.

_{c/} Water-quality data included in this report.

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01309200	Neguntatogue Creek at Lindenhurst, N.Y.	Lat 40°40'47", long 73°21'40", Suffolk County, 20 ft upstream from State Highway 27A, in Lindenhurst.	--	1948-50 1952-87	5-21-87	3.6
01309250	Strongs Creek at Lindenhurst, N.Y.	Lat 40°40'22", long 73°22'40", Suffolk County, 30 ft upstream from State Highway 27A, at Lindenhurst.	--	1953-69 1971-87	5-21-87	1.6
01309350	Amityville Creek at Amityville, N.Y.	Lat 40°40'13", long 73°24'51", Suffolk County, 100 ft upstream from State Highway 27A, at Amityville.	--	1953-87	5-19-87	1.9
01309400	Carman Creek at Amityville, N.Y.	Lat 40°40'09", long 73°26'02", Nassau County, at bridge on State Highway 27A, 0.75 mi west of Amityville.	--	1949 1953-69 1971-87	5-21-87	7.8
01309454	Massapequa Creek at South Farmingdale, N.Y.	Lat 40°42'55", long 73°27'00", Nassau County, 75 ft upstream from Tomes Avenue, 0.2 mi south of South Farmingdale, and 1.9 mi upstream from gaging station at Massapequa.	--	1962-65 1973-78 1980-87	11- 5-86 3-11-87 7-30-87	0 0 0
01309476	Massapequa Creek at Southern State Parkway, at South Farmingdale, N.Y.	Lat 40°42'21", long 73°27'05", Nassau County, 30 ft upstream from culvert at Southern State Parkway, 0.8 mi south of South Farmingdale, and 1.2 mi upstream from gaging station at Massapequa.	--	1962-65 1973-87	11- 5-86 3-11-87 7-30-87	0 .76 .16
01309490	Massapequa Creek at North Massapequa, N.Y.	Lat 40°41'55", long 73°27'08", Nassau County, opposite Franklin Street, at North Massapequa, and 0.55 mi upstream from gaging station at Massapequa.	--	1962 1964 1973-87	11- 5-86 3-11-87 7-30-87	.21 1.6 .46
01309700	Seaford Creek at Seaford, N.Y.	Lat 40°40'00", long 73°28'57", Nassau County, at bridge on State Highway 27A, in Seaford.	--	1953-87	4-23-87 8-19-87	1.7 1.5
01309800	Seamans Creek at Seaford, N.Y.	Lat 40°39'56", long 73°29'37", Nassau County, at culvert on State Highway 27A, 0.2 mi west of Seaford.	--	1953-67 1971-81 1983-87	4-23-87 8-19-87	3.9 .57
01309970	Bellmore Creek tributary near North Wantagh, N.Y.	Lat 40°41'52", long 73°30'33", Nassau County, at culvert on Duck Pond Drive North, 0.3 mi north of North Wantagh, and 1.2 mi upstream from gaging station 01309990.	--	1973-87	11- 7-86 3-11-87 7- 7-87	0 0 0
01309980	Bellmore Creek tributary at North Wantagh, N.Y.	Lat 40°41'20", long 73°30'37", Nassau County, at culvert on Beltagh Avenue, at North Wantagh, and 0.6 mi upstream from gaging station 01309990.	--	1973-87	11- 7-86 3-11-87 7- 7-87	0 .23 0
01310100	Newbridge Creek at Merrick, N.Y.	Lat 40°39'42", long 73°32'02", Nassau County, downstream from bridge on Merrick Road in Merrick.	--	1963-87	3-16-87 8-18-87	.27 .16

Discharge measurements made at low-flow partial-record stations during water year 1987--Continued

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Date	Measurements
						Discharge (ft ³ /s)
Streams on Long Island						
01310200	Cedar Swamp Creek at Merrick, N.Y.	Lat 40°39'39", long 73°32'24", Nassau County, at bridge on State Highway 27A, in Merrick, 2.5 mi east of Freeport.	--	1953-62 1965-87	3-16-87 8-18-87	5.7 2.9
01310470	East Meadow Brook near Westbury, N.Y.	Lat 40°44'01", long 73°35'06", Nassau County, 50 ft downstream from culvert on Meadowbrook State Parkway, 1.0 mi south of Westbury, and 4.8 mi upstream from gage at Freeport.	--	1973-87	3- 6-87 8- 5-87	.91 .40
01310475	East Meadow Brook at Uniondale, N.Y.	Lat 40°43'17", long 73°35'00", Nassau County, at bridge on Hempstead Turnpike, 0.9 mi northeast of Uniondale, and 3.9 mi upstream from gage at Freeport.	--	1973-87	11-10-86 3- 6-87 8- 5-87	.38 .74 .55
01310488	East Meadow Brook at East Meadow, N.Y.	Lat 40°41'56", long 73°34'37", Nassau County, 300 ft west of Luddington Road, 1.4 mi southwest of East Meadow, and 2.3 mi upstream from gage at Freeport.	--	1973-87	11-10-86 3- 6-87 8- 5-87	0 1.1 0
01310600	Milburn Creek at Baldwin, N.Y.	Lat 40°39'04", long 73°36'13", Nassau County, 50 ft downstream from bridge on State Highway 27A, 0.5 mi east of Baldwin.	--	1953-87	4-22-87	2.8
01310700	Parsonage Creek at Baldwin, N.Y.	Lat 40°38'48", long 73°36'59", Nassau County, 20 ft downstream from bridge on Foxhurst Road, at Baldwin.	--	1953-69 1971-81 1983-84 1986-87	4-22-87	2.9
01310800	South Pond Outlet at Rockville Centre, N.Y.	Lat 40°40'00", long 73°39'08", Nassau County, at bridge on Lakeview Ave., 0.75 mi north of Rockville Centre.	--	1953-87	3- 6-87	.75
01311200	Motts Creek at Valley Stream, N.Y.	Lat 40°39'01", long 73°42'45", Nassau County, 50 ft downstream from bridge on Rosedale Road, 1 mile southwest of Valley Stream.	--	1954-87	11- 4-86 3-12-87	0 0
01311700	Valley Stream, below West Branch, at Valley Stream, N.Y.	Lat 40°39'47", long 73°42'21", Nassau County, 200 ft downstream from West Branch, 500 ft downstream from bridge on West Valley Stream Blvd., at village park in Valley Stream, and 500 ft downstream from gaging station.	--	1953-87	11- 4-86 3-12-87	0 0

LONG ISLAND

AT BAY PARK, NY

LOCATION.--Lat 40°37'39", long 73°39'45", Nassau County, at Bay Park Sewage Treatment Plant on roof of Nassau County Department of Health Air Quality Station, Bay Park.

PERIOD OF RECORD.--October 1978 to September 1982, January 1986 to September 1987 (monthly composite).
January 1986 to September 1987 (monthly dustfall).

EQUIPMENT.--The wetfall and dustfall sample collector is an N-Con Atmospheric Deposition Sampler* wet/dry precipitation collector. An automatic sensor detects occurrences of precipitation, activating a motor which removes a cover from the wetfall collection vessel and covers the dustfall collection vessel. When precipitation ceases the cycle is reversed. The sampling vessels are polyethylene and have a collection diameter of 12 in. and a capacity of 3.5 gals. The opening of the collector is approximately 15 ft above ground level.

REMARKS.--Inches of precipitation is that recorded by the U.S. Geological Survey for the period of sampling.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

MONTHLY COMPOSITE

DATE	PRECIPITATION INCHES	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)
OCT 07-							
NOV 03	.9	20	4.44	0.91	0.34	0.67	0.16
NOV 03-							
DEC 01	5.9	25	4.27	0.21	0.17	0.82	0.20
DEC 01 1986-							
JAN 07 1987	6.2	25	4.24	0.17	0.17	0.96	0.28
JAN 07-							
FEB 03	2.8	36	3.90	13	5.0	17	0.51
FEB 03-							
MAR 05	1.3	28	4.52	0.99	0.44	0.94	0.09
MAR 05-							
APR 01	2.6	22	5.89	1.1	0.50	1.5	0.10
APR 01-							
MAY 06	5.3	--	4.26	0.46	0.20	0.89	0.02
MAY 06-							
JUN 03	1.1	--	3.44	2.3	0.76	1.2	0.50
JUN 03-							
JUL 07	4.3	43	3.80	31	12	16	1.8
JUL 07-							
AUG 05	4.0	94	4.10	0.34	0.12	0.40	0.37
AUG							
05-26	.9	77	3.83	8.7	4.6	10	0.86
AUG 26-							
OCT 07	5.6	44	4.68	0.37	0.17	0.65	0.10

DATE	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	NITRO- GEN, DIS- AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)
OCT 07-						
NOV 03	4.1	1.0	0.02	0.183	0.450	<0.010
NOV 03-						
DEC 01	2.5	1.5	<0.01	0.084	0.290	<0.010
DEC 01 1986-						
JAN 07 1987	2.6	1.8	<0.01	0.050	0.200	<0.010
JAN 07-						
FEB 03	43	23	0.20	1.50	--	0.020
FEB 03-						
MAR 05	3.3	1.5	0.03	0.168	0.760	<0.010
MAR 05-						
APR 01	2.9	2.2	0.03	0.094	0.390	<0.010
APR 01-						
MAY 06	3.6	1.6	<0.10	0.185	--	<0.010
MAY 06-						
JUN 03	24	2.9	0.10	3.60	--	0.020
JUN 03-						
JUL 07	--	--	--	1.60	--	0.010
JUL 07-						
AUG 05	9.2	0.91	0.07	0.895	1.30	<0.010
AUG						
05-26	34	6.0	0.26	3.10	5.10	<0.010
AUG 26-						
OCT 07	3.9	1.1	0.03	0.350	0.560	<0.010

* The use of the brand name in this report is for identification purposes only and does not imply endorsement by the U.S. Geological Survey.

CHEMICAL QUALITY OF PRECIPITATION

81

LONG ISLAND

AT EAST MEADOW, NY

LOCATION.--Lat 40°44'36", long 73°35'10", Nassau County, at the New York State Department of Environmental Conservation Air Quality Station on roof of trailer at Merrick Avenue, Eisenhower Park, East Meadow.

PERIOD OF RECORD.--Water years: August 1976 to September 1982, January 1986 to September 1987 (monthly composite).

EQUIPMENT.--The sample collector is a straight-sided polyethylene funnel, approximately 6.0 in. in diameter, which drains into a 2-liter Teflon* receiving bottle. The receiving bottle is enclosed in an insulated box which is heated during the cold weather season to aid in full collection of snow. The opening for the collector is approximately 12 ft above ground level.

REMARKS.--Inches of precipitation is that recorded by the U.S. Geological Survey for the period of sampling.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	PRECIPITATION INCHES	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	CALCIUM DIS-SOLVED (MG/L AS CA)	MAGNESIUM, DIS-SOLVED (MG/L AS MG)	SODIUM, DIS-SOLVED (MG/L AS NA)	POTASSIUM, DIS-SOLVED (MG/L AS K)
OCT 07- NOV 03	3.0	52	6.07	1.8	0.78	0.84	0.39
NOV 03- DEC 01	6.7	40	4.95	0.59	0.35	1.1	0.68
DEC 01 1986- JAN 07 1987	5.4	22	5.21	0.61	0.40	1.1	0.05
JAN 07- FEB 02	2.5	53	5.20	1.7	0.79	4.2	0.16
FEB 02- MAR 05	5.2	116	6.74	3.1	1.2	15	0.27
MAR 05- APR 01	2.9	31	6.24	1.8	0.72	1.6	0.13
APR 01- 01-30	4.2	28	5.21	1.2	0.54	1.4	0.60
APR 30- JUN 03	1.9	66	4.75	2.9	1.2	0.84	0.40
JUN 03- JUL 07	5.8	43	6.38	1.6	0.76	0.40	0.52
JUL 07- AUG 05	3.8	50	6.78	1.5	0.65	0.39	0.67
AUG 05- 05-31	3.3	36	5.16	2.1	0.83	0.40	0.07
AUG 31- OCT 06	4.7	30	7.38	1.2	0.61	1.0	0.23

DATE	SULFATE DIS-SOLVED (MG/L AS SO4)	CHLORIDE, DIS-SOLVED (MG/L AS CL)	FLUORIDE, DIS-SOLVED (MG/L AS F)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, NITRATE DIS-SOLVED (MG/L AS N)	PHOSPHORUS, ORTHO, DIS-SOLVED (MG/L AS P)
OCT 07- NOV 03	7.7	2.0	0.09	2.90	1.60	0.010
NOV 03- DEC 01	3.2	2.3	0.02	0.463	0.430	0.020
DEC 01 1986- JAN 07 1987	2.9	2.0	0.03	0.463	0.360	<0.010
JAN 07- FEB 02	6.9	6.9	0.08	0.850	0.810	<0.010
FEB 02- MAR 05	8.3	33	0.10	1.50	--	0.030
MAR 05- APR 01	3.7	2.1	0.06	0.404	0.720	<0.010
APR 01- 01-30	4.1	2.8	0.04	0.595	0.590	0.040
APR 30- JUN 03	13	1.6	0.14	3.50	2.80	<0.010
JUN 03- JUL 07	6.5	0.89	0.08	1.50	1.40	0.100
JUL 07- AUG 05	8.4	1.0	0.08	2.70	1.60	0.200
AUG 05- 05-31	6.9	0.84	0.08	1.40	1.30	<0.010
AUG 31- OCT 06	4.8	1.9	0.06	0.009	0.950	0.040

* The use of the brand name in this report is for identification purposes only and does not imply endorsement by the U.S. Geological Survey.

LONG ISLAND

AT MONTAUK, NY

LOCATION.--Lat 41°02'43", long 71°55'44", Suffolk County, at Suffolk County Water Authority pumping station, Montauk.

PERIOD OF RECORD.--November 1985 to September 1987 (monthly composite).
January 1986 to September 1987 (monthly dustfall).

EQUIPMENT.--The wetfall and dustfall sample collector is an Aerochem Metrics Model 101* wet/dry precipitation collector. An automatic sensor detects occurrences of precipitation, activating a motor which removes a cover from the wetfall collection vessel and covers the dustfall collection vessel. When precipitation ceases the cycle is reversed. The sampling vessels are polyethylene and have a collection diameter of 12 in. and a capacity of 3.5 gals. The opening of the collector is approximately 3 ft above ground level.

REMARKS.--Inches of precipitation is that recorded by Brookhaven National Laboratory for the period of sampling.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

MONTHLY COMPOSITE

DATE	PRECIPITATION INCHES	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	CALCIUM DISSOLVED (MG/L AS CA)	MAGNESIUM, DISSOLVED (MG/L AS MG)	SODIUM, DISSOLVED (MG/L AS NA)	POTASSIUM, DISSOLVED (MG/L AS K)
OCT 04-							
NOV 11	3.5	19	4.46	0.09	0.12	1.2	0.11
NOV 11-							
DEC 02	5.4	53	4.44	0.30	0.71	6.6	2.1
DEC							
02-30	6.6	33	4.59	0.17	0.48	4.2	0.23
DEC 30 1986-							
FEB 02 1987	6.8	29	4.28	0.14	0.31	2.5	0.18
FEB 02-							
MAR 03	3.1	21	4.70	0.12	0.26	2.0	0.11
MAR 03-							
APR 02	3.9	22	4.54	0.16	0.19	1.7	0.11
APR							
02-30	5.1	28	4.53	0.17	0.23	2.2	0.21
APR 30-							
JUN 10	2.3	54	3.94	0.21	0.13	1.0	0.13
JUN 10-							
JUL 01	.7	42	3.73	0.34	0.14	0.78	0.12
JUL 01-							
AUG 07	2.3	35	4.50	0.06	0.66	0.53	0.95
AUG 07-							
SEP 02	4.6	24	4.49	0.09	0.07	0.58	0.07
SEP 02-							
OCT 09	6.8	26	4.92	0.21	0.17	1.3	0.14

DATE	SULFATE DISSOLVED (MG/L AS SO4)	CHLORIDE, DISSOLVED (MG/L AS CL)	FLUORIDE, DISSOLVED (MG/L AS F)	NITROGEN, AMMONIA TOTAL (MG/L AS N)	NITROGEN, NITRATE DISSOLVED (MG/L AS N)	PHOSPHORUS, ORTHO, DISSOLVED (MG/L AS P)
OCT 04-						
NOV 11	1.4	2.2	<0.01	0.117	0.170	<0.010
NOV 11-						
DEC 02	2.5	13	0.02	0.099	0.160	0.030
DEC						
02-30	1.5	7.4	0.03	0.033	0.090	<0.010
DEC 30 1986-						
FEB 02 1987	1.6	4.8	0.02	0.065	0.160	<0.010
FEB 02-						
MAR 03	1	3.4	0.01	0.057	0.180	<0.010
MAR 03-						
APR 02	1.2	2.8	0.01	0.074	0.180	<0.010
APR						
02-30	1.7	4.0	0.02	0.017	0.120	<0.010
APR 30-						
JUN 10	9.7	1.8	0.05	0.550	0.740	<0.010
JUN 10-						
JUL 01	3.2	1.2	0.05	0.650	0.710	<0.010
JUL 01-						
AUG 07	2.9	1.3	0.07	0.229	0.420	0.040
AUG 07-						
SEP 02	5.0	1.0	0.03	0.428	0.470	<0.010
SEP 02-						
OCT 09	1.9	2.3	0.02	0.120	0.260	<0.010

* The use of the brand name in this report is for identification purposes only and does not imply endorsement by the U.S. Geological Survey.

CHEMICAL QUALITY OF PRECIPITATION

83

LONG ISLAND

AT MONTAUK, NY--Continued

CHEMICAL ANALYSES, OCTOBER 1986 TO SEPTEMBER 1987

MONTHLY DUSTFALL

DATE	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)
OCT 04- NOV 11-	188	4.04	2.7	3.3	19	4.4	21	24	<0.10	1.70	--	<0.200
NOV 11- DEC 02	199	4.21	4.4	3.3	19	3.5	21	32	<0.10	2.40	--	0.080
DEC 02-30	218	4.55	4.2	3.7	28	1.3	19	44	<0.10	1.70	--	<0.010
DEC 30 1986- FEB 02 1987	216	4.02	4.0	5.0	25	1.5	15	40	0.10	0.575	--	<0.010
FEB 02- MAR 03	79	5.13	3.0	1.4	8.8	0.62	8.0	12	0.12	0.375	2.50	<0.010
MAR 03- APR 02	152	4.27	3.6	2.4	19	0.89	--	--	0.10	0.305	--	0.010
APR 02-30	223	6.12	5.5	3.9	23	1.8	34	36	<0.10	2.80	--	0.010
APR 30- JUN 10	229	4.57	9.8	4.2	19	27	60	14	0.10	3.60	--	0.320
JUN 10- JUL 01	676	8.25	3.6	2.0	0.81	19	40	13	0.10	1.60	--	9.20

GROUND-WATER LEVELS

KINGS COUNTY

403937073542901. Local number, K 1265.1

LOCATION.--Lat 40°39'39", long 73°54'29", Hydrologic Unit 02030202, at Thatford and Riverdale Avenues, East New York, Brooklyn. Owner: City of New York.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven well, diameter 1.5 in, depth 44 ft, screened 42 to 43 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 23.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling 0.01 ft above land-surface datum.

PERIOD OF RECORD.--April 1933 to current year. Unpublished records for 1933-35, 1941-78 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.99 ft NGVD, Sept. 23, 1980; lowest measured, -11.55 ft NGVD, Aug. 22, 1942.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN 8	6.59	MAR 10	7.85	AUG 4	7.99	SEP 10	7.94				

* * * * *

NASSAU COUNTY

404048073412602. Local number, N 9.1

LOCATION.--Lat 40°40'48", long 73°41'26", Hydrologic Unit 02030202, at Corona Avenue and Remsen Street, Valley Stream. Owner: Long Island State Park Commission.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled unused well, diameter 8 in to 4 in, depth 138 ft, screened 98 to 138 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 22.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.0 ft above land-surface datum.

PERIOD OF RECORD.--July 1936 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 23.57 ft NGVD, Sept. 23, 1938; lowest measured, 5.95 ft NGVD, Mar. 22, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 22	10.59	APR 2	13.13	JUL 30	11.34	AUG 31	10.73				

NASSAU COUNTY--Continued

403929073382901. Local number; N 53.1

LOCATION.--Lat 40°39'29", long 73°38'29", Hydrologic Unit 02030202, at Maple and Morris Avenues, Rockville Centre.

Owner: Village of Rockville Centre.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 8 in, depth 50 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 26.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 5.24 ft below land-surface datum.

PERIOD OF RECORD.--August 1934 to current year. Unpublished records from August 1934 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.49 ft NGVD, Apr. 15, 1939; lowest measured, 7.85 ft NGVD, Aug. 30, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	7.96	JAN 5	9.78	FEB 19	10.56	APR 29	11.23	JUN 26	10.46	AUG 31	9.51
NOV 20	8.13	22	10.24	APR 1	10.66	MAY 18	11.05	JUL 28	10.14	SEP 29	9.29



GROUND-WATER LEVELS

NASSAU COUNTY--Continued

404931073382101. Local number, N 110.1

LOCATION.--Lat 40°49'31", long 73°38'21", Hydrologic Unit 02030201, at Scudders Lane and Motts Cove Road, Glenwood Landing. Owner: Jericho Water District.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 16 in, reported depth 519 ft, measured depth 324 ft, screened 445 to 515 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 56.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4 inch nipple, 0.44 ft above land-surface datum.


REMARKS.--Water level affected by pumping of nearby well.

PERIOD OF RECORD.--January 1946 to current year. Unpublished records for 1946-48, 1952, 1955, 1961, 1965, 1970-75, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.99 ft NGVD, Dec. 15, 1970; lowest measured, -9.05 ft NGVD, May 22, 1957.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 31	17.20	DEC 31	19.15	FEB 28	18.71	APR 30	18.73	JUL 31	11.89	SEP 30	16.65
NOV 30	18.54	JAN 31	19.32	MAR 31	19.21	MAY 31	15.24	AUG 31	13.24		



NASSAU COUNTY--Continued

404030073293703. Local number, N 180.2

LOCATION. --Lat 40°40'30", long 73°29'37", Hydrologic Unit 02030202, at Sunrise Highway and Seamans Neck Road, Seaford. Owner: Nassau County Department of Public Works.

AQUIFER. --Magothy (confined).

WELL CHARACTERISTICS. --Drilled unused well, diameter 4 in to 6 in, depth 723 ft, screen assumed at bottom.

INSTRUMENTATION. --Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 15 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 14.67 ft above land-surface datum.

PERIOD OF RECORD. --October 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 21.08 ft NGVD, June 6, 1952; lowest measured, 10.63 ft NGVD, July, 1, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
DEC 15	14.84	MAR 16	16.17	JUL 24	11.02	AUG 18	11.42	SEP 29	13.77		

404609073421602. Local number, N 1102.2

LOCATION. --Lat 40°46'09", long 73°42'16", Hydrologic Unit 02030201, at Long Island Expressway and Community Drive, Lake Success. Owner: Nassau County Department of Public Works.

AQUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in, depth 166 ft, screened 161 to 166 ft.

INSTRUMENTATION. --Measurement with chalked tape by USGS and County personnel.

DATUM. --Land-surface datum is 184 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.32 ft below land-surface datum.

REMARKS. --Replaced well N 1102.1 in March 1963 at same location, which has a period of record from October 1937 to March 1963.

PERIOD OF RECORD. --March 1963 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 47.02 ft NGVD, Apr. 24, 1963; lowest measured, 28.90 ft NGVD, Jan. 19, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUL 30	35.85	AUG 25	35.94	SEP 21	36.20						

404039073420001. Local number, N 1110.1

LOCATION. --Lat 40°40'40", long 73°42'01", Hydrologic Unit 02030202, at Henry Street, near Southern State Parkway, North Valley Stream. Owner: Nassau County Department of Public Works.

AQUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in, depth 27 ft, screen assumed at bottom.

INSTRUMENTATION. --Measurement with chalked tape by USGS and County personnel.

DATUM. --Land-surface datum is 31 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.80 ft below land-surface datum.

PERIOD OF RECORD. --October 1936 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 21.81 ft NGVD, Sept. 28, 1938; lowest measured, 5.78 ft NGVD, Sept. 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 22	8.92	APR 2	12.16	JUL 30	9.51	AUG 31	9.01				

GROUND-WATER LEVELS
NASSAU COUNTY--Continued

404125073394802. Local number, N 1129.2

LOCATION.--Lat 40°41'25", long 73°39'48", Hydrologic Unit 02030202, at Hawthorne Street and Euclid Avenue, West Hempstead. Owner: Nassau County Department of Public Works.

AQUIFER--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 44 ft, screened 41 to 44 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 51 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.46 ft below land-surface datum.


REMARKS.--Replaced well N 1129.1 in October 1966 at same location, which has a period of record from August 1937 to October 1966 (unpublished). Well also sampled for water quality.

PERIOD OF RECORD.--October 1966 to current year. Unpublished records from October 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 29.46 ft NGVD, July 23, 1984; lowest measured, 21.49 ft NGVD, Oct. 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	21.84	DEC 23	22.37	MAR 26	23.68	MAY 26	24.50	JUN 24	24.23	AUG 25	24.60
29	21.49	FEB 2	23.33	APR 30	24.59	29	24.48	JUL 29	24.16	SEP 28	23.39
NOV 26	21.72	26	23.49								



NASSAU COUNTY--Continued

405027073272602. Local number, N 1243.5

LOCATION.--Lat 40°50'26", long 73°27'20", Hydrologic Unit 02030201, at Stillwell and Harbor Roads, Cold Spring.

Owner: Nassau County Department of Public Works.

AQUIFER --Magothy (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 28 ft, screened 25 to 28 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 64 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.92 ft below land-surface datum.


REMARKS.--Replaced well N 1243.4 in September 1975 at same location, records from November 1939 to September 1975 (unpublished) and are available in files of Long Islnd Sub-district office.

PERIOD OF RECORD.--September 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.70 ft NGVD, Mar. 21, 1978; lowest measured, 53.34 ft NGVD, Aug. 25, 1987.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	53.90	DEC 23	54.59	FEB 26	53.91	APR 30	54.55	JUN 24	53.77	AUG 25	53.34
NOV 29	53.70	JAN 30	54.33	MAR 26	54.03	MAY 26	54.09	JUL 29	53.53	SEP 30	53.60
NOV 26	54.55										



GROUND-WATER LEVELS

NASSAU COUNTY--Continued

404317073291105. Local number, N 1259.5

LOCATION.--Lat 40°43'16", long 73°29'10", Hydrologic Unit 02030202, at Hicksville Road and Mary Lane, Plainedge.

Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 41 ft, screened 38 to 41 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 78.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.32 ft below land-surface datum.


REMARKS.--Replaced well N 1259.4 in June 1961 at same location, records from January 1909 to June 1961 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--June 1961 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.60 ft NGVD, Feb. 21, 1978; lowest measured, 44.63 ft NGVD, Nov. 3, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	45.08	DEC 16	45.61	FEB 26	47.39	MAY 20	48.26	JUN 24	47.50	AUG 18	46.47
29	44.77	23	45.69	MAR 19	47.50	20	48.28	JUL 22	46.98	25	46.23
NOV 3	44.63	JAN 12	46.53	27	47.48	26	48.20	28	46.86	SEP 16	46.29
25	44.89	FEB 3	47.07	APR 16	48.08	JUN 23	47.48	29	46.90	30	45.98
26	44.96	18	47.27	30	48.41						



NASSAU COUNTY--Continued

404302073295705. Local number, N 1263.4

LOCATION.--Lat 40°43'02", long 73°29'58", Hydrologic Unit 02030202, at Wantagh Avenue and Miller Place, Levittown.

Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 35 ft, screened 32 to 35 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 67 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.41 ft below land-surface datum.


REMARKS.--Replaced well N 1263.3 in December 1952 at same location, unpublished records from June 1936 to December 1952 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--December 1952 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.74 ft NGVD, Mar. 21, 1978; lowest measured, 43.22 ft NGVD, Nov. 3, 1986

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	43.67	DEC 16	44.33	FEB 26	45.93	MAY 20	46.79	JUN 24	45.83	AUG 18	44.74
29	43.45	23	44.66	MAR 19	46.03	20	46.78	JUL 22	45.29	25	44.44
NOV 3	43.22	JAN 12	45.54	27	45.99	26	46.63	28	45.36	SEP 16	44.85
25	43.60	FEB 3	45.88	APR 16	46.83	JUN 23	45.81	29	45.30	30	44.23
26	43.70	18	45.85	30	47.34						



GROUND-WATER LEVELS
NASSAU COUNTY--Continued

404446073392904. Local number, N 1614.4

LOCATION.--Lat 40°44'46", long 73°39'29", Hydrologic Unit 02030202, at Herricks Road and Sally Place, Mineola.

Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 1.25 in, depth 53 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 100.1 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.26 ft below land-surface datum.


REMARKS.--Replaced well N 1614.3 in April 1966 at same location, unpublished records from December 1933 to September 1975 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--April 1966 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.78 ft NGVD, July 23, 1984; lowest measured, 48.42 ft NGVD, Dec. 21, 1970.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	52.09	DEC 23	51.96	FEB 26	53.39	APR 30	54.57	JUN 24	54.13	AUG 25	54.01
29	51.63	FEB 2	53.12	MAR 27	53.66	MAY 26	54.74	JUL 29	54.26	SEP 30	53.35
NOV 26	51.38										



NASSAU COUNTY--Continued

404210073340703. Local number, N 1615.3

LOCATION.--Lat 40°42'09", long 73°34'06", Hydrologic Unit 02030202, at Merrick and Van Buren Avenues, East Meadow. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 1.25 in, depth 33 ft, screened 30 to 33 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 61.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.13 ft below land-surface datum.


REMARKS.--Replaced well N 1615.1 in August 1966 at same location, which has a period of record from March 1913 to August 1966 (unpublished).

PERIOD OF RECORD.--August 1966 to current year. Unpublished records from August 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 45.27 ft NGVD, Mar. 19, 1979; lowest measured, 37.10 ft NGVD, Oct. 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	37.30	DEC 23	38.55	MAR 27	39.70	MAY 26	40.18	JUL 28	39.34	AUG 25	38.72
29	37.10	FEB 3	39.52	APR 30	40.33	JUN 24	39.65	29	39.30	SEP 30	38.04
NOV 26	37.48	26	39.83								



GROUND-WATER LEVELS
NASSAU COUNTY--Continued

404554073351502. Local number, N 1616.2

LOCATION.--Lat 40°45'54", long 73°35'15", Hydrologic Unit 02030202, at Post Avenue and Argyle Road, Westbury.

Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 2 in, depth 68 ft, screened 65 to 68 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 122.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.42 ft below land-surface datum.


REMARKS.--Replaced well N 1616.1 in October 1965 at same location, it was previously screened in Upper Glacial Aquifer, which has a period of record from March 1913 to October 1965.

PERIOD OF RECORD.--October 1965 to current year. Unpublished record from October 1965 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 82.14 ft NGVD, June 20, 1980; lowest measured, 68.28 ft NGVD, Feb. 28, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	72.43	DEC 23	71.96	MAR 27	72.69	MAY 26	73.58	JUL 28	72.95	AUG 25	72.48
29	72.13	FEB 2	72.34	APR 30	73.41	JUN 24	73.28	29	72.93	SEP 30	72.06
NOV 26	71.96	26	72.45	MAY 19	73.54						



405101073343401. Local number, N 2528.2

LOCATION.--Lat 40°50'01", long 73°34'32", Hydrologic Unit 02030201, at Chicken Valley and Wolver Hollow Roads,

Upper Brookville. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in to 4 in, depth 328 ft, slotted 278 to 282 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 93.1 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of nipple, 0.76 ft above land-surface datum.

PERIOD OF RECORD.--December 1947 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 79.92 ft NGVD, July 25, 1957; lowest measured, 59.12 ft NGVD, Feb. 24, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 2	66.43	MAR 11	66.87	SEP 21	66.87						

GROUND-WATER LEVELS
NASSAU COUNTY--Continued

403751073440201. Local number, N 3861.1

LOCATION.--Lat 40°37'51", long 73°44'01", Hydrologic Unit 02030202, at Water Pollution Control Plant, Arlington Place, Cedarhurst. Owner: U. S. Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 530 ft, screened 519 to 530 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 7.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.37 ft above land-surface datum.

PERIOD OF RECORD.--April 1952 to current year. Unpublished records from April 1952 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, -2.88 ft NGVD, May 1, 1980; lowest measured, -7.57 ft NGVD, Aug. 7, 1955.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	-5.18	JAN 5	-3.87	FEB 19	-3.98	APR 29	-3.19	JUN 26	-4.87	AUG 31	-5.04
NOV 20	-4.35	FEB 2	-3.57	APR 1	-3.77	MAY 18	-4.29	JUL 28	-5.29	SEP 29	-4.88



NASSAU COUNTY--Continued

403911073432701. Local number, N 3867.2

LOCATION.--lat 40°39'12", long 73°43'20", Hydrologic Unit 02030202, at Brook Road Park, at the end of Brook Road, Green Acres. Owner: U.S. Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 517 ft, screened 505 to 517 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 7.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.54 ft above land-surface datum.


REMARKS.--Water level affected by pumping of nearby well. Well also sampled for water quality.

PERIOD OF RECORD.--December 1952 to current year. Unpublished records from December 1952 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.99 ft NGVD, Jan. 28, 1953; lowest measured, -2.61 ft NGVD, July 19, 1977.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	0.10	JAN 5	2.97	FEB 19	2.97	APR 29	4.03	JUN 26	0.48	AUG 31	0.83
NOV 20	1.56	FEB 2	3.02	APR 1	3.31	MAY 18	2.37	JUL 28	0.24	SEP 29	0.65



NASSAU COUNTY--Continued

403517073430702. Local number, N 6702.1

LOCATION.--Lat 40°35'17", long 73°43'06", Hydrologic Unit 02030202, at Richard and Park Streets, Atlantic Beach.

Owner: U.S. Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 677 ft, screened 666 to 677 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 11.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 1.04 ft above land-surface datum.

REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--August 1959 to current year. Unpublished records from August 1959 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, -2.50 ft NGVD, Apr. 13, 1961; lowest measured, -6.58 ft NGVD, Nov. 30, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	-5.53	JAN 5	-4.78	FEB 19	-5.29	APR 29	-4.30	JUN 26	-5.36	AUG 31	-5.61
NOV 20	-4.79	FEB 2	-4.31	APR 1	-4.89	MAY 18	-5.01	JUL 28	-5.68	SEP 29	-5.24

403713073415902. Local number, N 6707.1

LOCATION.--Lat 40°37'12", long 73°41'59", Hydrologic Unit 02030202, at end of Woodmere Boulevard, at the town

dock, Woodsburgh. Owner: U.S. Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 503 ft, screened 493 to 503 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring Point: Top of coupling, 2.08 ft above land-surface datum.

REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--October 1959 to current year. Unpublished records from October 1959 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.52 ft NGVD, Mar. 13, 1961; lowest measured, -1.33 ft NGVD, July 19, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	0.65	JAN 5	2.36	FEB 19	1.90	APR 29	2.88	JUN 26	0.92	AUG 31	0.98
NOV 20	1.59	FEB 2	2.63	APR 1	3.03	MAY 18	2.01	JUL 28	0.82	SEP 29	1.33

403533073353202. Local number, N 6850.2

LOCATION.--Lat 40°35'33", long 73°35'32", Hydrologic Unit 02030202, at Lido Boulevard, 0.3 mi west of Loop

Parkway, Lido Beach. Owner: U.S. Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 913 ft, screened 898 to 909 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 6.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 2.58 ft above land-surface datum.

REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--June 1960 to current year. Unpublished records from June 1960 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.00 ft NGVD, Apr. 13, 1961; lowest measured, 2.69 ft NGVD, Oct. 27, 1980.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	4.15	JAN 5	4.86	FEB 19	4.69	APR 29	5.50	JUN 26	4.62	AUG 31	3.89
NOV 20	5.06	FEB 2	5.42	APR 1	4.99	MAY 18	4.85	JUL 28	4.11	SEP 29	4.30

GROUND-WATER LEVELS

NASSAU COUNTY--Continued

405432073345001. Local number, N 7152.1

LOCATION.--Lat 40°54'33", Long 73°34'46", Hydrologic Unit 02030201, at Oak Neck Beach, Bayville. Owner: U.S. Geological Survey.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 370 ft, screened 360 to 370 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 14.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of nipple, 3.63 ft above land-surface datum.

REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--September 1961 to current year. Unpublished records from September 1961 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.74 ft NGVD, Feb. 5, 1962; lowest measured, -5.50 ft NGVD, Jun. 27, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 27	12.54	DEC 16	13.33	FEB 25	10.95	APR 27	13.85	JUN 30	9.66	AUG 20	7.85
NOV 30	12.95	JAN 28	12.22	APR 1	13.90	MAY 28	12.46	JUL 22	8.65	SEP 21	9.71
NOV 20	10.99										

403856073392603. Local number, N7161.2

LOCATION.--Lat 40°38'56", Long 73°39'26", Hydrologic Unit 02030202, at Village Dump, at end of Riverside Road, Rockville Centre. Owner: Village of Rockville Centre.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 666 ft, screened 661 to 665 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of recorder shelf, 2.78 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--October 1961 to current year. Unpublished records from October 1961 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 8.03 ft NGVD, Mar. 13, 1962; lowest measured, -2.81 ft NGVD, July 13, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	1.65	JAN 5	3.78	FEB 19	4.06	APR 29	5.12	JUN 26	1.23	AUG 31	2.40
NOV 20	3.06	22	4.93	APR 1	4.38	MAY 18	2.68	JUL 28	0.99	SEP 29	2.78



GROUND-WATER LEVELS

101

NASSAU COUNTY--Continued

404237073433701. Local number, N 7493.1

LOCATION.--Lat 40°42'36", long 73°43'35", Hydrologic Unit 02030202, at Hempstead Turnpike and Cross Island Parkway, Elmont. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 353 ft, screened 349 to 353 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 75.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 2.59 ft above land-surface datum.

PERIOD OF RECORD.--April 1964 to current year. Unpublished records from April 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 20.33 ft NGVD, Apr. 30, 1964; lowest measured, 3.52 ft NGVD, Aug. 8, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 22	12.05	DEC 16	12.47	MAR 26	14.29	MAY 26	15.17	JUL 22	15.36	AUG 31	15.52
NOV 20	12.12	JAN 29	13.27	APR 30	14.91	JUN 26	15.30				



403805073395304. Local number, N 7676.1

LOCATION.--Lat 40°38'05", long 73°39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 4 in, depth 10 ft, screened 7 to 10 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 5.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 3.83 ft above land-surface datum.

REMARKS.--Water level affected by pumping of nearby well.

PERIOD OF RECORD.--February 1966 to current year. Unpublished records from February 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.56 ft NGVD, Jan. 25, 1979; lowest measured, Dry many days in July of 1986 due to dewatering.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 7	-3.66	DEC 1	-2.07	MAR 18	0.09						

GROUND-WATER LEVELS

NASSAU COUNTY--Continued

404947073450301. Local number, N 8046.1

LOCATION.--Lat 40°49'47", long 73°45'03", Hydrologic Unit 02030201, at Pond and Kings Point Roads, Kings Point.

Owner: Nassau County Department of Public Works.

AQUIFER.--Port Washington (confined). Previously reported as Jameco Aquifer.

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 189 ft, screened 184 to 189 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 9.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.36 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--May 1966 to current year. Unpublished records from May 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.60 ft NGVD, Feb. 6, 1978; lowest measured, -1.20 ft NGVD, July 19, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 30	3.79	DEC 16	3.88	FEB 25	4.07	APR 27	4.76	JUN 30	4.05	AUG 20	3.80
NOV 20	4.25	JAN 28	4.75	APR 1	4.33	MAY 28	3.93	JUL 22	4.05	SEP 21	4.49



NASSAU COUNTY--Continued

404935073370002. Local number, N 8269.2

Location.--Lat 40°45'35", long 73°37'00", Hydrologic Unit 02030202, at Hillside Avenue and Bacon Road, Old Westbury. Owner: Nassau County Department of Public Works.

AQUIFER--Magothy (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 4 in, depth 86 ft, screened 81 to 86 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land surface datum is 111.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.15 ft below land-surface datum.


REMARKS.--Prior to April 1967, well was screened in Upper Glacial Aquifer. Well N 1258.1 was replaced by well N 8269.1 in April 1967, which was replaced by well N 8269.2 in June 1976.

PERIOD OF RECORD.--June 1976 to current year. Unpublished records from June 1936 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 74.18 ft NGVD, May 21, 1980; lowest measured, 64.46 ft NGVD Feb. 25, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	65.04	DEC 23	65.15	MAR 27	65.87	MAY 26	66.55	JUL 28	66.18	AUG 25	65.77
29	64.86	FEB 2	65.70	APR 30	66.56	JUN 24	66.30	29	66.17	SEP 30	65.43
NOV 26	64.86	26	65.68	MAY 19	66.62						



NASSAU COUNTY--Continued

404757073440401. Local number, N 9099.1

LOCATION.--Lat 40°47'57", long 73°44'04", Hydrologic Unit 02030201, at Middle Neck Road and Preston Road, Great Neck. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 71 ft, screened 66 to 71 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 60 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.37 ft below land-surface datum.


REMARKS.--Replaced well N 1479.1 in February 1976, which has a period of record from September 1944 to February 1976 unpublished and are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--February 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 24.45 ft NGVD, June 7, 1976; lowest measured, 14.90 ft above NGVD, Nov. 26, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	16.95	DEC 24	16.93	FEB 26	17.41	APR 30	18.01	JUN 24	18.68	AUG 25	18.78
29	17.08	FEB 2	17.20	MAR 26	17.63	MAY 26	18.38	JUL 29	18.90	SEP 21	18.67
NOV 26	16.98										



GROUND-WATER LEVELS
NASSAU COUNTY--Continued

404338073371502. Local number, N 10035.1

LOCATION.--Lat 40°43'38", long 73°37'15", Hydrologic Unit 02030202, at Clinton Road and Commercial Avenue, Garden City. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 56 ft, screened 48 to 53 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 77.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling 0.38 ft below land-surface datum.


REMARKS.--Replaced well N 1255.2 in October 1982, records from May 1913 to October 1982 are available in files of Long Island Sub-district office. Well also sampled for water quality.

PERIOD OF RECORD.--October 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.04 ft NGVD, Aug. 8, 1984; lowest measured, 47.14 ft NGVD, Oct. 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	48.32	DEC 23	48.63	MAR 27	49.77	MAY 21	50.61	JUL 28	49.68	AUG 25	49.14
29	47.14	FEB 2	49.55	APR 30	50.74	26	50.56	29	49.64	SEP 30	49.01
NOV 26	47.76	26	49.69	MAY 20	50.62	JUN 24	49.95				



QUEENS COUNTY

404451073475003. Local number, G 283.2

LOCATION. --Lat 40°44'51", long 73°47'50", Hydrologic Unit 02030201, at Underhill Avenue and 171st Street, Flushing. Owner: City of New York, Department of Water Supply, Gas and Electricity.

AQUIFER. --Lloyd (confined).

WELL CHARACTERISTICS. --Drilled unused well, diameter 26 in, depth 409 ft, screened 309 to 352, 367 to 409 ft.

INSTRUMENTATION. --Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 27.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel plate, 0.37 ft above land-surface datum.

PERIOD OF RECORD. --June 1946 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 4.79 ft NGVD, Mar. 5, 1987; lowest measured, -27.40 ft NGVD, Sept. 14, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	-1.23	OCT 29	2.61	DEC 17	3.90	MAR 5	4.79				

404418073434101. Local number, G 577.1

LOCATION. --Lat 40°44'18", long 73°43'41", Hydrologic Unit 02030201, at Creedmoor State Hospital, near the intersection of Hillside Avenue and Cross Island Parkway, Bellrose. Owner: State of New York.

AQUIFER. --Lloyd (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 12 in, depth 640 ft, screen assumed at bottom.

INSTRUMENTATION. --Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 113.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.05 ft above land-surface datum.


REMARKS. --Water level affected by pumping of nearby well.

PERIOD OF RECORD. --February 1946 to current year. Unpublished records from February 1946 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 9.65 ft NGVD, Mar. 13, 1959; lowest measured, -18.66 ft NGVD, Jul. 30, 1954.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 31	1.72	DEC 2	4.56	FEB 3	5.77	APR 30	3.93	JUN 30	2.17	AUG 31	-1.47
NOV 30	4.36	JAN 8	5.95	MAR 31	5.61	MAY 31	1.81	JUL 31	-2.47	SEP 30	0.29



TIME, IN WATER YEARS

QUEENS COUNTY--Continued

404451073475002. Local number, G 2346.1

LOCATION.--Lat 40°44'51", long 73°47'50", Hydrologic Unit 02030201, at Underhill Avenue and Fresh Meadow Lane, Flushing. Owner: New York City.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 17.0 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 29.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.98 ft above land-surface datum.

PERIOD OF RECORD.--August 1960 to current year. Unpublished records from August 1960 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.99 ft NGVD, Apr. 26, 1961; lowest measured, 13.18 ft NGVD, Feb. 25, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	15.33	DEC 17	15.02	FEB 26	16.56	APR 30	17.38	JUN 24	16.94	AUG 25	16.89
29	15.19	JAN 29	16.68	MAR 26	16.77	MAY 26	17.04	JUL 29	16.97	SEP 30	17.04
NOV 26	15.65										



QUEENS COUNTY--Continued

404112073500901. Local number, G 3160.1

LOCATION.--Lat 40°41'12", long 73°50'09", Hydrologic Unit 02030202, at 108th Street and 101st Avenue, Woodhaven.

Owner: New York City.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 65 ft, screened 60 to 65 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 45.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.22 ft below land-surface datum.


REMARKS.--Replaced well N 1254.1 in March 1984, 190 ft south of 101st Avenue, which had a period of record from 1940 to 1984. Well also sampled for water quality.

PERIOD OF RECORD.--Record began in March 1984.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.34 ft NGVD, Aug. 27, 1984; lowest measured, 6.08 ft NGVD, MAR. 2, 1984.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	7.34	NOV 26	7.52	MAR 26	9.07	MAY 26	9.22	JUL 29	9.06	SEP 30	8.90
29	7.39	DEC 17	7.71	APR 30	9.15	JUN 24	9.24	AUG 25	8.88		



SUFFOLK COUNTY

404213073201001. Local number, S 1803.4

LOCATION.--Lat 40°42'13", long 73°20'10", Hydrologic Unit 02030202, at Little East Neck Road and State Highway 109, Babylon. Owner: New York State Department of Transportation.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 19 ft, screened 16 to 19 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and Town of Babylon personnel.


DATUM.--Land-surface datum is 23.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.08 ft above land-surface datum.

PERIOD OF RECORD.--October 1912 to current year. Unpublished records from October 1912 to November 1914, August and September 1932, June 1936 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 19.87 ft NGVD, May 23, 1983; lowest measured, 13.06 ft NGVD, July 26, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	15.43	DEC 23	17.46	FEB 26	17.16	APR 30	17.89	JUN 24	16.18	AUG 25	15.53
29	15.70	JAN 30	17.58	MAR 27	16.97	MAY 26	16.91	JUL 29	15.83	SEP 30	15.67
NOV 26	16.34										



SUFFOLK COUNTY--Continued

404301073240901. Local number, S 1805.4

LOCATION.--Lat 40°43'01", long 73°24'09", Hydrologic Unit 02030202, at State Highway 109 and Albany Road, Maywood.

Owner: New York State Department of Transportation.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 2 in, depth 33 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS and Town of Babylon personnel.


DATUM.--Land-surface datum is 57.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.22 ft above land-surface datum.

PERIOD OF RECORD.--October 1912 to current year. Unpublished records from October 1912 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 46.47 ft NGVD, Aug. 27, 1984; lowest measured, 35.79 ft NGVD, Dec. 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	38.31	DEC 23	38.65	FEB 26	41.02	APR 30	42.19	JUN 24	41.25	AUG 25	39.95
29	37.84	JAN 30	39.62	MAR 27	41.11	MAY 26	42.66	JUL 29	40.60	SEP 30	39.35
NOV 26	38.02										



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

404442073240501. Local number, S 1806.3

LOCATION.--Lat 40°44'42", long 73°24'05", Hydrologic Unit 02030202, at Conklin Street & Wellwood Avenue, Pinelawn.
Owner: Suffolk County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 45 ft, screened 40 to 45 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and Town of Babylon personnel.


DATUM.--Land-surface datum is 86.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.49 ft below land-surface datum.

PERIOD OF RECORD.--October 1912 to current year. Unpublished records for October 1912 to November 1914, May to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.37 ft NGVD, June 20, 1984; lowest measured, 46.97 ft NGVD, Jan. 5, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	51.53	DEC 23	51.87	FEB 26	54.20	APR 30	55.26	JUN 24	54.15	AUG 25	52.77
29	51.22	JAN 30	53.68	MAR 27	54.00	MAY 26	54.80	JUL 29	53.37	SEP 30	52.27
NOV 26	51.72										



GROUND-WATER LEVELS

SUFFOLK COUNTY--Continued

404351073164901. Local number, S 1809.4

LOCATION.--Lat 40°43'51", long 73°16'49", Hydrologic Unit 02030202, at Manor Lane and Muncey Road, Bay Shore.

Owner: Town of Islip.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.2 in, depth 29 ft, screened 26 to 29 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 42.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.45 ft below land-surface datum.

PERIOD OF RECORD.--October 1912 to current year. Unpublished records for October 1912 to November 1914, and August 1932 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 35.77 ft NGVD, Apr. 26, 1979; lowest measured, 24.97 ft NGVD, Oct. 1, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	24.97	DEC 23	26.95	FEB 26	28.33	APR 30	29.51	JUN 24	27.88	AUG 25	26.33
29	25.07	JAN 30	28.45	MAR 27	28.45	MAY 26	28.88	JUL 29	27.00	SEP 30	25.88
NOV 26	25.47										



SUFFOLK COUNTY--Continued

404614073164401. Local number, S 1810.4

LOCATION.--Lat 40°46'14", long 73°16'44", Hydrologic Unit 02030202, at Gardiner and Pine Aire Drives, Pine Aire. Owner: U. S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered observation well, diameter 2 in, depth 55 ft, screened 52 to 55 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 91.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.35 ft below land-surface datum.

PERIOD OF RECORD.--October 1912 to November 1914, August 1932 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 56.28 ft NGVD, July 23, 1984; lowest measured, 43.30 ft NGVD, Feb. 27, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	47.94	DEC 23	48.25	FEB 26	49.56	APR 30	50.90	JUN 24	50.64	AUG 25	49.76
29	47.75	JAN 30	49.27	MAR 27	50.05	MAY 26	51.04	JUL 29	50.16	SEP 30	49.43
NOV 28	47.75										



404957073073401. Local number, S 1811.2

LOCATION.--Lat 40°49'57", long 73°07'34", Hydrologic Unit 02030202, at Shore Road, Lake Ronkonkoma. Owner: U. S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 21.5 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 58.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.77 ft below land-surface datum.

PERIOD OF RECORD.--April 1937 to current year. Unpublished records from April 1937 to September 1978 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured 59.21 ft NGVD, June 6, 1979, lowest measured, 50.63 ft NGVD, Dec. 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL						
MAR 23	54.69	JUL 22	54.41	AUG 12	54.56	SEP 16	54.30				

GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

404958073085001. Local number, S 1812.3

LOCATION.--Lat 40°49'58", long 73°08'50", Hydrologic Unit 02030202, at Smithtown Boulevard and Nichols Road, Ronkonkoma. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 50 ft, screened 46 to 50 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 69.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.68 ft below land-surface datum.

REMARKS.--Replaced well S 1812.2 in May 1982 at same location, unpublished records from April 1937 to September 1975 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--May 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 51.34 ft NGVD, July, 23, 1984; lowest measured, 43.10 ft NGVD, Oct. 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	43.38	NOV 25	43.17	FEB 3	45.05	MAR 27	45.55	MAY 14	46.33	SEP 16	44.70
29	43.10	DEC 22	43.82	26	45.28	APR 27	46.51	AUG 12	45.29		

404737073112303. Local number, S 1814.3

LOCATION.--Lat 40°47'37", long 73°11'23", Hydrologic Unit 02030202, at Suffolk Avenue and Dovecote Lane, Central Islip. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 54 ft, screened 51 to 54 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 63.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.35 ft below land-surface datum.

REMARKS.--Replaced well S 1814.2 in May 1982 at same location, unpublished records from November 1939 to September 1975 available in files of Long Island Sub-district office.

PERIOD OF RECORD.--May 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 41.50 ft NGVD, June 12, 1984; lowest measured, 35.60 ft NGVD, Sept. 8, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 5	35.84	MAR 7	37.47	JUN 30	37.78	JUL 16	37.58	AUG 12	37.38	SEP 16	36.83

GROUND-WATER LEVELS

119

SUFFOLK COUNTY--Continued

405146073031801. Local number, S 3513.1

LOCATION.--Lat 40°51'46", long 73°03'18", Hydrologic Unit 02030202, at State Highway 25 and High View Drive, Selden. Owner: New York Department of Transportation.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled unused well, diameter 8 in, depth 65 ft, screened 63 to 65 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 101 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of reducer, 1.31 ft above land-surface datum.

PERIOD OF RECORD.--April 1942 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 69.91 ft NGVD, May, 29, 1979; lowest measured, 56.06 ft NGVD, Mar. 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	63.05	DEC 23	62.51	FEB 26	63.01	APR 27	64.05	JUN 25	64.51	AUG 12	64.00
28	62.81	FEB 4	63.12	APR 1	63.51	MAY 14	64.37	JUL 22	64.11	SEP 16	63.49
NOV 25	62.46										




GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

404812073004101. Local number, S 3521.1
 LOCATION.--Lat 40°48'12", long 73°00'41", Hydrologic Unit 02030202, at Medford Avenue, near Cedar Avenue, Medford.
 Owner: Town of Brookhaven.
 AQUIFER.--Upper Glacial (water table).
 WELL CHARACTERISTICS.--Driven observation well, diameter 2 in, depth 50 ft, screen assumed at bottom.
 INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
 DATUM.--Land-surface datum is 72 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.57 ft above land-surface datum.
 PERIOD OF RECORD.--January 1907 to current year. Unpublished records from January 1907 to July 1909, April 1942 to September 1975, are available in files of Long Island Sub-district office.
 EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.75 ft NGVD, Mar. 27, 1979; lowest measured, 34.38 ft NGVD, Oct. 26, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	35.73	DEC 24	35.79	FEB 24	36.88	APR 27	37.43	JUN 25	37.07	AUG 12	36.48
28	35.47	FEB 4	36.74	MAR 27	36.96	MAY 14	37.47	JUL 16	36.81	SEP 16	35.95
NOV 25	35.49										



GROUND-WATER LEVELS

121

SUFFOLK COUNTY--Continued

405037072390301. Local number, S 3543.1

LOCATION.--Lat 40°50'37", long 72°39'03", Hydrologic Unit 02030202, at Old Riverhead Road and main entrance to Suffolk County Airport, Westhampton. Owner: City of New York.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 2 in, depth 58 ft, screened 56 to 58 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 64.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.04 ft above land-surface datum.

PERIOD OF RECORD.--March 1907 to December 1909, April 1942 to April 1943, January 1947 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.53 ft NGVD, July 23, 1984; lowest measured, 14.94 ft NGVD, Nov. 25, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 6	15.05	NOV 25	14.94	FEB 3	15.93	APR 2	17.02	MAY 14	17.71	AUG 12	17.83
28	15.07	DEC 23	14.99	24	16.39	30	17.42	JUL 16	17.99	SEP 16	17.51



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

405343073055004. Local number, S 3955.4

LOCATION.--Lat 40°53'43", long 73°05'50", Hydrologic Unit 02030201, at Pond Path and Mark Tree Roads, Setauket.

Owner: U. S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Augered observation well, diameter 2 in, depth 80 ft, screened 76 to 80 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 123 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.24 ft below land-surface datum.


REMARKS.--Replaced well S 3955.3 in April 1975 at same location, unpublished records from September 1944 to September 1975 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--April 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.23 ft NGVD, June 21, 1979; lowest measured, 52.80 ft NGVD, Feb. 24, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	53.73	DEC 23	53.40	FEB 26	53.52	APR 27	54.30	JUN 25	55.20	AUG 12	55.34
28	53.55	FEB 4	53.33	MAR 26	53.89	MAY 14	54.54	JUL 22	55.38	SEP 16	55.09
NOV 26	53.46										



SUFFOLK COUNTY--Continued

405743072425701. Local number, S 4271.1

LOCATION.--Lat 40°57'43", long 72°42'57", Hydrologic Unit 02030202, at Long Island Research Farm, Sound Avenue, Riverhead. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 105 ft, screened 100 to 105 ft.

INSTRUMENTATION.--Measurement with chalked tape by Observer.

DATUM.--Land-surface datum is 100 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 1.44 ft above land-surface datum.


PERIOD OF RECORD.--August 1945 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.25 ft NGVD, Aug. 12, 1984; lowest measured, 8.16 ft NGVD, Sept. 5, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
OCT 13	9.57 G	JAN 19	9.76 G	MAR 16	10.11 G	APR 13	10.40 G	MAY 25	10.83 G	JUL 6	10.62 G
27	9.59 G	FEB 2	9.88 G	26	10.25 G	27	10.56 G	JUN 8	10.84 G	20	10.50 G
NOV 10	9.59 G	16	9.90 G	30	10.26 G	MAY 11	10.72 G	22	10.68 G	AUG 3	10.33 G
24	9.59 G	MAR 2	9.99 G								

G MEASUREMENT BY ANOTHER AGENCY



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

405149072532201. Local number, S 5517.1

LOCATION.--Lat 40°51'49", long 72°53'22", Hydrologic Unit 02030202, at Upton Road and Princeton Avenue, Upton.

Owner: Brookhaven National Laboratory.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 91 ft, screened 85 to 91 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 115 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.04 ft above land-surface datum.

PERIOD OF RECORD.--April 1948 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 46.93 ft NGVD, June 25, 1958; lowest measured, 33.34 ft NGVD, Mar. 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	39.26	DEC 23	37.35	FEB 19	37.87	APR 30	39.64	JUN 29	40.15	AUG 26	39.35
28	38.60	FEB 3	38.26	MAR 30	38.21	MAY 14	40.06	JUL 23	39.82	SEP 25	39.00
NOV 25	37.80										



GROUND-WATER LEVELS

125

SUFFOLK COUNTY--Continued

405650072541801. Local number, S 6411.1

LOCATION.--Lat 40°56'50", long 72°54'18", Hydrologic Unit 02030202, at State Highway 25 and Randall Road, Shoreham. Owner: Brookhaven National Laboratory.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 149 ft, screened 143 to 149 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 138 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.13 ft above land-surface datum.

PERIOD OF RECORD.--November 1948 to current year, unpublished records from November 1948 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 34.49 ft NGVD, July 26, Aug. 28, 1979; lowest measured, 25.15 ft NGVD, Dec. 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	28.91	DEC 23	27.69	FEB 19	28.51	APR 30	29.14	JUN 29	29.10	AUG 26	29.43
28	28.83	FEB 3	28.59	APR 1	28.56	MAY 14	28.82	JUL 23	29.24	SEP 24	29.61
NOV 25	28.78										



405223072523401. Local number, S 6434.1

LOCATION.--Lat 40°52'23", long 72°52'34", Hydrologic Unit 02030202, at 10th Street and 4th Avenue, Upton. Owner: Brookhaven National Laboratory.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well diameter 10 in, depth 1,395 ft, screened 1,312 to 1,392 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 85 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 inch nipple, 2.07 ft above land-surface datum.

REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--August 1949 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 36.11 ft NGVD, July 12, 1979; lowest measured, 28.74 ft NGVD, Mar. 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
MAR 19	30.96	JUN 29	31.49	JUL 23	31.37	AUG 26	31.12	SEP 25	30.10		

SUFFOLK COUNTY--Continued

405223072523403. Local number, S 6455.1

LOCATION.--Lat 40°52'23", long 72°52'34", Hydrologic Unit 02030202, at 10th Street and 4th Avenue, Upton. Owner: Brookhaven National Laboratory.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 962 ft, screened 952 to 962 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 84.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.16 ft below land-surface datum.

PERIOD OF RECORD.--July 1949 to June 1952, January 1954 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.50 ft NGVD, Apr. 2, 1979; lowest measured, 33.82 ft NGVD, Dec. 27, 1966, Mar. 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
MAR 19	37.39	JUN 29	37.92	JUL 23	37.63	AUG 26	37.51	SEP 25	36.24		

410100072292501. Local number, S 6542.1

LOCATION.--Lat 41°01'00", long 72°29'25", Hydrologic Unit 02030202, at Depot Lane, 0.4 mi north of State Highway 25, Cutchogue. Owner: Cutchogue Fire Department.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled fire-protection well, diameter 6 in, depth 36 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.


DATUM.--Land-surface datum is 24.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Bottom outside edge of hose connection, 1.79 ft above land-surface datum.

PERIOD OF RECORD.--July 1949 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.30 ft NGVD, June 22, 1984; lowest measured, 2.19 ft NGVD, Sept. 18, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 3	4.91	MAR 20	7.03	JUN 24	7.70	JUL 15	7.18	AUG 26	6.37	SEP 24	5.98



GROUND-WATER LEVELS

127

SUFFOLK COUNTY--Continued

405756072173501. Local number, S 8833.1

LOCATION.--Lat 40°57'56", long 72°17'35", Hydrologic Unit 02030202, at Toppings Path near Sag Harbor.

Owner: Town of Southampton.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Driven observation well, diameter 2 in, depth 13 ft, screened 10 to 13 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 20 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.63 ft above land-surface datum.

PERIOD OF RECORD.--October 1950 to current year. Unpublished records from October 1950 to September 1977 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 18.47 ft NGVD, June 20, 1984; lowest measured, 12.84 ft NGVD, Mar. 29, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 5	13.75	MAR 3	15.47	JUL 1	16.94	JUL 23	16.69	AUG 26	16.34		

405309072233101. Local number, S 8836.1

LOCATION.--Lat 40°53'09", long 72°23'31", Hydrologic Unit 02030202, at Nugent Street and Windmill Lane,

Southampton. Owner: Southampton Fire Department.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled fire-protection well, diameter 8 in, depth 37 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 18.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.87 ft above land-surface datum.

PERIOD OF RECORD.--July 1950 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.12 ft NGVD, June 21, 1984; lowest measured, 4.93 ft NGVD, Aug. 30, 1968.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 7	5.73	NOV 10	5.72	DEC 9	6.17	DEC 30	6.47	MAR 3	7.22	JUL 1	6.58
14	5.82	18	5.73	16	6.23	JAN 13	6.75	3	7.38	23	7.17
21	5.70	25	5.94	23	6.39	FEB 3	7.10	17	7.43	AUG 19	7.06
28	5.72	DEC 2	5.96	29	6.31	17	7.21	24	7.44	SEP 24	6.81
NOV 4	5.66										



SUFFOLK COUNTY--Continued

405843072352902. Local number, S 16756.2

LOCATION.--Lat 40°58'43", long 72°35'29", Hydrologic Unit 02030202, at Herricks Lane, 0.25 mi south of Sound Avenue, Jamesport. Owner: Town of Riverhead.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 62 ft, screened 59 to 62 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 61 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.23 ft below land-surface datum.

REMARKS.--Replaced well 16756.1 in December 1975 at same location, which has a period of record from September 1958 to December 1975 unpublished and are available.

PERIOD OF RECORD.--September 1976 to current year. Unpublished records from September 1975 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.71 ft NGVD, June 22, 1984; lowest measured, 4.95 ft NGVD, Sept. 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 3	5.98	MAR 20	7.68								

410356072260301. Local number, S 16780.1

LOCATION.--Lat 41°03'56", long 72°26'03", Hydrologic Unit 02030202, at Horton Lane, 0.5 mi south of North Road, Southold. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 1.25 in, depth 50 ft, screened 47 to 50 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 43 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, at land-surface datum.

PERIOD OF RECORD.--September 1958 to current year. Unpublished records from September 1958 to September 1982 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.55 ft NGVD, Oct. 6, 1978; lowest measured, 1.45 ft NGVD, Aug. 31, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 3	2.79	MAR 20	3.54								

410858072171501. Local number, S 16787.1

LOCATION.--Lat 41°08'58", long 72°17'15", Hydrologic Unit 02030201, at State Highway Route 25, Orient. Owner: Suffolk County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven observation well, diameter 1.25 in, depth 44 ft screened 41 to 44 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 22 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.44 ft above land-surface datum.

PERIOD OF RECORD.--August 1958 to current year. Unpublished records from August 1958 to September 1977 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.16 ft NGVD, June 22, 1984; lowest measured, 1.12 ft NGVD, Aug. 8, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 3	2.67	MAR 20	4.00	JUN 24	4.12	JUL 21	3.58	AUG 26	2.97	SEP 24	2.83

GROUND-WATER LEVELS

131

SUFFOLK COUNTY--Continued

404528073114802. Local number, S 17987.2

LOCATION.--Lat 40°45'28", long 73°11'48", Hydrologic Unit 02030202, at Carleton Avenue, 260 ft north of Spur Drive Islip Terrace. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 16 ft, screened 13 to 16 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 36 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.20 ft below land-surface datum.

REMARKS.--Replaced well S 17987.1 in March 1981 at same location, which has a period of record from April 1959 to March 1981 (unpublished).

PERIOD OF RECORD.--March 1981 to current year. Unpublished records from March 1981 to September 1982 are available; files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.95 ft NGVD, June 12, 1984; lowest measured, 18.90 ft NGVD, Mar. 24, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 5	24.95	MAR 6	26.36	JUN 30	25.27	JUL 16	25.01	AUG 12	24.58	SEP 16	24.11

403727073154601. Local number, S 21091.1

LOCATION.--Lat 40°37'27", long 73°15'46", Hydrologic Unit 02030202, at Robert Moses State Park, Fire Island. Owner: Long Island State Park Commission.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 1,921 ft, screened 1,918 to 1,921 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 10 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 13.68 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--June 1962 to current year. Unpublished records from June 1962 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.10 ft NGVD, Mar. 16, 1976; lowest measured, 15.13 ft NGVD, June 2, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 30	16.86	DEC 31	17.85	FEB 28	17.58	APR 30	17.87	JUN 30	17.35	AUG 31	16.96
NOV 30	17.18	JAN 31	18.39	MAR 31	18.41	MAY 14	17.37	JUL 31	17.31	SEP 30	17.26



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

404829073161502. Local number, S 24770.1

LOCATION.--Lat 40°48'19", long 73°16'03", Hydrologic Unit 02030202, at Vanderbilt Parkway and Wicks Road, Brentwood. Owner: U. S. Geological Survey.

AQUIFER.--Magothy (Confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 434 ft, screened 424 to 434 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 139 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.01 ft above land-surface datum.

PERIOD OF RECORD.--August 1965 to current year. Unpublished records from August 1965 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 56.48 ft NGVD, May 2, 1979; lowest measured, 45.66 ft NGVD, Mar. 7, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR 6	50.15	JUL 20	50.13								

404820073160303. Local number, S 24771.1

LOCATION.--Lat 40°48'20", long 73°16'03", Hydrologic Unit 02030202, at Vanderbilt Parkway and Wicks Road, Brentwood. Owner: U. S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 127 ft, screened 117 to 127 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 139 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.86 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--August 1965 to current year. Unpublished records from August 1965 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured 60.88 ft NGVD, Aug. 28, Sept. 24, 1984; lowest measured, 43.50 ft NGVD, Nov. 30, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	52.99	DEC 22	53.28	MAR 27	53.46	MAY 15	54.34	JUL 22	54.63	AUG 12	54.78
29	52.72	FEB 3	53.23	APR 27	54.15	JUN 30	54.71	27	54.58	SEP 16	54.53
NOV 25	52.93	26	53.17								



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

405455073025802. Local number, S 31734.1

LOCATION.--Lat 40°54'51", long 73°02'57", Hydrologic Unit 02030202, at Jayne Boulevard, 0.7 mi south of State Highway 347, Terryville. Owner: Suffolk County Water Authority.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 1,095 ft, screened 1,070 to 1,090 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 165 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1.25 inch hole in reducer 1.62 ft above land-surface datum.

PERIOD OF RECORD.--December 1970 to current year. Unpublished records from December 1970 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 44.52 ft NGVD, May 30, 1979; lowest measured, 37.41 ft NGVD, Mar. 20, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
MAR 24	39.90	JUN 25	39.35	JUL 22	39.90	AUG 12	39.77	SEP 16	39.88		

405452073025701. Local number, S 32895.1

LOCATION.--Lat 40°54'52", long 73°02'57", Hydrologic Unit 02030202, at Jayne Boulevard, 0.7 mi south of State Highway 347, Terryville. Owner: Suffolk County Water Authority.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 845 ft, screened 840 to 845 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 165 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 1.92 ft above land-surface datum.

PERIOD OF RECORD.--March 1970 to current year. Unpublished records from March 1970 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water-level measured, 46.54 ft NGVD, Dec. 11, 1984; lowest measured, 38.92 ft NGVD, July 26, 1971.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	41.27	MAR 24	41.72	JUN 25	41.44	JUL 22	40.75	AUG 12	41.35	SEP 16	41.39

SUFFOLK COUNTY--Continued

404935073055901. Local number, S 33379.1

LOCATION.--Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncun Avenue and Portion Road, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 1,305 ft, screened 1,290 to 1,300 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 134 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.34 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--October 1968 to current year. Unpublished records from October 1968 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.92 ft NGVD, Jun. 5, 1979; lowest measured, 34.13 ft NGVD, Oct. 11, 1968.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 2	35.21	DEC 31	35.55	FEB 3	35.84	APR 2	36.25	JUN 9	36.16	AUG 6	35.85
NOV 6	35.24	JAN 6	35.54	MAR 2	36.06	MAY 6	36.56	JUL 5	35.94	SEP 20	35.67
	35.32										



GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

404932073055902. Local number, S 33380.1

LOCATION.--Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncun Avenue and Portion Road, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in, depth 850 ft, screened 840 to 850 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 134 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.63 ft above land-surface datum.


REMARKS.--Well also sampled for water quality.

PERIOD OF RECORD.--October 1968 to current year. Unpublished records from October 1968 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured 54.30 ft NGVD, Apr. 27, 1979; lowest measured, 45.16 ft above NGVD, Dec. 5, 1969.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
OCT 2	46.40	JAN 6	46.73	MAR 2	47.34	MAY 6	48.53	JUL 5	48.33	SEP 20	47.81
NOV 6	46.58	FEB 3	47.18	APR 2	47.84	JUN 9	48.47				



405517072574902. Local number, S 34892.1

LOCATION.--Lat 40°55'19", long 72°57'49", Hydrologic Unit 02030202, at Radio Avenue, 1.3 mi south of State Highway 25A, Rocky Point. Owner: Suffolk County Water Authority.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 138 ft, screened 124 to 138 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 122 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 01.18 ft above land-surface datum.

PERIOD OF RECORD.--July 1970 to current year. Unpublished records from July 1970 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 52.82 ft NGVD, Sept. 15, 1984; lowest measured, 42.17 ft NGVD, Mar. 21, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL								
MAR 19	44.79	JUN 29	46.38	JUL 23	46.38	AUG 26	46.23	SEP 24	46.11		

SUFFOLK COUNTY--Continued

405517072574903. Local number, S 34894.1

LOCATION.--Lat 40°55'18", long 72°57'49", Hydrologic Unit 02030202, at Radio Avenue, 1.3 mi south of State Highway 25A, Rocky Point. Owner: Suffolk County Water Authority.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled observation well, diameter 12 in, depth 745 ft, screened 698 to 745 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 123 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 inch nipple, 4.82 ft above land-surface datum.

PERIOD OF RECORD.--March 1970 to current year. Unpublished records from March 1970 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 49.99 ft NGVD, Sept. 15, 1984; lowest measured, 40.56 ft NGV, Mar. 15, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	42.58	MAR 19	42.95	JUN 29	43.92	JUL 23	43.78	AUG 26	43.80	SEP 24	43.93

404656073081401. Local number, S 36143.1

LOCATION.--Lat 40°46'56", long 73°08'14", Hydrologic Unit 02030202, at end of 7th Street, Bohemia. Owner: Town of Islip.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 62 ft, screened 59 to 62 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 72 ft, National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.33 ft above land-surface datum.

PERIOD OF RECORD.--October 1969 to current year. Unpublished records from October 1969 to September 1982 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 36.46 ft NGVD, Mar. 29, 1979; lowest measured, 29.93 ft NGVD, Oct. 29, 1969.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR 25	32.19										

404640073050201. Local number, S 36144.1

LOCATION.--Lat 40°46'40", long 73°05'02", Hydrologic Unit 02030202, at Lincoln Avenue, Bohemia. Owner: Town of Islip.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 52.5 ft screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 54 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.84 ft above land-surface datum.

PERIOD OF RECORD.--November 1970 to current year. Unpublished records from November 1970 to September 1977 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 39.96 ft NGVD, Mar. 29, 1979; lowest measured, 31.88 ft NGVD, Dec. 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 5	32.82	MAR 24	34.21	JUN 25	34.74	JUL 16	34.61	AUG 12	34.41	SEP 16	34.00

SUFFOLK COUNTY--Continued

405124073111501. Local number, S 40B43.1

LOCATION.--Lat 40°51'24", Long 73°11'15", Hydrologic Unit 02030201, at Middle Country Road & Nissequoque Road, Smithtown. Owner: Town of Smithtown.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 44 ft, screened 41 to 44 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 66 ft, National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, at land-surface datum.

PERIOD OF RECORD.--July 1971 to current year. Unpublished records from July 1971 to September 1982 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 37.93 ft NGVD, Mar. 27, 1979; lowest measured, 33.84 ft NGVD, July 9, 1971.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	34.96	MAR 6	35.46	AUG 12	34.75	SEP 16	34.63				

405230073212101. Local number, S 46517.1

LOCATION.--Lat 40°52'30", long 73°21'21", Hydrologic Unit 02030201, at Maple Road and Stony Hollow Road, Huntington. Owner: Town of Huntington.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 66 ft, screened 63 to 66 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 123.5 ft, National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, at land-surface datum.

PERIOD OF RECORD.--September 1979 to current year. Unpublished records from September 1979 to September 1982 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 69.61 ft NGVD, June 11, 1984; lowest measured, 67.21 ft NGVD, Mar. 17, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	67.68	MAR 6	67.74	JUL 6	68.13	JUL 22	68.10	AUG 12	67.93	SEP 16	67.78

410218072093301. Local number, S 46519.1

LOCATION.--Lat 41°02'18", long 72°09'33", Hydrologic Unit 02030202, at White Birch Drive and Hog Creek Lane, East Hampton. Owner: Suffolk County Department of Health Services.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 33 ft, screened 30 to 33 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 32.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.08 ft below land-surface datum.

PERIOD OF RECORD.--November 1972 to current year. Unpublished records from November 1972 to September 1982 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.45 ft NGVD, Jan. 13, 1983; lowest measured, DRY several days in September, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	2.67	MAR 3	3.76	JUL 1	3.26	JUL 23	2.90	AUG 19	2.71		

GROUND-WATER LEVELS
SUFFOLK COUNTY--Continued

410243071560101. Local number, S 48519.1

LOCATION.--Lat 41°02'42", long 71°56'05", Hydrographic Unit 02030202, at South Federal Street and South Fairview Avenue, East Hampton. Owner: Suffolk County Department of Health Services.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 82 ft, screened 68 to 78 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.


DATUM.--Land-surface datum is 63.5 ft National Geodetic Vertical Datum of 1929. Measuring Point: Top of Flange, 1.68 ft below land-surface datum.

PERIOD OF RECORD.--January 1974 to current year. Unpublished records from January 1974 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.59 ft NGVD Mar. 15, 1983, lowest measured, 2.07 ft NGVD Dec. 22, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 28	2.96	DEC 23	3.34	FEB 24	3.04	APR 30	3.95	JUL 1	2.99	AUG 19	2.88
NOV 25	3.02	FEB 3	3.62	APR 2	3.60	MAY 14	3.46	JUL 23	2.98	SEP 24	3.17



SUFFOLK COUNTY--Continued

410149071583201. Local number, S 48577.1

LOCATION.--Lat 41°01'49", long 71°58'32", Hydrologic Unit 02030202, at Montauk Point Parkway, Hither Hills.

Owner: Suffolk County Department of Health Services.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 189 ft, screened 173 to 183 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 168 ft National Geodetic Vertical Datum of 1929. Measuring Point: Top of Flange, 1.51 ft below land-surface datum.

PERIOD OF RECORD.--January 1974 to current year. Unpublished records from January 1974 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.50 ft NGVD, Sept. 18, 1979; lowest measured, -0.54 ft NGVD May 5, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	3.61	MAR 3	3.70	JUL 1	4.30	JUL 23	4.27	AUG 19	3.96	SEP 24	4.47

410316071535501. Local number, S 48579.1

LOCATION.--Lat 41°03'16", long 71°53'54", Hydrologic Unit 02030202, at Montauk Highway, Montauk.

OWNER: Suffolk County Department of Health Services.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 66 ft, screened 53 to 56 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS and County personnel.

DATUM.--Land-surface datum is 38.6 ft National Geodetic Vertical Datum of 1929. Measuring Point: Top of Flange, 1.55 ft below land-surface datum.

PERIOD OF RECORD.--January 1974 to current year. Unpublished records from January 1974 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.18 ft NGVD, JUNE 5, 1984; lowest measured, 2.46 ft NGVD, Dec. 22, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	3.41	MAR 3	3.87	JUL 1	3.80	JUL 23	3.50	AUG 19	3.88	SEP 24	3.62

405927072041901. Local number, S 57372.1

LOCATION.--Lat 40°59'27", long 72°04'19", Hydrologic Unit 02030202, at Montauk Highway, Napeague State Park.

Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 12 ft, screened 8 to 12 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 8 ft National Geodetic Vertical Datum of 1929. Measuring Point: Top of coupling, 0.03 ft above land-surface datum.

PERIOD OF RECORD.--January 1976 to current year. Unpublished records from January 1976 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.18 ft NGVD, Dec. 4, 1986; lowest measured 2.30 ft NGVD, July 23, 1987.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 4	4.18	MAR 3	3.44	JUL 1	2.33	JUL 23	2.30	AUG 19	2.73	SEP 24	3.61

GROUND-WATER LEVELS

SUFFOLK COUNTY--Continued

404813073084102. Local number, S 65601.1

LOCATION.--Lat 40°48'13", long 73°08'41", Hydrologic Unit 02030202, at Johnson Avenue and Terry Road, Ronkonkoma.

Owner: U. S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 41 ft, screened 38 to 41 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 62.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.20 ft below land-surface datum.


REMARKS.--Replaced well S 1813.2 in September 1978. Record from November 1939 to September 1978 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.--September 1978 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.39 ft NGVD, July 23, 1984; lowest measured, 37.01 ft NGVD, Oct. 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL										
OCT 1	37.20	DEC 22	37.98	FEB 26	38.71	APR 27	39.45	JUN 30	39.05	AUG 12	38.63
29	37.01	FEB 3	38.66	MAR 27	38.84	MAY 15	39.61	JUL 16	38.89	SEP 16	38.29
NOV 25	37.28										



GROUND-WATER LEVELS

SUFFOLK COUNTY--Continued

404936072483501. Local number, S 65604.1

LOCATION.--Lat 40°49'36", long 72°48'35", Hydrologic Unit 02030202, at Chichester Avenue near Sunrise Highway, Manorville. Owner: U.S. Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in, depth 56 ft, screened 51 to 56 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 64.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.32 ft below land-surface datum.


REMARKS.--Replaces well S 6439 in October 1978, which has a period of record from January 1949 to October 1978.

PERIOD OF RECORD.--October 1978 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 28.14 ft NGVD, July 23, 1984, lowest measured, 20.48 ft NGVD, Dec. 21, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 1	20.95	NOV 25	20.68	FEB 3	21.78	MAR 30	22.83	MAY 14	23.59	AUG 12	23.21
28	20.83	DEC 29	20.86	24	22.22	APR 30	23.33	JUL 16	23.55	SEP 16	22.90



WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY

All samples were collected and analyzed by U.S. Geological Survey.

STATION	NUMBE	LOCAL IDENT- I- FIER	GEO- LOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)
403922073353501	N	67. 1	211LLYD	06-02-87	1052	59	5.82
403625073301601	N	129. 1	211MGTY	06-10-87	956	142	6.38
405125073280501	N	2409. 1	112GLCLU03	11-87	93	47	5.61
404619073270601	N	3355. 2	211LLYD	05-27-87	1093	36	6.26
403904073324101	N	4149. 2	211MGTY	06-03-87	583	28	5.47
403844073340801	N	4150. 2	211MGTY	06-08-87	765	36	5.30
403911073432001	N	4213. 1	112JMCO	10-22-86	134	51	5.81
404755073372401	N	4265. 1	211MGTY	11-17-86	490	22	5.83
405325073351401	N	5152. 1	112PGGF	11-10-86	360	148	6.38
403923073391601	N	5195. 2	211MGTY	11-13-86	510	28	4.86
404154073261803	N	5703. 1	211MGTY	11-19-86	459	39	4.53
404908073275102	N	6093. 1	211MGTY	04-24-87	612	30	5.33
403533073353203	N	6851. 1	211MGTY	10-29-86	559	86	5.80
405432073345001	N	7152. 1	211LLYD	10-27-86	370	55	6.30
405058073411102	N	7157. 1	112GLCLU11	10-86	243	195	6.45
404337073271101	N	7515. 1	211MGTY	11-14-86	352	59	4.13
404337073271102	N	7516. 1	211MGTY	04-22-87	589	29	4.70

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD MG/L AS CAC03	ALKA- LITY LAB (MG/L AS CAC03)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
06-02-87	16.5	0.46	0.53	3.3	0.48	13	2.0	7.1	4.1
06-10-87	16.5	0.98	0.31	25	2.4	33	32	25	5.1
03-11-87	11.0	2.2	0.89	4.0	0.56	5	5.0	1.5	5.4
05-27-87	13.0	1.6	0.86	2.9	0.58	11	11	<5.0	2.4
06-03-87	13.0	0.25	0.12	2.5	0.34	3	2.0	3.0	3.0
06-08-87	14.5	0.25	0.31	4.0	0.70	4	2.0	7.0	3.3
10-22-86	--	2.4	2.0	3.7	0.70	16	14	6.3	3.7
11-17-86	12.5	0.80	0.36	2.5	0.38	5	5.0	0.6	3.3
11-10-86	--	10	4.3	8.4	1.3	27	27	6.4	9.9
11-13-86	14.5	0.20	0.19	3.5	0.51	2	2.0	3.3	3.3
11-19-86	11.5	0.60	0.32	3.2	0.49	--	<1.0	4.6	5.6
04-24-87	12.0	1.1	0.43	3.0	0.45	1	3.0	11	3.4
10-29-86	16.5	5.8	1.8	4.3	2.3	21	21	1.4	3.7
10-27-86	13.5	3.0	1.1	5.4	0.80	19	20	2.0	5.3
11-10-86	--	19	7.6	7.2	1.5	54	55	22	7.9
11-14-86	11.0	0.90	0.37	4.5	0.55	--	<1.0	11	6.1
01-22-87	12.0	0.62	0.20	2.3	0.27	<1	<1.0	3.9	3.5

QUALITY OF GROUND WATER

151

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	FLUORIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO ₂)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
06-02-87	<0.10	8.9	0.007	0.160	0.029	0.020	8000	80
06-10-87	<0.10	8.7	0.003	<0.010	<0.002	0.010	1500	<10
03-11-87	<0.10	8.1	0.001	<0.010	<0.002	<0.010	<10	<10
05-27-87	<0.10	6.9	0.003	0.010	0.011	0.010	4700	70
06-03-87	<0.10	6.8	0.003	0.490	0.012	0.020	2500	<10
06-08-87	<0.10	8.2	0.001	<0.010	<0.002	0.020	620	<10
10-22-86	<0.10	13	<0.001	<0.010	0.015	<0.010	1000	40
11-17-86	<0.10	6.6	0.001	<0.010	0.004	0.960	<10	<10
11-10-86	<0.10	18	<0.001	<0.010	<0.002	0.020	10	<10
11-13-86	<0.10	7.1	<0.001	<0.010	<0.002	<0.010	100	<10
11-19-86	<0.10	6.7	<0.003	<0.010	0.026	<0.020	270	<10
04-24-87	<0.10	6.6	<0.001	<0.010	0.007	0.010	10	<10
10-29-86	<0.10	8.9	<0.001	<0.010	0.020	<0.010	490	20
10-27-86	<0.10	10	<0.001	<0.010	0.006	<0.010	330	20
11-10-86	<0.10	23	<0.001	<0.010	<0.002	0.030	20	<10
11-14-86	<0.10	6.4	<0.001	<0.010	0.030	0.030	620	20
04-22-87	<0.10	6.3	0.004	0.030	0.033	0.010	250	<10

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEO-LOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)
404703073280101	N 7526. 1	211MGTY	10-07-86	691	27	5.56
404411073261801	N 7852. 2	211MGTY	10-07-86	457	26	4.76
404046073305803	N 8031. 2	211MGTY	11-12-86	513	24	4.79
403558073302704	N 8414. 2	211LLYD	11-13-86	1080	166	6.16
405041073415801	N 8478. 1	112PQFG	06-09-87	156	175	7.42
403520073410901	N 8557. 1	211LLYD	11-13-86	1258	74	5.32
404056073261102	N 8603. 1	211MGTY	11-12-86	893	--	4.66
405124073421002	N 8766. 2	112PQGF	10-20-86	362	172	6.80
404509073333402	N 8957. 1	211MGTY	03-11-87	589	35	6.09
404119073323104	N 8976. 1	211MGTY	03-13-87	700	23	5.33
405307073300203	N 9076. 1	112PQFG	03-16-87	200	100	6.28
404154073262004	N 9173. 2	211MGTY	11-19-86	845	23	4.38
404713073273003	N 9697. 1	211MGTY	10-31-86	129	24	5.36
404713073273002	N 9698. 1	112GLCLU10	10-30-86	78	287	6.18
405124073292602	N 9700. 1	112GLCLU10	10-27-86	31	109	5.37
403505073401301	N 11002. 1	211LLYD	06-09-87	1255	99	6.16

QUALITY OF GROUND WATER

153

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
10-07-86	--	1.1	0.34	2.6	0.40	4	4.0	1.4	3.7
10-07-86	--	0.70	0.22	2.6	0.50	2	2.0	3.0	4.0
11-12-86	--	0.30	0.13	2.8	0.33	2	2.0	2.8	2.8
11-13-86	17.0	0.50	0.20	32	2.8	37	37	28	8.2
06-09-87	12.5	15	3.5	16	1.6	82	81	2.9	4.7
11-13-86	21.0	1.2	0.91	7.6	1.3	7	4.0	21	4.9
11-12-86	--	0.30	0.30	2.6	0.60	1	2.0	3.3	2.8
10-20-86	13.0	14	6.6	6.2	1.6	55	48	22	5.9
03-11-87	11.0	1.7	0.70	3.4	0.49	6	7.0	0.6	3.9
03-13-87	12.5	0.44	0.32	2.5	0.37	4	3.0	3.6	2.9
03-16-87	11.0	6.9	2.8	7.2	0.87	18	18	15	7.0
11-19-86	13.0	0.20	0.15	2.5	0.35	--	<1.0	3.2	3.1
10-31-86	10.5	0.73	0.31	2.9	0.80	5	5.0	0.6	3.8
10-30-86	11.0	8.6	1.8	45	1.4	36	35	16	52
10-27-86	16.0	3.4	0.75	16	0.90	11	10	9.3	18
06-09-87	17.0	1.5	0.91	7.4	1.0	20	2.0	21	3.7

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
10-07-86	<0.10	6.5	0.001	0.010	0.006	<0.500	40	<10
10-07-86	<0.10	6.2	0.001	<0.010	<0.002	<0.020	80	<10
11-12-86	<0.10	6.6	<0.001	<0.010	<0.002	<0.010	140	<10
11-13-86	<0.10	8.2	0.002	<0.010	0.022	0.010	260	<10
06-09-87	0.10	15	0.001	0.160	0.100	0.110	210	400
11-13-86	<0.10	9.0	0.001	<0.010	0.018	0.010	3100	80
11-12-86	<0.10	6.9	<0.001	<0.010	<0.002	0.010	160	<10
10-20-86	<0.10	17	0.015	0.030	0.012	<0.010	3900	180
03-11-87	<0.10	8.9	0.002	<0.010	<0.002	<0.010	<10	<10
03-13-87	<0.10	6.9	0.001	<0.010	0.002	<0.010	180	<10
03-16-87	<0.10	18	0.003	<0.010	<0.002	0.010	150	<10
11-19-86	<0.10	7.0	<0.003	<0.010	0.004	0.020	120	<10
10-31-86	<0.10	7.4	<0.001	<0.010	0.016	<0.010	160	30
10-30-86	<0.10	2.5	<0.001	<0.010	0.006	<0.010	460	20
10-27-86	<0.10	5.0	<0.001	<0.010	<0.002	<0.010	500	30
06-09-87	<0.10	9.8	0.002	0.010	<0.002	0.140	10000	110

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	HARDNESS (MG/L AS CaCO3)	CALCIUM DISSOLVED (MG/L AS Ca)
404702073305601	N 8888. 1	112GLCLU	09-28-87	111	287	5.82	14.5	52	16
404409073374101	N 9914. 1	112GLCLU	09-08-87	57	364	6.06	14.0	97	28
404524073325101	N 9917. 1	112GLCLU	09-17-87	76	371	6.36	15.0	76	25
404435073305701	N 9918. 1	211MGTY	09-21-87	77	110	5.07	13.5	28	7.8
404535073314601	N 9919. 1	112GLCLU	09-17-87	84	368	5.31	16.0	67	20
404607073302101	N 9920. 1	211MGTY	09-21-87	89	341	5.80	15.5	48	15
404320073305601	N 9924. 1	112GLCLU	09-29-87	45	393	5.66	15.5	60	20
404325073322001	N 9925. 1	112GLCLU	09-23-87	51	395	5.21	14.5	70	23
404718073315001	N 9926. 1	211MGTY	09-23-87	130	130	5.77	13.5	25	6.3
404631073311801	N 9927. 1	112GLCLU	09-22-87	94	309	5.09	14.5	65	22
404624073321501	N 9928. 1	112GLCLU	09-22-87	86	330	4.97	14.5	56	17
404718073300001	N 9933. 1	211MGTY	09-29-87	115	163	6.15	14.5	49	15
404526073333501	N 9938. 1	112GLCLU	09-16-87	80	360	5.21	16.5	63	13

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL LAB MG/L AS CACO3	SULFATE (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	SILICA TOTAL (MG/L- SiO2)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)
09-28-87	2.8	28	4.4	11	29	38	<0.2	13	<0.010	0.003	8.91	0.080
09-08-87	6.4	24	2.4	34	47	39	<0.2	7.6	<0.010	0.003	5.20	0.020
09-17-87	3.3	29	2.1	42	22	65	<0.2	6.0	0.050	0.003	0.160	0.090
09-21-87	2.0	6.0	2.2	4	<5.0	12	<0.2	6.6	<0.010	<0.001	4.51	0.070
09-17-87	4.1	31	5.3	6	26	51	<0.2	13	<0.010	<0.001	14.0	0.060
09-21-87	2.6	43	4.0	21	34	45	<0.2	4.6	0.040	0.002	7.70	0.030
09-29-87	2.3	47	4.3	23	27	70	<0.2	9.2	<0.010	<0.001	5.25	<0.010
09-23-87	2.9	43	6.5	8	31	65	<0.2	14	<0.010	0.006	11.0	<0.010
09-23-87	2.3	11	1.6	7	7.0	27	<0.2	4.2	<0.010	<0.001	1.50	0.050
09-22-87	2.6	21	6.9	2	24	25	<0.2	15	<0.010	<0.001	18.0	<0.010
09-22-87	3.1	23	8.2	3	24	25	0.5	16	0.020	<0.001	20.0	0.020
09-29-87	2.6	10	0.90	19	26	8.0	<0.2	13	<0.010	<0.001	2.65	0.550
09-16-87	7.3	36	1.9	8	26	71	<0.2	8.6	<0.010	<0.001	3.96	0.020

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey

DATE	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)
09-28-87	<5	<200	130	<1	<10	60	230	<10	120	<50	<5	<1.0
09-08-87	<5	<200	40	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-17-87	<5	<200	110	<1	<10	<50	7400	<10	3500	<50	<5	<2.0
09-21-87	<5	<200	20	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-17-87	<5	<200	110	<1	<10	<50	190	<10	240	<50	<5	<2.0
09-21-87	<5	<200	60	<1	<10	<50	850	<10	200	<50	<5	<2.0
09-29-87	<5	<200	80	<1	<10	<50	<50	<10	810	<50	<5	<1.0
09-23-87	<5	<200	100	<1	<10	<50	<50	<10	480	<50	<5	<2.0
09-23-87	<5	<200	20	<1	<10	<50	60	<10	<50	<50	<5	<2.0
09-22-87	<5	<200	80	<1	<10	<50	<50	<10	660	<50	<5	<2.0
09-22-87	<5	<200	--	<1	<10	<50	<50	<10	1200	<50	<5	<2.0
09-29-87	<5	<200	70	<1	<10	60	<50	<10	<50	<50	<5	<1.0
09-16-87	<5	<200	360	<1	<10	<50	<50	<10	110	<50	<5	<2.0

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	CARBON- TETRA- CHLORIDE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	BENZENE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
09-28-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<4.0	1.0	<1.0	<5.0	5.0	<2.0
09-08-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-17-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-21-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	2.0	<1.0
09-17-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	89	<1.0	<5.0	3.0	<1.0
09-21-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	2.0	<1.0
09-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<4.0	<1.0	<1.0	<5.0	1.0	<2.0
09-23-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	2.0	<1.0
09-23-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-22-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	2.0	<1.0
09-22-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	8.0	<1.0	<5.0	1.0	<1.0
09-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<4.0	<1.0	<1.0	<5.0	5.0	<2.0
09-16-87	<10	<2.0	6.0	<3.0	<3.0	<4.0	<4.0	83	<1.0	34	12000	3.0

QUALITY OF GROUND WATER

159

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	1,2- TRANSDI- CHLORO- ETHYL- ENE TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	PRO- PAZINE TOTAL (UG/L)	TRI- FLURA- LIN TOTAL RECOVER (UG/L)	PER- THANE TOTAL (UG/L)	METHO- MYL TOTAL (UG/L)	SIME- TRYNE TOTAL (UG/L)	SIMA- ZINE TOTAL (UG/L)	PROME- TONE TOTAL (UG/L)	PROME- TRYNE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)
09-28-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	1.0
09-08-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-17-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	0.10	<0.1	<0.1	<1.0
09-21-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-17-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	0.20	<0.1	<0.1	<1.0
09-21-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-23-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-23-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-22-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-22-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-16-87	9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	390

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TOX- APHENE, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	PCB, TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	ATRA- ZINE, TOTAL (UG/L)	2, 4-D, TOTAL (UG/L)
09-28-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-08-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-17-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	0.03
09-21-87	<1	<0.010	0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-17-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	0.10	<0.01
09-21-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	--
09-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-23-87	<1	<0.010	0.030	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-23-87	<1	<0.010	0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	--
09-22-87	<1	<0.010	0.27	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-22-87	<1	<0.010	<0.040	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
09-16-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4, 5-T TOTAL (UG/L)	MIREX, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	MERCURY DIS- SOLVED (UG/L AS HG)	ALA- CHLOR TOTAL RECOVER (UG/L)	XYLENE WATER WHOLE TOT REC (UG/L)	CYAN- AZINE TOTAL (UG/L)
09-28-87	<0.01	<0.01	<0.01	<0.01	<0.01	180	<0.010	<0.5	<0.10	<6.0	<0.10
09-08-87	<0.01	<0.01	<0.01	<0.01	<0.01	200	<0.010	<0.5	<0.10	<6.0	<0.10
09-17-87	<0.01	<0.01	<0.01	<0.01	<0.01	190	<0.010	<0.5	<0.10	<6.0	<0.10
09-21-87	<0.01	<0.01	<0.01	<0.01	<0.01	59	<0.010	<0.5	<0.10	<6.0	<0.10
09-17-87	<0.01	<0.01	<0.01	<0.01	<0.01	220	<0.010	<0.5	<0.10	<6.0	<0.10
09-21-87	--	<0.01	--	<0.01	<0.01	200	<0.010	<0.5	<0.10	<6.0	<0.10
09-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	220	<0.010	<0.5	<0.10	<6.0	<0.10
09-23-87	<0.01	<0.01	<0.01	<0.01	<0.01	240	<0.010	<0.5	<0.10	<6.0	<0.10
09-23-87	--	<0.01	--	<0.01	<0.01	70	<0.010	<0.5	<0.10	<6.0	<0.10
09-22-87	<0.01	<0.01	<0.01	<0.01	<0.01	200	<0.010	<0.5	<0.10	<6.0	<0.10
09-22-87	<0.01	<0.01	<0.01	<0.01	<0.01	210	<0.010	<0.5	<0.10	<6.0	<0.10
09-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	100	<0.010	<0.5	<0.10	<6.0	<0.10
09-16-87	<0.01	<0.01	<0.01	<0.01	<0.01	190	<0.010	<0.5	<0.10	<6.0	<0.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4-DP TOTAL (UG/L)	AME- TRYNE TOTAL	3-HYDRX CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	ALDICAR SULF- OXIDE WATER WHOLE TOT. REC (UG/L)	ALDI- CARB SULFONE WATER WHOLE TOT. REC (UG/L)	METRI- BUZIN WATER WHOLE TOT. REC (UG/L)	METOLA- CHLOR WATER WHOLE TOT. REC (UG/L)	OXYAMYL WATER WHOLE TOT. REC (UG/L)	CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	CAR- BARYL WATER WHOLE TOT. REC (UG/L)	ALDI- CARB WATER WHOLE TOT. REC (UG/L)
09-28-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-08-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-17-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-21-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-17-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-21-87	--	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-23-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-23-87	--	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-22-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-22-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-16-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	HARDNESS (MG/L AS CaCO3)	CALCIUM DIS-SOLVED (MG/L AS Ca)
404435073334301	N 9939. 1	112GLCLU	09-16-87	74	222	4.90	14.5	43	12
404523073363401	N 9940. 1	112GLCLU	08-31-87	53	184	5.80	14.0	47	14
404442073362401	N 9941. 1	112GLCLU	09-01-87	50	303	5.35	15.0	70	18
404456073381501	N 9942. 1	112GLCLU	09-08-87	69	199	5.74	15.0	61	19
404342073380501	N 9943. 1	112GLCLU	09-15-87	69	694	5.94	15.0	110	28
404411073400501	N 9944. 1	112GLCLU	09-10-87	80	356	5.65	14.5	71	22
404253073395601	N 9945. 1	112GLCLU	09-09-87	67	257	5.89	14.0	60	18
404531073393501	N 9946. 1	112GLCLU	09-09-87	60	161	5.52	13.5	43	12
404508073405601	N 9948. 1	211MGTY	09-03-87	114	689	6.82	15.0	250	77
404416073405801	N 9949. 1	112GLCLU	09-10-87	100	334	6.41	15.0	110	35
404435073420201	N 9982. 1	211MGTY	09-03-87	112	314	6.02	14.5	94	26
404404073420201	N 9983. 1	211MGTY	09-02-87	99	261	5.85	14.0	82	25
404251073404601	N 9984. 1	112GLCLU	09-02-87	60	276	5.58	14.5	68	23

QUALITY OF GROUND WATER

165

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL LAB MG/L AS CACO3	SULFATE (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	SILICA TOTAL (MG/L- SiO2)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)
09-16-87	3.2	14	4.0	2	26	21	<0.2	11	<0.010	<0.001	8.95	0.010
08-31-87	2.7	9.0	3.9	9	23	12	<0.2	10	<0.010	<0.001	5.81	<0.010
09-01-87	5.7	22	5.0	7	31	32	<0.2	9.1	0.130	0.002	11.0	0.020
09-08-87	3.2	30	3.1	18	36	45	<0.2	12	<0.010	0.001	5.48	0.020
09-15-87	8.8	83	3.8	28	44	140	<0.2	10	<0.010	0.004	4.41	<0.010
09-10-87	4.1	31	4.8	11	47	50	<0.2	13	<0.010	<0.001	6.38	0.070
09-09-87	3.7	17	1.9	17	38	31	<0.2	8.7	<0.010	0.002	4.42	<0.010
09-09-87	3.2	10	3.3	14	37	16	<0.2	16	<0.010	0.002	1.86	0.020
09-03-87	14	32	25	370	<5.0	46	0.3	18	20.0	0.004	<0.010	0.030
09-10-87	6.7	16	0.80	64	45	25	<0.2	10	<0.010	0.003	3.85	0.030
09-03-87	7.2	17	1.7	18	43	35	<0.2	20	<0.010	0.002	5.05	0.070
09-02-87	4.9	13	1.4	16	38	24	<0.2	19	<0.010	<0.001	6.36	0.070
09-02-87	2.6	21	2.5	12	27	33	<0.2	13	<0.010	0.001	6.45	0.080

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)
09-16-87	<5	<200	<10	<1	<10	<50	<50	<10	950	<50	<5	<2.0
08-31-87	<5	<200	20	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-01-87	<5	<200	130	<1	<10	<50	<50	<10	190	<50	<5	<2.0
09-08-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-15-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-10-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-09-87	<5	<200	50	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-09-87	<5	<200	20	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-03-87	<5	<200	340	<1	<10	<50	15000	<10	2800	<50	<5	<2.0
09-10-87	<5	<200	150	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-03-87	<5	400	70	<1	<10	<50	50	<10	<50	<50	<5	<2.0
09-02-87	<5	<200	80	<1	<10	<50	<50	<10	<50	<50	<5	<2.0
09-02-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<2.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	BENZENE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
09-16-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	14	<1.0	<5.0	3.0	<1.0
08-31-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-01-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	1.0	<1.0
09-08-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-15-87	1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-10-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	3.0	<1.0	<5.0	<1.0	<1.0
09-09-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-09-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-03-87	<1.0	<2.0	<1.0	<3.0	<3.0	6.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-10-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	25	<1.0	<5.0	5.0	<1.0
09-03-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	<1.0	<1.0
09-02-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	2.0	<1.0	<5.0	<1.0	<1.0
09-02-87	<1.0	<2.0	<1.0	<3.0	<3.0	<4.0	<4.0	<1.0	<1.0	<5.0	2.0	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	1,2- TRANSDI- CHLORO- ETHYL- ENE TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	PRO- PAZINE TOTAL (UG/L)	TRI- FLURA- LIN TOTAL RECOVER (UG/L)	PER- THANE TOTAL (UG/L)	METHO- MYL TOTAL (UG/L)	SIME- TRYNE TOTAL (UG/L)	SIMA- ZINE TOTAL (UG/L)	PROME- TONE TOTAL (UG/L)	PROME- TRYNE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)
09-16-87	12	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	3.0
08-31-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-01-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	0.10	<0.1	<0.1	<1.0
09-08-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-15-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	4.0
09-10-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	2.0
09-09-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-09-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
09-03-87	<7.0	<0.02	--	--	--	<1.0	--	--	--	--	<1.0
09-10-87	<7.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	4.0
09-03-87	<7.0	<0.02	--	--	--	--	--	--	--	--	<1.0
09-02-87	<7.0	<0.02	--	--	--	<1.0	--	--	--	--	<1.0
09-02-87	<7.0	<0.02	--	--	--	<1.0	--	--	--	--	<1.0

QUALITY OF GROUND WATER

171

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	2, 4, 5-T TOTAL (UG/L)	MIREX, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	MERCURY DIS- SOLVED (UG/L AS HG)	ALA- CHLOR TOTAL RECOVER (UG/L)	XYLENE WATER WHOLE TOT REC (UG/L)	CYAN- AZINE TOTAL (UG/L)
09-16-87	<0.01	<0.01	<0.01	<0.01	<0.01	130	<0.010	<0.5	<0.10	<6.0	<0.10
08-31-87	<0.01	<0.01	<0.01	<0.01	<0.01	110	<0.010	<0.5	<0.10	<6.0	<0.10
09-01-87	<0.01	<0.01	<0.01	<0.01	<0.01	180	<0.010	<0.5	<0.10	<6.0	<0.10
09-08-87	<0.01	<0.01	<0.01	<0.01	<0.01	160	0.010	<0.5	<0.10	<6.0	<0.10
09-15-87	<0.01	<0.01	<0.01	<0.01	<0.01	360	<0.010	<0.5	<0.10	<6.0	<0.10
09-10-87	<0.01	<0.01	<0.01	<0.01	<0.01	210	<0.010	<0.5	<0.10	<6.0	<0.10
09-09-87	<0.01	<0.01	<0.01	<0.01	<0.01	150	<0.010	<0.5	<0.10	<6.0	<0.10
09-09-87	<0.01	<0.01	<0.01	<0.01	<0.01	110	<0.010	<0.5	<0.10	<6.0	<0.10
09-03-87	--	--	--	--	--	480	<0.010	<0.5	--	<6.0	--
09-10-87	<0.01	<0.01	<0.01	<0.01	<0.01	160	<0.010	<0.5	<0.10	<6.0	<0.10
09-03-87	--	--	--	--	--	180	0.020	<0.5	--	<6.0	--
09-02-87	--	--	--	--	--	160	<0.010	<0.5	--	<6.0	--
09-02-87	--	--	--	--	--	160	0.010	<0.5	--	<6.0	--

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4-DP TOTAL (UG/L)	AME- TRYNE TOTAL	3-HYDRX CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	ALDICAR SULF- OXIDE WATER WHOLE TOT. REC (UG/L)	ALDI- CARB SULFONE WATER WHOLE TOT. REC (UG/L)	METRI- BUZIN WATER WHOLE TOT. REC (UG/L)	METOLA- CHLOR WATER WHOLE TOT. REC (UG/L)	OXYMYL WATER WHOLE TOT. REC (UG/L)	CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	CAR- BARYL WATER WHOLE TOT. REC (UG/L)	ALDI- CARB WATER WHOLE TOT. REC (UG/L)
09-16-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-31-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-01-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-08-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-15-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-10-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-09-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-09-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-03-87	--	--	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	<1.0	<1.0
09-10-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
09-03-87	--	--	--	--	--	--	--	--	--	--	--
09-02-87	--	--	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	<1.0	<1.0
09-02-87	--	--	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	<1.0	<1.0

Geological unit (aquifer):

- 112GLCLU - Upper Glacial Aquifer, Pleistocene age.
- 112GRDR - Gardiners Clay, Pleistocene age.
- 112JMCD - Jameco Gravel, Pleistocene age.
- 112PGFG - Port Washington Confining Unit, Pleistocene age.
- 112PGGF - Port Washington Aquifer, Pleistocene age.
- 211LLYD - Llyod Aquifer, Cretaceous age.
- 211MGTY - Magothy Aquifer, Cretaceous age.
- 211RNCF - Raritan Confining Unit, Cretaceous age.

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey, chlorides analyzed by Nassau County Department of Health.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	CHLORIDE, DISSOLVED (MG/L AS CL)
403805073395301	N 2790. 2	211MGTY	05-27-87	571	7.30	22	5.61	17.0	9.8
403621073441801	N 3862. 2	211MGTY	06-02-87	311	9.79	4500	--	--	2000
403827073494202	N 3864. 2	211MGTY	06-10-87	470	6.67	225	5.84	15.5	74
403734073374801	N 3865. 2	211MGTY	06-05-87	565	1.13	35000	5.75	15.5	5.2
403815073414102	N 3866. 2	211MGTY	06-11-87	412	8.13	41	5.68	14.5	4.5
403911073432701	N 3867. 2	211MGTY	06-04-87	517	7.66	50	5.40	14.5	5.0
403751073440202	N 3932. 1	112JMCD	06-02-87	178	8.01	44	5.91	15.0	<1.0
403713073415901	N 4026. 1	112JMCD	06-03-87	197	6.90	60	6.93	14.5	4.4
403911073432001	N 4213. 1	112JMCD	06-02-87	134	7.56	47	5.92	14.5	<1.0
403532073353401	N 5227. 2	211LLYD	05-26-87	1265	--	52	5.79	--	<1.0
403827073424903	N 6581. 2	211MGTY	06-08-87	584	14.22	24000	6.03	16.5	13000
403517073430610	N 6701. 2	211RCNF	05-20-87	837	5.39	1460	7.42	12.0	520
403517073430702	N 6702. 1	211MGTY	05-21-87	677	18.39	35000	7.04	--	16000
403517073430703	N 6703. 1	211MGTY	05-18-87	478	10.68	1280	6.73	19.0	5600
403517073430704	N 6704. 1	211MGTY	05-19-87	294	8.04	61	6.27	13.5	8.8
403713073415902	N 6707. 1	211MGTY	06-04-87	503	5.78	4200	6.57	16.0	1300
403533073353201	N 6849. 1	211RCNF	06-01-87	1040	4.10	465	9.05	20.0	59
403533073353202	N 6850. 2	211MGTY	05-26-87	913	4.73	--	7.30	--	110
403533073353203	N 6851. 1	211MGTY	05-22-87	559	4.08	72	6.16	--	3.5
403533073353205	N 6853. 1	211MGTY	05-22-87	135	6.13	77	7.34	--	3.0
403805073395302	N 6928. 2	211RRTN	05-27-87	729	5.86	13	7.05	17.0	2.6
403856073392603	N 7161. 2	211MGTY	06-03-87	666	7.86	46	5.94	15.5	5.1
403738073375001	N 10425. 1	211MGTY	06-05-87	712	1.89	42	5.77	16.0	5.5
403822073414401	N 10430. 1	211MGTY	06-11-87	618	16.28	47	5.88	15.5	5.0
403511073450901	N 10620. 1	211LLYD	05-18-87	1160	2.15	210	8.56	--	50
403505073401301	N 11002. 1	211LLYD	06-09-87	1255	10.73	88	6.02	18.0	4.9
403503073402401	N 11109. 1	211MGTY	05-28-87	810	14.14	23000	6.71	--	10000

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

NASSAU COUNTY (Continued)

The following wells were sampled for water quality during the 1987 water year by the agency listed below. For further information, contact:

Nassau County Department of Health
New Office Building
240 Old Country Road
Mineola, NY 11501

| Local identifier |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| N 14 | N 2580 | N 5007 | N 6842 | N 7776 | N 8665 | N 9657 |
| N 17 | N 2602 | N 5099 | N 6867 | N 7785 | N 8767 | N 9713 |
| N 22 | N 2616 | N 5121 | N 6893 | N 7796 | N 8768 | N 9768 |
| N 28 | N 2748 | N 5147 | N 6915 | N 7797 | N 8774 | N 9809 |
| N 36 | N 2920 | N 5148 | N 6916 | N 7831 | N 8775 | N 9846 |
| N 37 | N 3185 | N 5152 | N 6945 | N 7855 | N 8776 | N 9878 |
| N 46 | N 3465 | N 5155 | N 6953 | N 7857 | N 8778 | N 9892 |
| N 72 | N 3474 | N 5156 | N 6956 | N 7957 | N 8779 | N 9893 |
| N 79 | N 3520 | N 5163 | N 6965 | N 8004 | N 8816 | N 9894 |
| N 80 | N 3523 | N 5194 | N 7030 | N 8007 | N 8818 | N 9895 |
| N 81 | N 3603 | N 5195 | N 7058 | N 8011 | N 8837 | N 9896 |
| N 82 | N 3604 | N 5227 | N 7076 | N 8031 | N 8941 | N 9897 |
| N 83 | N 3605 | N 5260 | N 7117 | N 8043 | N 8956 | N 9898 |
| N 95 | N 3618 | N 5302 | N 7133 | N 8054 | N 8957 | N 9899 |
| N 101 | N 3668 | N 5318 | N 7157 | N 8124 | N 9018 | N 9900 |
| N 118 | N 3672 | N 5320 | N 7298 | N 8183 | N 9054 | N 9901 |
| N 119 | N 3687 | N 5321 | N 7353 | N 8216 | N 9068 | N 9903 |
| N 133 | N 3700 | N 5322 | N 7377 | N 8217 | N 9077 | N 9904 |
| N 134 | N 3704 | N 5484 | N 7407 | N 8218 | N 9078 | N 9906 |
| N 198 | N 3720 | N 5603 | N 7414 | N 8249 | N 9079 | N 9910 |
| N 199 | N 3732 | N 5654 | N 7421 | N 8251 | N 9088 | N 9914 |
| N 585 | N 3733 | N 5655 | N 7445 | N 8253 | N 9098 | N 9921 |
| N 650 | N 3745 | N 5656 | N 7446 | N 8264 | N 9100 | N 9922 |
| N 651 | N 3781 | N 5672 | N 7482 | N 8279 | N 9118 | N 9924 |
| N 687 | N 3876 | N 5696 | N 7512 | N 8313 | N 9127 | N 9925 |
| N 693 | N 3934 | N 5703 | N 7513 | N 8321 | N 9151 | N 9926 |
| N 700 | N 3935 | N 5762 | N 7515 | N 8326 | N 9180 | N 9929 |
| N 1120 | N 3937 | N 5767 | N 7516 | N 8339 | N 9188 | N 9931 |
| N 1147 | N 4043 | N 5792 | N 7521 | N 8342 | N 9189 | N 9932 |
| N 1160 | N 4077 | N 5876 | N 7522 | N 8354 | N 9210 | N 9933 |
| N 1204 | N 4095 | N 5884 | N 7523 | N 8409 | N 9211 | N 9939 |
| N 1205 | N 4096 | N 5947 | N 7526 | N 8426 | N 9212 | N 9940 |
| N 1236 | N 4097 | N 6076 | N 7534 | N 8457 | N 9334 | N 9941 |
| N 1328 | N 4118 | N 6077 | N 7535 | N 8458 | N 9338 | N 9943 |
| N 1601 | N 4206 | N 6078 | N 7549 | N 8474 | N 9354 | N 9944 |
| N 1602 | N 4265 | N 6087 | N 7551 | N 8475 | N 9355 | N 9945 |
| N 1603 | N 4327 | N 6148 | N 7552 | N 8480 | N 9357 | N 9948 |
| N 1618 | N 4388 | N 6149 | N 7561 | N 8482 | N 9446 | N 9949 |
| N 1651 | N 4389 | N 6150 | N 7562 | N 8497 | N 9452 | N 9960 |
| N 1697 | N 4390 | N 6315 | N 7593 | N 8534 | N 9470 | N 9976 |
| N 1715 | N 4400 | N 6442 | N 7620 | N 8557 | N 9471 | N 9979 |
| N 1716 | N 4425 | N 6580 | N 7636 | N 8558 | N 9472 | N 9982 |
| N 1958 | N 4448 | N 6610 | N 7649 | N 8595 | N 9473 | N 9983 |
| N 2030 | N 4450 | N 6620 | N 7650 | N 8603 | N 9488 | N 9984 |
| N 2115 | N 4451 | N 6651 | N 7651 | N 8627 | N 9514 | N 10011 |
| N 2239 | N 4512 | N 6744 | N 7665 | N 8643 | N 9520 | N 10076 |
| N 2413 | N 4757 | N 6745 | N 7720 | N 8658 | N 9521 | |
| N 2565 | N 4758 | N 6819 | N 7772 | N 8664 | N 9591 | |

QUALITY OF GROUND WATER

175

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEO-LOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)
405327073184301	S 49. 1	211LLYD	11-25-86	763	46	6. 16
405452073282401	S 4466. 1	211LLYD	06-04-87	386	34	6. 08
405122072510101	S 6459. 1	211MGTY	09-25-87	165	68	5. 92
405840072114501	S 7570. 1	112GLCLU02	26-87	162	154	6
405126073273802	S 12130. 1	112GLCLU01	07-87	307	37	5. 79
405013073263801	S 13876. 1	211MGTY	11-19-86	298	73	6. 24
405413072232901	S 17474. 1	112GLCLU04	14-87	103	344	6. 01
405356073275801	S 19198. 1	112GLCLU01	07-87	431	75	6. 10
404941072372207	S 20688. 1	112GLCLU12	30-86	75	84	5. 22
405713072571401	S 20839. 1	112GLCLU02	05-87	182	79	5. 94
403727073154501	S 21080. 1	211MGTY	11-24-86	1115	131	5. 83
405226073231701	S 23145. 1	112GLCLU11	21-86	600	38	6. 12
404750073215001	S 23523. 1	112GLCLU04	23-87	445	29	6. 03
405050073214501	S 23997. 1	211MGTY	11-21-86	625	66	5. 93
404431073211401	S 25674. 1	211MGTY	02-17-87	625	23	5. 53
404318073153801	S 26535. 1	211MGTY	02-20-87	776	26	5. 17
404452073033002	S 28408. 1	211MGTY	02-18-87	335	48	6. 34
404703073264201	S 29776. 1	211MGTY	10-01-86	720	34	5. 78
		211MGTY	07-28-87	720	32	6. 26
404607073253002	S 30007. 1	211MGTY	11-20-86	595	23	5. 08

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINIT WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINIT LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
11-25-86	11.5	2.2	0.86	4.2	0.40	7	7.0	1.4	5.4
06-04-87	13.0	1.7	0.63	3.2	0.56	7	8.0	0.8	3.9
09-25-87	11.0	3.2	1.6	5.1	0.56	10	6.0	12	5.8
02-26-87	11.0	7.1	4.6	14	0.80	10	10	15	24
01-07-87	11.0	1.5	0.68	3.8	0.46	6	5.0	1.4	4.4
11-19-86	12.0	3.9	1.7	7.3	0.40	15	1.0	1.4	8.3
04-14-87	10.5	35	9.1	10	2.7	10	11	83	20
01-07-87	12.0	4.3	2.0	5.9	0.85	15	13	5.9	6.6
12-30-86	11.0	4.7	2.0	5.3	1.1	11	11	11	9.0
02-05-87	10.5	3.8	5.0	5.3	0.70	9	7.0	12	7.9
11-24-86	18.5	0.50	1.5	18	2.4	12	7.0	20	15
11-21-86	11.5	2.0	0.63	4.0	0.30	10	18	1.2	4.5
04-23-87	11.0	1.1	0.48	3.1	0.54	6	5.0	<0.2	4.4
11-21-86	12.0	4.3	2.0	4.6	0.50	9	9.0	3.3	7.2
02-17-87	11.0	0.40	0.18	2.4	0.29	3	2.0	2.2	3.4
02-20-87	11.0	0.34	0.30	2.9	0.37	1	2.0	3.0	3.4
02-18-87	11.5	2.9	1.3	3.8	0.58	16	14	4.0	3.7
10-01-86	12.0	0.50	0.27	2.2	0.40	12	11	2.4	3.0
07-28-87	11.5	0.49	0.34	2.3	0.20	--	10	2.3	2.9
11-20-86	11.5	0.50	0.18	2.7	0.32	2	--	1.5	3.8

QUALITY OF GROUND WATER

177

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	FLUORIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
11-25-86	<0.10	9.2	0.004	<0.010	<0.002	<0.010	10	<10
06-04-87	<0.10	7.8	0.031	<0.010	0.004	0.250	<10	<10
09-25-87	0.10	15	0.001	<0.010	0.014	0.100	2400	20
02-26-87	<0.10	13	0.001	<0.010	<0.002	0.010	<10	<10
01-07-87	<0.10	8.9	<0.001	<0.010	<0.002	<0.010	10	<10
11-19-86	<0.10	12	<0.003	<0.010	0.015	<0.010	50	<10
04-14-87	<0.10	12	0.002	<0.010	0.003	0.010	<10	<10
01-07-87	<0.10	11	<0.001	<0.010	<0.002	<0.010	40	<10
12-30-86	<0.10	8.8	0.008	0.900	0.980	<0.010	30	50
02-05-87	<0.10	9.9	<0.001	<0.010	<0.002	0.010	<10	20
11-24-86	<0.10	8.8	0.008	<0.010	<0.002	<0.010	2900	50
11-21-86	<0.10	14	<0.005	<0.010	<0.002	0.020	10	<10
04-23-87	<0.10	7.3	0.005	0.020	0.028	0.010	<10	<10
11-21-86	<0.10	8.6	0.006	<0.010	<0.002	<0.010	10	<10
02-17-87	<0.10	6.9	<0.001	<0.010	0.003	<0.010	500	<10
02-20-87	<0.10	6.5	0.001	<0.010	<0.002	<0.010	140	<10
02-18-87	<0.10	11	<0.001	<0.010	0.012	0.030	420	<10
10-01-86	<0.10	6.2	0.001	0.010	0.009	0.060	620	20
07-28-87	0.10	6.1	<0.010	0.010	<0.010	0.030	380	<10
11-20-86	<0.10	6.4	0.003	<0.010	<0.002	<0.010	20	<10

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)
404046073252101	S 32501. 1	211MGTY	02-24-87	632	25	5.10
405132073155901	S 33006. 1	211MGTY	03-17-87	504	40	5.93
405512073010502	S 34007. 1	211MGTY	12-23-86	345	68	6.21
404512073112201	S 35033. 1	211MGTY	02-02-87	317	70	5.97
405335072562901	S 36711. 1	112GLCLU01	16-87	143	92	7.12
404458073182502	S 36714. 1	211MGTY	01-20-87	308	37	6
403653073252901	S 36803. 1	211MGTY	04-29-87	313	64	5.84
404753073132401	S 37141. 1	211MGTY	11-25-86	429	32	6.23
405200073085801	S 37174. 1	211MGTY	03-10-87	309	101	7.43
404921073122703	S 38491. 1	211MGTY	01-22-87	383	39	6.27
405256073045602	S 38784. 1	211MGTY	01-08-87	604	24	6.23
405207073131401	S 40710. 1	112GLCLU12	09-86	463	36	--
405418073064901	S 40980. 1	211MGTY	01-12-87	578	29	6.04
405119073123702	S 42473. 1	211MGTY	03-10-87	649	44	5.98
404920073142801	S 44774. 1	112GLCLU03	17-87	294	70	6.13
404812073041201	S 44918. 1	112GLCLU10	09-86	85	148	5.56
405322073211404	S 45610. 1	112GLCLU01	13-87	313	37	5.70
404503073131201	S 45839. 1	211MGTY	01-27-87	726	25	5.49
404218073190400	S 45840. 1	211MGTY	02-03-87	315	60	4.55
405222072370701	S 46539. 1	112GLCLU10	28-86	93	402	5.38

QUALITY OF GROUND WATER

179

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
02-24-87	12.0	0.64	0.20	2.4	0.35	3	2.0	3.4	3.1
03-17-87	11.0	2.1	0.85	3.6	0.53	6	8.0	1.6	4.2
12-23-86	10.0	4.7	1.6	5.3	0.60	13	13	3.8	7.7
02-02-87	12.0	3.8	1.8	6.4	0.63	17	15	4.9	8.4
01-16-87	11.0	7.9	2.9	5.4	0.70	24	--	8.3	7.2
01-20-87	11.0	2.2	0.83	3.4	0.47	11	--	1.8	3.9
04-29-87	13.0	0.14	0.54	6.3	7.3	10	7.0	6.6	8.4
11-25-86	11.0	1.8	0.59	3.4	0.35	8	9.0	1.5	3.8
03-10-87	11.0	8.8	4.0	5.0	1.4	37	40	6.4	3.9
01-22-87	10.5	2.4	0.90	3.7	0.44	12	--	1.9	4.4
01-08-87	10.5	1.2	0.36	2.7	0.29	4	5.0	1.6	3.2
12-09-86	11.0	1.7	0.64	3.6	0.50	--	7.0	0.9	4.9
01-12-87	10.5	1.2	0.45	3.2	0.37	6	--	1.7	4.1
03-10-87	13.5	1.3	1.0	4.9	0.79	10	10	5.1	3.1
03-17-87	10.5	4.8	2.4	3.8	0.59	19	19	3.4	6.5
10-09-86	11.5	6.9	2.6	18	1.0	10	11	11	30
01-13-87	10.5	2.3	0.63	3.6	0.53	5	--	0.8	5.4
01-27-87	12.0	0.50	0.36	2.8	0.40	4	3.0	2.3	3.6
02-03-87	12.0	1.3	2.0	5.3	0.74	--	4.0	9.7	8.0
10-28-86	13.0	11	8.1	50	1.3	10	11	19	99

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	FLUORIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO ₂)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
02-24-87	<0.10	6.5	0.001	<0.010	<0.002	0.100	200	<10
03-17-87	<0.10	7.9	<0.001	<0.010	<0.002	0.010	<10	<10
12-23-86	<0.10	11	0.005	<0.010	<0.002	<0.010	30	<10
02-02-87	<0.10	12	0.002	0.010	0.008	<0.010	50	<10
01-16-87	<0.10	18	<0.001	<0.010	<0.002	0.020	<10	<10
01-20-87	<0.10	8.7	0.002	0.030	0.019	0.010	<10	<10
04-29-87	<0.10	7.5	<0.001	<0.010	0.031	0.010	1200	20
11-25-86	<0.10	11	<0.005	<0.010	<0.002	<0.010	20	<10
03-10-87	<0.10	16	0.002	0.030	0.019	0.050	40	140
01-22-87	<0.10	12	0.001	<0.010	<0.002	0.010	<10	<10
01-08-87	<0.10	9.3	<0.001	<0.010	<0.002	<0.010	10	<10
12-09-86	<0.10	9.6	0.002	<0.010	<0.002	0.010	20	<10
01-12-87	<0.10	11	<0.001	<0.010	0.009	0.010	<10	<10
03-10-87	<0.10	6.4	0.002	0.010	<0.002	0.010	20	<10
03-17-87	<0.10	13	<0.001	<0.010	0.005	0.010	<10	<10
10-09-86	<0.10	8.6	0.001	0.010	0.008	<0.010	1100	20
01-13-87	<0.10	7.4	<0.001	<0.010	<0.002	<0.010	<10	<10
01-27-87	<0.10	6.9	0.002	<0.010	<0.002	<0.010	200	<10
02-03-87	<0.10	8.6	0.002	<0.010	0.005	0.010	730	20
10-28-86	<0.10	11	<0.001	<0.010	0.007	<0.010	170	30

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)
404804072484101	S 46713. 1	211MGTY	03-18-87	444	53	6.14
404606073174601	S 46830. 1	211MGTY	01-20-87	655	28	5.41
405455073025801	S 46928. 1	211MGTY	01-08-87	654	47	6.74
404628072430803	S 47024. 1	211MGTY	09-01-87	377	254	7.43
404617073035501	S 47035. 1	211MGTY	03-18-87	508	45	6.16
404759073251600	S 47220. 1	112GLCLU10	09-86	92	20	5.49
405110072531501	S 47436. 1	112GLCLU03	05-87	164	71	6.18
405110072531503	S 47438. 1	211MGTY	03-03-87	269	84	6.47
405121072490601	S 48946. 1	112GLCLU06	30-87	45	225	5.95
404739072562701	S 49018. 1	211MGTY	01-15-87	516	57	6.49
405335072562903	S 49606. 1	211MGTY	09-18-87	388	94	6.76
404210073250201	S 51214. 1	211MGTY	02-03-87	395	68	4.05
410212071574401	S 51275. 1	211MGTY	03-06-87	178	215	6.37
404119072593501	S 51461. 1	211MGTY	03-24-87	467	58	6.77
404808073113302	S 51519. 1	112GLCLU11	25-86	408	53	6.41
405512072395201	S 51573. 1	112GLCLU10	08-86	90	127	7.58
404225073193001	S 51673. 1	211MGTY	02-17-87	763	26	4.96
404558072521001	S 52943. 1	112GLCLU03	03-87	310	85	6.19
405230072430001	S 53522. 1	112GLCLU03	26-87	242	58	6.54
405230072430002	S 53851. 1	211MGTY	03-26-87	297	55	6.32

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
03-18-87	12.0	3.7	1.1	4.7	0.49	16	16	2.3	5.2
01-20-87	11.5	0.90	0.40	3.1	0.54	3	--	1.2	5.1
01-08-87	11.5	3.6	1.0	3.4	0.48	13	14	2.4	4.0
09-01-87	15.0	0.22	0.52	50	5.2	63	63	30	19
03-18-87	11.0	3.1	1.1	4.3	0.52	12	12	3.9	3.8
10-09-86	10.0	0.15	0.27	2.6	0.35	4	3.0	1.3	3.6
03-05-87	10.0	4.0	2.1	5.8	0.55	13	12	7.8	11
03-03-87	10.0	7.2	2.3	5.9	0.57	20	20	7.7	11
06-30-87	13.0	15	4.9	12	3.4	--	13	25	15
01-15-87	11.0	5.1	1.1	3.8	0.65	19	--	4.8	4.4
09-18-87	11.0	7.7	3.1	5.5	1.2	30	29	6.3	6.1
02-03-87	11.0	2.2	1.3	5.8	0.66	--	--	9.0	12
03-06-87	11.0	4.7	3.7	29	1.1	10	10	15	54
03-24-87	14.0	0.13	0.13	9.1	4.0	--	16	7.1	3.6
11-25-86	11.0	3.4	1.8	3.9	0.30	17	17	1.9	4.8
10-08-86	13.5	16	2.1	5.4	0.70	61	59	2.4	5.5
02-17-87	12.0	0.36	0.37	2.3	0.36	1	2.0	3.9	3.1
03-03-87	11.0	3.0	1.8	9.3	0.90	9	10	8.2	15
03-26-87	10.0	3.6	1.6	4.7	0.53	13	12	8.7	9.4
03-26-87	10.5	3.5	1.7	5.0	0.49	11	12	5.5	6.2

QUALITY OF GROUND WATER

183

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	FLUORIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO ₂)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
03-18-87	<0.10	13	<0.001	<0.010	0.012	0.020	230	20
01-20-87	<0.10	6.5	0.001	<0.010	<0.002	0.010	<10	<10
01-08-87	<0.10	15	<0.001	<0.010	0.010	<0.010	<10	<10
09-01-87	0.10	7.6	0.003	<0.010	0.023	0.130	10	<10
03-18-87	<0.10	13	<0.001	<0.010	0.010	0.010	<10	<10
10-09-86	<0.10	5.2	<0.001	0.010	0.015	<0.010	890	<10
03-05-87	<0.10	11	<0.001	<0.010	<0.002	0.010	<10	<10
03-03-87	<0.10	14	<0.001	0.010	<0.002	0.020	40	<10
06-30-87	<0.10	8.8	0.040	0.310	0.300	0.010	4800	300
01-15-87	<0.10	16	0.001	0.040	0.057	0.020	400	30
09-18-87	0.10	20	<0.001	0.040	0.053	0.040	<10	40
02-03-87	<0.10	8.1	0.001	<0.010	<0.002	0.040	560	30
03-06-87	<0.10	16	<0.001	0.020	0.025	0.010	530	20
03-24-87	<0.10	10	<0.001	0.050	0.037	0.090	1500	30
11-25-86	<0.10	14	0.006	<0.010	<0.002	<0.010	20	<10
10-08-86	<0.10	44	0.002	0.350	0.483	0.120	140	50
02-17-87	<0.10	6.5	<0.001	<0.010	<0.002	0.010	180	10
03-03-87	<0.10	9.2	<0.001	0.010	0.012	0.280	20	10
03-26-87	<0.10	11	0.002	<0.010	0.009	0.160	<10	<10
03-26-87	<0.10	12	0.004	<0.010	0.004	0.040	40	<10

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)
404759073122501	S 54308. 1	211MGTY	02-20-87	797	32	5.84
405410073010502	S 55502. 1	211MGTY	01-06-87	597	48	6.26
405126073273803	S 57354. 1	211MGTY	01-07-87	257	48	6.02
405614073051501	S 57979. 1	211MGTY	01-29-87	582	30	5.92
405514073050103	S 57980. 1	211MGTY	01-29-87	703	38	6.32
404722073030502	S 59744. 1	211MGTY	02-06-87	301	63	6.01
404949073042802	S 60127. 1	211MGTY	01-12-87	489	59	6.45
404415073114001	S 63618. 1	211MGTY	02-12-87	463	27	5.63
405652072590003	S 64023. 1	211MGTY	03-20-87	794	59	6.68
405301073153203	S 64062. 1	211MGTY	12-09-86	639	31	--
404308073243101	S 66556. 1	211MGTY	11-20-86	728	23	5.21
405002073022604	S 66881. 1	112GLCLU02	06-87	278	76	6.91
405419072232901	S 67819. 1	211MGTY	03-23-87	283	100	6.21
404633073070901	S 68690. 1	211MGTY	03-03-87	824	53	6.16
404750073225302	S 74284. 2	211MGTY	10-02-86	707	28	5.95
404750073225303	S 74285. 1	211MGTY	10-02-86	448	18	5.59
405206072403301	S 74307. 1	112GLCLU10	06-86	86	61	5.48
405317072331902	S 77435. 1	112GLCLU10	28-86	27	440	6.18
405833072113701	S 78310. 1	211MGTY	02-27-87	303	86	6.81

QUALITY OF GROUND WATER

185

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD MG/L AS CACO3	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
02-20-87	12.0	1.1	0.80	3.2	0.40	9	8.0	2.7	3.5
01-06-87	11.0	3.2	1.1	3.8	0.50	--	12	3.0	4.6
01-07-87	11.0	2.6	0.81	4.3	0.52	8	7.0	1.5	4.8
01-29-87	11.5	1.2	0.67	3.1	0.35	7	--	2.1	3.9
01-29-87	11.5	1.9	0.98	3.3	0.44	11	--	2.5	3.9
02-06-87	10.5	4.3	3.5	4.8	0.46	8	7.0	8.6	8.5
01-12-87	10.5	3.9	1.7	4.9	0.51	15	14	2.6	5.9
02-12-87	12.5	0.80	0.26	3.0	0.58	6	5.0	2.2	3.3
03-20-87	12.0	4.1	2.1	4.8	0.67	21	21	2.4	4.2
12-09-86	11.0	1.2	0.49	3.2	0.40	--	5.0	0.9	4.7
11-20-86	11.5	0.50	0.27	2.5	0.42	3	3.0	1.8	3.7
02-06-87	10.5	5.3	5.0	4.5	0.62	17	17	7.9	6.2
03-23-87	11.0	6.9	2.4	8.6	0.65	14	14	17	12
03-03-87	12.0	2.8	1.5	4.4	0.76	17	16	4.2	4.4
10-02-86	11.0	1.2	0.39	3.2	0.35	7	6.0	1.2	3.6
10-02-86	11.0	0.60	0.20	2.1	0.20	4	4.0	0.6	3.1
10-06-86	14.0	1.1	0.55	8.6	0.60	4	4.0	9.7	9.4
10-28-86	12.5	7.2	1.7	69	1.5	28	27	15	100
02-27-87	11.0	4.6	2.3	8.9	0.54	16	15	2.1	13
06-12-87	13.0	0.25	0.21	3.2	0.37	--	4.0	3.6	3.3

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	FLUORIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO ₂)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
02-20-87	<0.10	8.8	0.001	<0.010	<0.002	<0.010	<10	<10
01-06-87	<0.10	12	<0.001	<0.010	<0.002	<0.010	10	<10
01-07-87	<0.10	10	<0.001	<0.010	0.006	<0.010	<10	<10
01-29-87	<0.10	8.9	0.002	<0.010	<0.002	0.010	<10	<10
01-29-87	<0.10	10	0.002	<0.010	<0.002	<0.010	<10	<10
02-06-87	<0.10	16	0.001	0.020	0.003	0.010	280	30
01-12-87	<0.10	16	0.001	<0.010	0.006	0.010	<10	<10
02-12-87	<0.10	0.3	0.001	<0.010	0.005	0.020	40	10
03-20-87	0.10	17	<0.001	<0.010	<0.002	0.010	20	<10
12-09-86	<0.10	6.9	0.001	<0.010	<0.002	<0.010	20	<10
11-20-86	<0.10	6.7	0.003	<0.010	0.023	<0.010	10	<10
02-06-87	<0.10	16	0.001	<0.010	<0.002	0.010	<10	10
03-23-87	<0.10	16	0.001	<0.010	<0.002	0.010	<10	10
03-03-87	<0.10	14	<0.001	<0.010	0.006	0.150	270	20
10-02-86	<0.10	7.1	<0.001	<0.010	0.009	0.020	60	<10
10-02-86	<0.10	6.6	<0.001	0.020	0.005	0.020	<10	<10
10-06-86	<0.10	5.5	<0.001	0.020	0.016	0.010	40	<10
10-28-86	<0.10	3.4	<0.001	<0.010	0.005	<0.010	190	30
02-27-87	<0.10	18	<0.001	<0.010	<0.002	0.040	<10	<10
06-12-87	<0.10	7.4	0.002	0.040	0.002	<0.010	20	<10

QUALITY OF GROUND WATER

187

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	HARDNESS (MG/L AS CaCO3)	CALCIUM DIS-SOLVED (MG/L AS Ca)
404820073160303	S 24771. 1	112GLCLU	07-27-87	127	234	6.08	14.5	42	8.6
404703073264205	S 29778. 1	211MGTY	07-27-87	168	128	6.20	11.5	36	6.6
405038072414701	S 34742. 1	112GLCLU	06-30-87	97	80	5.83	11.0	27	6.0
405132073181401	S 45207. 1	112GLCLU	08-04-87	146	195	5.97	13.0	50	14
405005073233701	S 45208. 1	112GLCLU	07-09-87	137	452	5.52	13.5	98	24
404945073174501	S 45210. 1	112GLCLU	07-07-87	109	281	6.57	13.0	100	24
404920073150901	S 45594T. 1	112GLCLU	08-13-87	85	128	5.41	12.5	33	8.1
404823073211800	S 46283. 1	112GLCLU	07-21-87	239	42	5.82	14.0	5	1.0
405139072432401	S 46544. 1	112GLCLU	07-06-87	107	156	6.40	12.0	56	13
404759073251600	S 47220. 1	112GLCLU	07-09-87	92	32	6.07	11.0	4	<0.10
405136072464500	S 47755. 1	112GLCLU	06-23-87	58	71	6.67	12.5	13	3.1
404755073244201	S 48375. 1	112GLCLU	07-22-87	79	482	5.79	17.5	23	6.5
405139072385002	S 48584. 1	112GLCLU	06-24-87	89	45	6.58	11.0	10	2.4
405121072490601	S 48946. 1	112GLCLU	06-30-87	45	225	5.95	13.0	62	17
405100073152601	S 50513. 1	112GLCLU	07-16-87	89	230	5.57	13.0	46	11
405716072413301	S 51566. 1	112GLCLU	06-17-87	89	544	5.85	12.0	240	77
405653072422501	S 51567. 1	112GLCLU	06-16-87	92	521	5.81	12.0	240	76

QUALITY OF GROUND WATER
WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL LAB MG/L AS CACO3	SULFATE (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUD- RIDE, TOTAL (MG/L AS F)	SILICA TOTAL (MG/L- SiO2)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)
07-13-87	3.1	16	1.1	8	<5.0	25	<0.2	6.1	<0.010	<0.001	2.00	<0.010
07-28-87	5.5	26	5.0	15	21	57	<0.2	11	<0.010	<0.001	6.79	0.030
07-15-87	5.1	19	5.7	6	32	26	<0.2	17	<0.010	0.002	23.0	0.200
07-16-87	7.2	23	4.0	7	26	32	<0.2	16	<0.010	0.002	16.0	0.040
08-06-87	3.5	22	1.9	9	20	23	<0.2	12	<0.010	0.002	9.97	0.100
07-01-87	4.5	5.0	2.7	5	8.0	19	<0.2	10	<0.010	<0.001	0.020	0.020
06-29-87	0.90	<3.0	0.60	8	7.0	4.2	<0.2	8.9	<0.010	<0.001	0.020	0.070
07-21-87	1.3	3.0	0.60	6	<5.0	5.0	<0.2	6.6	<0.010	<0.001	1.08	0.070
06-25-87	2.1	8.0	0.90	8	12	8.3	<0.2	12	<0.010	0.001	3.64	0.090
06-24-87	0.30	33	0.80	15	10	45	<0.2	5.4	<0.010	0.002	0.090	<0.010
06-29-87	0.20	8.0	0.70	7	12	4.4	<0.2	7.3	<0.010	<0.001	<0.010	<0.010
07-01-87	0.80	<3.0	0.60	6	6.0	3.6	<0.2	9.9	<0.010	0.001	<0.010	0.040
07-02-87	1.6	20	0.90	4	9.0	37	<0.2	6.8	<0.010	<0.001	0.240	<0.010
07-27-87	2.8	5.0	0.80	10	6.0	12	<0.2	10	<0.010	<0.001	1.74	0.070
07-30-87	4.4	5.0	0.90	4	<5.0	12	<0.2	9.3	<0.010	<0.001	5.86	0.250
07-30-87	4.9	<3.0	1.3	4	18	8.1	<0.2	11	<0.010	<0.001	7.70	0.030

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)
07-13-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-28-87	<5	<200	20	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-15-87	<5	<200	80	3	<10	<50	<50	<10	900	<50	<5	<1.0
07-16-87	<5	300	70	<1	<10	<50	<50	<10	330	<50	<5	<1.0
08-06-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-01-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-29-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-21-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-25-87	<5	<200	40	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-24-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-29-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-01-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-02-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-27-87	<5	<200	<10	<1	<10	<50	<50	10	<50	<50	<5	<1.0
07-30-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-30-87	<5	<200	30	<1	<10	<50	<50	<10	<50	<50	<5	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	CARBON- TETRA- CHLOR- IDE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	BENZENE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
07-13-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
07-28-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-15-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	4.0	<1.0
07-16-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
08-06-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	4.0	<2.0
07-01-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-21-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
06-25-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-24-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-01-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-02-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
07-27-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-30-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-30-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	1,2- TRANSDI- CHLORO- ETHYL- ENE TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	PRO- PAZINE TOTAL (UG/L)	TRI- FLURA- LIN TOTAL RECOVER (UG/L)	PER- THANE TOTAL (UG/L)	METHO- MYL TOTAL (UG/L)	SIME- TRYNE TOTAL (UG/L)	SIMA- ZINE TOTAL (UG/L)	PROME- TONE TOTAL (UG/L)	PROME- TRYNE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)
07-13-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-28-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-15-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-16-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
08-06-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-01-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-21-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-25-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-24-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-01-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-02-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-27-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-30-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-30-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	TOX- APHENE, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	PCB, TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	ATRA- ZINE, TOTAL (UG/L)	2,4-D, TOTAL (UG/L)
07-13-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-28-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-15-87	<1	<0.010	0.030	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-16-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
08-06-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-01-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-21-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-25-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-24-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-01-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-02-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-27-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-30-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-30-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4, 5-T TOTAL (UG/L)	MIREX, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	MERCURY DIS- SOLVED (UG/L AS HG)	ALA- CHLOR TOTAL RECOVER (UG/L)	XYLENE WATER WHOLE TOT REC (UG/L)	CYAN- AZINE TOTAL (UG/L)
07-13-87	<0.01	<0.01	<0.01	<0.01	<0.01	68	<0.010	<0.5	<0.10	<7.0	<0.10
07-28-87	<0.01	<0.01	<0.01	<0.01	<0.01	190	<0.010	<0.5	<0.10	<4.0	<0.10
07-15-87	<0.01	<0.01	<0.01	<0.01	<0.01	240	<0.010	<0.5	<0.10	<7.0	<0.10
07-16-87	<0.01	<0.01	<0.01	<0.01	<0.01	200	<0.010	<0.5	<0.10	<7.0	<0.10
08-06-87	<0.01	<0.01	<0.01	<0.01	<0.01	150	0.050	<0.5	<0.10	<4.0	<0.10
07-01-87	<0.01	<0.01	<0.01	<0.01	<0.01	71	<0.010	<0.5	<0.10	<10	<0.10
06-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	28	<0.010	<0.5	<0.10	<10	<0.10
07-21-87	<0.01	<0.01	<0.01	<0.01	<0.01	26	<0.010	<0.5	<0.10	<7.0	<0.10
06-25-87	<0.01	<0.01	<0.01	<0.01	<0.01	70	0.020	<0.5	<0.10	<10	<0.10
06-24-87	<0.01	<0.01	<0.01	<0.01	<0.01	100	<0.010	<0.5	<0.10	<10	<0.10
06-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	38	<0.010	<0.5	<0.10	<10	<0.10
07-01-87	<0.01	<0.01	<0.01	<0.01	<0.01	28	<0.010	<0.5	<0.10	<10	<0.10
07-02-87	<0.01	<0.01	<0.01	<0.01	<0.01	82	<0.010	<0.5	<0.10	<7.0	<0.10
07-27-87	<0.01	<0.01	<0.01	<0.01	<0.01	55	<0.010	<0.5	<0.10	<4.0	<0.10
07-30-87	<0.01	<0.01	<0.01	<0.01	<0.01	64	<0.010	<0.5	<0.10	<4.0	<0.10
07-30-87	<0.01	<0.01	<0.01	<0.01	<0.01	94	<0.010	<0.5	<0.10	<4.0	<0.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4-DP TOTAL (UG/L)	AME- TRYNE TOTAL	3-HYDRX CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	ALDICAR SULF- OXIDE WATER WHOLE TOT. REC (UG/L)	ALDI- CARB SULFONE WATER WHOLE TOT. REC (UG/L)	METRI- BUZIN WATER WHOLE TOT. REC (UG/L)	METOLA- CHLOR WATER WHOLE TOT. REC (UG/L)	OXYAMYL WATER WHOLE TOT. REC (UG/L)	CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	CAR- BARYL WATER WHOLE TOT. REC (UG/L)	ALDI- CARB WATER WHOLE TOT. REC (UG/L)
07-13-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-28-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-15-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-16-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-06-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-01-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-21-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-25-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-24-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-01-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-02-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-27-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-30-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-30-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	HARDNESS (MG/L AS CaCO3)	CALCIUM DIS-SOLVED (MG/L AS Ca)
405808072385401	S 51568 1	112GLCLU	06-10-87	70	512	6.30	12.5	190	60
405805072403701	S 51571 1	112GLCLU	08-18-87	108	382	5.85	12.0	96	25
405542072445302	S 51572 1	112GLCLU	06-11-87	43	309	5.74	12.0	63	18
405544072411801	S 51575 1	112GLCLU	06-17-87	34	102	6.58	13.5	28	8.4
405559072425201	S 51576 1	112GLCLU	06-17-87	69	191	5.55	12.0	66	18
405630072442001	S 51577 1	112GLCLU	06-10-87	95	421	5.45	12.0	170	52
405721072453701	S 51578 1	112GLCLU	07-29-87	126	156	6.11	11.5	48	12
405722072342001	S 51581 1	112GLCLU	08-17-87	45	343	5.98	13.0	110	31
405853072353901	S 51582 1	112GLCLU	07-29-87	84	356	6.12	12.0	140	42
405809072370901	S 51587 1	112GLCLU	06-09-87	80	358	5.90	12.5	110	33
405634072380501	S 51588 1	112GLCLU	06-16-87	60	372	6.10	12.5	170	50
405704072361401	S 51589 1	112GLCLU	06-18-87	44	187	5.12	11.5	22	7.0
405542072445301	S 52383 1	112GLCLU	06-22-87	64	151	5.23	12.0	23	7.1
405242072381801	S 54886 1	112GLCLU	06-29-87	54	321	5.66	12.5	9	2.9
404659073202001	S 64313 1	112GLCLU	08-05-87	30	252	6.35	14.0	32	11
404818073171601	S 64314 1	112GLCLU	08-05-87	60	886	5.67	13.5	80	22
404746073221901	S 64316 1	112GLCLU	07-15-87	63	248	5.43	12.5	66	17

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL LAB MG/L AS CACO3	SULFATE (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	SILICA TOTAL (MG/L- SiO2)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)
06-10-87	9.2	23	5.2	22	79	55	<0.2	8.9	0.250	0.059	17.0	0.080
08-18-87	7.9	11	4.3	9	6.3	28	<0.2	9.7	0.030	<0.001	11.0	<0.010
06-11-87	4.1	22	6.4	20	31	35	<0.2	13	0.740	0.032	9.91	0.320
06-17-87	1.6	8.0	0.80	32	6.0	8.4	<0.2	9.2	0.280	<0.001	<0.010	0.100
06-17-87	5.2	6.0	4.3	7	45	11	<0.2	8.0	<0.010	<0.001	4.73	0.080
06-10-87	10	7.0	8.7	7	110	22	<0.2	10	<0.010	0.001	8.91	0.010
07-29-87	4.7	<3.0	1.8	6	37	10	<0.2	9.3	<0.010	0.004	2.76	0.070
08-17-87	7.9	8.0	3.9	8	110	20	<0.2	8.8	<0.010	<0.001	3.51	<0.010
07-29-87	7.7	5.0	3.8	16	80	20	<0.2	10	<0.010	0.004	8.31	0.250
06-09-87	6.5	14	11	20	59	23	0.5	12	0.030	0.024	13.1	0.070
06-16-87	10	10	4.5	15	97	24	<0.2	8.7	0.380	0.020	11.0	0.170
06-18-87	1.2	21	3.9	8	8.0	38	0.3	6.1	<0.010	0.004	3.55	--
06-22-87	1.4	7.0	4.5	5	<5.0	23	0.6	4.1	0.070	0.006	4.96	0.050
06-29-87	0.40	54	0.40	5	18	74	<0.2	4.7	<0.010	<0.001	0.320	<0.010
08-05-87	1.0	43	1.8	19	<5.0	60	<0.2	2.4	0.170	0.005	0.240	0.050
08-05-87	6.1	150	1.2	54	16	220	<0.2	5.0	<0.010	<0.001	1.51	0.020
07-15-87	5.8	10	2.8	6	23	33	<0.2	6.6	<0.010	0.003	7.75	0.080

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)
06-10-87	<5	<200	100	<1	<10	<50	380	<10	90	<50	<5	<1.0
08-18-87	<5	<200	20	<1	<10	<50	1800	<10	70	<50	<5	<1.0
06-11-87	<5	<200	50	<1	<10	<50	4300	<10	1500	<50	<5	<1.0
06-17-87	<5	<200	50	<1	<10	<50	4900	<10	70	<50	<5	<1.0
06-17-87	<5	<200	320	<1	<10	<50	90	20	90	<50	<5	<1.0
06-10-87	<5	<200	90	<1	<10	<50	<50	<10	270	<50	<5	<1.0
07-29-87	<5	<200	30	<1	<10	<50	820	<10	50	<50	<5	<1.0
08-17-87	<5	<200	80	<1	<10	<50	1100	<10	60	<50	<5	<1.0
07-29-87	<5	<200	80	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-09-87	<5	<200	60	2	<10	<50	200	<10	310	<50	<5	<1.0
06-16-87	<5	<200	260	<1	<10	<50	2800	10	170	<50	<5	<1.0
06-18-87	<5	<200	60	2	<10	<50	2000	<10	130	<50	<5	<1.0
06-22-87	<5	<200	50	<1	<10	<50	200	<10	120	<50	<5	<1.0
06-29-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
08-05-87	<5	<200	<10	<1	<10	<50	<50	<10	1100	<50	<5	<1.0
08-05-87	<5	<200	30	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-15-87	<5	<200	20	<1	<10	<50	<50	<10	60	<50	<1	<1.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	CARBON- TETRA- CHLORIDE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	BENZENE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
06-10-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
08-18-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
06-11-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<2.0	<1.0	<5.0	<1.0	<1.0
06-17-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-17-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<2.0	<1.0	<5.0	<1.0	<1.0
06-10-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<2.0	<1.0
07-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
08-17-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
06-09-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-16-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<2.0	<1.0	<5.0	<1.0	<1.0
06-18-87	<1.0	<2.0	<1.0	<7.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-22-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
08-05-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
08-05-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-15-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	1,2- TRANSDI- CHLORO- ETHYL- ENE TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	PRO- PAZINE TOTAL (UG/L)	TRI- FLURA- LIN TOTAL RECOVER (UG/L)	PER- THANE TOTAL (UG/L)	METHO- MYL TOTAL (UG/L)	SIME- TRYNE TOTAL (UG/L)	SIMA- ZINE TOTAL (UG/L)	PROME- TONE TOTAL (UG/L)	PROME- TRYNE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)
06-10-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
08-18-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-11-87	<9.0	<0.02	<0.10	<0.10	0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-17-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-17-87	<9.0	<0.02	<0.10	<0.10	--	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-10-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<2.0
07-29-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
08-17-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-29-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-09-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-16-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-18-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-22-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
08-05-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	0.10	0.1	<0.1	<1.0
08-05-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-15-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0

QUALITY OF GROUND WATER
WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	TOX- APHENE, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	PCB, TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	ATRA- ZINE, TOTAL (UG/L)	2, 4-D, TOTAL (UG/L)
06-10-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
08-18-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-11-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	0.15
06-17-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-17-87	--	--	--	--	--	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-10-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
08-17-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-29-87	<1	<0.010	<0.010	0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-09-87	<1	<0.010	<0.010	0.02	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-16-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-18-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-22-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
08-05-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	0.13	<0.01	<0.10	<0.01
08-05-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-15-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	0.10	<0.01

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4, 5-T TOTAL (UG/L)	MIREX, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	MERCURY DIS- SOLVED (UG/L AS HG)	ALA- CHLOR TOTAL RECOVER (UG/L)	XYLENE WATER WHOLE TOT REC (UG/L)	CYAN- AZINE TOTAL (UG/L)
06-10-87	<0.01	<0.01	<0.01	<0.01	<0.01	330	<0.010	<0.5	<0.10	<10	<0.10
08-18-87	<0.01	<0.01	<0.01	<0.01	<0.01	210	<0.010	<0.5	<0.10	<4.0	<0.10
06-11-87	<0.01	<0.01	<0.01	<0.01	<0.01	190	<0.010	<0.5	<0.10	<10	<0.10
06-17-87	<0.01	<0.01	<0.01	<0.01	<0.01	67	<0.010	<0.5	<0.10	<10	<0.10
06-17-87	<0.01	--	<0.01	<0.01	<0.01	120	<0.010	<0.5	<0.10	<10	<0.10
06-10-87	<0.01	<0.01	<0.01	<0.01	<0.01	270	<0.010	<0.5	<0.10	<12	<0.10
07-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	91	<0.010	<0.5	<0.10	<4.0	<0.10
08-17-87	<0.01	<0.01	<0.01	<0.01	<0.01	220	<0.010	<0.5	<0.10	<4.0	<0.10
07-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	220	<0.010	<0.5	<0.10	<4.0	<0.10
06-09-87	<0.01	<0.01	<0.01	<0.01	<0.01	230	<0.010	<0.5	<0.10	<10	<0.10
06-16-87	<0.01	<0.01	<0.01	<0.01	<0.01	270	0.030	<0.5	<0.10	<10	<0.10
06-18-87	<0.01	<0.01	<0.01	<0.01	<0.01	110	--	<0.5	<0.10	<10	<0.10
06-22-87	<0.01	<0.01	<0.01	<0.01	<0.01	73	0.010	<0.5	<0.10	<10	<0.10
06-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	160	<0.010	--	<0.10	<10	<0.10
08-05-87	<0.01	<0.01	<0.01	<0.01	<0.01	130	0.010	<0.5	<0.10	<4.0	<0.10
08-05-87	<0.01	<0.01	<0.01	<0.01	<0.01	460	0.020	<0.5	<0.10	<4.0	<0.10

QUALITY OF GROUND WATER
WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4-DP TOTAL (UG/L)	AME- TRYNE TOTAL	3-HYDRX CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	ALDICAR SULF- OXIDE WATER WHOLE TOT. REC (UG/L)	ALDI- CARB SULFONE WATER WHOLE TOT. REC (UG/L)	METRI- BUZIN WATER WHOLE TOT. REC (UG/L)	METOLA- CHLOR WATER WHOLE TOT. REC (UG/L)	OXYAMYL WATER WHOLE TOT. REC (UG/L)	CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	CAR- BARYL WATER WHOLE TOT. REC (UG/L)	ALDI- CARB WATER WHOLE TOT. REC (UG/L)
06-10-87	<0.01	<0.10	<1.0	26.0	32.0	<0.1	<0.1	<1.0	7.0	<1.0	<1.0
08-18-87	<0.01	<0.10	<1.0	18.0	23.0	<0.1	<0.1	<1.0	4.0	<1.0	<1.0
06-11-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-17-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-17-87	<0.01	<0.10	<1.0	6.0	6.0	<0.1	<0.1	<1.0	5.0	<1.0	<1.0
06-10-87	<0.01	<0.10	<1.0	43.0	61.0	<0.1	<0.1	<1.0	10.0	<1.0	<1.0
07-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-17-87	<0.01	<0.10	<1.0	11.0	14.0	<0.1	<0.1	<1.0	2.0	<1.0	<1.0
07-29-87	<0.01	<0.10	<1.0	13.0	12.0	<0.1	<0.1	<1.0	7.0	<1.0	<1.0
06-09-87	<0.01	<0.10	<1.0	4.0	2.0	<0.1	<0.1	7.0	<1.0	<1.0	<1.0
06-16-87	<0.01	<0.10	<1.0	6.0	10.0	<0.1	<0.1	<1.0	3.0	<1.0	<1.0
06-18-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-22-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-05-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-05-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-15-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

STATION NUMBER	LOCAL IDENTIFIER	GEOLOGIC UNIT	DATE	DEPTH OF WELL, TOTAL (FEET)	SPECIFIC CONDUCTANCE (US/CM)	PH (STANDARD UNITS)	TEMPERATURE WATER (DEG C)	HARDNESS (MG/L AS CaCO3)	CALCIUM DIS-SOLV (MG/AS C)
404737073251601	S 64318. 1	112GLCLU	07-13-87	60	127	5.70	12.5	18	2.
404623073253901	S 64319. 1	112GLCLU	07-28-87	45	330	5.64	12.0	77	22
405030073180601	S 65602. 1	112GLCLU	07-15-87	96	380	5.31	14.0	86	26
405003073155201	S 65607. 1	112GLCLU	07-16-87	102	323	5.35	12.0	70	16
404932073243703	S 68762. 1	112GLCLU	08-06-87	86	228	5.46	14.0	53	15
405102072450601	S 73807. 1	112GLCLU	07-01-87	100	101	5.74	11.5	64	18
405014072465701	S 73811. 1	112GLCLU	06-29-87	85	47	6.35	10.5	8	1.
404750073225304	S 74286. 1	211MGTY	07-21-87	115	52	5.90	14.0	8	1.
405017072495001	S 74293. 1	112GLCLU	06-25-87	71	106	5.74	12.0	24	6.
405213072481101	S 74294. 1	112GLCLU	06-24-87	36	194	5.65	12.5	6	1.
405045072472602	S 74295. 1	112GLCLU	06-29-87	56	67	6.04	11.5	4	1.
405330072453901	S 74301. 1	112GLCLU	07-01-87	109	46	6.11	10.5	11	3.
405206072403301	S 74307. 1	112GLCLU	07-02-87	86	161	5.89	12.0	17	4.
404859073194004	S 75456. 1	112GLCLU	07-27-87	203	82	5.90	11.0	22	4.
405107072501001	S 86583. 1	112GLCLU	07-30-87	41	114	5.89	11.5	28	4.
404949072504201	S 86584. 1	112GLCLU	07-30-87	46	148	6.26	11.0	55	14

QUALITY OF GROUND WATER
 WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987
 SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL LAB MG/L AS CACO3	SULFATE (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	SILICA TOTAL (MG/L- SiO2)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)
07-13-87	3.1	16	1.1	8	<5.0	25	<0.2	6.1	<0.010	<0.001	2.00	<0.010
07-28-87	5.5	26	5.0	15	21	57	<0.2	11	<0.010	<0.001	6.79	0.030
07-15-87	5.1	19	5.7	6	32	26	<0.2	17	<0.010	0.002	23.0	0.200
07-16-87	7.2	23	4.0	7	26	32	<0.2	16	<0.010	0.002	16.0	0.040
08-06-87	3.5	22	1.9	9	20	23	<0.2	12	<0.010	0.002	9.97	0.100
07-01-87	4.5	5.0	2.7	5	8.0	19	<0.2	10	<0.010	<0.001	0.020	0.020
06-29-87	0.90	<3.0	0.60	8	7.0	4.2	<0.2	8.9	<0.010	<0.001	0.020	0.070
07-21-87	1.3	3.0	0.60	6	<5.0	5.0	<0.2	6.6	<0.010	<0.001	1.08	0.070
06-25-87	2.1	8.0	0.90	8	12	8.3	<0.2	12	<0.010	0.001	3.64	0.090
06-24-87	0.30	33	0.80	15	10	45	<0.2	5.4	<0.010	0.002	0.090	<0.010
06-29-87	0.20	8.0	0.70	7	12	4.4	<0.2	7.3	<0.010	<0.001	<0.010	<0.010
07-01-87	0.80	<3.0	0.60	6	6.0	3.6	<0.2	9.9	<0.010	0.001	<0.010	0.040
07-02-87	1.6	20	0.90	4	9.0	37	<0.2	6.8	<0.010	<0.001	0.240	<0.010
07-27-87	2.8	5.0	0.80	10	6.0	12	<0.2	10	<0.010	<0.001	1.74	0.070
07-30-87	4.4	5.0	0.90	4	<5.0	12	<0.2	9.3	<0.010	<0.001	5.86	0.250
07-30-87	4.9	<3.0	1.3	4	18	8.1	<0.2	11	<0.010	<0.001	7.70	0.030

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	DI- CHLORO BROMO METHANE TOTAL (UG/L)
07-13-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-28-87	<5	<200	20	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-15-87	<5	<200	80	3	<10	<50	<50	<10	900	<50	<5	<1.0
07-16-87	<5	300	70	<1	<10	<50	<50	<10	330	<50	<5	<1.0
08-06-87	<5	<200	60	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-01-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-29-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-21-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-25-87	<5	<200	40	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-24-87	<5	<200	<10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
06-29-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-01-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-02-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-27-87	<5	<200	<10	<1	<10	<50	<50	10	<50	<50	<5	<1.0
07-30-87	<5	<200	10	<1	<10	<50	<50	<10	<50	<50	<5	<1.0
07-30-87	<5	<200	30	<1	<10	<50	<50	<10	<50	<50	<5	<1.0

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	CARBON- TETRA- CHLOR- IDE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	BENZENE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)
07-13-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
07-28-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-15-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	4.0	<1.0
07-16-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
08-06-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	4.0	<2.0
07-01-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-21-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
06-25-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-24-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
06-29-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-01-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<7.0	<1.0	<1.0	<5.0	<1.0	<1.0
07-02-87	<1.0	<1.0	<1.0	<4.0	<3.0	<4.0	<5.0	<1.0	<1.0	<6.0	<1.0	<1.0
07-27-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-30-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0
07-30-87	<1.0	<2.0	<1.0	<3.0	<3.0	<3.0	<3.0	<1.0	<1.0	<4.0	<1.0	<2.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

DATE	1,2- TRANSDI CHLORO- ETHYL- ENE TOTAL (UG/L)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	PRO- PAZINE TOTAL (UG/L)	TRI- FLURA- LIN TOTAL RECOVER (UG/L)	PER- THANE TOTAL (UG/L)	METHO- MYL TOTAL (UG/L)	SIME- TRYNE TOTAL (UG/L)	SIMA- ZINE TOTAL (UG/L)	PROME- TONE TOTAL (UG/L)	PROME- TRYNE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)
07-13-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-28-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-15-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-16-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
08-06-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-01-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-21-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-25-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-24-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
06-29-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-01-87	<9.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-02-87	<4.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-27-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-30-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0
07-30-87	<3.0	<0.02	<0.10	<0.10	<0.1	<1.0	<0.1	<0.10	<0.1	<0.1	<1.0

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	TOX- APHENE, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	PCB, TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	ATRA- ZINE, TOTAL (UG/L)	2, 4-D, TOTAL (UG/L)
07-13-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-28-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-15-87	<1	<0.010	0.030	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-16-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
08-06-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-01-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-21-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-25-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-24-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
06-29-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-01-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-02-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-27-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-30-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01
07-30-87	<1	<0.010	<0.010	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	<0.10	<0.01

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4, 5-T TOTAL (UG/L)	MIREX, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	MERCURY DIS- SOLVED (UG/L AS HG)	ALA- CHLOR TOTAL RECOVER (UG/L)	XYLENE WATER WHOLE TOT REC (UG/L)	CYAN- AZINE TOTAL (UG/L)
07-13-87	<0.01	<0.01	<0.01	<0.01	<0.01	68	<0.010	<0.5	<0.10	<7.0	<0.10
07-28-87	<0.01	<0.01	<0.01	<0.01	<0.01	190	<0.010	<0.5	<0.10	<4.0	<0.10
07-15-87	<0.01	<0.01	<0.01	<0.01	<0.01	240	<0.010	<0.5	<0.10	<7.0	<0.10
07-16-87	<0.01	<0.01	<0.01	<0.01	<0.01	200	<0.010	<0.5	<0.10	<7.0	<0.10
08-06-87	<0.01	<0.01	<0.01	<0.01	<0.01	150	0.050	<0.5	<0.10	<4.0	<0.10
07-01-87	<0.01	<0.01	<0.01	<0.01	<0.01	71	<0.010	<0.5	<0.10	<10	<0.10
06-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	28	<0.010	<0.5	<0.10	<10	<0.10
07-21-87	<0.01	<0.01	<0.01	<0.01	<0.01	26	<0.010	<0.5	<0.10	<7.0	<0.10
06-25-87	<0.01	<0.01	<0.01	<0.01	<0.01	70	0.020	<0.5	<0.10	<10	<0.10
06-24-87	<0.01	<0.01	<0.01	<0.01	<0.01	100	<0.010	<0.5	<0.10	<10	<0.10
06-29-87	<0.01	<0.01	<0.01	<0.01	<0.01	38	<0.010	<0.5	<0.10	<10	<0.10
07-01-87	<0.01	<0.01	<0.01	<0.01	<0.01	28	<0.010	<0.5	<0.10	<10	<0.10
07-02-87	<0.01	<0.01	<0.01	<0.01	<0.01	82	<0.010	<0.5	<0.10	<7.0	<0.10
07-27-87	<0.01	<0.01	<0.01	<0.01	<0.01	55	<0.010	<0.5	<0.10	<4.0	<0.10
07-30-87	<0.01	<0.01	<0.01	<0.01	<0.01	64	<0.010	<0.5	<0.10	<4.0	<0.10
07-30-87	<0.01	<0.01	<0.01	<0.01	<0.01	94	<0.010	<0.5	<0.10	<4.0	<0.10

QUALITY OF GROUND WATER

213

WATER QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by U. S. Geological Survey.

DATE	2, 4-DP TOTAL (UG/L)	AME- TRYNE TOTAL	3-HYDRX CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	ALDICAR SULF- OXIDE WATER WHOLE TOT. REC (UG/L)	ALDI- CARB SULFONE WATER WHOLE TOT. REC (UG/L)	METRI- BUZIN WATER WHOLE TOT. REC (UG/L)	METOLA- CHLOR WATER WHOLE TOT. REC (UG/L)	OXYMYL WATER WHOLE TOT. REC (UG/L)	CARBO- FURAN WATER WHOLE TOT. REC (UG/L)	CAR- BARYL WATER WHOLE TOT. REC (UG/L)	ALDI- CARB WATER WHOLE TOT. REC (UG/L)
07-13-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-28-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-15-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-16-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
08-06-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-01-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-21-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-25-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-24-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
06-29-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-01-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-02-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-27-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-30-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0
07-30-87	<0.01	<0.10	<1.0	<1.0	<1.0	<0.1	<0.1	<1.0	<1.0	<1.0	<1.0

Geological unit (aquifer):

- 112GLCLU - Upper Glacial Aquifer, Pleistocene age.
- 112GRDR - Gardiners Clay, Pleistocene age.
- 112JMCD - Jameco Gravel, Pleistocene age.
- 112PGFG - Port Washington Confining Unit, Pleistocene age.
- 112PGGF - Port Washington Aquifer, Pleistocene age.
- 211LLYD - Llyod Aquifer, Cretaceous age.
- 211MGTY - Magothy Aquifer, Cretaceous age.
- 211RNCF - Raritan Confining Unit, Cretaceous age.

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY (Continued)

The following wells were sampled for water quality during the 1987 water year by the agency listed below. For further information, contact:

Suffolk County Water Authority
Sunrise Highway
Oakdale, NY 11769

| Local identifier |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| S 871 | S 20479 | S 28503 | S 36459 | S 42827 | S 53074 | S 65905 |
| S 872 | S 20530 | S 28767 | S 36460 | S 43001 | S 53291 | S 66183 |
| S 1331 | S 20566 | S 28819 | S 36711 | S 43117 | S 53361 | S 66184 |
| S 1340 | S 20635 | S 29411 | S 36714 | S 43641 | S 53498 | S 66366 |
| S 1341 | S 20688 | S 29491 | S 36748 | S 44468 | S 53522 | S 66429 |
| S 2405 | S 20689 | S 29492 | S 36791 | S 44640 | S 53593 | S 66496 |
| S 2415 | S 20838 | S 29732 | S 36869 | S 44774 | S 53747 | S 66657 |
| S 3615 | S 20839 | S 30088 | S 36976 | S 45610 | S 53850 | S 66733 |
| S 3813 | S 20955 | S 30117 | S 37140 | S 45839 | S 53851 | S 66758 |
| S 3815 | S 21121 | S 30118 | S 37141 | S 45840 | S 54162 | S 66825 |
| S 4184 | S 21244 | S 30207 | S 37174 | S 46235 | S 54305 | S 66881 |
| S 4372 | S 21247 | S 30208 | S 37301 | S 46400 | S 54308 | S 67074 |
| S 7570 | S 21366 | S 30227 | S 37351 | S 46712 | S 54473 | S 67197 |
| S 8439 | S 21375 | S 30228 | S 37494 | S 46713 | S 54568 | S 67656 |
| S 9893 | S 21487 | S 30506 | S 37681 | S 46830 | S 54730 | S 67819 |
| S 11105 | S 21632 | S 30762 | S 37847 | S 46928 | S 54957 | S 67925 |
| S 12130 | S 21945 | S 31037 | S 37861 | S 47024 | S 55028 | S 68230 |
| S 14710 | S 22351 | S 31038 | S 37963 | S 47035 | S 55463 | S 68552 |
| S 14792 | S 22362 | S 31039 | S 38192 | S 47219 | S 55502 | S 68666 |
| S 14828 | S 22389 | S 31104 | S 38194 | S 47310 | S 55733 | S 68690 |
| S 14921 | S 22471 | S 31624 | S 38320 | S 47435 | S 55734 | S 68880 |
| S 15514 | S 22547 | S 31653 | S 38321 | S 47436 | S 56038 | S 69024 |
| S 15515 | S 22548 | S 31913 | S 38491 | S 47437 | S 56039 | S 69364 |
| S 15746 | S 22640 | S 32180 | S 38784 | S 47438 | S 56133 | S 69511 |
| S 15776 | S 23046 | S 32287 | S 38785 | S 47453 | S 56674 | S 70008 |
| S 15898 | S 23183 | S 32325 | S 38916 | S 47673 | S 57008 | S 70155 |
| S 15962 | S 23184 | S 32326 | S 38917 | S 47886 | S 57354 | S 70459 |
| S 16129 | S 23185 | S 32359 | S 39024 | S 47887 | S 57357 | S 70488 |
| S 16256 | S 23186 | S 32501 | S 39531 | S 48014 | S 57979 | S 70767 |
| S 16309 | S 23255 | S 32551 | S 39536 | S 48193 | S 57980 | S 71038 |
| S 16892 | S 23371 | S 32552 | S 40161 | S 48719 | S 58704 | S 71083 |
| S 16893 | S 23445 | S 33005 | S 40330 | S 49018 | S 58708 | S 71533 |
| S 17474 | S 23524 | S 33006 | S 40331 | S 49422 | S 58761 | S 71785 |
| S 17689 | S 23827 | S 33308 | S 40497 | S 49606 | S 59347 | S 71881 |
| S 18003 | S 23828 | S 33500 | S 40498 | S 50546 | S 59744 | S 71882 |
| S 18261 | S 23832 | S 33820 | S 40709 | S 50630 | S 60127 | S 71892 |
| S 18729 | S 23848 | S 33826 | S 40710 | S 51214 | S 60486 | S 72245 |
| S 18762 | S 24047 | S 33970 | S 40711 | S 51266 | S 60812 | S 72271 |
| S 19048 | S 24323 | S 34007 | S 40837 | S 51274 | S 62022 | S 72300 |
| S 19198 | S 24545 | S 34030 | S 40838 | S 51275 | S 62240 | S 72326 |
| S 19399 | S 24663 | S 34031 | S 40980 | S 51298 | S 62855 | S 72917 |
| S 19408 | S 25617 | S 34300 | S 40982 | S 51457 | S 63205 | S 73144 |
| S 19465 | S 25674 | S 34301 | S 42226 | S 51519 | S 63256 | S 73332 |
| S 19565 | S 25776 | S 34460 | S 42227 | S 51609 | S 63618 | S 73492 |
| S 19584 | S 26535 | S 34595 | S 42270 | S 51673 | S 63966 | S 73847 |
| S 19884 | S 27070 | S 35033 | S 42473 | S 51953 | S 64023 | S 74505 |
| S 19885 | S 27192 | S 35446 | S 42499 | S 52451 | S 64062 | S 74865 |
| S 20057 | S 27259 | S 35494 | S 42504 | S 52490 | S 64716 | S 78310 |
| S 20300 | S 27533 | S 35939 | S 42505 | S 52943 | S 64847 | S 79293 |
| S 20369 | S 27784 | S 36166 | S 42761 | S 52944 | S 65505 | S 81473 |
| S 20460 | S 28408 | S 36185 | S 42762 | S 52945 | S 65766 | S 83096 |
| | | | | | | S 83707 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 1986 TO SEPTEMBER 1987

SUFFOLK COUNTY (Continued)

The following wells were sampled for water quality during the 1987 water year by the agency listed below. For further information, contact:

Suffolk County Department of Health Services
 225 Rabro Drive East
 Hauppauge, New York

| Local identifier |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| S 43808 | S 45718 | S 47234 | S 48427 | S 48651 | S 51576 | S 53329 |
| S 43809 | S 45719 | S 47235 | S 48428 | S 48759 | S 51577 | S 53330 |
| S 43810 | S 45720 | S 47236 | S 48429 | S 48946 | S 51578 | S 53331 |
| S 43811 | S 45721 | S 47675 | S 48430 | S 48958 | S 51579 | S 53332 |
| S 43812 | S 45722 | S 47698 | S 48432 | S 49898 | S 51580 | S 53333 |
| S 43813 | S 46281 | S 47718 | S 48433 | S 51169 | S 51581 | S 53335 |
| S 43814 | S 46284 | S 47743 | S 48434 | S 51170 | S 51582 | S 53336 |
| S 43815 | S 46286 | S 47745 | S 48435 | S 51171 | S 51583 | S 53337 |
| S 43816 | S 46287 | S 47746 | S 48436 | S 51172 | S 51586 | S 53338 |
| S 43817 | S 46502 | S 47747 | S 48437 | S 51173 | S 51587 | S 53537 |
| S 43818 | S 46911 | S 47748 | S 48438 | S 51174 | S 51588 | S 53539 |
| S 43819 | S 46912 | S 47749 | S 48439 | S 51175 | S 51589 | S 58921 |
| S 43820 | S 46913 | S 47750 | S 48440 | S 51176 | S 51591 | S 58922 |
| S 43821 | S 46914 | S 47751 | S 48441 | S 51177 | S 51592 | S 58923 |
| S 43822 | S 46962 | S 47752 | S 48442 | S 51178 | S 52050 | S 58924 |
| S 44914 | S 46963 | S 47753 | S 48517 | S 51179 | S 52084 | S 58925 |
| S 44918 | S 46964 | S 47754 | S 48518 | S 51180 | S 52162 | S 58956 |
| S 45053 | S 46966 | S 47755 | S 48519 | S 51181 | S 52163 | S 64188 |
| S 45207 | S 47220 | S 47756 | S 48520 | S 51182 | S 52164 | S 64554 |
| S 45208 | S 47222 | S 47757 | S 48521 | S 51183 | S 52383 | S 64555 |
| S 45210 | S 47223 | S 47758 | S 48522 | S 51184 | S 52449 | S 74484 |
| S 45212 | S 47224 | S 47945 | S 48577 | S 51185 | S 52886 | S 74489 |
| S 45402 | S 47225 | S 47973 | S 48578 | S 51186 | S 53322 | S 74490 |
| S 45446 | S 47226 | S 47974 | S 48579 | S 51566 | S 53323 | S 74491 |
| S 45447 | S 47227 | S 47975 | S 48580 | S 51567 | S 53324 | S 74492 |
| S 45594 | S 47228 | S 47976 | S 48581 | S 51571 | S 53325 | S 74496 |
| S 45636 | S 47229 | S 47977 | S 48582 | S 51572 | S 53326 | S 74497 |
| S 45637 | S 47231 | S 48425 | S 48583 | S 51573 | S 53327 | |
| S 45717 | S 47233 | S 48426 | S 48584 | S 51575 | S 53328 | |

	Page		Page
Access to WATSTORE data.....	16	Dry mass, definition of.....	3
Accuracy of field data and computed results (stage and water-discharge records).....	13	East Meadow Brook, at East Meadow.....	78
Acknowledgments.....	iii	at Freeport.....	67-68
Acre-foot, definition of.....	3	at Uniondale.....	78
Algae, definition of.....	3	near Westbury.....	78
Algal growth, definition of.....	3	East Patchogue, Swan River at.....	49-50
Amityville Creek, at Amityville.....	77	East River, at Eastport.....	74
Aquifer, definition of.....	3	Euglenoids, definition of.....	6
Arrangement of records (water quality).....	14	Fecal coliform bacteria, definition of.....	3
Artificial substrate, definition of.....	8	Fecal streptococcal bacteria, definition of....	3
Ash mass, definition of.....	3	Fire algae, definition of.....	6
Aspatuck Creek, near Westhampton Beach.....	74	Forge River, at Moriches.....	74
Awixa Creek, at Islip.....	76	Freeport, East Meadow Brook at.....	67-68
Babylon, Carlls River at.....	60-61	Fresh Pond Outlet, at Baiting Hollow.....	73
Sampawams Creek at.....	58-59	at Fort Salonga.....	72
Bacteria, definition of.....	3	Gage height, definition of.....	5
Bay Shore, Penataquit Creek at.....	57, 76	Gaging station, definition of.....	5
Beaverdam Creek, at Westhampton.....	74	Gaging station records.....	32-71
Bed material, definition of.....	3	Gaging stations, List of, in downstream order..	vi
Bellmore Creek, at Bellmore.....	65-66	Glen Cove Creek, at Glen Cove.....	32-33
tributary, at North Wantagh.....	77	Green algae, definition of.....	6
near North Wantagh.....	77	Green Creek, at West Sayville.....	75
Big Fresh Pond Outlet, at North Sea.....	74	Ground water, level data.....	84-148
Biochemical oxygen demand, definition of.....	3	quality of.....	149-215
Biomass, definition of.....	3	Ground-water level records, explanation of.....	15
Biomass pigment ratio, definition of.....	4	Hardness, definition of.....	5
Blue-green algae, definition of.....	6	Hydrograph, East Meadow Brook at Freeport.....	19
Bottom material, definition of.....	4	Nissequogue River near Smithtown.....	20
	inside of	Well N 1259 at Plainedge.....	22
Calendar (1986 water year).....	front cover	Well S 4271 at Riverhead.....	21
Carlls River, at Babylon.....	60-61	Hydrologic bench mark station, definition of...	11
at State Highway 27A, Lindenhurst.....	76	Hydrologic unit, definition of.....	5
Carman Creek, at Amityville.....	77	Inch-pound units to	
Carmans River, at Middle Island.....	75	International System units (SI),	inside of
at South Haven.....	75	Factors for converting.....	back cover
at Yaphank.....	44-48	Instantaneous discharge, definition of.....	4
below Lower Lake, at Yaphank.....	75	Introduction.....	1
near Yaphank.....	75	Island Swamp Brook, at Lattingtown.....	72
Cascade Lakes Outlet, at Brightwaters.....	76	Islip, Champlin Creek at.....	56
Cedar Swamp Creek, at Merrick.....	78	Kings County, ground-water levels in.....	84
Cells/volume, definition of.....	4	Ligonee Brook, at Sag Harbor.....	74
Central Islip, Connetquot Brook at.....	52	Lindenhurst, Santapogue Creek at.....	62, 76
Connetquot Brook near.....	53	Little River, near Riverhead.....	73
Cfs-day, definition of.....	4	Little Seatuck Creek, at Eastport.....	74
Champlin Creek, at Islip.....	56	Location of data collection stations (maps)....	23-31
Chemical oxygen demand, definition of.....	4	Low-flow partial-record stations,	
Chlorophyll, definition of.....	4	discharge at.....	72-78
Classification of records (water quality).....	14	Malverne, Pines Brook at.....	69-70
Cold Spring Brook, at Cold Spring Harbor.....	36	Massapequa Creek, at Massapequa.....	63-64
Collection and computation of data (stage and water-discharge records).....	11-13	at North Massapequa.....	77
Collection of data (ground-water level records).....	15	at South Farmingdale.....	77
Colloid, definition of.....	4	at Southern State Parkway, at South Farmingdale	77
Color unit, definition of.....	4	Mean concentration (sediment), definition of...	7
Confined aquifer.....	4	Mean discharge, definition of.....	4
Connetquot Brook, at Central Islip.....	52	Methylene blue active substance, definition of..	5
near Central Islip.....	53	Micrograms per gram, definition of.....	5
near Oakdale.....	75	Micrograms per liter, definition of.....	5
Connetquot River, near Oakdale.....	54-55	Mill Creek, at Noyack.....	74
Contents, definition of.....	4	near Huntington.....	72
Control, definition of.....	4	Mill Neck Creek, at Mill Neck.....	34-35
Control structure, definition of.....	4	Millburn Creek, at Baldwin.....	78
Cooperation.....	2	Milligrams per liter, definition of.....	5
Cubic feet per second per square mile, definition of.....	4	Motts Creek, at Valley Stream.....	78
Cubic foot per second, definition of.....	4	Mud Creek, at East Patchogue.....	75
Definition of terms.....	3-9	Nassau County, ground-water levels in.....	84-106
Descriptive headings (water quality).....	14	quality of ground water in.....	149-174
Diatoms, definition of.....	6	National Geodetic Vertical Datum of 1929, definition of.....	5
Discharge, definition of.....	4	National stream-quality accounting network stations.....	37-41, 44-48
Dissolved, definition of.....	4	definition of.....	11
Diversity index, definition of.....	5		
Downstream order and station numbers.....	10		
Drainage area, definition of.....	5		
Drainage basin, definition of.....	5		

	Page		Page
Natural substrates, definition of.....	8	Seamans Creek, at Seaford.....	77
Neguntatogue Creek, at Lindenhurst.....	77	Seatuck Creek, at Eastport.....	74
Newbridge Creek, at Merrick.....	77	Sediment.....	15
Nissequoque River, near Hauppauge.....	73	Sediment, definition of.....	7
at Smithtown.....	73	Smithtown, Nissequoque River near.....	37-41
near Smithtown.....	37-41	Solute, definition of.....	7
Northeast branch, near East Hauppauge.....	72	South Pond Outlet, at Rockville Centre.....	78
near Hauppauge.....	72	Special networks and programs.....	11
at Smithtown.....	72	Specific conductance, definition of.....	7
near Smithtown.....	73	Speonk River, at Speonk.....	74
Numbering system for wells.....	10	Stage and water-discharge records, explanation of.....	11-14
Oakdale, Connetquot River near.....	54-55	Stage-discharge relation, definition of.....	7
Organic Carbon, definition of.....	5	Stony Brook at Stony Brook.....	73
Organic mass, definition of.....	3	Stony Hollow Run, at Centerport.....	72
Organism, definition of.....	5	Streamflow, definition of.....	8
Organism count/area, definition of.....	5	Strongs Creek, at Lindenhurst.....	77
Organism count/volume, definition of.....	6	Substrate, definition of.....	8
Other data available (stage and water-discharge records).....	13	Suffolk County, ground-water levels in..... quality of ground-water in.....	112-148 175-215
Pardees Ponds Outlet, at Islip.....	76	Summary of hydrologic conditions.....	2
Parsonage Creek, at Baldwin.....	78	Surface area, definition of.....	8
Partial-record station, definition of.....	6	Surficial bed material, definition of.....	8
Partial-record stations and miscellaneous sites, Discharge at.....	72-78	Suspended, definition of.....	8
Particle-size, definition of.....	6	Suspended, recoverable, definition of.....	8
Particle-size classification, definition of.....	6	Suspended sediment, definition of.....	7
Patchogue River, at Patchogue.....	51, 75	Suspended-sediment concentration, definition of.....	7
near Patchogue.....	75	Suspended-sediment discharge, definition of....	7
Peconic River, at Manorville.....	73	Suspended, total, definition of.....	8
at Nugent Drive, at Riverhead.....	73	Swan River, at East Patchogue.....	49-50
at Riverhead.....	42-43	Taxonomy, definition of.....	8
Penataquit Creek, at Bay Shore.....	57, 76	Time-weighted average, definition of.....	8
Percent composition, definition of.....	6	Tons per acre-foot, definition of.....	9
Periphyton, definition of.....	6	Tons per day, definition of.....	9
Pesticide program, definition of.....	11	Total (as used in tables of chemical analyses), definition of.....	9
Pesticides, definition of.....	6	Total coliform bacteria, definition of.....	3
Phytoplankton, definition of.....	6	Total in bottom material, definition of.....	4
Picocurie, definition of.....	6	Total load, definition of.....	9
Pines Brook, at Malverne.....	69	Total organic carbon, definition of.....	9
Plankton, definition of.....	6	Total organism count, definition of.....	6
Polychlorinated biphenyls, definition of.....	7	Total, recoverable, definition of.....	9
Polychlorinated naphthalenes, definition of.....	7	Total sediment discharge, definition of.....	7
Precipitation-quality stations, analyses of samples collected:		Unnamed tributary, to Conscience Bay at	
at Bay Park.....	79-80	Setauket.....	73
at East Meadow.....	81	to Port Jefferson Harbor at Port Jefferson...	73
at Montauk.....	82-83	to Setauket Harbor at East Setauket.....	73
Preface.....	iii	Valley Stream, at Valley Stream.....	71
Primary productivity, definition of.....	7	below West Branch, at Valley Stream.....	78
Publications on techniques of water-resources investigations.....	17-18	Water analysis.....	14
Quantuck Creek, at Quogue.....	74	Water-discharge records, explanation of, (see Stage and water-discharge records, explanation of)	
Queens County, ground-water levels in.....	107-111	Water-quality records, explanation of.....	14-15
Radiochemical program, definition of.....	11	Water table.....	9
Rattlesnake Brook, near Oakdale.....	75	Water-table aquifer.....	9
Recoverable from bottom material, definition of.....	4	Water temperatures.....	15
Revisions (water quality).....	14	Weesuck Creek, at East Quogue.....	74
Riverhead, Peconic River at.....	42-43	Weighted average, definition of.....	9
Roslyn Brook, at Roslyn.....	72	Wells, system for numbering.....	10
Runoff in inches, definition of.....	7	Wet mass, definition of.....	3
Sampwams Creek, at Babylon.....	58-59	White Brook, at Riverhead.....	73
below Hawleys Lake, at Babylon.....	76	Whitney Lake Outlet, at Manhasset.....	72
near Deer Park.....	76	WRD, definition of.....	9
near North Babylon.....	76	WSP, definition of.....	9
Santapogue Creek, at Lindenhurst.....	62, 76	Yaphank, Carmans River at.....	44-48
at State Highway 27A, Lindenhurst.....	76	Zooplankton, definition of.....	7
Seaford Creek, at Seaford.....	77		

FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI).

Multiply inch-pound units	By	To obtain SI units
<i>Length</i>		
inches (in)	2.54×10^1 2.54×10^{-2}	millimeters (mm) meters (m)
feet (ft)	3.048×10^{-1}	meters (m)
miles (mi)	1.609×10^0	kilometers (km)
<i>Area</i>		
acres	4.047×10^3 4.047×10^{-1} 4.047×10^{-3}	square meters (m ²) square hectometers (hm ²) square kilometers (km ²)
square miles (mi ²)	2.590×10^0	square kilometers (km ²)
<i>Volume</i>		
gallons (gal)	3.785×10^0 3.785×10^0 3.785×10^{-3}	liters (L) cubic decimeters (dm ³) cubic meters (m ³)
million gallons	3.785×10^3 3.785×10^{-3}	cubic meters (m ³) cubic hectometers (hm ³)
cubic feet (ft ³)	2.832×10^1 2.832×10^{-2}	cubic decimeters (dm ³) cubic meters (m ³)
cfs-days	2.447×10^3 2.447×10^{-3}	cubic meters (m ³) cubic hectometers (hm ³)
acre-feet (acre-ft)	1.233×10^3 1.233×10^{-3} 1.233×10^{-6}	cubic meters (m ³) cubic hectometers (hm ³) cubic kilometers (km ³)
<i>Flow</i>		
cubic feet per second (ft ³ /s)	2.832×10^1 2.832×10^{-2} 2.832×10^{-2}	liters per second (L/s) cubic decimeters per second (dm ³ /s) cubic meters per second (m ³ /s)
gallons per minute (gal/min)	6.309×10^{-2} 6.309×10^{-2} 6.309×10^{-5}	liters per second (L/s) cubic decimeters per second (dm ³ /s) cubic meters per second (m ³ /s)
million gallons per day	4.381×10^1 4.381×10^{-2}	cubic decimeters per second (dm ³ /s) cubic meters per second (m ³ /s)
<i>Mass</i>		
tons (short)	9.072×10^{-1}	megagrams (Mg) or metric tons

USGS LIBRARY - RESTON



3 1818 00453265 9

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF THE INTERIOR
INT 413

U.S. DEPARTMENT OF THE INTERIOR
Geological Survey
5 Aerial Way
Syosset, NY 11791



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
SPECIAL 4TH CLASS BOOK RATE