


DOC



Water Resources Data California Water Year 1988

Volume 5. Ground-water data for California



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-88-5
Prepared in cooperation with other Federal, State,
and local agencies

CALENDAR FOR WATER YEAR 1988

1987

OCTOBER

NOVEMBER

DECEMBER

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

1988

JANUARY

FEBRUARY

MARCH

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29					

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

APRIL

MAY

JUNE

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

JULY

AUGUST

SEPTEMBER

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	



Water Resources Data California Water Year 1988

Volume 5. Ground-water data for California
by C.E. Lamb, R.P. Fogelman, and D.A. Grillo



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-88-5
Prepared in cooperation with other Federal, State,
and local agencies

DEPARTMENT OF THE INTERIOR

MANUEL LUJAN, JR., *Secretary*

U.S. GEOLOGICAL SURVEY

Dallas L. Peck, *Director*

For information on the water program in California write to
District Chief, Water Resources Division
U.S. Geological Survey
Room W-2234, Federal Building
2800 Cottage Way
Sacramento, California 95825

PREFACE

This volume of the annual hydrologic data report of California is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for California are contained in five volumes:

- Volume 1. Southern Great Basin from Mexican Border to Mono Lake Basin, and Pacific Slope Basins from the Tijuana River to the Santa Maria River
- Volume 2. Pacific Slope Basins from Arroyo Grande to Oregon State Line except Central Valley
- Volume 3. Southern Central Valley Basins and The Great Basin from the Walker River to the Truckee River
- Volume 4. Northern Central Valley Basins and The Great Basin from Honey Lake Basin to Oregon State Line
- Volume 5. Ground-Water Data for California

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to U.S. Geological Survey policy and established guidelines, the individuals contributing significantly to the collection, processing, and tabulation of the data are given on page V.

This report was prepared in cooperation with the California Department of Water Resources and with other agencies, under the general supervision of John M. Klein, District Chief, California.

REPORT DOCUMENTATION PAGE	1. REPORT NO. USGS/WRD/HD-89-254	2.	3. Recipient's Accession No.
4. Title and Subtitle Water Resources Data for California, Water Year 1988, Volume 5. Ground-Water Data for California		5. Report Date April 1989	
7. Author(s) C.E. Lamb, R.P. Fogelman, and D.A. Grillo		8. Performing Organization Rept. No. USGS-WDR-CA-88-5	
9. Performing Organization Name and Address U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825		10. Project/Task/Work Unit No.	
		11. Contract(C) or Grant(G) No. (C) (G)	
12. Sponsoring Organization Name and Address U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825		13. Type of Report & Period Covered Annual--Oct. 1, 1987 to Sept. 30, 1988	
		14.	
15. Supplementary Notes Prepared in cooperation with other Federal, State, and local agencies.			
16. Abstract (Limit: 200 words) Water resources data for the 1988 water year for California consist of records of stage, discharge, and water quality of streams; stage and contents in lakes and reservoirs; and water levels and water-quality in wells. Volume 5 contains water levels for 980 observation wells and water-quality data for 239 observation monitoring wells. These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in California.			
17. Document Analysis a. Descriptors *California, *Hydrologic data, *Ground water, Chemical analyses, water temperature, Sampling sites, Water levels, Water analyses b. Identifiers/Open-Ended Terms c. COSATI Field/Group			
18. Availability Statement: No restriction on distribution. This report may be purchased from National Technical Information Service Springfield, VA 22161		19. Security Class (This Report) Unclassified	21. No. of Pages 366
		20. Security Class (This Page) Unclassified	22. Price

WATER RESOURCES DIVISION

E. Jerre McClelland, Assistant District Chief for Hydrologic Data
Kenneth W. Lee, Chief, Northern California Operations

Jeffrey Agajanian, Hydrologic Technician
Steven W. Anderson, Supervisory Hydrologic Technician
Wendell W. Ayers, Hydrologic Technician
Brian S. Baharie, Hydrologic Technician
Charles Berenbrock, Hydrologist
James C. Bowers, Supervisory Hydrologist
Daniel J. Bright, Hydrologist
Louis A. Caldwell, Hydrologic Technician
Frank A. Carson, Hydrologic Technician
Joanna M. Combs, Data Management Assistant
Michael J. De Grand, Hydrologic Technician
Lowell F.W. Duell, Hydrologist
Ronald G. Fay, Hydrologic Technician
David M. Flynn, Hydrologic Technician
Lawrence A. Freeman, Hydrologic Technician
James J. Gibbons, Hydrologic Technician
Timothy S. Hamilton, Hydrologic Technician
Scott N. Hamlin, Hydrologist
Eugene B. Hoffman, Supervisory Hydrologic Technician
Ernest R. Houston, Hydrologic Technician
Nadine P. Hutton, Hydrologic Technician
Gregory W. James, Hydrologic Technician
Randy M. Jensen, Hydrologic Technician
Mark V. Johnson, Hydrologic Technician
Gail L. Keeter, Hydrologic Technician
Willie B. Kinsey, Hydrologic Technician
Floyd E. Lee, Hydrologic Technician
David A. Leighton, Hydrologic Technician
Lisa M. Lindberg, Hydrologic Clerk
Jean F. Lucas, Data Management Assistant
Barbara L. Machado, Hydrologic Technician
Kenneth L. Markham, Supervisory Hydrologic Technician
Peter Martin, Hydrologist
~~Bradley E. Mayo, Hydrologic Technician~~ *delete*
William F. McCaffrey, Hydrologist
Michael C. McFadden, Hydrologist
Harold J. McIntyre, Hydrologic Technician
Jon C. McNulty, Hydrologic Technician
James R. Mullen, Hydrologist
N. Kenneth Nellson, Hydrologic Technician
Christine S. O'Neil, Hydrologic Technician
John R. Palmer, Supervisory Hydrologic Technician
Keith G. Polinoski, Supervisory Hydrologic Technician
Ronald L. Rodgers, Scientific Illustrator
Julia A. Schulenburg, Data Management Assistant
Johnvan M. Shay, Hydrologic Technician
G. Bryant Smith, Supervisory Hydrologic Technician
J. Michael Smith, Hydrologic Technician
David M. Sparks, Hydrologic Technician
Gregory F. Susich, Hydrologic Technician
Teresa M. Templin, Publications Clerk
Michael D. Webster, Hydrologic Technician
Eugene B. Yates, Hydrologist
Michael L. Wulfack, Hydrologic Technician ✓

Rick T. Iwatsubo, Biologist
Robert W. Meyer, Hydrologist

Randy G. Sheppard

CONTENTS

	Page
Preface.....	III
Introduction.....	1
Cooperation.....	2
Summary of hydrologic conditions.....	2
Ground water.....	2
Explanation of the records.....	3
Latitude-longitude system.....	3
Local well numbers.....	3
Records of ground-water levels.....	4
Data collection and computation.....	4
Records of ground-water quality.....	4
Data collection and computation.....	4
Data presentation.....	5
Access to WATSTORE data.....	5
Definition of terms.....	5
Remark codes.....	7
Publications on Techniques of Water-Resources Investigations.....	8
Ground-water wells, by county, for which records are published.....	10
Index.....	357

ILLUSTRATIONS

	Page
Figure 1. System for numbering wells and miscellaneous sites (latitude and longitude).....	3
2. California well-numbering system.....	3
3-19. Index maps to location of wells:	
3. Contra Costa County.....	11
4. Glenn County.....	14
5. Humboldt County.....	19
6. Imperial County.....	22
7. Inyo County.....	33
8. Kern County.....	41
9. Los Angeles County.....	77
10. Mendocino County.....	116
11. Merced County.....	123
12. Riverside County.....	147
13. San Bernardino County.....	163
14. San Diego County.....	212
15. San Francisco County.....	217
16. San Luis Obispo County.....	230
17. San Mateo County.....	245
18. Santa Barbara County.....	250
19. Shasta County.....	337
20. Sutter County.....	340
21. Tehama County.....	345
22. Ventura County.....	349
23. Yolo County.....	352

WATER RESOURCES DATA--CALIFORNIA, WATER YEAR 1988

VOLUME 5--GROUND-WATER DATA FOR CALIFORNIA

By C.E. Lamb, R.P. Fogelman, and D.A. Grillo

INTRODUCTION

The Water Resources Division of the U.S. Geological Survey, in cooperation with State agencies, obtains a large amount of data pertaining to the water resources of California each water year. These data, accumulated during many water years, constitute a valuable data base for developing an improved understanding of the water resources of the State. To make these data readily available to interested parties outside the Geological Survey, the data are published annually in this report series entitled "Water Resources Data for California."

This report includes records on ground water in California. Specifically, it contains water-level records for 980 observation wells and water-quality records in 239 monitoring wells.

This series of annual reports for California began with the 1961 water year report that contained only data relating to the quantities of surface water. For the 1964 water year, a similar report was introduced that contained only data relating to water quality. Beginning with the 1975 water year, the report format changed to one volume containing data on quantities of surface water, quality of surface and ground water, and ground-water levels. Beginning with the 1985 water year, ground-water levels and quality were published in a separate volume for California.

Prior to introduction of this series and for several water years concurrent with it, water-resources data for California were published in U.S. Geological Survey Water-Supply Papers. Data on stream discharge and stage and on lake or reservoir contents and stage through September 1960 were published annually under the title "Surface-Water Supply of the United States, Parts 9, 10, and 11." For the 1961 through 1970 water years, the data were published in two 5-year reports. Data on chemical quality, temperature, and suspended sediment for the 1941 through 1970 water years were published annually under the title "Quality of Surface Waters of the United States." Water levels for the 1935 through 1974 water years were published under the title "Ground-Water Levels in the United States, Southwestern States." The above-mentioned Water-Supply Papers may be consulted in public libraries of the principal cities of the United States and may be purchased from U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Building 810, Box 25425, Denver, CO 80225.

Publications similar to this report are published annually by the U.S. Geological Survey for all States. These official reports have an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is "U.S. Geological Survey Water-Data Report CA-88-5." For archiving and general distribution, the reports for 1971-74 water years also are identified as water-data reports. These water-data reports are for sale in paper copy or in microfiche by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the District Chief at the address given on back of title page or by telephone (916) 978-4668.

WATER RESOURCES DATA -- CALIFORNIA, WATER YEAR 1988

COOPERATION

The U.S. Geological Survey and organizations of the State of California have had cooperative agreements for the systematic collection of water-resource records since 1903. Organizations that provided data are acknowledged in the well descriptions. Organizations that assisted through cooperative agreement with the Survey are:

Antelope Valley-East Kern Water Agency, Wallace G. Spinarski, General Manager.
 California Department of Water Resources, David N. Kennedy, Director.
 California Water Resources Control Board, Lahonton Region, Robert S. Dodd, Senior Civil Engineer.
 Carpinteria County Water District, Robert R. Lieberknecht, General Manager-Secretary.
 Coachella Valley Water District, Thomas E. Levy, General Manager.
 Desert Water Agency, Jack H. Oberle, General Manager.
 Imperial County Department of Public Works, S. Harry Orfanos, Director.
 Indian Wells Valley Water District, Joe Mont-Eton, General Manager.
 Merced, City of, Stevan M. Stroud, City Engineer.
 Mojave Water Agency, Jon D. Edson, General Manager.
 San Bernardino Valley Municipal Water District, G. Louis Fletcher, General Manager.
 Santa Barbara, City of, Robert W. Puddicombe, Director.
 Santa Barbara County Water Agency, James M. Stubchaer, Engineer-Manager.

Assistance was also provided by the following Federal agencies:

U.S. Department of the Air Force, Vandenberg Air Force Base
 U.S. Department of the Interior, Bureau of Indian Affairs
 U.S. Department of the Interior, Bureau of Reclamation
 U.S. Department of the Interior, National Park Service
 U.S. Department of Justice, U.S. Penitentiary, Lompoc
 U.S. Department of the Navy, Marine Corps Air Ground Combat Center, Twentynine Palms
 U.S. Department of the Navy, Marine Corps Base, Camp Pendleton
 U.S. Department of the Navy, Naval Weapons Center, China Lake

SUMMARY OF HYDROLOGIC CONDITIONS

Ground Water

The geography and geology of California are sufficiently complex that a summary of ground-water conditions in the State is difficult. Descriptions of conditions in specific basins and valleys apply only to those areas and cannot be transferred to other areas.

Ground-water levels fluctuate in response to a variety of stresses and changes in stress. Short- and long-term climatic conditions can lead to changes in natural recharge and discharge. Superimposed on the natural fluctuations in water levels are changes caused by increasing or decreasing ground-water withdrawals and, in some areas, changes caused by recharge from surface irrigation.

Many areas in southern California received below average precipitation during the 1988 water year, which followed the critically dry 1987 water year. Ground-water levels continued to decrease in many areas, but frequently did not fall to the lows recorded during the drought years 1976-77.

In southern California in the San Gabriel Valley of Los Angeles County, the net decrease of the water level in index well 001S010W07R02S was 8.7 feet during water year 1988.

In the Buttes subunit of the Antelope Valley in Los Angeles County, the water level in index well 006N010W22D01S continued to rise as it has since 1982. The water level rose about 0.5 feet during the period November 1987 to March 1988; a total of 13.9 feet since October 1982.

The water level declined about 1.2 feet in index well 026S040E19P01M in Indian Wells Valley in Kern County.

EXPLANATION OF THE RECORDS

The ground-water records published in this report are for the 1988 water year that began October 1, 1987, and ended September 30, 1988. A calendar of the water year is provided on the inside of the front cover. The records contain quality of ground water and ground-water level data. The following sections of the introductory text are presented to provide users with a more detailed explanation of how the hydrologic data published in this report were collected, analyzed, computed, and arranged for presentation.

Latitude-Longitude System

The identification numbers for wells are assigned according to the grid system of latitude and longitude (fig. 1). The number consists of 15 digits. The first six digits denote the degrees, minutes, and seconds of latitude, the next seven digits denote degrees, minutes, and seconds of longitude, and the last two digits (assigned sequentially) identify the wells or other sites within a 1-second grid. This site-identification number, once assigned, is a pure number, and has no locational significance. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number.




Figure 1.--System for numbering wells and miscellaneous sites (latitude and longitude).

Local Well Numbers

Wells and springs in California are assigned numbers according to their location on the grid system for the subdivision of public land (fig. 2). For example, in the number 005S010E22G01M, the first four characters indicate the township (T.5 S.), and the next four characters indicate the range (R.10 E.); the digits following the range indicate the section (sec. 22); the letter following the section number indicates the 40-acre subdivision of the section. Within each 40-acre tract, the wells are numbered serially, as indicated by the last two digits. The final letter indicates the base line and meridian designations as follows: H, Humboldt; M, Mount Diablo; S, San Bernardino.




Figure 2.--California well-numbering system.

Records of Ground-Water Levels

Records are obtained through cooperative efforts of many Federal, State, and local agencies for more than a thousand observation wells throughout California and are placed in computer storage. Information about the availability of the data in the water-level file may be obtained from the District Chief, California District. (See address on back of title page.)

Data Collection and Computation

Measurements of water levels are made in many types of wells under varying conditions, but the methods of measurement are standardized to the extent possible. The equipment and measuring techniques used at each observation well ensure that measurements at each well are of consistent accuracy and reliability.

Tables of water-level data are presented by counties arranged in alphabetical order. The prime identification number of a given well is the local well number, an alpha numeric number, derived from the township-range location of the well. The secondary identification number of a given well is the 15-digit number that precedes the local well number.

Water-level records are obtained from direct measurements with a steel tape or electric sounder or from the graph or punched tape of a water-stage recorder. The water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. The elevation of the land-surface datum is given in the well description.

Water levels are reported to as many significant figures as can be justified by local conditions. For example, in a measurement of a depth to water of several hundred feet, the error of determining the water value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water, the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot or a larger unit.

A table of water levels follows the station description of each well. Water levels are reported in feet below land-surface datum, and all measurements of water level for the water year are listed. The highest and lowest water levels of record and their dates of occurrence are shown below the data table. Missing records on daily tables are indicated by dashes in place of the water level.

Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records; for most sampling sites they consist of only one set of measurements for the water year. The quality of ground water ordinarily changes only slowly; therefore, for most general purposes one annual sampling, or only a few samples taken at infrequent intervals during the year, is sufficient. Frequent measurement of the same constituents is not necessary unless there is concern with a particular problem, such as monitoring for trends in nitrate concentration. In special cases where the quality of ground water may change more rapidly, more frequent measurements are made to identify the nature of the changes.

Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as a part of special studies in specific areas. Consequently, a number of chemical analyses may be presented for some counties but none are presented for others. As a result, the records for a year, by themselves, do not provide a balanced view of ground-water quality statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" manuals listed in this report. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. All samples were obtained by trained personnel. The wells sampled were pumped long enough to ensure that the water collected came directly from the aquifer.

Data Presentation

The records of ground-water quality are published in a section titled QUALITY OF GROUND WATER immediately following the ground-water-level records. Data for quality of ground water are listed alphabetically by county and are identified by well number. No descriptive statements are given for ground-water-quality records; however, the well number, date of sampling, and other pertinent data are given in the table containing the chemical analyses of the ground water.

Values for dissolved nitrite plus nitrate ($\text{NO}_2 + \text{NO}_3$, as N) are not included in the calculation for dissolved solids, sum of constituents.

ACCESS TO WATSTORE DATA

The National Water Data Storage and Retrieval System (WATSTORE) was established for handling water data collected through the activities of the U.S. Geological Survey and to provide more effective and efficient means of releasing the data to the public. The system is operated and maintained on the central computer facilities of the Survey at its National Center in Reston, Virginia.

WATSTORE can provide a variety of useful products ranging from simple data tables to complex statistical analyses. A minimal fee, plus the actual computer cost incurred in producing a desired product, is charged to the requester. Information about the availability of specific types of data, the acquisition of data or products, and user charges can be obtained locally from each of the Water Resources Division's District offices (see address given on the back of the title page).

General inquiries about WATSTORE may be directed to:

Chief Hydrologist
U.S. Geological Survey
437 National Center
Reston, VA 22092

DEFINITION OF TERMS

Terms related to water-quality, and other hydrologic data, as used in this report are defined below. A table for converting inch-pound units to International System (SI) Units is printed on the inside of the back cover.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Artesian means confined and is used to describe a well in which the water level stands above the top of the aquifer tapped by a well. A flowing artesian well is one in which the water level is above the land surface.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Color unit is produced by 1 milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Dissolved is that material in a representative water sample which passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate. It is recognized that certain kinds of samples cannot be filtered; to provide for this, procedures that are considered equivalent to filtering through a 0.45-micrometer membrane filter will be identified and announced at a later date.

Dissolved-solids concentration of water is determined either analytically by the "residue-on-evaporation" method, or mathematically by totaling the concentrations of individual constituents reported in a comprehensive chemical analysis. During the analytical determination of dissolved solids, the bicarbonate (generally a major dissolved component of water) is converted to carbonate. Therefore, in the mathematical calculation of dissolved-solids concentration, the bicarbonate value, in milligrams per liter, is multiplied by 0.492 to reflect the change.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap that is required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate (CaCO_3).

Land-surface datum (LSD) is a datum plane that is approximately at land surface at each ground-water observation well.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per liter (UG/L, ug/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to 1 milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in milligrams per liter and is based on the mass of sediment per liter of water-sediment mixture.

Pesticides are chemical compounds used to control undesirable organisms. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

pH of water is the negative logarithm of the hydrogen-ion activity. Solutions with pH less than 7 are termed "acidic," and solutions with a pH greater than 7 are termed "basic." Solutions with a pH of 7 are neutral. The presence and concentration of many dissolved chemical constituents found in water are, in part, influenced by the hydrogen-ion activity of water. Biological processes including growth, distribution of organisms, and toxicity of the water to organisms also are influenced, in part, by the hydrogen-ion activity of water.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Sodium-adsorption-ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions with soil and is an index of sodium or alkali hazard to the soil. Waters range in respect to sodium hazard from those which can be used for irrigation on almost all soils to those which are generally unsatisfactory for irrigation.

Specific conductance is a measure of the ability of water to conduct an electrical current. It is expressed in microsiemens per centimeter at 25 °C. Specific conductance is related to the type and concentration of ions in solution and can be used for approximating the dissolved-solids concentration in water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in microsiemens). This relation is not constant from well to well, and it may vary with changes in the composition of the water.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of undissolved material in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) the material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total."

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses, because different digestion procedures are likely to produce different analytical results.

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in the dissolved and suspended phases of the sample. A knowledge of the expected form is required to judge when the results should be reported as "total." (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all the constituent in the sample.)

WSP is used as an abbreviation for "Water-Supply Paper" in reference to previously published reports.

REMARK CODES

Two remark codes may follow water-level data under the headings "M" (method) and "S" (status). In this report the following remark codes may appear with the data:

PRINTED OUTPUT "M"

A	Airline
B	Continuous Recorder
H	Calibrated pressure gage
R	Reported
S	Steel tape
T	Electric tape
Z	Other

REMARKPRINTED OUTPUT "S"

D	Dry
F	Flowing
G	Nearby flowing
H	Nearby recently flowing
O	Obstruction
P	Pumping
R	Recently pumped
S	Nearby pumping
T	Nearby recently pumped
V	Foreign substance
W	Well destroyed
X	Surface-water effects
Z	Other

REMARK

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Building 810, Denver, CO 80225. Prepayment is required. Remittance should be sent by check or money order payable to U.S. Geological Survey, Department of the Interior. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

- 1-D1. Water temperature--influential factors, field measurement, and data presentation, by H.H. Stevens, Jr., J.F. Ficke, and G.F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. Guidelines for collection and field analysis of ground-water samples for selected unstable constituents, by W.W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. Application of surface geophysics to ground-water investigations, by A.A.R. Zohdy, G.P. Eaton, and D.R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-E1. Application of borehole geophysics to water-resources investigations, by W.S. Keys, and L.M. MacCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 3-A1. General field and office procedures for indirect discharge measurements, by M.A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. Measurement of peak discharge by slope-area method, by Tate Dalrymple and M.A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. Measurement of peak discharge at culverts by indirect methods, by G.L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. Measurement of peak discharge at width contractions by indirect methods, by H.F. Matthai: USGS--TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. Measurement of peak discharge at dams by indirect methods, by Harry Hulsing: USGS--TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. General procedure for gaging streams, by R.W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. Stage measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. Discharge measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. Measurement of time of travel and dispersion in streams by dye tracing, by E.F. Hubbard, F.A. Kilpatrick, L.A. Martens, and J.F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
- 3-A10. Discharge ratings at gaging stations, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. Measurement of discharge by moving-boat method, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A12. Fluorometric procedures for dye tracing, by J.F. Wilson, Jr., E.D. Cobb, and F.A. Kilpatrick: USGS--TWRI Book 3, Chapter A12. 1986. 41 pages.
- 3-A13. Computation of continuous records of streamflow, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. Use of flumes in measuring discharge, by F.A. Kilpatrick and V.R. Schneider: USGS--TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. Computation of water-surface profiles in open channels, by Jacob Davidian: USGS--TWRI Book 3, Chapter A15. 1984. 48 pages.
- 3-A16. Measurement of discharge using tracers, by F.A. Kilpatrick and E.D. Cobb: USGS--TWRI Book 3, Chapter A16. 1985. 52 pages.
- 3-A17. Acoustic velocity meter systems, by Antonius Laenen: USGS--TWRI Book 3, Chapter A17. 1985. 38 pages.
- 3-B1. Aquifer-test design, observation, and data analysis, by R.W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.

- 3-B2. Introduction to ground-water hydraulics, a programmed text for self-instruction, by G.D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.
- 3-B3. Type curves for selected problems of flow to wells in confined aquifers, by J.E. Reed: USGS--TWRI Book 3, Chapter B3. 1980. 106 pages.
- 3-B5. Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems--An introduction, by O.L. Franke, T.E. Reilly, and G. D. Bennett: USGS--TWRI Book 3, Chapter B5. 1987. 15 pages.
- 3-B6. The principle of superposition and its application in ground-water hydraulics, by T.E. Reilly, O.L. Franke, and G.D. Bennett: USGS--TWRI Book 3, Chapter B6. 1987. 28 pages.
- 3-C1. Fluvial sediment concepts, by H.P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. Field methods for measurement of fluvial sediment, by H.P. Guy and V.W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. Computation of fluvial sediment discharge, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. Some statistical tools in hydrology, by H.C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. Frequency curves, by H.C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. Low-flow investigations by H.C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. Storage analyses for water supply, by H.C. Riggs and C.H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. Regional analyses of streamflow characteristics, by H.C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. Computation of rate and volume of stream depletion by wells, by C.T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. Methods for determination of inorganic substances in water and fluvial sediments, edited by M.W. Skougstad and others: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.
- 5-A2. Determination of minor elements in water by emission spectroscopy, by P.R. Barnett and E.C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. Methods for analysis of organic substances in water, by D.F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages.
- 5-A4. Methods for collection and analysis of aquatic biological and microbiological samples, edited by P.E. Greeson, T.A. Ehlke, G.A. Irwin, B.W. Lium, and K.V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 322 pages.
- 5-A5. Methods for determination of radioactive substances in water and fluvial sediments, by L.L. Thatcher, V.J. Janzer, and K.W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. Quality assurance practices for the chemical and biological analyses of water and fluvial sediments, by L.C. Friedman, and D.E. Erdmann: USGS--TWRI Book 5, Chapter A6. 1982. 181 pages.
- 5-C1. Laboratory theory and methods for sediment analysis, by H.P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 6-A1. A modular three-dimensional finite-difference ground-water flow model, by M.G. McDonald and A.W. Harbaugh: USGS--TWRI Book 6, Chapter A1. 1988. 586 pages.
- 7-C1. Finite difference model for aquifer simulation in two dimensions with results of numerical experiments, by P.C. Trescott, G.F. Pinder, and S.P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. Computer model of two-dimensional solute transport and dispersion in ground water, by L.F. Konikow and J.D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. A model for simulation of flow in singular and interconnected channels by R.W. Shafframek, R.A. Baltzer, and D.E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. Methods of measuring water levels in deep wells, by M.S. Garber and F.C. Koopman: USGS--TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-A2. Installation and service manual for U.S. Geological Survey manometers, by J.D. Craig: USGS--TWRI Book 8, Chapter A2. 1983. 57 pages.
- 8-B2. Calibration and maintenance of vertical-axis type current meters, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

CONTRA COSTA COUNTY

	<u>Page</u>
LOCAL NUMBER 002N001E18C01M.....	12
LOCAL NUMBER 002N001E18D01M.....	12
LOCAL NUMBER 002N002W13P01M.....	12




FIGURE 3.--Index map to location of wells in Contra Costa County.

WATER LEVELS, CONTRA COSTA COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 380131121543101

LOCAL NUMBER 002N001E18C01M

1 MI SOUTHWEST OF PITTSBURG. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM UNKNOWN, DEPTH 205 FT. ALTITUDE OF LSD 21 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 20, 1987	17.80 S	APR 14, 1988	O
PERIOD OF RECORD	HIGHEST	16.29	APR 25, 1983
		LOWEST	19.57
			OCT 28, 1971

SITE NUMBER 380129121543901

LOCAL NUMBER 002N001E18D01M

1 MI SOUTHWEST OF PITTSBURG. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 125 FT. ALTITUDE OF LSD 25 FT. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 20, 1987	19.05 S	APR 14, 1988	18.96 S
PERIOD OF RECORD	HIGHEST	17.68	APR 28, 1986
		LOWEST	28.4
			OCT 15, 1979

SITE NUMBER 380049122015301

LOCAL NUMBER 002N002W13P01M

NEAR PORT CHICAGO. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM UNKNOWN, DEPTH 139 FT. ALTITUDE OF LSD 45 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 20, 1987	21.96 S	APR 14, 1988	21.94 SP
PERIOD OF RECORD	HIGHEST	19.61	APR 21, 1978
		LOWEST	32.28
			APR 18, 1979

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

GLENN COUNTY

	<u>Page</u>
LOCAL NUMBER 019N001W32G01M.....	15
LOCAL NUMBER 019N001W32G02M.....	16
LOCAL NUMBER 019N001W32G03M.....	17




FIGURE 4.--Index map to location of wells in Glenn County.

WATER LEVELS, GLENN COUNTY

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 392730121593001

LOCAL NUMBER 019N001W32G01M

ABOUT 0.5 MI SOUTH OF BUTTE CITY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
 DEPTH 1333 FT, SCREENED 1328-1333 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO
 CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.41	2.46	2.50	2.39	1.84	1.64	1.47	1.74	1.68	1.85	2.20	2.45
2	2.43	2.48	2.44	2.39	1.90	1.64	1.48	1.72	1.68	1.85	2.20	2.45
3	2.45	2.48	2.33	2.36	1.95	1.62	1.44	1.64	1.66	1.85	2.27	2.45
4	2.48	2.48	2.31	1.74	1.99	1.67	1.45	1.51	1.67	1.85	2.28	2.45
5	2.48	2.48	2.38	1.42	2.00	1.67	1.51	1.53	1.70	1.95	2.32	2.45
6	2.41	2.48	2.33	1.85	2.00	1.65	1.50	1.66	1.71	1.97	2.35	2.45
7	2.42	2.48	2.36	1.91	1.97	1.62	1.44	1.66	1.78	1.99	2.35	2.45
8	2.44	2.48	2.35	1.97	1.97	1.61	1.48	1.65	1.81	2.00	2.34	2.45
9	2.43	2.48	2.37	1.96	1.96	1.61	1.45	1.61	1.77	1.97	2.34	2.45
10	2.45	2.48	2.26	1.83	1.96	1.64	1.46	1.61	1.74	1.90	2.33	2.45
11	2.48	2.48	2.26	1.91	1.94	1.62	1.42	1.58	1.76	1.94	2.33	2.45
12	2.49	2.48	2.37	1.90	1.91	1.62	1.35	1.55	1.78	2.04	2.33	2.45
13	2.49	2.48	2.42	2.04	1.88	1.62	1.35	1.67	1.78	2.03	2.36	2.45
14	2.48	2.48	2.42	2.05	1.88	1.60	1.41	1.64	1.75	2.03	2.37	2.45
15	2.47	2.48	2.42	1.96	1.85	1.46	1.45	1.58	1.76	2.04	2.40	2.45
16	2.51	2.48	2.28	1.80	1.83	1.44	1.49	1.57	1.81	2.04	2.40	2.45
17	2.54	2.48	2.28	1.61	1.89	1.56	1.54	1.63	1.81	2.04	2.45	2.45
18	2.54	2.48	2.33	1.82	1.88	1.59	1.54	1.61	1.81	2.04	2.45	2.45
19	2.52	2.48	2.35	1.97	1.88	1.59	1.39	1.61	1.81	2.03	2.45	2.45
20	2.51	2.48	2.42	2.11	1.89	1.55	1.33	1.62	1.82	2.04	2.45	2.45
21	2.52	2.48	2.49	2.10	1.88	1.50	1.33	1.64	1.88	2.12	2.45	2.45
22	2.48	2.48	2.40	2.08	1.81	1.50	1.33	1.65	1.87	2.12	2.45	2.45
23	2.47	2.48	2.41	2.08	1.77	1.50	1.47	1.62	1.85	2.12	2.45	2.45
24	2.48	2.58	2.43	2.07	1.76	1.55	1.51	1.65	1.83	2.20	2.45	2.45
25	2.59	2.60	2.43	2.07	1.76	1.55	1.53	1.68	1.82	2.19	2.45	2.45
26	2.59	2.59	2.43	2.02	1.72	1.53	1.50	1.67	1.82	2.15	2.45	2.45
27	2.56	2.56	2.43	1.97	1.68	1.51	1.45	1.69	1.82	2.17	2.45	2.45
28	2.54	2.50	2.39	1.93	1.68	1.52	1.53	1.62	1.82	2.22	2.45	2.46
29	2.54	2.50	2.31	1.92	1.68	1.52	1.65	1.63	1.93	2.22	2.45	2.99
30	2.54	2.50	2.32	1.91	---	1.50	1.67	1.63	1.85	2.21	2.45	3.06
31	2.51	---	2.39	1.84	---	1.50	---	1.68	---	2.22	2.45	---

PERIOD OF RECORD HIGHEST +1.03 DEC 12, 1983 LOWEST 8.03 NOV 15, 1979

WATER LEVELS, GLENN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 392730121593002

LOCAL NUMBER 019N001W32G02M

ABOUT 0.5 MI SOUTH OF BUTTE CITY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
DEPTH 968 FT, SCREENED 963-968 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO
CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.50	9.29	9.22	8.83	7.86	7.51	8.01	8.54	8.42	9.19	9.96	10.42
2	9.46	9.30	9.04	8.83	7.94	7.51	8.02	8.53	8.51	9.19	9.97	10.46
3	9.51	9.30	8.74	8.78	7.99	7.51	8.03	8.47	8.44	9.12	9.99	10.46
4	9.51	9.30	8.85	7.66	8.01	7.57	7.99	8.28	8.51	9.15	10.00	10.37
5	9.48	9.29	9.03	7.19	8.00	7.58	7.99	8.28	8.57	9.25	10.12	10.31
6	9.40	9.34	8.92	8.02	8.00	7.57	8.02	8.38	8.59	9.30	10.11	10.31
7	9.36	9.38	8.74	8.19	7.95	7.54	8.03	8.37	8.69	9.35	10.09	10.34
8	9.38	9.38	8.87	8.28	7.94	7.52	8.00	8.34	8.76	9.41	10.15	10.34
9	9.36	9.39	8.90	8.18	7.92	7.60	7.96	8.25	8.72	9.40	10.07	10.35
10	9.37	9.40	8.59	7.92	7.92	7.66	7.99	8.21	8.75	9.34	10.11	10.35
11	9.37	9.41	8.59	8.11	7.85	7.63	7.97	8.17	8.76	9.38	10.14	10.28
12	9.37	9.40	8.88	8.07	7.81	7.69	7.93	8.17	8.80	9.51	10.24	10.26
13	9.35	9.31	9.05	8.29	7.79	7.67	7.99	8.29	8.84	9.52	10.25	10.30
14	9.31	9.31	9.08	8.33	7.78	7.65	8.05	8.30	8.87	9.54	10.21	10.28
15	9.30	9.40	9.06	8.27	7.76	7.58	8.08	8.21	8.87	9.55	10.24	10.20
16	9.33	9.39	8.90	8.03	7.76	7.58	8.17	8.27	8.99	9.51	10.25	10.24
17	9.35	9.33	8.84	7.73	7.78	7.73	8.18	8.31	8.96	9.57	10.28	10.29
18	9.33	9.32	8.89	8.01	7.78	7.79	8.19	8.29	8.97	9.59	10.29	10.26
19	9.28	9.34	8.92	8.21	7.78	7.78	8.12	8.28	9.01	9.54	10.31	10.22
20	9.27	9.28	9.04	8.31	7.78	7.74	8.03	8.30	9.03	9.60	10.33	10.25
21	9.24	9.29	9.07	8.29	7.76	7.75	8.04	8.35	9.09	9.68	10.38	10.25
22	9.31	9.29	8.97	8.30	7.69	7.80	8.06	8.37	9.07	9.67	10.42	10.32
23	9.30	9.28	8.97	8.29	7.57	7.86	8.17	8.27	9.03	9.71	10.43	10.30
24	9.31	9.32	8.99	8.25	7.64	7.91	8.21	8.31	9.00	9.81	10.45	10.25
25	9.38	9.34	8.97	8.23	7.64	7.93	8.28	8.36	9.15	9.76	10.43	10.27
26	9.39	9.31	8.96	8.13	7.57	7.88	8.26	8.36	9.19	9.78	10.42	10.19
27	9.35	9.30	8.96	8.07	7.55	7.92	8.23	8.42	9.16	9.79	10.43	10.24
28	9.32	9.25	8.86	8.04	7.56	7.97	8.32	8.38	9.13	9.92	10.47	10.19
29	9.32	9.27	8.69	8.00	7.55	7.96	8.45	8.36	9.14	9.92	10.46	10.06
30	9.31	9.28	8.67	7.96	---	7.95	8.47	8.35	9.14	9.93	10.43	10.10
31	9.30	---	8.81	7.79	---	7.98	---	8.45	---	9.97	10.39	---

PERIOD OF RECORD HIGHEST 1.95 FEB 19, 1986 LOWEST 12.02 SEP 08, 1981

WATER LEVELS, GLENN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 392730121593003

LOCAL NUMBER 019N001W32G03M

ABOUT 0.5 MI SOUTH OF BUTTE CITY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
DEPTH 595 FT, SCREENED 590-595 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO
CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	17.53	17.14	16.79	15.62	13.63	14.68	17.06	16.17	18.97	20.15	21.47	19.59
2	17.50	17.15	16.70	15.62	13.63	14.78	17.25	16.11	18.94	20.24	21.34	19.58
3	17.49	---	16.58	15.56	13.64	14.89	17.40	16.00	18.93	20.29	21.24	19.58
4	17.50	---	16.54	14.97	13.67	15.02	17.50	15.90	18.93	20.31	21.09	19.62
5	17.51	---	16.55	14.66	13.68	15.24	17.57	15.90	18.93	20.32	21.05	19.66
6	17.50	---	16.53	14.92	13.68	15.36	17.57	15.93	18.94	20.28	21.03	19.69
7	17.48	---	16.49	14.97	13.68	15.41	17.55	15.93	18.94	20.19	21.01	19.69
8	17.48	---	16.47	14.98	13.68	15.46	17.60	15.93	18.94	20.15	21.01	19.69
9	17.48	---	16.47	14.94	13.68	15.55	17.65	15.93	19.04	20.14	21.01	19.62
10	17.48	---	16.30	14.74	13.68	15.65	17.64	15.93	19.22	20.14	21.01	19.53
11	17.46	---	16.29	14.65	13.68	15.76	17.53	15.94	19.39	20.31	21.07	19.49
12	17.41	---	16.29	14.62	13.68	15.94	17.44	15.96	19.45	20.42	21.25	19.47
13	17.33	---	16.30	14.62	13.67	16.10	17.42	16.08	19.31	20.55	21.31	19.36
14	17.27	---	16.30	14.60	13.67	16.21	17.42	16.12	19.10	20.66	21.34	19.25
15	17.20	---	16.29	14.43	13.67	16.30	17.42	16.16	19.00	20.73	21.29	19.03
16	17.16	---	16.08	14.23	13.68	16.60	17.42	16.18	18.94	20.75	21.09	18.89
17	17.16	---	16.01	13.99	13.73	16.95	17.37	16.31	18.85	20.81	20.97	18.77
18	17.14	---	15.97	14.01	13.76	17.21	17.34	16.36	18.84	20.92	20.89	18.66
19	17.10	---	15.98	14.11	13.81	17.36	17.23	16.42	18.88	20.96	20.77	18.46
20	17.09	---	15.99	14.15	13.87	17.47	17.17	16.49	19.01	21.21	20.70	18.36
21	17.09	---	16.00	14.13	13.92	17.50	17.05	16.62	19.08	21.50	20.66	18.23
22	17.08	---	15.96	14.11	13.95	17.51	16.91	16.93	19.22	21.62	20.63	18.16
23	17.08	---	15.96	14.06	14.00	17.50	16.83	17.21	19.35	21.69	20.52	18.04
24	17.08	---	15.96	13.99	14.11	17.48	16.72	17.45	19.56	21.74	20.40	17.91
25	17.13	16.95	15.95	13.96	14.19	17.44	16.66	17.76	19.71	21.75	20.22	17.88
26	17.13	16.95	15.91	13.89	14.23	17.38	16.52	18.05	19.82	21.69	20.05	17.80
27	17.13	16.93	15.90	13.82	14.32	17.33	16.36	18.34	19.93	21.58	19.90	17.77
28	17.13	16.84	15.75	13.78	14.43	17.28	16.28	18.61	19.95	21.53	19.87	17.69
29	17.13	16.81	15.64	13.73	14.53	17.11	16.28	18.85	20.09	21.49	19.83	17.58
30	17.14	16.81	15.59	13.72	---	17.00	16.22	18.95	20.13	21.48	19.73	17.52
31	17.14	---	15.62	13.63	---	16.99	---	18.97	---	21.48	19.63	---

PERIOD OF RECORD HIGHEST 5.52 MAR 03, 1983 LOWEST 22.49 AUG 01, 1981

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

HUMBOLDT COUNTY

	<u>Page</u>
LOCAL NUMBER 002S002W03E01H.....	20
LOCAL NUMBER 002S002W09H01H.....	20




FIGURE 5.--Index map to location of wells in Humboldt County.

WATER LEVELS, HUMBOLDT COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 401843124170301

LOCAL NUMBER 002S002W03E01H

NEAR PETROLIA. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF THE COAST RANGE OF PLIOCENE-HOLOCENE AGE. DIAM 8 IN, DEPTH 50 FT. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
OCT 05, 1987	15.35 SR	APR 06, 1988	14.14 SZ			
PERIOD OF RECORD	HIGHEST	13.58	APR 03, 1985	LOWEST	16.93	OCT 02, 1984

SITE NUMBER 401928124171801

LOCAL NUMBER 002S002W09H01H

NEAR PETROLIA. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF THE COAST RANGE OF PLIOCENE-HOLOCENE AGE. DIAM 8 IN, DEPTH 34 FT. ALTITUDE OF LSD 76 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
OCT 05, 1987	16.84 SP	APR 06, 1988	12.00 SZ			
PERIOD OF RECORD	HIGHEST	5.04	MAR 04, 1980	LOWEST	13.62	OCT 02, 1984

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

IMPERIAL COUNTY

	<u>Page</u>
LOCAL NUMBER 009S009E04M01S.....	23
LOCAL NUMBER 015S011E32R01S.....	23
LOCAL NUMBER 016S009E24B01S.....	23, 31
LOCAL NUMBER 016S009E24D01S.....	23, 31
LOCAL NUMBER 016S009E24R01S.....	24, 31
LOCAL NUMBER 016S009E25K02S.....	24, 31
LOCAL NUMBER 016S009E25Q01S.....	24
LOCAL NUMBER 016S009E35M01S.....	24
LOCAL NUMBER 016S009E36D02S.....	25, 31
LOCAL NUMBER 016S009E36G04S.....	25
LOCAL NUMBER 016S009E36H01S.....	25, 31
LOCAL NUMBER 016S010E14N01S.....	25
LOCAL NUMBER 016S010E16D01S.....	26
LOCAL NUMBER 016S010E27R01S.....	26
LOCAL NUMBER 016S010E29H01S.....	26
LOCAL NUMBER 016S010E29L01S.....	26, 31
LOCAL NUMBER 016S010E30R01S.....	31
LOCAL NUMBER 016S010E42A05S.....	27, 31
LOCAL NUMBER 016S011E23B01S.....	27
LOCAL NUMBER 016S011E27F01S.....	27
LOCAL NUMBER 016S011E42L01S.....	27
LOCAL NUMBER 016S011E42M05S.....	28
LOCAL NUMBER 017S010E11B01S.....	28
LOCAL NUMBER 017S010E11G01S.....	28
LOCAL NUMBER 017S010E11G04S.....	28
LOCAL NUMBER 017S010E11H01S.....	29
LOCAL NUMBER 017S010E11H03S.....	29, 31
LOCAL NUMBER 017S011E16J01S.....	29
LOCAL NUMBER 017S011E18K01S.....	29
LOCAL NUMBER 017S011E22E02S.....	30




FIGURE 6.--Index map to location of wells in Imperial County.

WATER LEVELS, IMPERIAL COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 332501116025701

LOCAL NUMBER 009S009E04M01S

NORTH OF DESERT SHORES. DRILLED GEOTHERMAL TEST WELL. DIAM 2 IN, DEPTH 489 FT, SCREENED 486-489 FT. ALTITUDE OF LSD -105 FT. RECORDS AVAILABLE 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 10, 1988	100.05 S	SEP 27, 1988	103.35 S
PERIOD OF RECORD	HIGHEST 71.58	JUN 13, 1979	LOWEST 103.35 SEP 27, 1988

SITE NUMBER 324851115505901

LOCAL NUMBER 015S011E32R01S

ABOUT 1.5 MI NORTH OF PLASTER CITY. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 152 FT, PERFORATED 138-140 FT. WELL FILLED IN TO 145.8 FT IN 1974. ALTITUDE OF LSD 65 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	48.39 S	MAR 15, 1988	48.33 S
PERIOD OF RECORD	HIGHEST 48.33	MAR 15, 1988	LOWEST 101.00 MAR 19, 1964

SITE NUMBER 324608115593501

LOCAL NUMBER 016S009E24B01S

ABOUT 2 MI NORTH OF OCOTILLO. AUGURED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY. DIAM 2 IN, DEPTH 128.8 FT, SAND POINT 125-128.5 FT. ALTITUDE OF LSD 385 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	106.73 S	MAR 16, 1988	106.78 S
PERIOD OF RECORD	HIGHEST 105.34	NOV 17, 1976	LOWEST 106.78 MAR 16, 1988

SITE NUMBER 324558115595201

LOCAL NUMBER 016S009E24D01S

ABOUT 2 MI NORTH OF OCOTILLO. AUGURED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY. DIAM 2 IN, DEPTH 149 FT, SAND POINT 145.5-149 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	105.81 S	MAR 16, 1988	105.86 S
PERIOD OF RECORD	HIGHEST 103.86	APR 28, 1977	LOWEST 105.86 MAR 16, 1988

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324518115591501

LOCAL NUMBER 016S009E24R01S

ABOUT 1 MI NORTH OF OCOTILLO. AUGURED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY. DIAM 2 IN, DEPTH 105 FT, SAND POINT 98-101.5 FT. ALTITUDE OF LSD 335 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	60.17 S	MAR 17, 1988	60.10 S
PERIOD OF RECORD	HIGHEST 58.00	NOV 17, 1976	LOWEST 60.23 SEP 22, 1983

SITE NUMBER 324439115593401

LOCAL NUMBER 016S009E25K02S

IN OCOTILLO, EAST OF IMPERIAL HWY. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 10 IN, DEPTH 372 FT IN 1974, PERFORATED 132-192, 242-372 FT. ALTITUDE OF LSD 364 FT. RECORDS AVAILABLE 1972, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1987	94.06 S	MAR 18, 1988	93.94 S
PERIOD OF RECORD	HIGHEST 83.00	AUG 24, 1972	LOWEST 101.47 MAR 14, 1979

SITE NUMBER 324426115593601

LOCAL NUMBER 016S009E25Q01S

IN OCOTILLO, NORTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 128.5 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1974, 1976, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	106.73 S	MAR 14, 1988	106.25 S
PERIOD OF RECORD	HIGHEST 104.24	DEC 27, 1974	LOWEST 107.20 OCT 06, 1982

SITE NUMBER 324345116010001

LOCAL NUMBER 016S009E35M01S

ABOUT 1 MI WEST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 535 FT, PERFORATED 415-425, 470-495 FT. ALTITUDE OF LSD 610 FT. RECORDS AVAILABLE 1962, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	325.13 SR	MAR 14, 1988	326.21 SR
PERIOD OF RECORD	HIGHEST 321.00	MAR , 1962	LOWEST 327.04 APR 28, 1977

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324422116000301

LOCAL NUMBER 016S009E36D02S

ABOUT 300 FT EAST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 200 FT, PERFORATED 150-200 FT. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	160.78 S	MAR 16, 1988	160.70 S
PERIOD OF RECORD	HIGHEST 157.90	JUN 26, 1975	LOWEST 160.78 OCT 22, 1987

SITE NUMBER 324401115593201

LOCAL NUMBER 016S009E36G04S

SOUTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED INDUSTRIAL WATER-TABLE WELL. DIAM 10.75 FT, DEPTH 560 FT, PERFORATED 340-560 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1987	123.39 S	MAR 18, 1988	122.65 S
PERIOD OF RECORD	HIGHEST 122.14	MAR 28, 1986	LOWEST 136.47 JUN 28, 1975

SITE NUMBER 324407115590901

LOCAL NUMBER 016S009E36H01S

ABOUT 0.56 MI EAST OF HWY S-2 SOUTH OF INTERSTATE 8. DRILLED INDUSTRIAL-DOMESTIC WATER-TABLE WELL IN SAND AND CLAY. DIAM 10.75 IN, DEPTH 410 FT, PERFORATED 60-380 FT. ALTITUDE OF LSD 342 FT. RECORDS AVAILABLE 1954, 1960, 1966, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	84.06 S	MAR 17, 1988	83.84 SR
PERIOD OF RECORD	HIGHEST 68.50	MAR 21, 1954	LOWEST 85.00 MAY , 1960

SITE NUMBER 324620115544301

LOCAL NUMBER 016S010E14N01S

ABOUT 1.25 MI NORTHEAST OF PAINTED GORGE ROAD AND HWY 80. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, WELL POINT 120-122 FT. ALTITUDE OF LSD 225 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	95.34 S	MAR 15, 1988	95.30 S
PERIOD OF RECORD	HIGHEST 92.37	DEC 08, 1975	LOWEST 96.78 MAY 13, 1975

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324700115565201

LOCAL NUMBER 016S010E16D01S

ABOUT 2.17 MI NORTH OF HWY 80 ON JEEP TRAIL ABOUT 1.5 MI NORTHEAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 105 FT, DEPTH REPORTED 60 FT IN 1975. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	43.6 S	MAR 14, 1988	43.67 S
PERIOD OF RECORD	HIGHEST	39.60	APR 26, 1977
		LOWEST	46.25 JUN 23, 1975

SITE NUMBER 324430115555501

LOCAL NUMBER 016S010E27R01S

ABOUT 2 MI EAST OF COYOTE WELLS. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 104 FT, SAND POINT 102-104 FT. ALTITUDE OF LSD 300 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	98.64 S	MAR 15, 1988	98.48 S
PERIOD OF RECORD	HIGHEST	98.48	MAR 15, 1988
		LOWEST	98.97 MAY 12, 1975

SITE NUMBER 324458115570301

LOCAL NUMBER 016S010E29H01S

ABOUT 2.6 MI NORTHEAST OF COYOTE WELLS ON HWY 80. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 38.7 FT, SAND POINT 36.7-38.7 FT. ALTITUDE OF LSD 250 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	24.52 S	MAR 14, 1988	24.52 S
PERIOD OF RECORD	HIGHEST	21.53	APR 26, 1978
		LOWEST	24.52 OCT 22, 1987; MAR 14, 1988

SITE NUMBER 324440115574301

LOCAL NUMBER 016S010E29L01S

ABOUT 2 MI EAST OF OCOTILLO ON HWY 80. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 50 FT, SAND POINT 44.5-48 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	29.80 S	MAR 17, 1988	29.68 S
PERIOD OF RECORD	HIGHEST	23.32	NOV 09, 1976
		LOWEST	29.80 OCT 22, 1987

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324329115580501

LOCAL NUMBER 016S010E42A05S

ABOUT 2 MI SOUTHEAST OF OCOTILLO IN NO MIRAGE SUBDIVISION OFF HWY 98. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 328 FT. RECORDS AVAILABLE 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	78.04 S	MAR 18, 1988	78.06 S
PERIOD OF RECORD	HIGHEST	73.21 DEC 30, 1974	LOWEST 78.06 MAR 18, 1988

SITE NUMBER 324603115480501

LOCAL NUMBER 016S011E23B01S

ABOUT 3.5 MI SOUTHEAST OF PLASTER CITY. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 127 FT IN 1964, 114.7 FT IN 1974, PERFORATED 121-123 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 20, 1987	40.81 S	MAR 14, 1988	40.01 S
PERIOD OF RECORD	HIGHEST	39.34 APR 25, 1978	LOWEST 101.17 MAR 19, 1964

SITE NUMBER 324500115492101

LOCAL NUMBER 016S011E27F01S

ABOUT 1.85 MI SOUTHWEST OF INTERSTATE 8 AND DUNAWAY ROAD. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 134.5 FT, SAND POINT 132.5-134.5 FT. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	98.98 S	MAR 14, 1988	99.04 S
PERIOD OF RECORD	HIGHEST	92.95 MAY 07, 1975	LOWEST 99.16 OCT 08, 1982

SITE NUMBER 324251115522201

LOCAL NUMBER 016S011E42L01S

ABOUT 7.2 MI SOUTHEAST OF OCOTILLO. AUGURED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY. DIAM 2 IN, DEPTH 143.5 FT, SAND POINT 141.5-143.5 FT. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1975-76, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	37.01 S	MAR 15, 1988	37.35 S
PERIOD OF RECORD	HIGHEST	22.85 OCT 07, 1982	LOWEST 44.77 MAY 09, 1975

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324258115524101

LOCAL NUMBER 016S011E42M05S

ABOUT 6.9 MI SOUTHEAST OF OCOTILLO. UNUSED WATER-TABLE WELL. DIAM 5 IN, DEPTH MEASURED 6.5 FT, 4.9 FT IN 1980, DEEPENED TO 9.3 FT ON 12/18/1981. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1949, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	4.97 S	MAR 15, 1988	4.15 S
PERIOD OF RECORD	HIGHEST	3.33	APR 27, 1977
		LOWEST	5.00
			OCT 07, 1982

SITE NUMBER 324138115552901

LOCAL NUMBER 017S010E11B01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DOMESTIC WELL. DIAM 7 IN, DEPTH REPORTED 301 FT. ALTITUDE OF LSD 376 FT. RECORDS AVAILABLE 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1987	163.82 S	MAR 18, 1988	163.29 S
PERIOD OF RECORD	HIGHEST	154.80	JAN 08, 1976
		LOWEST	163.82
			OCT 23, 1987

SITE NUMBER 324123115552901

LOCAL NUMBER 017S010E11G01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED PUBLIC SUPPLY WELL. DIAM 8 IN, DEPTH 300 FT, PERFORATED 160-300 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1967, 1971-72, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	182.48 S	MAR 18, 1988	181.34 S
PERIOD OF RECORD	HIGHEST	164.94	JUN 27, 1975
		LOWEST	232.80
			NOV 06, 1981

SITE NUMBER 324119115553201

LOCAL NUMBER 017S010E11G04S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED UNUSED WELL. DIAM 10.75 IN, DEPTH MEASURED 199 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 22, 1987	185.92 S	MAR 18, 1988	185.21 S
PERIOD OF RECORD	HIGHEST	185.21	MAR 18, 1988
		LOWEST	206.21
			OCT 07, 1982

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324114115552301

LOCAL NUMBER 017S010E11H01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 350 FT. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1987	173.39 SR	MAR 15, 1988	172.18 SR
PERIOD OF RECORD	HIGHEST 158.27	JUN 15, 1964	LOWEST 174.33
		OCT 26, 1983	

SITE NUMBER 324117115552001

LOCAL NUMBER 017S010E11H03S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 5 IN, DEPTH 348 FT, PERFORATED 202-217, 228-238, 265-273, 284-295, 304-318, 327-333 FT. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1987	179.29 S	MAR 17, 1988	178.81 SR
PERIOD OF RECORD	HIGHEST 179.29	OCT 23, 1987	LOWEST 179.29
		OCT 23, 1987	

SITE NUMBER 324013115511101

LOCAL NUMBER 017S011E16J01S

ABOUT 11.5 MI EAST OF HWY 98 AND INTERSTATE 8 NEAR SUNRISE BUTTE. DRILLED UNUSED WELL IN CLAY AND SILT. DIAM 4.5 IN, DEPTH 336 FT, PERFORATED 226-366 FT. ALTITUDE OF LSD 298.7 FT. RECORDS AVAILABLE 1970, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	95.39 S	MAR 15, 1988	95.35 S
PERIOD OF RECORD	HIGHEST 95.00	MAY 19, 1970	LOWEST 96.66
		FEB 04, 1975	

SITE NUMBER 324009115532301

LOCAL NUMBER 017S011E18K01S

ABOUT 8 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 IN SOUTHERN END OF CRUCIFIXION THORNS AREA. AUGURED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 150.3 FT, SAND POINT 148.3-150.3 FT. ALTITUDE OF LSD 341.6 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	135.54 S	MAR 15, 1988	135.50 S
PERIOD OF RECORD	HIGHEST 135.50	MAR 15, 1988	LOWEST 136.76
		MAY 14, 1975	

WATER LEVELS, IMPERIAL COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 323934115504701

LOCAL NUMBER 017S011E22E02S

ABOUT 12 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 AND ABOUT 1 MI SOUTHEAST OF SUNRISE BUTTE. DRILLED
UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 119.65 FT, SAND POINT 117.6-119.6 FT. ALTITUDE OF LSD
303.9 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	100.92 S	MAR 15, 1988	100.86 S
PERIOD OF RECORD	HIGHEST	100.86 MAR 15, 1988	LOWEST 102.48 MAY 08, 1975

WATER QUALITY, IMPERIAL COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
016S009E24B01S	03-16-88	1230	106.78	129.00	2210	8.60	29.5	23	0	6.1
016S009E24D01S	03-16-88	1400	105.86	149.00	815	8.50	29.5	41	0	11
016S009E24R01S	03-17-88	1500	60.10	102.00	680	8.40	28.0	61	0	15
016S009E25K02S	03-18-88	1230	93.94	372.00	690	8.20	29.0	100	0	29
016S009E36D02S	03-16-88	1000	160.70	200.00	590	8.20	29.5	48	0	15
016S009E36H01S	03-17-88	1000	83.84	380.00	485	8.20	31.0	61	0	18
016S010E29L01S	03-17-88	1300	29.68	48.00	1170	8.50	28.5	35	0	7.9
016S010E30R01S	03-16-88	1600	--	--	1320	7.70	27.0	240	96	62
016S010E42A05S	03-18-88	1100	78.06	--	735	8.40	29.5	32	0	7.9
017S010E11H03S	03-18-88	0930	178.81	348.00	520	8.20	30.5	64	0	19
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)		
016S009E24B01S	2.0	450	97	42	3.1	187	300	400	1.8	
016S009E24D01S	3.3	150	88	11	4.0	100	140	93	1.0	
016S009E24R01S	5.6	110	78	6	5.5	97	94	84	0.80	
016S009E25K02S	6.8	100	67	5	5.2	122	48	100	0.90	
016S009E36D02S	2.5	100	80	7	4.3	134	27	81	2.1	
016S009E36H01S	3.9	76	71	4	4.5	104	33	60	0.70	
016S010E29L01S	3.6	240	93	18	3.3	147	66	240	0.90	
016S010E30R01S	20	170	60	5	6.5	141	78	260	0.70	
016S010E42A05S	2.9	150	90	12	3.0	185	55	80	2.9	
017S010E11H03S	3.9	82	72	5	4.3	114	63	51	0.50	
	SILICA, DIS- SOLVED (MG/L AS SiO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	
016S009E24B01S	22	1280	1300	<0.100	--	<0.050	780	80	10	
016S009E24D01S	17	485	486	1.40	--	<0.050	430	<3	2	
016S009E24R01S	23	401	401	1.00	--	<0.010	270	44	17	
016S009E25K02S	31	403	404	2.30	--	<0.010	260	6	4	
016S009E36D02S	35	345	351	0.720	--	<0.010	670	15	<1	
016S009E36H01S	35	299	301	1.70	--	<0.010	210	7	<1	
016S010E29L01S	20	654	670	<0.100	--	<0.010	380	34	4	
016S010E30R01S	40	756	757	7.80	--	<0.010	510	10	4	
016S010E42A05S	37	451	455	1.00	0.09	0.030	760	8	4	
017S010E11H03S	19	313	311	<0.100	--	<0.010	180	5	<1	

< Actual value is known to be less than the value shown.

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

INYO COUNTY

	<u>Page</u>
LOCAL NUMBER 015S044E36G01M.....	34, 39
LOCAL NUMBER 015S044E36G02M.....	34
LOCAL NUMBER 015S044E36H01M.....	34, 39
LOCAL NUMBER 015S044E36H02M.....	34
LOCAL NUMBER 015S044E36J01M.....	35, 39
LOCAL NUMBER 015S044E36J05M.....	35, 39
LOCAL NUMBER 015S044E36J06M.....	35, 39
LOCAL NUMBER 015S044E36K03M.....	35, 39
LOCAL NUMBER 015S044E36K04M.....	36, 39
LOCAL NUMBER 015S044E36L01M.....	36, 39
LOCAL NUMBER 015S044E36M01M.....	36, 39
LOCAL NUMBER 015S044E36M02M.....	36
LOCAL NUMBER 015S044E36Q03M.....	37
LOCAL NUMBER 015S044E36Q04M.....	37
LOCAL NUMBER 015S045E31M01M.....	37, 39
LOCAL NUMBER 015S045E31M02M.....	37
LOCAL NUMBER 016S044E01C01M.....	38, 39




FIGURE 7.--Index map to location of wells in Inyo County.

WATER LEVELS, INYO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 363633117083201

LOCAL NUMBER 015S044E36G01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 47 FT, CASED TO 46.9 FT, SAND POINT 44.9-46.9 FT. ALTITUDE OF LSD -25.21 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR. RECORDER FROM NOVEMBER 1973-APRIL 1975.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	23.86 S	MAY 17, 1988	23.57 S
PERIOD OF RECORD HIGHEST 20.45 SEP 21, 1978 LOWEST 23.86 NOV 30, 1987			

SITE NUMBER 363633117083202

LOCAL NUMBER 015S044E36G02M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 27.7 FT, CASED TO 27.7 FT, SAND POINT 24.7-27.7 FT. ALTITUDE OF LSD -25.31 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	23.49 S	MAY 17, 1988	23.03 S
PERIOD OF RECORD HIGHEST 21.05 NOV 03, 1973 LOWEST 23.49 NOV 30, 1987			

SITE NUMBER 363633117083001

LOCAL NUMBER 015S044E36H01M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASED TO 51.2 FT, SAND POINT 49.2-51.2 FT. ALTITUDE OF LSD -26.20 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 30, 1987	24.25 S
PERIOD OF RECORD HIGHEST 22.25 NOV 03, 1973 LOWEST 24.25 NOV 30, 1987	

SITE NUMBER 363633117083002

LOCAL NUMBER 015S044E36H02M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 28.25 FT, CASED TO 28.25 FT, SAND POINT 25.25-28.25 FT. ALTITUDE OF LSD -26.10 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	24.43 S	MAY 17, 1988	24.15 S
PERIOD OF RECORD HIGHEST 18.04 NOV 03, 1973 LOWEST 24.43 NOV 30, 1987			

WATER LEVELS, INYO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 363629117083001

LOCAL NUMBER 015S044E36J01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASED TO 50.7 FT, SAND POINT 48.7-50.7 FT. ALTITUDE OF LSD -22.76 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	27.91 S	MAY 17, 1988	27.67 S

PERIOD OF RECORD HIGHEST 24.90 NOV 28, 1973 LOWEST 29.00 NOV 02, 1973

SITE NUMBER 363624117083601

LOCAL NUMBER 015S044E36J05M

ABOUT 0.3 MI EAST OF STOVEPIPE WELLS GAS STATION AND 180 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 44.3 FT, CASED TO 44.3 FT, PERFORATED 32.55-44.3 FT. ALTITUDE OF LSD -15.30 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	36.89 S	MAY 19, 1988	36.72 S

PERIOD OF RECORD HIGHEST 36.06 MAY 16, 1980 LOWEST 36.89 NOV 30, 1987

SITE NUMBER 363624117083101

LOCAL NUMBER 015S044E36J06M

ABOUT 0.25 MI EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASED TO 46 FT, PERFORATED 36-46 FT. ALTITUDE OF LSD -12.64 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	38.52 S	MAY 19, 1988	38.34 S

PERIOD OF RECORD HIGHEST 37.69 MAY 16, 1980 LOWEST 38.52 NOV 30, 1987

SITE NUMBER 363624117082401

LOCAL NUMBER 015S044E36K03M

ABOUT 780 FT EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASED TO 45.42 FT, PERFORATED 37.42-45.42 FT. ALTITUDE OF LSD -9.66 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	40.46 S	MAY 19, 1988	40.27 S

PERIOD OF RECORD HIGHEST 39.42 JUN 17, 1980 LOWEST 40.46 NOV 30, 1987

WATER LEVELS, INYO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 363624117082001

LOCAL NUMBER 015S044E36K04M

ABOUT 280 FT EAST OF STOVEPIPE WELLS GAS STATION AND 113 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 47 FT, CASED TO 47 FT, PERFORATED 38-47 FT. ALTITUDE OF LSD -7.98 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	41.16 S	MAY 18, 1988	40.14 S
PERIOD OF RECORD	HIGHEST	40.14 MAY 18, 1988	LOWEST 41.16 NOV 30, 1987

SITE NUMBER 363623117084901

LOCAL NUMBER 015S044E36L01M

ABOUT 150 FT SOUTHWEST OF STOVEPIPE WELLS GROCERY STORE. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 56.6 FT, CASED TO 56.6 FT, PERFORATED 46.5-56.6 FT. ALTITUDE OF LSD -1.85 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	46.48 S	MAY 17, 1988	45.93 S
PERIOD OF RECORD	HIGHEST	45.07 JUN 17, 1980	LOWEST 46.48 NOV 30, 1987

SITE NUMBER 363621117091801

LOCAL NUMBER 015S044E36M01M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 43.8 FT, CASED TO 45.3 FT, SAND POINT 43.3-45.3 FT. ALTITUDE OF LSD -15.22 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	28.82 S	MAY 18, 1988	28.68 S
PERIOD OF RECORD	HIGHEST	27.70 APR 09, 1974	LOWEST 28.82 NOV 30, 1987

SITE NUMBER 363621117091802

LOCAL NUMBER 015S044E36M02M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 32.7 FT, CASED TO 32.7 FT, SAND POINT 29.7-32.7 FT. ALTITUDE OF LSD -15.33 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	P	MAY 18, 1988	28.54 S
PERIOD OF RECORD	HIGHEST	18.46 NOV 03, 1973	LOWEST 28.65 SEP 05, 1986

WATER LEVELS, INYO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 363607117083703

LOCAL NUMBER 015S044E36Q03M

ABOUT 0.37 MI SOUTH OF STATE HWY 190. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 296 FT.
PERFORATED 276-296 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 19, 1988	130.40	S			
PERIOD OF RECORD	HIGHEST	129.92	SEP 03, 1986	LOWEST	130.40 MAY 19, 1988

SITE NUMBER 363607117083501

LOCAL NUMBER 015S044E36Q04M

ABOUT 0.37 MI SOUTH OF STATE HWY 190. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 290 FT.
PERFORATED 270-290 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 19, 1988	130.38	S			
PERIOD OF RECORD	HIGHEST	130.38	MAY 19, 1988	LOWEST	130.82 JUN 12, 1986

SITE NUMBER 363627117080301

LOCAL NUMBER 015S045E31M01M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN
ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 37.4 FT, CASSED TO 37.4 FT, SAND
POINT 35.4-37.4 FT. ALTITUDE OF LSD -26.50 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.
PREVIOUSLY PUBLISHED AS 015S044E36J03M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
NOV 30, 1987	28.35 S	MAY 17, 1988	28.44 S			
PERIOD OF RECORD	HIGHEST	26.83	JAN 18, 1978	LOWEST	28.44	MAY 17, 1988

SITE NUMBER 363627117080302

LOCAL NUMBER 015S045E31M02M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN
DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 30.3 FT, CASSED TO 30.3 FT, SAND POINT 28.3-30.3 FT.
ALTITUDE OF LSD -26.64 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.
PREVIOUSLY PUBLISHED AS 015S044E36J04M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS				
NOV 30, 1987	D	MAY 17, 1988	D				
PERIOD OF RECORD	HIGHEST	27.20	NOV 29, 1973	FEB 14, 1974	LOWEST	28.13	OCT 09, 1986

WATER LEVELS, INYO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 363604117084701

LOCAL NUMBER 016S044E01C01M

ABOUT 0.4 MI SOUTHWEST OF STOVEPIPE WELLS HOTEL. DRILLED DESALINATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 8 IN, DEPTH 315 FT, CASED TO 294 FT, PERFORATED 264-294 FT. ALTITUDE OF LSD 97.19 FT. RECORDS AVAILABLE 1973-74, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 30, 1987	P	MAY 18, 1988	P		
PERIOD OF RECORD	HIGHEST 144.46	SEP 21, 1978	NOV 28, 1979	LOWEST 146.68	JUN 12, 1986

WATER QUALITY, INYO COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
015S044E36G01M	05-18-88	0905	47.00	10600	8.40	27.5	600	210	57
015S044E36H01M	05-18-88	1135	51.00	9310	7.70	28.5	710	360	85
015S044E36J01M	05-18-88	1045	51.00	11000	7.60	29.0	760	420	75
015S044E36J05M	05-19-88	1350	44.30	12300	7.60	30.0	820	450	83
015S044E36J06M	05-19-88	1510	46.00	12700	7.40	30.0	650	0	45
015S044E36K03M	05-19-88	1630	45.40	13700	8.10	30.0	640	0	25
015S044E36K04M	05-19-88	1810	47.00	12800	8.20	30.0	850	0	29
015S044E36L01M	05-18-88	1600	56.60	11000	7.50	30.0	720	420	73
015S044E36M01M	05-19-88	1120	45.00	10300	7.70	29.0	630	330	69
015S045E31M01M	05-18-88	1420	36.90	12200	8.40	30.0	490	160	43
016S044E01C01M	05-18-88	1315	294.00	4640	7.10	29.0	650	350	130
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
015S044E36G01M	110	2100	88	38	19	384	1300	2800	0.90
015S044E36H01M	120	1800	84	30	45	344	1100	2200	1.1
015S044E36J01M	140	2200	84	35	91	340	1300	3000	1.1
015S044E36J05M	150	2500	86	38	68	371	1300	3500	1.1
015S044E36J06M	130	2600	89	45	60	673	880	3700	1.1
015S044E36K03M	140	2800	89	48	65	960	440	4000	1.2
015S044E36K04M	190	2700	87	40	29	1320	890	3400	1.2
015S044E36L01M	130	2100	86	35	27	296	1000	3200	1.0
015S044E36M01M	110	2100	86	37	110	294	950	2400	1.1
015S045E31M01M	93	2600	91	52	78	333	1400	3200	1.0
016S044E01C01M	80	710	70	12	5.0	305	440	1100	1.6
	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
015S044E36G01M	34	6770	6680	1.20	0.12	0.040	20000	30	80
015S044E36H01M	46	5880	5630	2.20	0.06	0.020	19000	20	40
015S044E36J01M	49	6980	7090	2.90	--	<0.010	20000	30	30
015S044E36J05M	62	7770	7910	0.490	0.03	0.010	22000	30	20
015S044E36J06M	46	7970	7890	<0.100	0.03	0.010	25000	190	640
015S044E36K03M	36	8340	8110	<0.100	0.03	0.010	25000	50	280
015S044E36K04M	32	8170	8090	<0.100	0.03	0.010	30000	30	180
015S044E36L01M	58	6920	6780	0.120	0.06	0.020	12000	20	20
015S044E36M01M	53	6410	5990	0.140	--	<0.010	17000	20	50
015S045E31M01M	34	7610	7680	0.770	--	<0.010	24000	30	20
016S044E01C01M	55	2850	2710	<0.100	--	<0.010	6000	250	20

< Actual value is known to be less than the value shown.

KERN COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 025S038E11L01M.....	69	LOCAL NUMBER 030S038E30P01M.....	53
LOCAL NUMBER 025S038E13J01M.....	69	LOCAL NUMBER 030S038E30Q01M.....	53
LOCAL NUMBER 025S038E13L01M.....	42	LOCAL NUMBER 030S038E31C01M.....	53
LOCAL NUMBER 025S038E23G01M.....	42	LOCAL NUMBER 031S037E04J01M.....	53
LOCAL NUMBER 025S038E23J01M.....	42	LOCAL NUMBER 031S037E04Q01M.....	54
LOCAL NUMBER 025S038E25L01M.....	42	LOCAL NUMBER 031S037E33H01M.....	54
LOCAL NUMBER 025S039E04R01M.....	69	LOCAL NUMBER 031S037E35N01M.....	54
LOCAL NUMBER 025S039E12R02M.....	69	LOCAL NUMBER 031S038E06E01M.....	54
LOCAL NUMBER 025S039E31R01M.....	43	LOCAL NUMBER 031S038E18P01M.....	55
LOCAL NUMBER 026S039E05F01M.....	69	LOCAL NUMBER 031S039E24P01M.....	55
LOCAL NUMBER 026S039E07N02M.....	43	LOCAL NUMBER 032S036E35D01M.....	55
LOCAL NUMBER 026S039E08E01M.....	43	LOCAL NUMBER 032S037E09Q01M.....	55
LOCAL NUMBER 026S039E13R04M.....	43	LOCAL NUMBER 032S037E11N01M.....	56
LOCAL NUMBER 026S039E17F02M.....	44	LOCAL NUMBER 032S037E12M01M.....	56
LOCAL NUMBER 026S039E18K02M.....	69	LOCAL NUMBER 032S037E22N01M.....	56
LOCAL NUMBER 026S039E19Q01M.....	44	LOCAL NUMBER 032S037E26N01M.....	56
LOCAL NUMBER 026S039E24K01M.....	44	LOCAL NUMBER 032S039E33L01M.....	57
LOCAL NUMBER 026S039E24R01M.....	44	LOCAL NUMBER 009N009W06E01S.....	57
LOCAL NUMBER 026S039E30F01M.....	45	LOCAL NUMBER 009N009W10R01S.....	57
LOCAL NUMBER 026S039E30J01M.....	69	LOCAL NUMBER 009N009W27H02S.....	57
LOCAL NUMBER 026S040E14B01M.....	45, 69	LOCAL NUMBER 009N010W08P01S.....	58
LOCAL NUMBER 026S040E14L01M.....	69	LOCAL NUMBER 009N010W12R01S.....	58
LOCAL NUMBER 026S040E15N02M.....	69	LOCAL NUMBER 009N010W24C01S.....	58
LOCAL NUMBER 026S040E17J01M.....	69	LOCAL NUMBER 009N010W28F02S.....	58
LOCAL NUMBER 026S040E17R01M.....	69	LOCAL NUMBER 009N011W36L01S.....	59
LOCAL NUMBER 026S040E19P01M.....	45	LOCAL NUMBER 009N012W16E04S.....	59
LOCAL NUMBER 026S040E20N01M.....	45	LOCAL NUMBER 009N012W23N01S.....	59
LOCAL NUMBER 026S040E22A01M.....	69, 74	LOCAL NUMBER 009N012W33P01S.....	59
LOCAL NUMBER 026S040E22B01M.....	46, 69, 74	LOCAL NUMBER 009N013W04A01S.....	60
LOCAL NUMBER 026S040E22H01M.....	46, 69	LOCAL NUMBER 009N013W07Q03S.....	60
LOCAL NUMBER 026S040E22H02M.....	46, 69	LOCAL NUMBER 009N013W14Q01S.....	60
LOCAL NUMBER 026S040E22H03M.....	46, 69, 74	LOCAL NUMBER 009N013W27K01S.....	60
LOCAL NUMBER 026S040E22J01M.....	69	LOCAL NUMBER 009N014W01H01S.....	61
LOCAL NUMBER 026S040E22P01M.....	47	LOCAL NUMBER 009N014W20B01S.....	61
LOCAL NUMBER 026S040E22P02M.....	69	LOCAL NUMBER 009N014W22D01S.....	61
LOCAL NUMBER 026S040E22P03M.....	47, 69	LOCAL NUMBER 009N014W24D03S.....	61
LOCAL NUMBER 026S040E22P04M.....	47, 69	LOCAL NUMBER 009N014W27R01S.....	62
LOCAL NUMBER 026S040E23A03M.....	47	LOCAL NUMBER 009N015W26N01S.....	62
LOCAL NUMBER 026S040E23A04M.....	48, 69	LOCAL NUMBER 009N015W30Q01S.....	62
LOCAL NUMBER 026S040E23G01M.....	69	LOCAL NUMBER 009N016W36A01S.....	62
LOCAL NUMBER 026S040E26F01M.....	69	LOCAL NUMBER 010N009W04D01S.....	63
LOCAL NUMBER 026S040E27D01M.....	69	LOCAL NUMBER 010N009W24A02S.....	63
LOCAL NUMBER 026S040E27D02M.....	69	LOCAL NUMBER 010N011W08P01S.....	63
LOCAL NUMBER 026S040E30K02M.....	48	LOCAL NUMBER 010N012W12K01S.....	63
LOCAL NUMBER 026S040E33P04M.....	48	LOCAL NUMBER 010N012W13H01S.....	64
LOCAL NUMBER 026S040E35H01M.....	48	LOCAL NUMBER 010N012W20C06S.....	64
LOCAL NUMBER 026S040E35H02M.....	49, 69	LOCAL NUMBER 010N012W22J01S.....	64
LOCAL NUMBER 027S039E08A01M.....	49	LOCAL NUMBER 010N013W19M01S.....	64
LOCAL NUMBER 027S039E16C01M.....	49	LOCAL NUMBER 010N014W24A01S.....	65
LOCAL NUMBER 027S040E01M02M.....	69	LOCAL NUMBER 010N015W33D01S.....	65
LOCAL NUMBER 027S040E02G03M.....	69	LOCAL NUMBER 011N008W29K01S.....	65
LOCAL NUMBER 027S040E02H01M.....	69	LOCAL NUMBER 011N009W13D01S.....	65
LOCAL NUMBER 027S040E02J01M.....	50, 69	LOCAL NUMBER 011N009W17N01S.....	66
LOCAL NUMBER 027S040E04A01M.....	50	LOCAL NUMBER 011N009W24A01S.....	66
LOCAL NUMBER 029S039E32E01M.....	50	LOCAL NUMBER 011N009W30H01S.....	66
LOCAL NUMBER 029S039E33H01M.....	50	LOCAL NUMBER 011N009W36R01S.....	66
LOCAL NUMBER 029S039E33K01M.....	51	LOCAL NUMBER 011N010W12F01S.....	67
LOCAL NUMBER 030S037E13C01M.....	51	LOCAL NUMBER 011N011W07A01S.....	67
LOCAL NUMBER 030S037E27H02M.....	51	LOCAL NUMBER 011N011W09A01S.....	67
LOCAL NUMBER 030S037E34H02M.....	51	LOCAL NUMBER 011N012W22F02S.....	67
LOCAL NUMBER 030S037E36G01M.....	52	LOCAL NUMBER 011N013W19C01S.....	68
LOCAL NUMBER 030S038E03K02M.....	52	LOCAL NUMBER 011N013W29M01S.....	68
LOCAL NUMBER 030S038E17F01M.....	52	LOCAL NUMBER 012N012W35R01S.....	68
LOCAL NUMBER 030S038E24F01M.....	52		




FIGURE 8.--Index map to location of wells in Kern County.

WATER LEVELS, KERN COUNTY

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 354541117501901

LOCAL NUMBER 025S038E13L01M

ABOUT 7.5 MI NORTH OF INYOKERN, EAST OF BROWN ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 444 FT, PERFORATED 109-444 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 14, 1988	133.72 S	MAR 19, 1988	P	MAR 29, 1988	135.43 S	JUN 09, 1988	137.12 S
PERIOD OF RECORD	HIGHEST	123.58	JAN 13, 1978	LOWEST	137.68	OCT 23, 1986	

SITE NUMBER 354458117511801

LOCAL NUMBER 025S038E23G01M

ABOUT 0.80 MI WEST OF RAILROAD TRACKS AND 2.65 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 259 FT IN 1953. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1921, 1946, 1953-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 14, 1988	235.47 SR	MAR 19, 1988	223.72 S	JUN 09, 1988	224.40 S
PERIOD OF RECORD	HIGHEST	202.22	APR 07, 1953	LOWEST	232.82
					SEP 19, 1987

SITE NUMBER 354449117505001

LOCAL NUMBER 025S038E23J01M

ABOUT 0.4 MI WEST OF BROWN ROAD ON ARGONAUT STREET. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 701 FT, PERFORATED 240-630 FT. ALTITUDE OF LSD 2376 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 19, 1988	183.70 S	JUN 09, 1988	183.77 S
PERIOD OF RECORD	HIGHEST	183.70	MAR 19, 1988
		LOWEST	192.04
			SEP 20, 1987

SITE NUMBER 354346117503001

LOCAL NUMBER 025S038E25L01M

ABOUT 0.25 MI WEST OF RAILROAD TRACKS AND 1.25 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 222.2 FT, PERFORATED 212-232 FT. ALTITUDE OF LSD 2329.2 FT. RECORDS AVAILABLE 1952-59, 1961-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 19, 1988	142.93 S	JUN 09, 1988	144.20 S
PERIOD OF RECORD	HIGHEST	119.39	JAN 20, 1954
		LOWEST	148.58
			SEP 28, 1986

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 354240117485301

LOCAL NUMBER 025S039E31R01M

ABOUT 0.9 MI EAST OF RAILROAD AND LELITER ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 603 FT, CASED TO 480 FT, PERFORATED 120-180 FT. ALTITUDE OF LSD 2260 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
JAN 12, 1988	73.22 S				
PERIOD OF RECORD	HIGHEST	71.13	JUL 31, 1986	LOWEST	76.43 SEP 19, 1986

SITE NUMBER 354055117494402

LOCAL NUMBER 026S039E07N02M

ABOUT 0.45 MI EAST OF BROWN ROAD AND 50 FT NORTH OF ATHEL STREET. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH OF HOLE 368 FT. ALTITUDE OF LSD 2395.3 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 14, 1988	214.32 S	MAR 19, 1988	210.43 S	MAR 30, 1988	214.05 SP
PERIOD OF RECORD	HIGHEST	209.25	SEP 28, 1986	LOWEST	216.81 OCT 29, 1988

SITE NUMBER 354123117482601

LOCAL NUMBER 026S039E08E01M

ABOUT 1 MI EAST OF CROWN ROAD AND 1.2 MI NORTH OF CADDY ROAD. DRILLED UNUSED WELL. DIAM 4 IN, DEPTH 880 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
JAN 12, 1988	134.32 S	MAR 08, 1988	134.50 S		
PERIOD OF RECORD	HIGHEST	129.95	MAY 13, 1985	MAY 15, 1985	LOWEST 134.69 SEP 21, 1987

SITE NUMBER 353959117431903

LOCAL NUMBER 026S039E13R04M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.5 MI NORTH OF SNORT ACCESS ROAD AND 1.2 MI EAST OF SNORT TOWER. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 800 FT, PERFORATED 640-780 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 19, 1988	167.33 S				
PERIOD OF RECORD	HIGHEST	160.54	JUL 02, 1987	LOWEST	168.08 OCT 10, 1988

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 354033117480901

LOCAL NUMBER 026S039E17F02M

ABOUT 1 MI EAST OF BROWN ROAD AND 0.15 MI NORTH OF CADDY ROAD. DRILLED WELL. DIAM 14 IN, DEPTH 881 FT, CASSED TO 881 FT, PERFORATED 681-881 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
JAN 12, 1988	171.98 S				
PERIOD OF RECORD	HIGHEST	168.19	MAY 13, 1985	LOWEST	174.67 AUG 18, 1986

SITE NUMBER 354408117485801

LOCAL NUMBER 026S039E19Q01M

AT INYOKERN. DRILLED UNUSED WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 371 FT, CASSED TO 256 FT. ALTITUDE OF LSD 2418.3 FT. RECORDS AVAILABLE 1945, 1952-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 19, 1988	232.65 S				
PERIOD OF RECORD	HIGHEST	207.50	SEP 07, 1945	LOWEST	234.30 APR 15, 1986

SITE NUMBER 353921117433901

LOCAL NUMBER 026S039E24K01M

ABOUT 0.30 MI NORTH OF GOVERNMENT RAILROAD AND 3.15 MI WEST OF SANDQUIST ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 323.1 FT IN 1953, PERFORATED 190-197, 230-278, 287-301 FT. ALTITUDE OF LSD 2347.4 FT. RECORDS AVAILABLE 1952-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
JAN 12, 1988	202.88 S	MAR 19, 1988	202.59 S		
PERIOD OF RECORD	HIGHEST	153.54	MAR 16, 1953	LOWEST	203.86 SEP 21, 1987

SITE NUMBER 353911117432601

LOCAL NUMBER 026S039E24R01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 3.1 MI WEST OF INTERSECTION OF RIDGECREST-INYOKERN ROAD AND NORTH CHINA LAKE BLVD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 480 FT, PERFORATED 160-281, 412-460 FT. ALTITUDE OF LSD 2344.9 FT. RECORDS AVAILABLE 1944-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	211.89 S				
PERIOD OF RECORD	HIGHEST	128.00	APR 20, 1944	LOWEST	212.19 OCT 29, 1988

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353851117491401

LOCAL NUMBER 026S039E30F01M

AT INYOKERN. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 385 FT IN 1966, PERFORATED 250-321, 369-386 FT. ALTITUDE OF LSD 2433.5 FT. RECORDS AVAILABLE 1944, 1950, 1966-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 19, 1988 248.04 S

PERIOD OF RECORD HIGHEST 220.00 SEP 17, 1944 LOWEST 248.39 SEP 19, 1987

SITE NUMBER 354039117382801

LOCAL NUMBER 026S040E14B01M

ABOUT 200 FT EAST OF NORTH POLE LINE ROAD AND 0.60 MI SOUTHWEST OF INTERSECTION OF WATER AND POLE LINE ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 22 FT, WELL POINT 20-22 FT. ALTITUDE OF LSD 2186.5 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

MAR 18, 1988 1.00 S JUL 01, 1988 1.27 S

PERIOD OF RECORD HIGHEST 1.00 MAR 18, 1988 LOWEST 6.96 OCT 16, 1975

SITE NUMBER 353910117430201

LOCAL NUMBER 026S040E19P01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 0.30 MI EAST OF EXTENSION OF JACKS RANCH ROAD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 261 FT, PERFORATED 192-220, 253-259 FT. ALTITUDE OF LSD 2336 FT. RECORDS AVAILABLE 1944, 1946, 1952-60, 1963, 1965 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 192.98 S

PERIOD OF RECORD HIGHEST 135.90 FEB 20, 1946 LOWEST 194.87 OCT 28, 1988

SITE NUMBER 353910117420801

LOCAL NUMBER 026S040E20N01M

ABOUT 2.85 MI WEST OF INTERSECTION OF RIDGECREST INYOKERN ROAD AND NORTH CHINA LAKE BLVD AND 100 FT NORTH OF RIDGECREST-INYOKERN ROAD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 190.1 FT IN 1952. ALTITUDE OF LSD 2311.8 FT. RECORDS FURNISHED BY U.S. NAVY IN 1945. RECORDS AVAILABLE 1945, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 14, 1988 159.78 S

PERIOD OF RECORD HIGHEST 112.00 SEP 07, 1945 LOWEST 164.35 SEP 21, 1987

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353955117393101

LOCAL NUMBER 026S040E22B01M

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF POLE LINE AND LAURITSEN ROADS. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 67 FT, PERFORATED 58-60 FT. ALTITUDE OF LSD 2232.45 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUL 06, 1988	30.94	S				
PERIOD OF RECORD	HIGHEST	30.08	APR 16, 1986	LOWEST	30.94	JUL 06, 1988

SITE NUMBER 353942117390801

LOCAL NUMBER 026S040E22H01M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX AND SOUTH LAURITSEN ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 49 FT, WELL POINT 47-49 FT. ALTITUDE OF LSD 2226.62 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUN 29, 1988	21.44	S				
PERIOD OF RECORD	HIGHEST	17.93	OCT 22, 1974	LOWEST	21.44	JUN 29, 1988

SITE NUMBER 353942117390802

LOCAL NUMBER 026S040E22H02M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX AND SOUTH LAURITSEN ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 77 FT, WELL POINT 75-77 FT. ALTITUDE OF LSD 2227.03 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUN 29, 1988	22.05	S				
PERIOD OF RECORD	HIGHEST	17.29	FEB 16, 1972	LOWEST	22.05	JUN 29, 1988

SITE NUMBER 353942117390803

LOCAL NUMBER 026S040E22H03M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX AND SOUTH LAURITSEN ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 97 FT, WELL POINT 95-97 FT. ALTITUDE OF LSD 2226.23 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUN 29, 1988	21.64	S				
PERIOD OF RECORD	HIGHEST	18.29	OCT 22, 1974	LOWEST	21.64	JUN 29, 1988

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353908117395201

LOCAL NUMBER 026S040E22P01M

ABOUT 100 FT WEST OF BULLARD ROAD AND ABOUT 0.25 MI NORTH OF INYOKERN ROAD. DRILLED UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE. DIAM 8 IN, DEPTH 1358 FT, PERFORATED 530-830 FT. ALTITUDE OF LSD 2258.7 FT. RECORDS AVAILABLE 1954 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 11, 1988	103.92 S	AUG 09, 1988	108.72 S
PERIOD OF RECORD	HIGHEST	64.28 MAY 13, 1954	LOWEST 109.15 SEP 19, 1987

SITE NUMBER 353912117394601

LOCAL NUMBER 026S040E22P03M

ABOUT 0.1 MI EAST OF WATER TANKS ON BULLARD ROAD AND 0.15 MI NORTH OF EAST INYOKERN ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 415 FT IN 1981. ALTITUDE OF LSD 2273 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 11, 1988	96.34 S	AUG 08, 1988	97.02 S
PERIOD OF RECORD	HIGHEST	37.65 OCT 01, 1983	LOWEST 97.19 OCT 09, 1988

SITE NUMBER 353912117394602

LOCAL NUMBER 026S040E22P04M

ABOUT 0.1 MI EAST OF WATER TANKS ON BULLARD ROAD AND 0.15 MI NORTH OF EAST INYOKERN ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 215 FT IN 1981. ALTITUDE OF LSD 2273 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 11, 1988	64.32 S	AUG 08, 1988	51.94 S
PERIOD OF RECORD	HIGHEST	36.73 JUN 02, 1985	LOWEST 68.38 SEP 21, 1987

SITE NUMBER 353955117381601

LOCAL NUMBER 026S040E23A03M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.65 MI WEST OF POLE LINE ROAD AND 0.15 MI NORTH OF KNOX ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 360 FT, PERFORATED 300-340 FT. ALTITUDE OF LSD 2210 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 12, 1988	24.46 S	JUL 07, 1988	24.59 S
PERIOD OF RECORD	HIGHEST	23.60 DEC 11, 1986	LOWEST 24.77 OCT 09, 1988

WATER LEVELS, KERN COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353955117381602

LOCAL NUMBER 026S040E23A04M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 0.65 MI WEST OF POLE LINE ROAD AND 0.15 MI NORTH OF KNOX ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 240 FT, PERFORATED 180-220 FT. ALTITUDE OF LSD 2210 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 12, 1988	20.08 S	JUL 07, 1988	20.38 S
PERIOD OF RECORD	HIGHEST	14.31 DEC 11, 1986	LOWEST 20.95 OCT 09, 1988

SITE NUMBER 353844117424401

LOCAL NUMBER 026S040E30K02M

SOUTHEAST OF INYOKERN HWY AND JACK RANCH ROAD INTERSECTION. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 802 FT, PERFORATED 220-470, 600-760 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1968-71, 1974-79, 1981, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	250.44 S
PERIOD OF RECORD	HIGHEST 183.03 OCT 13, 1970
	LOWEST 250.44 MAR 29, 1988

SITE NUMBER 353723117404303

LOCAL NUMBER 026S040E33P04M

ABOUT 100 FT NORTH OF WEST RIDGECREST BLVD AND 0.30 MI WEST OF COURTHOUSE. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 304 FT, PERFORATED 169-182, 198-216, 233-252, 256-272, 278-290 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1966, 1970-72, 1974-75, 1976-78, 1987-88.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 11, 1988	170.59 S
PERIOD OF RECORD	HIGHEST 144.49 OCT 28, 1971
	LOWEST 172.46 SEP 21, 1987

SITE NUMBER 353755117381201

LOCAL NUMBER 026S040E35H01M

ABOUT 0.45 MI EAST OF THE INTERSECTION OF LAURITSEN AND RICHMOND ROADS AND 0.1 MI SOUTH OF LAURITSEN ROAD. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 150 FT, PERFORATED 55-70 AND 110-130 FT. ALTITUDE OF LSD 2243 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 12, 1988	67.92 S
PERIOD OF RECORD	HIGHEST 66.96 DEC 13, 1986
	LOWEST 67.92 JAN 12, 1988

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353755117381202

LOCAL NUMBER 026S040E35H02M

ABOUT 0.45 MI EAST OF THE INTERSECTION OF LAURITSEN AND RICHMOND ROADS AND 0.1 MI SOUTH OF LAURITSEN ROAD.
DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 500 FT, PERFORATED 360-500 FT. ALTITUDE OF LSD 2243 FT.
RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JAN 12, 1988	72.92 S					
PERIOD OF RECORD	HIGHEST	72.25	JUL 02, 1987	LOWEST	73.48	OCT 29, 1988

SITE NUMBER 353626117475101

LOCAL NUMBER 027S039E08A01M

ABOUT 500 FT EAST OF RANDBURG-INYOKERN ROAD AND 100 FT SOUTH OF WEST BOWMAN ROAD, GENERALLY 3 MI SOUTH OF THE TOWN
OF INYOKERN. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8.4 IN, DEPTH 385 FT, PERFORATIONS UNKNOWN. ALTITUDE OF LSD
2535 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
JAN 14, 1988	342.46 S	JUN 09, 1988	343.20 S			
PERIOD OF RECORD	HIGHEST	342.17	JUL 22, 1987	LOWEST	343.29	OCT 09, 1988

SITE NUMBER 353534117471901

LOCAL NUMBER 027S039E16C01M

ABOUT 1 MI SOUTH OF BOWMAN ROAD AND 0.4 MI EAST OF RANDBURG-INYOKERN ROAD, ABOUT 4 MI SOUTHEAST OF THE TOWN OF
INYOKERN. DRILLED AGRICULTURAL WATER-TABLE WELL. DIAM 8.625 IN, DEPTH 502 FT, PERFORATED 370-502 FT. ALTITUDE OF
LSD 2582.3 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
JUN 09, 1988	389.98 S					
PERIOD OF RECORD	HIGHEST	387.34	JAN 23, 1986	LOWEST	389.98	JUN 09, 1988

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353644117380601

LOCAL NUMBER 027S040E02J01M

SOUTHEAST OF RIDGECREST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 220 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1958, 1960-62, 1964-66, 1968, 1977-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JUN 30, 1988	P
--------------	---

PERIOD OF RECORD	HIGHEST	106.36	JAN 21, 1960	LOWEST	138.47	APR 01, 1985
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 353717117402001

LOCAL NUMBER 027S040E04A01M

ABOUT 200 FT EAST OF WARNER STREET AND 0.10 MI SOUTH OF WEST RIDGECREST BLVD. DIAM 16 IN, DEPTH 273 FT. ALTITUDE OF LSD 2305 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 11, 1988	146.67 S
--------------	----------

PERIOD OF RECORD	HIGHEST	126.50	SEP 18, 1969	LOWEST	147.88	OCT 28, 1988
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 352204117493001

LOCAL NUMBER 029S039E32E01M

SOUTHWEST OF INTERSECTION OF REDROCK ROAD AND GARLOCK ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 6 IN, DEPTH 125 FT. ALTITUDE OF LSD 1965 FT. RECORDS AVAILABLE 1956, 1958, 1976, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988	73.92 S
--------------	---------

PERIOD OF RECORD	HIGHEST	54.06	OCT 11, 1956	LOWEST	73.92	MAR 29, 1988
------------------	---------	-------	--------------	--------	-------	--------------

SITE NUMBER 352209117472201

LOCAL NUMBER 029S039E33H01M

SOUTHEAST OF INTERSECTION OF REDROCK ROAD AND GARLOCK ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 460 FT, PERFORATED 200-460 FT. ALTITUDE OF LSD 2095 FT. RECORDS AVAILABLE 1958, 1976, 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988	224.22 SS
--------------	-----------

PERIOD OF RECORD	HIGHEST	176.50	FEB 13, 1958	LOWEST	250.90	APR 17, 1981
------------------	---------	--------	--------------	--------	--------	--------------

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 352209117475201

LOCAL NUMBER 029S039E33K01M

NORTHEAST OF CANTIL. DRILLED UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE. DIAM 16 IN, DEPTH 403.4 FT, CASED TO 402 FT, PERFORATED 210-402 FT. ALTITUDE OF LSD 2050 FT. RECORDS AVAILABLE 1958, 1976, 1978-84, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	230.94 S

PERIOD OF RECORD	HIGHEST	131.16	FEB 13, 1958	LOWEST	244.46	MAR 06, 1984

SITE NUMBER 351948117573901

LOCAL NUMBER 030S037E13C01M

ABOUT 1.5 MI NORTH OF CANTIL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 650 FT, PERFORATED 90-336 FT. ALTITUDE OF LSD 2150 FT. RECORDS AVAILABLE 1974, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	136.68 S

PERIOD OF RECORD	HIGHEST	125.45	FEB 03, 1981	LOWEST	144.84	JAN 14, 1976

SITE NUMBER 351741117590901

LOCAL NUMBER 030S037E27H02M

ABOUT 0.9 MI NORTHEAST OF RANCHO SECO, 1.2 MI SOUTH OF STATE HWY 14 AND 100 FT WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2040 FT. RECORDS AVAILABLE 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	220.29 S

PERIOD OF RECORD	HIGHEST	170.79	FEB 15, 1973	LOWEST	251.70	MAR 07, 1984

SITE NUMBER 351659117591901

LOCAL NUMBER 030S037E34H02M

ABOUT 0.33 MI SOUTH OF MUNSEY ROAD AND 0.11 MI WEST OF NEURALIA ROAD. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 456 FT. ALTITUDE OF LSD 2025 FT. RECORDS AVAILABLE 1978-79, 1982-84, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	116.40 TR

PERIOD OF RECORD	HIGHEST	232.56	MAR 26, 1986	LOWEST	247.37	MAR 07, 1984

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 351659117571001

LOCAL NUMBER 030S037E36G01M

ABOUT 2 MI SOUTH OF CANTIL. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 938 FT, PERFORATED 12-52, 106-110, 138-144, 171-180, 238-250, 293-309, 418-424, 436-440, 446-450, 457-463, 767-787, 816-824, 832-838, 902-907, 916-919 FT. ALTITUDE OF LSD 1968 FT. RECORDS AVAILABLE 1917, 1929, 1953, 1958, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	130.30 S	MAR 29, 1988	129.23 S
PERIOD OF RECORD	HIGHEST	18.00 OCT 29, 1929	LOWEST 148.40 APR 17, 1980

SITE NUMBER 352101117530401

LOCAL NUMBER 030S038E03K02M

ABOUT 1.5 MI SOUTH OF SALTDAL. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1895 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	14.51 S
PERIOD OF RECORD	HIGHEST 14.40 MAR 11, 1987
LOWEST	52.91 MAR 08, 1977

SITE NUMBER 351937117555901

LOCAL NUMBER 030S038E17F01M

NORTHEAST OF CANTIL. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 700 FT, PERFORATED 179-674 FT. ALTITUDE OF LSD 1945 FT. RECORDS AVAILABLE 1968, 1976, 1979, 1982, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	P
PERIOD OF RECORD	HIGHEST 102.00 MAR 11, 1968
LOWEST	131.45 FEB 23, 1987

SITE NUMBER 351838117511601

LOCAL NUMBER 030S038E24F01M

IN FREMONT VALLEY, ABOUT 1 MI EAST OF CANTIL. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 5 IN, DEPTH 449.9 FT. ALTITUDE OF LSD 1940 FT. RECORDS AVAILABLE 1953, 1958, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	39.96 S
PERIOD OF RECORD	HIGHEST 12.19 MAY 07, 1953
LOWEST	39.96 MAR 30, 1988

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 351714117563001

LOCAL NUMBER 030S038E30P01M

EAST OF INTERSECTION OF MUNSEY ROAD AND NEURALIA ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 20-12 IN, DEPTH 643 FT, 20-IN CSG 0-150 FT, 12-IN CSG 150-643 FT, PERFORATED 130-150, 153-643 FT. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1953, 1958-59, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	123.02	S				
PERIOD OF RECORD	HIGHEST	23.88	JAN 31, 1958	LOWEST	133.12	APR 17, 1980

SITE NUMBER 351714117562801

LOCAL NUMBER 030S038E30Q01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 12 IN, DEPTH 78.5 FT IN 1976. ALTITUDE OF LSD 1955 FT. RECORDS AVAILABLE 1958, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	48.27	S				
PERIOD OF RECORD	HIGHEST	13.01	JAN 31, 1958	LOWEST	61.60	OCT 24, 1976

SITE NUMBER 351712117562801

LOCAL NUMBER 030S038E31C01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1967, 1976, 1978-84, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	114.83	S				
PERIOD OF RECORD	HIGHEST	112.68	MAR 27, 1986	LOWEST	142.90	APR 23, 1980

SITE NUMBER 351548118001601

LOCAL NUMBER 031S037E04J01M

SOUTHWEST OF INTERSECTION OF NEURALIA ROAD AND MUNSEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 864 FT, CASED TO 806 FT, PERFORATED 306-806 FT. ALTITUDE OF LSD 2050 FT. RECORDS AVAILABLE 1974, 1976, 1979, 1982, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	330.6	T				
PERIOD OF RECORD	HIGHEST	130.48	FEB 15, 1974	LOWEST	350.20	APR 23, 1986

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 351528118003201

LOCAL NUMBER 031S037E04Q01M

ABOUT 2 MI SOUTH OF MUNSEY ROAD AND 1.28 MI WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2100 FT. RECORDS AVAILABLE 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	381.50	T			
PERIOD OF RECORD	HIGHEST	152.00	FEB 15, 1974	LOWEST	415.45 MAY 16, 1985

SITE NUMBER 351131118001201

LOCAL NUMBER 031S037E33H01M

SOUTH OF CANTIL. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 535 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1956, 1958-59, 1961, 1964-65, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 04, 1987	280.20	S	MAR 29, 1988	280.30	S
PERIOD OF RECORD	HIGHEST	230.00	JUN 19, 1956	LOWEST	281.05 OCT 15, 1980

SITE NUMBER 351104117590401

LOCAL NUMBER 031S037E35N01M

ABOUT 4 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE. DIAM 16 IN, DEPTH 429.2 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1953, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 04, 1987	258.13	S	MAR 29, 1988	257.74	S
PERIOD OF RECORD	HIGHEST	230.79	JAN 22, 1953	LOWEST	267.04 APR 15, 1969

SITE NUMBER 351607117565601

LOCAL NUMBER 031S038E06E01M

SOUTHEAST OF INTERSECTION OF MUNSEY ROAD AND NEURALIA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 700 FT, CASED TO 700 FT, PERFORATED 396-700 FT. ALTITUDE OF LSD 2015 FT. RECORDS AVAILABLE 1976, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	273.14	S			
PERIOD OF RECORD	HIGHEST	261.61	FEB 23, 1987	LOWEST	299.50 FEB 18, 1982

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 351347117562601

LOCAL NUMBER 031S038E18P01M

ABOUT 3 MI EAST-NORTHEAST OF INTERSECTION OF PHILLIPS ROAD AND NEURALIA ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 151.5 FT. ALTITUDE OF LSD 2225 FT. RECORDS AVAILABLE 1917, 1953, 1958, 1964-65, 1974-77, 1979-81, 1983 TO CURRENT YEAR

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	147.26 S
PERIOD OF RECORD	HIGHEST 132.39 FEB 23, 1987 LOWEST 149.17 APR 14, 1983

SITE NUMBER 351256117445401

LOCAL NUMBER 031S039E24P01M

ABOUT 19 MI SOUTHWEST OF RED MTN. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 840 FT, CASSED TO 793 FT. ALTITUDE OF LSD 2925 FT. RECORDS AVAILABLE 1957, 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	422.16 S
PERIOD OF RECORD	HIGHEST 384.00 NOV 09, 1957 LOWEST 426.50 APR 30, 1980

SITE NUMBER 350637118052901

LOCAL NUMBER 032S036E35D01M

ABOUT 6 MI NORTHEAST OF MOJAVE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 800 FT, CASSED TO 800 FT, PERFORATED 340-360, 395-411, 425-466, 482-494, 522-530, 542-550, 563-570, 577-606, 611-630, AND 717-725 FT. ALTITUDE OF LSD 2692 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	272.36 S
PERIOD OF RECORD	HIGHEST 263.93 JUL 17, 1957 AUG 14, 1957 LOWEST 272.80 FEB 23, 1987

SITE NUMBER 350919118003701

LOCAL NUMBER 032S037E09Q01M

IN FREMONT VALLEY, ABOUT 12 MI NORTHEAST OF MOJAVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 711 FT. ALTITUDE OF LSD 2410 FT. RECORDS AVAILABLE 1953, 1956, 1958, 1961, 1967-84, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	341.69 S
PERIOD OF RECORD	HIGHEST 275.00 APR 15, 1953 JUN 19, 1956 LOWEST 364.67 JAN 28, 1958

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 350919117590301

LOCAL NUMBER 032S037E11N01M

ABOUT 2 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 600 FT.
 ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1953, 1958-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 293.24 S

PERIOD OF RECORD	HIGHEST	268.09	JAN 22, 1953	LOWEST	293.24	MAR 30, 1988
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 350933117575001

LOCAL NUMBER 032S037E12M01M

IN FREMONT VALLEY, ABOUT 13 MI NORTHWEST OF MUROC JUNCTION. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH
 430.8 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 245.74 S

PERIOD OF RECORD	HIGHEST	242.00	MAR 17, 1970	LOWEST	245.74	MAR 30, 1988
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 350737118000301

LOCAL NUMBER 032S037E22N01M

ABOUT 500 FT NORTH OF CALIFORNIA CITY BLVD AND 30 FT EAST OF YORBA BLVD. DRILLED IRRIGATION
 WATER-TABLE WELL. DIAM 16 IN, DEPTH 730 FT. ALTITUDE OF LSD 2460 FT. RECORDS AVAILABLE
 1953-56, 1958-59, 1961-62, 1964-80. 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 375.42 S

PERIOD OF RECORD	HIGHEST	353.00	JAN 21, 1953	LOWEST	394.25	JAN 28, 1958
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 350623117590401

LOCAL NUMBER 032S037E26N01M

NORTHEAST OF INTERSECTION OF NEURALIA ROAD AND REDWOOD BLVD. DRILLED UNUSED WELL IN ALLUVIUM
 DIAM 8 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2420 FT. RECORDS AVAILABLE 1952-55, 1958, 1961-62,
 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 04, 1987	341.05 S	MAR 30, 1988	341.04 S
--------------	----------	--------------	----------

PERIOD OF RECORD	HIGHEST	323.08	JUL 26, 1961	LOWEST	441	JUL 15, 1958
------------------	---------	--------	--------------	--------	-----	--------------

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 350616117475501

LOCAL NUMBER 032S039E33L01M

IN PEERLESS VALLEY, APPROXIMATELY 1 MI NORTHWEST OF AERIAL ACRES. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 1400 FT. ALTITUDE OF LSD 2465 FT. RECORDS AVAILABLE 1956-57, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	487.18 S	MAR 30, 1988	486.30 S
PERIOD OF RECORD	HIGHEST 267.50	DEC 12, 1956	LOWEST 518.60
		SEP 14, 1978	

SITE NUMBER 345420117524801

LOCAL NUMBER 009N009W06E01S

ON THE WEST SIDE OF SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 112 FT IN 1942 AND 103.7 FT IN 1951, PERFORATED 35-96 FT. ALTITUDE OF LSD 2290.2 FT. RECORDS AVAILABLE 1948, 1951-53, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	52.14 S
PERIOD OF RECORD	HIGHEST 41.30 JAN 22, 1948
	LOWEST 52.48 FEB 26, 1987

SITE NUMBER 345244117484201

LOCAL NUMBER 009N009W10R01S

AT EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 9 IN, DEPTH 106 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1951-53, 1958-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	89.80 S	MAR 29, 1988	89.79 S
PERIOD OF RECORD	HIGHEST 17.59	MAY 06, 1952	LOWEST 89.80
		NOV 04, 1987	

SITE NUMBER 345051117485001

LOCAL NUMBER 009N009W27H02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	86.31 S
PERIOD OF RECORD	HIGHEST 22.71
	AUG 14, 1957
	LOWEST 87.36
	FEB 25, 1987

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345302117574001

LOCAL NUMBER 009N010W08P01S

ABOUT 0.2 MI SOUTH OF ROSAMOND BLVD AND 2.5 MI WEST OF LANCASTER BLVD. STOCK WATER-TABLE WELL. DIAM 6 IN, DEPTH 136.65 FT. ALTITUDE OF LSD 2372 FT. RECORDS AVAILABLE 1951-52, 1954, 1963-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	81.45	S				
PERIOD OF RECORD	HIGHEST	81.45	MAR 29, 1988	LOWEST	88.04	MAR 14, 1963

SITE NUMBER 345252117525201

LOCAL NUMBER 009N010W12R01S

ABOUT 2 MI EAST OF LANCASTER BLVD AND 2.75 MI SOUTHEAST OF CONTROL TOWER. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 252 FT WHEN DRILLED, 186.6 FT IN 1951. ALTITUDE OF LSD 2280.69 FT. RECORDS AVAILABLE 1948, 1951-54, 1956-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988		W				
PERIOD OF RECORD	HIGHEST	11.10	JAN 22, 1948	LOWEST	96.60	OCT 23, 1986

SITE NUMBER 345158117533201

LOCAL NUMBER 009N010W24C01S

ABOUT 1.4 MI EAST OF LANCASTER BLVD AND 0.7 MI NORTH OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 750 FT, PERFORATED 156-733 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1952-53, 1958, 1960, 1962-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	111.99	S				
PERIOD OF RECORD	HIGHEST	20.29	DEC 08, 1952	LOWEST	115.20	MAR 07, 1984

SITE NUMBER 345042117564301

LOCAL NUMBER 009N010W28F02S

ABOUT 2 MI WEST OF SOUTHWEST CORNER OF ROGERS LAKE. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 140.3 FT. ALTITUDE OF LSD 2290 FT. RECORDS AVAILABLE 1957-78, 1980-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	87.55	S				
PERIOD OF RECORD	HIGHEST	44.55	JUL 17, 1957	LOWEST	87.55	MAR 29, 1988

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344947117594801

LOCAL NUMBER 009N011W36L01S

ABOUT 1 MI EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 134.7 FT. ALTITUDE OF LSD 2295 FT. RECORDS AVAILABLE 1951-54, 1956-71, 1974-78, 1981-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	104.38 S
PERIOD OF RECORD	HIGHEST 25.22 APR 10, 1951 LOWEST 106.78 APR 14, 1981

SITE NUMBER 345237118095101

LOCAL NUMBER 009N012W16E04S

ABOUT 0.7 MI NORTH OF ROSAMOND BLVD AND 50 FT WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2380 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	22.31 S
PERIOD OF RECORD	HIGHEST 21.38 MAR 26, 1985 LOWEST 29.18 FEB 15, 1974

SITE NUMBER 345112118075101

LOCAL NUMBER 009N012W23N01S

ABOUT 0.77 MI SOUTH OF ROSAMOND BLVD AND 125 FT EAST OF DIVISION STREET. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 266.7 FT IN 1951, 263.65 FT IN 1973. ALTITUDE OF LSD 2294 FT. RECORDS AVAILABLE 1951-54, 1956-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	69.22 S
PERIOD OF RECORD	HIGHEST 17.41 MAR 22, 1951 LOWEST 69.22 MAR 28, 1988

SITE NUMBER 344917118093501

LOCAL NUMBER 009N012W33P01S

ABOUT 200 FT NORTH OF AVENUE A AND 0.25 MI WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	73.32 S
PERIOD OF RECORD	HIGHEST 69.74 FEB 28, 1979 LOWEST 73.32 MAR 28, 1988

WATER LEVELS, KERN COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345423118152101

LOCAL NUMBER 009N013W04A01S

ABOUT 3 MI NORTHEAST OF WILLOW SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 282 FT. ALTITUDE OF LSD 2636.8 FT. RECORDS AVAILABLE 1929, 1954-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 142.15

PERIOD OF RECORD	HIGHEST	DATE	LOWEST	DATE
	69.70	NOV 15, 1929	154.82	FEB 20, 1975

SITE NUMBER 345252118174601

LOCAL NUMBER 009N013W07Q03S

ABOUT 0.03 MI WEST OF MANLEY ROAD AND 0.1 MI NORTH OF WILLOW SPRINGS. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 185 FT. ALTITUDE OF LSD 2605 FT. RECORDS AVAILABLE 1929, 1956, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 03, 1987 88.15 S MAR 29, 1988 74.58 S

PERIOD OF RECORD	HIGHEST	DATE	LOWEST	DATE
	.31	NOV 14, 1929	89.65	OCT 15, 1975

SITE NUMBER 345202118133501

LOCAL NUMBER 009N013W14Q01S

ABOUT 0.08 MI EAST OF 55TH STREET WEST AND 0.14 MI NORTH OF ROSAMOND BLVD. PUBLIC SUPPLY WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1967-76, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 31, 1988 190.33 S

PERIOD OF RECORD	HIGHEST	DATE	LOWEST	DATE
	187.36	NOV 15, 1967	202.88	MAR 30, 1978

SITE NUMBER 345021118144601

LOCAL NUMBER 009N013W27K01S

ABOUT 0.29 MI NORTH OF GASKILL ROAD AND 30 FT EAST OF 65TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 550 FT. ALTITUDE OF LSD 2390 FT. RECORDS AVAILABLE 1964, 1971, 1976, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 169.02 S

PERIOD OF RECORD	HIGHEST	DATE	LOWEST	DATE
	169.02	MAR 29, 1988	272.00	MAY 11, 1971

WATER LEVELS, KERN COUNTY--Continued

61

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344400118184501

LOCAL NUMBER 009N014W01H01S

ABOUT 1.25 MI WEST OF WILLOW SPRINGS ROAD AND ON NORTH SIDE OF DIRT ROAD WHICH IS 1.5 MI NORTH OF WILLOW SPRINGS. DRILLED UNUSED WATER-TABLE WELL. DIAM 18 IN, DEPTH 760.5 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	162.27 S

PERIOD OF RECORD	HIGHEST	115.00	MAY 23, 1956	LOWEST	177.50	OCT 26, 1971
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 345143118231401

LOCAL NUMBER 009N014W20B01S

ABOUT 120 FT SOUTH OF ROSAMOND BLVD AND 35 FT EAST OF 145TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 540 FT, PERFORATED 290-540 FT. ALTITUDE OF LSD 2656.4 FT. RECORDS AVAILABLE 1955, 1960-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	339.00 S	MAR 29, 1988	339.09 S

PERIOD OF RECORD	HIGHEST	231.60	MAY 24, 1955	LOWEST	339.59	OCT 27, 1983
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 345144118213201

LOCAL NUMBER 009N014W22D01S

ABOUT 0.22 MI EAST OF 130TH STREET WEST AND 150 FT SOUTH OF ROSAMOND BLVD. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 415 FT. ALTITUDE OF LSD 2565 FT. RECORDS AVAILABLE 1978-84, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	332.68 S

PERIOD OF RECORD	HIGHEST	332.68	MAR 29, 1988	LOWEST	394.74	MAR 14, 1980
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 345147118193201

LOCAL NUMBER 009N014W24D03S

ABOUT 110 FT EAST OF 110TH STREET WEST AND 100 FT SOUTH OF ROSAMOND BLVD. IRRIGATION WELL. WELL. DIAM 14 IN, DEPTH 600 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	300.38 S

PERIOD OF RECORD	HIGHEST	218.26	FEB 15, 1973	LOWEST	359.41	MAR 08, 1977
------------------	---------	--------	--------------	--------	--------	--------------

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345007118205001

LOCAL NUMBER 009N014W27R01S

ABOUT 1 MI NORTH OF AVENUE A AND 0.8 MI EAST OF 130TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2522.9 FT. RECORDS AVAILABLE 1957-63, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 317.68 S

PERIOD OF RECORD HIGHEST 220.20 NOV 21, 1957 LOWEST 382.50 MAR 10, 1977

SITE NUMBER 345001118264501

LOCAL NUMBER 009N015W26N01S

NEAR INTERSECTION OF 170TH STREET WEST AND GASKILL ROAD. DRILLED DOMESTIC WATER-TABLE WELL. IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 600 FT, PERFORATED 280-600 FT. ALTITUDE OF LSD 2642.4 FT. RECORDS AVAILABLE 1962-63, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 281.25 S

PERIOD OF RECORD HIGHEST 182.35 FEB 19, 1963 LOWEST 300.62 APR 15, 1981

SITE NUMBER 345000118302201

LOCAL NUMBER 009N015W30Q01S

ABOUT 1 MI NORTH OF KERN COUNTY LINE AND 0.3 MI WEST OF 210TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 1.5-2 IN, DEPTH 404 FT, 1.5-IN CSG 0-401.5 FT, 2-IN CSG 401.5-413 FT, PERFORATED 401.5-413 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 393.75 S

PERIOD OF RECORD HIGHEST 336.39 APR 13, 1965 LOWEST 393.75 MAR 30, 1988

SITE NUMBER 344953118310601

LOCAL NUMBER 009N016W36A01S

ABOUT 100 FT WEST OF 220TH STREET WEST AND 1 MI NORTH OF AVENUE A. DRILLED UNUSED WELL. DIAM 14-12 IN, 14-IN CSG 0-605 FT, 12-IN CSG 605-1085 FT, PERFORATED 340-1085 FT. ALTITUDE OF LSD 2885 FT. MEASUREMENTS FURNISHED 1955-60. RECORDS AVAILABLE 1955-60, 1962, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 297.77 S

PERIOD OF RECORD HIGHEST 254.1 NOV 15, 1957 LOWEST 299.65 MAR 07, 1984

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345951117503501

LOCAL NUMBER 010N009W04D01S

NORTHEAST OF ROSAMOND BLVD AND LAKE SHORE DRIVE, AT NORTH END OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL IN LAKESHORE DEPOSITS. DIAM 12 IN, DEPTH 502 FT, CASED TO 500 FT, PERFORATED 144-195, 200-433 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	126.13 S	MAR 29, 1988	125.23 S
PERIOD OF RECORD	HIGHEST	94.21 JUL 08, 1959	LOWEST 126.13 NOV 04, 1987

SITE NUMBER 345712117463601

LOCAL NUMBER 010N009W24A02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 281 FT. ALTITUDE OF LSD 2287 FT. RECORDS AVAILABLE 1954, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	91.01 S
PERIOD OF RECORD	HIGHEST 72.25 NOV 29, 1956 MAR 07, 1957 JUN 05, 1957 LOWEST 91.01 MAR 29, 1988

SITE NUMBER 345809118040901

LOCAL NUMBER 010N011W08P01S

ABOUT 0.05 MI NORTH OF NORTHERN BOUNDARY OF EDWARDS AIR FORCE BASE, 2.5 MI SOUTHWEST OF BROWN BUTTE. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 280 FT. ALTITUDE OF LSD 2504 FT. RECORDS AVAILABLE 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	57.76 S
PERIOD OF RECORD	HIGHEST 53.00 MAR 09, 1977 LOWEST 57.76 MAR 28, 1988

SITE NUMBER 345829118061301

LOCAL NUMBER 010N012W12K01S

NEAR EDWARDS AIR FORCE BASE. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 224 FT. ALTITUDE OF LSD 2520 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	84.00 S
PERIOD OF RECORD	HIGHEST 81.43 MAR 25, 1985 LOWEST 84.00 MAR 28, 1988

WATER LEVELS, KERN COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345747118054301

LOCAL NUMBER 010N012W13H01S

ABOUT 4 MI SOUTHWEST OF BROWN BUTTE AND 0.35 MI SOUTH OF NORTHERN MILITARY BOUNDARY. DRILLED TEST WELL. DIAM 12 IN, DEPTH 185 FT, CASED 0-153 FT, OPEN HOLE 153-175 FT, PERFORATED 75-147 FT. ALTITUDE OF LSD 2505 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	60.12 S

PERIOD OF RECORD	HIGHEST	51.76	NOV 08, 1956	LOWEST	63.24	FEB 04, 1975
------------------	---------	-------	--------------	--------	-------	--------------

SITE NUMBER 345701118103601

LOCAL NUMBER 010N012W20C06S

ABOUT 200 FT SOUTH OF BACKUS ROAD AND 15 FT NORTHWEST OF TANK TOWER. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 2655 FT. RECORDS AVAILABLE 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	107.04 S

PERIOD OF RECORD	HIGHEST	101.60	MAR 27, 1978	LOWEST	108.80	MAR 24, 1973
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 345640118080301

LOCAL NUMBER 010N012W22J01S

ABOUT 1.25 MI SOUTHEAST OF ACTIS. DRILLED TEST WELL. DIAM 12 IN, DEPTH 242 FT, CASED TO 237 FT, PERFORATED 130-230 FT. ALTITUDE OF LSD 2530 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	43.14 S

PERIOD OF RECORD	HIGHEST	33.00	MAY 18, 1956	LOWEST	43.14	MAR 28, 1988
------------------	---------	-------	--------------	--------	-------	--------------

SITE NUMBER 345636118182001

LOCAL NUMBER 010N013W19M01S

ABOUT 0.5 MI SOUTH OF BACKUS ROAD AND 0.8 MI WEST OF WILLOW SPRINGS ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 770 FT. ALTITUDE OF LSD 2905 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	317.30 S	MAR 28, 1988	317.33 S

PERIOD OF RECORD	HIGHEST	217.20	OCT 30, 1984	LOWEST	319.38	SEP 18, 1969
------------------	---------	--------	--------------	--------	--------	--------------

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345651118183201

LOCAL NUMBER 010N014W24A01S

ABOUT 1 MI WEST OF WILLOW SPRINGS ROAD AND 0.24 MI SOUTH OF BACKUS ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2945 FT. RECORDS AVAILABLE 1978-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 341.25 S

PERIOD OF RECORD HIGHEST 337.92 FEB 22, 1979 LOWEST 346.35 DEC 05, 1978

SITE NUMBER 345508118290501

LOCAL NUMBER 010N015W33D01S

ABOUT 5.5 MI NORTHWEST OF INTERSECTION OF ROSAMOND BLVD AND 170TH STREET WEST. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3370 FT. RECORDS AVAILABLE 1962, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 12, 1988 158.75 T

PERIOD OF RECORD HIGHEST 154.50 MAY 02, 1962 LOWEST 161.20 MAR 29, 1985

SITE NUMBER 350113117444801

LOCAL NUMBER 011N008W29K01S

ABOUT 5.5 MI WEST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 485.37 FT IN 1973, PERFORATED 96-495 FT. ALTITUDE OF LSD 2351.82 FT. RECORDS AVAILABLE 1955, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 182.33 S

PERIOD OF RECORD HIGHEST 139.24 JAN 15, 1958 LOWEST 182.33 MAR 30, 1988

SITE NUMBER 350323117471901

LOCAL NUMBER 011N009W13D01S

ABOUT 4 MI NORTHEAST OF NORTH EDWARDS. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 312 FT, CASED TO 312 FT, PERFORATED 96-312 FT. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1958, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 200.61 S

PERIOD OF RECORD HIGHEST 158.34 JAN 16, 1958 LOWEST 201.83 MAR 26, 1985

WATER LEVELS, KERN COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 350249117514301

LOCAL NUMBER 011N009W17N01S

ABOUT 3 MI NORTHWEST OF NORTH EDWARDS. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 184.6 FT. ALTITUDE OF LSD 2319.9 FT. RECORDS AVAILABLE 1951-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988	152.76 S
--------------	----------

PERIOD OF RECORD	HIGHEST	129.53	NOV 03, 1952	LOWEST	152.76	MAR 30, 1988
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 350232117463201

LOCAL NUMBER 011N009W24A01S

ABOUT 2.1 MI WEST OF GEPHARDT ROAD AND 2.5 MI NORTH OF HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 900 FT, CASED TO 888 FT, PERFORATED 200-870 FT. ALTITUDE OF LSD 2348.77 FT. RECORDS AVAILABLE 1958, 1966-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988	172.30 S
--------------	----------

PERIOD OF RECORD	HIGHEST	136.28	JAN 16, 1958	LOWEST	172.30	MAR 30, 1988
------------------	---------	--------	--------------	--------	--------	--------------

SITE NUMBER 350114117514901

LOCAL NUMBER 011N009W30H01S

ABOUT 0.85 MI NORTH OF HWY 466 AND 200 FT WEST OF CASTLE BUTTE ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 270 FT IN 1958, 248.6 FT IN 1973. ALTITUDE OF LSD 2298.31 FT. RECORDS AVAILABLE 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988	116.37 S
--------------	----------

PERIOD OF RECORD	HIGHEST	93.20	JAN 28, 1958	LOWEST	116.37	MAR 29, 1988
------------------	---------	-------	--------------	--------	--------	--------------

SITE NUMBER 350002117463301

LOCAL NUMBER 011N009W36R01S

ABOUT 1.5 MI SOUTHWEST OF INTERSECTION OF TWENTY MULE TEAM ROAD AND HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 258 FT, CASED TO 298 FT, PERFORATED 100-132 FT. ALTITUDE OF LSD 2312.46 FT. RECORDS AVAILABLE 1954, 1956, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988	118.57 S
--------------	----------

PERIOD OF RECORD	HIGHEST	98.25	MAY 05, 1954	LOWEST	118.57	MAR 30, 1988
------------------	---------	-------	--------------	--------	--------	--------------

WATER LEVELS, KERN COUNTY--Continued

67

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 350405117532201

LOCAL NUMBER 011N010W12F01S

ABOUT 0.68 MI NORTH OF TWIN BUTTES AVENUE AND 100 FT WEST OF JACINTO STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 197.74 S

PERIOD OF RECORD HIGHEST 170.90 APR 25, 1967 LOWEST 197.74 MAR 30, 1988

SITE NUMBER 350411118044101

LOCAL NUMBER 011N011W07A01S

ABOUT 5 MI SOUTHWEST OF CALIFORNIA CITY. DRILLED TEST WELL. DIAM 14 IN, DEPTH 414 FT, CASSED TO 414 FT, PERFORATED 305-356 FT. ALTITUDE OF LSD 2627.9 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 04, 1987 208.95 T MAR 30, 1988 208.79 S

PERIOD OF RECORD HIGHEST 200.82 MAR 16, 1970 LOWEST 208.95 OCT 23, 1986 NOV 04, 1987

SITE NUMBER 350411118023601

LOCAL NUMBER 011N011W09A01S

NORTHEAST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 422 FT, CASSED TO 422 FT, PERFORATED 262-295, 352-362 FT. ALTITUDE OF LSD 2549.6 FT. RECORDS AVAILABLE 1956-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 04, 1987 131.70 T MAR 30, 1988 131.24 S

PERIOD OF RECORD HIGHEST 124.59 OCT 17, 1956 LOWEST 131.70 NOV 04, 1987

SITE NUMBER 350212118083701

LOCAL NUMBER 011N012W22F02S

ABOUT 2.3 MI SOUTHEAST OF MOJAVE, 0.45 MI SOUTH OF STATE HWY 58 AND 11.45 MI EAST OF STATE HWY 14. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 350 FT, PERFORATED 244-346 FT. ALTITUDE OF LSD 2663 FT. RECORDS AVAILABLE 1968, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 246.82 S

PERIOD OF RECORD HIGHEST 246.82 MAR 28, 1988 LOWEST 260.50 JUN 03, 1974

WATER LEVELS, KERN COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 350214118180701

LOCAL NUMBER 011N013W19C01S

WEST OF OAK CREEK. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 430 FT, PERFORATED 230-358 AND 376-430 FT. ALTITUDE OF LSD 3610 FT. RECORDS AVAILABLE 1953, 1955-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	288.76 S	MAR 28, 1988	310.53 S
PERIOD OF RECORD	HIGHEST 180.88	OCT 27, 1983	LOWEST 344.69 MAR 30, 1978

SITE NUMBER 350055118172601

LOCAL NUMBER 011N013W29M01S

WEST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 749 FT, CASSED TO 744 FT, PERFORATED 520-724 FT. ALTITUDE OF LSD 3350 FT. RECORDS AVAILABLE 1954-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	306.76 S
PERIOD OF RECORD	HIGHEST 278.40 NOV 01, 1984 LOWEST 336.19 OCT 17, 1978

SITE NUMBER 350505118065001

LOCAL NUMBER 012N012W35R01S

ABOUT 4.25 MI NORTHEAST OF MOJAVE. DRILLED TEST WELL. DIAM 14 IN, DEPTH 640 FT, CASSED TO 640 FT, PERFORATED 375-380, 396-402, 422-434, 452-472, 482-514, 546-560 FT. ALTITUDE OF LSD 2743.3 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	323.82 S
PERIOD OF RECORD	HIGHEST 316.11 JUL 17, 1957 AUG 14, 1957 LOWEST 323.98 MAR 26, 1985

WATER QUALITY, KERN COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3
025S038E11L01M	07-09-88	1325	--	400.00	500	8.00	26.5	100	0
025S038E13J01M	07-06-88	1430	--	164.00	570	8.20	27.0	140	0
025S039E04R01M	07-08-88	1105	--	200.00	1220	7.60	26.0	290	0
025S039E12R02M	07-08-88	1030	--	140.00	1150	7.70	24.5	220	0
026S039E05F01M	07-08-88	1205	--	200.00	850	7.40	24.0	200	37
026S039E18K02M	07-01-88	0850	202.78	310.00	530	7.30	28.5	120	32
026S039E30J01M	07-07-88	1115	--	413.00	445	8.10	30.5	98	0
026S040E14B01M	07-06-88	1800	--	22.00	4770	7.50	22.0	660	370
026S040E14L01M	06-30-88	1815	--	57.00	2200	7.30	24.0	280	0
026S040E15N02M	07-09-88	0945	--	101.00	3950	8.60	26.0	32	0
026S040E17J01M	07-02-88	1050	--	97.00	415	7.50	25.0	100	0
026S040E17R01M	07-02-88	0930	--	101.00	450	7.80	24.5	110	0
026S040E22A01M	07-06-88	1650	--	153.00	6100	7.50	24.5	2100	1900
026S040E22B01M	07-07-88	0930	--	60.00	5900	7.90	26.5	920	630
026S040E22H01M	06-29-88	1745	--	49.00	4800	7.20	27.0	2400	2300
026S040E22H02M	06-29-88	1850	--	77.00	11000	7.20	26.0	3900	3600
026S040E22H03M	07-07-88	0900	--	97.00	6000	7.50	27.0	2700	2400
026S040E22J01M	07-01-88	1430	--	71.00	3100	7.10	28.0	1000	770
026S040E22P02M	07-01-88	1350	--	75.00	2170	7.20	28.5	690	570
026S040E22P03M	08-08-88	1710	--	415.00	2220	8.80	27.5	5	0
026S040E22P04M	08-09-88	1040	--	215.00	1670	7.40	25.5	590	490
026S040E23A04M	07-07-88	1340	--	240.00	2150	8.80	25.0	16	0
026S040E23G01M	07-07-88	1700	--	57.00	8550	7.90	24.0	570	140
026S040E26F01M	07-08-88	1710	--	77.00	2150	7.70	25.5	440	270
026S040E27D01M	07-08-88	1420	--	160.00	2350	7.90	26.5	1400	1300
026S040E27D02M	07-08-88	1400	--	--	2150	7.90	25.5	560	430
026S040E35H02M	07-08-88	1510	--	500.00	405	8.60	24.0	47	0
027S040E01M02M	07-08-88	0925	--	210.00	990	8.10	25.0	91	0
027S040E02G03M	07-08-88	2020	--	--	2600	8.20	25.0	250	140
027S040E02H01M	06-30-88	1610	--	197.00	1200	7.90	29.5	81	0
027S040E02J01M	06-30-88	1410	--	--	2000	7.70	26.0	260	100

WATER QUALITY, KERN COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
025S038E11L01M	26	8.4	74	60	3	4.9	184	40	11
025S038E13J01M	33	13	70	52	3	5.8	179	62	24
025S039E04R01M	52	39	170	55	4	11	345	150	110
025S039E12R02M	43	27	180	63	5	11	@303	140	120
026S039E05F01M	59	14	120	55	4	3.7	168	180	75
026S039E18K02M	38	6.0	51	48	2	2.3	88	63	55
026S039E30J01M	31	4.9	55	54	3	2.3	108	54	27
026S040E14B01M	190	45	830	73	15	15	290	580	1000
026S040E14L01M	73	23	390	75	11	10	404	250	340
026S040E15N02M	5.3	4.6	1200	98	94	15	925	1100	160
026S040E17J01M	30	6.0	43	47	2	4.2	121	40	24
026S040E17R01M	32	6.3	42	45	2	4.8	125	41	28
026S040E22A01M	310	320	960	49	9	45	164	3700	310
026S040E22B01M	88	170	1300	75	19	36	290	3200	210
026S040E22H01M	500	290	540	32	5	53	138	3100	210
026S040E22H02M	440	670	2400	57	17	49	235	8100	430
026S040E22H03M	190	530	1500	55	13	40	270	5100	210
026S040E22J01M	170	140	370	44	5	29	230	1200	210
026S040E22F02M	150	76	210	39	4	20	119	960	96
026S040E22F03M	1.2	0.60	650	99	120	7.1	874	8.6	220
026S040E22F04M	170	41	130	32	2	11	101	670	110
026S040E23A04M	3.9	1.5	470	97	53	10	558	38	240
026S040E23G01M	87	86	2000	88	37	31	434	2300	1400
026S040E26F01M	110	40	270	56	6	13	173	490	270
026S040E27D01M	430	70	14	2	0.2	32	109	1200	35
026S040E27D02M	150	46	230	46	4	22	133	810	120
026S040E35H02M	13	3.6	67	70	4	11	174	4.7	17
027S040E01M02M	30	3.8	180	80	9	4.1	155	38	190
027S040E02G03M	69	20	410	77	12	11	114	100	650
027S040E02H01M	26	4.0	200	83	10	5.0	167	92	200
027S040E02J01M	81	13	320	72	9	7.0	156	63	510

@ Result based on laboratory value.

WATER QUALITY, KERN COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC DIS, (MG/L AS N)	PHOS- PHOROUS DIS- SOLVED (MG/L AS P)
025S038E11L01M	1.3	26	306	0.890	0.010	0.01	--	<0.20	0.050
025S038E13J01M	0.40	22	343	0.680	1.90	2.4	0.0	1.7	0.010
025S039E04R01M	0.70	48	792	0.370	0.030	0.04	0.27	0.30	0.020
025S039E12R02M	0.80	52	760	0.470	<0.010	--	--	0.50	0.020
026S039E05F01M	0.60	40	594	<0.100	0.020	0.03	0.18	0.20	0.010
026S039E18K02M	0.60	35	312	1.50	0.020	0.03	0.68	0.70	0.020
026S039E30J01M	0.60	36	283	1.70	0.030	0.04	0.17	0.20	0.010
026S040E14B01M	1.1	70	2930	3.10	0.060	0.08	0.54	0.60	0.060
026S040E14L01M	1.2	71	1420	3.00	0.020	0.03	1.3	1.3	0.060
026S040E15N02M	1.5	56	3170	<0.100	0.010	0.01	3.3	3.3	0.710
026S040E17J01M	0.80	45	266	<0.100	<0.010	--	--	0.60	0.010
026S040E17R01M	0.70	52	282	<0.100	0.030	0.04	0.67	0.70	0.020
026S040E22A01M	1.0	70	5830	2.10	0.120	0.15	0.58	0.70	0.020
026S040E22B01M	1.1	72	5280	3.20	0.100	0.13	0.50	0.60	0.060
026S040E22H01M	2.0	83	4870	1.20	0.100	0.13	0.90	1.0	0.050
026S040E22H02M	2.7	46	12300	1.40	0.150	0.19	0.85	1.0	0.050
026S040E22H03M	1.9	73	7820	<0.100	1.90	2.4	0.0	1.8	0.050
026S040E22J01M	2.3	69	2330	1.00	0.080	0.10	0.72	0.80	0.010
026S040E22P02M	1.8	77	1660	<0.100	0.850	1.1	0.45	1.3	0.010
026S040E22P03M	4.6	39	1470	<0.100	1.10	1.4	0.70	1.8	0.310
026S040E22P04M	0.50	62	1260	0.900	0.030	0.04	0.37	0.40	0.110
026S040E23A04M	2.2	22	1140	<0.100	9.90	13	0.0	2.2	0.180
026S040E23G01M	2.3	67	6260	<0.100	0.910	1.2	0.29	1.2	0.120
026S040E26F01M	0.50	18	1320	<0.100	0.290	0.37	0.21	0.50	0.030
026S040E27D01M	0.80	90	1940	<0.100	1.20	1.5	0.0	1.2	0.010
026S040E27D02M	0.60	22	1490	1.70	1.40	1.8	0.40	1.8	0.020
026S040E35H02M	1.0	62	285	<0.100	0.460	0.59	0.54	1.0	0.060
027S040E01M02M	1.6	52	599	1.10	0.020	0.03	0.28	0.30	0.010
027S040E02G03M	1.0	9.7	1350	0.870	0.040	0.05	0.36	0.40	0.020
027S040E02H01M	1.1	51	684	0.850	<0.010	--	--	0.60	0.020
027S040E02J01M	1.1	58	1160	1.60	0.010	0.01	0.69	0.70	0.020

< Actual value is known to be less than the value shown.

WATER QUALITY, KERN COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORGANIC DIS- SOLVED (MG/L AS P)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)
025S038E11L01M	0.040	0.12	0.01	--	--	510	--	--
025S038E13J01M	<0.010	--	0.01	--	--	230	--	--
025S039E04R01M	0.010	0.03	0.01	--	--	2800	--	--
025S039E12R02M	0.030	0.09	0.0	--	--	2800	--	--
026S039E05F01M	<0.010	--	0.01	--	--	510	--	--
026S039E18K02M	<0.010	--	0.02	--	--	160	--	--
026S039E30J01M	0.010	0.03	0.0	--	--	200	--	--
026S040E14B01M	0.070	0.21	0.0	--	--	6300	--	--
026S040E14L01M	0.050	0.15	0.01	--	--	3700	--	--
026S040E15N02M	<0.010	--	0.71	--	--	69000	--	--
026S040E17J01M	<0.010	--	0.01	--	--	200	--	--
026S040E17R01M	<0.010	--	0.02	--	--	200	--	--
026S040E22A01M	0.080	0.25	0.0	1200	<100	5100	<1	3
026S040E22B01M	0.150	0.46	0.0	2200	<100	10000	<1	2
026S040E22H01M	0.090	0.28	0.0	--	--	2600	--	--
026S040E22H02M	0.040	0.12	0.01	--	--	11000	--	--
026S040E22H03M	0.040	0.12	0.01	180	<100	9300	<1	2
026S040E22J01M	<0.010	--	0.01	--	--	1900	--	--
026S040E22P02M	<0.010	--	0.01	--	--	510	--	--
026S040E22P03M	0.320	0.98	0.0	--	--	14000	--	--
026S040E22P04M	0.020	0.06	0.09	--	--	520	--	--
026S040E23A04M	0.190	0.58	0.0	--	--	5900	--	--
026S040E23G01M	0.320	0.98	0.0	--	--	25000	--	--
026S040E26F01M	0.020	0.06	0.01	--	--	1800	--	--
026S040E27D01M	0.010	0.03	0.0	--	--	500	--	--
026S040E27D02M	0.010	0.03	0.01	--	--	660	--	--
026S040E35H02M	0.050	0.15	0.01	--	--	430	--	--
027S040E01M02M	0.010	0.03	0.0	--	--	1400	--	--
027S040E02G03M	0.020	0.06	0.0	--	--	4100	--	--
027S040E02H01M	0.010	0.03	0.01	--	--	1200	--	--
027S040E02J01M	0.010	0.03	0.01	--	--	2700	--	--

< Actual value is known to be less than the value shown.

WATER QUALITY, KERN COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY DIS- SOLVED (UG/L AS HG)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	ZINC, DIS- SOLVED (UG/L AS ZN)
025S038E11L01M	--	<3	--	1	--	--	--	--
025S038E13J01M	--	3	--	110	--	--	--	--
025S039E04R01M	--	<3	--	50	--	--	--	--
025S039E12R02M	--	<3	--	7	--	--	--	--
026S039E05F01M	--	260	--	65	--	--	--	--
026S039E18K02M	--	1400	--	18	--	--	--	--
026S039E30J01M	--	<3	--	<1	--	--	--	--
026S040E14B01M	--	10	--	50	--	--	--	--
026S040E14L01M	--	1300	--	40	--	--	--	--
026S040E15N02M	--	110	--	40	--	--	--	--
026S040E17J01M	--	220	--	31	--	--	--	--
026S040E17R01M	--	21	--	29	--	--	--	--
026S040E22A01M	2	30	<5	40	<0.1	100	<1.0	60
026S040E22B01M	13	220	<5	160	<0.1	98	<1.0	60
026S040E22H01M	--	120	--	260	--	--	--	--
026S040E22H02M	--	520	--	290	--	--	--	--
026S040E22H03M	2	160	<5	400	<0.1	<1	<1.0	20
026S040E22J01M	--	30	--	170	--	--	--	--
026S040E22P02M	--	180	--	81	--	--	--	--
026S040E22P03M	--	100	--	<10	--	--	--	--
026S040E22P04M	--	40	--	15	--	--	--	--
026S040E23A04M	--	20	--	<10	--	--	--	--
026S040E23G01M	--	180	--	100	--	--	--	--
026S040E26F01M	--	210	--	10	--	--	--	--
026S040E27D01M	--	<10	--	130	--	--	--	--
026S040E27D02M	--	20	--	100	--	--	--	--
026S040E35H02M	--	39	--	36	--	--	--	--
027S040E01M02M	--	<3	--	2	--	--	--	--
027S040E02G03M	--	20	--	30	--	--	--	--
027S040E02H01M	--	99	--	6	--	--	--	--
027S040E02J01M	--	20	--	<10	--	--	--	--

< Actual value is known to be less than the value shown.

WATER QUALITY, KERN COUNTY--Continued

ORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)
026S040E22A01M	07-06-88	1650	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	07-07-88	0930	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	9.7
026S040E22H03M	07-07-88	0900	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE- CHLO- RIDE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- DIBROMO ETHYL- ENE TOTAL (UG/L)	1,2- TRANS DI CHLORO- ETHENE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.1	<3.0	
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	
	STYRENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)	XYLENE TOTAL WATER WHOLE TOT REC (UG/L)	
026S040E22A01M	<3.0	<3.0	<3.0	<3.0	3.2	<3.0	<3.0	<3.0	<3.0	
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	170	<3.0	<3.0	<3.0	<3.0	
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	

< Actual value is known to be less than the value shown.

LOS ANGELES COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 004N008W07R01S.....	78	LOCAL NUMBER 007N011W09P02S.....	91
LOCAL NUMBER 004N013W07Q01S.....	78	LOCAL NUMBER 007N011W10F02S.....	91
LOCAL NUMBER 004N013W12C03S.....	78	LOCAL NUMBER 007N011W18N01S.....	114
LOCAL NUMBER 004N013W13L01S.....	78	LOCAL NUMBER 007N011W19E01S.....	114
LOCAL NUMBER 004N013W15A01S.....	79	LOCAL NUMBER 007N011W21E01S.....	91
LOCAL NUMBER 005N009W05E02S.....	79	LOCAL NUMBER 007N011W27Q01S.....	92
LOCAL NUMBER 005N009W05R02S.....	79	LOCAL NUMBER 007N011W28Q01S.....	92
LOCAL NUMBER 005N009W08R01S.....	79	LOCAL NUMBER 007N011W29H01S.....	92
LOCAL NUMBER 005N010W03L01S.....	80	LOCAL NUMBER 007N011W31M01S.....	92
LOCAL NUMBER 005N010W06N01S.....	80	LOCAL NUMBER 007N011W33N01S.....	93
LOCAL NUMBER 005N010W12M02S.....	80	LOCAL NUMBER 007N012W09E01S.....	93
LOCAL NUMBER 005N010W17L01S.....	80	LOCAL NUMBER 007N012W12R01S.....	93
LOCAL NUMBER 005N010W17R01S.....	81	LOCAL NUMBER 007N012W13H02S.....	93
LOCAL NUMBER 005N011W01M01S.....	81	LOCAL NUMBER 007N012W15F01S.....	94
LOCAL NUMBER 005N011W12R01S.....	81	LOCAL NUMBER 007N012W19R01S.....	94
LOCAL NUMBER 005N012W32M01S.....	81	LOCAL NUMBER 007N012W21A04S.....	94
LOCAL NUMBER 005N013W25C03S.....	82	LOCAL NUMBER 007N012W22K01S.....	94
LOCAL NUMBER 005N013W36L01S.....	114	LOCAL NUMBER 007N012W24A01S.....	95
LOCAL NUMBER 006N008W09Q01S.....	82	LOCAL NUMBER 007N012W24Q03S.....	95
LOCAL NUMBER 006N008W19E01S.....	82	LOCAL NUMBER 007N012W27H01S.....	95
LOCAL NUMBER 006N009W04H02S.....	82	LOCAL NUMBER 007N012W35M01S.....	95
LOCAL NUMBER 006N009W07J01S.....	83	LOCAL NUMBER 007N013W03E01S.....	96
LOCAL NUMBER 006N009W11N01S.....	83	LOCAL NUMBER 007N013W06A04S.....	96
LOCAL NUMBER 006N009W28P02S.....	114	LOCAL NUMBER 007N013W13F03S.....	114
LOCAL NUMBER 006N009W30F01S.....	83	LOCAL NUMBER 007N013W13N01S.....	96
LOCAL NUMBER 006N009W33C01S.....	83	LOCAL NUMBER 007N013W14E01S.....	114
LOCAL NUMBER 006N010W05H01S.....	84	LOCAL NUMBER 007N013W16A04S.....	96
LOCAL NUMBER 006N010W17N01S.....	84	LOCAL NUMBER 007N013W19D01S.....	114
LOCAL NUMBER 006N010W22D01S.....	84	LOCAL NUMBER 007N013W26J02S.....	97
LOCAL NUMBER 006N010W31A01S.....	84	LOCAL NUMBER 007N013W34B01S.....	97
LOCAL NUMBER 006N010W34D01S.....	85	LOCAL NUMBER 007N014W13A01S.....	97
LOCAL NUMBER 006N010W35A01S.....	85	LOCAL NUMBER 008N009W06D01S.....	97
LOCAL NUMBER 006N011W03E02S.....	85	LOCAL NUMBER 008N010W08R03S.....	98
LOCAL NUMBER 006N011W06G02S.....	85	LOCAL NUMBER 008N010W22P03S.....	114
LOCAL NUMBER 006N011W09P01S.....	86	LOCAL NUMBER 008N010W23F02S.....	98
LOCAL NUMBER 006N011W11M01S.....	86	LOCAL NUMBER 008N010W28B01S.....	98
LOCAL NUMBER 006N011W16J01S.....	86	LOCAL NUMBER 008N011W14R01S.....	98
LOCAL NUMBER 006N011W31A01S.....	86	LOCAL NUMBER 008N011W22P02S.....	99
LOCAL NUMBER 006N011W36G01S.....	87	LOCAL NUMBER 008N011W24R02S.....	99
LOCAL NUMBER 006N012W07A01S.....	87	LOCAL NUMBER 008N011W24R03S.....	99
LOCAL NUMBER 006N012W12M01S.....	87	LOCAL NUMBER 008N011W32P01S.....	99
LOCAL NUMBER 007N009W17N02S.....	87	LOCAL NUMBER 008N011W34D02S.....	100
LOCAL NUMBER 007N010W01P03S.....	88	LOCAL NUMBER 008N011W34R02S.....	100
LOCAL NUMBER 007N010W03A01S.....	88	LOCAL NUMBER 008N012W02Q01S.....	100
LOCAL NUMBER 007N010W05E01S.....	88	LOCAL NUMBER 008N012W05D01S.....	100
LOCAL NUMBER 007N010W05N05S.....	88	LOCAL NUMBER 008N012W10J01S.....	101
LOCAL NUMBER 007N010W09H01S.....	89	LOCAL NUMBER 008N012W14R01S.....	101
LOCAL NUMBER 007N010W19D01S.....	89	LOCAL NUMBER 008N012W20B02S.....	101
LOCAL NUMBER 007N010W19Q01S.....	89	LOCAL NUMBER 008N012W21R01S.....	101
LOCAL NUMBER 007N010W22P01S.....	89	LOCAL NUMBER 008N012W26F01S.....	102
LOCAL NUMBER 007N010W29B01S.....	90	LOCAL NUMBER 008N012W28D01S.....	102
LOCAL NUMBER 007N010W29P01S.....	90	LOCAL NUMBER 008N012W30K01S.....	102
LOCAL NUMBER 007N010W32B01S.....	90	LOCAL NUMBER 008N012W31Q02S.....	102
LOCAL NUMBER 007N010W33J01S.....	90	LOCAL NUMBER 008N012W32L01S.....	103
LOCAL NUMBER 007N011W01Q01S.....	91	LOCAL NUMBER 008N012W34K01S.....	103

LOS ANGELES COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 008N013W02Q01S.....	103	LOCAL NUMBER 008N014W17M01S.....	108
LOCAL NUMBER 008N013W03M01S.....	103	LOCAL NUMBER 008N014W18N01S.....	108
LOCAL NUMBER 008N013W05E01S.....	104	LOCAL NUMBER 008N014W23G01S.....	109
LOCAL NUMBER 008N013W07B01S.....	104	LOCAL NUMBER 008N014W24C01S.....	109
LOCAL NUMBER 008N013W09K01S.....	104	LOCAL NUMBER 008N015W02Q02S.....	109
LOCAL NUMBER 008N013W11Q01S.....	104	LOCAL NUMBER 008N015W08L01S.....	109
LOCAL NUMBER 008N013W14B02S.....	105	LOCAL NUMBER 008N015W10P02S.....	110
LOCAL NUMBER 008N013W15M01S.....	105	LOCAL NUMBER 008N015W27H02S.....	110
LOCAL NUMBER 008N013W18Q02S.....	105	LOCAL NUMBER 008N015W33G01S.....	110
LOCAL NUMBER 008N013W20B01S.....	105	LOCAL NUMBER 008N016W02R01S.....	110
LOCAL NUMBER 008N013W23E01S.....	106	LOCAL NUMBER 008N016W03F01S.....	111
LOCAL NUMBER 008N013W23M01S.....	106	LOCAL NUMBER 008N016W05C01S.....	111
LOCAL NUMBER 008N013W25Q01S.....	106	LOCAL NUMBER 008N016W09G02S.....	111
LOCAL NUMBER 008N013W26K01S.....	106	LOCAL NUMBER 008N016W18H02S.....	111
LOCAL NUMBER 008N013W31Q01S.....	107	LOCAL NUMBER 008N016W22Q04S.....	112
LOCAL NUMBER 008N013W35M01S.....	107	LOCAL NUMBER 008N016W23G01S.....	112
LOCAL NUMBER 008N013W36L01S.....	107	LOCAL NUMBER 008N017W01N01S.....	112
LOCAL NUMBER 008N014W05Q01S.....	107	LOCAL NUMBER 008N017W04D01S.....	112
LOCAL NUMBER 008N014W10L01S.....	108	LOCAL NUMBER 001S010W07R02S.....	113
LOCAL NUMBER 008N014W12C01S.....	108		




FIGURE 9.--Index map to location of wells in Los Angeles County.

WATER LEVELS, LOS ANGELES COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342631117445101

LOCAL NUMBER 004N008W07R01S

ABOUT 4.4 MI SOUTH OF INTERSECTION OF PEARBLOSSOM HWY AND 213TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 4307 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	111.72	S			
PERIOD OF RECORD	HIGHEST	94.68	APR 15, 1983	LOWEST	130.75 MAR 28, 1978

SITE NUMBER 342612118163401

LOCAL NUMBER 004N013W07Q01S

ABOUT 300 FT NORTH OF SOLEDAD CYN ROAD AND 0.1 MI EAST OF INDIAN CYN ROAD TO SANTA CLARA DIVIDE. DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 40 FT. ALTITUDE OF LSD 2200 FT. RECORDS AVAILABLE 1965, 1978-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	6.93				
PERIOD OF RECORD	HIGHEST	3.56	MAR 13, 1980	LOWEST	7.95 FEB 26, 1987

SITE NUMBER 342706118114501

LOCAL NUMBER 004N013W12C03S

ABOUT 0.1 MI NORTHEAST OF ACTON CAMP. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD 2635 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1950-51, 1953, 1955-58, 1963, 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	15.36	S			
PERIOD OF RECORD	HIGHEST	3.07	MAR 06, 1984	LOWEST	50.11 SEP 21, 1965

SITE NUMBER 342539118113601

LOCAL NUMBER 004N013W13L01S

EAST OF MOODY CYN ROAD NEAR RESERVOIR. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2960 FT. RECORDS AVAILABLE 1965, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	P				
PERIOD OF RECORD	HIGHEST	7.68	MAR 13, 1980	LOWEST	56.65 SEP 21, 1965

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342609118131101

LOCAL NUMBER 004N013W15A01S

ABOUT 2 MI SOUTHWEST OF ACTON. DOMESTIC WATER-TABLE WELL. DIAM 14 IN, DEPTH 60 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1965, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	18.42 SP
PERIOD OF RECORD	HIGHEST 6.64 MAR 13, 1980 LOWEST 29.05 SEP 20, 1965

SITE NUMBER 343312117510101

LOCAL NUMBER 005N009W05E02S

ABOUT 0.32 MI SOUTH OF AVENUE S AND 0.87 MI WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2866 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	64.16 S
PERIOD OF RECORD	HIGHEST 53.50 MAR 08, 1984 LOWEST 67.57 AUG 20, 1981

SITE NUMBER 343242117500601

LOCAL NUMBER 005N009W05R02S

ABOUT 0.9 MI SOUTH OF AVENUE S AND 100 FT WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 143.7 FT IN 1964, DEPTH ABOUT 134 FT IN 1981. ALTITUDE OF LSD 2908 FT. RECORDS AVAILABLE 1964, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	105.05
PERIOD OF RECORD	HIGHEST 97.18 MAR 05, 1984 LOWEST 138.34 MAY 05, 1964

SITE NUMBER 343141117501201

LOCAL NUMBER 005N009W08R01S

NEAR INTERSECTION OF PEARBLOSSOM HWY AND 165TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3000 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	142.95
PERIOD OF RECORD	HIGHEST 128.83 MAR 28, 1985 LOWEST 188.30 MAR 31, 1978

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343251117545901

LOCAL NUMBER 005N010W03L01S

ABOUT 0.30 MI EAST OF 16TH STREET EAST AND 0.31 MI NORTH OF AVENUE T. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8 IN. ALTITUDE OF LSD 2802 FT. RECORDS AVAILABLE 1961, 1963, 1968-70, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	93.43				
PERIOD OF RECORD	HIGHEST	89.29	DEC 10, 1963	LOWEST	110.55 FEB 23, 1979

SITE NUMBER 343237117582601

LOCAL NUMBER 005N010W06N01S

NEAR INTERSECTION OF AVENUE T AND 87TH STREET EAST. UNUSED WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2777 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1926, 1928, 1930, 1938-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	109.40 S				
PERIOD OF RECORD	HIGHEST	85.05	MAR 02, 1945	LOWEST	147.30 JUL 17, 1956

SITE NUMBER 343205117525801

LOCAL NUMBER 005N010W12M02S

ABOUT 2 MI NORTH OF HWY 138 AND 0.24 MI EAST OF 136TH STREET EAST. UNUSED WELL. DIAM 8 IN, DEPTH 116.7 FT. ALTITUDE OF LSD 2912 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	60.26 S				
PERIOD OF RECORD	HIGHEST	55.43	MAR 28, 1985	LOWEST	60.26 MAR 30, 1988

SITE NUMBER 343115117565601

LOCAL NUMBER 005N010W17L01S

ABOUT 0.48 MI EAST OF 96TH STREET EAST AND 100 FT SOUTH OF PEARBLOSSOM HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 370 FT, PERFORATED 250-370 FT. ALTITUDE OF LSD 2955 FT. RECORDS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT 1960-81. MEASUREMENTS BY U.S. GEOLOGICAL SURVEY BEGINNING 1982. RECORDS AVAILABLE 1960, 1964, 1976-78, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	193.24 S				
PERIOD OF RECORD	HIGHEST	166.60	APR 19, 1960	LOWEST	217.50 NOV 04, 1977

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343051117563001

LOCAL NUMBER 005N010W17R01S

ABOUT 0.1 MI WEST OF 106TH STREET EAST AND 50 FT NORTH OF AVENUE V. UNUSED WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3032 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 273.43 S

PERIOD OF RECORD HIGHEST 249.02 JAN 09, 1964 LOWEST 273.50 FEB 25, 1987

SITE NUMBER 343259117593101

LOCAL NUMBER 005N011W01M01S

NORTHWEST OF INTERSECTION OF 80TH STREET EAST AND AVENUE T. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 414 FT IN 1963, 396.29 FT IN 1967, CASSED TO 392 FT, PERFORATED 100-364 FT. ALTITUDE OF LSD 2739 FT. RECORDS AVAILABLE 1955, 1963, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 03, 1987 101.40 S MAR 29, 1988 102.95 S

PERIOD OF RECORD HIGHEST 64.48 APR 10, 1980 LOWEST 111.37 OCT 11, 1977

SITE NUMBER 343148117582901

LOCAL NUMBER 005N011W12R01S

ABOUT 120 FT WEST OF 87TH STREET EAST AND 0.12 MI NORTH OF AVENUE U. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 602 FT. ALTITUDE OF LSD 2841 FT. RECORDS 1937-45, 1949-52 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1927, 1937-45, 1949-52, 1961, 1963-64, 1968, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 173.83 S

PERIOD OF RECORD HIGHEST 110.00 NOV , 1927 LOWEST 204.40 AUG 09, 1972

SITE NUMBER 342824118094301

LOCAL NUMBER 005N012W32M01S

ABOUT 25 FT NORTH OF CARSON MESA ROAD AND ABOUT 10 FT WEST OF DRIVE. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 106.36 S

PERIOD OF RECORD HIGHEST 40.25 APR 12, 1983 LOWEST 106.36 MAR 28, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342934118114901

LOCAL NUMBER 005N013W25C03S

SOUTHEAST OF INTERSECTION OF SIERRA HWY AND CROWN VALLEY ROAD. DOMESTIC WATER-TABLE WELL.
DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2961 FT. RECORDS AVAILABLE 1965, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	190.38 S				
PERIOD OF RECORD	HIGHEST	188.87	FEB 26, 1987	LOWEST	215.78 MAR 07, 1977

SITE NUMBER 343701117433001

LOCAL NUMBER 006N008W09Q01S

ABOUT 200 FT NORTH OF AVENUE O AND 0.55 MI EAST OF 220TH STREET EAST. UNUSED WATER-TABLE
WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2791 FT. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	53.05 V				
PERIOD OF RECORD	HIGHEST	48.79	MAR 29, 1978	LOWEST	53.76 FEB 27, 1979

SITE NUMBER 343541117461801

LOCAL NUMBER 006N008W19E01S

NEAR INTERSECTION OF 200TH STREET EAST AND AVENUE P-8. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM
OF QUATERNARY AGE. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2774 FT. RECORDS AVAILABLE
1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	155.81 S				
PERIOD OF RECORD	HIGHEST	147.44	MAR 26, 1964	LOWEST	156.33 APR 14, 1981

SITE NUMBER 343824117493801

LOCAL NUMBER 006N009W04H02S

ABOUT 0.58 MI NORTH OF AVENUE N AND 100 FT WEST OF 170TH STREET EAST. DRILLED PUBLIC SUPPLY WATER-
TABLE WELL. DIAM 10 IN, DEPTH 336 FT. ALTITUDE OF LSD 2595 FT. RECORDS AVAILABLE 1949-62, 1964,
1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
NOV 03, 1987	192.30 S	MAR 30, 1988	191.13 V			
PERIOD OF RECORD	HIGHEST	120.56	NOV 23, 1949	LOWEST	192.30	NOV 03, 1987

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343726117514501

LOCAL NUMBER 006N009W07J01S

ABOUT 140 FT WEST OF 150TH STREET EAST AND 0.52 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 243 FT, CASED TO 243 FT, PERFORATED 163-243 FT. ALTITUDE OF LSD 2618 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	135.63	V				
PERIOD OF RECORD	HIGHEST	128.02	JAN 27, 1964	LOWEST	150.59	FEB 27, 1979

SITE NUMBER 343703117482801

LOCAL NUMBER 006N009W11N01S

ABOUT 550 FT NORTH OF AVENUE O AND 300 FT EAST OF 180TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 295 FT. ALTITUDE OF LSD 2666 FT. RECORDS AVAILABLE 1951-62, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	178.55	S				
PERIOD OF RECORD	HIGHEST	132.80	FEB 17, 1958	LOWEST	179.00	MAR 29, 1985

SITE NUMBER 343450117522501

LOCAL NUMBER 006N009W30F01S

ABOUT 130 FT NORTH OF PALMDALE BLVD AND 0.7 MI WEST OF 150TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH REPORTED 312 FT IN 1922 AND 92.3 FT IN 1964. ALTITUDE OF LSD 2758 FT. RECORDS AVAILABLE 1951, 1954-62, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	45.50	V				
PERIOD OF RECORD	HIGHEST	15.05	APR 14, 1969	LOWEST	59.63	MAR 08, 1977

SITE NUMBER 343408117500701

LOCAL NUMBER 006N009W33C01S

ABOUT 0.25 MI SOUTH OF AVENUE R AND 140 FT WEST OF 165TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 738 FT, PERFORATED 180-738 FT. ALTITUDE OF LSD 2823 FT. RECORDS AVAILABLE 1964, 1967, 1973-80, 1982, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	P					
PERIOD OF RECORD	HIGHEST	105.97	FEB 24, 1987	LOWEST	196.53	FEB 26, 1976

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343820117570501

LOCAL NUMBER 006N010W05H01S

ABOUT 20 FT NORTH OF AVENUE M-8 AND 40 FT WEST OF 100TH STREET EAST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 425 FT. ALTITUDE OF LSD 2552 FT. RECORDS IN 1956 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1952-53, 1956, 1963, 1974-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 233.33 V

PERIOD OF RECORD HIGHEST 230.00 JUL , 1952 AUG 07, 1953 LOWEST 266.2 APR 15, 1981

SITE NUMBER 343608117580501

LOCAL NUMBER 006N010W17N01S

ABOUT 58 FT EAST OF 90TH STREET EAST AND 45 FT NORTH OF AVENUE P. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2605 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1945, 1964, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 165.79 S

PERIOD OF RECORD HIGHEST 132.64 MAR 08, 1984 LOWEST 202.85 JAN 20, 1964

SITE NUMBER 343557117554801

LOCAL NUMBER 006N010W22D01S

ABOUT 120 FT NORTH OF ACCESS ROAD, 0.25 MI SOUTH OF AVENUE P AND 0.16 MI EAST OF 110TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2645 FT. RECORDS AVAILABLE 1951, 1957, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 03, 1987 154.63 S MAR 29, 1988 154.12 S

PERIOD OF RECORD HIGHEST 143.00 JAN , 1951 LOWEST 172.22 NOV 17, 1981

SITE NUMBER 343410117581301

LOCAL NUMBER 006N010W31A01S

ABOUT 400 FT WEST OF 90TH STREET EAST AND 0.17 MI SOUTH OF AVENUE R. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 250 FT. ALTITUDE OF LSD 2674 FT. RECORDS AVAILABLE 1956, 1964, 1974-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 101.70

PERIOD OF RECORD HIGHEST 64.25 MAR 12, 1980 LOWEST 131.74 MAR 06, 1964

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343422117555801

LOCAL NUMBER 006N010W34D01S

ABOUT 100 FT EAST OF 110TH STREET EAST AND 90 FT SOUTH OF AVENUE R. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8 IN, DEPTH 300 FT. ALTITUDE OF LSD 2706 FT. RECORDS AVAILABLE 1957-60, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	128.04	S			
PERIOD OF RECORD	HIGHEST	124.50	OCT 09, 1957	LOWEST	141.87 FEB 14, 1973

SITE NUMBER 343420117535501

LOCAL NUMBER 006N010W35A01S

ABOUT 1.95 MI EAST OF 110TH STREET EAST AND 160 FT SOUTH OF AVENUE R. UNUSED WELL. DIAM 10 IN, DEPTH 81.5 FT. ALTITUDE OF LSD 2750 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	48.84	S			
PERIOD OF RECORD	HIGHEST	48.50	FEB 25, 1987	LOWEST	68.70 MAR 09, 1964

SITE NUMBER 343820118022101

LOCAL NUMBER 006N011W03E02S

ABOUT 0.25 MI EAST OF 50TH STREET EAST AND 0.5 MI SOUTH OF AVENUE M. DIAM 16 IN, DEPTH 700 FT. ALTITUDE OF LSD 2493 FT. RECORDS AVAILABLE 1960, 1962-63, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 29, 1988	304.91	S			
PERIOD OF RECORD	HIGHEST	202.00	FEB 12, 1962	LOWEST	352.35 SEP 03, 1981

SITE NUMBER 343829118050301

LOCAL NUMBER 006N011W06G02S

ABOUT 0.53 MI EAST OF 20TH STREET EAST AND 0.3 MI SOUTH OF AVENUE M. DRILLED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 1200 FT. ALTITUDE OF LSD 2480 FT. RECORDS AVAILABLE 1967, 1969-73, 1975-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	350.02				
PERIOD OF RECORD	HIGHEST	282.40	MAR 15, 1967	LOWEST	350.02 MAR 29, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343700118031101

LOCAL NUMBER 006N011W09P01S

ABOUT 0.26 MI EAST OF INTERSECTION OF AVENUE O AND 40TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 652 FT, PERFORATED 537-652 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1956, 1963, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 281.45 V

PERIOD OF RECORD HIGHEST 257.00 AUG , 1956 LOWEST 341.30 SEP 03, 1981

SITE NUMBER 343726118012001

LOCAL NUMBER 006N011W11M01S

ABOUT 0.02 MI EAST OF 60TH STREET EAST AND 0.54 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH REPORTED 445 FT, CASED TO 431 FT, PERFORATED 311-431 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1960, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 300.92 S

PERIOD OF RECORD HIGHEST 300.00 APR , 1963 LOWEST 341.48 APR 10, 1980

SITE NUMBER 343628118022701

LOCAL NUMBER 006N011W16J01S

ABOUT 0.39 MI NORTH OF INTERSECTION OF AVENUE P AND 50TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 630 FT, PERFORATED 322-630 FT. ALTITUDE OF LSD 2547 FT. RECORDS AVAILABLE 1964, 1970, 1972-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 310.28 V

PERIOD OF RECORD HIGHEST 310.28 MAR 29, 1988 LOWEST 370.65 OCT 22, 1970

SITE NUMBER 343419118044401

LOCAL NUMBER 006N011W31A01S

ABOUT 0.21 MI WEST OF 30TH STREET EAST AND 0.06 MI SOUTH OF AVENUE R. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 444 FT. ALTITUDE OF LSD 2633 FT. RECORDS AVAILABLE 1963, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 264.22 S

PERIOD OF RECORD HIGHEST 220.10 NOV 13, 1963 LOWEST 264.22 MAR 29, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343404117593101

LOCAL NUMBER 006N011W36G01S

ABOUT 0.26 MI SOUTH OF AVENUE R AND 0.31 MI WEST OF 80TH STREET EAST. INDUSTRIAL WATER-TABLE WELL. DIAM 12 IN, DEPTH 572 FT, PERFORATED 235-572 FT. ALTITUDE OF LSD 2679 FT. RECORDS AVAILABLE 1956, 1974-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	P
PERIOD OF RECORD	HIGHEST 73.51 MAR 09, 1984 LOWEST 192.00 JAN 12, 1956

SITE NUMBER 343741118110301

LOCAL NUMBER 006N012W07A01S

ABOUT 500 FT WEST OF 30TH STREET WEST AND 40 FT SOUTH OF AVENUE N-3. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14, DEPTH 432 FT IN 1951, 411 FT IN 1961, CASED TO 432 FT, PERFORATED 276-432 FT. ALTITUDE OF LSD 2597 FT. RECORDS AVAILABLE 1955, 1957, 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	348.78 S
PERIOD OF RECORD	HIGHEST 284.10 MAR 12, 1957 LOWEST 349.43 FEB 26, 1986

SITE NUMBER 343716118063501

LOCAL NUMBER 006N012W12M01S

ABOUT 1.4 MI NORTHWEST OF INTERSECTION OF AVENUE P AND 15TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 10.5 IN, DEPTH 430 FT. ALTITUDE OF LSD 2560 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	415.09 V
PERIOD OF RECORD	HIGHEST 308.40 MAY 13, 1963 LOWEST 415.09 MAR 28, 1988

SITE NUMBER 344124117514301

LOCAL NUMBER 007N009W17N02S

ABOUT 250 FT EAST OF 150TH STREET EAST AND 100 FT NORTH OF AVENUE J. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 303 FT. ALTITUDE OF LSD 2492 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	247.60 S
PERIOD OF RECORD	HIGHEST 192.35 MAR 01, 1960 LOWEST 255.70 NOV 03, 1967

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344312117532101

LOCAL NUMBER 007N010W01P03S

ABOUT 200 FT NORTH OF AVENUE H AND 0.52 MI WEST OF 140TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL. DIAM ABOUT 8.5 IN, DEPTH 544 FT, PERFORATED 347-544 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1970, 1973, 1975-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	343.26 S
PERIOD OF RECORD	HIGHEST 335.00 JUL 14, 1970 LOWEST 370.00 MAR 08, 1977

SITE NUMBER 344404117550001

LOCAL NUMBER 007N010W03A01S

ABOUT 0.08 MI WEST OF 120TH STREET EAST AND 0.99 MI NORTH OF AVENUE H. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 600 FT IN 1973. ALTITUDE OF LSD 2403 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY WATERWORKS DIVISION 1965-72. RECORDS AVAILABLE 1965-72, 1977, 1979-80, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	P
PERIOD OF RECORD	HIGHEST 243.00 MAR 03, 1966 LOWEST 355.00 OCT 01, 1972

SITE NUMBER 344337117575501

LOCAL NUMBER 007N010W05E01S

ABOUT 0.21 MI EAST OF 90TH STREET EAST AND 35 FT NORTH OF AVENUE G-8. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 601 FT, PERFORATED 120-400 FT. ALTITUDE OF LSD 2391 FT. RECORDS AVAILABLE 1951-53, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	183.96 S
PERIOD OF RECORD	HIGHEST 112.04 FEB 14, 1952 LOWEST 213.95 OCT 21, 1970

SITE NUMBER 344320117575601

LOCAL NUMBER 007N010W05N05S

ABOUT 500 FT NORTH OF AVENUE H AND 0.23 MI EAST OF 90TH STREET EAST. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 400 FT. ALTITUDE OF LSD 2398 FT. RECORDS AVAILABLE 1971, 1973-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	225.00 S	MAR 30, 1988	225.76 S
PERIOD OF RECORD	HIGHEST 225.00 NOV 03, 1987	LOWEST 264.75	MAR 09, 1976

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344244117555901

LOCAL NUMBER 007N010W09H01S

ABOUT 0.49 MI SOUTH OF AVENUE H AND 90 FT WEST OF 110TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2421 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	261.19 S
PERIOD OF RECORD	HIGHEST 261.19 MAR 30, 1988 LOWEST 294.75 SEP 21, 1978

SITE NUMBER 344119117591201

LOCAL NUMBER 007N010W19D01S

ABOUT 0.11 MI SOUTH OF AVENUE J AND 50 FT EAST OF 80TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 333 FT. ALTITUDE OF LSD 2446 FT. RECORDS AVAILABLE 1951, 1956-57, 1966-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	274.10 S
PERIOD OF RECORD	HIGHEST 183.83 MAR 27, 1951 LOWEST 293.05 MAR 07, 1977

SITE NUMBER 344033117582401

LOCAL NUMBER 007N010W19Q01S

ABOUT 60 FT NORTH OF AVENUE K AND 0.27 MI WEST OF 90TH STREET EAST. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 600 FT. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	312.68 S
PERIOD OF RECORD	HIGHEST 312.68 MAR 30, 1988 LOWEST 344.60 SEP 03, 1981

SITE NUMBER 344044117552901

LOCAL NUMBER 007N010W22P01S

ABOUT 0.5 MI EAST OF 110TH STREET EAST AND 0.5 MI SOUTH OF AVENUE J. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 474 FT IN 1974. ALTITUDE OF LSD 2481 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	328.59 S
PERIOD OF RECORD	HIGHEST 322.00 MAR 16, 1967 LOWEST 345.80 MAR 07, 1977

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344029117573601

LOCAL NUMBER 007N010W29B01S

ABOUT 0.25 MI SOUTH OF AVENUE K AND 0.5 MI EAST OF 90TH STREET EAST. DRILLED UNUSED WELL.
DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2503 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	321.34 S
PERIOD OF RECORD	HIGHEST 201.52 DEC 19, 1950 LOWEST 348.70 SEP 03, 1981

SITE NUMBER 343946117574701

LOCAL NUMBER 007N010W29P01S

ABOUT 0.35 MI EAST OF 90TH STREET EAST AND 0.15 MI NORTH OF AVENUE L. DRILLED UNUSED WELL.
DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2487 FT. RECORDS AVAILABLE 1950, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	330.18 S
PERIOD OF RECORD	HIGHEST 330.18 MAR 30, 1988 LOWEST 355.02 SEP 02, 1981

SITE NUMBER 343926117573701

LOCAL NUMBER 007N010W32B01S

ABOUT 0.5 MI EAST OF 90TH STREET EAST AND 0.26 MI SOUTH OF AVENUE L. DRILLED UNUSED WELL.
DIAM 16 IN, DEPTH 504 FT. ALTITUDE OF LSD 2517 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	325.80 S
PERIOD OF RECORD	HIGHEST 325.80 MAR 30, 1988 LOWEST 343.50 SEP 02, 1981

SITE NUMBER 343925117561301

LOCAL NUMBER 007N010W33J01S

ABOUT 0.75 MI NORTH OF AVENUE M AND 0.21 MI WEST OF 110TH STREET EAST. DRILLED IRRIGATION
WATER-TABLE WELL. DIAM 14 IN, DEPTH 415 FT. ALTITUDE OF LSD 2538 FT. RECORDS AVAILABLE
1950-51, 1957, 1973-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	324.63 S
PERIOD OF RECORD	HIGHEST 241.32 DEC 21, 1950 LOWEST 341.60 MAR 21, 1973

WATER LEVELS, LOS ANGELES COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344310117593001

LOCAL NUMBER 007N011W01Q01S

ABOUT 30 FT NORTH OF AVENUE H AND 0.25 MI WEST OF 80TH STREET EAST. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 350 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1958-63, 1965-68, 1970-71, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 189.56 S

PERIOD OF RECORD HIGHEST 179.49 MAR 12, 1958 LOWEST 218.72 OCT 21, 1970

SITE NUMBER 344218118030701

LOCAL NUMBER 007N011W09P02S

ABOUT 0.36 MI EAST OF 40TH STREET EAST AND 200 FT NORTH OF AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2386 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 31, 1988 220.60 S

PERIOD OF RECORD HIGHEST 192.56 NOV 14, 1963 LOWEST 223.59 MAR 08, 1977

SITE NUMBER 344244118015301

LOCAL NUMBER 007N011W10F02S

ABOUT 0.6 MI NORTH OF AVENUE I AND 0.5 MI EAST OF 50TH STREET EAST. UNUSED WELL. DIAM 12 IN, DEPTH 307.3 FT, CASED TO 150 FT. ALTITUDE OF LSD 2396 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 182.37 SS

PERIOD OF RECORD HIGHEST 182.17 FEB 26, 1987 LOWEST 218.12 MAR 09, 1976

SITE NUMBER 344058118032401

LOCAL NUMBER 007N011W21E01S

ABOUT 0.54 MI NORTH OF AVENUE K AND 0.12 MI EAST OF 40TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2422 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 31, 1988 146.11 S

PERIOD OF RECORD HIGHEST 102.76 MAR 20, 1967 LOWEST 146.11 MAR 31, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343939118013701

LOCAL NUMBER 007N011W27Q01S

ABOUT 0.27 MI WEST OF 60TH STREET EAST AND 40 FT NORTH OF AVENUE L. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 650 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953-54, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	299.46 S
PERIOD OF RECORD	HIGHEST 200.00 , 1953 LOWEST 343.41 MAR 07, 1977

SITE NUMBER 343939118025201

LOCAL NUMBER 007N011W28Q01S

ABOUT 0.45 MI WEST OF 50TH STREET EAST AND 100 FT NORTH OF AVENUE L. UNUSED WELL. DIAM 17 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	294.04 S
PERIOD OF RECORD	HIGHEST 267.84 DEC 31, 1963 LOWEST 315.85 OCT 08, 1982

SITE NUMBER 344006118033001

LOCAL NUMBER 007N011W29H01S

ABOUT 35 FT WEST OF 40TH STREET EAST AND 85 FT NORTH OF AVENUE K-8. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 679 FT, PERFORATED 319-679 FT. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1959-60, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	280.20 S
PERIOD OF RECORD	HIGHEST 249.00 DEC 10, 1963 LOWEST 313.02 APR 15, 1981

SITE NUMBER 343909118053601

LOCAL NUMBER 007N011W31M01S

ABOUT 140 FT EAST OF 20TH STREET EAST AND 0.47 MI NORTH OF AVENUE M. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 385.6 FT. ALTITUDE OF LSD 2468 FT. RECORDS AVAILABLE 1951-52, 1964, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	308.88 S
PERIOD OF RECORD	HIGHEST 184.57 MAR 04, 1952 LOWEST 308.88 MAR 30, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343847118032001

LOCAL NUMBER 007N011W33N01S

ABOUT 0.14 MI EAST OF 40TH STREET EAST AND 40 FT NORTH OF AVENUE M. IRRIGATION WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1951, 1954, 1956-65, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 305.74 S

PERIOD OF RECORD HIGHEST 215.39 NOV 17, 1951 LOWEST 327.80 MAR 09, 1976

SITE NUMBER 344241118094001

LOCAL NUMBER 007N012W09E01S

ABOUT 0.51 MI NORTH OF AVENUE I AND 25 FT WEST OF 17TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 1142 FT, CASED TO 1104 FT, PERFORATED 180-390, 430-510, 804-1104 FT. ALTITUDE OF LSD 2318 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1958-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 03, 1987 P MAR 29, 1988 P

PERIOD OF RECORD HIGHEST 58.00 OCT 05, 1959 OCT 06, 1959 LOWEST 170.00 MAR 01, 1968

SITE NUMBER 344217118054101

LOCAL NUMBER 007N012W12R01S

ABOUT 225 FT WEST OF 20TH STREET EAST AND 250 FT NORTH OF AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1963, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 31, 1988 131.00 S

PERIOD OF RECORD HIGHEST 94.90 SEP 25, 1963 LOWEST 142.00 SEP 20, 1978

SITE NUMBER 344150118055401

LOCAL NUMBER 007N012W13H02S

ABOUT 225 FT NORTH OF LANCASTER BLVD AND 0.21 MI WEST OF 20TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 218 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

NOV 03, 1987 160.66 S MAR 31, 1988 166.77 S

PERIOD OF RECORD HIGHEST 113.95 SEP 25, 1963 LOWEST 166.77 MAR 31, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344159118083101

LOCAL NUMBER 007N012W15F01S

ABOUT 50 FT NORTH OF KITTINGER STREET AND 130 FT WEST OF ELM STREET. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1924, 1934, 1942-63, 1965-66, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 28, 1988	184.07	S				
PERIOD OF RECORD	HIGHEST	26.70	OCT 28, 1942	LOWEST	184.07	MAR 28, 1988

SITE NUMBER 344030118110001

LOCAL NUMBER 007N012W19R01S

ABOUT 100 FT NORTH OF AVENUE K AND 200 FT WEST OF 30TH STREET WEST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT, PERFORATED 100-400 FT. ALTITUDE OF LSD 2386 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT; LOS ANGELES COUNTY ENGINEERS; AND CALIFORNIA WATER RIGHTS BOARD. RECORDS AVAILABLE 1951, 1953, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	227.38	S				
PERIOD OF RECORD	HIGHEST	96.00	NOV 07, 1951	LOWEST	227.38	MAR 29, 1988

SITE NUMBER 344109118090601

LOCAL NUMBER 007N012W21A04S

ABOUT 0.25 MI WEST OF 10TH STREET WEST AND 0.25 MI SOUTH OF AVENUE J. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2365 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	196.27	S				
PERIOD OF RECORD	HIGHEST	124.70	DEC 13, 1963	LOWEST	196.27	MAR 30, 1988

SITE NUMBER 344043118080301

LOCAL NUMBER 007N012W22K01S

ABOUT 360 FT WEST OF SIERRA HWY AND 0.26 MI NORTH OF AVENUE K. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 400 FT. ALTITUDE OF LSD 2407 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1961, 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 29, 1988	256.17	S				
PERIOD OF RECORD	HIGHEST	169.60	MAY 01, 1961	LOWEST	256.17	MAR 29, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344120118055301

LOCAL NUMBER 007N012W24A01S

ABOUT 0.77 MI EAST OF 10TH STREET EAST AND 250 FT SOUTH OF AVENUE J. DRILLED UNUSED WELL.
DIAM 8 IN, DEPTH 230.5 FT, PERFORATED 180-400 FT. ALTITUDE OF LSD 2401 FT. RECORDS AVAILABLE
1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	223.50 S
PERIOD OF RECORD	HIGHEST 177.74 OCT 03, 1963 LOWEST 223.50 MAR 31, 1988

SITE NUMBER 344032118060601

LOCAL NUMBER 007N012W24Q03S

ABOUT 0.47 MI WEST OF 20TH STREET EAST AND 200 FT NORTH OF AVENUE K. DRILLED DOMESTIC WELL.
DIAM 8 IN, DEPTH 630 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	268.00 S
PERIOD OF RECORD	HIGHEST 263.07 MAY 09, 1983 LOWEST 268.00 MAR 31, 1988

SITE NUMBER 344004118075901

LOCAL NUMBER 007N012W27H01S

ABOUT 0.14 MI WEST OF SIERRA HWY AND 0.49 MI SOUTH OF AVENUE K. IRRIGATION WATER-TABLE WELL.
DIAM 14 IN, DEPTH 500 FT, PERFORATED 189-500 FT. ALTITUDE OF LSD 2449 FT. RECORDS AVAILABLE
1949, 1954, 1959, 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	318.10 S
PERIOD OF RECORD	HIGHEST 151.00 DEC , 1949 LOWEST 318.90 MAY 06, 1983

SITE NUMBER 343900118074401

LOCAL NUMBER 007N012W35M01S

ABOUT 0.71 MI SOUTH OF AVENUE L AND 290 FT WEST OF SIERRA HWY. DRILLED PUBLIC SUPPLY WELL. DIAM 12
IN, DEPTH 504.5 FT, PERFORATED 220-540 FT. ALTITUDE OF LSD 2512 FT. RECORDS AVAILABLE 1948, 1957,
1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 03, 1987	368.17 S
PERIOD OF RECORD	HIGHEST 209.00 , 1948 LOWEST 369.25 OCT 22, 1986

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344338118151301

LOCAL NUMBER 007N013W03E01S

ABOUT 0.39 MI SOUTH OF AVENUE G AND 50 FT EAST OF 70TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12-10 IN, DEPTH 400 FT, 12-IN CSG 0-75 FT, 10-IN CSG 75-400 FT, PERFORATED 69-400 FT. ALTITUDE OF LSD 2381 FT. RECORDS AVAILABLE 1920, 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	160.80 S	MAR 29, 1988	159.49 S
PERIOD OF RECORD	HIGHEST	32.00 JAN 16, 1920	LOWEST 219.10 MAY 29, 1963

SITE NUMBER 344353118172401

LOCAL NUMBER 007N013W06A04S

ABOUT 250 FT WEST OF 90TH STREET WEST AND 450 FT SOUTH OF AVENUE G. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2431 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	210.13 S
PERIOD OF RECORD	HIGHEST 210.13 MAR 29, 1988 LOWEST 243.25 SEP 21, 1978

SITE NUMBER 344122118125701

LOCAL NUMBER 007N013W13N01S

ABOUT 55 FT NORTH OF AVENUE J AND 0.12 MI EAST OF 50TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	146.72 S
PERIOD OF RECORD	HIGHEST 142.72 MAR 24, 1980 LOWEST 157.55 DEC 08, 1978

SITE NUMBER 344213118151301

LOCAL NUMBER 007N013W16A04S

ABOUT 150 FT SOUTH OF AVENUE I AND 100 FT WEST OF 70TH STREET WEST. DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2367 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	104.29 S
PERIOD OF RECORD	HIGHEST 98.58 SEP 20, 1978 LOWEST 104.29 MAR 29, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344000118130601

LOCAL NUMBER 007N013W26J02S

ABOUT 0.08 MI NORTH OF AVENUE K-10 AND 70 FT WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 606 FT, CASED TO 606 FT, PERFORATED 288-606 FT. ALTITUDE OF LSD 2417 FT. RECORDS AVAILABLE 1957-61, 1963-64, 1967, 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	252.70 S
PERIOD OF RECORD	HIGHEST 216.00 APR 05, 1957 LOWEST 329.60 AUG 24, 1972

SITE NUMBER 343932118144001

LOCAL NUMBER 007N013W34B01S

ABOUT 0.35 MI WEST OF 60TH STREET WEST AND 0.08 MI SOUTH OF AVENUE L. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 26-14 IN, DEPTH 485 FT, 26-IN CSG 0-15 FT, 14-IN CSG 15-475 FT, PERFORATED 250-475 FT. ALTITUDE OF LSD 2433 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	219.86 S
PERIOD OF RECORD	HIGHEST 219.86 MAR 29, 1988 LOWEST 371.14 OCT 27, 1971

SITE NUMBER 344209118183801

LOCAL NUMBER 007N014W13A01S

ABOUT 200 FT SOUTH OF AVENUE I AND 0.23 MI WEST OF 100TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 519 FT, CASED TO 519 FT, PERFORATED 249-519 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953, 1955-57, 1959-60, 1962-63, 1967-68, 1970-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	242.89 SS
PERIOD OF RECORD	HIGHEST 219.00 OCT 14, 1953 LOWEST 307.23 OCT 22, 1970

SITE NUMBER 344911117524001

LOCAL NUMBER 008N009W06D01S

ABOUT 0.8 MI NORTH OF AVENUE B, 75 FT WEST OF DIRT ROAD AND 300 FT SOUTH OF RAILROAD TRACK. DRILLED BASE SUPPLY WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 2293 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	40.53 S
PERIOD OF RECORD	HIGHEST 26.90 MAR 12, 1959 LOWEST 47.30 APR 13, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344736117571801

LOCAL NUMBER 008N010W08R03S

ABOUT 0.21 MI WEST OF 100TH STREET EAST AND 50 FT NORTH OF AVENUE C. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 230 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1961-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	86.38 S
PERIOD OF RECORD	HIGHEST 55.84 JAN 09, 1961 LOWEST 86.38 MAR 28, 1988

SITE NUMBER 344627117543001

LOCAL NUMBER 008N010W23F02S

ABOUT 0.25 MI EAST OF 120TH STREET EAST AND 0.25 MI SOUTH OF AVENUE D. DRILLED UNUSED WELL IN DUNE SAND. DIAM 12 IN, DEPTH 250 FT, PERFORATED 120-226 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1968, 1970-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	136.18 SR
PERIOD OF RECORD	HIGHEST 108.10 MAR 06, 1968 LOWEST 135.48 MAR 12, 1987

SITE NUMBER 344542117562301

LOCAL NUMBER 008N010W28B01S

ABOUT 0.78 MI EAST OF 100TH STREET EAST, 0.2 MI SOUTH OF AVENUE E, AND 240 FT WEST OF DIRT ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 215 FT. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-54, 1956-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	152.33 SR
PERIOD OF RECORD	HIGHEST 66.75 JAN 23, 1951 LOWEST 150.22 APR 02, 1986

SITE NUMBER 344643118002001

LOCAL NUMBER 008N011W14R01S

ABOUT 57 FT WEST OF 70TH STREET EAST AND 24 FT NORTH OF AVENUE D. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 186 FT. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	84.62 S
PERIOD OF RECORD	HIGHEST 84.62 MAR 28, 1988 LOWEST 99.47 OCT 15, 1968

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344548118005401

LOCAL NUMBER 008N011W22P02S

ABOUT 0.5 MI EAST OF 50TH STREET EAST AND 40 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2323 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	100.20 S
PERIOD OF RECORD	HIGHEST 99.99 FEB 26, 1987 LOWEST 109.75 DEC 08, 1978

SITE NUMBER 344551117591401

LOCAL NUMBER 008N011W24R02S

ABOUT 175 FT WEST OF 80TH STREET EAST AND 175 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 132.5 FT, PERFORATED 120-270 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1951, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	106.47 S
PERIOD OF RECORD	HIGHEST 103.31 APR 13, 1983 LOWEST 124.86 MAY 25, 1951

SITE NUMBER 344550117591901

LOCAL NUMBER 008N011W24R03S

ABOUT 0.11 MI WEST OF 80TH STREET EAST AND 25 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 302 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	111.39 S
PERIOD OF RECORD	HIGHEST 108.00 APR 13, 1983 LOWEST 121.03 MAR 07, 1977

SITE NUMBER 344403118041601

LOCAL NUMBER 008N011W32P01S

ABOUT 0.28 MI EAST OF 30TH STREET EAST AND 120 FT NORTH OF AVENUE G. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 120 FT. ALTITUDE OF LSD 2342 FT. RECORDS AVAILABLE 1963, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	115.40 S
PERIOD OF RECORD	HIGHEST 94.80 OCT 22, 1963 LOWEST 115.40 MAR 29, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344443118021301

LOCAL NUMBER 008N011W34D02S

ABOUT 0.25 MI SOUTH OF AVENUE F AND 0.2 MI EAST OF 50TH STREET EAST. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 250.5 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1951-54, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	124.35 S	MAR 29, 1988	124.31 SR
PERIOD OF RECORD	HIGHEST	110.89 FEB 15, 1952	LOWEST 158.09 OCT 26, 1961

SITE NUMBER 344403118012101

LOCAL NUMBER 008N011W34R02S

ABOUT 90 FT NORTH OF AVENUE G AND 42 FT WEST OF 60TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-52, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	131.80 S
PERIOD OF RECORD	HIGHEST 127.18 FEB 13, 1973 LOWEST 215.30 SEP 19, 1964

SITE NUMBER 344825118071801

LOCAL NUMBER 008N012W02Q01S

AT WEST EDGE OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 7 IN, DEPTH 260 FT IN 1951 AND 226.4 FT IN 1965. ALTITUDE OF LSD 2283 FT. RECORDS AVAILABLE 1951-54, 1956-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	49.43 S
PERIOD OF RECORD	HIGHEST 0.66 APR 14, 1953 LOWEST 50.84 FEB 10, 1982

SITE NUMBER 344913118110001

LOCAL NUMBER 008N012W05D01S

ABOUT 200 FT EAST OF 30TH STREET WEST AND 130 FT SOUTH OF AVENUE A. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 465.3 FT. ALTITUDE OF LSD 2329 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	117.78
PERIOD OF RECORD	HIGHEST 41.70 APR 19, 1951 LOWEST 154.30 FEB 12, 1974

WATER LEVELS, LOS ANGELES COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344747118075001

LOCAL NUMBER 008N012W10J01S

ABOUT 0.3 MI NORTH OF AVENUE C AND 100 FT WEST OF DIVISION STREET. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 91 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1960, 1965-67, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	37.60 S				
PERIOD OF RECORD	HIGHEST	13.67	MAR 23, 1960	LOWEST	37.60 MAR 29, 1988

SITE NUMBER 344646118065201

LOCAL NUMBER 008N012W14R01S

ABOUT 1.1 MI NORTH OF AVENUE E AND 0.14 MI WEST OF 10TH STREET EAST. DRILLED STOCK WELL. DIAM 12 IN, DEPTH 404 FT IN 1949, 187.7 FT IN 1958. ALTITUDE OF LSD 2291 FT. RECORDS AVAILABLE 1951-52, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	68.35 S				
PERIOD OF RECORD	HIGHEST	26.15	MAY 02, 1958	LOWEST	72.35 MAR 08, 1977

SITE NUMBER 344635118102301

LOCAL NUMBER 008N012W20B02S

ABOUT 75 FT SOUTH OF AVENUE D AND 0.45 MI WEST OF 20TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 287.2 FT. ALTITUDE OF LSD 2317.5 FT. RECORDS AVAILABLE 1941-44, 1951-54, 1956-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	84.34 S				
PERIOD OF RECORD	HIGHEST	5.9	DEC 26, 1942	LOWEST	84.34 MAR 29, 1988

SITE NUMBER 344547118090601

LOCAL NUMBER 008N012W21R01S

ABOUT 0.32 MI WEST OF SIERRA HWY AND 200 FT NORTH OF AVENUE E. UNUSED WELL. DIAM 8 IN, DEPTH 139.4 FT. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	72.65 S				
PERIOD OF RECORD	HIGHEST	72.16	MAR 08, 1984	LOWEST	83.65 OCT 08, 1982

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344523118073301

LOCAL NUMBER 008N012W26F01S

ABOUT 1425 FT EAST OF DIVISION STREET AND 2300 FT SOUTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	21.64 S
PERIOD OF RECORD	HIGHEST 14.27 JAN 24, 1951 LOWEST 22.49 FEB 12, 1974

SITE NUMBER 344534118094301

LOCAL NUMBER 008N012W28D01S

ABOUT 0.2 MI SOUTH OF AVENUE E AND 0.76 MI WEST OF 10TH STREET WEST. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 316 FT, PERFORATED 48-316 FT. ALTITUDE OF LSD 2308 FT. RECORDS AVAILABLE 1951, 1974-75, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	60.80 S
PERIOD OF RECORD	HIGHEST 11.89 APR 26, 1951 LOWEST 64.39 MAR 19, 1986

SITE NUMBER 344517118112801

LOCAL NUMBER 008N012W30K01S

ABOUT 0.5 MI SOUTH OF AVENUE E AND 0.4 MI WEST OF 30TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 170.9 FT. ALTITUDE OF LSD 2324 FT. RECORDS AVAILABLE 1951, 1956-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	79.77 S
PERIOD OF RECORD	HIGHEST 33.68 APR 26, 1951 LOWEST 105.85 OCT 20, 1970

SITE NUMBER 344405118111901

LOCAL NUMBER 008N012W31Q02S

ABOUT 0.08 MI NORTH OF AVENUE G, 0.26 MI WEST OF 30TH STREET WEST AND 200 FT SOUTH OF DIRT ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2322 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	69.32 S
PERIOD OF RECORD	HIGHEST 42.80 NOV 02, 1967 LOWEST 69.32 MAR 28, 1988

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344426118104101

LOCAL NUMBER 008N012W32L01S

ABOUT 0.5 MI SOUTH OF AVENUE F AND 0.28 MI EAST OF 30TH STREET WEST. UNUSED WATER-TABLE WELL.
DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	65.82 S
PERIOD OF RECORD	HIGHEST 45.47 AUG 15, 1963 LOWEST 65.82 MAR 28, 1988

SITE NUMBER 344418118081401

LOCAL NUMBER 008N012W34K01S

ABOUT 0.63 MI SOUTH OF AVENUE F AND 0.08 MI EAST OF 5TH STREET WEST. DOMESTIC WATER-TABLE WELL.
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2316 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	54.62 S
PERIOD OF RECORD	HIGHEST 48.75 FEB 13, 1979 LOWEST 54.62 MAR 28, 1988

SITE NUMBER 344822118134001

LOCAL NUMBER 008N013W02Q01S

ABOUT 0.55 MI EAST OF 60TH STREET WEST AND 100 FT NORTH OF AVENUE B. UNUSED WATER-TABLE WELL.
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2373 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR,

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	187.03 SS
PERIOD OF RECORD	HIGHEST 174.84 FEB 25, 1986 LOWEST 216.90 MAR 09, 1977

SITE NUMBER 344834118151401

LOCAL NUMBER 008N013W03M01S

IN CENTER OF AVENUE A-12 AND 25 FT EAST OF 70TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM
14 IN, DEPTH 765 FT, CASED TO 765 FT, PERFORATED 350-765 FT. ALTITUDE OF LSD 2400 FT. RECORDS
AVAILABLE 1955-56, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 29, 1988	P	MAR 31, 1988	213.33 SS
PERIOD OF RECORD	HIGHEST 205.71 FEB 23, 1987	LOWEST 265.90	MAR 09, 1977

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344848118172301

LOCAL NUMBER 008N013W05E01S

ABOUT 70 FT EAST OF 90TH STREET WEST AND 45 FT NORTH OF AVENUE A-8, IRRIGATION WATER-TABLE WELL.
DIAM 18 IN, DEPTH 552 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1945, 1957-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 29, 1988	251.42	S
PERIOD OF RECORD	HIGHEST 104.00 DEC 03, 1945	LOWEST 322.60 NOV 01, 1967

SITE NUMBER 344819118175201

LOCAL NUMBER 008N013W07B01S

ABOUT 0.49 MI WEST OF INTERSECTION OF AVENUE B AND 90TH STREET WEST AND 50 FT SOUTH OF AVENUE
B. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 496 FT, PERFORATED 320-496 FT. ALTITUDE OF LSD
2453 FT. RECORDS AVAILABLE 1961, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 29, 1988	267.55	S
PERIOD OF RECORD	HIGHEST 267.55 MAR 29, 1988	LOWEST 290.83 MAY 18, 1983

SITE NUMBER 344758118154401

LOCAL NUMBER 008N013W09K01S

SOUTHEAST CORNER OF INTERSECTION OF 75TH STREET WEST AND AVENUE B-6. UNUSED WATER-TABLE WELL. DIAM
14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1957-63, 1967 TO CURRENT YEAR,

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 29, 1988	216.44	S
PERIOD OF RECORD	HIGHEST 169.50 MAR 12, 1958	LOWEST 228.35 OCT 13, 1970

SITE NUMBER 344733118133901

LOCAL NUMBER 008N013W11Q01S

ABOUT 0.51 MI EAST OF 60TH STREET WEST AND 0.1 MI NORTH OF AVENUE L. IRRIGATION WATER-TABLE
WELL. DIAM 16 IN, DEPTH 575 FT, PERFORATED 200-575 FT. ALTITUDE OF LSD 2374 FT. RECORDS
AVAILABLE 1947, 1951, 1956-63, 1974-76, 1979-80, 1982-83, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 29, 1988	P	
PERIOD OF RECORD	HIGHEST 110.00 JAN 26, 1947	LOWEST 209.96 FEB 10, 1976

WATER LEVELS, LOS ANGELES COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344725118132701

LOCAL NUMBER 008N013W14B02S

ABOUT 250 FT SOUTH OF AVENUE C AND 200 FT WEST OF 52ND STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM ABOUT 6.5 IN, DEPTH 159 FT. ALTITUDE OF LSD 2370 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 148.00 S

PERIOD OF RECORD HIGHEST 134.80 MAR 28, 1978 LOWEST 148.46 APR 08, 1980

SITE NUMBER 344657118151301

LOCAL NUMBER 008N013W15M01S

ABOUT 0.43 MI NORTH OF AVENUE D AND 100 FT EAST OF 70TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 551 FT, PERFORATED 200-551 FT. ALTITUDE OF LSD 2402 FT. RECORDS AVAILABLE 1953-56, 1974-82, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 208.42 S

PERIOD OF RECORD HIGHEST 178.00 , 1956 LOWEST 247.90 FEB 13, 1974

SITE NUMBER 344647118175401

LOCAL NUMBER 008N013W18Q02S

ABOUT 0.5 MI WEST OF 90TH STREET WEST AND 0.21 MI NORTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 533 FT, PERFORATED 255-533 FT. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 246.69 S

PERIOD OF RECORD HIGHEST 246.69 MAR 29, 1988 LOWEST 295.00 FEB , 1973

SITE NUMBER 344623118164901

LOCAL NUMBER 008N013W20B01S

ABOUT 0.5 MI EAST OF 90TH STREET WEST AND 0.2 MI SOUTH OF AVENUE D. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 610 FT, PERFORATED 232-610 FT. ALTITUDE OF LSD 2430 FT. RECORDS AVAILABLE 1952-59, 1961-63, 1967, 1970, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 229.49 S

PERIOD OF RECORD HIGHEST 165.00 DEC , 1952 LOWEST 298.50 OCT 23, 1970

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344620118140901

LOCAL NUMBER 008N013W23E01S

ABOUT 250 FT EAST OF 60TH STREET WEST AND 0.18 MI NORTH OF AVENUE D-8. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 2063 FT IN 1928, CASED TO 529 FT. ALTITUDE OF LSD 2382 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	175.45 S
PERIOD OF RECORD	HIGHEST 175.45 MAR 28, 1988 LOWEST 208.67 FEB 13, 1974

SITE NUMBER 344607118140801

LOCAL NUMBER 008N013W23M01S

ABOUT 125 FT EAST OF 60TH STREET WEST AND 100 FT SOUTH OF AVENUE D-8. UNUSED WELL. DIAM 8 IN, DEPTH 450 FT, PERFORATED 50-450 FT. ALTITUDE OF LSD 2376 FT. MEASUREMENTS PRIOR TO 1983 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT, SOUTHERN CALIFORNIA ELECTRIC AND CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1942-43, 1945-56, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	159.68 S
PERIOD OF RECORD	HIGHEST 50.62 NOV 28, 1942 LOWEST 186.95 APR 26, 1983

SITE NUMBER 344500118122201

LOCAL NUMBER 008N013W25Q01S

ABOUT 0.18 MI NORTH OF AVENUE F AND 200 FT WEST OF 42ND STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2333 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	85.12
PERIOD OF RECORD	HIGHEST 55.98 FEB 18, 1975 LOWEST 85.12 MAR 28, 1988

SITE NUMBER 344509118133801

LOCAL NUMBER 008N013W26K01S

ABOUT 0.32 MI NORTH OF AVENUE F AND EAST OF 55TH STREET WEST. DRILLED DOMESTIC WATER-TABLE WELL. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1988	116.82 S
PERIOD OF RECORD	HIGHEST 116.82 MAR 28, 1988 LOWEST 120.58 FEB 08, 1982

WATER LEVELS, LOS ANGELES COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344403118175001

LOCAL NUMBER 008N013W31Q01S

ABOUT 0.11 MI NORTH OF AVENUE G AND 0.49 MI WEST OF 90TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 655 FT, PERFORATED 300-655 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	219.14	S			
PERIOD OF RECORD	HIGHEST 219.14	MAR 29, 1988	LOWEST 293.10	OCT 02, 1962	

SITE NUMBER 344425118141001

LOCAL NUMBER 008N013W35M01S

ABOUT 30 FT SOUTH OF AVENUE F-8 AND 50 FT EAST OF 60TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 255.5 FT. ALTITUDE OF LSD 2354 FT. RECORDS AVAILABLE 1952, 1959, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	130.84	S			
PERIOD OF RECORD	HIGHEST 78.90	NOV 13, 1952	LOWEST 141.70	MAR 13, 1980	

SITE NUMBER 344415118130501

LOCAL NUMBER 008N013W36L01S

ABOUT 0.5 MI NORTH OF AVENUE G AND 0.3 MI WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 1200 FT, CASED TO 1100 FT, PERFORATED 117-1100 FT. ALTITUDE OF LSD 2340 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY ENGINEERS. RECORDS AVAILABLE 1958-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
MAR 28, 1988	P	MAR 29, 1988	P		
PERIOD OF RECORD	HIGHEST 102.00	JUN 02, 1959	LOWEST 206.00	OCT 11, 1965	MAR 01, 1968

SITE NUMBER 344818118225701

LOCAL NUMBER 008N014W05Q01S

ABOUT 0.25 MI WEST OF INTERSECTION OF 140TH STREET WEST AND AVENUE B. UNUSED WELL. DIAM 10 IN, DEPTH 500 FT. ALTITUDE OF LSD 2558 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	260.29	S			
PERIOD OF RECORD	HIGHEST 260.29	MAR 30, 1988	LOWEST 282.37	MAY 18, 1983	

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344751118210701

LOCAL NUMBER 008N014W10L01S

ABOUT 0.5 MI SOUTH OF INTERSECTION OF AVENUE B AND 130TH STREET WEST. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2525 FT. RECORDS AVAILABLE 1967, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 256.98 S

PERIOD OF RECORD HIGHEST 252.00 DEC 27, 1967 LOWEST 276.05 MAY 18, 1983

SITE NUMBER 344819118191301

LOCAL NUMBER 008N014W12C01S

ABOUT 50 FT SOUTH OF AVENUE B AND 0.25 MI EAST OF 110TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 653 FT. ALTITUDE OF LSD 2480 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 29, 1988 294.17 S

PERIOD OF RECORD HIGHEST 294.17 MAR 29, 1988 LOWEST 354.40 SEP 21, 1978

SITE NUMBER 344658118234201

LOCAL NUMBER 008N014W17M01S

ABOUT 0.45 MI NORTH OF AVENUE D AND 150 FT EAST OF 150TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 828 FT, CASED TO 670 FT, PERFORATED 270-670 FT. ALTITUDE OF LSD 2592 FT. RECORDS AVAILABLE 1958, 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 173.03 S

PERIOD OF RECORD HIGHEST 172.50 MAY 08, 1962 LOWEST 190.00 NOV 20, 1958

SITE NUMBER 344635118244301

LOCAL NUMBER 008N014W18N01S

ABOUT 350 FT NORTH OF AVENUE D AND 50 FT EAST OF 160TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16-14 IN, DEPTH 865 FT, 16-IN CSG 0-450 FT, 14-IN CSG 450-865 FT, PERFORATED 250-865 FT. ALTITUDE OF LSD 2642 FT. RECORDS AVAILABLE 1954-55, 1958, 1960, 1962, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------	------	-------------------

NOV 03, 1987 110.57 S NOV 11, 1987 110.57 S MAR 30, 1988 110.21 S

NOV 11, 1987
PERIOD OF RECORD HIGHEST 110.21 MAR 30, 1988 LOWEST 205.30 NOV 26, 1958

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344607118195901

LOCAL NUMBER 008N014W23G01S

ABOUT 100 FT EAST OF 115TH STREET WEST AND 0.5 MI SOUTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 420 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1952, 1954, 1956-60, 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	270.39
PERIOD OF RECORD	HIGHEST 182.40 JUL 22, 1952 LOWEST 293.69 FEB 22, 1979

SITE NUMBER 344652118185701

LOCAL NUMBER 008N014W24C01S

ABOUT 0.48 MI EAST OF 110TH STREET WEST AND 100 FT SOUTH OF AVENUE D. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 618 FT, PERFORATED 500-618 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1955, 1967, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	258.71 S
PERIOD OF RECORD	HIGHEST 230.5 JUN 15, 1955 LOWEST 289.02 DEC 26, 1967

SITE NUMBER 344816118260901

LOCAL NUMBER 008N015W02Q02S

ABOUT 0.3 MI WEST OF 170TH STREET WEST AND 100 FT NORTH OF AVENUE B. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2635 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	286.56 S
PERIOD OF RECORD	HIGHEST 286.56 MAR 30, 1988 LOWEST 296.42 AUG 18, 1981

SITE NUMBER 344745118293301

LOCAL NUMBER 008N015W08L01S

NEAR INTERSECTION OF 205TH STREET WEST AND AVENUE B-8. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2720 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	155.82 S
PERIOD OF RECORD	HIGHEST 150.12 FEB 24, 1987 LOWEST 165.07 AUG 19, 1981

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344727118273101

LOCAL NUMBER 008N015W10P02S

NORTHEAST OF INTERSECTION OF 190TH STREET WEST AND AVENUE C. DRILLED UNUSED WATER-TABLE WELL.
DIAM 12 IN, DEPTH DRILLED 621 FT, PERFORATED 361-621 FT. ALTITUDE OF LSD 2710 FT. RECORDS
AVAILABLE 1965, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	155.20 S
PERIOD OF RECORD	HIGHEST 155.20 MAR 31, 1988 LOWEST 200.00 MAR 23, 1965

SITE NUMBER 344522118270801

LOCAL NUMBER 008N015W27H02S

ABOUT 0.25 MI SOUTH OF AVENUE E AND 0.24 MI WEST OF 180TH STREET WEST. DOMESTIC WELL. DIAM
6 IN, DEPTH 353 FT. ALTITUDE OF LSD 2798 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	153.5 SR
PERIOD OF RECORD	HIGHEST 152.50 FEB 25, 1987 LOWEST 161.78 MAY 18, 1983

SITE NUMBER 344421118282201

LOCAL NUMBER 008N015W33G01S

ABOUT 100 FT NORTH OF AVENUE F-8 AND 0.4 MI WEST OF 190TH STREET WEST. DOMESTIC WATER-TABLE WELL.
DIAM 12 IN, DEPTH 281.5 FT. ALTITUDE OF LSD 2930 FT. MEASUREMENTS PRIOR TO 1968 FURNISHED BY
CALIFORNIA STATE DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1946-50, 1953-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	212.63 S
PERIOD OF RECORD	HIGHEST 194.00 JAN 23, 1946 LOWEST 284.00 NOV 12, 1959

SITE NUMBER 344814118322401

LOCAL NUMBER 008N016W02R01S

ABOUT 0.22 MI WEST OF 230TH STREET WEST AND 60 FT NORTH OF AVENUE B. DRILLED TEST WELL.
DIAM 1.5 IN, DEPTH 319 FT, CASED TO 343.5 FT, PERFORATED 343.5-347 FT. ALTITUDE OF LSD 2795 FT.
RECORDS AVAILABLE 1965, 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	175.61 S
PERIOD OF RECORD	HIGHEST 165.03 APR 06, 1965 LOWEST 190.67 MAR 29, 1978

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344841118335001

LOCAL NUMBER 008N016W03F01S

ABOUT 0.5 MI NORTH OF AVENUE B AND 0.5 MI WEST OF 240TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 1.5-2 IN, DEPTH 326 FT, 1.5-IN CSG 0-295.5 FT, 2-IN CSG 295.5-326 FT, PERFORATED 317-326 FT. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1965, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	211.23 S	MAR 30, 1988	211.26 S
PERIOD OF RECORD	HIGHEST 191.64	APR 13, 1965	LOWEST 220.57 OCT 14, 1980

SITE NUMBER 344857118360901

LOCAL NUMBER 008N016W05C01S

ABOUT 0.25 MI EAST OF 270TH STREET WEST AND 0.19 MI SOUTH OF AVENUE A. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2900 FT. RECORDS AVAILABLE 1959, 1962, 1973-76, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	238.07 S
PERIOD OF RECORD	HIGHEST 212.73 APR 02, 1962 LOWEST 255.02 FEB 21, 1975

SITE NUMBER 344806118343801

LOCAL NUMBER 008N016W09G02S

ABOUT 300 FT WEST-SOUTHWEST OF LAKE HOLIDAY AND 0.47 MI EAST OF L.A. AQUEDUCT. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 300 FT. ALTITUDE OF LSD 2890 FT. RECORDS AVAILABLE 1965, 1974-77, 1980-84, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	245.52 S
PERIOD OF RECORD	HIGHEST 240.29 FEB 26, 1986 LOWEST 260.90 MAR 11, 1977

SITE NUMBER 344701118363401

LOCAL NUMBER 008N016W18H02S

ABOUT 0.15 MI WEST OF 270TH STREET WEST AND 150 FT NORTH OF HWY 138. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10-8 IN, DEPTH 400 FT, 10-IN CSG 0-183 FT, 8-IN CSG 183-400 FT. ALTITUDE OF LSD 2987 FT. RECORDS AVAILABLE 1956-62, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	164.67 S
PERIOD OF RECORD	HIGHEST 120.40 OCT 07, 1958 LOWEST 308.00 NOV 08, 1962

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344541118333901

LOCAL NUMBER 008N016W22Q04S

ABOUT 1 MI SOUTH OF INTERSECTION OF AVENUE D AND 245TH STREET WEST. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 160 FT, PERFORATED 60-160 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1956-63, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	46.22 S					
PERIOD OF RECORD	HIGHEST	32.77	MAY 19, 1983	LOWEST	76.2	OCT 26, 1960

SITE NUMBER 344605118324601

LOCAL NUMBER 008N016W23G01S

ABOUT 0.11 MI WEST OF 235TH STREET WEST AND 0.5 MI SOUTH OF HWY 138. UNUSED WELL. DIAM 8 IN, DEPTH 90 FT. ALTITUDE OF LSD 2913 FT. MEASUREMENTS PRIOR TO 1973 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1956-63, 1973-78, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	70.28 S					
PERIOD OF RECORD	HIGHEST	54.41	MAR 07, 1984	LOWEST	93.70	NOV 12, 1957

SITE NUMBER 344812118383401

LOCAL NUMBER 008N017W01N01S

NEAR INTERSECTION OF AVENUE B AND 290TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14-12-10 IN, DEPTH 787 FT, 14-IN CSG 0-489 FT, 12-IN CSG 489-603 FT, 10-IN CSG 603-787 FT. ALTITUDE OF LSD 2955 FT. RECORDS AVAILABLE 1945, 1953-54, 1962, 1964, 1967-68, 1970-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 30, 1988	258.02 S					
PERIOD OF RECORD	HIGHEST	199.60	NOV 13, 1945	LOWEST	315.91	MAR 21, 1967

SITE NUMBER 344858118414101

LOCAL NUMBER 008N017W04D01S

ABOUT 1.5 MI NORTH OF HWY 138, 2 MI WEST OF 300TH STREET WEST AND 0.16 MI NORTH OF ROAD. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 530 FT. ALTITUDE OF LSD 3036 FT. RECORDS AVAILABLE 1948, 1951, 1962, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
NOV 03, 1987	142.00 S	MAR 31, 1988	136.98 S	APR 12, 1988	133.90 T	
PERIOD OF RECORD	HIGHEST	105.56	OCT 23, 1979	LOWEST	161.33	OCT 11, 1972

WATER LEVELS, LOS ANGELES COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340535117573501

LOCAL NUMBER 001S010W07R02S

NEAR INTERSECTION OF LOS ANGELES AND MAINE STREETS IN BALDWIN PARK. DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 200 FT, PERFORATED 74-174, 181-196 FT. ALTITUDE OF LSD 387 FT. RECORDS AVAILABLE 1932 TO CURRENT YEAR. COMPARABLE RECORDS 1903-32 AS PUBLISHED IN PREVIOUS WATER-SUPPLY PAPERS WERE FOR WELL 42(001S010W18A01S).

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 26, 1987	160.28 S	JAN 28, 1988	158.26 S	APR 26, 1988	158.60 S	JUL 26, 1988	164.60 S
NOV 24	160.19 S	FEB 24	154.80 S	MAY 26	160.53 S	AUG 26	166.79 S
DEC 30	159.58 S	MAR 25	155.68 S	JUN 27	162.91 S	SEP 28	168.95 S
PERIOD OF RECORD	HIGHEST	62.40	MAY 31, 1943	JUN 30, 1944	LOWEST	183.79	DEC 22, 1977

WATER LEVELS, LOS ANGELES COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
005N013W36L01S	09-28-88	1000	122.00	946	7.80	20.0	320	130	84
006N009W28P02S	09-28-88	1300	731.00	620	7.90	25.5	230	120	63
007N011W18N01S	09-28-88	1545	290.00	442	7.90	23.0	150	67	49
007N011W19E01S	09-29-88	1600	508.00	193	8.30	28.0	48	0	18
007N013W13F03S	09-30-88	1100	--	830	7.70	21.5	210	56	58
007N013W14E01S	09-29-88	1215	930.00	472	7.90	25.0	150	55	47
007N013W19D01S	09-30-88	0930	500.00	521	7.80	23.0	150	20	52
008N010W22P03S	09-29-88	1400	--	362	8.00	24.5	120	0	35
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
005N013W36L01S	26	72	33	2	1.9	191	91	96	0.30
006N009W28P02S	17	41	28	1	4.1	110	160	21	0.30
007N011W18N01S	7.2	32	31	1	1.2	85	69	27	0.10
007N011W19E01S	0.84	24	51	2	0.90	59	14	3.0	0.20
007N013W13F03S	16	98	50	3	1.7	155	160	51	0.40
007N013W14E01S	8.1	38	35	1	1.5	96	39	38	0.10
007N013W19D01S	5.7	51	42	2	1.1	134	50	12	0.10
008N010W22P03S	8.3	26	31	1	3.3	128	53	4.6	0.30
	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
005N013W36L01S	39	596	562	8.50	0.020	0.06	260	8	4
006N009W28P02S	27	400	411	2.60	<0.010	--	130	26	1
007N011W18N01S	29	296	271	1.20	0.010	0.03	40	6	<1
007N011W19E01S	26	128	123	0.230	0.010	0.03	20	7	<1
007N013W13F03S	29	520	515	1.70	0.020	0.06	70	5	<1
007N013W14E01S	32	296	281	4.30	0.020	0.06	100	5	<1
007N013W19D01S	29	336	321	8.90	0.020	0.06	40	7	<1
008N010W22P03S	22	228	231	0.480	<0.010	--	90	<3	<1

< Actual value is known to be less than the value shown.

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

MENDOCINO COUNTY

	<u>Page</u>
LOCAL NUMBER 022N012W04B01M.....	117
LOCAL NUMBER 022N012W06E02M.....	117
LOCAL NUMBER 022N012W06L02M.....	121
LOCAL NUMBER 022N012W06L03M.....	117
LOCAL NUMBER 022N012W08G01M.....	121
LOCAL NUMBER 022N012W16E01M.....	121
LOCAL NUMBER 022N012W17Q01M.....	117
LOCAL NUMBER 022N012W17Q02M.....	121
LOCAL NUMBER 022N012W19F01M.....	121
LOCAL NUMBER 022N013W01J03M.....	121
LOCAL NUMBER 022N013W01N01M.....	118, 121
LOCAL NUMBER 022N013W12K01M.....	118
LOCAL NUMBER 022N013W12R01M.....	118
LOCAL NUMBER 022N013W13A01M.....	118
LOCAL NUMBER 023N012W28N01M.....	121
LOCAL NUMBER 023N012W29P03M.....	119
LOCAL NUMBER 023N012W30F01M.....	119
LOCAL NUMBER 023N012W32K01M.....	119, 121
LOCAL NUMBER 023N012W32N01M.....	121
LOCAL NUMBER 023N013W25P02M.....	121
LOCAL NUMBER 023N013W36A02M.....	121
LOCAL NUMBER 023N013W36A03M.....	119, 121
LOCAL NUMBER 023N013W36C03M.....	120
LOCAL NUMBER 023N013W36E01M.....	121
LOCAL NUMBER 023N013W36P03M.....	121




FIGURE 10.--Index map to location of wells in Mendocino County.

WATER LEVELS, MENDOCINO COUNTY

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 394802123115701

LOCAL NUMBER 022N012W04B01M

ABOUT 2.5 MI EAST OF COVELO. DRILLED IRRIGATION ARETESIAN WELL IN ALLUVIUM OF HOLOCENE AGE. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 1353 FT. RECORDS AVAILABLE 1951 TO 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	18.7 R	MAR 15, 1988	7.9 R	JUL 13, 1988	11.5 VP
PERIOD OF RECORD	HIGHEST	3.7 FEB 19, 1959	LOWEST	20.2 SEP 26, 1977	

SITE NUMBER 394743123144301

LOCAL NUMBER 022N012W06E02M

IN COVELO. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 8.6 IN, DEPTH 65 FT, PERFORATED 43-63 FT. ALTITUDE OF LSD 1393 FT. RECORDS AVAILABLE 1967 TO 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	18.8 R	MAR 15, 1988	4.3 R	JUL 13, 1988	10.09 S
PERIOD OF RECORD	HIGHEST	1.5 MAR 13, 1986	LOWEST	23.1 SEP 26, 1977	

SITE NUMBER 394730123141701

LOCAL NUMBER 022N012W06L03M

NEAR COVELO. DRILLED OBSERVATION WATER-TABLE WELL IN CONTINENTAL DEPOSITS OF PLEISTOCENE-PLIOCENE AGE. DIAM 4 IN, DEPTH 660 FT, PERFORATED 137-660 FT. ALTITUDE OF LSD 1370 FT. MEASUREMENTS FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	5.0 R	MAR 15, 1988	+8.4 R	JUL 13, 1988	0.66 S
PERIOD OF RECORD	HIGHEST	+10.0 MAR 29, 1983	LOWEST	24.2 SEP 15, 1964	

SITE NUMBER 394532123125801

LOCAL NUMBER 022N012W17Q01M

EAST OF COVELO, NORTH OF FAIRBANKS ROAD. IRRIGATION WELL. DIAM 8 IN, DEPTH UNKNOWN, ALTITUDE OF LSD 1351 FT. RECORDS AVAILABLE 1980 TO 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	13.9 R	MAR 15, 1988	4.9 R	JUL 12, 1988	11.36 S
PERIOD OF RECORD	HIGHEST	3.2 MAR 13, 1986	LOWEST	18.8 OCT 08, 1985	

WATER LEVELS, MENDOCINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 394722123153301

LOCAL NUMBER 022N013W01N01M

AT COVELO AIRPORT. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 8.6 IN, DEPTH DRILLED 69 FT, PERFORATED 39-69 FT. ALTITUDE OF LSD 1408 FT. RECORDS AVAILABLE 1966, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 28, 1987	32.8 R		MAR 15, 1988	8.2 R		JUL 13, 1988	21.74 SR
PERIOD OF RECORD	HIGHEST	2.6	MAR 29, 1983	LOWEST	40.4	SEP 26, 1977	

SITE NUMBER 394642123151501

LOCAL NUMBER 022N013W12K01M

SOUTH OF COVELO. DRILLED IRRIGATION WELL IN ALLUVIUM AND CLAY. DIAM 10 IN, DEPTH DRILLED 180 FT, PERFORATED 22-37, 65-85, 105-180 FT. ALTITUDE OF LSD 1396 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 28, 1987	22.2 R		MAR 15, 1988	6.5 R		JUL 13, 1988	12.71 S
PERIOD OF RECORD	HIGHEST	1.4	APR 02, 1980	LOWEST	110.8	OCT 09, 1956	

SITE NUMBER 394624123142701

LOCAL NUMBER 022N013W12R01M

IN ROUND VALLEY SOUTH OF WALLENBURG ROAD. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 321 FT, ALTITUDE OF LSD 1398 FT. PERFORATED 50-321 FT. RECORDS AVAILABLE 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 28, 1987	28.9 R		MAR 15, 1988	8.8 R		JUL 12, 1988	19.69 S
PERIOD OF RECORD	HIGHEST	1.5	MAR 13, 1986	LOWEST	41.3	NOV 03, 1977	

SITE NUMBER 394616123145201

LOCAL NUMBER 022N013W13A01M

SOUTH OF COVELO. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 8 IN, DEPTH DRILLED 101 FT. ALTITUDE OF LSD 1400 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
JUL 12, 1988	22.42 S						
PERIOD OF RECORD	HIGHEST	22.42	JUL 12, 1988	LOWEST	22.42	JUL 12, 1988	

WATER LEVELS, MENDOCINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 394910123132201

LOCAL NUMBER 023N012W29F03M

NORTHEAST OF COVELO. DOMESTIC WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1365 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	11.3 R	MAR 15, 1988	3.4 R	JUL 12, 1988	6.80 V
PERIOD OF RECORD	HIGHEST	0.2	APR 02, 1980	LOWEST	18.5 SEP 26, 1977

SITE NUMBER 394928123142301

LOCAL NUMBER 023N012W30F01M

NORTHEAST OF COVELO ON BARNES LANE. UNUSED WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1377 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUL 12, 1988	+0.99 S		
PERIOD OF RECORD	HIGHEST	+0.99 JUL 12, 1988	LOWEST +0.99 JUL 12, 1988

SITE NUMBER 394834123125301

LOCAL NUMBER 023N012W32K01M

ABOUT 1 MI NORTHEAST OF COVELO. DOMESTIC WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1358 FT. RECORD AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUL 13, 1988	3.10 S		
PERIOD OF RECORD	HIGHEST	3.10 JUL 13, 1988	LOWEST 3.10 JUL 13, 1988

SITE NUMBER 394856123145101

LOCAL NUMBER 023N013W36A03M

ABOUT 1 MI NORTH OF COVELO. DOMESTIC WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1398 FT. RECORD AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUL 12, 1988	13.61 SP		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

WATER LEVELS, MENDOCINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 394854123153801

LOCAL NUMBER 023N013W36C03M

IN ROUND VALLEY, NORTHWEST OF COVELO. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH 289 FT.
PERFORATED 50-289 FT. ALTITUDE OF LSD 1415 FT. RECORDS AVAILABLE 1961 TO 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	34.9 R	MAR 15, 1988	11.3 R	JUL 13, 1988	23.64 S
PERIOD OF RECORD	HIGHEST	6.62 MAR 27, 1961	LOWEST	39.2 SEP 26, 1977	

WATER QUALITY, MENDOCINO COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3
022N012W06L02M	07-13-88	1000	--	335	7.60	15.0	150	0
022N012W08G01M	07-13-88	0900	--	361	7.40	15.5	160	0
022N012W16E01M	07-13-88	0815	41.	620	7.60	17.0	250	0
022N012W17Q02M	07-12-88	1640	--	236	7.29	16.5	100	0
022N012W19F01M	07-12-88	1015	350.	457	7.90	16.0	250	10
022N013W01J03M	07-13-88	1045	--	226	7.60	17.5	100	0
022N013W01N01M	07-13-88	1300	69.00	133	7.20	17.0	58	8
023N012W28N01M	07-13-88	1600	--	240	6.90	16.5	100	0
023N012W32K01M	07-13-88	1715	--	442	7.40	17.0	190	0
023N012W32N01M	07-14-88	1045	--	303	7.40	15.0	140	0
023N013W25P02M	07-14-88	0930	--	254	7.60	15.5	120	5
023N013W36A02M	07-12-88	1515	--	225	7.00	14.5	110	7
023N013W36A03M	07-12-88	1350	--	252	7.10	16.5	120	5
023N013W36E01M	07-14-88	0800	--	245	7.60	14.5	120	8
023N013W36P03M	07-13-88	1345	--	298	6.90	15.5	150	7
	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	
022N012W06L02M	35	15	14	17	0.5	0.60	4.8	3.8
022N012W08G01M	26	22	22	23	0.8	0.60	2.1	4.6
022N012W16E01M	44	34	55	32	2	1.0	3.9	8.2
022N012W17Q02M	16	15	11	19	0.5	0.70	6.3	2.8
022N012W19F01M	32	41	9.5	8	0.3	0.70	24	3.7
022N013W01J03M	24	9.7	9.4	17	0.4	0.90	14	4.1
022N013W01N01M	7.9	9.2	4.1	13	0.2	0.50	5.7	4.3
023N012W28N01M	21	12	8.0	14	0.4	0.80	10	3.1
023N012W32K01M	51	16	19	18	0.6	0.60	1.3	3.3
023N012W32N01M	31	16	7.5	10	0.3	0.60	6.8	2.6
023N013W25P02M	33	8.8	5.2	9	0.2	0.60	15	3.0
023N013W36A02M	28	10	5.2	9	0.2	0.90	12	3.2
023N013W36A03M	29	12	5.5	9	0.2	0.50	12	2.8
023N013W36E01M	29	11	6.5	11	0.3	0.70	15	3.6
023N013W36P03M	27	19	7.0	9	0.3	1.1	6.0	4.2
	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	
022N012W06L02M	0.20	27	205	203	0.180	90	350	
022N012W08G01M	0.10	24	218	220	<0.100	90	230	
022N012W16E01M	0.20	21	361	368	<0.100	130	12	
022N012W17Q02M	0.20	20	135	142	0.620	40	<3	
022N012W19F01M	0.20	26	274	284	0.710	50	<3	
022N013W01J03M	<0.10	15	140	138	<0.100	80	84	
022N013W01N01M	<0.10	14	81	82	1.50	30	<3	
023N012W28N01M	<0.10	14	135	133	0.190	40	90	
023N012W32K01M	<0.10	29	265	262	<0.100	120	570	
023N012W32N01M	0.10	20	184	179	<0.100	50	370	
023N013W25P02M	0.10	12	151	148	0.320	50	12	
023N013W36A02M	0.10	12	139	136	0.430	40	<3	
023N013W36A03M	0.10	13	155	148	0.660	40	<3	
023N013W36E01M	0.10	13	153	147	0.450	50	<3	
023N013W36P03M	0.10	17	169	173	1.90	30	11	

< Actual value is known to be less than the value shown.

MERCED COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 005S012E19M01M.....	124	LOCAL NUMBER 007S014E15P01M.....	143, 145
LOCAL NUMBER 005S012E22P01M.....	124	LOCAL NUMBER 007S014E22F01M.....	133
LOCAL NUMBER 005S013E07L01M.....	124, 143, 145	LOCAL NUMBER 007S014E26H01M.....	133
LOCAL NUMBER 005S013E14P01M.....	124, 143, 145	LOCAL NUMBER 007S014E27R01M.....	133
LOCAL NUMBER 005S013E36F02M.....	125, 143, 145	LOCAL NUMBER 007S014E31J01M.....	134
LOCAL NUMBER 005S014E02Q02M.....	125, 143, 145	LOCAL NUMBER 007S015E18K01M.....	134
LOCAL NUMBER 005S014E05D01M.....	125	LOCAL NUMBER 008S010E16Q02M.....	134
LOCAL NUMBER 005S014E11A01M.....	143, 145	LOCAL NUMBER 008S010E16Q03M.....	134
LOCAL NUMBER 005S014E29K02M.....	125, 143, 145	LOCAL NUMBER 008S010E16Q04M.....	135
LOCAL NUMBER 006S010E02P02M.....	126	LOCAL NUMBER 008S010E21B01M.....	135
LOCAL NUMBER 006S010E20R02M.....	126	LOCAL NUMBER 008S010E21G01M.....	135
LOCAL NUMBER 006S011E06L01M.....	126	LOCAL NUMBER 008S010E21G02M.....	135
LOCAL NUMBER 006S011E19J01M.....	126	LOCAL NUMBER 008S010E21G03M.....	136
LOCAL NUMBER 006S011E34F01M.....	127	LOCAL NUMBER 008S010E21G04M.....	136
LOCAL NUMBER 006S012E27B01M.....	127	LOCAL NUMBER 008S010E21G05M.....	136
LOCAL NUMBER 006S012E34D01M.....	127	LOCAL NUMBER 008S010E21H01M.....	136
LOCAL NUMBER 006S012E35K01M.....	127	LOCAL NUMBER 008S010E21H02M.....	137
LOCAL NUMBER 006S013E04Q01M.....	143, 145	LOCAL NUMBER 008S010E22L01M.....	137
LOCAL NUMBER 006S013E19B01M.....	128	LOCAL NUMBER 008S010E22L02M.....	137
LOCAL NUMBER 006S013E28A01M.....	128	LOCAL NUMBER 008S010E22M01M.....	137
LOCAL NUMBER 006S013E31N01M.....	128	LOCAL NUMBER 008S010E22M02M.....	138
LOCAL NUMBER 006S013E32N02M.....	143, 145	LOCAL NUMBER 008S010E22P02M.....	138
LOCAL NUMBER 006S013E36L01M.....	128, 143, 145	LOCAL NUMBER 008S010E22R02M.....	138
LOCAL NUMBER 006S014E14E01M.....	129	LOCAL NUMBER 008S010E22R03M.....	138
LOCAL NUMBER 006S014E17H01M.....	129, 143, 145	LOCAL NUMBER 008S010E22R04M.....	139
LOCAL NUMBER 006S014E32A02M.....	129, 143, 145	LOCAL NUMBER 008S012E03P01M.....	139
LOCAL NUMBER 007S009E12H01M.....	129	LOCAL NUMBER 008S012E34L01M.....	139
LOCAL NUMBER 007S010E04Q01M.....	130	LOCAL NUMBER 008S013E19H01M.....	139
LOCAL NUMBER 007S010E21A01M.....	130	LOCAL NUMBER 008S013E19H02M.....	140
LOCAL NUMBER 007S010E23K03M.....	130	LOCAL NUMBER 008S014E11A01M.....	140
LOCAL NUMBER 007S012E06R01M.....	130	LOCAL NUMBER 008S015E16J01M.....	140
LOCAL NUMBER 007S012E10F02M.....	131	LOCAL NUMBER 008S016E21A01M.....	140
LOCAL NUMBER 007S012E24J01M.....	131	LOCAL NUMBER 009S012E02G01M.....	141
LOCAL NUMBER 007S013E03D01M.....	131	LOCAL NUMBER 009S014E01J01M.....	141
LOCAL NUMBER 007S013E12E01M.....	131	LOCAL NUMBER 009S014E19D01M.....	141
LOCAL NUMBER 007S013E16N01M.....	132, 143, 145	LOCAL NUMBER 009S015E29F01M.....	141
LOCAL NUMBER 007S013E18E01M.....	132	LOCAL NUMBER 009S016E18D01M.....	142
LOCAL NUMBER 007S013E22R01M.....	132	LOCAL NUMBER 010S013E02F02M.....	142
LOCAL NUMBER 007S013E29G01M.....	132		
LOCAL NUMBER 007S014E09R01M.....	133, 143, 145		




FIGURE 11.--Index map to location of wells in Merced County.

WATER LEVELS, MERCED COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372904120415501

LOCAL NUMBER 005S012E19M01M

8.0 MI WEST OF TURLOCK. OBSERVATION WELL. DIAM 6.62 IN, DEPTH 194 FT, PERFORATED 155-165, 184-194 FT. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	67.86 S	JUL 13, 1988	102.37 S
PERIOD OF RECORD	HIGHEST 67.86	FEB 09, 1988	LOWEST 106.07 JUL 16, 1986

SITE NUMBER 372842120382601

LOCAL NUMBER 005S012E22P01M

6 MI SOUTHEAST OF MONTPELIER. STOCK WELL. ALTITUDE OF LSD 206 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	123.28 SR	JUL 13, 1988	134.91 SR
PERIOD OF RECORD	HIGHEST 118.85	MAR 15, 1978	LOWEST 131.29 JUL 16, 1986

SITE NUMBER 373044120350801

LOCAL NUMBER 005S013E07L01M

2 MI SOUTH OF SNELLING. IRRIGATION WELL. ALTITUDE OF LSD 200 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	74.28 S	JUL 13, 1988	P
PERIOD OF RECORD	HIGHEST 74.28	FEB 09, 1988	LOWEST 110.24 JUL 14, 1986

SITE NUMBER 372935120305601

LOCAL NUMBER 005S013E14P01M

1 MI EAST OF HOPETON. DOMESTIC WELL. ALTITUDE OF LSD 190 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	26.63 S	JUL 12, 1988	45.40 SR
PERIOD OF RECORD	HIGHEST 22.95	JAN 23, 1984	LOWEST 38.00 JUL 14, 1986

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372726120294601

LOCAL NUMBER 005S013E36F02M

6 MI SOUTHWEST OF SNELLING. DOMESTIC WELL. ALTITUDE OF LSD 250 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	85.43 SR	JUL 12, 1988	94.59 S
PERIOD OF RECORD HIGHEST 80.91 APR 21, 1971 LOWEST 95.01 JUN 29, 1982			

SITE NUMBER 373116120235701

LOCAL NUMBER 005S014E02Q02M

3 MI EAST OF SNELLING. DOMESTIC WELL. ALTITUDE OF LSD 276 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	13.19 SR	JUL 12, 1988	17.17 SR
PERIOD OF RECORD HIGHEST 13.33 FEB 02, 1987 LOWEST 13.33 FEB 02, 1987			

SITE NUMBER 373203120274401

LOCAL NUMBER 005S014E05D01M

1.6 MI NORTHWEST OF SNELLING. STOCK WELL. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	127.64 SR	JUL 13, 1988	142.69 S
PERIOD OF RECORD HIGHEST 110.10 APR 28, 1981 LOWEST 142.69 JUL 13, 1988			

SITE NUMBER 372806120272201

LOCAL NUMBER 005S014E29K02M

10.5 MI NORTH OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	86.90 S	JUL 12, 1988	92.60 S
PERIOD OF RECORD HIGHEST 86.90 FEB 09, 1988 LOWEST 95.16 DEC 09, 1981			

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372602120503201

LOCAL NUMBER 006S010E02P02M

1.7 MI NORTH OF HILMAR. DOMESTIC WELL. ALTITUDE OF LSD 95 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	9.58 S	JUL 14, 1988	12.63 S
PERIOD OF RECORD	HIGHEST	7.61 JUL 27, 1983	LOWEST 14.80 MAY 02, 1978

SITE NUMBER 372329120532401

LOCAL NUMBER 006S010E20R02M

2.3 MI SOUTHWEST OF IRWIN. IRRIGATION WELL. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	11.55 S	JUL 14, 1988	47.92 S
PERIOD OF RECORD	HIGHEST	10.83 FEB 01, 1983	LOWEST 47.92 JUL 14, 1988

SITE NUMBER 372627120482301

LOCAL NUMBER 006S011E06L01M

1.5 MI NORTHWEST OF DELHI. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	22.06 S	JUL 14, 1988	83.82 S
PERIOD OF RECORD	HIGHEST	17.67 FEB 09, 1981	LOWEST 83.82 JUL 14, 1988

SITE NUMBER 372338120474401

LOCAL NUMBER 006S011E19J01M

2.8 MI SOUTHWEST OF DELHI. DOMESTIC WELL. ALTITUDE OF LSD 110 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	30.18 S	JUL 14, 1988	45.49 SR
PERIOD OF RECORD	HIGHEST	24.92 FEB 01, 1983	LOWEST 36.45 JUN 27, 1985

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372209120451201

LOCAL NUMBER 006S011E34F01M

2.2 MI SOUTHWEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 117 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	27.75 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	5.25 OCT 27, 1980	LOWEST 27.75 FEB 09, 1988

SITE NUMBER 372318120381601

LOCAL NUMBER 006S012E27B01M

1.4 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 158 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	47.98 S	JUL 14, 1988	58.81 S
PERIOD OF RECORD	HIGHEST	39.68 JAN 25, 1984	LOWEST 72.18 MAY 30, 1978

SITE NUMBER 372217120384501

LOCAL NUMBER 006S012E34D01M

2.3 MI SOUTHWEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	34.52 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	22.80 SEP 15, 1975	LOWEST 40.48 SEP 27, 1977

SITE NUMBER 372151120370301

LOCAL NUMBER 006S012E35K01M

1.3 MI NORTH OF ATWATER. DOMESTIC WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	35.17 SR	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	27.30 JAN 25, 1984	LOWEST 47.22 AUG 21, 1981

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372407120345701

LOCAL NUMBER 006S013E19B01M

1.8 MI NORTHEAST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 199 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	67.69 S	JUL 14, 1988	81.50 S
PERIOD OF RECORD	HIGHEST 60.80	JAN 25, 1984	LOWEST 103.30 MAY 02, 1977

SITE NUMBER 372323120323401

LOCAL NUMBER 006S013E28A01M

3.8 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	61.70 S	JUL 14, 1988	88.96 S
PERIOD OF RECORD	HIGHEST 49.20	FEB 01, 1977	LOWEST 96.48 AUG 29, 1977

SITE NUMBER 372145120352501

LOCAL NUMBER 006S013E31N01M

1 MI NORTHWEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 163 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	38.39 S	JUL 14, 1988	41.60 S
PERIOD OF RECORD	HIGHEST 33.27	JAN 25, 1984	LOWEST 49.80 NOV 28, 1977

SITE NUMBER 372201120295001

LOCAL NUMBER 006S013E36L01M

4.4 MI NORTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	29.58 S	JUL 13, 1988	P
PERIOD OF RECORD	HIGHEST 29.58	FEB 10, 1988	LOWEST 83.00 SEP 27, 1977

WATER LEVELS, MERCED COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372450120244301

LOCAL NUMBER 006S014E14E01M

7.0 MI NORTHEAST OF MERCED. OBSERVATION WELL. DIAM 3 IN, DEPTH 150 FT, PERFORATED 130-140 FT.
 ALTITUDE OF LSD 333 FT. RECORDS AVAILABLE 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
FEB 09, 1988	137.20 S				
PERIOD OF RECORD	HIGHEST	137.20	FEB 09, 1988	LOWEST	137.20 FEB 09, 1988

SITE NUMBER 372444120265701

LOCAL NUMBER 006S014E17H01M

4.0 MI NORTH OF MERCED. OBSERVATION WELL. DIAM 3 IN, DEPTH 150 FT, PERFORATED 130-140 FT.
 ALTITUDE OF LSD 273 FT. RECORDS AVAILABLE 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 09, 1988	101.05 S	JUL 12, 1988	104.07 S		
PERIOD OF RECORD	HIGHEST	101.05	FEB 09, 1988	LOWEST	104.07 JUL 12, 1988

SITE NUMBER 372226120270001

LOCAL NUMBER 006S014E32A02M

3 MI NORTH OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 229 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 09, 1988	65.50 S	JUL 13, 1988	69.20 S		
PERIOD OF RECORD	HIGHEST	63.88	JUL 15, 1986	LOWEST	69.20 JUL 13, 1988

SITE NUMBER 372032120552301

LOCAL NUMBER 007S009E12H01M

4.1 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 71 FT. RECORDS AVAILABLE 1978
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
FEB 09, 1988	11.03 S	JUL 14, 1988	14.06 S		
PERIOD OF RECORD	HIGHEST	4.06	JUL 28, 1983	LOWEST	14.06 JUL 14, 1988

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372251120522501

LOCAL NUMBER 007S010E04Q01M

1.9 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 82 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	15.33 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	8.71 JAN 23, 1984	LOWEST 18.08 AUG 19, 1981

SITE NUMBER 371849120521901

LOCAL NUMBER 007S010E21A01M

1.7 MI SOUTHWEST OF STEVINSON. DOMESTIC WELL. ALTITUDE OF LSD 75 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	4.71 S	JUL 14, 1988	5.49 SR
PERIOD OF RECORD	HIGHEST	1.70 JAN 24, 1984	LOWEST 10.25 FEB 14, 1986

SITE NUMBER 371626120501201

LOCAL NUMBER 007S010E23K03M

1.6 MI SOUTHEAST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 81 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	7.49 S	JUL 14, 1988	21.49 S
PERIOD OF RECORD	HIGHEST	1.43 FEB 01, 1983	LOWEST 21.49 JUL 14, 1988

SITE NUMBER 372058120411001

LOCAL NUMBER 007S012E06R01M

3.2 MI WEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 126 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	24.25 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	19.66 JAN 23, 1984	LOWEST 33.62 JUL 16, 1987

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372020120383501

LOCAL NUMBER 007S012E10F02M

0.1 MI SOUTHWEST OF ATWATER. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH 55 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	27.03 S	JUL 14, 1988	32.29 S
PERIOD OF RECORD	HIGHEST 23.36	JAN 23, 1984	LOWEST 42.53 JUL 06, 1977

SITE NUMBER 371830120354401

LOCAL NUMBER 007S012E24J01M

2.7 MI SOUTH OF ATWATER. IRRIGATION ARTESIAN WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 232 FT. ALTITUDE OF LSD 136 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	15.80 S	JUL 14, 1988	45.99 S
PERIOD OF RECORD	HIGHEST 10.21	JAN 24, 1984	LOWEST 46.92 SEP 27, 1977

SITE NUMBER 372128120322001

LOCAL NUMBER 007S013E03D01M

3.5 MI WEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 171 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	37.99 S	JUL 12, 1988	42.33 S
PERIOD OF RECORD	HIGHEST 32.50	NOV 26, 1979	LOWEST 68.08 AUG 29, 1977

SITE NUMBER 372033120295801

LOCAL NUMBER 007S013E12E01M

2.9 MI NORTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 167 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	30.89 S	JUL 12, 1988	36.73 S
PERIOD OF RECORD	HIGHEST 23.17	JAN 05, 1977	LOWEST 44.22 AUG 04, 1977

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371914120331901

LOCAL NUMBER 007S013E16N01M

4.3 MI NORTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 149 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	12.45 S	JUL 13, 1988	22.85 S
PERIOD OF RECORD	HIGHEST	9.61 JUL 25, 1983	LOWEST 33.20 OCT 20, 1977

SITE NUMBER 371927120354201

LOCAL NUMBER 007S013E18E01M

1.9 MI SOUTH OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 09, 1988	21.70 S	JUL 14, 1988	29.25 S
PERIOD OF RECORD	HIGHEST	9.40 SEP 09, 1975	LOWEST 42.63 AUG 29, 1977

SITE NUMBER 371818120312201

LOCAL NUMBER 007S013E22R01M

2.3 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	20.84 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	15.76 JAN 24, 1984	LOWEST 32.10 DEC 29, 1977

SITE NUMBER 371745120340401

LOCAL NUMBER 007S013E29G01M

4.7 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 140 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	15.25 S	JUL 14, 1988	44.35 S
PERIOD OF RECORD	HIGHEST	10.56 FEB 02, 1983	LOWEST 44.35 JUL 14, 1988

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 372002120261001

LOCAL NUMBER 007S014E09R01M

3.4 MI NORTHEAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 185 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
JUL 13, 1988	P	
PERIOD OF RECORD	HIGHEST 14.57 NOV 19, 1970	LOWEST 54.30 SEP 26, 1977

SITE NUMBER 371839120252401

LOCAL NUMBER 007S014E22F01M

3.4 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 191 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
FEB 10, 1988	25.37 S	JUL 14, 1988	P	
PERIOD OF RECORD	HIGHEST 16.59 JAN 02, 1981	LOWEST 80.20 MAR 01, 1977		

SITE NUMBER 371753120234601

LOCAL NUMBER 007S014E26H01M

4.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
FEB 10, 1988	16.60 S	JUL 14, 1988	18.60 S	
PERIOD OF RECORD	HIGHEST 7.70 MAY 31, 1978	LOWEST 33.44 NOV 30, 1977		

SITE NUMBER 371729120245301

LOCAL NUMBER 007S014E27R01M

3.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 186 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
FEB 10, 1988	22.36 S	JUL 14, 1988	31.64 S	
PERIOD OF RECORD	HIGHEST 15.52 JAN 24, 1984	LOWEST 55.90 JUN 30, 1978		

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371649120280901

LOCAL NUMBER 007S014E31J01M

1.7 MI SOUTH OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 165 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	20.51 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	11.18 FEB 02, 1983	LOWEST 54.90 AUG 31, 1978

SITE NUMBER 371919120215801

LOCAL NUMBER 007S015E18K01M

6.5 MI EAST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 212 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	31.29 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	25.8 JUL 26, 1983	LOWEST 31.29 FEB 10, 1988

SITE NUMBER 371352120522501

LOCAL NUMBER 008S010E16Q02M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 346 FT, PERFORATED 326-336 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1987	16.01 S	MAR 16, 1988	8.44 S	JUN 15, 1988	11.25 S	SEP 22, 1988	21.86 S
PERIOD OF RECORD	HIGHEST	5.20 MAR 18, 1987	LOWEST	21.86 SEP 22, 1988			

SITE NUMBER 371352120522502

LOCAL NUMBER 008S010E16Q03M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 210 FT, PERFORATED 200-210 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 02, 1987	7.22 S	MAR 16, 1988	3.87 S	JUN 15, 1988	6.71 S	SEP 22, 1988	9.35 S
PERIOD OF RECORD	HIGHEST	1.82 MAY 19, 1986	LOWEST	9.35 SEP 22, 1988			

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371357120522702

LOCAL NUMBER 008S010E16Q04M

7.0 MI SOUTHEAST OF GUSTINE. DOMESTIC WELL. ALTITUDE OF LSD 77.0 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	12.70 S	MAR 15, 1988	2.66 S	JUN 15, 1988	6.60 S	SEP 21, 1988	P
PERIOD OF RECORD	HIGHEST	2.66	MAR 15, 1988	LOWEST	12.70	NOV 30, 1987	

SITE NUMBER 371345120522301

LOCAL NUMBER 008S010E21B01M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 17 FT, PERFORATED 7-17 FT. ALTITUDE OF LSD 77.2 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	3.50 S	MAR 15, 1988	4.34 S	JUN 15, 1988	8.25 S	SEP 21, 1988	10.57 S
PERIOD OF RECORD	HIGHEST	2.89	MAR 16, 1987	LOWEST	10.57	SEP 21, 1988	

SITE NUMBER 371331120521501

LOCAL NUMBER 008S010E21G01M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 14.5 FT. ALTITUDE OF LSD 76.0 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	1.30 S	MAR 15, 1988	3.52 S	JUN 15, 1988	7.30 S	SEP 21, 1988	D
PERIOD OF RECORD	HIGHEST	0.90	MAR 17, 1987	LOWEST	7.30	JUN 15, 1988	

SITE NUMBER 371339120522001

LOCAL NUMBER 008S010E21G02M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 70 FT, PERFORATED 20-70 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	1.96 S	MAR 15, 1988	2.61 S	JUN 15, 1988	6.42 S	SEP 21, 1988	8.87 S
PERIOD OF RECORD	HIGHEST	0.50	MAR 17, 1987	LOWEST	8.87	SEP 21, 1988	

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371333120521701

LOCAL NUMBER 008S010E21G03M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 18.7 FT, PERFORATED 15.7-18.7 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	2.23 S	MAR 15, 1988	2.94 S	JUN 15, 1988	6.80 S	SEP 21, 1988	8.99 S
PERIOD OF RECORD	HIGHEST	1.52	MAR 17, 1987	LOWEST	8.99	SEP 21, 1988	

SITE NUMBER 371333120521703

LOCAL NUMBER 008S010E21G04M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 38.6 FT, PERFORATED 35.6-38.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	2.40 S	MAR 15, 1988	2.90 S	JUN 15, 1988	6.80 S	SEP 21, 1988	9.44 S
PERIOD OF RECORD	HIGHEST	1.90	MAR 17, 1987	LOWEST	9.44	SEP 21, 1988	

SITE NUMBER 371333120521702

LOCAL NUMBER 008S010E21G05M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 28.6 FT, PERFORATED 25.6-28.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	2.37 S	MAR 15, 1988	2.93 S	JUN 15, 1988	6.93 S	SEP 21, 1988	9.36 S
PERIOD OF RECORD	HIGHEST	1.95	MAR 17, 1987	LOWEST	9.36	SEP 21, 1988	

SITE NUMBER 371327120520701

LOCAL NUMBER 008S010E21H01M

7.3 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE OF LSD 76.0 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	3.92 S	MAR 15, 1988	4.27 S	JUN 15, 1988	8.36 S	SEP 21, 1988	8.74
PERIOD OF RECORD	HIGHEST	2.23	MAR 17, 1987	LOWEST	8.74	SEP 21, 1988	

WATER LEVELS, MERCED COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371325120520001

LOCAL NUMBER 008S010E21H02M

7.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.3 FT, PERFORATED 5.3-10.3 FT.
 ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	3.46 S	MAR 15, 1988	3.64 S	JUN 15, 1988	7.60 S	SEP 21, 1988	7.24 S
PERIOD OF RECORD	HIGHEST	1.34	DEC 02, 1986	LOWEST	9.00	SEP 08, 1986	

SITE NUMBER 371315120514101

LOCAL NUMBER 008S010E22L01M

8.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE
 OF LSD 76.3 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	2.66 S	MAR 16, 1988	2.32 S	JUN 15, 1988	6.31 S	SEP 21, 1988	7.88 S
PERIOD OF RECORD	HIGHEST	1.70	MAR 18, 1987	LOWEST	7.99	SEP 09, 1986	

SITE NUMBER 371314120513401

LOCAL NUMBER 008S010E22L02M

8.0 MI SOUTHEAST OF GUSTINE. IRRIGATION WELL. ALTITUDE OF LSD 77.0 FT. RECORDS AVAILABLE 1987
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 30, 1987	P	MAR 15, 1988	O	SEP 21, 1988	SO
PERIOD OF RECORD	HIGHEST	3.40	SEP 16, 1987	LOWEST	10.93
					JUN 18, 1987

SITE NUMBER 371322120515301

LOCAL NUMBER 008S010E22M01M

7.6 MI SOUTH EAST OF GUSTINE. OBSERVATION WELL. DIAM 1.25 IN, DEPTH 20 FT, PERFORATED 5-20 FT.
 ALTITUDE OF LSD 76.5 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	2.82 S	MAR 15, 1988	2.90 S	JUN 15, 1988	6.83 S	SEP 21, 1988	6.33 S
PERIOD OF RECORD	HIGHEST	1.41	DEC 02, 1986	LOWEST	8.76	SEP 08, 1986	

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371320120514801

LOCAL NUMBER 008S010E22M02M

7.8 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.5 FT, PERFORATED 5.5-10.5 FT. ALTITUDE OF LSD 74.6 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	1.72 S	MAR 15, 1988	1.76 S	JUN 15, 1988	5.65 S	SEP 21, 1988	7.16 S
PERIOD OF RECORD	HIGHEST	.65	DEC 02, 1986	LOWEST	7.27	SEP 09, 1986	

SITE NUMBER 371310120512801

LOCAL NUMBER 008S010E22F02M

8.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 11 FT, PERFORATED 6-11 FT. ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	3.70 S	MAR 16, 1988	2.45 S	JUN 15, 1988	D	SEP 21, 1988	D
PERIOD OF RECORD	HIGHEST	2.45	MAR 16, 1988	LOWEST	9.13	SEP 09, 1986	

SITE NUMBER 371312120510301

LOCAL NUMBER 008S010E22R02M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 19 FT, PERFORATED 14-19 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	5.34 S	MAR 16, 1988	4.96 S	JUN 16, 1988	6.12 S	SEP 21, 1988	8.83 S
PERIOD OF RECORD	HIGHEST	4.64	MAR 16, 1987	LOWEST	8.83	SEP 21, 1988	

SITE NUMBER 371312120510302

LOCAL NUMBER 008S010E22R03M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 39 FT, PERFORATED 34-39 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	7.26 S	MAR 16, 1988	5.57 S	JUN 16, 1988	7.69 S	SEP 21, 1988	9.57 S
PERIOD OF RECORD	HIGHEST	5.57	MAR 16, 1988	LOWEST	9.57	SEP 21, 1988	

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371312120510303

LOCAL NUMBER 008S010E22R04M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 79 FT, PERFORATED 74-79 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 01, 1987	6.67 S	MAR 16, 1988	5.14 S	JUN 16, 1988	6.18 S	SEP 21, 1988	8.78 S
PERIOD OF RECORD	HIGHEST	5.14	MAR 16, 1988	LOWEST	9.35	SEP 09, 1986	

SITE NUMBER 371538120383001

LOCAL NUMBER 008S012E03P01M

9.3 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 109 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	12.82 S	JUL 14, 1988	15.88 S
PERIOD OF RECORD	HIGHEST	3.59	FEB 02, 1983
		LOWEST	24.00
			NOV 28, 1979

SITE NUMBER 371126120384101

LOCAL NUMBER 008S012E34L01M

9.3 MI NORTHWEST OF EL NIDO. DOMESTIC WELL. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	8.73 SR	JUL 14, 1988	17.52 S
PERIOD OF RECORD	HIGHEST	2.62	FEB 02, 1983
		LOWEST	17.52
			JUL 14, 1988

SITE NUMBER 371320120344301

LOCAL NUMBER 008S013E19H01M

7.6 MI SOUTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	18.79 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	17.70	FEB 14, 1985
		LOWEST	38.74
			JUN 18, 1984

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371326120344201

LOCAL NUMBER 008S013E19H02M

7.7 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	14.94 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	12.19 FEB 02, 1983	LOWEST 36.60 DEC 27, 1979

SITE NUMBER 371524120234901

LOCAL NUMBER 008S014E11A01M

5.8 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 188 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	24.97 S	JUL 14, 1988	P
PERIOD OF RECORD	HIGHEST	21.73 FEB 03, 1987	LOWEST 30.80 JUN 25, 1985

SITE NUMBER 371411120194001

LOCAL NUMBER 008S015E16J01M

0.3 MI NORTHWEST OF PLAINSBURG. IRRIGATION WELL. ALTITUDE OF LSD 216 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	82.09 S	JUL 14, 1988	101.07 S
PERIOD OF RECORD	HIGHEST	75.15 FEB 14, 1985	LOWEST 104.38 JUL 02, 1982

SITE NUMBER 371342120132901

LOCAL NUMBER 008S016E21A01M

2 MI EAST OF LEGRAND. IRRIGATION WELL. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	49.50 S	JUL 14, 1988	104.26 S
PERIOD OF RECORD	HIGHEST	38.20 JAN 24, 1984	LOWEST 104.26 JUL 14, 1988

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 371050120373101

LOCAL NUMBER 009S012E02G01M

8 MI NORTHWEST OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	9.51 SR	JUL 14, 1988	17.53 SR
PERIOD OF RECORD	HIGHEST	2.26 FEB 02, 1983	LOWEST 20.51 JUN 24, 1985

SITE NUMBER 371034120225601

LOCAL NUMBER 009S014E01J01M

2.6 MI SOUTHWEST OF ATHLONE. IRRIGATION WELL. ALTITUDE OF LSD 147 FT. RECORDS AVAILABLE 1975 TO 1979, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	55.48 S	JUL 14, 1988	121.03 S
PERIOD OF RECORD	HIGHEST	48.44 FEB 03, 1987	LOWEST 121.03 JUL 14, 1988

SITE NUMBER 370831120291201

LOCAL NUMBER 009S014E19D01M

0.6 MI NORTH OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 143 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	58.70 S	JUL 14, 1988	130.57 S
PERIOD OF RECORD	HIGHEST	51.27 FEB 03, 1987	LOWEST 183.94 JUL 03, 1979

SITE NUMBER 370713120212401

LOCAL NUMBER 009S015E29F01M

5.2 MI WEST OF CHOWCHILLA. IRRIGATION WELL. ALTITUDE OF LSD 196 FT. RECORDS AVAILABLE 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	59.86 S	JUL 14, 1988	112.41 S
PERIOD OF RECORD	HIGHEST	55.55 FEB 14, 1985	LOWEST 146.81 SEP 03, 1979

WATER LEVELS, MERCED COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 370915120162301

LOCAL NUMBER 009S016E18D01M

2.5 MI NORTH OF CHOWCHILLA. DOMESTIC WELL. ALTITUDE OF LSD 239 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 10, 1988	125.96 S	JUL 14, 1988	141.44 S
PERIOD OF RECORD	HIGHEST 121.48	FEB 03, 1987	LOWEST 151.09 DEC 10, 1981

SITE NUMBER 370528120311501

LOCAL NUMBER 010S013E02F02M

1.5 MI NORTHWEST OF RED TOP. IRRIGATION WELL. ALTITUDE OF LSD 124 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 10, 1988	57.22 S
PERIOD OF RECORD	HIGHEST 47.10 JAN 24, 1984 LOWEST 95.23 JUN 26, 1985

WATER QUALITY, MERCED COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)
005S013E07L01M	07-13-88	1630	123	7.80	21.0	9.9	3.2	11	1.6
005S013E14P01M	07-12-88	1645	83	7.80	22.0	8.3	3.0	7.3	1.0
005S013E36F02M	07-12-88	1800	232	7.30	21.5	20	7.2	23	1.5
005S014E02Q02M	07-12-88	1415	232	6.90	21.5	19	11	16	2.6
005S014E11A01M	07-12-88	1530	162	7.10	26.0	13	6.1	10	2.7
005S014E29K02M	07-13-88	1400	149	7.30	21.5	12	4.7	11	5.5
006S013E04Q01M	07-13-88	1800	333	6.90	19.5	37	14	23	2.4
006S013E32N02M	07-12-88	1045	231	7.60	21.5	19	4.9	21	6.3
006S013E36L01M	07-13-88	1330	212	7.30	21.5	14	5.9	21	5.1
006S014E17H01M	02-19-88	1300	232	7.60	23.0	13	6.4	22	4.5
006S014E17H01M	07-12-88	1215	228	7.40	25.0	13	6.1	22	4.2
006S014E32A02M	07-13-88	1145	211	7.20	21.5	18	7.1	21	2.2
007S013E16N01M	07-13-88	0815	554	7.10	18.5	72	29	27	3.0
007S014E09R01M	07-13-88	0915	252	7.20	19.0	22	11	24	2.6
007S014E15P01M	07-13-88	1110	198	7.40	19.5	14	8.1	14	0.60

	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)
005S013E07L01M	38	3.3	2.4	0.10	36	98	1.70	0.030	<10
005S013E14P01M	840	2.7	2.5	<0.10	30	78	0.950	0.040	<10
005S013E36F02M	70	4.5	8.0	<0.10	61	199	9.20	0.090	<10
005S014E02Q02M	108	5.4	5.9	0.10	76	202	4.30	0.040	<10
005S014E11A01M	58	4.1	6.7	<0.10	85	164	1.70	0.070	<10
005S014E29K02M	58	4.1	5.1	0.20	66	138	1.70	0.070	<10
006S013E04Q01M	154	7.5	6.6	0.10	61	247	2.90	0.080	<10
006S013E32N02M	70	7.4	12	0.10	55	185	5.20	0.020	<10
006S013E36L01M	880	9.2	6.9	0.10	72	174	3.00	0.050	<10
006S014E17H01M	60	13	10	0.20	91	216	6.00	0.070	<10
006S014E17H01M	58	15	11	0.10	87	169	6.40	0.060	20
006S014E32A02M	102	2.8	3.2	0.10	42	158	1.50	0.080	<10
007S013E16N01M	262	22	19	<0.10	66	407	6.80	0.040	<10
007S014E09R01M	126	7.3	9.0	0.10	61	204	2.30	0.100	<10
007S014E15P01M	84	4.8	3.9	0.10	43	158	1.30	0.090	<10

	ARSENIC DIS- SOLVED (UG/L AS AS)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)
005S013E07L01M	2	<1	3	1	<1	<3	<5	<4
005S013E14P01M	<1	<1	1	2	1	12	<5	<4
005S013E36F02M	2	<1	2	1	1	7	<5	4
005S014E02Q02M	1	<1	<1	1	3	90	<5	5
005S014E11A01M	1	<1	<1	3	5	14	<5	<4
005S014E29K02M	2	<1	1	2	<1	4	<5	<4
006S013E04Q01M	1	<1	1	3	1	4	<5	6
006S013E32N02M	3	<1	5	3	1	6	<5	<4
006S013E36L01M	4	<1	3	1	1	4	<5	<4
006S014E17H01M	3	4	7	<1	<1	7	<5	8
006S014E17H01M	3	<1	7	2	<1	9	<5	10
006S014E32A02M	2	<1	<1	2	1	7	<5	4
007S013E16N01M	1	<1	<1	1	2	3	<5	11
007S014E09R01M	4	<1	2	<1	<1	5	<5	5
007S014E15P01M	6	1	1	1	1	1	<5	8

⑧ Laboratory value.

< Actual value is known to be less than the value shown.

WATER QUALITY, MERCED COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY DIS- SOLVED (UG/L AS HG)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	ZINC, DIS- SOLVED (UG/L AS ZN)
005S013E07L01M	<1	<0.1	<1	3	<1	110	14	6
005S013E14P01M	<1	<0.1	<1	3	<1	93	6	15
005S013E36F02M	<1	<0.1	<1	2	<1	280	12	34
005S014E02Q02M	38	<0.1	1	3	<1	140	3	43
005S014E11A01M	6	<0.1	<1	3	<1	150	7	1600
005S014E29K02M	<1	<0.1	<1	2	<1	170	9	3
006S013E04Q01M	<1	<0.1	<1	2	<1	490	10	9
006S013E32N02M	2	<0.1	<1	5	<1	230	37	8
006S013E36L01M	<1	<0.1	1	8	<1	190	36	<3
006S014E17H01M	1	<0.1	2	<1	<1	160	27	5
006S014E17H01M	5	<0.1	<1	4	<1	160	30	3
006S014E32A02M	<1	<0.1	<1	3	<1	230	8	97
007S013E16N01M	<1	<0.1	<1	1	<1	940	18	<3
007S014E09R01M	<1	<0.1	1	3	<1	250	18	<7
007S014E15P01M	6	<0.1	2	3	<1	110	37	8

< Actual value is known to be less than the value shown.

WATER QUALITY, MERCED COUNTY--Continued

ORGANIC DATA


WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	PCB, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
005S013E07L01M	07-13-88	1630	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S013E14P01M	07-12-88	1645	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S013E36F02M	07-12-88	1800	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S014E02Q02M	07-12-88	1415	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S014E11A01M	07-12-88	1530	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
005S014E29K02M	07-13-88	1400	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S013E04Q01M	07-13-88	1800	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S013E32N02M	07-12-88	1045	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S013E36L01M	07-13-88	1330	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S014E17H01M	02-19-88	1300	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S014E17H01M	07-12-88	1215	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
006S014E32A02M	07-13-88	1145	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S013E16N01M	07-13-88	0815	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S014E09R01M	07-13-88	0915	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
007S014E15P01M	07-13-88	1110	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010
	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)
005S013E07L01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S013E14P01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S013E36F02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S014E02Q02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S014E11A01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
005S014E29K02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S013E04Q01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S013E32N02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S013E36L01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S014E17H01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S014E17H01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
006S014E32A02M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S013E16N01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S014E09R01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
007S014E15P01M	<0.010	<0.01	<0.010	<0.010	<0.01	<0.010	<0.010	<0.010
	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	MIREX, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)
005S013E07L01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S013E14P01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S013E36F02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S014E02Q02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S014E11A01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
005S014E29K02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S013E04Q01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S013E32N02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S013E36L01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S014E17H01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S014E17H01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
006S014E32A02M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S013E16N01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S014E09R01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01
007S014E15P01M	<0.01	<0.01	<0.01	<0.01	<0.01	<0.1	<1	<0.01

< Actual value is known to be less than the value shown.

RIVERSIDE COUNTY

	<u>Page</u>
LOCAL NUMBER 003S004E20D01S	148, 159, 160
LOCAL NUMBER 003S004E20F01S	148, 159, 160
LOCAL NUMBER 003S004E20F02S	148, 159, 160
LOCAL NUMBER 003S004E20F03S	148, 159, 160
LOCAL NUMBER 003S004E20J01S	149, 159, 160
LOCAL NUMBER 003S004E20J02S	149, 159, 160
LOCAL NUMBER 003S004E20J03S	149, 159, 160
LOCAL NUMBER 003S004E29F01S	149, 159, 160
LOCAL NUMBER 003S004E29R01S	150, 159, 160
LOCAL NUMBER 003S004E30C01S	159, 160
LOCAL NUMBER 007S003E07C02S	150
LOCAL NUMBER 007S003E14P03S	150
LOCAL NUMBER 007S003E34E01S	150
LOCAL NUMBER 007S004E13N01S	151
LOCAL NUMBER 007S004E24E01S	151
LOCAL NUMBER 007S004E24Q01S	151
LOCAL NUMBER 008S003E02D01S	151
LOCAL NUMBER 008S003E02K01S	152
LOCAL NUMBER 002S006W31C01S	152
LOCAL NUMBER 003S001W05Q01S	152
LOCAL NUMBER 004S003W29Q01S	152
LOCAL NUMBER 005S002W19N01S	153
LOCAL NUMBER 005S002W22G02S	153
LOCAL NUMBER 008S002W20R01S	153
LOCAL NUMBER 008S002W28M01S	154
LOCAL NUMBER 008S002W28M02S	154
LOCAL NUMBER 008S002W28M03S	154
LOCAL NUMBER 008S002W28P01S	154
LOCAL NUMBER 008S002W28Q02S	155
LOCAL NUMBER 008S002W28Q03S	155
LOCAL NUMBER 008S002W28R01S	155
LOCAL NUMBER 008S002W29A01S	155
LOCAL NUMBER 008S002W29D02S	156
LOCAL NUMBER 008S002W29G01S	156
LOCAL NUMBER 008S002W29J02S	157
LOCAL NUMBER 008S002W29K01S	157
LOCAL NUMBER 008S002W34B02S	158



GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

FIGURE 12.--Index map to location of wells in Riverside County.

WATER LEVELS, RIVERSIDE COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 335407116353401

LOCAL NUMBER 003S004E20D01S

ABOUT 0.75 MI SOUTH OF INTERSTATE 10 NEAR 29 PALMS ROAD. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 580 FT, PERFORATED 560-580 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	249.88 S	MAR 29, 1988	284.09 S
PERIOD OF RECORD	HIGHEST 150.98	APR 28, 1987	LOWEST 554.50 MAR 14, 1978

SITE NUMBER 335348116352701

LOCAL NUMBER 003S004E20F01S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 640 FT, PERFORATED 600-640 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1987	235.45 S	MAR 30, 1988	268.45 S
PERIOD OF RECORD	HIGHEST 132.57	NOV 12, 1986	LOWEST 486.40 SEP 25, 1979

SITE NUMBER 335348116352702

LOCAL NUMBER 003S004E20F02S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1987	240.05 S	MAR 30, 1988	272.41 S
PERIOD OF RECORD	HIGHEST 144.78	APR 29, 1987	LOWEST 490.60 SEP 25, 1979

SITE NUMBER 335348116352703

LOCAL NUMBER 003S004E20F03S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 1140 FT, PERFORATED 1100-1140 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1987	244.76 S	MAR 30, 1988	276.50 S
PERIOD OF RECORD	HIGHEST 153.70	APR 29, 1987	LOWEST 494.20 SEP 25, 1979

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 335339116345301

LOCAL NUMBER 003S004E20J01S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 590 FT, PERFORATED 550-590 FT.
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	205.89 S	MAR 29, 1988	239.03 S
PERIOD OF RECORD	HIGHEST	57.90	NOV 12, 1986
	LOWEST	417.20	OCT 02, 1980

SITE NUMBER 335339116345302

LOCAL NUMBER 003S004E20J02S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 730 FT, PERFORATED 690-730 FT.
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	206.16 S	MAR 29, 1988	239.20 S
PERIOD OF RECORD	HIGHEST	103.89	NOV 12, 1986
	LOWEST	419.00	JUL 16, 1980

SITE NUMBER 335339116345303

LOCAL NUMBER 003S004E20J03S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT.
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	207.94 S	MAR 29, 1988	240.32 S
PERIOD OF RECORD	HIGHEST	112.64	APR 28, 1987
	LOWEST	423.40	JUL 16, 1980

SITE NUMBER 335304116353001

LOCAL NUMBER 003S004E29F01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
DEPTH 575 FT, CASED TO 575 FT, PERFORATED 555-575 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE
1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	233.80 S	MAR 29, 1988	266.87 S
PERIOD OF RECORD	HIGHEST	116.97	NOV 11, 1986
	LOWEST	547.00	DEC 21, 1977

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 335231116345401

LOCAL NUMBER 003S004E29R01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 551 FT, CASSED TO 551 FT, PERFORATED 431-551 FT. ALTITUDE OF LSD 777 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	230.70 S	MAR 28, 1988	261.74 S
PERIOD OF RECORD	HIGHEST 127.84	APR 27, 1987	LOWEST 516.39 MAR 14, 1978

SITE NUMBER 333501116424601

LOCAL NUMBER 007S003E07C02S

ABOUT 0.69 MI WEST OF BAUTISTA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 201 FT, PERFORATED 160-200 FT. ALTITUDE OF LSD 4055 FT. RECORDS AVAILABLE 1962, 1969, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	116.90 SR
PERIOD OF RECORD	HIGHEST 110.55 AUG 20, 1973 LOWEST 140.00 OCT 11, 1962

SITE NUMBER 333327116382101

LOCAL NUMBER 007S003E14P03S

EAST OF ANZA. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 255 FT. ALTITUDE OF LSD 4030 FT. MEASURED PERIODICALLY BY USGS. RECORDS AVAILABLE 1969, 1971, 1973, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	96.97 SR
PERIOD OF RECORD	HIGHEST 74.6 NOV 18, 1971 LOWEST 95.71 JUL 16, 1986

SITE NUMBER 333122116394001

LOCAL NUMBER 007S003E34E01S

ABOUT 0.35 MI NORTH OF RESERVATION ROAD. DRILLED STOCK WATER-TABLE WELL. DIAM 9 IN, DEPTH 249 FT, PERFORATED 40-182 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1946, 1951-54, 1960, 1969, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	55.76 S
PERIOD OF RECORD	HIGHEST 34.50 JAN 31, 1951 LOWEST 76.75 JUL 24, 1973

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 333335116315501

LOCAL NUMBER 007S004E13N01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 83.4 FT, PERFORATED 18-103 FT. ALTITUDE OF LSD 4577.2 FT. RECORDS AVAILABLE 1938, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	21.50 S
PERIOD OF RECORD	HIGHEST 18 SEP 10, 1938 LOWEST 42.40 AUG 24, 1978

SITE NUMBER 333316116315801

LOCAL NUMBER 007S004E24E01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8.5 FT, DEPTH 194 FT, PERFORATED 64-194 FT. ALTITUDE OF LSD 4620 FT. RECORDS AVAILABLE 1962, 1968, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	29.92 S
PERIOD OF RECORD	HIGHEST 24.15 DEC 06, 1984 LOWEST 66.67 MAR 30, 1978

SITE NUMBER 333249116312401

LOCAL NUMBER 007S004E24Q01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN 0-85 FT, 6 IN 78-150 FT, DEPTH 90 FT IN 1938, DEEPENED TO 150 FT IN 1939, PERFORATED 45-83 FT. ALTITUDE OF LSD 4725 FT. RECORDS AVAILABLE 1938, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	53.02 S
PERIOD OF RECORD	HIGHEST 18.06 JUN 15, 1983 LOWEST 56.80 SEP 07, 1976

SITE NUMBER 333038116384401

LOCAL NUMBER 008S003E02D01S

ABOUT 0.91 MI NORTH OF INTERSECTION OF BAILEY AND TERWILLIGER ROADS. DRILLED STOCK WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 440 FT. ALTITUDE OF LSD 3900 FT. RECORDS AVAILABLE 1960, 1969, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	64.67 S
PERIOD OF RECORD	HIGHEST 44.09 JUL 25, 1960 LOWEST 78.99 NOV 16, 1973

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 333012116380801

LOCAL NUMBER 008S003E02K01S

ABOUT 0.16 MI WEST OF INTERSECTION OF BAILEY AND TERWILLIGER ROADS, 0.26 MI NORTHWEST OF WINDMILL. DRILLED UNUSED WATER-TABLE WELL. DIAM 7.75 IN, DEPTH 296.25 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 06, 1988	45.65 S

PERIOD OF RECORD HIGHEST 36.20 MAR 12, 1973 LOWEST 60.45 SEP 15, 1981

SITE NUMBER 335731117330601

LOCAL NUMBER 002S006W31C01S

ABOUT 0.35 MI SOUTHEAST OF INTERSECTION OF ADAMS AVE AND SCHLEISMAN ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 601 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT PRIOR TO 1982; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 27, 1987	30.48 S	MAY 26, 1988	29.31 S

PERIOD OF RECORD HIGHEST 22.50 JUL 02, 1970 LOWEST 41.20 JUN 06, 1974

SITE NUMBER 335603117000601

LOCAL NUMBER 003S001W05Q01S

NORTH OF HWY 60, WEST OF INTERSTATE 10. DRILLED DOMESTIC WELL. DIAM 16 IN, DRILLED DEPTH 1300 FT, PERFORATED 384-388, 454-494 FT. ALTITUDE OF LSD 2525 FT. RECORDS AVAILABLE 1926-29, 1937-41, 1953-57, 1960-81, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1987	126.1 VR	JUN 29, 1988	124.8 V

PERIOD OF RECORD HIGHEST 90.6 JUN 25, 1941 LOWEST 132.3 OCT 26, 1955

SITE NUMBER 334717117124401

LOCAL NUMBER 004S003W29Q01S

NORTH OF INTERSECTION OF WILSON AND SAN JACINTO ROADS. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 1624 FT, Cased to 1624 FT. ALTITUDE OF LSD 1417 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1974-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 27, 1987	134.30 S	MAY 26, 1988	132.12 S

PERIOD OF RECORD HIGHEST 132.12 MAY 26, 1988 LOWEST 209.60 OCT 16, 1977

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 333712117080901

LOCAL NUMBER 005S002W19N01S

EAST OF BRIGGS ROAD AND NORTH OF GRAND AVE. DRILLED DOMESTIC WATER-TABLE WELL. DRILLED DEPTH 358 FT, DIAM 10 IN, PERFORATED 96-312 FT. ALTITUDE OF LSD 1459 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
SEP 15, 1988	31.39 SR
PERIOD OF RECORD	HIGHEST 29.40 SEP 18, 1987 LOWEST 29.40 SEP 18, 1987

SITE NUMBER 334320117042102

LOCAL NUMBER 005S002W22G02S

EAST OF INTERSECTION OF WINCHESTER AND STOWE ROADS. DRILLED DOMESTIC WATER-TABLE WELL. DEPTH 118.6 FT. DIAM 14 IN, PERFORATED 48-104 FT. ALTITUDE OF LSD 1506 FT. RECORDS AVAILABLE 1951, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
SEP 15, 1988	36.05 ST
PERIOD OF RECORD	HIGHEST 31.25 SEP 18, 1987 LOWEST 49.5 MAR 23, 1951

SITE NUMBER 332741117060401

LOCAL NUMBER 008S002W20R01S

ABOUT 0.32 MI NORTHEAST OF PALA-TEMECULA HWY. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 990 FT, PERFORATED 410-990 FT. ALTITUDE OF LSD 1087 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	148.85 SR	JAN 29, 1988	117.78 S	APR 26, 1988	106.67 S	JUL 06, 1988	101.30 S
NOV 25	P	FEB 29	121.22 S	MAY 16	104.93 S	AUG 02	99.74 S
DEC 29	127.55 S	MAR 25	111.45 S	JUN 14	102.64 S	SEP 01	98.03 S
PERIOD OF RECORD	HIGHEST 26.50 DEC 31, 1967	JAN 29, 1968	LOWEST 145.00	MAY 03, 1971			

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 332657117054601

LOCAL NUMBER 008S002W28M01S

ABOUT 0.13 MI SOUTHWEST OF PALA-TEMECULA HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 269 FT. ALTITUDE OF LSD 1126 FT. RECORDS FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1953-54, 1958-68, 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	119.80 ST	JAN 29, 1988	81.69 SS	APR 26, 1988	119.22 ST	JUL 06, 1988	130.04 ST
NOV 25	89.81 SR	FEB 29	72.58 ST	MAY 16	99.81 ST	AUG 02	157.44 ST
DEC 29	78.82 S	MAR 25	85.37 S	JUN 14	129.04 ST	SEP 01	139.85 ST
PERIOD OF RECORD HIGHEST 51.49 MAY 14, 1980 LOWEST 165.23 JUL 15, 1976							

SITE NUMBER 332657117055101

LOCAL NUMBER 008S002W28M02S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1958-61, 1967, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	51.18 S	JAN 29, 1988	50.39 S	APR 26, 1988	51.47 S	JUL 06, 1988	51.95 S
NOV 25	50.75 S	FEB 29	50.33 S	MAY 16	51.10 S	AUG 02	52.36 S
DEC 29	50.49 S	MAR 25	50.47 S	JUN 14	51.71 S	SEP 01	52.53 S
PERIOD OF RECORD HIGHEST 27.06 APR 08, 1980 LOWEST 56.35 NOV 07, 1975							

SITE NUMBER 332705117054901

LOCAL NUMBER 008S002W28M03S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 600 FT, PERFORATED 200-600 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	103.46 SR	JAN 29, 1988	67.74 SR	APR 26, 1988	94.77 SR	JUL 06, 1988	100.55 SR
NOV 25	77.89 SR	FEB 29	67.01 S	MAY 16	78.53 SR	AUG 02	121.14 SR
DEC 29	69.87 SR	MAR 25	72.15 SR	JUN 14	101.74 SR	SEP 01	117.97 SR
PERIOD OF RECORD HIGHEST 49.33 MAY 14, 1980 LOWEST 116.65 SEP 23, 1977							

SITE NUMBER 332649117053701

LOCAL NUMBER 008S002W28P01S

ABOUT 0.10 MI WEST OF PALA-TEMECULA HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 138 FT. ALTITUDE OF LSD 1150 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	25.57 S	JAN 29, 1988	24.70 SR	APR 26, 1988	26.39 SR	JUL 06, 1988	26.46 SR
NOV 25	25.39 S	FEB 29	23.58 SR	MAY 16	24.67 S	AUG 02	26.13 SR
DEC 29	24.89 S	MAR 25	23.80 SR	JUN 14	25.07 SR	SEP 01	26.02 S
PERIOD OF RECORD HIGHEST 6.77 FEB 29, 1980 LOWEST 32.40 NOV 07, 1975							

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 332646117052201

LOCAL NUMBER 008S002W28Q02S

ON PECHANGA INDIAN RESERVATION, ABOUT 200 FT SOUTHEAST OF WINDMILL. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 96 FT. ALTITUDE OF LSD 1160 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	36.19 SR	NOV 25, 1987	36.01 SR	DEC 29, 1987	35.63 SR
PERIOD OF RECORD	HIGHEST	24.59	APR 08, 1980	LOWEST	44.61 FEB 17, 1978

SITE NUMBER 332655117051801

LOCAL NUMBER 008S002W28Q03S

ON PECHANGA INDIAN RESERVATION, ABOUT 0.32 MI EAST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1170 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	93.94 S	JAN 29, 1988	94.02 S	APR 26, 1988	94.08 S	JUL 06, 1988	94.13 S
NOV 25	93.94 S	FEB 29	94.01 S	MAY 16	94.08 S	AUG 02	94.15 S
DEC 29	93.95 S	MAR 25	94.02 S	JUN 14	94.14 S	SEP 01	94.17 S
PERIOD OF RECORD	HIGHEST	54.47	MAY 14, 1980	LOWEST	95.56	MAR 30, 1973	

SITE NUMBER 332653117050301

LOCAL NUMBER 008S002W28R01S

ON PECHANGA INDIAN RESERVATION SOUTHEAST OF TEMECULA. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 12.25 IN, DEPTH 1002 FT, CASED TO 1000 FT, PERFORATED 130-220, 250-350, 400-710, 750-780, 830-870, 930-940, 975-1000 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	87.58 S	JAN 29, 1988	81.76 S	APR 26, 1988	80.82 S	JUL 06, 1988	81.10 S
NOV 25	84.69 S	FEB 29	81.35 S	MAY 16	80.80 S	AUG 02	80.77 S
DEC 29	82.55 S	MAR 25	81.09 S	JUN 14	80.73 S	SEP 01	80.78 S
PERIOD OF RECORD	HIGHEST	46.86	APR 08, 1980	LOWEST	133.50	DEC 18, 1973	

SITE NUMBER 332724117061101

LOCAL NUMBER 008S002W29A01S

ABOUT 2 MI SOUTH OF HWY 71 AND 60 FT SOUTHWEST OF PALA-TEMECULA HWY. UNUSED WELL. DIAM 8.6 IN, DEPTH 348 FT. ALTITUDE OF LSD 1090 FT. RECORDS AVAILABLE 1980-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	55.77 SR	JAN 29, 1988	57.03 S	APR 26, 1988	58.97 S	JUL 06, 1988	60.40 S
NOV 25	55.60 SR	FEB 29	57.65 SR	MAY 16	59.61 S	AUG 02	SP
DEC 29	56.66 S	MAR 25	58.00 SR	JUN 14	60.20 S	SEP 02	P
PERIOD OF RECORD	HIGHEST	21.21	FEB 29, 1980	LOWEST	60.40	JUL 06, 1988	

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 332722117064701

LOCAL NUMBER 008S002W29D02S

ON PECHANGA INDIAN RESERVATION. DRILLED DOMESTIC WELL. DEPTH 265 FT. ALTITUDE OF LSD 1090 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1987	13.59 S	JAN 29, 1988	12.49 S	APR 26, 1988	11.84 S	JUL 06, 1988	14.83 S
NOV 25	13.47 S	FEB 29	11.93 S	MAY 16	11.97 S	AUG 02	18.03 SR
DEC 29	13.15 S	MAR 25	11.80 S	JUN 14	12.41 S	SEP 01	21.20 SR
PERIOD OF RECORD	HIGHEST	10.69	MAR 18, 1987	LOWEST	14.83	JUL 06, 1988	

SITE NUMBER 332719117061501

LOCAL NUMBER 008S002W29G01S

ON PECHANGA INDIAN RESERVATION SOUTHEAST OF TEMECULA. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 176 FT IN 1951, 159.1 FT IN 1972. ALTITUDE OF LSD 1091.1 FT. RECORDS AVAILABLE 1925-28, 1934-37, 1940, 1951-54, 1956, 1958-68, 1971 TO CURRENT YEAR. RECORDER INSTALLED OCT 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (OBSERVATIONS AT 1200 HOURS)

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	52.45	52.57	53.14	53.57	53.91	54.55	55.26	55.82	56.35	57.04	57.66
2	---	52.46	52.55	53.15	53.55	53.93	54.54	55.27	55.83	56.34	57.08	57.81
3	---	52.26	52.56	53.15	53.63	53.98	54.56	55.25	55.84	56.32	57.09	57.99
4	---	52.21	52.60	53.17	53.62	53.99	54.59	55.28	55.86	56.32	57.09	57.86
5	---	52.19	52.63	53.18	53.65	54.00	54.63	55.35	55.89	56.33	57.11	57.83
6	---	52.21	52.66	53.21	53.64	53.98	54.62	55.36	55.94	56.33	57.16	57.87
7	---	52.17	52.66	53.35	53.67	54.01	54.64	55.35	55.93	56.36	57.17	58.08
8	---	52.16	52.66	53.38	53.66	54.06	54.65	55.37	55.93	56.40	57.21	58.19
9	---	52.15	52.69	53.34	53.68	54.02	54.69	55.38	55.97	56.51	57.21	57.76
10	---	52.16	52.69	53.38	53.69	54.00	54.70	55.42	56.00	56.49	57.22	57.95
11	---	52.28	52.70	53.34	53.71	54.05	54.70	55.09	56.01	56.85	57.25	58.00
12	---	52.36	52.71	53.38	53.71	54.09	55.05	55.50	56.01	56.37	57.28	58.05
13	---	52.35	52.79	53.40	53.72	54.08	54.84	55.46	56.03	56.49	57.29	58.05
14	---	52.38	52.95	53.38	53.75	54.05	54.83	55.45	56.06	56.71	57.30	58.07
15	---	52.41	52.90	53.35	53.74	54.09	54.83	55.51	56.09	56.91	57.11	58.07
16	---	52.26	52.75	53.40	53.75	54.15	54.89	55.52	56.09	56.51	57.48	58.10
17	---	52.37	52.77	53.19	54.05	54.18	54.92	55.50	56.11	56.54	57.31	58.12
18	---	52.19	52.86	53.44	53.89	54.15	54.93	55.53	56.13	56.94	57.33	58.16
19	---	52.30	52.86	53.46	54.04	54.15	54.93	55.54	56.16	57.02	57.33	58.16
20	---	52.37	52.93	53.49	53.94	54.16	54.90	55.58	56.17	56.93	57.35	58.19
21	---	52.32	53.29	53.42	53.79	54.19	54.94	55.59	56.16	56.94	57.39	58.27
22	---	52.23	53.04	53.49	53.82	54.21	55.04	55.58	56.18	56.84	57.43	58.25
23	---	52.34	53.03	53.44	54.04	54.20	55.04	55.63	56.21	56.88	57.44	58.25
24	---	52.38	53.02	53.48	53.85	54.21	55.07	55.67	56.23	56.91	57.48	58.30
25	---	52.37	53.04	53.49	53.83	54.23	55.04	55.71	56.28	56.92	57.47	58.33
26	---	52.44	53.08	53.48	53.85	54.25	55.07	55.69	56.27	57.10	57.48	58.34
27	---	52.34	53.06	53.50	53.90	54.36	55.12	55.70	56.29	57.02	57.67	58.32
28	---	52.52	53.07	53.52	53.91	54.50	55.19	55.74	56.55	57.02	57.56	58.35
29	---	52.49	53.06	53.54	53.91	54.48	55.20	55.72	56.08	57.00	57.55	58.37
30	52.56	52.58	53.11	53.54	---	54.45	55.21	55.81	56.51	57.04	57.63	58.39
31	52.43	---	53.12	53.56	---	54.52	---	55.83	---	57.03	57.63	---
PERIOD OF RECORD	HIGHEST	17.70	APR 08, 1980	LOWEST	58.39	SEP 30, 1988						

LOCAL NUMBER 008S002W29J02S

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE			WATER LEVEL MS			DATE			WATER LEVEL MS			DATE			WATER LEVEL MS		
OCT 24, 1987	35.78	SP	JAN 29, 1988	32.18	SR	APR 26, 1988	33.00	SR	JUL 06, 1988	34.17	SR						
NOV 25	34.16	SR	FEB 29	34.26	SR	MAY 16	33.03	SR	AUG 02	34.64	SR						
DEC 29	33.43	SR	MAR 25	32.31	S	JUN 14		SP	SEP 01	43.27	SR						

PERIOD OF RECORD HIGHEST 12.33 APR 08, 1980 LOWEST 39.37 AUG 25, 1975

SITE NUMBER 332703117061701

LOCAL NUMBER 008S002W29K01S

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (OBSERVATIONS AT 1200 HOURS)

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	23.24	23.50	23.70	23.37	22.89	23.00	23.33	23.64	23.95	24.32	24.73
2	---	23.25	23.51	23.71	23.33	22.88	22.99	23.34	23.64	23.97	24.34	24.75
3	---	23.25	23.51	23.70	23.34	22.89	23.00	23.30	23.65	23.98	24.35	24.77
4	---	23.25	23.51	23.70	23.30	22.90	23.01	23.31	23.66	23.99	24.36	24.78
5	---	23.27	23.53	23.70	23.27	22.90	23.04	23.36	23.67	24.00	24.37	24.78
6	---	23.29	23.53	23.72	23.24	22.88	23.05	23.39	23.70	24.01	24.39	24.80
7	---	23.29	23.54	23.72	23.21	22.87	23.04	23.38	23.71	24.02	24.40	24.81
8	---	23.30	23.54	23.73	23.18	22.90	23.05	23.39	23.71	24.03	24.41	24.83
9	---	23.31	23.55	23.74	23.16	22.90	23.08	23.40	23.71	24.03	24.43	24.84
10	---	23.32	23.55	23.73	23.13	22.87	23.10	23.41	23.73	24.05	24.44	24.84
11	---	23.33	23.53	23.71	23.11	22.87	23.10	23.40	23.74	24.08	24.45	24.85
12	---	23.33	23.51	23.74	23.08	22.89	23.11	23.41	23.74	24.09	24.47	24.87
13	---	23.32	23.55	23.75	23.05	22.90	23.12	23.42	23.75	24.09	24.48	24.89
14	---	23.34	23.60	23.75	23.04	22.87	23.14	23.42	23.77	24.10	24.49	24.89
15	---	23.36	23.57	23.71	23.01	22.86	23.15	23.44	23.79	24.11	24.50	24.90
16	---	23.36	23.52	23.73	22.98	22.89	23.18	23.46	23.80	24.12	24.51	24.91
17	---	23.38	23.52	23.65	23.01	22.91	23.20	23.44	23.80	24.14	24.52	24.92
18	---	23.39	23.61	23.76	22.96	22.91	23.21	23.46	23.81	24.15	24.53	24.93
19	---	23.40	23.61	23.78	22.98	22.89	23.20	23.48	23.83	24.15	24.54	24.95
20	---	23.39	23.64	23.80	22.98	22.89	23.18	23.50	23.84	24.17	24.56	24.95
21	---	23.40	23.63	23.72	22.95	22.90	23.16	23.51	23.84	24.19	24.58	24.98
22	---	23.41	23.61	23.73	22.92	22.91	23.23	23.51	23.85	24.20	24.60	24.99
23	---	23.42	23.62	23.68	22.93	22.93	23.25	23.52	23.87	24.21	24.61	24.99
24	---	23.45	23.63	23.63	22.93	22.92	23.28	23.54	23.88	24.23	24.63	25.01
25	---	23.43	23.65	23.61	22.91	22.94	23.25	23.56	23.89	24.23	24.64	25.03
26	---	23.46	23.68	23.56	22.90	22.92	23.24	23.57	23.90	24.24	24.64	25.04
27	---	23.46	23.68	23.52	22.91	22.90	23.25	23.57	23.90	24.26	24.65	25.04
28	---	23.44	23.68	23.49	22.92	22.95	23.29	23.59	23.91	24.28	24.67	25.05
29	---	23.49	23.67	23.45	22.91	22.97	23.31	23.58	23.93	24.28	24.68	25.06
30	---	23.50	23.70	23.45	---	22.93	23.30	23.62	23.93	24.30	24.68	25.07
31	23.20	---	23.70	23.41	---	22.97	---	23.64	---	24.32	24.69	---

PERIOD OF RECORD	HIGHEST	22.90	FEB 29, 1988	LOWEST	25.07	SEP 30, 1988
------------------	---------	-------	--------------	--------	-------	--------------

WATER LEVELS, RIVERSIDE COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 332639117042301

LOCAL NUMBER 008S002W34B02S

ABOUT 7.1 MI NORTH OF PALA, DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 221 FT.
ALTITUDE OF LSD 1240 FT. RECORDS AVAILABLE 1972, 1979 TO CURRENT YEAR. RECORDER INSTALLED
OCT 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (OBSERVATIONS AT 1200 HOURS)

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	45.32	45.03	44.86	44.58	44.38	44.70	44.83	44.91	45.26	45.71	46.14
2	---	45.34	45.03	44.85	44.53	44.36	44.71	44.84	44.91	45.27	45.72	46.17
3	---	45.35	45.03	44.84	44.52	44.38	44.71	44.81	44.91	45.28	45.76	46.19
4	---	45.35	45.02	44.84	44.53	44.40	44.72	44.79	44.91	45.29	45.77	46.21
5	---	45.28	44.96	44.82	44.53	44.41	44.75	44.80	44.92	45.31	45.77	46.22
6	---	45.32	44.97	44.81	44.52	44.40	44.76	44.81	44.95	45.33	45.80	46.24
7	---	45.35	44.97	44.81	44.52	44.40	44.76	44.80	44.97	45.37	45.81	46.26
8	---	45.37	44.98	44.82	44.50	44.43	44.76	44.80	44.97	45.40	45.83	46.28
9	---	45.36	44.98	44.82	44.49	44.43	44.78	44.80	44.99	45.41	45.84	46.29
10	---	45.35	44.97	44.82	44.46	44.41	44.79	44.81	45.01	45.42	45.86	46.29
11	---	45.34	44.96	44.80	44.46	44.41	44.80	44.81	45.03	45.46	45.87	46.30
12	---	45.31	44.94	44.80	44.45	44.44	44.81	44.82	45.03	45.47	45.89	46.32
13	---	45.28	44.94	44.83	44.43	44.45	44.83	44.82	45.03	45.48	45.90	46.34
14	---	45.26	45.00	44.84	44.43	44.44	44.84	44.82	45.04	45.48	45.91	46.35
15	---	45.26	44.99	44.81	44.42	44.45	44.78	44.83	45.07	45.49	45.91	46.36
16	---	45.25	44.94	44.81	44.40	44.49	44.82	44.83	45.07	45.49	45.92	46.38
17	---	45.24	44.85	44.70	44.43	44.52	44.84	44.81	45.07	45.51	45.93	46.39
18	---	45.23	44.88	44.65	44.40	44.54	44.85	44.80	45.07	45.53	45.94	46.40
19	---	45.23	44.89	44.72	44.42	44.54	44.85	44.80	45.09	45.54	45.96	46.42
20	---	45.21	44.93	44.79	44.43	44.54	44.72	44.82	45.11	45.56	45.96	46.43
21	---	45.18	44.93	44.76	44.42	44.54	44.69	44.83	45.12	45.58	45.99	46.47
22	---	45.16	44.90	44.77	44.39	44.55	44.74	44.83	45.13	45.59	46.02	46.50
23	---	45.15	44.89	44.75	44.39	44.56	44.78	44.83	45.15	45.60	46.04	46.50
24	---	45.02	44.88	44.72	44.40	44.56	44.81	44.85	45.17	45.63	46.06	46.52
25	---	45.00	44.88	44.72	44.39	44.57	44.79	44.87	45.20	45.65	46.07	46.53
26	---	45.02	44.90	44.69	44.37	44.57	44.79	44.87	45.21	45.66	46.06	46.54
27	---	45.02	44.89	44.67	44.39	44.56	44.79	44.88	45.22	45.68	46.08	46.54
28	---	44.99	44.88	44.65	44.40	44.60	44.81	44.89	45.23	45.70	46.09	46.54
29	---	45.01	44.86	44.64	44.40	44.64	44.83	44.87	45.25	45.69	46.10	46.56
30	45.39	45.03	44.86	44.62	---	44.63	44.82	44.89	45.25	45.70	46.10	46.57
31	45.31	---	44.85	44.59	---	44.66	---	44.91	---	45.71	46.12	---

PERIOD OF RECORD HIGHEST 7.38 MAY 14, 1980 LOWEST 46.57 SEP 30, 1988

WATER QUALITY, RIVERSIDE COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
003S004E20D01S	11-03-87	1800	249.88	580.00	855	7.90	18.0	320	190	96
	03-29-88	0900	284.09	580.00	840	7.90	18.0	360	230	110
003S004E20F01S	11-05-87	1500	235.45	640.00	865	7.80	17.5	280	150	82
	03-31-88	1100	268.45	640.00	850	7.80	17.5	290	160	87
003S004E20F02S	11-05-87	1300	240.05	890.00	340	8.10	18.0	130	0	37
003S004E20F03S	03-31-88	0900	272.41	890.00	360	8.00	18.5	140	1	42
	11-05-87	1130	244.76	1140.00	265	8.10	18.0	83	0	24
	03-30-88	1700	276.50	1140.00	262	8.20	19.0	82	0	24
003S004E20J01S	11-04-87	1330	205.89	590.00	855	7.90	18.0	260	130	75
	03-30-88	1200	239.03	590.00	870	7.90	18.5	280	150	81
003S004E20J02S	11-04-87	1600	206.16	730.00	645	9.20	17.5	170	150	44
	03-30-88	1000	239.20	730.00	760	8.30	18.5	270	180	76
003S004E20J03S	11-04-87	1730	207.94	890.00	575	7.90	18.0	230	97	68
	03-30-88	0830	240.32	890.00	485	8.00	18.5	200	57	57
003S004E29F01S	11-03-87	1230	233.80	575.00	835	8.10	17.5	280	150	89
003S004E29R01S	03-29-88	1700	266.87	575.00	850	8.20	17.5	270	140	87
	11-03-87	0900	230.70	551.00	830	7.90	19.5	280	160	90
	03-29-88	1430	261.74	551.00	825	7.90	19.0	280	160	90
003S004E30C01S	11-02-87	1430	--	726.00	735	7.90	19.0	320	190	97
	03-31-88	1400	--	726.00	730	7.80	19.0	310	190	96
	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	
003S004E20D01S	19	48	24	1	6.4	130	220	55	0.60	
	20	34	17	0.8	6.3	129	230	55	0.60	
003S004E20F01S	18	67	34	2	6.0	126	230	56	0.60	
	18	60	30	2	6.4	131	210	54	0.60	
003S004E20F02S	8.3	20	25	0.8	2.9	131	22	11	0.80	
003S004E20F03S	9.2	19	22	0.7	2.9	142	22	12	0.80	
	5.7	23	36	1	3.1	106	12	10	0.90	
	5.3	23	37	1	2.7	107	11	12	0.80	
003S004E20J01S	18	70	36	2	6.6	130	220	55	0.60	
	19	74	36	2	5.6	132	220	55	0.60	
003S004E20J02S	15	52	38	2	9.1	24	190	57	0.40	
	19	46	26	1	7.7	88	200	55	0.60	
003S004E20J03S	15	24	18	0.7	3.5	135	110	32	0.60	
	13	23	20	0.7	3.4	139	67	22	0.90	
003S004E29F01S	14	60	31	2	6.2	126	220	56	0.50	
003S004E29R01S	14	68	34	2	6.5	133	210	55	0.50	
	14	58	30	2	7.0	126	210	55	0.60	
	14	60	31	2	7.0	125	210	54	0.60	
003S004E30C01S	18	22	13	0.6	5.8	125	170	51	0.60	
	18	21	12	0.5	6.2	128	180	47	0.60	

WATER QUALITY, RIVERSIDE COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
003S004E20D01S	18	567	542	0.310	<0.010	--	50	9	9
	19	562	554	0.350	<0.010	--	30	<3	5
003S004E20F01S	16	561	553	0.310	<0.010	--	80	16	<1
	17	556	533	0.340	0.020	0.06	70	16	2
003S004E20F02S	23	204	208	0.960	0.010	0.03	40	26	3
	24	218	222	1.10	0.010	0.03	30	17	2
003S004E20F03S	24	175	166	--	--	--	60	20	11
	23	161	169	0.560	0.010	0.03	50	21	10
003S004E20J01S	15	548	540	0.330	<0.010	--	90	16	3
	17	565	553	0.320	<0.010	--	90	8	1
003S004E20J02S	15	405	399	0.420	<0.010	--	40	13	1
	21	496	480	0.380	<0.010	--	60	5	5
003S004E20J03S	23	364	360	0.750	<0.010	--	20	9	<1
	23	302	297	0.880	<0.010	--	110	<3	13
003S004E29F01S	16	545	538	0.260	<0.010	--	100	<3	<1
	15	554	537	0.270	<0.010	--	110	<3	4
003S004E29R01S	18	547	530	0.340	<0.010	--	70	5	13
	18	541	530	0.320	<0.010	--	70	12	19
003S004E30C01S	19	468	460	0.400	<0.010	--	20	7	<1
	20	475	468	0.450	0.010	0.03	20	16	5

< Actual value is known to be less than the value shown.

SAN BERNARDINO COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 027S040E01K01M.....	164	LOCAL NUMBER 001N004W23Q03S.....	177
LOCAL NUMBER 001N005E02N01S.....	164	LOCAL NUMBER 001N004W23Q04S.....	177
LOCAL NUMBER 001N006E31C01S.....	164	LOCAL NUMBER 001N004W23R02S.....	177
LOCAL NUMBER 001N007E23A01S.....	164	LOCAL NUMBER 001N004W23R03S.....	178
LOCAL NUMBER 002N006E11M01S.....	165	LOCAL NUMBER 001N004W23R04S.....	178
LOCAL NUMBER 002N006E18B01S.....	165	LOCAL NUMBER 001N004W23R05S.....	178
LOCAL NUMBER 002N007E02C01S.....	165	LOCAL NUMBER 001N004W26E02S.....	206
LOCAL NUMBER 002N007E03B01S.....	165	LOCAL NUMBER 001N004W27B01S.....	178
LOCAL NUMBER 002N007E04H01S.....	166	LOCAL NUMBER 001N004W27G01S.....	179
LOCAL NUMBER 002N007E05B01S.....	166	LOCAL NUMBER 001N004W30M01S.....	179
LOCAL NUMBER 002N007E14K01S.....	166	LOCAL NUMBER 001N004W31H01S.....	179
LOCAL NUMBER 003N006E02J01S.....	166	LOCAL NUMBER 001N004W34G01S.....	206
LOCAL NUMBER 003N006E16A01S.....	167	LOCAL NUMBER 001N004W35L01S.....	179
LOCAL NUMBER 003N006E27B01S.....	167	LOCAL NUMBER 001N005W06F01S.....	180
LOCAL NUMBER 003N007E19N01S.....	167, 206	LOCAL NUMBER 001N005W15Q01S.....	180
LOCAL NUMBER 003N007E20C01S.....	167	LOCAL NUMBER 001N005W23K01S.....	180
LOCAL NUMBER 003N007E29R01S.....	168, 206	LOCAL NUMBER 002N005W33J04S.....	180
LOCAL NUMBER 003N007E27H01S.....	168	LOCAL NUMBER 003N004W02C01S.....	181
LOCAL NUMBER 003N007E28D01S.....	168	LOCAL NUMBER 003N004W12G01S.....	181
LOCAL NUMBER 003N007E28R01S.....	206	LOCAL NUMBER 003N004W12G02S.....	181
LOCAL NUMBER 003N007E29G01S.....	168	LOCAL NUMBER 003N004W13F01S.....	181, 206
LOCAL NUMBER 003N007E29R01S.....	169	LOCAL NUMBER 003N004W33H01S.....	182, 206
LOCAL NUMBER 003N007E31E01S.....	169, 206	LOCAL NUMBER 004N001W14C02S.....	182
LOCAL NUMBER 003N007E32D01S.....	169	LOCAL NUMBER 004N001W21G01S.....	182
LOCAL NUMBER 003N007E32J01S.....	206	LOCAL NUMBER 004N002W12N01S.....	182
LOCAL NUMBER 003N007E34D01S.....	169	LOCAL NUMBER 004N002W12N02S.....	183
LOCAL NUMBER 003N008E29L01S.....	170	LOCAL NUMBER 004N003W05A02S.....	183
LOCAL NUMBER 004N001E13M01S.....	170	LOCAL NUMBER 004N003W30A06S.....	183, 206
LOCAL NUMBER 004N001E17L01S.....	170	LOCAL NUMBER 004N004W01A01S.....	183, 206
LOCAL NUMBER 004N003E23G01S.....	170	LOCAL NUMBER 004N004W01D02S.....	184
LOCAL NUMBER 005N001E17D01S.....	171	LOCAL NUMBER 004N004W03Q01S.....	184
LOCAL NUMBER 005N001E32L01S.....	171	LOCAL NUMBER 004N004W08N01S.....	184
LOCAL NUMBER 009N002E03E01S.....	171, 206	LOCAL NUMBER 004N004W24P01S.....	184
LOCAL NUMBER 009N002E07Q01S.....	171, 206	LOCAL NUMBER 004N005W01K01S.....	185
LOCAL NUMBER 009N002E11C03S.....	172, 206	LOCAL NUMBER 005N002W32Q01S.....	185
LOCAL NUMBER 009N002E14N02S.....	172	LOCAL NUMBER 005N004W11P03S.....	185, 206
LOCAL NUMBER 009N003E06H01S.....	172	LOCAL NUMBER 005N004W13P01S.....	185, 206
LOCAL NUMBER 009N003E15E01S.....	172	LOCAL NUMBER 005N004W25N01S.....	186, 206
LOCAL NUMBER 009N003E15G01S.....	173	LOCAL NUMBER 005N004W27D01S.....	186
LOCAL NUMBER 009N003E20L01S.....	173	LOCAL NUMBER 005N004W30K01S.....	186
LOCAL NUMBER 009N003E34N01S.....	173	LOCAL NUMBER 005N005W22E02S.....	186
LOCAL NUMBER 010N003E15Q01S.....	173	LOCAL NUMBER 006N003W34J01S.....	187
LOCAL NUMBER 010N003E26K01S.....	174, 206	LOCAL NUMBER 006N004W30D01S.....	187, 206
LOCAL NUMBER 010N004E20D01S.....	174, 206	LOCAL NUMBER 006N005W12H01S.....	187
LOCAL NUMBER 001N003W19R02S.....	174	LOCAL NUMBER 006N005W19J02S.....	187
LOCAL NUMBER 001N003W27N01S.....	174	LOCAL NUMBER 006N006W21J01S.....	188
LOCAL NUMBER 001N003W31Q02S.....	175	LOCAL NUMBER 006N007W10P02S.....	188
LOCAL NUMBER 001N004W08M01S.....	175	LOCAL NUMBER 006N007W23C01S.....	188
LOCAL NUMBER 001N004W08P01S.....	175	LOCAL NUMBER 007N004W07K01S.....	188, 206
LOCAL NUMBER 001N004W16E04S.....	175	LOCAL NUMBER 008N001W21G01S.....	189
LOCAL NUMBER 001N004W21B02S.....	176	LOCAL NUMBER 008N001W29D01S.....	189
LOCAL NUMBER 001N004W23G01S.....	176	LOCAL NUMBER 008N003W05J01S.....	189, 206
LOCAL NUMBER 001N004W23G02S.....	176	LOCAL NUMBER 008N004W13B01S.....	189, 206
LOCAL NUMBER 001N004W23G03S.....	176	LOCAL NUMBER 008N005W21C01S.....	190
LOCAL NUMBER 001N004W23Q02S.....	177	LOCAL NUMBER 009N001W10G05S.....	206

SAN BERNARDINO COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 009N001W11M11S.....	206	LOCAL NUMBER 001S003W18N02S.....	210
LOCAL NUMBER 009N001W11R02S.....	190, 206	LOCAL NUMBER 001S003W19G02S.....	198
LOCAL NUMBER 009N001W13B02S.....	190, 206	LOCAL NUMBER 001S003W28C01S.....	198
LOCAL NUMBER 009N001W13B03S.....	190, 206	LOCAL NUMBER 001S003W31A03S.....	198
LOCAL NUMBER 009N001W13B04S.....	191, 206	LOCAL NUMBER 001S003W33C01S.....	199
LOCAL NUMBER 009N001W13H02S.....	191, 206	LOCAL NUMBER 001S003W35G05S.....	199
LOCAL NUMBER 009N002W05N07S.....	191, 206	LOCAL NUMBER 001S004W03Q01S.....	199
LOCAL NUMBER 009N002W21R02S.....	191	LOCAL NUMBER 001S004W06H01S.....	199
LOCAL NUMBER 009N003W13R01S.....	192	LOCAL NUMBER 001S004W09J01S.....	200
LOCAL NUMBER 009N003W21K01S.....	192, 206	LOCAL NUMBER 001S004W10F01S.....	200
LOCAL NUMBER 009N003W22J01S.....	206	LOCAL NUMBER 001S004W11D02S.....	206
LOCAL NUMBER 010N002W33Q01S.....	192	LOCAL NUMBER 001S004W12B04S.....	200
LOCAL NUMBER 010N002W33R01S.....	192, 206	LOCAL NUMBER 001S004W13N01S.....	206
LOCAL NUMBER 010N003W26R01S.....	193	LOCAL NUMBER 001S004W16P04S.....	200
LOCAL NUMBER 011N003W28R02S.....	193	LOCAL NUMBER 001S004W17R01S.....	201
LOCAL NUMBER 011N006W17P02S.....	193	LOCAL NUMBER 001S004W19E01S.....	201
LOCAL NUMBER 001S001W19P01S.....	193	LOCAL NUMBER 001S004W21K11S.....	201
LOCAL NUMBER 001S001W20Q01S.....	194	LOCAL NUMBER 001S004W21N01S.....	201
LOCAL NUMBER 001S001W30N01S.....	194	LOCAL NUMBER 001S004W22B03S.....	202
LOCAL NUMBER 001S002W08C01S.....	194	LOCAL NUMBER 001S004W22H02S.....	206
LOCAL NUMBER 001S002W08C02S.....	194	LOCAL NUMBER 001S004W23A05S.....	206
LOCAL NUMBER 001S002W09P01S.....	195	LOCAL NUMBER 001S004W26F01S.....	202
LOCAL NUMBER 001S002W13P01S.....	195	LOCAL NUMBER 001S004W29H01S.....	202
LOCAL NUMBER 001S002W18R01S.....	195	LOCAL NUMBER 001S004W29Q04S.....	202
LOCAL NUMBER 001S002W29M01S.....	195	LOCAL NUMBER 001S005W05A02S.....	203
LOCAL NUMBER 001S002W30C01S.....	196	LOCAL NUMBER 001S005W16C01S.....	203
LOCAL NUMBER 001S002W36H01S.....	196	LOCAL NUMBER 001S005W19J01S.....	203
LOCAL NUMBER 001S002W36N01S.....	196	LOCAL NUMBER 001S005W20D01S.....	203
LOCAL NUMBER 001S003W01H01S.....	196	LOCAL NUMBER 001S005W25R04S.....	204
LOCAL NUMBER 001S003W02J01S.....	197	LOCAL NUMBER 001S005W30L01S.....	204
LOCAL NUMBER 001S003W02P02S.....	197	LOCAL NUMBER 001S006W25C01S.....	204
LOCAL NUMBER 001S003W05N06S.....	197	LOCAL NUMBER 002S003W02L01S.....	205
LOCAL NUMBER 001S003W09E02S.....	197, 206		
LOCAL NUMBER 001S003W17C03S.....	206		
LOCAL NUMBER 001S003W17H01S.....	198		




FIGURE 13.--Index map to location of wells in San Bernardino County.

WATER LEVELS, SAN BERNARDINO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353652117372701

LOCAL NUMBER 027S040E01K01M

ABOUT 0.50 MI SOUTH OF STATE HWY 178 AND 1.3 MI EAST OF SOUTH RICHMOND STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2318.1 FT. RECORDS AVAILABLE 1952-58, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JAN 14, 1988 137.82 S

PERIOD OF RECORD HIGHEST 127.65 MAY 21, 1952 LOWEST 142.92 NOV 14, 1967

SITE NUMBER 341144116260601

LOCAL NUMBER 001N005E02N01S

ABOUT 5.5 MI NORTH OF YUCCA VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3520 FT. RECORDS AVAILABLE 1952-53, 1958-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 28, 1987 46.47 S MAR 21, 1988 49.43 V

PERIOD OF RECORD HIGHEST 30.41 APR 14, 1982 LOWEST 80.17 APR 04, 1968

SITE NUMBER 340750116234401

LOCAL NUMBER 001N006E31C01S

SOUTHWEST OF INTERSECTION OF PAXTON AND Balsa ROADS IN YUCCA VALLEY. PUBLIC SUPPLY WELL.. DIAM UNKNOWN, DRILLED DEPTH 730 FT. ALTITUDE OF LSD 3199 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 28, 1987 221.50 V MAR 21, 1988 216.31 V

PERIOD OF RECORD HIGHEST 158.78 MAR 25, 1981 LOWEST 221.50 OCT 28, 1987

SITE NUMBER 340945116125001

LOCAL NUMBER 001N007E23A01S

ABOUT 1.9 MI EAST OF SUNFAIR. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 368.5 FT, PERFORATED 360-370 FT. ALTITUDE OF LSD 2376 FT. RECORDS AVAILABLE 1969, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 28, 1987 210.86 S MAR 21, 1988 210.91 V

PERIOD OF RECORD HIGHEST 209.96 JAN 09, 1980 LOWEST 211.10 JAN 24, 1986

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341622116194601

LOCAL NUMBER 002N006E11M01S

ON 29 PALMS MARINE CORPS BASE, ALONG GIANT ROCK ROAD. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 790 FT. ALTITUDE OF LSD 2803 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1987	485.87 S

PERIOD OF RECORD	HIGHEST	482.0	MAR 13, 1986	LOWEST	485.87	OCT 09, 1987
------------------	---------	-------	--------------	--------	--------	--------------

SITE NUMBER 341556116233401

LOCAL NUMBER 002N006E18B01S

IN LANDERS, SOUTHWEST OF POST OFFICE. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 310 FT, PERFORATED 187-305 FT. ALTITUDE OF LSD 3087 FT. RECORDS AVAILABLE 1963, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 29, 1987	219.37 S

PERIOD OF RECORD	HIGHEST	185.60	JUL , 1963	LOWEST	219.37	OCT 29, 1987
------------------	---------	--------	------------	--------	--------	--------------

SITE NUMBER 341741116132501

LOCAL NUMBER 002N007E02C01S

ABOUT 10.5 MI NORTHWEST OF HDQ. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 341.8 FT IN 1982. ALTITUDE OF LSD 2272.11 FT. RECORDS AVAILABLE 1941, 1952-67, 1970, 1973, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
OCT 09, 1987	134.16	MAY 17, 1988	137.26 SS	AUG 12, 1988	143.46 SS	
PERIOD OF RECORD	HIGHEST	25.00	MAR 14, 1952	LOWEST	144.2	JAN 21, 1987

SITE NUMBER 341736116141201

LOCAL NUMBER 002N007E03B01S

SUPPLY WELL 2A. ABOUT 11 MI NORTHWEST OF HDQ. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH DRILLED 800 FT, CASED TO 700 FT. ALTITUDE OF LSD 2355.3 FT. RECORDS AVAILABLE 1953-68, 1970, 1972-75, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1987	154.49 S

PERIOD OF RECORD	HIGHEST	104.21	MAR 27, 1953	LOWEST	154.49	OCT 09, 1987
------------------	---------	--------	--------------	--------	--------	--------------

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341720116145601

LOCAL NUMBER 002N007E04H01S

ABOUT 11.5 MI NORTHWEST OF HDQ. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 482.4 FT IN 1982. ALTITUDE OF LSD 2442.17 FT. RECORDS AVAILABLE 1952-68, 1970, 1973, 1975, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	211.60 S	AUG 12, 1988	211.69 S
PERIOD OF RECORD	HIGHEST 188.64	MAY 30, 1953	LOWEST 211.69
			AUG 12, 1988

SITE NUMBER 341742116160701

LOCAL NUMBER 002N007E05B01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI EAST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 405 FT, PERFORATED 385-405 FT. ALTITUDE OF LSD 2586.7 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	356.45 S	MAY 16, 1988	353.25 S	AUG 12, 1988	352.82 S
PERIOD OF RECORD	HIGHEST 351.04	JAN 13, 1987	LOWEST 356.45	OCT 09, 1987	

SITE NUMBER 341520116130101

LOCAL NUMBER 002N007E14K01S

NORTHWEST OF TWENTYNINE PALMS. UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 644 FT, PERFORATED 450-525, 538-548, 550-558 FT. ALTITUDE OF LSD 2540 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1975, 1979-80, 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1987	338.59 S
PERIOD OF RECORD	HIGHEST 334.00
	JUL 25, 1952
	LOWEST 357.68
	APR 26, 1979

SITE NUMBER 342221116190801

LOCAL NUMBER 003N006E02J01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI SOUTHEAST OF EMERSON DRY LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH 335 FT, PERFORATED 315-335 FT. ALTITUDE OF LSD 2413 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 16, 1988	159.94 S
PERIOD OF RECORD	HIGHEST 159.49
	JUN 12, 1986
	LOWEST 159.94
	MAY 16, 1988

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342107116210401

LOCAL NUMBER 003N006E16A01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI SOUTH OF EMERSON DRY LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 295 FT. PERFORATED 275-295 FT. ALTITUDE OF LSD 2507 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 16, 1988	174.78 S
PERIOD OF RECORD	HIGHEST 174.64 MAR 13, 1986 LOWEST 174.78 MAY 16, 1988

SITE NUMBER 341925116202501

LOCAL NUMBER 003N006E27B01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 7 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 415 FT, PERFORATED 395-415 FT. ALTITUDE OF LSD 2643 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	308.19 S	MAY 16, 1988	308.39 S	AUG 12, 1988	308.42 S
PERIOD OF RECORD	HIGHEST 277.9 MAR 13, 1986	LOWEST 308.42	AUG 12, 1988		

SITE NUMBER 341939116174501

LOCAL NUMBER 003N007E19N01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 4 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 334 FT, PERFORATED 275-295 FT. ALTITUDE OF LSD 2488.4 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	238.18 S	MAY 16, 1988	238.43 S	AUG 12, 1988	238.55 S
PERIOD OF RECORD	HIGHEST 236.8 MAR 13, 1986	LOWEST 238.55	AUG 12, 1988		

SITE NUMBER 342111116174801

LOCAL NUMBER 003N007E20C01S

ON 29 PALMS MARINE CORPS BASE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH 605 FT, SCREENED 228-244, 601-605 FT. ALTITUDE OF LSD 2444.9 FT. RECORDS AVAILABLE 1976, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	194.79 S	MAY 16, 1988	194.99 S	AUG 12, 1988	195.13 S
PERIOD OF RECORD	HIGHEST 189.7 APR 02, 1986	LOWEST 196.65	JUL 22, 1986		

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341952116164601

LOCAL NUMBER 003N007E20M01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 3 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 4 IN, DEPTH CASED 295 FT, PERFORATED 275-295 FT. ALTITUDE OF LSD 2457.5 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
OCT 09, 1987	207.71 S	MAY 16, 1988	207.89 S	AUG 12, 1988	208.05 S	
PERIOD OF RECORD	HIGHEST	207.15	JUL 22, 1986	LOWEST	208.05	AUG 12, 1988

SITE NUMBER 341909116134101

LOCAL NUMBER 003N007E27H01S

ABOUT 1 MI NORTH OF SURPRISE SPRINGS. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 587 FT, PERFORATED 472-492, 552-572 FT. ALTITUDE OF LSD 2240 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1987	409.15 S					
PERIOD OF RECORD	HIGHEST	408.79	JAN 30, 1987	LOWEST	409.15	OCT 09, 1987

SITE NUMBER 341918116153001

LOCAL NUMBER 003N007E28D01S

ON 29 PALMS MARINE CORPS BASE. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 620 FT, PERFORATED 398-498 538-558, 578-598 FT. ALTITUDE OF LSD 2473.19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1987	226.18 S					
PERIOD OF RECORD	HIGHEST	226.18	OCT 09, 1987	LOWEST	226.94	JAN 30, 1987

SITE NUMBER 341912116160801

LOCAL NUMBER 003N007E29G01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 1.5 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH CASED 348 FT, PERFORATED 312-348 FT. ALTITUDE OF LSD 2500.6 FT. RECORDS AVAILABLE 1976, 1982, 1984, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1987	253.88 S					
PERIOD OF RECORD	HIGHEST	248	MAR 02, 1976	LOWEST	253.88	OCT 09, 1987

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341843116155201

LOCAL NUMBER 003N007E29R01S

SUPPLY WELL 9A. IN SUPRISE SPRINGS AREA. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH CASED 600 FT. ALTITUDE OF LSD 2519.9 FT. RECORDS AVAILABLE 1978, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1987	277.10 S					
PERIOD OF RECORD	HIGHEST	270.60	AUG 03, 1978	LOWEST	277.35	JAN 18, 1987 JAN 22, 1987

SITE NUMBER 341823116175001

LOCAL NUMBER 003N007E31E01S

ABOUT 4 MI WEST OF SURPRISE SPRINGS. DRILLED WELL IN ALLUVIUM. DIAM 10 IN, DEPTH DRILLED 430 FT, PERFORATED 300-328, 340-401 FT. DEBRIS IN WELL AT 300 FT REMOVED IN JANUARY 1987. ALTITUDE OF LSD 2514 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1975, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
MAY 16, 1988	253.05 S	AUG 12, 1988	251.45 S			
PERIOD OF RECORD	HIGHEST	249.40	NOV 17, 1966	LOWEST	253.05	MAY 16, 1988

SITE NUMBER 341826116164501

LOCAL NUMBER 003N007E32D01S

ABOUT 3 MI WEST OF SURPRISE SPRINGS. DRILLED TEST WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 620 FT, PERFORATED 418-438, 498-538, 578-598 FT. ALTITUDE OF LSD 2544 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
OCT 09, 1987	295.28 S					
PERIOD OF RECORD	HIGHEST	295.28	OCT 09, 1987	LOWEST	297.79	JAN 30, 1987

SITE NUMBER 341833116144201

LOCAL NUMBER 003N007E34D01S

ON 29 PALMS MARINE CORPS BASE, ABOUT 1 MI NORTHWEST OF SURPRISE SPRINGS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF TERTIARY AGE. DIAM 2 IN, DEPTH 405 FT. ALTITUDE OF LSD 2500.9 FT. RECORDS AVAILABLE 1976, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	
OCT 09, 1987	267.02 S	MAY 16, 1988	266.83 S	AUG 12, 1988	257.55 S	
PERIOD OF RECORD	HIGHEST	257	MAR 02, 1976	LOWEST	273.91	JUL 22, 1986

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341845116100701

LOCAL NUMBER 003N008E29L01S

SUPPLY WELL 1A. ABOUT 8.5 MI NORTHWEST OF HDQ. DRILLED SUPPLY WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 600 FT IN 1952. ALTITUDE OF LSD 1905.72 FT. RECORDS AVAILABLE 1952-67, 1970, 1973, 1982, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 09, 1987	103.49 S
PERIOD OF RECORD	HIGHEST 102.02 MAY 30, 1953 LOWEST 105.03 JAN 19, 1987

SITE NUMBER 342603116501801

LOCAL NUMBER 004N001E13M01S

ABOUT 0.35 MI SOUTH OF HWY 247 ON DALLAS AVE IN LUCERNE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 270 FT IN 1954. ALTITUDE OF LSD 3014 FT. RECORDS AVAILABLE 1953-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1987	174.39 S	MAR 21, 1988	174.44 S
PERIOD OF RECORD	HIGHEST 170.00 JAN , 1953	LOWEST 182.00 MAR 26, 1981	

SITE NUMBER 342609116541001

LOCAL NUMBER 004N001E17L01S

ABOUT 5 MI EAST OF LUCERNE VALLEY. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 301 FT, PERFORATED 189-210, 230-250, 271-291 FT. ALTITUDE OF LSD 2979 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 12, 1988	151.38 SR
PERIOD OF RECORD	HIGHEST -- LOWEST --

SITE NUMBER 342517116380601

LOCAL NUMBER 004N003E23G01S

ABOUT 4.5 MI NORTH OF HWY 247. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 107 FT, PERFORATED 76-107 FT. ALTITUDE OF LSD 2850 FT. RECORDS AVAILABLE 1950, 1975, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1987	73.09 S	MAR 21, 1988	73.25 T
PERIOD OF RECORD	HIGHEST 71.80 OCT 14, 1950	LOWEST 75.50 APR 25, 1975	

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343153116542301

LOCAL NUMBER 005N001E17D01S

ABOUT 6.5 MI NORTH OF LUCERNE VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 169.5 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1954-55, 1960-71, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1987	151.70 S	MAR 21, 1988	152.18 S
PERIOD OF RECORD	HIGHEST 62.27	APR 22, 1954	LOWEST 152.18 MAR 21, 1988

SITE NUMBER 342837116540401

LOCAL NUMBER 005N001E32L01S

ABOUT 2.25 MI NORTH OF HWY 247 ON MIDWAY AVE. DOMESTIC WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 2870 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 30, 1987	165.95 SR
PERIOD OF RECORD	HIGHEST 136.88 MAR 19, 1980 LOWEST 157.99 DEC 11, 1988

SITE NUMBER 345418116455001

LOCAL NUMBER 009N002E03E01S

ABOUT 3 MI EAST OF YERMO AND 1.2 MI SOUTH OF INTERSTATE 15. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 122 FT, PERFORATED 40-120 FT. ALTITUDE OF LSD 1870 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 20, 1988	49.50 S
PERIOD OF RECORD	HIGHEST 46.20 MAY 29, 1987 LOWEST 49.50 MAY 20, 1988

SITE NUMBER 345249116483401

LOCAL NUMBER 009N002E07Q01S

ABOUT 1.8 MI SOUTH OF YERMO. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 360 FT, PERFORATED 100-360 FT. ALTITUDE OF LSD 1931 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 20, 1988	P
PERIOD OF RECORD	HIGHEST 105.17 JUN 01, 1987 LOWEST 105.17 JUN 01, 1987

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345334116442801

LOCAL NUMBER 009N002E11C03S

ABOUT 2 MI SOUTH OF INTERSTATE 15 AND 4 MI WEST OF LAKE JODIE. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 190 FT, PERFORATED 50-190 FT. ALTITUDE OF LSD 1878 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAY 20, 1988	111.61	S			
PERIOD OF RECORD	HIGHEST	111.61	MAY 20, 1988	LOWEST	111.61 MAY 20, 1988

SITE NUMBER 345206116445201

LOCAL NUMBER 009N002E14N02S

ABOUT 5 MI WEST OF INTERSECTION OF NEWBERRY AND SILVER VALLEY ROADS. IRRIGATION WATER-TABLE WELL. DIAM 12 IN, REPORTED DEPTH 300 FT, DEPTH 215.3 FT IN 1961. ALTITUDE OF LSD 1886 FT. RECORDS AVAILABLE 1928, 1930-35, 1937-58, 1960-61, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 05, 1987	66.41	S	MAR 10, 1988	65.90	S
PERIOD OF RECORD	HIGHEST	15.30	NOV 16, 1945	LOWEST	69.37 OCT 08, 1986

SITE NUMBER 345410116415101

LOCAL NUMBER 009N003E06H01S

ABOUT 2 MI WEST OF NEWBERRY ROAD AND 1.6 MI NORTH OF VALLEY CENTER ROAD. DOMESTIC WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1832 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 05, 1987	79.30	S	MAR 10, 1988	79.90	S
PERIOD OF RECORD	HIGHEST	60.66	DEC 04, 1980	LOWEST	79.90 MAR 10, 1988

SITE NUMBER 345224116393901

LOCAL NUMBER 009N003E15E01S

ABOUT 0.5 MI SOUTH OF VALLEY CENTER ROAD ON NEWBERRY ROAD. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1828 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 05, 1987	P	MAR 10, 1988	92.39		
PERIOD OF RECORD	HIGHEST	70.09	DEC 04, 1980	LOWEST	92.39 MAR 10, 1988

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345234116385801

LOCAL NUMBER 009N003E15G01S

ABOUT 5 MI SOUTH OF HARVARD. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 1822 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAY 12, 1988	91.3	S				
PERIOD OF RECORD	HIGHEST	91.3	MAY 12, 1988	LOWEST	91.3	MAY 12, 1988

SITE NUMBER 345127116412101

LOCAL NUMBER 009N003E20L01S

ALONG BLACK BUTTE ROAD ABOUT 0.5 MI EAST OF MT. VIEW ROAD. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1850 FT. RECORDS AVAILABLE 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
NOV 05, 1987	127.62	S				
PERIOD OF RECORD	HIGHEST	108.91	APR 08, 1987	LOWEST	127.62	NOV 05, 1987

SITE NUMBER 344927116394101

LOCAL NUMBER 009N003E34N01S

EAST OF POST OFFICE AT NEWBERRY. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 99 FT IN 1959. ALTITUDE OF LSD 1820 FT. RECORDS AVAILABLE 1959, 1964, 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
NOV 05, 1987		P				
PERIOD OF RECORD	HIGHEST	23.10	DEC 17, 1959	LOWEST	56.00	MAR 30, 1987

SITE NUMBER 345709116390501

LOCAL NUMBER 010N003E15Q01S

ABOUT 0.5 MI WEST OF HARVARD ROAD AND NORTH OF CHEROKEE ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 186.4 FT IN 1959, 165 FT IN 1980. ALTITUDE OF LSD 1808 FT. RECORDS AVAILABLE 1959, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
NOV 05, 1987	124.70	SP				
PERIOD OF RECORD	HIGHEST	78.00	JUN 12, 1959	LOWEST	121.50	MAR 31, 1987

WATER LEVELS, SAN BERNARDINO COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345539116375801

LOCAL NUMBER 010N003E26K01S

ABOUT 0.8 MI NORTHEAST OF INTERSECTION OF MOJAVE TRAIL AND HARVARD ROAD, ADJACENT TO SOUTH BANK OF MOJAVE RIVER CHANNEL. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 100 FT. ALTITUDE OF LSD 1751 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAY 25, 1988	P	
PERIOD OF RECORD	HIGHEST 24.27 JUN 01, 1987	LOWEST 24.27 JUN 01, 1987

SITE NUMBER 345703116350801

LOCAL NUMBER 010N004E20D01S

ABOUT 2.0 MI SOUTH OF MANIX. DRILLED PUBLIC SUPPLY WELL. DIAM 6 IN, DEPTH 300 FT, PERFORATED 190-300 FT. ALTITUDE OF LSD 1735 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAY 25, 1988	152.98 S	
PERIOD OF RECORD	HIGHEST 152.98 MAY 25, 1988	LOWEST 152.98 MAY 25, 1988

SITE NUMBER 340907117133501

LOCAL NUMBER 001N003W19R02S

IN DEL ROSA AREA OF SAN BERNARDINO. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 14 IN, DEPTH DRILLED 100 FT. ALTITUDE OF LSD 1477 FT. RECORDS AVAILABLE 1944, 1955, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1988	12.71 S	JUN 28, 1988	14.20 S
PERIOD OF RECORD	HIGHEST 11.82 MAY 21, 1986	LOWEST 38.4 JUL 20, 1955	

SITE NUMBER 340808117112501

LOCAL NUMBER 001N003W27N01S

ALONG HIGHLAND AVENUE IN CITY CREEK PLAIN. DIAM 20 IN, DEPTH MEASURED 65.3 FT IN 1988. ALTITUDE OF LSD 1470 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1988	9.01 S	JUN 28, 1988	12.49 S
PERIOD OF RECORD	HIGHEST 6.30 NOV 24, 1986	LOWEST 12.49 JUN 28, 1988	

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340722117135801

LOCAL NUMBER 001N003W31Q02S

NEAR INTERSECTION OF BASE LINE STREET AND VICTORIA AVE IN HARLEM SPRINGS. DIAM 12 IN, DEPTH DRILLED 201 FT. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1929, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	63.19 S	JUN 30, 1988	P
PERIOD OF RECORD	HIGHEST	44.13 JUN 19, 1986	LOWEST 63.19 DEC 09, 1987

SITE NUMBER 341059117194601

LOCAL NUMBER 001N004W08M01S

NEAR CAL STATE, SAN BERNARDINO. DRILLED PUBLIC SUPPLY WELL. DIAM 20 IN, DEPTH 288.0 FT IN 1971. ALTITUDE OF LSD 1529.8 FT. RECORDS AVAILABLE 1922, 1926 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 28, 1987	P	JUL 01, 1988	P
PERIOD OF RECORD	HIGHEST	76.9 JUN 27, 1980	LOWEST 238.10 JUN 23, 1964

SITE NUMBER 341052117191801

LOCAL NUMBER 001N004W08P01S

AT CAL STATE, SAN BERNARDINO. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 380 FT, PERFORATED 186-351 FT. ALTITUDE OF LSD 1476.66 FT. RECORDS AVAILABLE 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 28, 1987	P	JUL 01, 1988	P
PERIOD OF RECORD	HIGHEST	97.0 MAR 20, 1982	LOWEST 257.20 FEB 10, 1966

SITE NUMBER 341024117184501

LOCAL NUMBER 001N004W16E04S

NORTH OF 42ND STREET AND WEST OF MAGNOLIA DRIVE. DRILLED PUBLIC SUPPLY WELL. DIAM 20 IN, DEPTH 441 FT, PERFORATED 300-404 FT. ALTITUDE OF LSD 1413.1 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 28, 1987	158.80 S	JUL 01, 1988	P
PERIOD OF RECORD	HIGHEST	141.63 NOV 24, 1986	LOWEST 262.80 NOV 29, 1967

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340949117181501

LOCAL NUMBER 001N004W21B02S

ON KENDALL DRIVE IN SHANDIN HILLS. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH DRILLED 1100 FT, PERFORATED 200-350, 415-1100 FT. ALTITUDE OF LSD 1322.40 FT. RECORDS AVAILABLE 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 28, 1987	124.69 S	JUN 30, 1988	134.87 S
PERIOD OF RECORD	HIGHEST	75.4 NOV 19, 1981	LOWEST 224.90 MAR 20, 1968

SITE NUMBER 340936117160801

LOCAL NUMBER 001N004W23G01S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 390 FT, DEPTH MEASURED 250 FT IN 1988, PERFORATED 250-390 FT. ALTITUDE OF LSD 1345.03 FT. RECORDS AVAILABLE 1971-77, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 05, 1988	D	JUL 01, 1988	D
PERIOD OF RECORD	HIGHEST	185.95 MAR 19, 1974	LOWEST 294.71 JAN 11, 1973

SITE NUMBER 340936117160802

LOCAL NUMBER 001N004W23G02S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 195 FT, PERFORATED 175-195 FT. ALTITUDE OF LSD 1343.03 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 05, 1988	136.34 S	JUL 01, 1988	173.85 S
PERIOD OF RECORD	HIGHEST	136.34 FEB 05, 1988	LOWEST 176.90 NOV 24, 1986

SITE NUMBER 340936117160803

LOCAL NUMBER 001N004W23G03S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 90 FT IN 1986, PERFORATED 75-95 FT. ALTITUDE OF LSD 1345.03 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 05, 1988	D	JUL 02, 1988	D
PERIOD OF RECORD	HIGHEST	--	LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340905117160401

LOCAL NUMBER 001N004W23Q02S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 391 FT, PERFORATED 291-391 FT. ALTITUDE OF LSD 1284.39 FT. RECORDS AVAILABLE 1971-81, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 03, 1988	D	JUL 01, 1988	D
PERIOD OF RECORD	HIGHEST	198.63	SEP 25, 1985
	LOWEST	302.19	OCT 14, 1971

SITE NUMBER 340905117160402

LOCAL NUMBER 001N004W23Q03S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 230 FT, PERFORATED 167-230 FT. ALTITUDE OF LSD 1284.39 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 05, 1988	206.87 V	JUL 01, 1988	180.12 V
PERIOD OF RECORD	HIGHEST	178.51	JUN 23, 1986
	LOWEST	206.87	FEB 05, 1988

SITE NUMBER 340905117160403

LOCAL NUMBER 001N004W23Q04S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 115 FT, DEPTH MEASURED 108 FT IN 1986, PERFORATED 94-115 FT. ALTITUDE OF LSD 1284.39 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 04, 1988	D	JUL 01, 1988	D
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 340903117155101

LOCAL NUMBER 001N004W23R02S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 4 IN, DEPTH DRILLED 392 FT, PERFORATED 245-392 FT. ALTITUDE OF LSD 1268 FT. RECORDS AVAILABLE 1971-79, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 29, 1987	186.10 S	JUL 01, 1988	187.37 S
PERIOD OF RECORD	HIGHEST	163.35	JUN 23, 1986
	LOWEST	255.93	DEC 12, 1972
			JAN 11, 1973

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340903117155102

LOCAL NUMBER 001N004W23R03S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 205 FT, DEPTH MEASURED 174 FT IN 1988, PERFORATED 163-205 FT. ALTITUDE OF LSD 1268 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 29, 1987	D	JUL 01, 1988	D
PERIOD OF RECORD	HIGHEST	160.44 JUN 23, 1986	LOWEST 172.28 JUN 17, 1987

SITE NUMBER 340903117155103

LOCAL NUMBER 001N004W23R04S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 1.5 IN, DEPTH DRILLED 144 FT, PERFORATED 123-144 FT. ALTITUDE OF LSD 1268 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 29, 1987	122.22 S	JUL 01, 1988	122.85 S
PERIOD OF RECORD	HIGHEST	120.57 JUN 23, 1971	LOWEST 122.85 JUL 01, 1988

SITE NUMBER 340903117155104

LOCAL NUMBER 001N004W23R05S

SOUTH OF 40TH STREET ON THE LEVEE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 72 FT, DEPTH MEASURED 67 FT IN 1988, PERFORATED 58-72 FT. ALTITUDE OF LSD 1268 FT. RECORDS AVAILABLE 1971, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 29, 1987	D	JUL 01, 1988	D
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 340851117171101

LOCAL NUMBER 001N004W27B01S

IN SAN BERNARDINO ON MOUNTAIN VIEW AVE. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 577 FT, PERFORATED 325-553 FT. ALTITUDE OF LSD 1253 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	190.4 V	DEC 28, 1987	184.75 V	JUL 01, 1988	196.93 T
PERIOD OF RECORD	HIGHEST	184.75 DEC 28, 1987	LOWEST	296.00 NOV 30, 1967	

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340846117171001

LOCAL NUMBER 001N004W27G01S

IN SAN BERNARDINO ON MOUNTAIN VIEW AVENUE. DRILLED PUBLIC SUPPLY WELL. DIAM 20 IN, DEPTH 523 FT. PERFORATED 390-502 FT. ALTITUDE OF LSD 1227.06 FT. RECORDS PROVIDED BY CITY. PERIODIC MEASUREMENTS BY USGS STARTING IN 1986. RECORDS AVAILABLE 1934 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	194.78 V	DEC 28, 1987	188.03 V	JUL 06, 1988	191.53 S
PERIOD OF RECORD	HIGHEST	95.30	APR 05, 1945	LOWEST	297.40 JAN 08, 1969

SITE NUMBER 340835117204001

LOCAL NUMBER 001N004W30M01S

IN MUSCOY ON MALLORY STREET. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 16 IN, DEPTH DRILLED 652 FT, PERFORATED 380-448, 478-484, 510-628 FT. ALTITUDE OF LSD 1324 FT. RECORDS AVAILABLE 1959, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 20, 1987	210 VR	JUL 06, 1988	P
PERIOD OF RECORD	HIGHEST	165.94	APR 08, 1986 LOWEST 275 MAY 06, 1959

SITE NUMBER 340744117200401

LOCAL NUMBER 001N004W31H01S

SOUTH OF HIGHLAND AVE ON STATE STREET. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN, DEPTH DRILLED 350 FT, PERFORATED 255-345 FT. ALTITUDE OF LSD 1225 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	129.71 S	DEC 29, 1987	128.91 S	JUL 06, 1988	158.45 S
PERIOD OF RECORD	HIGHEST	65.0	MAR 01, 1984	LOWEST	217.0 JAN 21, 1977 JAN 28, 1977

SITE NUMBER 340743117162001

LOCAL NUMBER 001N004W35L01S

ABOUT 0.14 MI SOUTHWEST OF INTERSECTION OF 16TH STREET AND CRESTVIEW AVENUE IN SAN BERNARDINO. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 3 IN, DEPTH DRILLED 256 FT, NO PERFORATIONS. ALTITUDE OF LSD 1130.34 FT. RECORDS AVAILABLE 1888, 1904 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 27, 1987	107.62 S	JUL 06, 1988	129.85 S
PERIOD OF RECORD	HIGHEST	+7.22	MAR 02, 1917 LOWEST 216.14 AUG 31, 1967

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341209117260701

LOCAL NUMBER 001N005W06F01S

IN LYTTLE CREEK WASH. DRILLED PUBLIC SUPPLY WELL. DIAM UNKNOWN, DEPTH DRILLED 113 FT. ALTITUDE OF LSD 2242.4 FT. RECORDS AVAILABLE 1919 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1987	74.73 S	JUN 29, 1988	82.91 T
PERIOD OF RECORD	HIGHEST	19.7 MAY 01, 1980	LOWEST 108.7 AUG 15, 1923

SITE NUMBER 341003117232001

LOCAL NUMBER 001N005W15Q01S

IN LYTTLE CREEK WASH. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 425 FT, DEPTH MEASURED 387 FT IN 1987. ALTITUDE OF LSD 1592.12 FT. RECORDS AVAILABLE 1929-65, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1987	281.04 S	JUN 29, 1988	305.02 S
PERIOD OF RECORD	HIGHEST	118.8 FEB 13, 1942	LOWEST 334.9 AUG 15, 1929

SITE NUMBER 340917117222601

LOCAL NUMBER 001N005W23K01S

IN LYTTLE CREEK WASH. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 818 FT. ALTITUDE OF LSD 1455.9 FT. RECORDS AVAILABLE 1912 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 10, 1987	153.37 S
PERIOD OF RECORD	HIGHEST 0.9 NOV 17, 1916 LOWEST 367.4 JAN 04, 1967

SITE NUMBER 341249117241101

LOCAL NUMBER 002N005W33J04S

IN CAJON CANYON WASH. UNUSED WELL. DIAM 6 IN, DEPTH 87 FT. ALTITUDE OF LSD 2010 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	64.17 S	JUN 29, 1988	64.49 S
PERIOD OF RECORD	HIGHEST	64.07 JUN 25, 1986	LOWEST 64.85 JUN 19, 1987

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342300117160301

LOCAL NUMBER 003N004W02C01S

ABOUT 4 MI SOUTHEAST OF HESPERIA. DRILLED PUBLIC SUPPLY WELL. DIAM 18 IN, DEPTH 700 FT, PERFORATED 420-700 FT.
 ALTITUDE OF LSD 3200 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 11, 1988	352.81 SR
PERIOD OF RECORD	HIGHEST -- LOWEST --

SITE NUMBER 342151117144801

LOCAL NUMBER 003N004W12G01S

ABOUT 8 MI SOUTHEAST OF HESPERIA. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 133 FT, PERFORATED 105-123 FT.
 ALTITUDE OF LSD 2972 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 11, 1988	64.25 S
PERIOD OF RECORD	HIGHEST 64.25 MAY 11, 1988 LOWEST 64.25 MAY 11, 1988

SITE NUMBER 342154117144901

LOCAL NUMBER 003N004W12G02S

ABOUT 8 MI SOUTHEAST OF HESPERIA. DRILLED UNUSED WELL. DIAM 6 IN, DEPTH 128 FT, PERFORATED 102-120 FT.
 ALTITUDE OF LSD 2972 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 11, 1988	64.56 S
PERIOD OF RECORD	HIGHEST 64.56 MAY 11, 1988 LOWEST 64.56 MAY 11, 1988

SITE NUMBER 342055117150201

LOCAL NUMBER 003N004W13F01S

ABOUT 0.2 MI NORTHWEST OF MOJAVE FORKS RESERVOIR ACCESS ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 269 FT,
 PERFORATED 219-269 FT. ALTITUDE OF LSD 3064 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 31, 1988	O	JUN 01, 1988	P
PERIOD OF RECORD	HIGHEST --	LOWEST --	

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 341823117174501

LOCAL NUMBER 003N004W33H01S

ABOUT 1.2 MI EAST OF SILVERWOOD LAKE OUTFLOW ON HWY 173. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 105 FT, PERFORATED 63-105 FT. ALTITUDE OF LSD 3210 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 22, 1988	F	MAY 27, 1988	F
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 342625116571301

LOCAL NUMBER 004N001W14C02S

NEAR INTERSECTION OF HWY 247 AND HWY 18. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 105 FT, CASED TO 30 FT. ALTITUDE OF LSD 2950 FT. RECORDS AVAILABLE 1954, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1987	20.90 S		
PERIOD OF RECORD	HIGHEST 1.50	FEB 19, 1954	LOWEST 28.27 OCT 16, 1985

SITE NUMBER 342519116591401

LOCAL NUMBER 004N001W21G01S

ABOUT 0.4 MI WEST OF INTERSECTION OF CUSTER AVENUE AND SUTTER ROAD. DOMESTIC WELL. DIAM UNKNOWN, DEPTH 250 FT. ALTITUDE OF LSD 3121 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1987	170.62 S	MAR 21, 1988	170.84 S
PERIOD OF RECORD	HIGHEST 168.35	DEC 11, 1980	LOWEST 183.00 OCT 16, 1985

SITE NUMBER 342637117025401

LOCAL NUMBER 004N002W12N01S

ABOUT 17 MI SOUTHEAST OF VICTORVILLE. DRILLED DOMESTIC WELL. DIAM 6.62 IN, DEPTH 192 FT, PERFORATED 60-192 FT. ALTITUDE OF LSD 3003 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 12, 1988	104.36 SR		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342636117025601

LOCAL NUMBER 004N002W12N02S

ABOUT 17 MI SOUTHEAST OF VICTORVILLE. DRILLED DOMESTIC WELL. DIAM 6.62 IN, DEPTH 200 FT, PERFORATED 80-200 FT. ALTITUDE OF LSD 3004 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 12, 1988 104.84 S

PERIOD OF RECORD HIGHEST 104.84 MAY 12, 1988 LOWEST 104.84 MAY 12, 1988

SITE NUMBER 342813117123301

LOCAL NUMBER 004N003W05A02S

ABOUT 0.1 MI WEST OF INTERSECTION OF BEAR VALLEY ROAD AND KIOWA ROAD IN APPLE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 300 FT, PERFORATED 238-268 FT. ALTITUDE OF LSD 3002 FT. RECORDS AVAILABLE 1953, 1956, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------	------	-------------------

OCT 29, 1987 221.14 S MAR 21, 1988 225.29 S MAY 13, 1988 P

PERIOD OF RECORD HIGHEST 182.12 MAR 21, 1980 LOWEST 225.29 MAR 21, 1988

SITE NUMBER 342436117133801

LOCAL NUMBER 004N003W30A06S

ABOUT 0.2 MI EAST OF MOJAVE RIVER AND 0.4 MI SOUTHWEST OF INTERSECTION OF ROCK SPRINGS ROAD AND DEEP CREEK ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 123 FT, PERFORATED 70-120 FT. ALTITUDE OF LSD 2894 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 18, 1988 P

PERIOD OF RECORD HIGHEST -- LOWEST --

SITE NUMBER 342813117143101

LOCAL NUMBER 004N004W01A01S

ABOUT 0.1 MI SOUTHEAST OF INTERSECTION OF BEAR VALLEY CUTOFF AND APPLE VALLEY ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 275 FT, PERFORATED 130-275 FT. ALTITUDE OF LSD 2836 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 27, 1988 P

PERIOD OF RECORD HIGHEST -- LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342815117152701

LOCAL NUMBER 004N004W01D02S

WEST OF INTERSECTION OF BEAR VALLEY ROAD AND FISH HATCHERY ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 50 FT. ALTITUDE OF LSD 2827 FT. RECORDS AVAILABLE 1957, 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1987	34.72 S	MAR 21, 1988	32.16 S
PERIOD OF RECORD	HIGHEST	14.72	APR 02, 1969
		LOWEST	34.72
			OCT 29, 1987

SITE NUMBER 342740117165501

LOCAL NUMBER 004N004W03Q01S

ABOUT 2 MI NORTH OF HESPERIA. DRILLED INDUSTRIAL WELL. DIAM 6 IN, DEPTH 400 FT, PERFORATED 240-400 FT. ALTITUDE OF LSD 3021 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAY 10, 1988	188.68 SR		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 342639117194001

LOCAL NUMBER 004N004W08N01S

IN HESPERIA ABOUT 1.2 MI NORTH OF INTERSECTION OF MAIN STREET AND BALSAM ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 900 FT, PERFORATED 600-900 FT. ALTITUDE OF LSD 3127 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAY 11, 1988	421.30 SR		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 342450117151201

LOCAL NUMBER 004N004W24P01S

IN HESPERIA ABOUT 0.1 MI NORTH OF THE INTERSECTION OF MAIN STREET AND ROCK SPRINGS ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 18 IN, DEPTH 605 FT, PERFORATED 245-605 FT. ALTITUDE OF LSD 3045 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAY 11, 1988	194.41 SR		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342743117211701

LOCAL NUMBER 004N005W01K01S

ABOUT 4 MI NORTHWEST OF HESPERIA. DRILLED INDUSTRIAL WELL. DIAM 10.75 IN, DEPTH 807 FT, PERFORATED 465.5-807 FT.
 ALTITUDE OF LSD 3250 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 10, 1988 484.12 S

PERIOD OF RECORD HIGHEST 484.12 MAY 10, 1988 LOWEST 484.12 MAY 10, 1988

SITE NUMBER 342826117063201

LOCAL NUMBER 005N002W32Q01S

ABOUT 10 MI EAST OF APPLE VALLEY. DRILLED COMMERCIAL WELL. DIAM 6 IN, DEPTH 315 FT, PERFORATED 250-295 FT.
 ALTITUDE OF LSD 3014 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 12, 1988 180.75 S

PERIOD OF RECORD HIGHEST 180.75 MAY 12, 1988 LOWEST 180.75 MAY 12, 1988

SITE NUMBER 343150117151502

LOCAL NUMBER 005N004W11P03S

IN APPLE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 145 FT. ALTITUDE OF LSD
 2788 FT. RECORDS AVAILABLE 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------	------	-------------------

OCT 29, 1987 55.16 S MAR 21, 1988 55.14 S MAY 18, 1988 58.07 S

PERIOD OF RECORD HIGHEST 51.27 OCT 19, 1983 LOWEST 58.09 JUL 14, 1986

SITE NUMBER 343104117150501

LOCAL NUMBER 005N004W13P01S

ABOUT 0.6 MI SOUTHEAST OF INTERSECTION OF APPLE VALLEY ROAD AND CHAMBER LANE. DRILLED PUBLIC SUPPLY WELL.
 DIAM 12 IN, DEPTH 264 FT, PERFORATED 80-260 FT. ALTITUDE OF LSD 2820 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAY 27, 1988 P

PERIOD OF RECORD HIGHEST -- LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342918117153201

LOCAL NUMBER 005N004W25N01S

ABOUT 1.2 MI NORTH OF BEAR VALLEY CUTOFF ROAD AND ABOUT 0.5 MI EAST OF MOJAVE RIVER. DRILLED DOMESTIC WELL. DIAM 14 IN, DEPTH 403 FT, PERFORATED 100-400 FT. ALTITUDE OF LSD 2800 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 09, 1988	P	MAY 27, 1988	P
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 342953117173101

LOCAL NUMBER 005N004W27D01S

ABOUT 5 MI NORTH OF HESPERIA. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 520 FT, PERFORATED 290-510 FT. ALTITUDE OF LSD 2929 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 10, 1988	107.28 SR		
PERIOD OF RECORD	HIGHEST	--	LOWEST --

SITE NUMBER 342931117201501

LOCAL NUMBER 005N004W30K01S

ABOUT 5 MI NORTHWEST OF HESPERIA. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 650 FT, PERFORATED 340-480, 500-640 FT. ALTITUDE OF LSD 3058 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 10, 1988	288.30 S		
PERIOD OF RECORD	HIGHEST 288.30	MAY 10, 1988	LOWEST 288.30 MAY 10, 1988

SITE NUMBER 343027117235001

LOCAL NUMBER 005N005W22E02S

AT INTERSECTION OF PEARBLOSSOM HWY AND HWY 395. DOMESTIC WELL. DIAM 8 IN, DEPTH REPORTED 510 FT IN 1960. ALTITUDE OF LSD 3122 FT. RECORDS AVAILABLE 1960-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1987	336.75 S	MAR 10, 1988	324.55 S
PERIOD OF RECORD	HIGHEST 301.94	MAR 15, 1961	LOWEST 336.75 NOV 06, 1987

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343341117101601

LOCAL NUMBER 006N003W34J01S

ABOUT 4 MI NORTH OF APPLE VALLEY. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 305 FT, PERFORATED 175-305 FT. ALTITUDE OF LSD 2975 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 12, 1988	228.55 S
PERIOD OF RECORD	HIGHEST 228.55 MAY 12, 1988 LOWEST 228.55 MAY 12, 1988

SITE NUMBER 343458117204201

LOCAL NUMBER 006N004W30D01S

ABOUT 0.6 MI NORTHEAST OF INTERSECTION OF SHAY ROAD AND TURNER ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 145 FT, PERFORATED 25-145 FT. ALTITUDE OF LSD 2691 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 18, 1988	29.04 S
PERIOD OF RECORD	HIGHEST 29.04 MAY 18, 1988 LOWEST 29.04 MAY 18, 1988

SITE NUMBER 343723117205501

LOCAL NUMBER 006N005W12H01S

ABOUT 1.5 MI NORTH ORO GRANDE AND 0.2 MI WEST OF NATIONAL TRAILS HWY. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 150 FT, PERFORATED 30-150 FT. ALTITUDE OF LSD 2580 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 09, 1988	P
PERIOD OF RECORD	HIGHEST 15.75 MAY 28, 1987 LOWEST 15.98 APR 23, 1987

SITE NUMBER 343900117261801

LOCAL NUMBER 006N005W19J02S

ABOUT 1.5 MI NORTHWEST OF ADELANTO. DRILLED UNUSED WATER-TABLE WELL. DIAM 9 IN, DEPTH 1200 FT. ALTITUDE OF LSD 2838 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 06, 1987	78.50 S
PERIOD OF RECORD	HIGHEST 78.3 APR 17, 1979 LOWEST 80.03 OCT 17, 1985

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343534117303001

LOCAL NUMBER 006N006W21J01S

ABOUT 8 MI WEST OF ADELANTO. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 200 FT, PERFORATED 110-140, 160-200 FT. ALTITUDE OF LSD 2886 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 13, 1988	134.70 S
PERIOD OF RECORD	HIGHEST 134.70 MAY 13, 1988 LOWEST 134.70 MAY 13, 1988

SITE NUMBER 343712117361701

LOCAL NUMBER 006N007W10P02S

ABOUT 1.3 MI NORTH OF EL MIRAGE ROAD ON EL MIRAGE AIRPORT ROAD. DOMESTIC WELL. DIAM 12-8 IN, DEPTH 320 FT, PERFORATED 70-85, 110-170, 210-265, 300-320 FT, 12-IN CSG 0-260 FT, 10-IN CSG 260-290 FT, 8-IN CSG 290-320 FT. ALTITUDE OF LSD 2864 FT. RECORDS AVAILABLE 1962, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 06, 1987	34.55 S
PERIOD OF RECORD	HIGHEST 26.52 APR 10, 1980 LOWEST 40.00 JAN , 1962

SITE NUMBER 343555117351201

LOCAL NUMBER 006N007W23C01S

SOUTH OF EL MIRAGE ROAD ABOUT 1 MI EAST OF EL MIRAGE AIRPORT ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2913 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1987	102.55 S	MAR 09, 1988	102.40 S
PERIOD OF RECORD	HIGHEST 102.40 MAR 09, 1988	LOWEST 105.40 JAN 16, 1985	

SITE NUMBER 344230117200501

LOCAL NUMBER 007N004W07K01S

ABOUT 2.6 MI SOUTH OF HELENDALE ON NATIONAL TRAILS HWY. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 200 FT, PERFORATED 80-180 FT. ALTITUDE OF LSD 2490 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 03, 1988	44.4 S
PERIOD OF RECORD	HIGHEST 44.4 JUN 03, 1988 LOWEST 44.4 JUN 03, 1988

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344610116590301

LOCAL NUMBER 008N001W21G01S

NEAR STODDARD. DRILLED UNUSED WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2920 FT. RECORDS AVAILABLE 1962, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	128.72 S	MAR 09, 1988	128.65 S
PERIOD OF RECORD	HIGHEST 128.65	MAR 09, 1988	LOWEST 131.15 FEB 21, 1962

SITE NUMBER 344535117003701

LOCAL NUMBER 008N001W29D01S

ABOUT 10 MI SOUTH OF BARSTOW. DRILLED UNUSED WELL. DIAM 6 IN, DEPTH 213 FT, PERFORATED 60-213 FT. ALTITUDE OF LSD 2850 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 12, 1988	91.08 S
PERIOD OF RECORD	HIGHEST 91.08 MAY 12, 1988 LOWEST 91.08 MAY 12, 1988

SITE NUMBER 344841117125301

LOCAL NUMBER 008N003W05J01S

ABOUT 2.1 MI SOUTHEAST OF INTERSECTION OF HINKLEY ROAD AND NATIONAL TRAILS HWY, ADJACENT TO SOUTH BANK OF MOJAVE RIVER. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 115 FT. ALTITUDE OF LSD 2290 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 19, 1988	7.75 S
PERIOD OF RECORD	HIGHEST 6.49 APR 22, 1987 LOWEST 7.75 MAY 19, 1988

SITE NUMBER 344726117145501

LOCAL NUMBER 008N004W13B01S

NORTH OF NATIONAL TRAILS HWY, 15 MI SOUTHWEST OF BARSTOW. DRILLED COMMERCIAL WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2330 FT. RECORD AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 18, 1988	P
PERIOD OF RECORD	HIGHEST -- LOWEST --

WATER LEVELS, SAN BERNARDINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344636117243801

LOCAL NUMBER 008N005W21C01S

ABOUT 3.9 MI EAST OF HWY 395 AND ASTLEY RANCHO. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2620 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	O	MAR 09, 1988	206.50 S
PERIOD OF RECORD	HIGHEST 200.35	OCT 18, 1984	LOWEST 206.80 MAR 30, 1987

SITE NUMBER 345243116563802

LOCAL NUMBER 009N001W11R02S

NEAR GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 102 FT, SAND POINT 100-102 FT. ALTITUDE OF LSD 2032.51 FT. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 24, 1988	21.76 S
PERIOD OF RECORD	HIGHEST 19.02 JUN 17, 1983 LOWEST 31.80 NOV 03, 1976

SITE NUMBER 345228116560001

LOCAL NUMBER 009N001W13B02S

ABOUT 4 MI SOUTHEAST OF BARSTOW AND 0.7 MI NORTH OF INTERSTATE 40. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 110 FT, PERFORATED 30-110 FT. ALTITUDE OF LSD 2000 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 25, 1988	14.80 S
PERIOD OF RECORD	HIGHEST 14.80 MAY 25, 1988 LOWEST 14.80 MAY 25, 1988

SITE NUMBER 345225116555001

LOCAL NUMBER 009N001W13B03S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF NATIONAL TRAILS HWY AND NEBO STREET, NEAR BANK OF MOJAVE RIVER CHANNEL. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 66 FT, PERFORATED 45-50 FT. ALTITUDE OF LSD 1995 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 24, 1988	9.99 S
PERIOD OF RECORD	HIGHEST 8.75 MAY 21, 1987 LOWEST 9.99 MAY 24, 1988 OCT 28, 1988

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345225116555002

LOCAL NUMBER 009N001W13B04S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF NATIONAL TRAILS HWY AND NEBO STREET, NEAR BANK OF MOJAVE RIVER CHANNEL. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 120 FT, PERFORATED 105-110 FT. ALTITUDE OF LSD 1995 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 24, 1988	9.59 S
PERIOD OF RECORD	HIGHEST 8.37 MAY 21, 1987 LOWEST 9.59 MAY 24, 1988

SITE NUMBER 345214116554001

LOCAL NUMBER 009N001W13H02S

ABOUT 4 MI SOUTHEAST OF BARSTOW AND 0.5 MI NORTH OF INTERSTATE 40. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 160 FT PERFORATED 65-108 FT. ALTITUDE OF LSD 2000 FT. RECORDS AVAILABLE 1954, 1958, 1960, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 25, 1988	17.78 S
PERIOD OF RECORD	HIGHEST 17.78 MAY 25, 1988 LOWEST 57.39 SEP 23, 1960

SITE NUMBER 345339117065001

LOCAL NUMBER 009N002W05N07S

ABOUT 0.2 MI SOUTH OF MOJAVE RIVER AND 0.3 MI NORTHEAST OF INTERSECTION OF LENWOOD ROAD AND AGATE ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 200 FT, PERFORATED 80-195 FT. ALTITUDE OF LSD 2184 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 19, 1988	70.68 S
PERIOD OF RECORD	HIGHEST 65.24 MAY 29, 1987 LOWEST 70.68 MAY 19, 1988

SITE NUMBER 345105117045701

LOCAL NUMBER 009N002W21R02S

ON EAST SIDE OF JUNCTION OF LENWOOD ROAD AND INTERSTATE 15. COMMERCIAL WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2392 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	235.61 A	MAR 10, 1988	235.65 S
PERIOD OF RECORD	HIGHEST 233.04 JAN 22, 1986	LOWEST 245.28 DEC 10, 1986	

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345153117080701

LOCAL NUMBER 009N003W13R01S

ABOUT 2 MI SOUTHWEST OF LENWOOD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 212 FT. ALTITUDE OF LSD 2245 FT. RECORDS AVAILABLE 1954, 1963-71, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1987	89.59 S	MAR 10, 1988	90.45 S
PERIOD OF RECORD	HIGHEST	60.60 APR 20, 1954	LOWEST 90.45 MAR 10, 1988

SITE NUMBER 345119117113601

LOCAL NUMBER 009N003W21K01S

ABOUT 2.3 MI NORTHWEST OF JOHNSTON CORNER AND NATIONAL TRAILS HWY. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 150 FT, PERFORATED 50-150 FT. ALTITUDE OF LSD 2246 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 19, 1988	P
PERIOD OF RECORD	HIGHEST -- LOWEST --

SITE NUMBER 345437117052101

LOCAL NUMBER 010N002W33Q01S

ABOUT 4 MI NORTHWEST OF BARSTOW. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 150 FT, PERFORATED 70-150 FT. ALTITUDE OF LSD 2160 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 10, 1988	60.7 S
PERIOD OF RECORD	HIGHEST 60.7 MAY 10, 1988 LOWEST 60.7 MAY 10, 1988

SITE NUMBER 345426117050801

LOCAL NUMBER 010N002W33R01S

ABOUT 0.3 MI SOUTH OF HWY 58. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 150 FT, PERFORATED 80-150 FT. ALTITUDE OF LSD 2159 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 19, 1988	61.63 S
PERIOD OF RECORD	HIGHEST 55.36 MAY 29, 1987 LOWEST 61.63 MAY 19, 1988

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345520117081901

LOCAL NUMBER 010N003W26R01S

ABOUT 0.2 MI WEST OF SUMMERSET ROAD ON HWY 58. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 215 FT, CASED TO 203 FT, PERFORATED 117-160, 180-196 FT. ALTITUDE OF LSD 2182 FT. RECORDS AVAILABLE 1953-55, 1957-61, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
NOV 04, 1987	94.13 S				
PERIOD OF RECORD	HIGHEST	68.97	DEC 17, 1953	LOWEST	114.40 DEC 11, 1980

SITE NUMBER 350039117112101

LOCAL NUMBER 011N003W28R02S

ABOUT 5 MI NORTH OF HINKLEY. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 241.8 FT IN 1978. ALTITUDE OF LSD 2073 FT. RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 04, 1987	55.18 S	MAR 09, 1988	54.98 S		
PERIOD OF RECORD	HIGHEST	26.00	JUN 26, 1953	LOWEST	55.18 NOV 04, 1987

SITE NUMBER 350235117321501

LOCAL NUMBER 011N006W17P02S

ABOUT 6 MI NORTHEAST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 647 FT. ALTITUDE OF LSD 2550 FT. RECORDS AVAILABLE 1953, 1968, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
NOV 04, 1987	O	MAR 09, 1988	264.08 S		
PERIOD OF RECORD	HIGHEST	262.00	JUL 13, 1953	LOWEST	265.52 AUG 09, 1968

SITE NUMBER 340348117013001

LOCAL NUMBER 001S001W19P01S

NORTH OF YUCAIPA. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH DRILLED 495 FT, PERFORATED 49-350 FT. ALTITUDE OF LSD 2940 FT. RECORDS AVAILABLE 1949, 1951, 1953, 1960, 1963, 1968, 1970, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
JUN 29, 1988	341.32 S				
PERIOD OF RECORD	HIGHEST	341.32	JUN 29, 1988	LOWEST	433.32 OCT 02, 1970

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340355117001901

LOCAL NUMBER 001S001W20Q01S

NORTH OF YUCAIPA. DOMESTIC WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3390 FT. RECORDS AVAILABLE 1955, 1960, 1968, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 19, 1987	45.91 S	JUN 29, 1988	56.52
PERIOD OF RECORD	HIGHEST 45.54	JAN 27, 1986	LOWEST 64.8 MAR 31, 1960

SITE NUMBER 340257117015301

LOCAL NUMBER 001S001W30N01S

NORTH OF YUCAIPA NEAR INTERSECTION OF OAK GLEN ROAD AND BRYANT STREET. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 500 FT, DEPTH 457 FT IN 1970, PERFORATED 440-460 FT. ALTITUDE OF LSD 2820 FT. RECORDS AVAILABLE 1969-70, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	338.70 S	JUN 29, 1988	237.40 V
PERIOD OF RECORD	HIGHEST 237.40	JUN 29, 1988	LOWEST 454 OCT 15, 1970

SITE NUMBER 340618117064501

LOCAL NUMBER 001S002W08C01S

NORTH OF GREENSPOT ROAD, WEST OF SANTA ANA RIVER. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 24 IN, DEPTH DRILLED 267 FT, DEPTH MEASURED 84.2 FT IN 1988, PERFORATED 65-162, 169-267 FT. ALTITUDE OF LSD 1810 FT. RECORDS AVAILABLE 1928-31, 1949-74, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	66.50 S	JUN 29, 1988	71.15 S
PERIOD OF RECORD	HIGHEST 18.9	MAR 01, 1978	MAR 15, 1978
		LOWEST 133.7	NOV 04, 1959

SITE NUMBER 340620117065001

LOCAL NUMBER 001S002W08C02S

NORTH OF GREENSPOT ROAD, WEST OF SANTA ANA RIVER. DRILLED UNUSED WELL. DIAM 24 IN, DEPTH MEASURED 176.1 FT IN 1988. ALTITUDE OF LSD 1806.7 FT. RECORDS AVAILABLE 1927-28, 1940, 1950-51, 1954-67, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	68.28 S	JUN 29, 1988	72.87 S
PERIOD OF RECORD	HIGHEST 38.8	JUN 02, 1967	LOWEST 149.2 DEC 04, 1959

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340533117053901

LOCAL NUMBER 001S002W09P01S

WEST OF EMERALD ROAD IN CITRUS GROVE. DIAM 18 IN, DEPTH MEASURED 172.7 FT IN 1988, PERFORATED 60-120, 125-152 FT. ALTITUDE OF LSD 2130 FT. RECORDS AVAILABLE 1925, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	109.02 S	JUN 29, 1988	107.34 S
PERIOD OF RECORD	HIGHEST	80 MAY 21, 1925	LOWEST 109.02 DEC 09, 1987

SITE NUMBER 340443117023501

LOCAL NUMBER 001S002W13P01S

AT U.S. FOREST SERVICE STATION ON MILL CREEK ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 101.5 FT IN 1988. PERFORATED 126-144 FT. ALTITUDE OF LSD 2705 FT. RECORDS AVAILABLE 1954-55, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	80.77 S	JUN 29, 1988	82.37 S
PERIOD OF RECORD	HIGHEST	73.96 SEP 19, 1985	LOWEST 109.35 APR 27, 1955

SITE NUMBER 340442117074501

LOCAL NUMBER 001S002W18R01S

NORTH OF INTERSECTION OF 7TH STREET AND CRAFTON AVENUE. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 24 IN, DEPTH DRILLED 401 FT, PERFORATED 187-240, 254-390 FT. ALTITUDE OF LSD 1762.8 FT. RECORDS AVAILABLE 1928, 1930 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	207.19 S	JUN 30, 1988	P
PERIOD OF RECORD	HIGHEST	61.7 MAY 14, 1980	LOWEST 255.6 JUN 28, 1964

SITE NUMBER 340307117070201

LOCAL NUMBER 001S002W29M01S

EAST OF CRAFTON AVENUE ON HIGHLAND AVENUE. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 506 FT, PERFORATED 235-490 FT. ALTITUDE OF LSD 1852 FT. RECORDS AVAILABLE 1948, 1950-56, 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 09, 1987	214.93 S	JUN 30, 1988	217.07 S
PERIOD OF RECORD	HIGHEST	176.4 SEP 18, 1980	LOWEST 356.9 JUL 11, 1950

WATER LEVELS, SAN BERNARDINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340346117080001

LOCAL NUMBER 001S002W30C01S

IN REDLANDS AT INTERSECTION OF COLTON AND OPAL AVENUES. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 18 IN, DEPTH DRILLED 285 FT, PERFORATED 134-248 FT. ALTITUDE OF LSD 1649 FT. RECORDS AVAILABLE 1928, 1930, 1932, 1936 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
DEC 09, 1987	107.87 S					
PERIOD OF RECORD	HIGHEST	74.3	NOV 27, 1970	LOWEST	163.6	OCT 20, 1953

SITE NUMBER 340234117020201

LOCAL NUMBER 001S002W36H01S

IN YUCAIPA ON BRYANT STREET. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN TO 422 FT, 10.75 IN 417-517 FT, 8 IN 517-614 FT, DEPTH 426 FT IN 1946, DEEPENED TO 614 FT IN 1951. ALTITUDE OF LSD 2770 FT. RECORDS AVAILABLE 1953, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
DEC 09, 1987	322.72 S	JUN 29, 1988	311.78 S			
PERIOD OF RECORD	HIGHEST	311.78	JUN 29, 1988	LOWEST	378	SEP 16, 1953

SITE NUMBER 340215117025701

LOCAL NUMBER 001S002W36N01S

IN YUCAIPA ON CEDAR AVENUE. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 523 FT. ALTITUDE OF LSD 2559 FT. RECORDS AVAILABLE 1945-60, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 09, 1987	175.73 S	DEC 09, 1987	174.3 V	JUL 01, 1988	170.87 S
PERIOD OF RECORD	HIGHEST	136.9	APR 03, 1946	LOWEST	294.5 APR 06, 1977

SITE NUMBER 340649117082901

LOCAL NUMBER 001S003W01H01S

EAST OF EAST HIGHLANDS. DRILLED IRRIGATION WELL. DIAM 20 IN, DEPTH DRILLED 465 FT, PERFORATED 250-308, 326-348, 360-414 FT. ALTITUDE OF LSD 1541.3 FT. RECORDS AVAILABLE 1931-76, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS			
DEC 09, 1987	254.59 S	JUN 30, 1988	262.77 S			
PERIOD OF RECORD	HIGHEST	135.2	MAR 24, 1970	LOWEST	417.6	AUG 19, 1965

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340633117093401

LOCAL NUMBER 001S003W02J01S

ON GREENSPOT ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 24 IN, DEPTH DRILLED 303 FT, PERFORATED 118-232 FT. ALTITUDE OF LSD 1397 FT. RECORDS AVAILABLE 1928, 1938 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
DEC 09, 1987	137.53 S				
PERIOD OF RECORD	HIGHEST	13.9	MAY 14, 1980	LOWEST	289.7 JAN 27, 1965

SITE NUMBER 340636117100701

LOCAL NUMBER 001S003W02P02S

ON GREENSPOT ROAD AT EAST HIGHLANDS. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 480 FT, PERFORATED 175-464 FT. ALTITUDE OF LSD 1345.3 FT. RECORDS AVAILABLE 1948-81, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
DEC 09, 1987	130.98 S	JUN 30, 1988	139.20 S		
PERIOD OF RECORD	HIGHEST	108.01	SEP 30, 1985	LOWEST	308.5 AUG 26, 1963

SITE NUMBER 340625117133001

LOCAL NUMBER 001S003W05N06S

NORTH OF REDLANDS NEAR INTERSECTION OF 3RD AND VICTORIA STREETS. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN 0-60 FT, 6 IN 60-105 FT, DEPTH 105 FT, PERFORATED 46-96 FT. ALTITUDE OF LSD 1140 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
DEC 09, 1987	74.51 S	JUN 30, 1988	76.23 S		
PERIOD OF RECORD	HIGHEST	65.90	JUL 15, 1987	LOWEST	76.23 JUN 30, 1988

SITE NUMBER 340605117122401

LOCAL NUMBER 001S003W09E02S

NORTHWEST OF REDLANDS. DRILLED INDUSTRIAL WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 401 FT, PERFORATED 211-288, 315-320 355-385 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1955 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
DEC 08, 1987	P	JUN 30, 1988	104.75 SS		
PERIOD OF RECORD	HIGHEST	51.9	OCT 31, 1983	LOWEST	231.2 OCT 27, 1965

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340506117122901

LOCAL NUMBER 001S003W17H01S

NORTHWEST OF REDLANDS. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 18 IN, DEPTH DRILLED 220 FT, PERFORATED 97-220 FT. ALTITUDE OF LSD 1222.65 FT. RECORDS AVAILABLE 1926, 1931-64, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	106.07 S	JUL 06, 1988	117.07 S
PERIOD OF RECORD	HIGHEST 84.33	JAN 15, 1986	LOWEST 117.07 JUL 06, 1988

SITE NUMBER 340426117135401

LOCAL NUMBER 001S003W19G02S

WEST OF CALIFORNIA STREET AND NORTH OF LUGONIA AVENUE. UNUSED WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1135 FT. RECORDS AVAILABLE 1931-82, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	76.96 S	JUL 06, 1988	84.46 SS
PERIOD OF RECORD	HIGHEST 14.9	MAR 01, 1945	LOWEST 223.3 APR 07, 1966

SITE NUMBER 340340117115901

LOCAL NUMBER 001S003W28C01S

NEAR INTERSECTION OF REDLANDS BLVD AND TENNESSEE STREET. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 18 IN, DEPTH DRILLED 309 FT, PERFORATED 80-90, 174-204, 220-309 FT. ALTITUDE OF LSD 1270 FT. RECORDS AVAILABLE 1928, 1936, 1954-55, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	90.59 S	JUL 05, 1988	103.35 S
PERIOD OF RECORD	HIGHEST 69.7	JUN 09, 1928	LOWEST 126.13 MAR 25, 1955

SITE NUMBER 340245117134701

LOCAL NUMBER 001S003W31A03S

ON WHITTIER AVENUE IN BRYN MAWR AREA. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH DRILLED 472 FT. ALTITUDE OF LSD 1203 FT. RECORDS AVAILABLE 1935-65, 1970-71, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	106.37 S	JUN 30, 1988	113.29 S
PERIOD OF RECORD	HIGHEST 64.9	MAR 28, 1945	LOWEST 237.8 NOV 24, 1964

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340244117120001

LOCAL NUMBER 001S003W33C01S

IN REDLANDS. UNUSED WELL. DIAM 10 IN, DEPTH DRILLED 462 FT, DEPTH 264 FT IN 1953. ALTITUDE OF LSD 1310 FT. RECORDS AVAILABLE 1931-32, 1935-49, 1954, 1975-79, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	106.21 S	JUN 30, 1988	111.65 S
PERIOD OF RECORD	HIGHEST	97.38 MAY 20, 1986	LOWEST 131.70 JAN 04, 1954

SITE NUMBER 340241117094402

LOCAL NUMBER 001S003W35G05S

NEAR HIGHLAND AVENUE INTERSECTION WITH ROOSEVELT ROAD. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH DRILLED 570 FT. ALTITUDE OF LSD 1534.9 FT. RECORDS AVAILABLE 1913, 1921, 1925-57, 1962-65, 1969-71, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	52.02 S	JUN 29, 1988	71.55 S
PERIOD OF RECORD	HIGHEST	+1.8 JUN 26, 1945	LOWEST 163.3 SEP 29, 1956

SITE NUMBER 340632117170501

LOCAL NUMBER 001S004W03Q01S

IN SAN BERNARDINO NEAR INTERSECTION OF 5TH STREET AND SIERRA WAY. DRILLED UNUSED WELL. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 1042 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1988	16.85 S	JUN 29, 1988	18.68 S
PERIOD OF RECORD	HIGHEST	0.0 OCT 28, 1983	LOWEST 98.0 DEC 10, 1968

SITE NUMBER 340652117195801

LOCAL NUMBER 001S004W06H01S

IN SAN BERNARDINO IN LYTLE CREEK WASH AREA NORTH OF FOOTHILL BLVD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH DRILLED 636 FT, PERFORATED 224-252, 288-346, 378-420, 448-490, 500-510, 604-636 FT. ALTITUDE OF LSD 1160 FT. RECORDS AVAILABLE 1927-58, 1962-77, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	84.11 S	JUN 29, 1988	96.14 S
PERIOD OF RECORD	HIGHEST	19.0 APR 02, 1945	LOWEST 199.5 JUL , 1967

WATER LEVELS, SAN BERNARDINO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340552117175801

LOCAL NUMBER 001S004W09J01S

IN SAN BERNARDINO NEAR G STREET. DRILLED UNUSED ARTESIAN WELL. DIAM 16 IN, DEPTH 508 FT. PERFORATED 130-152, 208-250, 276-296, 338-348 FT. ALTITUDE OF LSD 1030 FT. RECORDS AVAILABLE 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	24.80 S	JUN 29, 1988	34.76
PERIOD OF RECORD	HIGHEST	0.2 MAR 09, 1951	LOWEST 87.8 OCT 22, 1968

SITE NUMBER 340608117172601

LOCAL NUMBER 001S004W10F01S

IN SAN BERNARDINO, NEAR D AND 2ND STREETS. DRILLED UNUSED ARTESIAN WELL. DIAM 20 IN, DEPTH DRILLED 752 FT, PERFORATED 680-734 FT. ALTITUDE OF LSD 1029.7 FT. RECORDS AVAILABLE 1920, 1922, 1926 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 14, 1988	14.06 S	JUN 29, 1988	14.77 S
PERIOD OF RECORD	HIGHEST	0.2 NOV 21, 1983	LOWEST 105.5 OCT 21, 1964

SITE NUMBER 340615117145901

LOCAL NUMBER 001S004W12B04S

ON NORTON AFB. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 10 IN, DEPTH DRILLED 818 FT. ALTITUDE OF LSD 1087 FT. RECORDS AVAILABLE 1933-40, 1943-44, 1946, 1951, 1982-83, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 30, 1988	74.20 SR
PERIOD OF RECORD	HIGHEST 1.90 FEB 04, 1936 LOWEST 92.2 JUL 13, 1983

SITE NUMBER 340441117182701

LOCAL NUMBER 001S004W16P04S

IN COLTON, NORTH OF COLTON AVE. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH DRILLED 208.5 FT, DEPTH 191 FT IN 1965, PERFORATED 187.5-208.5 FT. ALTITUDE OF LSD 1014.50 FT. RECORDS AVAILABLE 1964-70, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 07, 1987	100.8 V
PERIOD OF RECORD	HIGHEST 100.8 OCT 07, 1987 LOWEST 146.50 APR 05, 1965

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340439117185501

LOCAL NUMBER 001S004W17R01S

IN COLTON, ON OLIVE STREET. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH DRILLED 209 FT, DEPTH 192 IN 1964, PERFORATED 188-209 FT. ALTITUDE OF LSD 1014.52 FT. RECORDS AVAILABLE 1964-65, 1967-70, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 07, 1987	83.85 S

PERIOD OF RECORD	HIGHEST	83.85	OCT 07, 1987	LOWEST	148.48	JAN 02, 1969
------------------	---------	-------	--------------	--------	--------	--------------

SITE NUMBER 340416117205101

LOCAL NUMBER 001S004W19E01S

EAST OF MERIDIAN AVENUE, NORTH OF VALLEY BLVD. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 222 FT, Cased to 251 FT, PERFORATED 223-244 FT. ALTITUDE OF LSD 1038.9 FT. RECORDS AVAILABLE 1964, 1967-70, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	150.91 S	JUN 29, 1988	151.82 S

PERIOD OF RECORD	HIGHEST	148.38	MAY 15, 1985	MAY 15, 1986	LOWEST	193.94	JAN 02, 1969
------------------	---------	--------	--------------	--------------	--------	--------	--------------

SITE NUMBER 340413117180501

LOCAL NUMBER 001S004W21K11S

AT WARM CREEK GOLF COURSE. UNUSED WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 963 FT. RECORDS AVAILABLE 1967-68, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	24.41 S	JUN 29, 1988	29.47 S

PERIOD OF RECORD	HIGHEST	13.1	MAR 20, 1982	LOWEST	98.2	JUL 07, 1977
------------------	---------	------	--------------	--------	------	--------------

SITE NUMBER 340359117183101

LOCAL NUMBER 001S004W21N01S

IN COLTON, NEAR SPERRY AND H STREETS. DRILLED PUBLIC SUPPLY WELL. DIAM 20-18 IN, DEPTH DRILLED 689 FT, PERFORATED 96-180, 283-312, 337-360, 416-457, 552-670 FT. ALTITUDE OF LSD 963 FT. RECORDS AVAILABLE 1936 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	55.94 S	JUN 29, 1988	P

PERIOD OF RECORD	HIGHEST	28.8	APR 24, 1943	LOWEST	114.7	MAY 05, 1962
------------------	---------	------	--------------	--------	-------	--------------

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340432117165701

LOCAL NUMBER 001S004W22B03S

IN SOUTH SAN BERNARDINO, WEST OF WATERMAN AVENUE. DRILLED UNUSED WELL. DIAM 8 IN, DEPTH REPORTED 200 FT. ALTITUDE OF LSD 1001.9 FT. RECORDS AVAILABLE 1933 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	29.71 S	JUN 29, 1988	34.87 S
PERIOD OF RECORD	HIGHEST	0.10 JUN 12, 1947	LOWEST 107.30 DEC 11, 1968

SITE NUMBER 340325117162601

LOCAL NUMBER 001S004W26F01S

EAST OF WATERMAN AVENUE, NORTH OF INDUSTRIAL STREET. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 14 IN, DEPTH DRILLED 510 FT, PERFORATED 405-468, 479-490 FT. ALTITUDE OF LSD 1033 FT. RECORDS AVAILABLE 1931, 1962-63, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 12, 1988	P	JUN 30, 1988	102.34 SS
PERIOD OF RECORD	HIGHEST	6 AUG 22, 1931	LOWEST 111.8 NOV 02, 1962

SITE NUMBER 340319117185501

LOCAL NUMBER 001S004W29H01S

IN COLTON, ALONG THE SANTA ANA RIVER. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 530 FT, CASSED TO 345 FT, PERFORATED 68-88, 108-220 FT. ALTITUDE OF LSD 923.34 FT RECORDS AVAILABLE 1929 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1988	29.32 V	JUN 30, 1988	31.52 V
PERIOD OF RECORD	HIGHEST	2.2 FEB 05, 1943	LOWEST 150.8 JUN 18, 1965

SITE NUMBER 340255117191201

LOCAL NUMBER 001S004W29Q04S

IN COLTON, ALONG THE SANTA ANA RIVER. DRILLED UNUSED WELL IN ALLUVIUM AND CHANNEL DEPOSITS. DIAM 16 IN, DEPTH DRILLED 466 FT, CASSED TO 448 FT, PERFORATED 152-438 FT. ALTITUDE OF LSD 924.5 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1988	24.2 V	JUN 30, 1988	30.15 V
PERIOD OF RECORD	HIGHEST	19.43 JUN 20, 1986	LOWEST 83.6 JUN 08, 1977

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340716117251001

LOCAL NUMBER 001S005W05A02S

ALONG BASELINE AVENUE, WEST OF ADLER AVENUE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH DRILLED 543 FT. ALTITUDE OF LSD 1410 FT. RECORDS AVAILABLE 1925-76, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	232.85 V	JUN 29, 1988	260.00 SS
PERIOD OF RECORD	HIGHEST 201.6	FEB 04, 1932	LOWEST 372.3 OCT 03, 1957

SITE NUMBER 340531117243601

LOCAL NUMBER 001S005W16C01S

IN FONTANA. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 531 FT, PERFORATED 354-386, 390-398, 410-420, 472-490 FT. ALTITUDE OF LSD 1227.3 FT. RECORDS AVAILABLE 1929 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	397.69 S	JUN 29, 1988	396.92 S
PERIOD OF RECORD	HIGHEST 370.0	APR 20, 1929	LOWEST 430.0 OCT 03, 1978

SITE NUMBER 340348117262001

LOCAL NUMBER 001S005W19J01S

IN FONTANA. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 20 IN, DEPTH DRILLED 761 FT. ALTITUDE OF LSD 1106.6 FT. RECORDS AVAILABLE 1926 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	337.05 V	JUN 29, 1988	336.37 S
PERIOD OF RECORD	HIGHEST 281.6	APR 02, 1928	LOWEST 359.7 JUL 02, 1971 OCT 04, 1971 JAN 01, 1972 MAR 03, 1972 MAR 01, 1973

SITE NUMBER 340439117260201

LOCAL NUMBER 001S005W20D01S

NEAR INTERSECTION OF SIERRA AND SAN BERNARDINO AVENUES. DRILLED PUBLIC SUPPLY WELL. DIAM 20 IN, DEPTH REPORTED 510 FT. ALTITUDE OF LSD 1157 FT. RECORDS AVAILABLE 1931-35, 1938-40, 1943-49, 1953, 1956, 1959-60, 1964, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	381.14 S	JUN 30, 1988	380.37 S
PERIOD OF RECORD	HIGHEST 283.45	FEB 19, 1964	LOWEST 448.3 APR 29, 1944

WATER LEVELS, SAN BERNARDINO COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340255117211001

LOCAL NUMBER 001S005W25R04S

WEST OF SANTA ANA RIVER ON AGUA MANSA ROAD. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 20 IN, DEPTH CASED 302 FT, PERFORATED 50-280 FT. ALTITUDE OF LSD 880 FT. RECORDS AVAILABLE 1962, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1988	P	JUN 29, 1988	P
PERIOD OF RECORD	HIGHEST	16.00 NOV 06, 1985	LOWEST 58.0 JUL 06, 1962

SITE NUMBER 340320117263701

LOCAL NUMBER 001S005W30L01S

NEAR INTERSECTION OF SANTA ANA AND CYPRESS AVENUES. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH REPORTED 492 FT. ALTITUDE OF LSD 1049 FT. RECORDS AVAILABLE 1912-51, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	281.75 V	JUN 30, 1988	281.22 S
PERIOD OF RECORD	HIGHEST	225.4 OCT 06, 1924	LOWEST 311.8 OCT 03, 1978

SITE NUMBER 340346117274201

LOCAL NUMBER 001S006W25C01S

IN SOUTH FONTANA. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 854 FT IN 1912. ALTITUDE OF LSD 1050 FT. RECORDS AVAILABLE 1912, 1914-19, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 11, 1987	293.7 V	JUN 30, 1988	298.13 V
PERIOD OF RECORD	HIGHEST	237.9 APR 03, 1919	LOWEST 321.5 OCT 03, 1978

WATER LEVELS, SAN BERNARDINO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 340133117095401

LOCAL NUMBER 002S003W02L01S

IN REDLANDS HEIGHTS ON SUNSET DRIVE. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH DRILLED 450 FT, CASED TO 441 FT, PERFORATED 420-441 FT. ALTITUDE OF LSD 1857.51 FT. RECORDS AVAILABLE 1967, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 08, 1987	245.75 S	JUN 30, 1988	244.23 S
PERIOD OF RECORD	HIGHEST 244.23	JUN 30, 1988	LOWEST 273.11 OCT 02, 1967

WATER QUALITY, SAN BERNARDINO COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3
003N007E19N01S	08-12-88	1100	238.55	334.00	@330	@7.70	--	66	0
003N007E20M01S	08-12-88	1200	208.05	295.00	@311	@7.90	--	30	0
003N007E28R01S	10-09-87	1430	--	600.00	320	@8.40	26.5	42	0
003N007E31E01S	08-12-88	1300	251.45	401.00	@312	@8.10	--	44	0
003N007E32J01S	10-09-87	1400	--	600.00	250	@8.40	26.0	39	0
009N002E03E01S	05-20-88	1045	49.50	127.00	456	8.00	23.5	110	0
009N002E07Q01S	05-20-88	1200	--	350.00	600	7.50	18.5	180	59
009N002E11C03S	05-20-88	0915	111.61	173.00	413	7.90	22.5	88	0
010N003E26K01S	05-25-88	1300	--	120.00	426	8.00	25.0	80	0
010N004E20D01S	05-25-88	1445	152.98	300.00	1600	8.80	25.5	11	0
001N004W26E02S	04-07-88	1330	--	689.00	504	7.20	16.5	160	22
001N004W34G01S	04-07-88	1330	--	700.00	556	7.20	19.5	260	59
003N004W13F01S	06-01-88	0945	--	269.00	268	7.40	16.0	74	0
003N004W33H01S	05-27-88	0800	--	105.00	314	7.90	17.0	110	0
004N003W30A06S	05-18-88	1045	--	120.00	227	7.60	14.0	69	7
004N004W01A01S	05-27-88	1410	--	275.00	200	7.40	14.5	74	0
005N004W11P03S	05-18-88	1215	58.07	145.00	252	8.40	21.5	42	0
005N004W13P01S	05-27-88	1215	--	260.00	299	8.50	23.5	51	0
005N004W25N01S	05-27-88	1000	--	400.00	177	8.70	17.5	35	0
006N004W30D01S	05-18-88	1450	29.04	--	828	7.60	20.0	220	0
007N004W07K01S	06-03-88	1100	44.45	200.00	941	7.70	20.5	290	110
008N003W05J01S	05-19-88	0920	7.75	86.00	1260	7.50	21.5	350	62
008N004W13B01S	05-18-88	1715	--	--	1400	7.40	19.0	380	61
009N001W10G05S	05-19-88	1705	R8.91	110.00	1080	7.40	19.5	320	98
009N001W11M11S	05-24-88	1415	5.29	--	963	7.40	20.0	290	88
009N001W11R02S	05-24-88	1030	21.76	102.00	1380	7.60	22.5	370	110
009N001W13B02S	05-25-88	0900	14.80	110.00	1290	7.50	19.5	360	93
009N001W13B03S	05-24-88	1645	9.99	57.80	1370	7.60	21.0	330	48
009N001W13B04S	05-24-88	1745	9.59	118.50	1080	7.60	21.0	320	71
009N001W13H02S	05-25-88	1030	17.78	108.00	662	7.70	22.0	160	0
009N002W05N07S	05-19-88	1440	70.68	195.00	3090	7.40	18.5	940	750
009N003W21K01S	05-19-88	1100	--	150.00	1330	7.70	21.5	380	230
009N003W22J01S	05-31-88	1130	--	205.00	765	7.50	16.0	240	88
010N002W33R01S	05-19-88	1230	61.63	170.00	1080	7.30	19.5	220	0
001S003W09E02S	04-07-88	1230	--	401.00	238	7.50	18.0	92	0
001S003W17C03S	04-07-88	1530	--	296.00	595	7.20	22.5	220	0
001S004W11D02S	04-07-88	0945	--	963.00	356	7.80	22.5	110	0
001S004W13N01S	04-07-88	1030	--	325.00	748	7.60	18.5	280	66
001S004W22H02S	04-07-88	0900	--	1106.00	418	7.70	28.5	38	0
001S004W23A05S	04-07-88	1115	--	704.00	476	7.60	17.5	200	51

R Recently pumped.

@ Result based on laboratory value.

WATER QUALITY, SAN BERNARDINO COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
003N007E19N01S	22	2.6	41	57	2	2.2	@87	36	19
003N007E20M01S	11	0.67	52	78	4	1.5	@65	34	28
003N007E28R01S	16	0.39	53	72	4	3.2	@55	47	36
003N007E31E01S	15	1.6	42	66	3	1.7	@65	19	14
003N007E32J01S	15	0.37	42	69	3	2.2	@68	29	18
009N002E03E01S	35	5.3	54	51	2	1.4	148	45	23
009N002E07Q01S	55	10	49	37	2	1.8	120	72	63
009N002E11C03S	29	3.9	56	57	3	1.5	151	30	21
010N003E26K01S	27	3.0	57	60	3	1.3	144	36	24
010N004E20D01S	3.8	0.30	330	98	46	3.3	248	140	260
001N004W26E02S	46	12	41	35	1	2.2	143	76	23
001N004W34G01S	78	15	14	10	0.4	3.3	198	46	26
003N004W13F01S	22	4.7	26	43	1	1.7	93	24	9.4
003N004W33H01S	34	5.5	27	35	1	1.6	155	4.4	7.1
004N003W30A06S	20	4.6	17	34	0.9	1.6	62	16	19
004N004W01A01S	22	4.6	13	27	0.7	1.5	78	9.0	7.2
005N004W11P03S	13	2.3	36	64	3	1.2	77	26	14
005N004W13P01S	16	2.6	41	63	3	1.4	76	36	17
005N004W25N01S	12	1.2	24	59	2	0.90	76	8.7	4.1
006N004W30D01S	67	13	99	49	3	0.60	263	110	42
007N004W07K01S	93	14	73	35	2	2.3	182	150	89
008N003W05J01S	110	19	130	44	3	3.1	291	170	110
008N004W13B01S	120	20	140	44	3	2.6	322	160	150
009N001W10G05S	100	18	110	42	3	3.2	226	230	72
009N001W11M11S	88	16	90	40	2	2.8	198	130	110
009N001W11R02S	110	23	150	47	4	3.7	261	180	170
009N001W13B02S	110	20	140	46	3	3.0	265	170	140
009N001W13B03S	100	19	170	53	4	3.1	280	200	150
009N001W13B04S	100	18	110	42	3	3.2	253	140	110
009N001W13H02S	49	8.6	79	52	3	2.4	170	70	55
009N002W05N07S	290	52	310	42	5	4.7	190	950	420
009N003W21K01S	120	20	130	42	3	2.8	154	270	170
009N003W22J01S	75	14	62	35	2	2.6	157	130	60
010N002W33R01S	62	16	130	56	4	3.4	320	120	72
001S003W09E02S	28	5.3	13	23	0.6	2.4	@97	14	6.5
001S003W17C03S	67	13	40	28	1	4.6	226	40	13
001S004W11D02S	37	3.3	34	40	2	2.7	115	43	11
001S004W13N01S	90	14	47	26	1	3.6	217	110	19
001S004W22H02S	14	0.64	74	80	6	1.6	117	44	27
001S004W23A05S	65	8.5	21	19	0.7	2.0	147	40	16

@ Result based on laboratory value.

WATER QUALITY, SAN BERNARDINO COUNTY--Continued

INORGANIC DATA

LOCAL NUMBER	WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988								
	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)
003N007E19N01S	0.30	18	201	--	--	1.60	0.120	0.18	0.30
003N007E20M01S	0.70	14	184	--	--	0.610	0.020	0.28	0.30
003N007E28R01S	0.50	17	206	--	--	--	--	--	--
003N007E31E01S	0.50	3.9	140	--	--	0.670	<0.010	--	0.20
003N007E32J01S	0.60	19	167	--	--	--	--	--	--
009N002E03E01S	0.50	24	282	--	<0.010	1.20	--	--	--
009N002E07Q01S	0.60	23	353	--	<0.010	1.50	--	--	--
009N002E11C03S	0.40	27	261	--	<0.010	0.290	--	--	--
010N003E26K01S	0.40	28	264	--	<0.010	0.230	--	--	--
010N004E20D01S	4.8	66	960	--	<0.010	<0.100	--	--	--
001N004W26E02S	0.80	31	329	--	--	2.40	<0.010	--	<0.20
001N004W34G01S	0.40	24	353	--	--	6.20	<0.010	--	<0.20
003N004W13F01S	0.90	26	175	--	<0.010	1.10	--	--	--
003N004W33H01S	0.30	24	197	--	<0.010	<0.100	--	--	--
004N003W30A06S	0.30	18	136	--	<0.010	0.550	--	--	--
004N004W01A01S	0.30	25	140	--	<0.010	2.30	--	--	--
005N004W11P03S	0.70	20	163	--	<0.010	0.670	--	--	--
005N004W13P01S	0.80	19	181	--	<0.010	0.390	--	--	--
005N004W25N01S	0.50	20	119	--	<0.010	0.350	--	--	--
006N004W30D01S	0.90	39	554	--	<0.010	5.70	--	--	--
007N004W07K01S	0.50	27	567	--	<0.010	2.00	--	--	--
008N003W05J01S	0.60	26	788	--	<0.010	10.0	--	--	--
008N004W13B01S	0.60	29	818	--	<0.010	0.520	--	--	--
009N001W10G05S	0.50	24	703	2.08	0.020	2.10	--	--	--
009N001W11M11S	0.50	23	584	--	<0.010	1.00	--	--	--
009N001W11R02S	0.60	21	827	2.48	0.020	2.50	--	--	--
009N001W13B02S	0.50	28	783	--	<0.010	2.70	--	--	--
009N001W13B03S	0.60	28	851	--	<0.010	2.60	--	--	--
009N001W13B04S	0.50	26	666	--	<0.010	1.50	--	--	--
009N001W13H02S	0.50	27	396	--	<0.010	0.620	--	--	--
009N002W05N07S	0.40	24	2190	--	<0.010	5.80	--	--	--
009N003W21K01S	0.50	27	841	--	<0.010	1.90	--	--	--
009N003W22J01S	0.50	24	467	--	<0.010	1.00	--	--	--
010N002W33R01S	0.40	25	656	--	<0.010	8.00	--	--	--
001S003W09E02S	0.30	25	161	--	--	1.80	<0.010	--	0.30
001S003W17C03S	0.50	25	381	--	--	9.50	<0.010	--	0.30
001S004W11D02S	0.60	11	216	--	--	0.970	<0.010	--	<0.20
001S004W13N01S	0.60	22	494	--	--	13.0	<0.010	--	0.30
001S004W22H02S	0.80	17	252	--	--	0.550	<0.010	--	<0.20
001S004W23A05S	0.50	21	311	--	--	11.0	<0.010	--	<0.20

< Actual value is known to be less than the value shown.

WATER QUALITY, SAN BERNARDINO COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	PHOS- PHOROUS DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHOROUS ORGANIC DIS- SOLVED (MG/L AS P)	ARSENIC DIS- SOLVED (UG/L AS AS)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
003N007E19N01S	0.010	--	<0.010	0.01	--	30	36	<1
003N007E20M01S	<0.010	--	<0.010	--	--	40	42	<1
003N007E28R01S	--	--	--	--	--	40	4	1
003N007E31E01S	0.020	--	<0.010	0.02	--	30	130	89
003N007E32J01S	--	--	--	--	--	50	20	<1
009N002E03E01S	--	--	--	--	2	220	6	1
009N002E07Q01S	--	--	--	--	1	100	4	<1
009N002E11C03S	--	--	--	--	2	150	7	<1
010N003E26K01S	--	--	--	--	5	180	<3	<1
010N004E20D01S	--	--	--	--	38	3300	9	9
001N004W26E02S	0.030	0.06	0.020	0.01	--	260	<3	<1
001N004W34G01S	0.020	--	<0.010	0.02	--	40	<3	<1
003N004W13F01S	--	--	--	--	<1	50	49	2
003N004W33H01S	--	--	--	--	1	<10	62	8
004N003W30A06S	--	--	--	--	<1	40	36	2
004N004W01A01S	--	--	--	--	<1	20	9	2
005N004W11P03S	--	--	--	--	3	190	23	2
005N004W13P01S	--	--	--	--	3	260	9	3
005N004W25N01S	--	--	--	--	6	60	4	4
006N004W30D01S	--	--	--	--	1	140	15	<1
007N004W07K01S	--	--	--	--	4	220	7	<1
008N003W05J01S	--	--	--	--	2	330	<3	8
008N004W13B01S	--	--	--	--	3	350	4	<1
009N001W10G05S	--	--	--	--	2	570	<3	59
009N001W11M11S	--	--	--	--	2	330	<3	38
009N001W11R02S	--	--	--	--	<1	800	55	42
009N001W13B02S	--	--	--	--	1	520	7	<1
009N001W13B03S	--	--	--	--	3	610	<3	1
009N001W13B04S	--	--	--	--	2	330	<3	4
009N001W13H02S	--	--	--	--	3	300	<3	<1
009N002W05N07S	--	--	--	--	4	1800	20	<10
009N003W21K01S	--	--	--	--	2	260	<3	2
009N003W22J01S	--	--	--	--	2	140	9	<1
010N002W33R01S	--	--	--	--	1	250	<3	<1
001S003W09E02S	0.030	0.06	0.020	0.01	--	40	<3	<1
001S003W17C03S	0.010	--	<0.010	0.01	--	190	6	<1
001S004W11D02S	0.020	--	<0.010	0.02	--	30	22	--
001S004W13N01S	0.010	--	<0.010	0.01	--	120	<3	<1
001S004W22H02S	<0.010	--	<0.010	--	--	80	9	3
001S004W23A05S	0.020	--	<0.010	0.02	--	30	8	<1

< Actual value is known to be less than the value shown.

WATER QUALITY, SAN BERNARDINO COUNTY--Continued

ORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)
001N004W26E02S	04-07-88	1330	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W09E02S	04-07-88	1230	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W17C03S	04-07-88	1530	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W18N02S	04-07-88	1445	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W11D02S	04-07-88	0945	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W13N01S	04-07-88	1030	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W22H02S	04-07-88	0900	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W23A05S	04-07-88	1115	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)
001N004W26E02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W09E02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W17C03S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S003W18N02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W11D02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W13N01S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W22H02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
001S004W23A05S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- DIBROMO ETHYL- ENE TOTAL (UG/L)	1,2- TRANS DI CHLORO- ETHENE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	
001N004W26E02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S003W09E02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S003W17C03S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S003W18N02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S004W11D02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S004W13N01S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S004W22H02S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
001S004W23A05S	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	
	STYRENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)	XYLENE TOTAL WHOLE REC (UG/L)	
001N004W26E02S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S003W09E02S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S003W17C03S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S003W18N02S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S004W11D02S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S004W13N01S	<0.2	0.20	<0.20	<0.20	0.2	<0.20	<0.20	<0.20	<0.2	
001S004W22H02S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
001S004W23A05S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	

< Actual value is known to be less than the value shown.

SAN DIEGO COUNTY

	<u>Page</u>
LOCAL NUMBER 010S006E21A01S.....	213
LOCAL NUMBER 011S006E11D02S.....	213
LOCAL NUMBER 012S002E03B02S.....	213
LOCAL NUMBER 012S003E10H01S.....	213
LOCAL NUMBER 014S005E02J03S.....	214
LOCAL NUMBER 014S006E08F03S.....	214
LOCAL NUMBER 015S001E18L03S.....	214
LOCAL NUMBER 016S003W13Q04S.....	214
LOCAL NUMBER 017S001W30B01S.....	215
LOCAL NUMBER 018S002W21H03S.....	215




FIGURE 14.--Index map to location of wells in San Diego County.

WATER LEVELS, SAN DIEGO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 331800116210001

LOCAL NUMBER 010S006E21A01S

ABOUT 0.1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY AND HENDERSON CANYON ROADS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 310 FT. ALTITUDE OF LSD 640 FT. RECORDER INSTALLED BY CALIFORNIA STATE WATER RESOURCES DEPARTMENT IN 1952. RECORDS AVAILABLE 1952-76, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 10, 1988	184.46 S	SEP 27, 1988	188.23 S
PERIOD OF RECORD HIGHEST 130.55 JAN 03, 1953 LOWEST 188.23 SEP 27, 1988			

SITE NUMBER 331432116194602

LOCAL NUMBER 011S006E11D02S

ABOUT 1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY ROAD AND PALM CANYON DRIVE. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 218 FT. ALTITUDE OF LSD 500 FT. RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 10, 1988	48.65 S	SEP 27, 1988	49.51 S
PERIOD OF RECORD HIGHEST 17.53 NOV 16, 1953 LOWEST 65.60 AUG 14, 1958			

SITE NUMBER 331005116453301

LOCAL NUMBER 012S002E03B02S

ABOUT 5.8 MI WEST OF HWY 79 ON THE SANTA YSABEL INDIAN RESERVATION. DRILLED PUBLIC-SUPPLY WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3310 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 07, 1988	23.50 S
PERIOD OF RECORD HIGHEST 20.18 MAR 19, 1987 LOWEST 24.42 SEP 25, 1987	

SITE NUMBER 330846116391301

LOCAL NUMBER 012S003E10H01S

ABOUT 1.3 MI EAST OF HWY 79 ON THE SANTA YSABEL INDIAN RESERVATION. DRILLED PUBLIC-SUPPLY WELL. DIAM 6 IN, DEPTH 150 FT. ALTITUDE OF LSD 3590 FT. RECORDS AVAILABLE 1980, 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 07, 1988	31.32 SR
PERIOD OF RECORD HIGHEST 9.5 MAY 20, 1980 LOWEST 21.89 DEC 10, 1986	

WATER LEVELS, SAN DIEGO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 325848116260301

LOCAL NUMBER 014S005E02J03S

ABOUT 0.2 MI NORTH OF AGUA CALIENTE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 181 FT. ALTITUDE OF LSD 2030 FT. RECORDS AVAILABLE 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 24, 1988	116.40 SP	SEP 15, 1988	43.88 SR
PERIOD OF RECORD	HIGHEST	40.35 MAR 01, 1985	LOWEST 74.10 DEC 27, 1978

SITE NUMBER 325808116232801

LOCAL NUMBER 014S006E08F03S

ABOUT 1 MI NORTHEAST OF TROUTMAN MTN. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 110 FT. ALTITUDE OF LSD 1645 FT. RECORDS AVAILABLE 1960, 1962, 1964-66, 1968, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 24, 1988	64.60 S	SEP 15, 1988	63.78 S
PERIOD OF RECORD	HIGHEST	63.78 SEP 15, 1988	LOWEST 78.20 OCT 01, 1982

SITE NUMBER 325159116551101

LOCAL NUMBER 015S001E18L03S

ABOUT 0.3 MI NORTHEAST OF INTERSECTION OF MAPLEVIEW STREET AND HWY 67, NORTH OF LAKESIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 395 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 09, 1988	18.35 S	SEP 23, 1988	23.16 S
PERIOD OF RECORD	HIGHEST	15.41 MAR 11, 1983	LOWEST 25.52 SEP 16, 1987

SITE NUMBER 324630117082701

LOCAL NUMBER 016S003W13Q04S

ABOUT 0.3 MI SOUTHWEST OF INTERSECTION OF FRIARS ROAD AND STADIUM WAY, NORTH OF UNIVERSITY HEIGHTS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 52.45 FT. ALTITUDE OF LSD 45 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 09, 1988	12.92 S	SEP 23, 1988	15.98 S
PERIOD OF RECORD	HIGHEST	11.39 APR 09, 1986	LOWEST 15.98 SEP 23, 1988

WATER LEVELS, SAN DIEGO COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 324005117012001

LOCAL NUMBER 017S001W30B01S

ABOUT 0.25 MI FROM SOUTHEAST CORNER OF BONITA AND CENTRAL AVENUES IN SUNNYSIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 09, 1988	9.76 S	SEP 23, 1988	12.59 S
PERIOD OF RECORD	HIGHEST	7.02 MAR 11, 1983	LOWEST 13.27 SEP 16, 1987

SITE NUMBER 323530117050701

LOCAL NUMBER 018S002W21H03S

ABOUT 0.25 MI SOUTH OF MAIN STREET NEAR INTERSTATE 5, EAST OF IMPERIAL BEACH. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. DIAM 13 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 12 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 09, 1988	7.16 S	SEP 23, 1988	8.20 S
PERIOD OF RECORD	HIGHEST	7.16 MAR 09, 1988	LOWEST 11.03 DEC 07, 1978

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN FRANCISCO COUNTY

	<u>Page</u>
LOCAL NUMBER 002S005W18B01M.....	225, 228
LOCAL NUMBER 002S006W07P01M.....	218, 225, 228
LOCAL NUMBER 002S006W10L01M.....	218
LOCAL NUMBER 002S006W10L02M.....	218, 225, 228
LOCAL NUMBER 002S006W11R01M.....	218, 225, 228
LOCAL NUMBER 002S006W12Q01M.....	219, 225, 228
LOCAL NUMBER 002S006W12Q02M.....	219
LOCAL NUMBER 002S006W15C01M.....	219, 225, 228
LOCAL NUMBER 002S006W15C02M.....	225, 228
LOCAL NUMBER 002S006W15F01M.....	219
LOCAL NUMBER 002S006W15F02M.....	220
LOCAL NUMBER 002S006W15K01M.....	220, 225, 228
LOCAL NUMBER 002S006W15K03M.....	220, 225, 228
LOCAL NUMBER 002S006W15P01M.....	220, 225, 228
LOCAL NUMBER 002S006W15P02M.....	221
LOCAL NUMBER 002S006W22F01M.....	221, 225, 228
LOCAL NUMBER 002S006W22J01M.....	221, 225, 228
LOCAL NUMBER 002S006W22K01M.....	221
LOCAL NUMBER 002S006W22K02M.....	222
LOCAL NUMBER 002S006W22Q01M.....	222, 225, 228
LOCAL NUMBER 002S006W25N01M.....	222, 225, 228
LOCAL NUMBER 002S006W26A01M.....	222
LOCAL NUMBER 002S006W26A02M.....	225, 228
LOCAL NUMBER 002S006W26P01M.....	223
LOCAL NUMBER 002S006W27B01M.....	223, 225, 228
LOCAL NUMBER 002S006W27B03M.....	223, 225, 228
LOCAL NUMBER 002S006W27B04M.....	223
LOCAL NUMBER 002S006W27B05M.....	225, 228
LOCAL NUMBER 002S006W27B06M.....	225, 228
LOCAL NUMBER 002S006W27J01M.....	224, 225, 228
LOCAL NUMBER 002S006W36N01M.....	224, 225, 228




FIGURE 15.--Index map to location of wells in San Francisco County.

WATER LEVELS, SAN FRANCISCO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374602122271001

LOCAL NUMBER 002S006W07P01M

IN SAN FRANCISCO IN GOLDEN GATE PARK. OBSERVATION WELL. DIAM 2 IN, DEPTH DRILLED 331 FT, DEPTH CASED 249 FT. ALTITUDE OF LSD 273.47 FT. RECORDS AVAILABLE 1982, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	87.0 SS	FEB 27, 1988	66.28 S	MAY 18, 1988	79.48 SS	JUL 19, 1988	59.50 S
DEC 10	80.20 SS	MAR 28	81.74 SS	18	63.65 ST	AUG 15	57.16 S
JAN 23, 1988	91.21 SS	APR 20	73.75 S	JUN 14	63.00 S	SEP 26	65.46 V
PERIOD OF RECORD	HIGHEST	51.1	AUG 11, 1982	LOWEST	73.75	APR 20, 1988	

SITE NUMBER 374616122303001

LOCAL NUMBER 002S006W10L01M

IN SAN FRANCISCO IN GOLDEN GATE PARK. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 156 FT. ALTITUDE OF LSD 33.19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1987	16.22 S	MAR 28, 1988	17.00 S	JUN 14, 1988	P	AUG 16, 1988	18.40 S
JAN 15, 1988	17.07 S	APR 20	17.21 S	JUL 19	P		
FEB 27	17.56 S	MAY 18	25.60 SR	AUG 15	17.60 S		
PERIOD OF RECORD	HIGHEST	16.22	DEC 10, 1987	LOWEST	18.40	AUG 16, 1988	

SITE NUMBER 374616122303002

LOCAL NUMBER 002S006W10L02M

IN SAN FRANCISCO IN GOLDEN GATE PARK NEAR FULTON STREET. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 281 FT. ALTITUDE OF LSD 44.76 FT. RECORDS AVAILABLE 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 10, 1987	25.85
PERIOD OF RECORD	HIGHEST 25.85 DEC 10, 1987 LOWEST 25.85 DEC 10, 1987

SITE NUMBER 374605122284801

LOCAL NUMBER 002S006W11R01M

IN SAN FRANCISCO IN GOLDEN GATE PARK NEAR ELK GLEN LAKE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH CASED 360 FT, PERFORATED 170-350 FT. ALTITUDE OF LSD 169.12 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	69.0 SP	FEB 27, 1988	56.90 SP	MAY 18, 1988	61.12 SP	JUL 19, 1988	55.00 S
DEC 10	45.82 S	MAR 28	51.19 S	18	50.84 SR	AUG 15	56.34 S
JAN 15, 1988	43.92 S	APR 20	52.63 S	JUN 14	65.17 SP		
PERIOD OF RECORD	HIGHEST	43.92	JAN 15, 1988	LOWEST	56.34	AUG 15, 1988	

WATER LEVELS, SAN FRANCISCO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374558122281001

LOCAL NUMBER 002S006W12Q01M

IN SAN FRANCISCO IN GOLDEN GATE PARK NORTH OF LINCOLN WAY. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 250 FT. ALTITUDE OF LSD 206.99 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	78.0 SR	FEB 27, 1988	35.83 S	MAY 18, 1988	35.55 S	AUG 17, 1988	39.83 S
DEC 10	35.87 S	MAR 28	35.55 S	JUN 14	P		
JAN 15, 1988	35.22 S	APR 20	36.07 S	JUL 19	P		
PERIOD OF RECORD	HIGHEST	35.22	JAN 15, 1988	LOWEST	39.83	AUG 17, 1988	

SITE NUMBER 374558122281002

LOCAL NUMBER 002S006W12Q02M

IN SAN FRANCISCO IN GOLDEN GATE PARK NORTH OF LINCOLN WAY. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 250 FT. ALTITUDE OF LSD 207.67 FT. RECORDS AVAILABLE 1987.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	46.00 R	DEC 10, 1987	30.91
PERIOD OF RECORD	HIGHEST	30.91	DEC 10, 1987
		LOWEST	30.91
			DEC 10, 1987

SITE NUMBER 374544122303001

LOCAL NUMBER 002S006W15C01M

IN SAN FRANCISCO ON THE GREAT HIGHWAY NORTH OF IRVING STREET. OBSERVATION WELL. DIAM 4 IN, DEPTH 65 FT. ALTITUDE OF LSD 19.77 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	9.83 S	JAN 15, 1988	8.34 S	APR 20, 1988	9.10 S	JUL 17, 1988	10.20 S
NOV 18	8.66 S	MAR 24	8.99 S	MAY 13	10.62 S	AUG 15	9.97 S
DEC 10	8.17 S	MAR 28	9.18 S	JUN 14	10.03 S	SEP 26	9.70 V
PERIOD OF RECORD	HIGHEST	8.17	DEC 10, 1987	LOWEST	10.62	MAY 13, 1988	

SITE NUMBER 374530122302901

LOCAL NUMBER 002S006W15F01M

IN SAN FRANCISCO, SOUTHEAST OF INTERSECTION OF GREAT HIGHWAY AND KIRKHAM STREET. OBSERVATION WELL. DIAM 2 IN, DEPTH 55 FT. ALTITUDE OF LSD 19.92 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	7.96 S	FEB 24, 1988	7.66 S	MAY 18, 1988	9.03 S	AUG 15, 1988	8.80 S
DEC 10	7.38 S	MAR 28	8.00 S	JUN 14	8.95 S	SEP 26	8.90 V
JAN 15, 1988	7.23 S	APR 20	7.85 S	JUL 19	8.97 S		
PERIOD OF RECORD	HIGHEST	7.23	JAN 15, 1988	LOWEST	9.03	MAY 18, 1988	

WATER LEVELS, SAN FRANCISCO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374531122302501

LOCAL NUMBER 002S006W15F02M

IN SAN FRANCISCO, SOUTHEAST OF INTERSECTION OF 48TH AVE AND KIRKHAM STREET. DIAM 2 IN, DEPTH 52 FT. ALTITUDE OF LSD 26.98 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	11.61 S	FEB 24, 1988	11.07 S	MAY 18, 1988	11.70 S	AUG 15, 1988	12.39 S
DEC 10	11.75 S	MAR 28	11.54 S	JUN 14	11.98 S	SEP 26	11.84 V
JAN 15, 1988	10.97 S	APR 20	11.35 S	JUL 19	12.36 S		
PERIOD OF RECORD	HIGHEST	10.97	JAN 15, 1988	LOWEST	12.39	AUG 15, 1988	

SITE NUMBER 374523122300901

LOCAL NUMBER 002S006W15K01M

IN SAN FRANCISCO ON 44TH AVE ABOUT 40 FT NORTH OF MORAGA STREET. DIAM 12 IN, DEPTH 260 FT. ALTITUDE OF LSD 59.34 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 28, 1988	44.14 S	MAY 18, 1988	45.39 S	JUL 19, 1988	46.11 S	SEP 26, 1988	46.36 V
APR 20	43.88 S	JUN 14	45.61 S	AUG 15	45.78 S		
PERIOD OF RECORD	HIGHEST	43.88	APR 20, 1988	LOWEST	46.36	SEP 26, 1988	

SITE NUMBER 374519122300801

LOCAL NUMBER 002S006W15K03M

IN SAN FRANCISCO, ON 44TH AVE NORTH OF LAWTON STREET. DIAM 12 IN, DEPTH 260 FT. ALTITUDE OF LSD 73.16 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS		
OCT 27, 1987	47.60 S	DEC 09, 1987	47.65 S	FEB 24, 1988	47.72 S		
NOV 05	47.56 S	JAN 15, 1988	47.65 S	MAR 28	48.05 S		
PERIOD OF RECORD	HIGHEST	47.56	NOV 05, 1987	LOWEST	48.05	MAR 28, 1988	

SITE NUMBER 374516122302701

LOCAL NUMBER 002S006W15P01M

IN SAN FRANCISCO, ON MORAGA STREET. OBSERVATION WELL. DIAM 2 IN, DEPTH 68 FT. ALTITUDE OF LSD 22.64 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	12.60 S	JAN 15, 1988	12.07 S	APR 20, 1988	12.89 S	JUL 19, 1988	13.98 S
NOV 18	12.97 N	FEB 24	12.54 S	MAY 17	14.00 S	AUG 15	13.97 S
DEC 10	12.00	MAR 28	12.90 S	JUN 14	14.03 S	SEP 26	14.11 V
PERIOD OF RECORD	HIGHEST	12.00	DEC 10, 1987	LOWEST	14.11	SEP 26, 1988	

WATER LEVELS, SAN FRANCISCO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374503122302601

LOCAL NUMBER 002S006W15P02M

IN SAN FRANCISCO, ON GREAT HIGHWAY AT ORTEGA STREET. OBSERVATION WELL. DIAM 1 IN, DEPTH 85 FT. ALTITUDE OF LSD 21.75 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	12.34 S	FEB 24, 1988	12.52 S	MAY 13, 1988	16.17 S	AUG 15, 1988	15.65 S
DEC 10	11.62 S	MAR 28	12.49 S	JUN 14	16.65 S		
JAN 15, 1988	12.64 S	APR 20	13.08 S	JUL 19	16.62 S		
PERIOD OF RECORD	HIGHEST	11.62	DEC 10, 1987	LOWEST	16.65	JUN 14, 1988	

SITE NUMBER 374450122302401

LOCAL NUMBER 002S006W22F01M

IN SAN FRANCISCO, EAST OF GREAT HIGHWAY ON QUINTARA STREET. OBSERVATION WELL. DIAM 4 IN, DEPTH 35 FT. ALTITUDE OF LSD 21.91 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	11.07 S	JAN 15, 1988	10.37 S	APR 20, 1988	10.78 S	JUL 19, 1988	20.64 SS
NOV 19	11.02 S	FEB 24	10.48 S	MAY 18	18.37 SS	AUG 15	19.42 SS
DEC 10	10.42 S	MAR 28	10.84 S	JUN 14	20.36 SS	SEP 26	18.25 VS
PERIOD OF RECORD	HIGHEST	10.37	JAN 15, 1988	LOWEST	20.64	JUL 19, 1988	

SITE NUMBER 374436122300501

LOCAL NUMBER 002S006W22J01M

IN SAN FRANCISCO, ON 44TH AVE SOUTH OF SANTIAGO STREET. UNUSED WELL. DIAM 12 IN, DEPTH 253.3 FT. ALTITUDE OF LSD 63.33 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	48.96 S	FEB 24, 1988	48.78 S	MAY 18, 1988	50.69 S	AUG 15, 1988	51.27 S
DEC 09	48.27 S	MAR 28	48.91 S	JUN 14	51.22 S	SEP 26	51.20 V
JAN 15, 1988	48.50 S	APR 20	48.72 S	JUL 19	52.50 S		
PERIOD OF RECORD	HIGHEST	48.27	DEC 09, 1987	LOWEST	52.50	JUL 19, 1988	

SITE NUMBER 374438122301701

LOCAL NUMBER 002S006W22K01M

IN SAN FRANCISCO, NORTHWEST OF INTERSECTION OF 47TH AVE AND SANTIAGO STREET. OBSERVATION WELL. DIAM 2 IN, DEPTH 61 FT. ALTITUDE OF LSD 32.59 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	16.16 S	FEB 24, 1988	16.00 S	MAY 18, 1988	16.90 S	AUG 15, 1988	18.04 S
DEC 10	16.47 S	MAR 28	16.09 S	JUN 14	16.55 S	SEP 26	18.17 V
JAN 15, 1988	16.37 S	APR 20	16.12 S	JUL 19	17.75 S		
PERIOD OF RECORD	HIGHEST	16.00	FEB 24, 1988	LOWEST	18.17	SEP 26, 1988	

WATER LEVELS, SAN FRANCISCO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374437122302001

LOCAL NUMBER 002S006W22K02M

IN SAN FRANCISCO, EAST OF GREAT HIGHWAY ON SANTIAGO STREET. OBSERVATION WELL. DIAM 2 IN, DEPTH 41 FT. ALTITUDE OF LSD 21.17 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	12.55 S	FEB 24, 1988	12.13 S	MAY 18, 1988	13.99 S	AUG 15, 1988	15.58 S
DEC 10	11.85 S	MAR 28	12.50 S	JUN 14	15.50 S	SEP 26	15.02 V
JAN 15, 1988	11.70 S	APR 20	12.56 S	JUL 19	15.93 S		
PERIOD OF RECORD	HIGHEST	11.70	JAN 15, 1988	LOWEST	15.93	JUL 19, 1988	

SITE NUMBER 374424122301901

LOCAL NUMBER 002S006W22Q01M

IN SAN FRANCISCO, EAST OF GREAT HIGHWAY ON ULLOA STREET. OBSERVATION WELL. DIAM 2 IN, DEPTH 66 FT. ALTITUDE OF LSD 21.43 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	11.95 S	JAN 15, 1988	11.30 S	APR 20, 1988	12.00 S	JUL 19, 1988	13.52 S
NOV 20	12.50 S	FEB 24	11.58 S	MAY 18	12.81 S	AUG 15	13.51 S
DEC 10	11.45 S	MAR 28	11.99 S	JUN 14	13.37 S	SEP 26	13.64 V
PERIOD OF RECORD	HIGHEST	11.30	JAN 15, 1988	LOWEST	13.64	SEP 26, 1988	

SITE NUMBER 374325122282801

LOCAL NUMBER 002S006W25N01M

IN SAN FRANCISCO, WEST OF 19TH AVE, ON SAN FRANCISCO STATE CAMPUS. DIAM 8.62 IN, DEPTH DRILLED 258 FT, CASSED TO 250 FT, PERFORATED 48-95, 169-240 FT. ALTITUDE OF LSD 117.11 FT. RECORDS AVAILABLE 1967, 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 10, 1987	3.34 S	MAR 28, 1988	1.94 S	JUN 14, 1988	3.26 S	SEP 26, 1988	5.22 V
JAN 15, 1988	1.15 S	APR 20	1.40 S	JUL 19	3.69 S		
FEB 24	0.72 S	MAY 18	3.34 S	AUG 15	4.22 S		
PERIOD OF RECORD	HIGHEST	0.72	FEB 24, 1988	LOWEST	5.22	SEP 26, 1988	

SITE NUMBER 374411122285001

LOCAL NUMBER 002S006W26A01M

IN SAN FRANCISCO IN STERN GROVE. OBSERVATION WELL. DIAM 12-3/8 IN, DEPTH 268.5 FT, PERFORATED 98.5-228.5 FT. ALTITUDE OF LSD 83.90 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	22.49 S	JAN 15, 1988	20.29 S	MAY 18, 1988	20.17 S	SEP 26, 1988	21.35 V
28	25.58 S	FEB 24	20.30 S	JUN 14	20.59 S		
NOV 05	20.66 S	MAR 28	20.20 S	JUL 19	21.13 S		
DEC 09	20.85 S	APR 20	19.93 S	AUG 15	23.32 S		
PERIOD OF RECORD	HIGHEST	19.93	APR 20, 1988	LOWEST	25.58	OCT 28, 1987	

WATER LEVELS, SAN FRANCISCO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374323122292001

LOCAL NUMBER 002S006W26P01M

IN SAN FRANCISCO IN HARDING PARK. IRRIGATION WELL. DIAM 12 IN 0-144 FT, 8 IN 144-265 FT, DEPTH 265 FT, PERFORATED 50-265 FT. ALTITUDE OF LSD 67.68 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 21, 1987	58.40 S	FEB 24, 1988	57.32 S	MAY 17, 1988	57.99 S	AUG 15, 1988	58.74 S
DEC 10	57.58 S	MAR 28	57.67 S	JUN 14	58.38 S	SEP 26	59.03 V
JAN 15, 1988	61.09 S	APR 20	57.68 S	JUL 19	58.93 S		
PERIOD OF RECORD	HIGHEST	57.32 FEB 24, 1988	LOWEST	61.09 JAN 15, 1988			

SITE NUMBER 374409122300701

LOCAL NUMBER 002S006W27B01M

IN SAN FRANCISCO ON 45TH AVE NORTH OF SLOAT BLVD. OBSERVATION WELL. DIAM 2 IN, DEPTH 53 FT. ALTITUDE OF LSD 39.02 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	26.50 S	FEB 24, 1988	26.65 S	MAY 18, 1988	26.52 S	AUG 15, 1988	26.83 S
DEC 10	25.00 S	MAR 28	26.19 S	JUN 14	26.64 S	SEP 26	27.43 V
JAN 23, 1988	26.80 S	APR 20	25.87 S	JUL 19	26.87 S		
PERIOD OF RECORD	HIGHEST	25.00 DEC 10, 1987	LOWEST	27.43 SEP 26, 1988			

SITE NUMBER 374409122301701

LOCAL NUMBER 002S006W27B03M

IN SAN FRANCISCO NEAR INTERSECTION OF GREAT HIGHWAY AND WAWONA STREET. OBSERVATION WELL. DIAM 4 IN, DEPTH 74 FT. ALTITUDE OF LSD 22.44 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	11.57 S	JAN 15, 1988	10.75 S	APR 20, 1988	11.69 S	JUL 19, 1988	12.12 S
NOV 20	12.00 S	FEB 24	11.28 S	MAY 18	11.96 S	AUG 15	12.12 S
DEC 10	11.87 S	MAR 28	11.62 S	JUN 14	11.97 S	SEP 26	12.34 V
PERIOD OF RECORD	HIGHEST	10.75 JAN 15, 1988	LOWEST	12.34 SEP 26, 1988			

SITE NUMBER 374407122301801

LOCAL NUMBER 002S006W27B04M

IN SAN FRANCISCO ON SLOAT BLVD EAST OF 47TH AVE. OBSERVATION WELL. DIAM 2 IN, DEPTH 66 FT. ALTITUDE OF LSD 21.91 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 14, 1987	11.02 S	FEB 24, 1988	10.78 S	MAY 18, 1988	11.38 S	AUG 15, 1988	11.62 S
DEC 10	10.35 S	MAR 28	11.09 S	JUN 14	11.50 S	SEP 26	11.84 V
JAN 15, 1988	10.21 S	APR 20	11.11 S	JUL 19	11.45 S		
PERIOD OF RECORD	HIGHEST	10.21 JAN 15, 1988	LOWEST	11.84 SEP 26, 1988			

WATER LEVELS, SAN FRANCISCO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374346122300501

LOCAL NUMBER 002S006W27J01M

IN SAN FRANCISCO NORTHWEST OF LAKE MERCED. OBSERVATION WELL. DIAM 2 IN, DEPTH 100 FT. ALTITUDE OF LSD 48.90 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. MEASUREMENTS 1980-86 AVAILABLE IN THE FILES OF THE SAN FRANCISCO CLEAN WATER PROGRAM.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 27, 1987	37.10 S	FEB 24, 1988	36.41 S	MAY 18, 1988	37.07 S	AUG 25, 1988	37.78 S
DEC 09	37.08 S	MAR 28	36.73 S	JUN 14	36.03 S	SEP 26	38.00 V
JAN 15, 1988	36.38 S	APR 20	36.91 S	JUL 19	37.48 S		
PERIOD OF RECORD		HIGHEST	36.03 JUN 14, 1988	LOWEST	38.00 SEP 26, 1988		

SITE NUMBER 374235122283801

LOCAL NUMBER 002S006W36N01M

IN SAN FRANCISCO ON THE SAN FRANCISCO GOLF CLUB. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 324 FT. ALTITUDE OF LSD 139.10 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1987	197.0 V	JAN 15, 1988	162.98 V	MAR 03, 1988	191.50 V		
DEC 10	190.19 V	FEB 24	160.00 V	28	P		
PERIOD OF RECORD		HIGHEST	160.00 FEB 24, 1988	LOWEST	197.0 OCT 15, 1987		

WATER QUALITY, SAN FRANCISCO COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	TEMPER- ATURE WATER (DEG C)	PH (STAND- ARD UNITS)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
002S005W18B01M	11-19-87	0845	507	14.5	6.80	180	32	34
002S006W07P01M	03-02-88	0900	625	17.5	7.80	210	32	30
002S006W07P01M	05-04-88	1005	620	17.0	7.90	220	47	33
002S006W10L02M	03-02-88	1030	660	--	7.50	260	50	33
002S006W11R01M	03-02-88	1000	529	17.5	7.70	210	85	31
002S006W11R01M	05-04-88	1105	586	17.0	7.90	240	95	34
002S006W12Q01M	03-02-88	0930	588	16.5	7.20	250	88	32
002S006W12Q01M	05-04-88	1020	572	16.0	7.30	240	84	31
002S006W15C01M	11-18-87	1530	805	18.5	7.50	330	81	52
002S006W15C01M	03-02-88	0800	784	16.5	7.60	320	78	50
002S006W15C01M	05-03-88	1530	792	18.0	7.60	330	80	51
002S006W15C02M	03-02-88	1115	420	--	7.70	160	42	22
002S006W15C02M	05-04-88	0930	467	17.5	7.80	180	49	25
002S006W15K01M	03-02-88	1445	597	--	7.60	220	67	33
002S006W15K01M	05-03-88	1430	581	19.0	7.60	230	78	34
002S006W15K03M	11-16-87	1630	591	17.5	7.50	230	80	42
002S006W15P01M	11-18-87	1645	952	18.0	7.00	280	130	47
002S006W15P01M	03-01-88	1545	886	18.0	7.30	270	130	47
002S006W15P01M	05-03-88	1445	815	17.0	7.30	260	110	45
002S006W22F01M	11-19-87	1615	622	17.0	7.70	200	57	27
002S006W22F01M	03-01-88	1330	615	18.0	7.50	200	64	27
002S006W22F01M	05-04-88	1415	603	--	7.90	200	67	27
002S006W22J01M	11-19-87	1530	550	18.0	7.20	180	46	29
002S006W22J01M	03-02-88	1515	591	--	7.40	190	36	30
002S006W22J01M	05-03-88	1230	618	18.5	7.20	210	43	34
002S006W22Q01M	11-20-87	1000	530	15.5	6.80	110	32	16
002S006W22Q01M	03-01-88	1145	702	18.0	6.90	160	55	22
002S006W22Q01M	05-04-88	1515	727	18.5	7.00	160	34	22
002S006W25N01M	02-29-88	1400	683	21.5	8.00	240	8	68
002S006W25N01M	05-03-88	1000	668	17.5	8.10	230	2	69
002S006W25N01M	11-19-87	1050	695	18.0	8.00	240	2	70
002S006W26A02M	11-17-87	1305	591	18.0	7.20	210	74	30
002S006W26A02M	03-02-88	1145	582	18.0	7.10	220	77	31
002S006W26A02M	05-04-88	1145	522	18.0	7.10	200	68	28
002S006W27B01M	02-29-88	1530	413	19.0	7.00	94	35	13
002S006W27B01M	05-03-88	0815	601	--	7.00	140	42	15
002S006W27B03M	11-20-87	0920	787	16.5	7.40	210	48	34
002S006W27B03M	05-02-88	1530	707	18.0	7.20	180	19	27
002S006W27B03M	02-29-88	1515	727	18.0	7.10	190	20	28
002S006W27B05M	11-17-87	1130	524	20.5	8.00	200	53	28
002S006W27B06M	03-01-88	1230	625	19.0	7.70	210	64	29
002S006W27B06M	05-02-88	1430	559	20.0	7.70	190	49	27
002S006W27J01M	11-18-87	0950	907	18.0	7.50	330	0	43
002S006W27J01M	02-29-88	1100	922	18.0	7.20	300	0	42
002S006W27J01M	05-02-88	1515	891	19.0	7.20	290	0	40
002S006W36N01M	03-01-88	1115	606	16.5	7.80	220	55	34
002S006W36N01M	05-03-88	1130	588	17.0	7.80	210	60	33
002S006W36N01M	11-19-87	1145	611	17.0	8.00	220	53	34

WATER QUALITY, SAN FRANCISCO COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	BICAR- BONATE WATER WH IT FIELD MG/L AS HCO3	CAR- BONATE WATER WH IT FIELD MG/L AS CO3	ALKA- LITY WAT WH TOT IT FIELD MG/L AS CACO3
002S005W18B01M	22	38	32	1	1.0	181	0	148
002S006W07P01M	32	47	33	1	1.1	214	0	175
002S006W07P01M	34	50	33	1	1.1	216	0	177
002S006W10L02M	42	34	22	0.9	1.9	258	0	211
002S006W11R01M	33	26	21	0.8	1.1	154	0	126
002S006W11R01M	37	28	20	0.8	1.3	174	0	143
002S006W12Q01M	41	26	18	0.7	2.4	196	0	161
002S006W12Q01M	40	26	19	0.7	2.6	194	0	159
002S006W15C01M	48	39	20	1	9.2	301	0	247
002S006W15C01M	47	39	20	1	9.0	296	0	243
002S006W15C01M	49	39	20	1	11	308	0	252
002S006W15C02M	25	23	24	0.8	1.2	142	0	116
002S006W15C02M	29	26	24	0.9	1.7	166	0	136
002S006W15K01M	33	29	22	0.9	4.8	182	0	149
002S006W15K01M	35	31	22	0.9	5.4	186	0	152
002S006W15K03M	31	30	21	0.9	6.6	185	0	152
002S006W15P01M	39	80	37	2	13	185	0	152
002S006W15P01M	38	70	35	2	12	180	0	148
002S006W15P01M	37	67	34	2	19	182	0	149
002S006W22F01M	31	46	33	1	4.7	171	0	140
002S006W22F01M	32	47	33	1	4.5	166	0	136
002S006W22F01M	32	48	34	2	5.5	164	0	134
002S006W22J01M	25	40	33	1	3.7	161	0	132
002S006W22J01M	28	41	31	1	4.2	186	0	152
002S006W22J01M	31	46	31	1	5.5	208	0	170
002S006W22Q01M	17	58	52	2	7.0	98	0	80
002S006W22Q01M	26	79	50	3	9.6	130	0	107
002S006W22Q01M	26	78	49	3	12	160	0	131
002S006W25N01M	16	59	35	2	1.3	278	0	228
002S006W25N01M	15	59	35	2	1.4	284	0	233
002S006W25N01M	15	57	34	2	1.3	--	--	--
002S006W26A02M	32	41	30	1	0.9	163	0	133
002S006W26A02M	34	36	26	1	1.0	172	0	141
002S006W26A02M	31	32	26	1	1.0	164	0	134
002S006W27B01M	15	46	51	2	1.0	74	0	61
002S006W27B01M	24	68	52	3	0.8	115	0	94
002S006W27B03M	30	77	43	2	8.8	200	0	164
002S006W27B03M	27	77	47	3	9.8	194	0	159
002S006W27B03M	28	77	46	3	8.5	206	0	169
002S006W27B05M	31	33	26	1	1.9	177	0	145
002S006W27B06M	33	42	30	1	1.8	176	0	144
002S006W27B06M	30	39	30	1	2.1	174	0	143
002S006W27J01M	54	70	31	2	3.8	434	0	356
002S006W27J01M	48	89	39	2	4.2	430	0	352
002S006W27J01M	47	83	38	2	5.0	432	0	354
002S006W36N01M	32	41	29	1	1.7	204	0	167
002S006W36N01M	32	40	29	1	1.8	192	0	157
002S006W36N01M	32	41	29	1	1.7	200	0	164

WATER QUALITY, SAN FRANCISCO COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SULFATE DIS- SOLVED (MG/L AS SO ₄)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	BROMIDE DIS- SOLVED (MG/L AS BR)	SILICA, DIS- SOLVED (MG/L AS SIO ₂)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO ₂ +NO ₃ DIS- SOLVED (MG/L AS N)
002S005W18B01M	42	30	0.2	0.15	27	302	4.90
002S006W07P01M	30	59	0.2	0.3	47	352	--
002S006W07P01M	33	56	0.2	0.31	49	405	9.70
002S006W10L02M	48	47	0.2	0.16	37	367	--
002S006W11R01M	29	41	0.2	0.16	43	334	12.0
002S006W11R01M	41	46	0.1	0.24	42	376	14.0
002S006W12Q01M	33	30	0.1	0.24	38	365	15.0
002S006W12Q01M	38	28	0.1	0.25	36	371	17.0
002S006W15C01M	48	47	0.1	0.35	31	489	15.0
002S006W15C01M	44	50	0.1	0.31	30	476	14.0
002S006W15C01M	54	47	0.1	0.35	31	502	16.0
002S006W15C02M	15	35	0.1	0.11	41	261	6.50
002S006W15C02M	28	39	0.1	0.15	39	302	7.90
002S006W15K01M	49	43	0.1	0.21	27	310	--
002S006W15K01M	55	42	0.1	0.22	28	370	11.0
002S006W15K03M	37	50	0.1	0.42	22	348	8.50
002S006W15P01M	72	130	0.2	0.55	21	562	16.0
002S006W15P01M	65	130	0.2	0.45	24	537	14.0
002S006W15P01M	71	110	0.1	0.42	24	516	12.0
002S006W22F01M	48	56	0.1	0.24	30	365	8.80
002S006W22F01M	43	60	0.1	0.24	31	344	4.10
002S006W22F01M	52	60	0.1	0.25	30	376	9.60
002S006W22J01M	22	55	0.1	0.34	22	303	6.40
002S006W22J01M	26	60	0.1	0.35	21	303	--
002S006W22J01M	33	60	0.1	0.38	22	372	8.70
002S006W22Q01M	31	65	0.2	0.24	19	299	8.90
002S006W22Q01M	34	93	0.2	0.36	29	393	8.20
002S006W22Q01M	46	87	0.2	0.39	27	446	16.0
002S006W25N01M	44	37	0.3	0.71	18	414	7.60
002S006W25N01M	51	36	0.3	0.26	17	428	9.10
002S006W25N01M	46	35	0.3	0.58	17	418	8.00
002S006W26A02M	45	46	0.1	0.28	43	375	13.0
002S006W26A02M	31	39	0.1	0.25	46	364	14.0
002S006W26A02M	42	31	0.1	0.24	43	352	15.0
002S006W27B01M	30	64	0.1	0.26	28	246	3.10
002S006W27B01M	56	81	0.1	1.2	40	380	8.50
002S006W27B03M	58	75	0.3	0.32	17	459	14.0
002S006W27B03M	62	77	0.3	0.34	16	420	6.30
002S006W27B03M	54	79	0.3	0.28	17	428	8.50
002S006W27B05M	26	42	0.2	0.2	37	326	9.10
002S006W27B06M	29	54	0.2	0.21	40	357	9.50
002S006W27B06M	34	49	0.1	0.22	38	314	2.10
002S006W27J01M	2.7	110	0.2	0.26	38	531	<0.10
002S006W27J01M	15	100	0.2	0.28	39	546	<0.10
002S006W27J01M	13	92	0.2	0.29	37	526	0.42
002S006W36N01M	30	50	0.1	0.23	30	365	11.0
002S006W36N01M	36	47	0.1	0.24	30	365	12.0
002S006W36N01M	32	48	0.1	0.25	30	366	11.0

< Actual value is known to be less than the value shown.

WATER QUALITY, SAN FRANCISCO COUNTY--Continued

STABLE-ISOTOPE DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	H-2 / H-1 STABLE ISOTOPE RATIO PER MIL	O-18 / O-16 STABLE ISOTOPE RATIO PER MIL
002S005W18B01M	11-19-87	0845	-57	-8.0
002S006W07P01M	03-02-88	0900	-38	-6.1
002S006W07P01M	05-04-88	1005	-36	-6.0
002S006W10L02M	03-02-88	1030	-40	-6.6
002S006W11R01M	03-02-88	1000	-36	-6.1
002S006W11R01M	05-04-88	1105	-34	-6.3
002S006W12Q01M	03-02-88	0930	-54	-7.7
002S006W12Q01M	05-04-88	1020	-51	-7.4
002S006W15C01M	11-18-87	1530	-50	-6.7
002S006W15C01M	03-02-88	0800	-51	-7.0
002S006W15C01M	05-03-88	1530	-52	-7.2
002S006W15C02M	03-02-88	1115	-37	-6.3
002S006W15C02M	05-04-88	0930	-37	-6.4
002S006W15K01M	03-02-88	1445	-43	-7.0
002S006W15K01M	05-03-88	1430	-44	-7.0
002S006W15K03M	11-16-87	1630	-52	-7.1
002S006W15P01M	11-18-87	1645	-47	-6.6
002S006W15P01M	03-01-88	1545	-49	-6.6
002S006W15P01M	05-03-88	1445	-40	-6.7
002S006W22F01M	11-19-87	1615	-48	-6.8
002S006W22F01M	03-01-88	1330	-50	-6.8
002S006W22F01M	05-04-88	1415	-43	-6.8
002S006W22J01M	11-19-87	1530	-45	-6.6
002S006W22J01M	03-02-88	1515	-50	-6.8
002S006W22J01M	05-03-88	1230	-49	-7.4
002S006W22Q01M	11-20-87	1000	-47	-6.5
002S006W22Q01M	03-01-88	1145	-44	-6.7
002S006W22Q01M	05-04-88	1515	-42	-6.6
002S006W25N01M	02-29-88	1400	-38	-6.1
002S006W25N01M	05-03-88	1000	-38	-6.1
002S006W25N01M	11-19-87	1050	-40	-5.9
002S006W26A02M	11-17-87	1305	-48	-6.8
002S006W26A02M	03-02-88	1145	-48	-6.8
002S006W26A02M	05-04-88	1145	-45	-7.1
002S006W27B01M	02-29-88	1530	-45	-6.2
002S006W27B01M	05-03-88	0815	-33	-5.6
002S006W27B03M	11-20-87	0920	-50	-6.7
002S006W27B03M	05-02-88	1530	-43	-6.9
002S006W27B03M	02-29-88	1515	-46	-8.0
002S006W27B05M	11-17-87	1130	-39	-5.9
002S006W27B06M	03-01-88	1230	-41	-7.0
002S006W27B06M	05-02-88	1430	-40	-6.0
002S006W27J01M	11-18-87	0950	-16	-1.2
002S006W27J01M	02-29-88	1100	-19	-3.0
002S006W27J01M	05-02-88	1515	-13	-1.6
002S006W36N01M	03-01-88	1115	-40	-6.5
002S006W36N01M	05-03-88	1130	-38	-6.1
002S006W36N01M	11-19-87	1145	-40	-5.9

SAN LUIS OBISPO COUNTY

	<u>Page</u>
LOCAL NUMBER 027S008E08R03M.....	231
LOCAL NUMBER 027S008E08R04M.....	231
LOCAL NUMBER 027S008E09N02M.....	231
LOCAL NUMBER 027S008E10A04M.....	231
LOCAL NUMBER 027S008E22N02M.....	232
LOCAL NUMBER 027S008E23R02M.....	232
LOCAL NUMBER 027S008E24J02M.....	232
LOCAL NUMBER 027S008E24J05M.....	232
LOCAL NUMBER 027S008E24L01M.....	233
LOCAL NUMBER 027S008E24L02M.....	233
LOCAL NUMBER 027S008E24L03M.....	233
LOCAL NUMBER 027S008E24L04M.....	233
LOCAL NUMBER 027S008E24N02M.....	234
LOCAL NUMBER 027S008E26B02M.....	234
LOCAL NUMBER 027S008E26B03M.....	234
LOCAL NUMBER 027S008E26C06M.....	234
LOCAL NUMBER 027S008E27C01M.....	235
LOCAL NUMBER 027S008E27C02M.....	235
LOCAL NUMBER 027S008E27G01M.....	235
LOCAL NUMBER 027S008E27G02M.....	235
LOCAL NUMBER 027S008E27H01M.....	236
LOCAL NUMBER 027S009E19H01M.....	236
LOCAL NUMBER 027S009E19H02M.....	236
LOCAL NUMBER 027S009E19J01M.....	236
LOCAL NUMBER 027S009E19K02M.....	237
LOCAL NUMBER 027S009E19M03M.....	237
LOCAL NUMBER 027S009E20E01M.....	237
LOCAL NUMBER 027S009E20G02M.....	237
LOCAL NUMBER 027S009E20G03M.....	238
LOCAL NUMBER 027S009E21C01M.....	238
LOCAL NUMBER 027S009E21D01M.....	238
LOCAL NUMBER 010N025W17K01S.....	238
LOCAL NUMBER 010N025W20H01S.....	239
LOCAL NUMBER 010N025W23E01S.....	239
LOCAL NUMBER 010N026W04R01S.....	239
LOCAL NUMBER 010N036W02Q01S.....	239, 242
LOCAL NUMBER 010N036W02Q03S.....	240, 242
LOCAL NUMBER 010N036W02Q04S.....	240, 242
LOCAL NUMBER 010N036W02Q07S.....	240, 242
LOCAL NUMBER 011N036W35J02S.....	240, 242
LOCAL NUMBER 011N036W35J03S.....	241, 242
LOCAL NUMBER 011N036W35J04S.....	241, 242
LOCAL NUMBER 011N036W35J05S.....	241, 242




FIGURE 16.--Index map to location of wells in San Luis Obispo County.

WATER LEVELS, SAN LUIS OBISPO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353545121072901

LOCAL NUMBER 027S008E08R03M

IN SAN SIMEON BEACH STATE PARK. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 145 FT, PERFORATED 130-140 FT. ALTITUDE OF LSD 8.59 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	5.37 S	SEP 14, 1988	4.57 S
PERIOD OF RECORD	HIGHEST	4.57	SEP 14, 1988
		LOWEST	5.37
			AUG 18, 1988

SITE NUMBER 353545121072902

LOCAL NUMBER 027S008E08R04M

IN SAN SIMEON BEACH STATE PARK. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 145 FT, PERFORATED 85-95 FT. ALTITUDE OF LSD 8.59 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	5.43 S	SEP 14, 1988	4.36 S
PERIOD OF RECORD	HIGHEST	4.36	SEP 14, 1988
		LOWEST	5.43
			AUG 18, 1988

SITE NUMBER 353546121071401

LOCAL NUMBER 027S008E09N02M

NEAR SAN SIMEON STATE BEACH CAMPGROUND. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 132 FT, PERFORATED 117-127 FT. ALTITUDE OF LSD 21.86 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 17, 1988	16.75 S	SEP 14, 1988	16.98 S
PERIOD OF RECORD	HIGHEST	16.75	AUG 17, 1988
		LOWEST	16.98
			SEP 14, 1988

SITE NUMBER 353624121052001

LOCAL NUMBER 027S008E10A04M

ABOUT 2.5 MI WEST OF HIGHWAY 1 ON SAN SIMEON CREEK ROAD. OBSERVATION WELL. DIAM 4 IN, DEPTH 77 FT, PERFORATED 34-74 FT. ALTITUDE OF LSD 72.88 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	34.59 S	SEP 14, 1988	41.10 S
PERIOD OF RECORD	HIGHEST	34.59	AUG 18, 1988
		LOWEST	41.10
			SEP 14, 1988

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353401121055801

LOCAL NUMBER 027S008E22N02M

IN CAMBRIA, ON ARLINGTON AVE, NEAR MAIN STREET. OBSERVATION WELL. DIAM 4 IN, DEPTH 61 FT, PERFORATED 46-56 FT. ALTITUDE OF LSD 18.55 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	10.38 S	SEP 14, 1988	10.95 S
PERIOD OF RECORD	HIGHEST	10.38	AUG 18, 1988
		LOWEST	10.95
			SEP 14, 1988

SITE NUMBER 353405121040901

LOCAL NUMBER 027S008E23R02M

ABOUT 0.25 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 10.75 IN, DEPTH 82 FT, PERFORATED 82-130 FT. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1986 TO CURRANT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 24, 1988	38.70 S	JUL 13, 1988	38.43 S	SEP 14, 1988	46.50 S		
MAY 12	32.80 S	AUG 14	41.80 S				
PERIOD OF RECORD	HIGHEST	32.80	MAY 12, 1988	LOWEST	46.50	SEP 14, 1988	

SITE NUMBER 353423121030501

LOCAL NUMBER 027S008E24J02M

ABOUT 1.4 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. DOMESTIC WELL. DIAM 8 IN, DEPTH 48 FT, PERFORATED 28-48 FT. ALTITUDE OF LSD 130.52 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 07, 1988	10.20 S	APR 25, 1988	11.70 S	MAY 10, 1988	12.26 S	JUL 12, 1988	15.60 S
PERIOD OF RECORD	HIGHEST	10.20	MAR 07, 1988	LOWEST	15.60	JUL 12, 1988	

SITE NUMBER 353411121030001

LOCAL NUMBER 027S008E24J05M

ABOUT 1.35 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM 8 IN, DEPTH 130 FT. ALTITUDE OF LSD 133.39 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1987	31.40 S	APR 25, 1988	27.84 S	JUL 12, 1988	30.94 S		
MAR 07, 1988	27.67 S	MAY 10	30.02 S	AUG 14	34.82 S		
23	27.55 S	JUN 21	28.58 S	SEP 13	38.33 S		
PERIOD OF RECORD	HIGHEST	27.55	MAR 23, 1988	LOWEST	38.33	SEP 13, 1988	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353411121033301

LOCAL NUMBER 027S008E24L01M

ABOUT 0.5 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 12 IN, DEPTH 105 FT. ALTITUDE OF LSD 107.45 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	25.71 S	APR 25, 1988	24.77 S	JUL 13, 1988	25.51 S		
MAR 07, 1988	23.95 S	MAY 11	24.66 S	AUG 14	27.01 S		
23	24.31 S	JUN 21	25.68 S	SEP 13	33.86 S		
PERIOD OF RECORD	HIGHEST	23.95	MAR 07, 1988	LOWEST	33.86	SEP 13, 1988	

SITE NUMBER 353414121034101

LOCAL NUMBER 027S008E24L02M

ABOUT 0.75 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM UNKNOWN, DEPTH 72 FT. ALTITUDE OF LSD 106.26 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	23.50 S	APR 25, 1988	22.04 S	JUL 12, 1988	21.67 S		
MAR 07, 1988	21.85 S	MAY 10	21.51 S	AUG 14	22.40 S		
24	21.87 S	JUN 21	21.10 S	SEP 13	23.39 S		
PERIOD OF RECORD	HIGHEST	21.10	JUN 21, 1988	LOWEST	23.50	NOV 24, 1987	

SITE NUMBER 353413121033601

LOCAL NUMBER 027S008E24L03M

ABOUT 0.75 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 85 FT. ALTITUDE OF LSD 88.44 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	7.20 S	APR 25, 1988	7.10 S	JUL 12, 1988	7.35 S		
MAR 07, 1988	7.00 S	MAY 10	7.15 S	AUG 14	8.40 S		
23	7.10 S	JUN 21	7.22 S	SEP 13	13.00 S		
PERIOD OF RECORD	HIGHEST	7.00	MAR 07, 1988	LOWEST	13.00	SEP 13, 1988	

SITE NUMBER 353415121033501

LOCAL NUMBER 027S008E24L04M

ABOUT 0.75 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 105 FT. ALTITUDE OF LSD 108.31 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	22.60 S	APR 25, 1988	21.40 S	JUN 21, 1988	21.43 S	AUG 14, 1988	23.21 S
MAR 07, 1988	20.57 S	MAY 10	20.56 S	JUL 12	21.88 S	SEP 13	26.41 S
PERIOD OF RECORD	HIGHEST	20.56	MAY 10, 1988	LOWEST	26.41	SEP 13, 1988	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353402121035701

LOCAL NUMBER 027S008E24N02M

ABOUT 0.2 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 10.75 IN, DEPTH 75 FT, PERFORATED 75-115 FT. ALTITUDE OF LSD 68.64 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 07, 1988	13.57 S	APR 25, 1988	13.96 S	AUG 15, 1988	24.76 S		
23	17.88 S	MAY 12	18.00 S	SEP 15	25.30 S		
PERIOD OF RECORD	HIGHEST	13.57	MAR 07, 1988	LOWEST	25.30	SEP 15, 1988	

SITE NUMBER 353358121042401

LOCAL NUMBER 027S008E26B02M

IN CAMBRIA, NEAR INTERSECTION OF MAIN STREET AND SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 135 FT. ALTITUDE OF LSD 73.68 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	37.83 S	APR 25, 1988	27.41 S	JUL 14, 1988	29.96 S		
MAR 07, 1988	27.35 S	MAY 10	27.62 S	AUG 14	32.72 S		
24	27.70 S	JUN 21	27.73 S	SEP 13	38.12 S		
PERIOD OF RECORD	HIGHEST	27.35	MAR 07, 1988	LOWEST	38.12	SEP 13, 1988	

SITE NUMBER 353355121042501

LOCAL NUMBER 027S008E26B03M

IN CAMBRIA, NEAR INTERSECTION OF MAIN STREET AND SANTA ROSA CREEK ROAD. DOMESTIC WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 73.18 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 24, 1988	28.83 S	APR 26, 1988	28.69 S	JUN 21, 1988	28.87 S	AUG 14, 1988	33.82 S
APR 25	28.68 S	MAY 10	26.79 S	JUL 14	30.96 S	SEP 13	39.23 S
PERIOD OF RECORD	HIGHEST	26.79	MAY 10, 1988	LOWEST	39.23	SEP 13, 1988	

SITE NUMBER 353354121043801

LOCAL NUMBER 027S008E26C06M

IN CAMBRIA, WEST OF INTERSECTION OF BURTON DRIVE AND MAIN STREET. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 85 FT. ALTITUDE OF LSD 54.51 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 07, 1988	15.25 S	APR 25, 1988	15.34 S	JUN 21, 1988	15.91 S	AUG 14, 1988	22.88 S
23	15.40 S	MAY 12	15.37 S	JUL 13	18.90 S	SEP 13	31.49 S
PERIOD OF RECORD	HIGHEST	15.25	MAR 07, 1988	LOWEST	31.49	SEP 13, 1988	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353351121054501

LOCAL NUMBER 027S008E27C01M

IN CAMBRIA, ON CAMBRIA ROAD NEAR HIGHWAY 1. OBSERVATION WELL. DIAM 4 IN, DEPTH 120 FT, PERFORATED 105-115 FT. ALTITUDE OF LSD 25.38 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	13.83 S	SEP 14, 1988	14.62 S
PERIOD OF RECORD	HIGHEST	13.83	AUG 18, 1988
		LOWEST	14.62 SEP 14, 1988

SITE NUMBER 353351121054502

LOCAL NUMBER 027S008E27C02M

IN CAMBRIA, ON CAMBRIA ROAD NEAR HIGHWAY 1. OBSERVATION WELL. DIAM 4 IN, DEPTH 120 FT, PERFORATED 40-50 FT. ALTITUDE OF LSD 25.38 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 18, 1988	14.34 S	SEP 14, 1988	15.19 S
PERIOD OF RECORD	HIGHEST	14.34	AUG 18, 1988
		LOWEST	15.19 SEP 14, 1988

SITE NUMBER 353339121053701

LOCAL NUMBER 027S008E27G01M

SOUTH OF CAMBRIA NEAR HIGHWAY 1 AT SANTA ROSA CREEK. UNUSED WELL. DIAM 12 IN, DEPTH 83 FT. ALTITUDE OF LSD 33.87 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 23, 1988	13.50 S	MAY 10, 1988	14.02 S	JUL 12, 1988	15.85 S	SEP 13, 1988	18.43 S
APR 26	13.86 S	JUN 21	15.10 S	AUG 17	17.15 S		
PERIOD OF RECORD	HIGHEST	13.50	MAR 23, 1988	LOWEST	18.43	SEP 13, 1988	

SITE NUMBER 353338121052601

LOCAL NUMBER 027S008E27G02M

SOUTH OF CAMBRIA NEAR HIGHWAY 1 AT SANTA ROSA CREEK. DUG UNUSED WELL. DIAM 72 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 31.10 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 23, 1988	1.46 S	MAY 10, 1988	1.48 S	JUL 12, 1988	1.88 S	SEP 13, 1988	2.34 S
APR 26	1.45 S	JUN 21	1.73 S	AUG 17	2.15 S		
PERIOD OF RECORD	HIGHEST	1.45	APR 26, 1988	LOWEST	2.34	SEP 13, 1988	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353341121050901

LOCAL NUMBER 027S008E27H01M

IN CAMBRIA, SOUTHWEST OF INTERSECTION OF MAIN STREET AND BURTON DRIVE. STOCK WELL. DIAM 12 IN, DEPTH 126 FT, PERFORATED 50-125 FT. ALTITUDE OF LSD 46.14 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 23, 1988	19.80 S	JUN 21, 1988	20.50 S	AUG 14, 1988	25.51 S		
MAY 10	19.85 S	JUL 12	20.98 S	SEP 13	27.38 S		
PERIOD OF RECORD	HIGHEST	19.80	MAR 23, 1988	LOWEST	27.38	SEP 13, 1988	

SITE NUMBER 353431121015601

LOCAL NUMBER 027S009E19H01M

ABOUT 2.45 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. DUG DOMESTIC WELL. DIAM 20 IN, DEPTH 27 FT. ALTITUDE OF LSD 169.55 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	14.15 S	APR 26, 1988	12.45 S	JUN 21, 1988	13.46 S	AUG 14, 1988	13.21 S
MAR 23, 1988	16.52 S	MAY 10	12.78 S	JUL 14	12.45 S	SEP 14	13.55 S
PERIOD OF RECORD	HIGHEST	12.45	APR 26, 1988	JUL 14, 1988	LOWEST	16.52	MAR 23, 1988

SITE NUMBER 353431121015501

LOCAL NUMBER 027S009E19H02M

ABOUT 2.45 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. DOMESTIC WELL. DIAM 8 IN, DEPTH 60 FT, PERFORATED 30-50 FT. ALTITUDE OF LSD 169.10 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	12.30 S	APR 26, 1988	11.93 S	JUN 21, 1988	12.13 S	AUG 14, 1988	12.35 S
MAR 23, 1988	12.00 S	MAY 10	11.99 S	JUL 14	12.25 S	SEP 14	12.54 S
PERIOD OF RECORD	HIGHEST	11.93	APR 26, 1988	LOWEST	12.54	SEP 14, 1988	

SITE NUMBER 353421121020501

LOCAL NUMBER 027S009E19J01M

ABOUT 2.25 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 90 FT. ALTITUDE OF LSD 174.39 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 07, 1988	12.70 S	APR 25, 1988	13.09 S	JUN 21, 1988	14.73 S	AUG 14, 1988	17.05 S
23	12.88 S	MAY 12	13.17 S	JUL 14	17.10 S	SEP 15	18.87 S
PERIOD OF RECORD	HIGHEST	12.70	MAR 07, 1988	LOWEST	18.87	SEP 15, 1987	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353422121021901

LOCAL NUMBER 027S009E19K02M

ABOUT 2 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 147.47 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	9.80 S	APR 25, 1988	8.51 S	JUL 14, 1988	9.53 S		
MAR 07, 1988	8.23 S	MAY 10	8.74 S	AUG 14	9.39 S		
23	7.41 S	JUN 21	8.94 S	SEP 14	10.71 S		
PERIOD OF RECORD	HIGHEST	7.41 MAR 23, 1988	LOWEST	10.71 SEP 14, 1988			

SITE NUMBER 353414121024201

LOCAL NUMBER 027S009E19M03M

ABOUT 1.5 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. UNUSED WELL. DIAM 6 IN, DEPTH 80 FT, PERFORATED 50-90 FT. ALTITUDE OF LSD 149.20 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	31.23 S	MAR 23, 1988	27.26 S	MAY 10, 1988	32.92 S	JUL 12, 1988	38.12 S
MAR 07, 1988	27.28 S	APR 25	29.42 S	JUN 21	32.60 S	AUG 14	36.35 S
PERIOD OF RECORD	HIGHEST	27.26 MAR 23, 1988	LOWEST	38.12 JUL 12, 1988			

SITE NUMBER 353428121014101

LOCAL NUMBER 027S009E20E01M

ABOUT 2.65 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 201.36 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	38.47 S	APR 26, 1988	30.50 S	JUL 15, 1988	34.86 S		
MAR 07, 1988	30.18 S	MAY 10	30.76 S	AUG 14	36.53 S		
22	30.10 S	JUN 21	32.90 S	SEP 13	38.86 S		
PERIOD OF RECORD	HIGHEST	30.10 MAR 22, 1988	LOWEST	38.86 SEP 13, 1988			

SITE NUMBER 353425121010501

LOCAL NUMBER 027S009E20G02M

ABOUT 3 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 70 FT, PERFORATED 40-70 FT. ALTITUDE OF LSD 210.84 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 24, 1987	42.20 S	MAR 23, 1988	17.13 S	MAY 10, 1988	19.09 S	JUL 14, 1988	31.90 S
MAR 07, 1988	16.82 S	APR 25	17.62 S	JUN 21	28.18 S	AUG 14	37.67 S
PERIOD OF RECORD	HIGHEST	16.82 MAR 07, 1988	LOWEST	42.20 NOV 24, 1987			

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 353435121012101

LOCAL NUMBER 027S009E20G03M

ABOUT 2.85 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM 12 IN, DEPTH 90 FT. ALTITUDE OF LSD 196.65 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	29.69 S	APR 25, 1988	12.86 S	JUL 12, 1988	21.68 S		
MAR 07, 1988	12.22 S	MAY 10	13.44 S	AUG 14	25.77 S		
23	12.38 S	JUN 21	18.81 S	SEP 13	29.82 S		
PERIOD OF RECORD	HIGHEST	12.22	MAR 07, 1988	LOWEST	29.82	SEP 13, 1988	

SITE NUMBER 353449121003401

LOCAL NUMBER 027S009E21C01M

ABOUT 3.5 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. DOMESTIC WELL. DIAM 6 IN, DEPTH 80 FT, PERFORATED 40-80 FT. ALTITUDE OF LSD 251.83 FT. RECORDS AVAILABLE 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 07, 1988	39.85 S	APR 26, 1988	44.84 S	JUN 21, 1988	57.41 S	AUG 14, 1988	70.59 S
23	40.30 S	MAY 10	47.44 S	JUL 14	63.49 S	SEP 13	78.84 S
PERIOD OF RECORD	HIGHEST	39.85	MAR 07, 1988	LOWEST	78.84	SEP 13, 1988	

SITE NUMBER 353441121004501

LOCAL NUMBER 027S009E21D01M

ABOUT 3.5 MI EAST OF CAMBRIA ON SANTA ROSA CREEK ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 75 FT. ALTITUDE OF LSD 222.62 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 25, 1987	48.24 S	APR 26, 1988	18.21 S	JUL 15, 1988	37.03 S		
MAR 07, 1988	14.05 S	MAY 10	20.73 S	AUG 15	44.12 S		
24	14.76 S	JUN 21	30.97 S	SEP 13	47.80 S		
PERIOD OF RECORD	HIGHEST	14.05	MAR 07, 1988	LOWEST	48.24	NOV 25, 1987	

SITE NUMBER 345644119341501

LOCAL NUMBER 010N025W17K01S

EAST OF CUYAMA, NORTH OF HWY 166. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 304 FT. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1947, 1955, 1966, 1968, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 02, 1988	200.16 S						
PERIOD OF RECORD	HIGHEST	49.10	OCT 23, 1947	LOWEST	217.74	DEC 11, 1968	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345604119340001

LOCAL NUMBER 010N025W20H01S

ABOUT 1.4 MI EAST OF CUYAMA NEAR HWY 166. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 656 FT IN 1946, PERFORATED 108-656 FT. ALTITUDE OF LSD 2335 FT. RECORDS AVAILABLE 1946-47, 1956, 1961, 1966, 1968, 1979-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1988	308.38 S
PERIOD OF RECORD	HIGHEST 59.00 JUL 08, 1946 LOWEST 336.49 APR 26, 1979

SITE NUMBER 345612119313001

LOCAL NUMBER 010N025W23E01S

ABOUT 5 MI EAST OF CUYAMA. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 810 FT, PERFORATED 175-810 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1947-48, 1953, 1955, 1966, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1988	358.70 T
PERIOD OF RECORD	HIGHEST 106.10 FEB 10, 1947 LOWEST 364.95 APR 22, 1983

SITE NUMBER 345822119391801

LOCAL NUMBER 010N026W04R01S

ABOUT 3.15 MI NORTHWEST OF CUYAMA. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 238 FT, PERFORATED 108-232 FT. ALTITUDE OF LSD 2116 FT. RECORDS AVAILABLE 1947, 1955, 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1988	88.51 S
PERIOD OF RECORD	HIGHEST 18.60 APR 13, 1955 LOWEST 88.51 APR 01, 1988

SITE NUMBER 345823120383901

LOCAL NUMBER 010N036W02Q01S

NORTH OF SANTA MARIA RIVER AND WEST OF HWY 101. OBSERVATION WELL. DIAM 2 IN, DEPTH 671 FT, PERFORATED 568-671 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST --	LOWEST --	

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345823120383903

LOCAL NUMBER 010N036W02Q03S

NORTH OF SANTA MARIA RIVER AND WEST OF HWY 101. OBSERVATION WELL. DIAM 2 IN, DEPTH 444 FT, PERFORATED 397-444 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+1.89 MAY 24, 1978	LOWEST +.38 JUL 20, 1977

SITE NUMBER 345823120383904

LOCAL NUMBER 010N036W02Q04S

NORTH OF SANTA MARIA RIVER AND WEST OF HWY 101. OBSERVATION WELL. DIAM 2 IN, DEPTH 378 FT, PERFORATED 291-378 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+1.94 MAY 24, 1978	LOWEST 1.22 OCT 19, 1977

SITE NUMBER 345823120383907

LOCAL NUMBER 010N036W02Q07S

WEST OF GUADALUPE. DRILLED UNUSED WELL. DIAM 2 IN, DEPTH 47 FT, PERFORATED 18.5-46.5 FT. ALTITUDE OF LSD 15.2 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	4.22	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	3.83 OCT 16, 1981	LOWEST 8.8 JUN 03, 1970

SITE NUMBER 345921120381601

LOCAL NUMBER 011N036W35J02S

ABOUT 2 MI NORTH OF GUADALUPE, SOUTH OF DUMP. OBSERVATION WELL. DIAM 2 IN, DEPTH 615 FT, PERFORATED 527-615 FT. ALTITUDE OF LSD 40 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+1.90 OCT 02, 1980	LOWEST 2.94 SEP 27, 1977

WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345921120381602

LOCAL NUMBER 011N036W35J03S

ABOUT 2 MI NORTH OF GUADALUPE, SOUTH OF DUMP. OBSERVATION WELL. DIAM 2 IN, DEPTH 495 FT, PERFORATED 247-495 FT. ALTITUDE OF LSD 40 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+0.61 MAR 24, 1978	LOWEST 6.23 JUL 20, 1977

SITE NUMBER 345921120381603

LOCAL NUMBER 011N036W35J04S

ABOUT 2 MI NORTH OF GUADALUPE, SOUTH OF DUMP. OBSERVATION WELL. DIAM 2 IN, DEPTH 228 FT, PERFORATED 175-228 FT. ALTITUDE OF LSD 40 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+0.47 MAR 24, 1978	LOWEST 6.39 JUL 20, 1977

SITE NUMBER 345921120381604

LOCAL NUMBER 011N036W35J05S

ABOUT 2 MI NORTH OF GUADALUPE, SOUTH OF DUMP. DIAM 2 IN, DEPTH 138 FT, PERFORATED 74-138 FT. OBSERVATION WELL. ALTITUDE OF LSD 40 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	F	SEP 27, 1988	F
PERIOD OF RECORD	HIGHEST	+0.58 MAR 24, 1978	LOWEST 5.97 JUL 20, 1977

WATER QUALITY, SAN LUIS OBISPO COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
010N036W02Q01S	10-28-87	1320	F	671.00	1110	7.50	21.5	480	280	110
010N036W02Q01S	09-27-88	1115	F	671.00	1060	7.00	20.0	500	290	110
010N036W02Q03S	10-28-87	1435	F	444.00	994	7.50	20.0	440	230	99
010N036W02Q03S	09-27-88	1135	F	444.00	950	7.00	17.0	440	230	98
010N036W02Q04S	10-28-87	1400	F	378.00	977	7.50	20.5	420	220	96
010N036W02Q04S	09-27-88	1200	F	378.00	940	7.00	18.0	430	220	94
010N036W02Q07S	10-28-87	1500	4.22	47.00	1440	7.40	17.5	530	260	130
010N036W02Q07S	09-27-88	1240	3.76	47.00	1050	7.00	17.0	470	210	110
011N036W35J02S	10-28-87	1020	F	615.00	1080	7.30	20.5	470	250	110
011N036W35J02S	09-27-88	0830	F	615.00	968	7.00	17.0	480	270	110
011N036W35J03S	10-28-87	1055	F	495.00	1600	7.30	19.0	710	480	170
011N036W35J03S	09-27-88	0950	+0.70	495.00	1380	7.10	18.0	620	400	140
011N036W35J04S	10-28-87	1115	F	228.00	1930	7.30	18.0	900	620	220
011N036W35J04S	09-27-88	1010	+0.65	228.00	1740	7.30	18.0	910	620	210
011N036W35J05S	10-28-87	1150	F	138.00	1550	7.30	17.5	700	450	170
011N036W35J05S	09-27-88	1040	+0.94	138.00	1440	7.10	18.0	750	500	180

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
010N036W02Q01S	50	52	19	1	3.2	204	370	27	0.20
010N036W02Q01S	55	59	20	1	3.0	211	370	27	0.20
010N036W02Q03S	46	47	19	1	3.0	203	300	21	0.20
010N036W02Q03S	48	53	21	1	2.9	213	310	22	0.20
010N036W02Q04S	44	47	19	1	2.7	205	300	22	0.20
010N036W02Q04S	48	50	20	1	2.5	208	290	20	0.20
010N036W02Q07S	49	91	27	2	5.7	264	120	210	0.30
010N036W02Q07S	48	82	27	2	4.3	262	130	180	0.30
011N036W35J02S	48	56	20	1	2.2	227	340	26	0.20
011N036W35J02S	51	60	21	1	3.1	213	350	27	0.20
011N036W35J03S	70	85	20	1	3.9	229	580	61	0.40
011N036W35J03S	65	86	23	2	3.4	217	520	51	0.40
011N036W35J04S	86	90	18	1	0.30	284	740	77	0.40
011N036W35J04S	93	96	19	1	4.0	292	750	77	0.40
011N036W35J05S	66	75	19	1	3.6	250	520	52	0.50
011N036W35J05S	73	79	19	1	3.4	252	590	56	0.50

F Flowing.

+ Indicates reading above land surface.

WATER QUALITY, SAN LUIS OBISPO COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
010N036W02Q01S	41	799	778	0.440	--	<0.010	130	4	2
010N036W02Q01S	42	805	795	0.470	0.03	0.010	150	<3	<1
010N036W02Q03S	39	696	679	0.440	--	<0.010	130	12	2
010N036W02Q03S	39	712	703	0.450	0.03	0.010	140	5	1
010N036W02Q04S	37	698	674	0.520	--	<0.010	130	5	1
010N036W02Q04S	38	674	670	0.550	0.03	0.010	140	3	<1
010N036W02Q07S	29	839	797	<0.100	0.40	0.130	150	2600	580
010N036W02Q07S	30	749	745	<0.100	0.74	0.240	160	1700	340
011N036W35J02S	39	773	760	0.470	0.03	0.010	150	4	4
011N036W35J02S	40	787	772	0.630	0.06	0.020	150	71	4
011N036W35J03S	31	1200	1150	3.50	0.06	0.020	210	<3	2
011N036W35J03S	33	1070	1040	3.30	0.03	0.010	210	39	4
011N036W35J04S	29	1490	1430	2.90	0.06	0.020	230	6	1
011N036W35J04S	29	1490	1450	3.20	0.06	0.020	230	35	3
011N036W35J05S	28	1100	1070	1.20	0.09	0.030	190	9	45
011N036W35J05S	29	1190	1170	1.50	0.12	0.040	200	32	47

< Actual value is known to be less than the value shown.

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN MATEO COUNTY

	<u>Page</u>
LOCAL NUMBER 003S006W02B01M.....	246




FIGURE 17.--Index map to location of wells in San Mateo County.

WATER LEVELS, SAN MATEO COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 374226122290701

LOCAL NUMBER 003S006W02B01M

SOUTH OF LAKE MERCED. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 637 FT, PERFORATED 220-637 FT. ALTITUDE OF LSD 61.52 FT. RECORDS AVAILABLE 1986, 1988.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
AUG 24, 1988	101.89 SR	AUG 25, 1988	102.75 SR	AUG 25, 1988	102.20 SR	SEP 09, 1988	96.46 S
25	103.09 SR	25	102.47 SR	25	101.89 SR	26	96.77 V
PERIOD OF RECORD	HIGHEST	96.46	SEP 09, 1988	LOWEST	110	MAR 31, 1986	

SANTA BARBARA COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 004N025W19F04S.....	251	LOCAL NUMBER 004N027W22A04S.....	326
LOCAL NUMBER 004N025W19H01S.....	251	LOCAL NUMBER 004N027W22B02S.....	264, 326
LOCAL NUMBER 004N025W19J05S.....	251	LOCAL NUMBER 004N027W22B03S.....	264, 326
LOCAL NUMBER 004N025W19M03S.....	251	LOCAL NUMBER 004N027W22B04S.....	264, 326
LOCAL NUMBER 004N025W20K03S.....	252	LOCAL NUMBER 004N027W22B05S.....	264, 326
LOCAL NUMBER 004N025W20L04S.....	252	LOCAL NUMBER 004N027W22G02S.....	265, 326
LOCAL NUMBER 004N025W21N01S.....	252	LOCAL NUMBER 004N027W22G03S.....	265, 326
LOCAL NUMBER 004N025W21N04S.....	252	LOCAL NUMBER 004N027W22G04S.....	265, 326
LOCAL NUMBER 004N025W21R01S.....	253	LOCAL NUMBER 004N027W23D01S.....	265, 326
LOCAL NUMBER 004N025W22R01S.....	253	LOCAL NUMBER 004N027W23E01S.....	266, 326
LOCAL NUMBER 004N025W22R04S.....	253	LOCAL NUMBER 004N027W23E02S.....	266, 326
LOCAL NUMBER 004N025W23P01S.....	253	LOCAL NUMBER 004N027W23E03S.....	266, 326
LOCAL NUMBER 004N025W26A01S.....	254	LOCAL NUMBER 004N027W23E04S.....	267, 326
LOCAL NUMBER 004N025W27F02S.....	254	LOCAL NUMBER 004N027W23E05S.....	267, 326
LOCAL NUMBER 004N025W27G01S.....	254	LOCAL NUMBER 004N027W23E06S.....	267, 326
LOCAL NUMBER 004N025W27R02S.....	254	LOCAL NUMBER 004N027W23F02S.....	268, 329
LOCAL NUMBER 004N025W28F07S.....	255	LOCAL NUMBER 004N027W23F03S.....	268, 329
LOCAL NUMBER 004N025W28F08S.....	255	LOCAL NUMBER 004N027W23F04S.....	268, 329
LOCAL NUMBER 004N025W28F09S.....	255	LOCAL NUMBER 004N027W23F05S.....	269, 329
LOCAL NUMBER 004N025W28F10S.....	255	LOCAL NUMBER 004N027W23F06S.....	269, 329
LOCAL NUMBER 004N025W28J01S.....	256	LOCAL NUMBER 004N027W23F07S.....	269, 329
LOCAL NUMBER 004N025W28M01S.....	256	LOCAL NUMBER 004N027W23H01S.....	270
LOCAL NUMBER 004N025W29D01S.....	256	LOCAL NUMBER 004N027W23H03S.....	270, 329
LOCAL NUMBER 004N025W29D07S.....	256	LOCAL NUMBER 004N027W23H04S.....	270, 329
LOCAL NUMBER 004N025W29L01S.....	257	LOCAL NUMBER 004N028W01R02S.....	270
LOCAL NUMBER 004N025W29R01S.....	257	LOCAL NUMBER 004N028W02P03S.....	271
LOCAL NUMBER 004N025W30D01S.....	257	LOCAL NUMBER 004N028W12C02S.....	271
LOCAL NUMBER 004N025W35E01S.....	257	LOCAL NUMBER 004N028W12H03S.....	329
LOCAL NUMBER 004N026W23A02S.....	258	LOCAL NUMBER 004N028W12H04S.....	271
LOCAL NUMBER 004N027W07D01S.....	258, 326	LOCAL NUMBER 004N028W12L06S.....	271
LOCAL NUMBER 004N027W07G07S.....	326	LOCAL NUMBER 004N028W12P05S.....	272
LOCAL NUMBER 004N027W07H05S.....	326	LOCAL NUMBER 004N028W16J05S.....	272
LOCAL NUMBER 004N027W07Q05S.....	258	LOCAL NUMBER 004N030W01G01S.....	272
LOCAL NUMBER 004N027W07R03S.....	259	LOCAL NUMBER 005N029W01C01S.....	272
LOCAL NUMBER 004N027W08E01S.....	259	LOCAL NUMBER 005N029W31C01S.....	273
LOCAL NUMBER 004N027W08L03S.....	326	LOCAL NUMBER 005N030W19E01S.....	273
LOCAL NUMBER 004N027W08M05S.....	260	LOCAL NUMBER 005N030W28R01S.....	273
LOCAL NUMBER 004N027W08R02S.....	260, 326	LOCAL NUMBER 005N030W30N02S.....	273
LOCAL NUMBER 004N027W09M01S.....	261	LOCAL NUMBER 005N031W35B01S.....	274
LOCAL NUMBER 004N027W14K02S.....	261	LOCAL NUMBER 005N032W35F01S.....	274
LOCAL NUMBER 004N027W14P01S.....	261	LOCAL NUMBER 006N029W05A01S.....	274
LOCAL NUMBER 004N027W14R01S.....	261	LOCAL NUMBER 006N029W06F01S.....	274
LOCAL NUMBER 004N027W15E01S.....	262	LOCAL NUMBER 006N029W06G01S.....	275
LOCAL NUMBER 004N027W15K01S.....	262	LOCAL NUMBER 006N029W07L01S.....	275
LOCAL NUMBER 004N027W16E02S.....	262	LOCAL NUMBER 006N029W08P01S.....	275
LOCAL NUMBER 004N027W16R01S.....	262, 326	LOCAL NUMBER 006N029W08P02S.....	275, 329
LOCAL NUMBER 004N027W17J01S.....	263, 326	LOCAL NUMBER 006N029W09J01S.....	276
LOCAL NUMBER 004N027W17M01S.....	326	LOCAL NUMBER 006N030W01R03S.....	276
LOCAL NUMBER 004N027W18C02S.....	326	LOCAL NUMBER 006N030W07G05S.....	276
LOCAL NUMBER 004N027W18C03S.....	326	LOCAL NUMBER 006N030W07G06S.....	276
LOCAL NUMBER 004N027W18Q01S.....	263	LOCAL NUMBER 006N030W09N01S.....	277
LOCAL NUMBER 004N027W18Q04S.....	263, 326	LOCAL NUMBER 006N030W11G01S.....	277
LOCAL NUMBER 004N027W21B01S.....	263	LOCAL NUMBER 006N031W01P02S.....	277
LOCAL NUMBER 004N027W22A02S.....	326	LOCAL NUMBER 006N031W01P03S.....	277
LOCAL NUMBER 004N027W22A03S.....	326	LOCAL NUMBER 006N031W02K01S.....	278

SANTA BARBARA COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 006N031W03A01S.....	278	LOCAL NUMBER 007N034W20K04S.....	291
LOCAL NUMBER 006N031W04A01S.....	278	LOCAL NUMBER 007N034W20K06S.....	329
LOCAL NUMBER 006N031W10F01S.....	278	LOCAL NUMBER 007N034W20L03S.....	329
LOCAL NUMBER 006N031W11D04S.....	279	LOCAL NUMBER 007N034W20M02S.....	291
LOCAL NUMBER 006N031W13D01S.....	279	LOCAL NUMBER 007N034W22J06S.....	291
LOCAL NUMBER 006N031W16N02S.....	279	LOCAL NUMBER 007N034W24N01S.....	291
LOCAL NUMBER 006N032W02Q01S.....	279	LOCAL NUMBER 007N034W26H03S.....	292
LOCAL NUMBER 006N032W06K01S.....	280	LOCAL NUMBER 007N034W27F04S.....	292
LOCAL NUMBER 006N032W11L03S.....	280	LOCAL NUMBER 007N034W27P05S.....	329
LOCAL NUMBER 006N032W16P03S.....	280	LOCAL NUMBER 007N034W29E04S.....	292
LOCAL NUMBER 006N032W18H01S.....	280	LOCAL NUMBER 007N034W30L03S.....	292
LOCAL NUMBER 006N033W11M01S.....	281	LOCAL NUMBER 007N034W31C02S.....	293
LOCAL NUMBER 006N034W01P01S.....	281	LOCAL NUMBER 007N034W31C03S.....	293
LOCAL NUMBER 006N034W06C01S.....	281	LOCAL NUMBER 007N034W35F02S.....	293
LOCAL NUMBER 007N029W28D01S.....	282	LOCAL NUMBER 007N034W35K09S.....	293
LOCAL NUMBER 007N029W29R01S.....	282	LOCAL NUMBER 007N035W17G01S.....	332
LOCAL NUMBER 007N029W29R02S.....	282	LOCAL NUMBER 007N035W17K01S.....	294
LOCAL NUMBER 007N030W16B01S.....	282	LOCAL NUMBER 007N035W17K20S.....	294, 332
LOCAL NUMBER 007N030W19H01S.....	283	LOCAL NUMBER 007N035W17M01S.....	294
LOCAL NUMBER 007N030W22E01S.....	283	LOCAL NUMBER 007N035W17Q06S.....	294, 332
LOCAL NUMBER 007N030W27H01S.....	283	LOCAL NUMBER 007N035W18H01S.....	295
LOCAL NUMBER 007N030W29D01S.....	283	LOCAL NUMBER 007N035W18J02S.....	295
LOCAL NUMBER 007N030W29N02S.....	284	LOCAL NUMBER 007N035W21G02S.....	295, 332
LOCAL NUMBER 007N030W30M01S.....	284	LOCAL NUMBER 007N035W22J01S.....	295
LOCAL NUMBER 007N030W33R01S.....	284	LOCAL NUMBER 007N035W22L01S.....	296
LOCAL NUMBER 007N030W33M01S.....	329	LOCAL NUMBER 007N035W22M01S.....	296
LOCAL NUMBER 007N030W33M02S.....	284	LOCAL NUMBER 007N035W23B02S.....	296, 332
LOCAL NUMBER 007N030W34G01S.....	329	LOCAL NUMBER 007N035W23E02S.....	296
LOCAL NUMBER 007N030W35R01S.....	285	LOCAL NUMBER 007N035W23J05S.....	297
LOCAL NUMBER 007N031W22A03S.....	285	LOCAL NUMBER 007N035W24J04S.....	297
LOCAL NUMBER 007N031W23P01S.....	285	LOCAL NUMBER 007N035W24K05S.....	297, 332
LOCAL NUMBER 007N031W34M01S.....	285	LOCAL NUMBER 007N035W25F05S.....	297
LOCAL NUMBER 007N031W35K01S.....	285	LOCAL NUMBER 007N035W25F06S.....	298
LOCAL NUMBER 007N031W36L02S.....	286	LOCAL NUMBER 007N035W25F07S.....	298
LOCAL NUMBER 007N032W07B01S.....	286	LOCAL NUMBER 007N035W26F04S.....	298, 332
LOCAL NUMBER 007N032W31M01S.....	286	LOCAL NUMBER 007N035W27F01S.....	298
LOCAL NUMBER 007N033W17N02S.....	287	LOCAL NUMBER 007N035W27H01S.....	299
LOCAL NUMBER 007N033W19D01S.....	287	LOCAL NUMBER 007N035W27F01S.....	299
LOCAL NUMBER 007N033W27G01S.....	287	LOCAL NUMBER 007N035W30G01S.....	299
LOCAL NUMBER 007N033W27J01S.....	287	LOCAL NUMBER 007N035W31J01S.....	299
LOCAL NUMBER 007N033W36J01S.....	288	LOCAL NUMBER 007N035W31M02S.....	300
LOCAL NUMBER 007N033W36J02S.....	288	LOCAL NUMBER 007N035W32N01S.....	300
LOCAL NUMBER 007N034W09H05S.....	288	LOCAL NUMBER 007N035W33J01S.....	300
LOCAL NUMBER 007N034W09H06S.....	288	LOCAL NUMBER 007N035W33J02S.....	300, 332
LOCAL NUMBER 007N034W12E01S.....	289	LOCAL NUMBER 007N035W33J03S.....	301
LOCAL NUMBER 007N034W14F03S.....	289	LOCAL NUMBER 007N035W33J04S.....	332
LOCAL NUMBER 007N034W14L01S.....	289	LOCAL NUMBER 007N035W35A03S.....	301
LOCAL NUMBER 007N034W15D01S.....	289	LOCAL NUMBER 008N024W08L01S.....	301
LOCAL NUMBER 007N034W15D02S.....	290	LOCAL NUMBER 008N031W23D01S.....	301
LOCAL NUMBER 007N034W15E01S.....	290	LOCAL NUMBER 008N031W25Q01S.....	302
LOCAL NUMBER 007N034W15P01S.....	290	LOCAL NUMBER 008N032W25D01S.....	302
LOCAL NUMBER 007N034W19C03S.....	290, 329, 335	LOCAL NUMBER 008N032W27H01S.....	332
LOCAL NUMBER 007N034W19C04S.....	329, 335	LOCAL NUMBER 008N032W27F02S.....	332
LOCAL NUMBER 007N034W19J06S.....	329	LOCAL NUMBER 008N032W28F01S.....	302
		LOCAL NUMBER 008N032W28L03S.....	332

SANTA BARBARA COUNTY

	<u>Page</u>		<u>Page</u>
LOCAL NUMBER 008N032W30D01S.....	302	LOCAL NUMBER 009N034W06C01S.....	315
LOCAL NUMBER 008N033W19G02S.....	332	LOCAL NUMBER 009N034W06K02S.....	315
LOCAL NUMBER 008N033W19K01S.....	303	LOCAL NUMBER 009N034W08H01S.....	316
LOCAL NUMBER 008N033W20Q02S.....	303	LOCAL NUMBER 009N034W09R01S.....	316
LOCAL NUMBER 008N033W20R01S.....	303	LOCAL NUMBER 009N034W15Q01S.....	316
LOCAL NUMBER 008N033W21M03S.....	303	LOCAL NUMBER 009N034W34P01S.....	316
LOCAL NUMBER 008N033W22E01S.....	332	LOCAL NUMBER 010N025W22E02S.....	332
LOCAL NUMBER 008N033W23Q02S.....	304	LOCAL NUMBER 010N025W29K02S.....	317
LOCAL NUMBER 008N033W24B02S.....	332	LOCAL NUMBER 010N025W30F01S.....	317
LOCAL NUMBER 008N034W02M01S.....	304, 332	LOCAL NUMBER 010N026W09R03S.....	332
LOCAL NUMBER 008N034W09K01S.....	304	LOCAL NUMBER 010N026W15N01S.....	317
LOCAL NUMBER 008N034W14L01S.....	304	LOCAL NUMBER 010N026W20M01S.....	317
LOCAL NUMBER 008N034W15F02S.....	305	LOCAL NUMBER 010N026W21G01S.....	332
LOCAL NUMBER 008N034W15F04S.....	305	LOCAL NUMBER 010N027W11A03S.....	318
LOCAL NUMBER 008N034W16C01S.....	305	LOCAL NUMBER 010N032W19E01S.....	318
LOCAL NUMBER 008N034W16C02S.....	305	LOCAL NUMBER 010N032W19E02S.....	318
LOCAL NUMBER 008N034W16C03S.....	306	LOCAL NUMBER 010N032W19M01S.....	318
LOCAL NUMBER 008N034W16C04S.....	306	LOCAL NUMBER 010N033W07M01S.....	319
LOCAL NUMBER 008N034W16D02S.....	306	LOCAL NUMBER 010N033W07Q02S.....	319
LOCAL NUMBER 008N034W16F01S.....	306	LOCAL NUMBER 010N033W07R01S.....	319
LOCAL NUMBER 008N034W16G02S.....	307	LOCAL NUMBER 010N033W16N01S.....	319
LOCAL NUMBER 008N034W16G03S.....	307	LOCAL NUMBER 010N033W16N02S.....	320
LOCAL NUMBER 008N034W16J01S.....	307	LOCAL NUMBER 010N033W19K01S.....	320
LOCAL NUMBER 008N034W17E01S.....	307	LOCAL NUMBER 010N033W20F01S.....	332
LOCAL NUMBER 008N034W17G01S.....	308	LOCAL NUMBER 010N033W20H01S.....	320
LOCAL NUMBER 008N034W17H01S.....	308	LOCAL NUMBER 010N033W20L01S.....	320
LOCAL NUMBER 008N034W17K02S.....	308	LOCAL NUMBER 010N033W27K02S.....	321
LOCAL NUMBER 008N034W17Q01S.....	308	LOCAL NUMBER 010N033W27R01S.....	321
LOCAL NUMBER 008N034W21A01S.....	309	LOCAL NUMBER 010N033W28F01S.....	321
LOCAL NUMBER 008N034W22F01S.....	309	LOCAL NUMBER 010N033W29F01S.....	321
LOCAL NUMBER 008N034W23B01S.....	309	LOCAL NUMBER 010N033W33H01S.....	322
LOCAL NUMBER 008N034W24E01S.....	332	LOCAL NUMBER 010N033W35C01S.....	322
LOCAL NUMBER 008N035W12M01S.....	309, 332	LOCAL NUMBER 010N033W36A01S.....	322
LOCAL NUMBER 009N024W33M01S.....	310, 332	LOCAL NUMBER 010N034W13C01S.....	322
LOCAL NUMBER 009N025W13B01S.....	310	LOCAL NUMBER 010N034W13G01S.....	323
LOCAL NUMBER 009N025W27C01S.....	310	LOCAL NUMBER 010N034W13J01S.....	323
LOCAL NUMBER 009N026W01F03S.....	310	LOCAL NUMBER 010N034W14E05S.....	323
LOCAL NUMBER 009N032W06D01S.....	311	LOCAL NUMBER 010N034W26H02S.....	324, 332
LOCAL NUMBER 009N032W07A01S.....	311	LOCAL NUMBER 010N034W29N01S.....	332
LOCAL NUMBER 009N032W07Q01S.....	311	LOCAL NUMBER 010N034W31L02S.....	323
LOCAL NUMBER 009N032W08N01S.....	311, 332	LOCAL NUMBER 010N035W09F01S.....	324
LOCAL NUMBER 009N032W16L01S.....	312	LOCAL NUMBER 010N035W14D03S.....	332
LOCAL NUMBER 009N032W17G01S.....	312	LOCAL NUMBER 010N035W14P01S.....	324
LOCAL NUMBER 009N032W19A01S.....	312	LOCAL NUMBER 010N035W18F02S.....	324
LOCAL NUMBER 009N032W20E01S.....	312	LOCAL NUMBER 010N035W23M02S.....	325
LOCAL NUMBER 009N032W22D01S.....	313	LOCAL NUMBER 010N035W24Q01S.....	325
LOCAL NUMBER 009N032W23K01S.....	313	LOCAL NUMBER 010N035W35J02S.....	325
LOCAL NUMBER 009N032W32K01S.....	313	LOCAL NUMBER 010N036W12P01S.....	325
LOCAL NUMBER 009N032W33M01S.....	313		
LOCAL NUMBER 009N033W12C01S.....	314		
LOCAL NUMBER 009N033W24L01S.....	314		
LOCAL NUMBER 009N033W28M01S.....	314		
LOCAL NUMBER 009N034W03A02S.....	314		
LOCAL NUMBER 009N034W03F01S.....	315		
LOCAL NUMBER 009N034W03N01S.....	315		




FIGURE 18.--Index map to location of wells in Santa Barbara County.

WATER LEVELS, SANTA BARBARA COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342501119323101

LOCAL NUMBER 004N025W19F04S

ABOUT 1.2 MI EAST OF NIDEVER ROAD AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 8 IN, DEPTH 250 FT IN 1941. ALTITUDE OF LSD 106 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	95.95 R	JAN 29, 1988	93.93 R	MAY 25, 1988	92.33 R	AUG 30, 1988	96.69 R
NOV 24	95.92 R	MAR 01	92.04 R	JUN 27	93.95 R	SEP 28	97.59 R
DEC 30	95.08 R	APR 26	91.66 R	JUL 29	95.48 R		

PERIOD OF RECORD HIGHEST 52.93 MAR 22, 1983 LOWEST 123.40 MAR 22, 1950

SITE NUMBER 342503119320101

LOCAL NUMBER 004N025W19H01S

EAST OF CRAVENS LANE AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 360 FT IN 1949. ALTITUDE OF LSD 120 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1948-50, 1956, 1972, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	99.80 R	JAN 29, 1988	92.53 R	MAY 25, 1988	93.88 R	AUG 30, 1988	100.80 R
NOV 30	96.97 R	MAR 02	90.10 R	JUN 27	97.07 R	SEP 28	101.57 R
DEC 30	94.80 R	APR 26	92.75 R	JUL 29	99.99 R		

PERIOD OF RECORD HIGHEST 62.74 JUN 16, 1983 LOWEST 112.14 DEC 12, 1949

SITE NUMBER 342446119315701

LOCAL NUMBER 004N025W19J05S

SOUTH OF FOOTHILL ROAD AND EAST OF CRAVENS LANE. DRILLED ARTESIAN WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 55 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING AUGUST 1978. RECORDS AVAILABLE 1941-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	63.10 R	APR 26, 1988	54.89 R	JUN 27, 1988	61.76 R	SEP 28, 1988	65.22 R
JAN 29, 1988	57.22 R	MAY 25	57.19 R	AUG 31	66.12 R		

PERIOD OF RECORD HIGHEST 20.67 MAY 17, 1983 LOWEST 92.95 SEP 25, 1951

SITE NUMBER 342448119323601

LOCAL NUMBER 004N025W19M03S

WEST OF CRAVENS LANE AND SOUTH OF FOOTHILL ROAD. DRILLED ARTESIAN WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 65 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	63.97 R	JAN 29, 1988	60.42 R	MAY 25, 1988	60.51 R	AUG 30, 1988	66.17 RS
NOV 23	63.13 R	MAR 11	58.11 R	JUN 27	62.00 R	SEP 27	66.31 R
DEC 30	62.10 R	APR 26	59.00 R	JUL 29	63.72 R		

PERIOD OF RECORD HIGHEST 29.66 MAR 22, 1983 LOWEST 88.28 DEC 14, 1949

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342440119310601

LOCAL NUMBER 004N025W20K03S

AT CARPINTERIA HIGH SCHOOL. DRILLED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 408 FT IN 1949. ALTITUDE OF LSD 60 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	41.32 R	JAN 29, 1988	40.46 R	MAY 25, 1988	42.70 R	AUG 30, 1988	49.25 R
NOV 30	41.34 R	MAR 02	37.54 R	JUN 27	45.38 R	SEP 28	50.12 R
DEC 30	42.14 R	APR 26	39.53 R	JUL 29	46.87 R		
PERIOD OF RECORD	HIGHEST	0.32 JUN 17, 1983	LOWEST	70.90 NOV 22, 1950			

SITE NUMBER 342451119313001

LOCAL NUMBER 004N025W20L04S

ABOUT 60 FT EAST OF SANTA MONICA CREEK AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 264 FT, PERFORATED 62-254 FT. ALTITUDE OF LSD 111 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS AVAILABLE 1947, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	115.84 R	JAN 29, 1988	111.45 R	MAY 25, 1988	111.05 R	AUG 30, 1988	119.45 R
NOV 30	115.27 R	MAR 02	107.36 R	JUN 27	113.94 R	SEP 28	119.64 R
DEC 30	114.02 R	APR 26	108.08 R	JUL 29	116.35 R		
PERIOD OF RECORD	HIGHEST	71.04 JUN 15, 1983	LOWEST	153.17 SEP 25, 1951			

SITE NUMBER 342428119304201

LOCAL NUMBER 004N025W21N01S

ABOUT 100 FT NORTH OF FOOTHILL ROAD AND 700 FT EAST OF LINDEN AVENUE. DRILLED IRRIGATION WELL. DIAM 12 TO 6 IN, DEPTH 405 FT. ALTITUDE OF LSD 41 FT. RECORDS AVAILABLE 1936, 1938, 1941-42, 1945-46, 1949-50, 1959, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1987	27.20 R	JAN 29, 1988	14.68 R	MAY 25, 1988	32.33 R	AUG 31, 1988	37.34 R
NOV 30	19.80 R	MAR 01	12.89 R	JUN 27	35.83 R	SEP 27	37.14 R
DEC 30	16.98 R	APR 26	21.55 R	JUL 29	37.44 R		
PERIOD OF RECORD	HIGHEST	+0.29 JUL 21, 1982	LOWEST	67.14 NOV 22, 1950			

SITE NUMBER 342425119303302

LOCAL NUMBER 004N025W21N04S

IN CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 406 FT. ALTITUDE OF LSD 51 FT. RECORDS AVAILABLE 1949, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1987	39.75 R	JAN 29, 1988	18.38 R	MAY 25, 1988	40.85 R	AUG 31, 1988	54.59 R
NOV 30	27.08 R	MAR 02	16.64 R	JUN 27	44.40 R	SEP 27	52.20 R
DEC 30	21.32 R	APR 26	33.80 R	JUL 29	46.68 R		
PERIOD OF RECORD	HIGHEST	0.22 SEP 17, 1982	LOWEST	58.87 SEP 24, 1987			

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342427119294601

LOCAL NUMBER 004N025W21R01S

NORTHEAST OF CARPINTERIA. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 468 FT, CASED TO 434 FT, PERFORATED 82-90, 120-150, 170-176, 239-240, 289-304, 314-318, 340-341, 356-386, 412-416 FT. ALTITUDE OF LSD 108 FT. MEASUREMENTS BEGINNING 2/15/78 COLLECTED BY U.S. GEOLOGICAL SURVEY AND CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1987	71.98 R		JAN 29, 1988	63.08 R		MAY 25, 1988	66.00 R		AUG 31, 1988	75.18 R
NOV 24	68.48 R		MAR 02	61.46 R		JUN 27	69.92 R		SEP 27	76.60 R
DEC 30	65.54 R		APR 26	64.87 R		JUL 29	73.37 R			

PERIOD OF RECORD HIGHEST 30.28 FEB 17, 1984 LOWEST 126.08 NOV 26, 1951

SITE NUMBER 342429119284901

LOCAL NUMBER 004N025W22R01S

EAST OF CARPINTERIA. DIAM UNKNOWN, DEPTH 128.9 FT IN 1941. ALTITUDE OF LSD 211 FT. MEASUREMENTS BEGINNING 1/25/78 COLLECTED BY USGS AND CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941-44, 1949-50, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1987	36.14 R		JAN 29, 1988	19.88 R		MAY 25, 1988	25.29 R		AUG 31, 1988	43.04 R
NOV 30	31.92 R		MAR 02	19.87 R		JUN 27	29.10 R		SEP 27	44.84 R
DEC 30	25.49 R		APR 26	20.36 R		JUL 29	RP			

PERIOD OF RECORD HIGHEST 11.26 APR 06, 1944 LOWEST 115.14 OCT 30, 1961

SITE NUMBER 342430119284701

LOCAL NUMBER 004N025W22R04S

EAST OF LILLINGSTON CANYON ROAD IN CARPINTERIA. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH REPORTED 504 FT, PERFORATED 192-504 FT. ALTITUDE OF LSD 218 FT. RECORDS AVAILABLE 1949, 1950, 1956, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1987	27.54 R		JAN 29, 1988	14.41 R		MAY 25, 1988	29.68 R		AUG 31, 1988	47.87 R
NOV 30	21.13 R		MAR 02	14.69 R		JUN 27	25.06 R			
DEC 30	17.52 R		APR 26	15.00 R		JUL 29	44.71 R			

PERIOD OF RECORD HIGHEST 7.26 MAY 16, 1983 LOWEST 97.43 NOV 24, 1950

SITE NUMBER 342427119281701

LOCAL NUMBER 004N025W23P01S

EAST OF CARPINTERIA. DRILLED OBSERVATION WELL. DIAM 10 IN, DEPTH 465 FT. ALTITUDE OF LSD 480 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1945-46, 1948-50, 1954-55, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 29, 1987	230.54 R		JAN 29, 1988	220.26 R		MAY 26, 1988	217.85 R		AUG 31, 1988	232.32 R
NOV 30	226.70 R		MAR 11	217.53 R		JUN 27	224.67 R		SEP 27	233.76 R
DEC 30	223.26 R		APR 26	216.96 R		JUL 29	225.80 R			

PERIOD OF RECORD HIGHEST 204.85 JAN 17, 1984 LOWEST 341.80 DEC 14, 1949

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342414119274201

LOCAL NUMBER 004N025W26A01S

NORTH OF SHEPHERD ROAD AND WEST OF JUNCTION HWY 150. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 480 FT, PERFORATED 228-480 FT. ALTITUDE OF LSD 420 FT. MEASUREMENTS BEGINNING IN 1978 PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1944 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 29, 1987	197.01	R	JAN 17, 1988	197.00	R	APR 27, 1988	187.85	R	JUL 29, 1988	194.82	R
NOV 24	195.83	R	29	189.55	R	MAY 26	189.17	R	AUG 31	198.45	R
DEC 30	191.90	R	MAR 02	188.37	R	JUN 27	191.45	R	SEP 27	199.11	R

PERIOD OF RECORD HIGHEST 174.44 JAN 17, 1984 LOWEST 387.00 NOV 28, 1955

SITE NUMBER 342404119291201

LOCAL NUMBER 004N025W27F02S

SOUTH OF LILLINGSTON CYN ROAD AND WEST OF CASITAS PASS ROAD. PUBLIC SUPPLY WELL. DIAM 10-14 IN, DEPTH 1150 FT, PERFORATED 455-801 FT. ALTITUDE OF LSD 133 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1975, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 29, 1987		RP	JAN 29, 1988	86.52	R	MAY 25, 1988		RP	AUG 31, 1988		RP
NOV 24		RP	MAR 01	82.25	R	JUN 27		RP	SEP 27	102.57	RS
DEC 30	99.73	R	APR 26		RP	JUL 29		RP			

PERIOD OF RECORD HIGHEST 31.57 MAR 14, 1984 LOWEST 115.10 DEC 19, 1977

SITE NUMBER 342400119285401

LOCAL NUMBER 004N025W27G01S

NORTH OF CASITAS PASS ROAD AND SOUTH OF GOBENADOR CREEK. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 174 FT. MEASUREMENTS BEGINNING IN 1977 PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1949, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 29, 1987	125.65	R	JAN 29, 1988	116.36	R	MAY 26, 1988	120.60	R	SEP 28, 1988	139.51	RS
NOV 30	125.18	R	MAR 11	111.64	R	JUN 27	124.30	R			
DEC 30	124.06	R	APR 27	117.30	R	AUG 31	141.63	RS			

PERIOD OF RECORD HIGHEST 6.40 JUN 19, 1941 LOWEST 125.65 OCT 29, 1987

SITE NUMBER 342339119284301

LOCAL NUMBER 004N025W27R02S

EAST OF CARPINTERIA. DRILLED ARTESIAN WELL. DIAM 12 IN, DEPTH 421 FT, PERFORATED 295-310, 350-378, 392-420 FT. ALTITUDE OF LSD 132 FT. MEASUREMENTS BEGINNING IN 1977 PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
JUN 27, 1988	86.35	R	JUL 29, 1988	99.39	R	AUG 31, 1988		RP	SEP 27, 1988	90.27	R
PERIOD OF RECORD	HIGHEST	32.70	JAN 18, 1984	LOWEST	182.23	SEP 25, 1951					

ON CORNER OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 16 IN 0-290 FT, 10 IN 290-1245 FT, DEPTH 1271 FT, CASED TO 1245 FT, PERFORATED 310-350, 400-420, 890-930, 1140-1180, 1210-1230 FT. ALTITUDE OF LSD 63 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED OBSERVATION ARTESIAN WELL. DIAM UNKNOWN, DEPTH 300 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED OBSERVATION ARTESIAN WELL. DIAM UNKNOWN, DEPTH 900 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMA RA STREET. DRILLED OBSERVATION ARTESIAN WELL. DIAM UNKNOWN, DEPTH 1140 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

DATE			WATER LEVEL MS			DATE			WATER LEVEL MS			DATE			WATER LEVEL MS							
OCT 30,	1987		15.79	R		MAR 11,	1988		16.85	R		JUN 28,	1988		18.08	RS		SEP 27,	1988		19.95	RS
NOV 30			16.21	R		APR 27			17.19	RS		JUL 29			18.74	RS						
JAN 29,	1988		16.68	R		MAY 26			17.48	RS		AUG 31			19.40	RS						
PERIOD OF RECORD			HIGHEST			1.78	MAR 17, 1982			LOWEST			22.04	JAN 17, 1989								

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342357119295501

LOCAL NUMBER 004N025W28J01S

EAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 175 FT. ALTITUDE OF LSD 89 FT. MEASUREMENTS BEGINNING IN 1977 PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1919, 1930, 1937-38, 1940-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 29, 1987	55.79	R	JAN 29, 1988	47.72	R	MAY 25, 1988		RP	AUG 31, 1988	61.90	R
NOV 30		RP	MAR 02	47.00	R	JUN 27	58.44	R	SEP 27		RP
DEC 30	49.47	R	APR 26	50.32	R	JUL 29	62.82	R			
PERIOD OF RECORD		HIGHEST	14.44	JAN 16, 1984		LOWEST	138.20	OCT 24, 1960			

SITE NUMBER 342354119303001

LOCAL NUMBER 004N025W28M01S

ABOUT 1700 FT NORTHEAST OF HWY 101 AND 200 FT NORTHWEST OF CASITAS PASS ROAD. DRILLED OBSERVATION ARTESIAN WELL. DIAM 2 IN, DEPTH 151.7 FT. ALTITUDE OF LSD 53 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 28, 1987	26.76	R	JAN 29, 1988	14.19	R	MAY 26, 1988	19.13	R	AUG 31, 1988	30.59	R
NOV 30	18.67	R	MAR 02	12.99	R	JUN 28	27.49	R	SEP 27	32.08	R
JAN 04, 1988	15.85	R	APR 26	18.92	R	JUL 29	30.51	R			
PERIOD OF RECORD		HIGHEST	+0.75	MAR 25, 1986		LOWEST	95.61	OCT 31, 1951			

SITE NUMBER 342418119314601

LOCAL NUMBER 004N025W29D01S

ABOUT 1 MI NORTH OF HWY 101 ON WEST SIDE OF SANTA MONICA ROAD, 60 FT WEST OF HOUSE. DRILLED DOMESTIC ARTESIAN WELL. DIAM 12 IN, DEPTH 147 FT. ALTITUDE OF LSD 17 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS AVAILABLE 1938, 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS							
OCT 28, 1987	25.89 R							
PERIOD OF RECORD		HIGHEST	+1.00	OCT 28, 1969	MAR 26, 1970	LOWEST	57.28	SEP 25, 1951

SITE NUMBER 342420119313801

LOCAL NUMBER 004N025W29D07S

ABOUT 0.04 MI NORTH OF VIA REAL AND 0.11 MI EAST OF SANTA MONICA ROAD. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 14.5 IN, DEPTH 950 FT, PERFORATED 215-950 FT. ALTITUDE OF LSD 25 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 28, 1987		RP	JAN 28, 1988	19.35	R	MAY 25, 1988		RP	AUG 30, 1988		RP
NOV 23		RP	MAR 01	15.29	R	JUN 27		RP	SEP 27		RP
DEC 30	26.49	R	APR 26		RP	JUL 29		RP			
PERIOD OF RECORD		HIGHEST	+2.45	NOV 20, 1979		LOWEST	53.40	DEC 19, 1977			

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342349119312801

LOCAL NUMBER 004N025W29L01S

NEAR INTERSECTION OF HOLLY AVENUE AND 3RD STREET. DRILLED UNUSED ARTESTIAN WELL. DIAM 2 IN, DEPTH 110 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1946, 1950-71, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 28, 1987	25.11 R		JAN 28, 1988	+1.26 R		MAY 25, 1988	22.88 R		AUG 30, 1988	29.96 R
NOV 23	17.18 R		MAR 01	RF		JUN 27	25.16 R		SEP 27	30.40 R
DEC 30	3.86 R		APR 26	13.45 R		JUL 29	29.70 R			

PERIOD OF RECORD HIGHEST +1.60 OCT 28, 1969 LOWEST 51.24 SEP 25, 1951

SITE NUMBER 342343119305201

LOCAL NUMBER 004N025W29R01S

NEAR CARPINTERIA UNION JR. HIGH SCHOOL, SOUTH OF TENNIS COURT. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 176 FT. ALTITUDE OF LSD 32 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 30, 1987	11.18 R		JAN 29, 1988	3.05 R		MAY 26, 1988	7.39 R		AUG 31, 1988	13.46 R
NOV 30	6.84 R		MAR 01	1.92 R		JUN 28	11.26 R		SEP 28	14.08 R
JAN 04, 1988	4.76 R		APR 26	6.16 R		JUL 29	13.39 R			

PERIOD OF RECORD HIGHEST +0.28 AUG 15, 1985 LOWEST 73.90 SEP 21, 1961

SITE NUMBER 342419119323701

LOCAL NUMBER 004N025W30D01S

NEAR SANDYLAND PROTECTIVE ASSOCIATION, 400 FT EAST OF DRIVEWAY. DRILLED DOMESTIC PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 210 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941, 1945, 1947-66, 1969-71, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 28, 1987	7.66 R		JAN 29, 1988	3.28 R		MAY 25, 1988	4.05 R		AUG 30, 1988	8.54 R
NOV 23	6.34 R		MAR 01	1.31 R		JUN 27	6.15 R		SEP 27	8.93 R
DEC 30	5.26 R		APR 26	2.73 R		JUL 29	7.61 R			

PERIOD OF RECORD HIGHEST +1.92 NOV 19, 1979 LOWEST 48.73 NOV 26, 1951

SITE NUMBER 342315119282901

LOCAL NUMBER 004N025W35E01S

ABOUT 2 MI SOUTHEAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 420 FT, PERFORATED 260-385 FT. ALTITUDE OF LSD 249 FT. MEASUREMENTS BEGINNING 1977 PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1939, 1941, 1949, 1956, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 30, 1987	164.30 R		JAN 29, 1988	162.54 R		MAY 26, 1988	165.74 RS		AUG 31, 1988	161.48 R
NOV 24	163.70 R		MAR 02	162.65 R		JUN 28	163.68 RS		SEP 28	166.06 RS
DEC 30	163.00 R		APR 27	161.67 R		JUL 29	161.90 R			

PERIOD OF RECORD HIGHEST 113.00 DEC 27, 1983 LOWEST 210.80 DEC 19, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342512119335701

LOCAL NUMBER 004N026W23A02S

WEST OF FLEISCHMANN FIELD IN SERENA PARK. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH 330 FT. ALTITUDE OF LSD 63 FT. MEASUREMENTS PROVIDED BY CARPINTERIA COUNTY WATER DISTRICT STARTING 1978. RECORDS AVAILABLE 1941, 1947-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1987	RO	JAN 29, 1988	RO	MAY 25, 1988	50.10 R	AUG 30, 1988	53.05 R
NOV 23	RO	MAR 01	RO	JUN 27	52.60 R	SEP 28	53.49 R
DEC 30	RO	APR 26	49.35 R	JUL 29	55.34 R		
PERIOD OF RECORD	HIGHEST	40.20	JUN 16, 1983	LOWEST	79.91	AUG 31, 1953	

SITE NUMBER 342647119451701

LOCAL NUMBER 004N027W07D01S

LOCATED ON ROYAL GATE PROPERTIES, ABOUT 15 FT SOUTH OF VIA DIEGO AT VIA ROSA. DIAM 16 IN, DEPTH 500 FT, PERFORATED 215-310, 330-480 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	P	JAN 06, 1988	73.55 T	APR 06, 1988	P	JUL 07, 1988	P
NOV 10	P	FEB 11	P	MAY 11	P	AUG 10	94.70 P
DEC 10	77.10 V	MAR 16	P	JUN 07	P	SEP 09	P
PERIOD OF RECORD	HIGHEST	52.88	FEB 07, 1986	LOWEST	94.70	AUG 10, 1988	

SITE NUMBER 342610119444801

LOCAL NUMBER 004N027W07Q05S

ABOUT 100 FT NORTH AND 9 FT WEST OF SOUTH BOUNDARY OF YMCA. DIAM 8 IN, DEPTH 585 FT, PERFORATED 200-580 FT. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 06, 1988	53.34 T	APR 05, 1988	58.66 V	JUL 06, 1988	66.95 V		
FEB 10	55.25 T	MAY 10	62.99 V	AUG 10	66.47 V		
MAR 15	56.30 T	JUN 06	65.51 V	SEP 09	61.65		
PERIOD OF RECORD	HIGHEST	24.25	JAN 07, 1986	LOWEST	66.95	JUL 06, 1988	

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342608119444001

LOCAL NUMBER 004N027W07R03S

IN AVOCADO ORCHARD 100 FT SOUTH OF YMCA BUILDING, AND 270 FT WEST OF HITCHCOCK STREET. DIAM 10 IN, DEPTH 510 FT, PERFORATED 165-500 FT. ALTITUDE OF LSD 185 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 10, 1987	65.14	T	APR 05, 1988		O	JUN 07, 1988		O	AUG 10, 1988		O
DEC 10	64.57	V	MAY 10		O	JUL 07		O	SEP 08		O
PERIOD OF RECORD	HIGHEST		37.42	NOV 06, 1984		LOWEST	66.12		SEP 09, 1987		

SITE NUMBER 342637119440901

LOCAL NUMBER 004N027W08E01S

IN TRIANGULAR PARK 0.4 MI NORTH OF CHUPAROSA ROAD AND ABOUT 120 FT SOUTHWEST OF HOUSE AT 166 CANON DRIVE. DIAM 13-3/8 IN, DEPTH 580 FT, PERFORATED 52-580 FT. ALTITUDE OF LSD 251 FT. RECORDS AVAILABLE 1948, 1976, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 08, 1987	114.21	T	JAN 07, 1988	104.65	T	APR 05, 1988	105.75	V	JUL 06, 1988	108.00	V
NOV 10	104.36	T	FEB 10	104.54	T	MAY 10	106.67	V	AUG 10	108.92	V
DEC 10	104.28	V	MAR 15	104.43	T	JUN 06	107.62	V	SEP 08	107.69	
PERIOD OF RECORD	HIGHEST		53.57	MAY 08, 1986		LOWEST	132.69		MAR 24, 1948		

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342630119442301

LOCAL NUMBER 004N027W08M05S

LOCATED AT INTERSECTION OF SAN ROQUE CREEK AND SAN REMO DRIVE. DRILLED OBSERVATION WELL.
DIAM 5 IN 0-60 FT, 4 IN 60-680 FT, DEPTH 680 FT, PERFORATED 620-660 FT. ALTITUDE OF LSD
217 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (OBSERVATIONS AT 1200 HOURS)

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	105.35	104.35	106.58	110.09	111.17	113.17	114.49	114.29	100.41
2	---	---	---	105.29	104.77	106.48	110.23	111.39	113.33	114.48	113.85	100.11
3	---	---	---	105.30	105.29	106.47	110.35	111.50	113.50	114.45	113.93	99.93
4	---	---	---	105.24	105.80	106.49	110.13	111.54	113.58	114.40	114.05	99.81
5	---	---	---	105.20	106.17	106.71	105.20	111.61	113.71	114.30	114.06	99.58
6	---	---	---	105.08	106.37	106.83	106.46	111.72	113.82	114.34	114.06	99.38
7	---	---	---	105.19	106.65	107.08	107.97	111.77	113.92	114.43	114.19	99.08
8	---	---	---	105.17	106.87	107.33	108.97	111.82	113.95	114.52	114.19	98.77
9	---	---	---	105.25	107.04	107.52	109.67	111.88	114.02	114.56	114.19	98.45
10	---	---	---	105.25	107.19	107.27	110.16	112.03	114.02	114.56	114.20	98.29
11	---	---	---	105.14	107.39	106.51	110.47	112.19	114.10	114.55	113.48	98.24
12	---	---	105.69	105.18	107.55	107.28	110.70	112.26	114.18	114.50	113.74	98.13
13	---	---	105.35	105.33	107.71	107.82	110.78	112.28	114.24	114.46	112.95	98.11
14	---	---	105.57	105.42	107.82	108.15	110.76	112.38	114.19	114.36	113.15	98.11
15	---	---	105.66	105.52	107.82	108.37	110.77	112.46	114.19	114.25	113.54	98.08
16	---	---	103.84	105.47	107.67	108.58	110.74	112.53	114.20	114.27	113.74	98.01
17	---	---	103.34	105.29	107.67	108.74	109.27	112.59	114.26	114.29	113.88	97.86
18	---	---	104.05	103.19	107.48	108.99	109.30	112.55	114.27	114.30	113.88	97.79
19	---	---	104.49	103.25	107.37	109.07	109.79	112.61	114.29	114.27	113.88	97.77
20	---	---	104.75	99.66	107.35	109.19	109.88	112.69	114.34	114.27	113.87	97.68
21	---	---	104.98	96.33	107.31	109.24	110.08	112.60	114.33	114.27	113.90	97.73
22	---	---	105.07	94.22	107.24	109.52	110.24	112.86	114.32	114.27	113.92	97.73
23	---	---	105.18	96.07	107.11	109.60	110.42	113.01	114.32	114.28	113.96	97.72
24	---	---	105.20	99.28	107.05	109.79	110.54	113.12	114.30	114.30	114.04	97.72
25	---	---	105.28	101.13	106.90	109.82	110.58	113.18	114.30	114.30	109.74	97.71
26	---	---	105.33	102.38	106.88	109.98	110.62	113.24	114.31	114.38	106.79	97.71
27	---	---	105.40	103.14	106.90	110.21	110.67	113.24	114.29	114.44	104.78	97.70
28	---	---	105.41	102.98	106.81	110.24	110.75	113.38	114.37	114.44	103.27	97.69
29	---	---	105.29	103.55	106.70	110.23	110.93	113.46	114.46	114.39	102.31	97.69
30	---	---	105.33	103.94	---	110.12	111.03	112.87	114.46	114.41	101.45	97.68
31	---	---	105.31	104.16	---	110.07	---	112.98	---	114.37	100.84	---

PERIOD OF RECORD HIGHEST 93.88 JAN 22, 1988 LOWEST 114.56 JUL 09, 1988 JUL 10, 1988

SITE NUMBER 342618119432501

LOCAL NUMBER 004N027W08R02S

NEAR INTERSECTION OF ALAMAR AVENUE AND STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL.
DIAM 6 IN, DEPTH 265 FT, PERFORATED 155-205 FT, CASED TO 205 FT. ALTITUDE OF LSD 230 FT.
RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	110.77 T	FEB 11, 1988	109.87 T	JUN 06, 1988	110.30 V	SEP 08, 1988	110.61
NOV 10	110.78 T	MAR 16	110.41 T	21	110.06 S		
DEC 10	109.77 T	APR 06	110.39 V	JUL 07	110.23 V		
JAN 06, 1988	110.50 T	MAY 11	110.12 V	AUG 11	110.33 V		

PERIOD OF RECORD HIGHEST 86.50 SEP 01, 1983 LOWEST 115.17 APR 03, 1985

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342611119432701

LOCAL NUMBER 004N027W09M01S

ALONG MISSION CREEK NORTH OF STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 180 FT, CASSED TO 120 FT, PERFORATED 30-110 FT. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	108.12 T	JAN 07, 1988	108.94	MAY 11, 1988	108.23 V	SEP 08, 1988	108.50
07	110.66 T	FEB 11	108.56 T	JUN 07	108.30 V		
NOV 10	109.55 T	MAR 16	108.57 T	JUL 07	108.33 V		
DEC 10	108.90 V	APR 06	108.32 V	AUG 11	108.32 V		
PERIOD OF RECORD	HIGHEST	92.92	SEP 01, 1983	LOWEST	116.90	JUL 14, 1982	

SITE NUMBER 342534119404301

LOCAL NUMBER 004N027W14K02S

NORTH OF VOLUNTARIO STREET IN SCHOOL PARKING LOT. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 450 FT, CASSED TO 380 FT, PERFORATED 260-380 FT. ALTITUDE OF LSD 42.3 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	47.15 T	JAN 06, 1988	33.75 T	APR 05, 1988	45.71 V	JUL 06, 1988	30.26 V
NOV 10	39.52 T	FEB 10	30.75 T	MAY 11	35.80 V	AUG 10	29.26 V
DEC 10	33.80 T	MAR 15	42.18 T	JUN 07	32.24 V	SEP 08	28.75
PERIOD OF RECORD	HIGHEST	28.75	SEP 08, 1988	LOWEST	66.08	SEP 08, 1980	

SITE NUMBER 342524119405201

LOCAL NUMBER 004N027W14P01S

SOUTHWEST OF MILPAS STREET AND NORTH OF HIGHWAY 101. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 950 FT, CASSED TO 783 FT, PERFORATED 181-783 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS BEGINNING 7/13/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1950-55, 1957, 1968, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	51.25 T	FEB 10, 1988	11.13 T	MAY 11, 1988	17.18 V	AUG 10, 1988	8.79 V
DEC 10	15.29 V	MAR 15	42.73 T	JUN 07	12.58 V	SEP 08	O
JAN 06, 1988	12.57 T	APR 05	46.57 V	JUL 06	14.48 V		
PERIOD OF RECORD	HIGHEST	8.79	AUG 10, 1988	LOWEST	88.80	JUL 23, 1968	

SITE NUMBER 342523119402001

LOCAL NUMBER 004N027W14R01S

ABOUT 0.3 MI NORTHEAST OF MILPAS STREET AND 0.1 MI SOUTHEAST OF CARPINTERIA STREET. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 13 IN, DEPTH 700 FT, PERFORATED 107-635 FT. ALTITUDE OF LSD 27.84 FT. MEASUREMENTS BEGINNING 6/17/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1948-55, 1968, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	32.41 T	FEB 10, 1988	17.07 T	MAY 11, 1988	20.15 V	AUG 10, 1988	16.61 V
DEC 10	19.29 V	MAR 15	25.69 T	JUN 07	17.94 V	SEP 08	16.66
JAN 06, 1988	18.79 T	APR 05	25.69 V	JUL 06	O		
PERIOD OF RECORD	HIGHEST	16.61	AUG 10, 1988	LOWEST	130.60	JUL 23, 1968	

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342546119421701

LOCAL NUMBER 004N027W15E01S

NEAR ALAMEDA PLAZA IN SANTA BARBARA. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 145 FT. MEASUREMENTS BEGINNING 5/11/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	112.21 T	FEB 10, 1988	101.30 T	MAY 10, 1988	103.60 V	AUG 10, 1988	99.74 V
DEC 10	103.62 V	MAR 15	107.35 T	JUN 07	101.75 V	SEP 09	99.28
JAN 06, 1988	103.10 T	APR 05	108.85 V	JUL 07	101.00 V		
PERIOD OF RECORD HIGHEST 91.02 APR. 08, 1976 LOWEST 122.47 OCT 13, 1980							

SITE NUMBER 342538119413401

LOCAL NUMBER 004N027W15K01S

NEAR INTERSECTION SALSIPUEDES AND CANON PERDIDO STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 500 FT, CASSED TO 464 FT, PERFORATED 280-464 FT. ALTITUDE OF LSD 18.9 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	39.52 T	FEB 10, 1988	6.47 T	MAY 11, 1988	10.34 V	AUG 10, 1988	3.70 V
DEC 10	9.87 V	MAR 15	32.43 T	JUN 06	6.90 V	SEP 09	2.51
JAN 06, 1988	8.88 T	APR 05	34.99 V	JUL 06	8.43 V		
PERIOD OF RECORD HIGHEST 2.51 SEP 09, 1988 LOWEST 77.77 NOV 13, 1979							

SITE NUMBER 342543119431101

LOCAL NUMBER 004N027W16E02S

NEAR THE INTERSECTION OF CASTILLO AND PADRE STREETS IN SANTA BARBARA. DRILLED PRODUCTION WELL. DIAM 12 IN, DEPTH 403 FT, PERFORATED 203-223, 263-283, 303-383 FT. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	49.10 T	NOV 10, 1987	47.88 T
PERIOD OF RECORD HIGHEST 44.20 JUN 06, 1985 LOWEST 54.42 OCT 13, 1986			

SITE NUMBER 342521119422401

LOCAL NUMBER 004N027W16R01S

NEAR INTERSECTION OF VICTORIA AND DE LA VINA STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 720 FT, CASSED TO 625 FT, PERFORATED 545-625 FT. ALTITUDE OF LSD 84.8 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	109.73 T	FEB 10, 1988	60.41 T	JUN 06, 1988	61.95 V	SEP 09, 1988	57.25
NOV 10	74.00 T	MAR 15	93.07 T	22	60.29 S		
DEC 10	64.65 V	APR 05	97.35 V	JUL 06	64.18 V		
JAN 07, 1988	61.88 T	MAY 10	67.50 V	AUG 10	58.37 V		
PERIOD OF RECORD HIGHEST 57.25 SEP 09, 1988 LOWEST 136.14 AUG 06, 1980							

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342541119433501

LOCAL NUMBER 004N027W17J01S

ON BANK OF MISSION CREEK WEST OF JUNIPERO STREET. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 385 FT, CASSED TO 320 FT, PERFORATED 190-320 FT. ALTITUDE OF LSD 138.8 FT. RECORD AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	46.78	T	FEB 11, 1988	44.30	T	MAY 11, 1988	45.88	V	JUL 07, 1988	45.40	V
DEC 10	44.85	V	MAR 16	46.65	T	JUN 07	45.60	V	AUG 11	45.38	V
JAN 07, 1988	46.93	T	APR 06	46.87	V	21	45.38	S	SEP 09	45.51	

PERIOD OF RECORD HIGHEST 35.90 MAY 03, 1985 LOWEST 53.09 JUL 14, 1981

SITE NUMBER 342525119444701

LOCAL NUMBER 004N027W18Q01S

EAST OF MODOC ROAD AND NORTH OF PALERMO ROAD. DRILLED OBSERVATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	14.08	T	JAN 07, 1988	31.46	S	APR 06, 1988	33.74	VS	JUL 06, 1988	16.55	V
NOV 10	19.84	S	FEB 11	18.96	T	MAY 11	18.00	V	AUG 11	14.50	V
DEC 10	16.57	V	MAR 16	14.30	T	JUN 07	15.50	V	SEP 09	14.44	

PERIOD OF RECORD HIGHEST 11.48 NOV 12, 1986 LOWEST 31.46 JAN 07, 1988

SITE NUMBER 342520119445501

LOCAL NUMBER 004N027W18Q04S

ABOUT 120 FT SOUTH-SOUTHWEST FROM CROSSING OF TORINO DRIVE OVER ARROYO BURRO. DIAM 8 IN, DEPTH 240 FT, PERFORATED 90-230 FT. ALTITUDE OF LSD 95 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
DEC 10, 1987		P	APR 06, 1988		P	JUL 06, 1988	14.57	V			
JAN 06, 1988		P	MAY 11	17.41	V	AUG 11	11.35	V			
MAR 16	11.55	T	JUN 07	13.43	V	SEP 09	10.96				

PERIOD OF RECORD HIGHEST 7.87 OCT 13, 1986 LOWEST 17.41 MAY 11, 1988

SITE NUMBER 342506119423801

LOCAL NUMBER 004N027W21B01S

NEAR WILSON SCHOOL IN SANTA BARBARA. UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION. DIAM 16 IN, DEPTH 454 FT, CASSED TO 454 FT, PERFORATED 145-350 FT. ALTITUDE OF LSD 68 FT. MEASUREMENTS BEGINNING 5/11/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDER INSTALLED 1979-84. RECORDS AVAILABLE 1931, 1948-50, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 08, 1987	72.80	T	FEB 10, 1988	45.20	T	JUN 07, 1988	46.20	V	SEP 08, 1988	42.98	
NOV 10	55.94	T	MAR 15	66.45	T	JUL 06	45.73	V			
DEC 10	47.97	V	APR 05	70.20	V	07	45.73				
JAN 06, 1988	46.30	T	MAY 10	57.87	V	AUG 10	43.70	V			

PERIOD OF RECORD HIGHEST 37.00 JAN 23, 1948 LOWEST 94.84 SEP 14, 1948

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342509119413701

LOCAL NUMBER 004N027W22B02S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 230 FT, CASED TO 230 FT, PERFORATED 220-230 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	58.34	T	FEB 10, 1988	5.72	T	MAY 11, 1988	6.94	V	JUL 06, 1988	30.45	V
DEC 10	5.53	V	MAR 15	56.00	T	JUN 06	3.60	V	AUG 10	1.72	V
JAN 07, 1988	3.57	T	APR 05	59.17	V	13	3.08	S	SEP 08		F
PERIOD OF RECORD	HIGHEST		1.72	AUG 10, 1988		LOWEST	91.31	NOV 12, 1986			

SITE NUMBER 342509119413702

LOCAL NUMBER 004N027W22B03S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 435 FT, CASED TO 435 FT, PERFORATED 425-435 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	39.41	T	FEB 10, 1988	2.00	T	MAY 11, 1988	7.00	V	JUL 06, 1988	32.90	V
DEC 10	4.82	V	MAR 15	30.25	T	JUN 06	2.60	V	AUG 10		RF
JAN 07, 1988	2.00	T	APR 05	34.20	V	13	1.87		SEP 08		RF
PERIOD OF RECORD	HIGHEST		1.87	JUN 13, 1988		LOWEST	84.00	OCT 13, 1986			

SITE NUMBER 342509119413703

LOCAL NUMBER 004N027W22B04S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 660 FT, CASED TO 660 FT, PERFORATED 650-660 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	57.09	T	FEB 10, 1988	2.76	T	JUN 06, 1988	3.84	V	SEP 08, 1988		RF
NOV 10	15.41	T	MAR 15	46.54	T	13	3.10	S			
DEC 10	6.66	V	APR 05	50.95	V	JUL 06	35.62	V			
JAN 07, 1988	4.06		MAY 11	3.92	V	AUG 10	0.53	R			
PERIOD OF RECORD	HIGHEST		0.53	AUG 10, 1988		LOWEST	113.04	MAY 19, 1980			

SITE NUMBER 342509119413704

LOCAL NUMBER 004N027W22B05S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 780 FT, CASED TO 780 FT, PERFORATED 770-780 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	57.59	T	FEB 10, 1988	3.06	T	JUN 06, 1988	4.22	V	SEP 08, 1988		RF
NOV 10	15.77	T	MAR 15	46.57	T	13	3.47	S			
DEC 10	7.09	T	APR 05	51.00	V	JUL 06	35.20	V			
JAN 07, 1988	4.23	T	MAY 11	9.37	V	AUG 10	1.00	R			
PERIOD OF RECORD	HIGHEST		1.00	AUG 10, 1988		LOWEST	87.78	AUG 06, 1980			

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342455119412401

LOCAL NUMBER 004N027W22G02S

NEAR INTERSECTION OF GUTIERREZ STREET AND MOTOR WAY. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH DRILLED 740 FT, DEPTH CASSED 200 FT, PERFORATED 180-200 FT. ALTITUDE OF LSD 19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	28.15 S	FEB 10, 1988	7.75 T	MAY 11, 1988	9.75 V	AUG 10, 1988	6.51 V
08	27.47 S	MAR 15	24.23 T	JUN 06	7.56 V	SEP 08	5.05
JAN 08, 1988	7.45 T	APR 05	26.30 V	JUL 06	6.21 V		
PERIOD OF RECORD	HIGHEST	5.05	SEP 08, 1988	LOWEST	28.15	OCT 02, 1987	

SITE NUMBER 342455119412402

LOCAL NUMBER 004N027W22G03S

NEAR INTERSECTION OF GUTIERREZ STREET AND MOTOR WAY. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH DRILLED 740 FT, DEPTH CASSED 420 FT, PERFORATED 400-420 FT. ALTITUDE OF LSD 19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	31.63 S	FEB 10, 1988	8.36 T	MAY 11, 1988	15.28 V	AUG 10, 1988	7.12 V
08	31.81 S	MAR 15	26.04 T	JUN 06	10.04 V	SEP 08	6.30
JAN 08, 1988	8.82 T	APR 05	30.65 V	JUL 06	7.26 V		
PERIOD OF RECORD	HIGHEST	5.77	DEC 14, 1988	LOWEST	31.81	OCT 08, 1987	

SITE NUMBER 342455119412403

LOCAL NUMBER 004N027W22G04S

NEAR INTERSECTION OF GUTIERREZ STREET AND MOTOR WAY. DRILLED OBSERVATION WELL. DIAM 5 IN 0-90 FT, 4 IN 90-690 FT, DEPTH DRILLED 740 FT, DEPTH CASSED 690 FT, PERFORATED 650-690 FT. ALTITUDE OF LSD 19 FT. RECORDS AVAILABLE 1987 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	56.29 S	JAN 08, 1988	6.39 T	APR 05, 1988	48.30 V	JUL 06, 1988	7.35 V
08	53.79 S	FEB 10	5.28 T	MAY 11	12.23 V	AUG 10	3.22 V
DEC 10	9.47 V	MAR 15	43.66 T	JUN 06	6.87 V	SEP 08	1.57
PERIOD OF RECORD	HIGHEST	0.59	NOV 10, 1988	LOWEST	56.29	OCT 02, 1987	

SITE NUMBER 342507119411101

LOCAL NUMBER 004N027W23D01S

SOUTH OF HWY 101 NEAR TREATMENT PLANT. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 400 FT, CASSED TO 380 FT, PERFORATED 240-380 FT. ALTITUDE OF LSD 12 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 07, 1987	21.32 T	FEB 10, 1988	F	JUN 07, 1988	F	SEP 09, 1988	F
NOV 10	5.43 S	MAR 15	18.23 T	21	F		
DEC 10	F	APR 05	20.40 V	JUL 06	F		
JAN 06, 1988	F	MAY 11	2.70 S	AUG 10	F		
PERIOD OF RECORD	HIGHEST	+1.50	FEB 21, 1983	LOWEST	35.98	SEP 04, 1979	

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342453119411101

LOCAL NUMBER 004N027W23E01S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 805 FT, SCREENED 775-780, 785-790, 795-800 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	18.60 T	JAN 13, 1988	1.23 S	MAY 11, 1988	6.25 V	AUG 31, 1988	+0.80 S
NOV 02	11.37 S	FEB 11	0.58 T	JUN 07	2.10 V	SEP 08	F
10	10.33 T	MAR 16	13.00 T	08	2.07 S		
DEC 10	3.66 V	APR 06	16.90 V	JUL 06	1.21 V		
JAN 06, 1988	1.53 T	12	15.29 S	AUG 11	F		
PERIOD OF RECORD		HIGHEST	+0.80	AUG 31, 1988	LOWEST	57.22	MAY 20, 1980

SITE NUMBER 342453119411102

LOCAL NUMBER 004N027W23E02S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 660 FT, SCREENED 600-605, 640-645, 650-655 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	18.73 T	JAN 13, 1988	0.31 S	MAY 11, 1988	5.55 V	AUG 31, 1988	F
NOV 02	11.43 S	FEB 11	F	JUN 07	1.50 V	SEP 09	F
10	9.83 T	MAR 16	12.55 T	08	1.48 S		
DEC 10	3.00 V	APR 06	16.05 V	JUL 06	0.73 V		
JAN 06, 1988	0.35 T	12	14.39 S	AUG 11	F		
PERIOD OF RECORD		HIGHEST	+0.63	APR 06, 1982	JUL 15, 1987	LOWEST	34.66 MAY 20, 1980

SITE NUMBER 342453119411103

LOCAL NUMBER 004N027W23E03S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 4 IN, DEPTH 850 FT, CASED TO 385 FT, SCREENED 355-370, 375-380 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	38.81 T	JAN 13, 1988	1.01 S	MAY 11, 1988	0.14 V	AUG 31, 1988	F
NOV 02	8.16 S	FEB 11	F	JUN 07	F	SEP 09	F
10	4.08 T	MAR 16	37.15 T	08	F		
DEC 10	F	APR 06	41.48 V	JUL 06	2.85 V		
JAN 06, 1988	F	12	21.98 S	AUG 11	F		
PERIOD OF RECORD		HIGHEST	+0.95	MAY 27, 1982	LOWEST	53.60	OCT 13, 1986

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342455119405602

LOCAL NUMBER 004N027W23F02S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF
SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH
380 FT, PERFORATED 360-380 FT. ALTITUDE OF LSD 6.5 FT. USED AS SALT-WATER INTRUSION MONITOR.
RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	5.76 S	FEB 01, 1988	F	APR 29, 1988	2.90 S	AUG 02, 1988	F
19	+0.39 S	10	F	MAY 16	F	17	F
DEC 02	F	MAR 09	31.03 S	JUN 09	F	SEP 01	F
15	F	29	35.02 S	JUL 05	F	20	F
JAN 12, 1988	F	APR 14	15.38 S	19	F		

PERIOD OF RECORD HIGHEST +1.43 FEB 02, 1987 LOWEST 44.35 SEP 14, 1986

SITE NUMBER 342455119405603

LOCAL NUMBER 004N027W23F03S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF
SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH
550 FT, PERFORATED 530-550 FT. ALTITUDE OF LSD 6.8 FT. USED AS SALT-WATER INTRUSION MONITOR.
RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	7.28 S	FEB 01, 1988	F	APR 29, 1988	6.04 S	AUG 02, 1988	F
19	3.69 S	10	+2.34 S	MAY 16	1.10 S	17	F
DEC 02	0.60 S	MAR 09	7.16 S	JUN 09	+1.47 S	SEP 01	F
15	+0.29 S	29	12.38 S	JUL 05	F	20	F
JAN 12, 1988	+1.74 S	APR 14	11.97 S	19	F		

PERIOD OF RECORD HIGHEST +2.37 JUL 06, 1987 LOWEST 24.19 SEP 14, 1986

SITE NUMBER 342455119405604

LOCAL NUMBER 004N027W23F04S

ABOUT 50 FT NORTH OF CABRILLO BLVD, 0.5 MI WEST OF CABRILLO PARK, IN CITY OF
SANTA BARBARA PUBLIC WORKS PARKING LOT. DRILLED OBSERVATION WELL. DIAM 4.5 IN,
DEPTH 802 FT, PERFORATED 762-802 FT. ALTITUDE OF LSD 6.8 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 03, 1987	14.55 S	FEB 01, 1988	4.19 S	APR 29, 1988	12.35 S	AUG 02, 1988	4.50 S
19	10.65 S	10	5.13 S	MAY 16	9.07 S	17	3.61 S
DEC 09	8.35 S	MAR 09	14.77 S	JUN 09	6.07 S	SEP 01	3.49 S
15	7.30 S	29	18.70 S	JUL 05	5.07 S	20	3.11 S
JAN 12, 1988	5.65 S	APR 14	16.94 S	19	4.75 S		

PERIOD OF RECORD HIGHEST 3.11 SEP 20, 1988 LOWEST 33.33 SEP 14, 1986

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342452119405501

LOCAL NUMBER 004N027W23F05S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 4.5 IN, DEPTH 815 FT, PERFORATED 775-815 FT. ALTITUDE OF LSD 9.6 FT. USED AS SALT-WATER INTRUSION MONITOR. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	7.11 S	JAN 12, 1988	1.99 S	APR 29, 1988	3.51 S	AUG 17, 1988	1.72 S
NOV 02	4.99 S	FEB 01	1.48 S	MAY 16	2.69 S	SEP 01	1.74 S
09	2.38 S	09	2.52 S	JUN 09	2.63 S	20	1.32 S
19	3.70 S	MAR 09	6.79 S	JUL 05	2.61 S		
DEC 02	2.60 S	29	9.18 S	19	1.96 S		
15	2.57 S	APR 15	6.42 S	AUG 02	2.47 S		

PERIOD OF RECORD HIGHEST 1.32 SEP 20, 1988 LOWEST 36.00 SEP 15, 1986

SITE NUMBER 342452119405502

LOCAL NUMBER 004N027W23F06S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 560 FT, PERFORATED 540-560 FT. ALTITUDE OF LSD 9.6 FT. USED AS SALT-WATER INTRUSION MONITOR. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	13.69 S	DEC 15, 1987	38.11 S	MAY 16, 1988	5.39 S	AUG 02, 1988	4.17 S
NOV 03	79.32 S	MAR 09, 1988	1.65 S	JUN 09	F	17	2.72 S
19	57.53 S	29	3.58 S	JUL 05	4.52 S	SEP 01	0.68 S
DEC 02	46.48 S	APR 29	5.08 S	19	4.38 S	20	0.48 S

PERIOD OF RECORD HIGHEST 0.48 JUN 02, 1987 JUN 15, 1987 SEP 20, 1988 LOWEST 79.32 NOV 03, 1987

SITE NUMBER 342452119405503

LOCAL NUMBER 004N027W23F07S

ABOUT 0.5 MI WEST OF CABRILLO PARK, 300 FT SOUTH OF CABRILLO BLVD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 297 FT, OPEN HOLE AT BOTTOM OF CASING. ALTITUDE OF LSD 9.6 FT. USED AS SALT-WATER INTRUSION MONITOR. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	37.30 S	JAN 12, 1988	F	APR 15, 1988	17.03 S	AUG 02, 1988	F
NOV 02	9.76 S	13	1.51 S	29	5.93 S	17	F
03	0.99 S	FEB 01	F	MAY 16	F	SEP 01	F
19	2.78 S	09	F	JUN 09	F		
DEC 02	F	MAR 09	33.33 S	JUL 05	F		
15	F	29	37.24 S	19	F		

PERIOD OF RECORD HIGHEST 0.84 APR 28, 1987 LOWEST 46.77 SEP 15, 1986

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342459119402601

LOCAL NUMBER 004N027W23H01S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 845 FT, CASED TO 781 FT, SCREENED 746.5-751.5, 756.7-761.7, 766.9-771.9, 777.5-781 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	7.00 T	JAN 06, 1988	F	APR 06, 1988	6.69 V	JUL 06, 1988	F
NOV 10	1.73 T	FEB 11	F	MAY 11	0.50 V	AUG 11	F
DEC 10	F	MAR 16	4.86 T	JUN 07	F	SEP 09	F
PERIOD OF RECORD		HIGHEST	+0.75	MAR 01, 1984	LOWEST	25.53	JUL 23, 1980

SITE NUMBER 342459119402603

LOCAL NUMBER 004N027W23H03S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 4 IN, DEPTH 635 FT, CASED TO 310 FT, SCREENED 284-299 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	7.37 T	JAN 13, 1988	0.05 S	MAY 11, 1988	1.80 V	AUG 31, 1988	F
NOV 03	2.41 S	FEB 11	F	JUN 07	0.36 V	SEP 09	F
10	2.74 T	MAR 16	6.05 T	10	+0.32 S		
DEC 10	0.39 V	APR 06	7.00 V	JUL 06	+0.76 V		
JAN 06, 1988	0.39 T	13	5.49 S	AUG 11	F		
PERIOD OF RECORD		HIGHEST	+0.80	JUN 24, 1987	LOWEST	13.67	SEP 22, 1980

SITE NUMBER 342459119402604

LOCAL NUMBER 004N027W23H04S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 635 FT, CASED TO 95 FT, SCREENED 75.5-91 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	4.55 T	JAN 13, 1988	1.51	MAY 11, 1988	1.22 V	AUG 31, 1988	0.63 R
NOV 03	0.99 S	FEB 11	1.18 T	JUN 07	1.28 V	SEP 09	F
10	1.27 T	MAR 16	2.38 T	10	1.28 R		
DEC 10	0.94 T	APR 06	2.48 V	JUL 06	+0.60 V		
JAN 06, 1988	0.63 T	13	2.14 S	AUG 11	0.63 V		
PERIOD OF RECORD		HIGHEST	+0.90	JUN 24, 1987	LOWEST	6.00	FEB 07, 1986

SITE NUMBER 342703119453301

LOCAL NUMBER 004N028W01R02S

ABOUT 100 FT WEST OF CIENEGUITAS ROAD. DIAM 6 IN, DEPTH DRILLED 340 FT, CASED TO 200 FT, PERFORATED 180-200 FT. ALTITUDE OF LSD 215 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1987	64.00 T	FEB 11, 1988	64.77 T	MAY 11, 1988	66.20 V	AUG 11, 1988	67.86 V
DEC 10	64.10 V	MAR 16	65.44 T	JUN 06	66.90 V	SEP 09	68.48
JAN 07, 1988	66.38 T	APR 06	65.79 V	JUL 07	67.20 V		
PERIOD OF RECORD		HIGHEST	56.14	NOV 29, 1984	LOWEST	68.48	SEP 09, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342709119471401

LOCAL NUMBER 004N028W02P03S

NORTH OF CATHEDRAL OAKS ROAD AT EAST END OF TUCKERS GROVE. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 271.4 FT, PERFORATED 40-297 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1946, 1951-52, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 14, 1988	35.21	S
PERIOD OF RECORD	HIGHEST 23.88	APR 12, 1984
	LOWEST 73.38	OCT 10, 1968

SITE NUMBER 342658119460301

LOCAL NUMBER 004N028W12C02S

BETWEEN GOLETA AND SANTA BARBARA. PUBLIC SUPPLY WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 220 FT. MEASUREMENTS BEGINNING IN 1978 PROVIDED BY GOLETA WATER DISTRICT. RECORDS AVAILABLE 1959, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	96.38	T	JAN 06, 1988	95.99	T	APR 06, 1988	96.51	V	JUL 06, 1988	98.34	V
NOV 10	96.07	T	FEB 11	95.94	T	MAY 11	97.02	V	AUG 11	98.98	V
DEC 10	95.67	V	MAR 16	96.43	T	JUN 07	97.90	V	SEP 08	99.60	
PERIOD OF RECORD	HIGHEST 87.00		JUL 07, 1986	LOWEST 150.97		MAY 21, 1959					

SITE NUMBER 342639119452801

LOCAL NUMBER 004N028W12H04S

ABOUT 110 FT SOUTH OF LA COLINA ROAD AND 60 FT WEST OF PESETAS LANE IN NORTHEAST CORNER OF SANTA BARBARA MEDICAL FOUNDATION PARKING LOT. DIAM 8 IN, DEPTH 290 FT, PERFORATED 200-250, 260-280 FT. ALTITUDE OF LSD 172 FT. RECORDS AVAILABLE 1977, 1978, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	76.04	T	FEB 11, 1988	78.72	T	MAY 11, 1988	77.58	V	AUG 11, 1988	83.48	V
DEC 10	81.95	T	MAR 16	80.80	T	JUN 06	81.23	V	SEP 09	82.31	
JAN 07, 1988	79.61	T	APR 06	83.95	V	JUL 07	82.95	R			
PERIOD OF RECORD	HIGHEST 35.37		NOV 15, 1984	LOWEST 83.48		AUG 11, 1988					

SITE NUMBER 342632119460603

LOCAL NUMBER 004N028W12L06S

NORTH OF CALLE REAL AND EAST OF EL SUENO ROAD. DIAM 8 IN, DEPTH 325 FT. ALTITUDE OF 130 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	105.88	T	JAN 06, 1988	103.33	T	APR 06, 1988	106.55	VR	JUL 07, 1988	102.69	V
NOV 10	106.05	TR	FEB 11	104.80	TR	MAY 11	105.86	V	AUG 11		O
DEC 10	105.24	VR	MAR 16	105.88	TS	JUN 06		P	SEP 09		O
PERIOD OF RECORD	HIGHEST 96.98		JUN 04, 1986	LOWEST 105.88		OCT 07, 1987					

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342617119455801

LOCAL NUMBER 004N028W12P05S

BETWEEN GOLETA AND SANTA BARBARA. DIAM 16 IN, DEPTH 355 FT. ALTITUDE OF LSD 105 FT. RECORDS BEGINNING IN 1971 PROVIDED BY GOLETA WATER DISTRICT. RECORDS AVAILABLE 1956, 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 07, 1987	149.50	T	JAN 06, 1988	147.20		APR 06, 1988	146.54	V	JUL 06, 1988	147.09	V
NOV 10	149.10	T	FEB 11	146.91	T	MAY 11	146.50	V	AUG 11	148.04	V
DEC 10	147.30	V	MAR 16	146.93	T	JUN 06	146.82	R	SEP 08	148.78	

PERIOD OF RECORD HIGHEST 115.18 APR 02, 1979 LOWEST 207.78 OCT 29, 1970

SITE NUMBER 342539119483504

LOCAL NUMBER 004N028W16J05S

SOUTH OF HOLLISTER AND EAST OF MORE ROAD. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 62 FT, SAND POINT 18.2-20.2 FT. ALTITUDE OF LSD 25 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 14, 1988	8.08	S

PERIOD OF RECORD HIGHEST 3.00 DEC 13, 1962 LOWEST 8.60 APR 15, 1977

SITE NUMBER 342732119583101

LOCAL NUMBER 004N030W01G01S

NORTH OF LAS VARAS RANCH HDQ. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 350 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 14, 1988	215.58	S

PERIOD OF RECORD HIGHEST 89.80 MAR 25, 1971 LOWEST 215.58 MAR 14, 1988

SITE NUMBER 343251119522201

LOCAL NUMBER 005N029W01C01S

NORTH OF SAN MARCOS PASS ROAD AT SAN MARCOS RANCH ENTRANCE. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 790 FT. RECORDS AVAILABLE 1950, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 17, 1988	9.6	S

PERIOD OF RECORD HIGHEST 4.05 MAR 27, 1978 LOWEST 15.12 NOV 28, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342838119573501

LOCAL NUMBER 005N029W31C01S

ABOUT 1.75 MI NORTH OF HWY 101 IN DOTY CANYON. DRILLED UNUSED WELL. DIAM 10-8 IN, DEPTH 1510 FT, 10-IN CSG 0-209 FT, 8-IN CSG 0-1510 FT, PERFORATED 290-320, 400-420, 470-510, 550-600, 620-1510 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 14, 1988 35.97 S

PERIOD OF RECORD HIGHEST 33.42 APR 04, 1983 LOWEST 81.22 NOV 16, 1962

SITE NUMBER 343008120035801

LOCAL NUMBER 005N030W19E01S

ABOUT 200 FT FROM REFUGIO PASS ROAD. DRILLED IRRIGATION WELL. DIAM 12-8 IN, DEPTH 505 FT, 12 IN CSG 0-43 FT, 8-IN CSG 0-211 FT, PERFORATED 205-347 FT. ALTITUDE OF LSD 330 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
------	-------------------

MAR 14, 1988 10.90 S

PERIOD OF RECORD HIGHEST +0.82 MAR 31, 1983 LOWEST 31.21 SEP 30, 1963

SITE NUMBER 342845120010701

LOCAL NUMBER 005N030W28R01S

ABOUT 1.18 MI NORTH OF HWY 101 AND 50 FT EAST OF CANADA DEL CAPITAN. DOMESTIC WELL. DIAM UNKNOWN, DEPTH 198 FT. ALTITUDE OF LSD 350 FT. RECORDS AVAILABLE 1963-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 14, 1988 63.24 S

PERIOD OF RECORD HIGHEST 18.30 MAR 31, 1970 LOWEST 63.24 MAR 14, 1988

SITE NUMBER 342850120040002

LOCAL NUMBER 005N030W30N02S

NORTH OF HWY 101 AND WEST OF REFUGIO ROAD. IRRIGATION WELL. DIAM 10 IN, DEPTH 93 FT. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1962-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 14, 1988 13.68 S

PERIOD OF RECORD HIGHEST 11.87 MAR 24, 1986 LOWEST 36.46 JUL 27, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342845120053801

LOCAL NUMBER 005N031W35B01S

ABOUT 1.2 MI NORTH OF HWY 101 IN TAJIGUAS CANYON. DRILLED IRRIGATION WELL. DIAM 48-12 IN; DEPTH 76 FT, 48-IN CSG 0-30 FT, 12-IN CSG 0-76 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 15, 1988	12.26 SS
PERIOD OF RECORD	HIGHEST 5.49 MAY 01, 1979 LOWEST 13.75 APR 15, 1977

SITE NUMBER 342835120120501

LOCAL NUMBER 005N032W35F01S

NORTH OF GAVIOTA REFINERY. DRILLED PUBLIC SUPPLY WELL. DIAM 8 IN, DEPTH 1300 FT, CASSED TO 900 FT. ALTITUDE OF LSD 118 FT. RECORDS AVAILABLE 1962-67, 1969-75, 1978 TO 1988. WELL DESTROYED.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 15, 1988	W
PERIOD OF RECORD	HIGHEST 37.30 NOV 07, 1962 LOWEST 130.9 AUG 25, 1964

SITE NUMBER 343755119570901

LOCAL NUMBER 006N029W05A01S

IN JOHNSON CANYON. STOCK WELL. DIAM UNKNOWN, DEPTH 93 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1964, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READING ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
MAR 17, 1988	10.95 S
PERIOD OF RECORD	HIGHEST +0.01 APR 01, 1983 LOWEST 23.95 OCT 19, 1967

SITE NUMBER 343746119583101

LOCAL NUMBER 006N029W06F01S

ABOUT 0.8 MI NORTHEAST ON HAPPY CANYON ROAD FROM HAPPY CANYON CREEK BRIDGE. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 72 FT, PERFORATED 35-53 FT. ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1952, 1954-59, 1963-64, 1967-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 17, 1988	16.55 S
PERIOD OF RECORD	HIGHEST 7.69 MAR 24, 1969 LOWEST 33.68 OCT 11, 1955

WATER LEVELS, SANTA BARBARA COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343746119582201

LOCAL NUMBER 006N029W06G01S

ABOUT 0.2 MI NORTHEAST OF HAPPY CANYON RANCH ROAD. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 128 FT, CASED TO 102 FT, PERFORATED 57-96 FT. ALTITUDE OF LSD 875 FT. RECORDS AVAILABLE 1954, 1957-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 17, 1988	51.65	S			
PERIOD OF RECORD	HIGHEST	27.99	MAR 24, 1969	LOWEST	55.00 AUG 10, 1954

SITE NUMBER 343646119583001

LOCAL NUMBER 006N029W07L01S

NORTHEAST OF CACHUMA VILLAGE. UNUSED WELL. DIAM 8 IN, DEPTH 440 FT. ALTITUDE OF LSD 868 FT. RECORDS AVAILABLE 1960, 1963-64, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 17, 1988	196.45	S			
PERIOD OF RECORD	HIGHEST	193.58	APR 13, 1984	LOWEST	225.85 OCT 14, 1969

SITE NUMBER 343632119573301

LOCAL NUMBER 006N029W08P01S

NORTHEAST OF CACHUMA VILLAGE. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 252 FT, PERFORATED 210-237 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1934, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 17, 1988	216.99	S			
PERIOD OF RECORD	HIGHEST	198.00	OCT 06, 1934	LOWEST	247.95 MAR 24, 1967

SITE NUMBER 343632119573302

LOCAL NUMBER 006N029W08P02S

NORTHEAST OF CACHUMA VILLAGE. DOMESTIC WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 17, 1988	216.63	S			
PERIOD OF RECORD	HIGHEST	216.63	MAR 17, 1988	LOWEST	238.03 MAR 25, 1970

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343636119555701

LOCAL NUMBER 006N029W09J01S

ON JANEWAY RANCH, NORTH OF LAKE CACHUMA. DOMESTIC WELL. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 803 FT. RECORDS AVAILABLE 1963-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 17, 1988	12.81	S				
PERIOD OF RECORD	HIGHEST	10.58	MAR 27, 1981	LOWEST	28.13	APR 01, 1983

SITE NUMBER 343718119592001

LOCAL NUMBER 006N030W01R03S

ABOUT 250 FT SOUTH OF HAPPY CANYON ROAD. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 400 FT, CASED TO 340 FT, PERFORATED 28-110 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1949, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 17, 1988	21.16	S				
PERIOD OF RECORD	HIGHEST	8.48	APR 01, 1983	LOWEST	31.26	MAR 15, 1971

SITE NUMBER 343651120043401

LOCAL NUMBER 006N030W07G05S

WEST OF SANTA BARBARA AVENUE EXTENSION. PUBLIC SUPPLY WELL. DIAM UNKNOWN, DEPTH 158 FT. ALTITUDE OF LSD 600 FT. RECORDS AVAILABLE 1962-79, 1981, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 04, 1988	72.00	S				
PERIOD OF RECORD	HIGHEST	41.64	JUN 28, 1962	LOWEST	72	APR 04, 1988

SITE NUMBER 343651120043402

LOCAL NUMBER 006N030W07G06S

WEST OF SANTA BARBARA AVENUE EXTENSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 667 FT, CASED TO 564 FT, PERFORATED 305-326, 331-355, 395-410 FT. ALTITUDE OF LSD 600 FT. RECORDS AVAILABLE 1962-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 04, 1988	71.41	S				
PERIOD OF RECORD	HIGHEST	40.06	APR 22, 1963	LOWEST	71.41	APR 04, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343627120030801

LOCAL NUMBER 006N030W09N01S

SOUTH OF HWY 150 NEAR INTERSECTION TO LOS OLIVOS AND SANTA YNEZ. DRILLED STOCK WELL. DIAM 8 IN, DEPTH 160 FT. ALTITUDE OF LSD 660.01 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 16, 1988	46.15	S			
PERIOD OF RECORD	HIGHEST	24.06	JUL 27, 1960	LOWEST	57.35 APR 27, 1978

SITE NUMBER 343649120001801

LOCAL NUMBER 006N030W11G01S

WEST OF ALISOS AVENUE IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 680 FT. RECORDS AVAILABLE 1974, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 17, 1988	43.3	S			
PERIOD OF RECORD	HIGHEST	23.40	APR 01, 1983	LOWEST	45.45 APR 09, 1974

SITE NUMBER 343727120055801

LOCAL NUMBER 006N031W01P02S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH REPORTED 350 FT. ALTITUDE OF LSD 620 FT. RECORDS AVAILABLE 1956-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 16, 1988	64.23	S			
PERIOD OF RECORD	HIGHEST	40.90	MAR 12, 1958	LOWEST	72.29 APR 01, 1981

SITE NUMBER 343728120055101

LOCAL NUMBER 006N031W01P03S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 1006 FT, CASED TO 508 FT, PERFORATED 195-360, 410-490 FT. ALTITUDE OF LSD 640 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 16, 1988	93.67	S			
PERIOD OF RECORD	HIGHEST	79.76	MAR 27, 1969	LOWEST	113.25 APR 22, 1980

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343741120064801

LOCAL NUMBER 006N031W02K01S

ABOUT 2850 FT SOUTH OF BASELINE AVENUE AND 700 FT EAST OF ALAMO PINTADO ROAD. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 71.3 FT. ALTITUDE OF LSD 627 FT. RECORDS AVAILABLE 1942, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 16, 1988	29.89 S
PERIOD OF RECORD	HIGHEST 18.02 APR 05, 1983 LOWEST 58.90 OCT 11, 1968

SITE NUMBER 343759120072901

LOCAL NUMBER 006N031W03A01S

ABOUT 0.25 MI SOUTH OF BALLARD ON ALAMO PINTADO ROAD AND 0.5 MI WEST OF ALAMO PINTADO ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 196 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 16, 1988	157.89 S
PERIOD OF RECORD	HIGHEST 148.65 SEP 14, 1971 LOWEST 168.49 APR 19, 1984

SITE NUMBER 343800120083001

LOCAL NUMBER 006N031W04A01S

ABOUT 150 FT WEST OF BALLARD ROAD. DOMESTIC WELL. DIAM 7 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 615 FT. RECORDS AVAILABLE 1956-58, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 15, 1988	93.05 S
PERIOD OF RECORD	HIGHEST 80.17 NOV 26, 1956 LOWEST 94.52 APR 17, 1987

SITE NUMBER 343656120080601

LOCAL NUMBER 006N031W10F01S

ABOUT 1.5 MI NORTH ALONG ROAD FROM HWY 150 IN SOLVANG AND 100 FT WEST OF ADOBE CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 265 FT. ALTITUDE OF LSD 540 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 15, 1988	70.90 S
PERIOD OF RECORD	HIGHEST 62.59 MAR 22, 1985 LOWEST 74.90 OCT 12, 1966

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343705120071001

LOCAL NUMBER 006N031W11D04S

ON NORTH BANK OF ALAMO PINTADO CREEK AT BRIDGE ON SOLVANG-LOS OLIVOS ROAD.
 DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 452 FT, PERFORATED 93-102, 131-147,
 197-205, 227-447 FT. ALTITUDE OF LSD 558.51 FT. RECORDS AVAILABLE 1955-59, 1963-64, 1966
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 16, 1988	28.96	S				
PERIOD OF RECORD	HIGHEST	23.40	APR 06, 1983	LOWEST	67.19	OCT 31, 1957

SITE NUMBER 343623120061201

LOCAL NUMBER 006N031W13D01S

ABOUT 150 FT SOUTH OF HWY 150 AND 1850 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL. DIAM
 10 IN, DEPTH REPORTED 170 FT IN 1941. ALTITUDE OF LSD 608 FT. RECORDS AVAILABLE 1941 TO
 CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 16, 1988	111.76	S				
PERIOD OF RECORD	HIGHEST	102.58	MAR 09, 1942	LOWEST	132.10	OCT 23, 1961

SITE NUMBER 343535120091101

LOCAL NUMBER 006N031W16N02S

ABOUT 2.5 MI EAST OF BUELLTON. DIAM 16 IN, DEPTH 47 FT. ALTITUDE OF LSD 366.29 FT. RECORDS
 AVAILABLE 1941-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 15, 1988	23.58	S				
PERIOD OF RECORD	HIGHEST	6.48	APR 06, 1942	LOWEST	35.92	NOV 24, 1961

SITE NUMBER 343719120124901

LOCAL NUMBER 006N032W02Q01S

ABOUT 100 FT NORTH OF HWY 150 AND 1.3 MI NORTHWEST OF BUELLTON. DRILLED DOMESTIC WELL. DIAM
 8 IN, DEPTH 110 FT, PERFORATED 50-76 FT. ALTITUDE OF LSD 359.46 FT. RECORDS AVAILABLE 1949
 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 21, 1988	61.77	S				
PERIOD OF RECORD	HIGHEST	55.33	APR 01, 1969	LOWEST	63.28	OCT 11, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343739120171301

LOCAL NUMBER 006N032W06K01S

ABOUT 50 FT SOUTH AND 200 FT WEST OF JUNCTION OF HWY 150 AND SANTA ROSA ROAD. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 74 FT. ALTITUDE OF LSD 383.55 FT. RECORDS IN 1932-34 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 21, 1988	35.19	S
PERIOD OF RECORD	HIGHEST 10.50 JUL 09, 1932	LOWEST 35.19 MAR 21, 1988

SITE NUMBER 343646120131801

LOCAL NUMBER 006N032W11L03S

ABOUT 1.6 MI WEST OF BUELLTON, 2400 FT NORTH OF SANTA ROSA ROAD. DUG DOMESTIC WELL. DIAM 12 IN, DEPTH 22 FT IN 1949, PERFORATED 31-39 FT. ALTITUDE OF LSD 302.38 FT. RECORDS AVAILABLE 1949-55, 1970-72, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 23, 1988	10.3	S
PERIOD OF RECORD	HIGHEST 5.13 APR 25, 1978	LOWEST 15.00 OCT 27, 1955

SITE NUMBER 343544120151801

LOCAL NUMBER 006N032W16P03S

IN RANCH JABALI. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 70 FT. ALTITUDE OF LSD 293.18 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 22, 1988	45.61	S
PERIOD OF RECORD	HIGHEST 41.82 FEB 24, 1943	LOWEST 53.66 NOV 27, 1961

SITE NUMBER 343613120164501

LOCAL NUMBER 006N032W18H01S

ABOUT 5 MI WEST OF BUELLTON, 75 FT NORTH OF SANTA ROSA ROAD. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 50 FT. ALTITUDE OF LSD 267.09 FT. RECORDS IN 1932-34, 1936-42 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1936-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 22, 1988	34.77	S
PERIOD OF RECORD	HIGHEST 27.90 MAR 07, 1941	LOWEST 42.79 SEP 27, 1961

WATER LEVELS, SANTA BARBARA COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343647120194601

LOCAL NUMBER 006N033W11M01S

EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 65 FT, PERFORATED 4-30, 56-63 FT. ALTITUDE OF LSD 203.82 FT. MEASUREMENTS BEGINNING IN 1971 PROVIDED BY U.S. BUREAU OF RECLAMATION. RECORDS AVAILABLE 1947, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 22, 1988	8.90 S
PERIOD OF RECORD	HIGHEST 4.29 FEB 27, 1950 LOWEST 18.13 SEP 27, 1961

SITE NUMBER 343737120245901

LOCAL NUMBER 006N034W01P01S

ABOUT 2 MI SOUTHEAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 164 FT, PERFORATED 54-72, 127-162 FT. ALTITUDE OF LSD 150.36 FT. RECORDS AVAILABLE 1948-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 22, 1988	43.41 ST
PERIOD OF RECORD	HIGHEST 34.47 MAR 22, 1967 LOWEST 46.86 SEP 27, 1961

SITE NUMBER 343815120300601

LOCAL NUMBER 006N034W06C01S

SOUTH OF HWY 246 ON SAN PASQUAL ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 100 FT. ALTITUDE OF LSD 103 FT. MEASUREMENTS PROVIDED BY CITY OF SANTA BARBARA 1930-34, 1939-41. RECORDS AVAILABLE 1930-34, 1939-42, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1988	66.85 S
PERIOD OF RECORD	HIGHEST 44.49 MAY 08, 1941 LOWEST 66.85 MAR 24, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343946119563701

LOCAL NUMBER 007N029W28D01S

ABOUT 125 FT WEST OF HAPPY CANYON ROAD AND 50 FT EAST OF HAPPY CANYON CREEK. DIAM 12 IN, DEPTH 73.8 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1941-43, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 17, 1988	45.59 S
PERIOD OF RECORD	HIGHEST 6.05 APR 26, 1978 LOWEST 60.44 OCT 10, 1966

SITE NUMBER 343900119570201

LOCAL NUMBER 007N029W29R01S

IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1050 FT. RECORDS AVAILABLE 1956, 1964, 1966-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1988	74.82 SR
PERIOD OF RECORD	HIGHEST 20.65 MAR 24, 1969 LOWEST 70.83 OCT 14, 1968

SITE NUMBER 343900119570301

LOCAL NUMBER 007N029W29R02S

IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1050 FT. RECORDS AVAILABLE 1964, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1988	73.88 ST
PERIOD OF RECORD	HIGHEST 18.15 APR 04, 1983 LOWEST 96.93 OCT 17, 1964

SITE NUMBER 344127120023301

LOCAL NUMBER 007N030W16B01S

NORTHEAST OF LOS OLIVOS. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 150 FT. ALTITUDE OF LSD 1077 FT. RECORDS AVAILABLE 1950, 1954-59, 1963-64, 1966-72, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 17, 1988	26.16 S
PERIOD OF RECORD	HIGHEST 8.48 APR 04, 1983 LOWEST 36.10 SEP 19, 1950

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344028120041801

LOCAL NUMBER 007N030W19H01S

ABOUT 2.3 MI EAST OF LOS OLIVOS AND 1.8 MI NORTH OF ROBLAR AVENUE. STOCK WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1954-58, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 21, 1988	174.98 S
PERIOD OF RECORD	HIGHEST 171.69 APR 20, 1984 MAR 25, 1985 LOWEST 199.89 APR 08, 1977

SITE NUMBER 344023120015101

LOCAL NUMBER 007N030W22E01S

ABOUT 0.1 MI NORTH OF BAR GO RANCH. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 229 FT. ALTITUDE OF LSD 920 FT. RECORDS AVAILABLE 1948, 1954-59, 1963-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 17, 1988	7.45 S
PERIOD OF RECORD	HIGHEST 1.28 MAR 16, 1971 LOWEST 11.19 APR 20, 1964

SITE NUMBER 343935120010801

LOCAL NUMBER 007N030W27H01S

IN CORRALES CANYON. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 188 FT, PERFORATED 145-171 FT. ALTITUDE OF LSD 852 FT. RECORDS AVAILABLE 1939, 1942, 1954-59, 1963, 1966, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 17, 1988	8.7 S
PERIOD OF RECORD	HIGHEST 4.28 APR 15, 1980 LOWEST 22.60 OCT 11, 1966

SITE NUMBER 343946120035801

LOCAL NUMBER 007N030W29D01S

ABOUT 5000 FT NORTH OF ROBLAR AVENUE AND 4100 FT EAST OF TORRENCE AVENUE. STOCK WELL. DIAM 6 IN, DEPTH 290 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1941, 1957-59, 1963-64, 1966-72, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1988	46.67 S
PERIOD OF RECORD	HIGHEST 15.57 APR 05, 1983 LOWEST 110.60 OCT 16, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343903120040701

LOCAL NUMBER 007N030W29N02S

ABOUT 360 FT NORTH OF ROBLAR AVENUE. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 485 FT. ALTITUDE OF LSD 820 FT. RECORDS AVAILABLE 1954-59, 1963-64, 1966-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1988 277.43 S

PERIOD OF RECORD HIGHEST 230.44 MAR 18, 1954 LOWEST 295.06 APR 11, 1977

SITE NUMBER 343921120051601

LOCAL NUMBER 007N030W30M01S

ABOUT 2000 FT NORTH OF ROBLAR AVENUE AND 2500 FT WEST OF TORRENCE AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 795 FT. RECORDS AVAILABLE 1939, 1956-59, 1966-74, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 21, 1988 150.16 SS

PERIOD OF RECORD HIGHEST 102.00 , 1939 LOWEST 184.74 APR 27, 1978

SITE NUMBER 343812120031701

LOCAL NUMBER 007N030W32R01S

ABOUT 225 FT NORTH OF BASELINE AVENUE AND 6800 FT EAST OF TORRENCE AVENUE. DOMESTIC WELL. DIAM 10 IN, DEPTH 242 FT. ALTITUDE OF LSD 701 FT. RECORDS AVAILABLE 1942-43, 1945, 1950, 1952-59, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1988 170.84 S

PERIOD OF RECORD HIGHEST 82.15 APR 10, 1945 LOWEST 191.09 JUN 12, 1978

SITE NUMBER 343834120030001

LOCAL NUMBER 007N030W33M02S

NORTH OF BASELINE AVENUE AND EAST OF MORO AVENUE. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 318 FT, PERFORATED 165-173, 178-183, 196-199, 211-216, 221-241, 254-292, 299-318 FT. ALTITUDE OF LSD 746 FT. RECORDS AVAILABLE 1953-72, 1974-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1988 203.48 S

PERIOD OF RECORD HIGHEST 158.00 FEB 13, 1953 LOWEST 214.20 APR 11, 1979

WATER LEVELS, SANTA BARBARA COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343809120000601

LOCAL NUMBER 007N030W35R01S

ABOUT 1000 FT NORTHWEST OF ENTRANCE TO STARLANE RANCH. DRILLED STOCK WELL. DIAM 10 IN, DEPTH 300 FT, PERFORATED 201-203, 223-242, 264-268, 283-288 FT. ALTITUDE OF LSD 880 FT. RECORDS AVAILABLE 1952, 1956-59, 1963-64, 1966-72, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 17, 1988 199.45 S

PERIOD OF RECORD HIGHEST 186.49 MAR 20, 1985 LOWEST 236.73 APR 26, 1978

SITE NUMBER 344044120072801

LOCAL NUMBER 007N031W22A03S

ABOUT 1 MI NORTH OF SAN MARCOS PASS ROAD ON FOXEN CANYON ROAD. IRRIGATION WELL. DIAM 9 IN, DEPTH 224 FT, CASED TO 224 FT, PERFORATED 95-105, 110-135, 140-150, 182-188, 210-218 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE 1958-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1988 63.68 SR

PERIOD OF RECORD HIGHEST 31.62 APR 20, 1984 LOWEST 67.99 APR 11, 1977

SITE NUMBER 344002120070001

LOCAL NUMBER 007N031W23P01S

ABOUT 850 FT WEST OF GRAND AVENUE AND 450 FT EAST OF ALAMO PINTADO CREEK. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 141.4 FT. ALTITUDE OF LSD 822 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 21, 1988 41.46 S

PERIOD OF RECORD HIGHEST 8.09 AUG 07, 1942 LOWEST 105.08 AUG 22, 1966

SITE NUMBER 343824120081801

LOCAL NUMBER 007N031W34M01S

ABOUT 3.8 MI NORTH ON BALLARD CANYON ROAD. STOCK WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 650 FT. RECORDS AVAILABLE 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 15, 1988 145.29 S

PERIOD OF RECORD HIGHEST 126.88 APR 03, 1967 LOWEST 146.05 APR 16, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343827120064601

LOCAL NUMBER 007N031W35K01S

ABOUT 1900 FT NORTH OF BASELINE AVENUE AND 550 FT EAST OF ALAMO-PINTADO ROAD. IRRIGATION WELL.
DIAM UNKNOWN, DEPTH 149.4 FT. ALTITUDE OF LSD 683 FT. RECORDS AVAILABLE 1942-43, 1945, 1957-
59, 1964, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 21, 1988	36.29	S			
PERIOD OF RECORD	HIGHEST	20.47	APR 05, 1983	LOWEST	100.54 OCT 23, 1967

SITE NUMBER 343831120055001

LOCAL NUMBER 007N031W36L02S

ABOUT 2000 FT NORTH OF BASELINE ROAD AND 50 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL.
DIAM 12 IN, DEPTH 230 FT. ALTITUDE OF LSD 721 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 21, 1988	47.37	S			
PERIOD OF RECORD	HIGHEST	16.54	APR 07, 1943	LOWEST	128.20 OCT 14, 1968

SITE NUMBER 344215120170001

LOCAL NUMBER 007N032W07B01S

IN DRUM CANYON. STOCK WELL. DIAM 16 IN, DEPTH 77 FT. ALTITUDE OF LSD 1030 FT. RECORDS
AVAILABLE 1941, 1945, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 21, 1988	47.45	S			
PERIOD OF RECORD	HIGHEST	5.01	APR 06, 1983	LOWEST	58.84 OCT 21, 1969

SITE NUMBER 343821120173601

LOCAL NUMBER 007N032W31M01S

NORTH OF HWY 150 IN WALNUT ORCHARD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD
450 FT. RECORDS AVAILABLE 1954-59, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 21, 1988	59.35	S			
PERIOD OF RECORD	HIGHEST	51.95	MAR 26, 1985	LOWEST	73.05 SEP 20, 1971

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344051120224901

LOCAL NUMBER 007N033W17N02S

IN CEBADA CANYON NEAR LOMPOC. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 360 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 23, 1988	280.74	S			
PERIOD OF RECORD	HIGHEST 262.98	MAR 30, 1967	LOWEST 301.15	APR 02, 1981	

SITE NUMBER 344035120235901

LOCAL NUMBER 007N033W19D01S

IN CEBADA CANYON, NORTH OF HWY 154. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 760 FT, CASSED TO 552 FT, PERFORATED 228-264 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1958, 1966 TO CURRENT YEAR. AVAILABLE 1958, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 23, 1988	194.98	S			
PERIOD OF RECORD	HIGHEST 186.30	MAR 30, 1967	LOWEST 202.38	OCT 19, 1970	

SITE NUMBER 343926120201001

LOCAL NUMBER 007N033W27G01S

ABOUT 1 MI SOUTH OF HWY 150. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 750 FT, CASSED TO 735 FT, PERFORATED 435-735 FT. ALTITUDE OF LSD 432 FT. RECORDS AVAILABLE 1967, 1969-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 22, 1988	354.29	S			
PERIOD OF RECORD	HIGHEST 347.77	APR 11, 1974	LOWEST 374.08	DEC 27, 1977	

SITE NUMBER 343923120200101

LOCAL NUMBER 007N033W27J01S

IN SANTA RITA VALLEY. DUG STOCK WELL. DIAM 20 IN, DEPTH 52.5 FT. ALTITUDE OF LSD 458.2 FT. RECORDS AVAILABLE 1941, 1945, 1955-58, 1966-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 21, 1988	21.63	S			
PERIOD OF RECORD	HIGHEST 17.11	APR 06, 1983	LOWEST 35.05	NOV 08, 1957	

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343824120175201

LOCAL NUMBER 007N033W36J01S

ABOUT 0.73 MI NORTHWEST OF INTERSECTION OF DRUM CANYON ROAD AND HWY 150. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 190 FT, PERFORATED 125-190 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1941, 1945-46, 1948, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 21, 1988 152.73 S

PERIOD OF RECORD HIGHEST 114.10 OCT 22, 1946 LOWEST 152.73 MAR 21, 1988

SITE NUMBER 343825120174601

LOCAL NUMBER 007N033W36J02S

ABOUT 0.65 MI WEST OF HWY 154. UNUSED WELL. DIAM 8 IN, DEPTH 97.5 FT. ALTITUDE OF LSD 478 FT. RECORDS AVAILABLE 1941, 1954, 1957, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 21, 1988 56.71 S

PERIOD OF RECORD HIGHEST 51.00 APR 23, 1984 LOWEST 69.77 NOV 03, 1954

SITE NUMBER 344221120273501

LOCAL NUMBER 007N034W09H05S

ABOUT 1.1 MI NORTHWEST OF HWY 1 AND 0.5 MI NORTHEAST OF LOMPOC-CASMALIA ROAD. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 960 FT, CASED TO 853 FT, PERFORATED 653-853 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1960-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 25, 1988 250.86 S

PERIOD OF RECORD HIGHEST 218.90 MAR 28, 1962 LOWEST 284.70 MAR 03, 1966

SITE NUMBER 344221120273502

LOCAL NUMBER 007N034W09H06S

ABOUT 1.9 MI NORTH OF INTERSECTION OF LOMPOC-CASMALIA ROAD AND CABRILLO HWY. INDUSTRIAL WELL. DIAM 16 IN, DEPTH 816 FT, CASED TO 810 FT, PERFORATED 594-810 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 25, 1988 252.72 S

PERIOD OF RECORD HIGHEST 241.60 MAR 23, 1976 LOWEST 252.97 APR 27, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344219120250601

LOCAL NUMBER 007N034W12E01S

ABOUT 5 MI NORTH-NORTHEAST OF LOMPOC. DRILLED OBSERVATION WELL. DIAM 8 TO 6 IN, DEPTH 377 FT, 8-IN CSG 0-278 FT, 6-IN CSG 278-385 FT, PERFORATED 345-385 FT. ALTITUDE OF LSD 385.83 FT. RECORDS AVAILABLE 1949-50, 1956, 1959, 1961-66, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1988	321.13 S
PERIOD OF RECORD	HIGHEST 301.00 JUN 19, 1949 LOWEST 321.13 MAR 24, 1988

SITE NUMBER 344130120255201

LOCAL NUMBER 007N034W14F03S

ABOUT 2.5 MI NORTH OF PURISIMA MISSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 397 FT, PERFORATED 169-397 FT. ALTITUDE OF LSD 268 FT. RECORDS AVAILABLE 1958, 1962-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1988	216.47 S
PERIOD OF RECORD	HIGHEST 194.40 FEB 25, 1963 LOWEST 224.40 APR 16, 1973

SITE NUMBER 344117120255001

LOCAL NUMBER 007N034W14L01S

NORTH OF LOMPOC ON BURTON MESA ROAD. TEST WELL. DIAM 6 IN, DEPTH 550 FT, PERFORATED 200-550 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1988	208.80 S
PERIOD OF RECORD	HIGHEST 205.85 APR 25, 1984 LOWEST 208.80 MAR 24, 1988

SITE NUMBER 344140120272301

LOCAL NUMBER 007N034W15D01S

ABOUT 3.75 MI NORTH OF LOMPOC ON LOMPOC-CASMALIA ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 24 TO 16 IN, DEPTH 790 FT, PERFORATED 450-790 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1960-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1988	131.00 SS
PERIOD OF RECORD	HIGHEST 111.22 JUL 27, 1960 LOWEST 150.00 JAN 28, 1960

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344140120272302

LOCAL NUMBER 007N034W15D02S

ABOUT 1.2 MI NORTH OF INTERSECTION OF HWY 1 AND LOMPOC-CASMALIA ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 690 FT, CASED TO 690 FT, PERFORATED 486-666 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 25, 1988 130.41 SS

PERIOD OF RECORD HIGHEST 123.54 OCT 20, 1970 LOWEST 129.50 NOV 28, 1977

SITE NUMBER 344134120272201

LOCAL NUMBER 007N034W15E01S

IN CANYON SOUTHEAST OF VANDENBERG VILLAGE. DRILLED PUBLIC SUPPLY WELL. DIAM 18 IN, DEPTH 770 FT, CASED TO 749 FT, PERFORATED 511-725 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 25, 1988 129.04 SS

PERIOD OF RECORD HIGHEST 122.06 MAR 07, 1968 LOWEST 136.30 APR 10, 1974

SITE NUMBER 344100120270401

LOCAL NUMBER 007N034W15P01S

ABOUT 0.25 MI NORTHEAST OF INTERSECTION OF HWY 1 AND LOMPOC-CASMALIA ROAD, 300 FT EAST OF HWY 1. DRILLED STOCK WELL. DIAM 14 IN, DEPTH 924 FT, CASED TO 924 FT, PERFORATED 200-440, 800-920 FT. ALTITUDE OF LSD 300 FT. RECORDS AVAILABLE 1963, 1969, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 24, 1988 247.78 S

PERIOD OF RECORD HIGHEST 225.00 NOV , 1963 LOWEST 277.13 MAR 23, 1976

SITE NUMBER 344045120300702

LOCAL NUMBER 007N034W19C03S

AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 85 FT, PERFORATED 65-85 FT. ALTITUDE OF LSD 118.5 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

JUL 25, 1988 75.50 S

PERIOD OF RECORD HIGHEST 74.43 JAN 11, 1984 LOWEST 77.76 JUL 22, 1987

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344017120285502

LOCAL NUMBER 007N034W20K04S

ON VANDENBERG AFB, SOUTH OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DRILLED DEPTH 186 FT, DEPTH 144.5 FT IN 1966, PERFORATED 90-174 FT. ALTITUDE OF LSD 75 FT. RECORDS AVAILABLE 1941-42, 1955, 1966-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	29.94 S	MAY 02, 1988	29.79 S	SEP 28, 1988	P
PERIOD OF RECORD	HIGHEST	15.70	OCT 18, 1942	LOWEST	37.00 APR 04, 1974

SITE NUMBER 344023120292802

LOCAL NUMBER 007N034W20M02S

ON VANDENBERG AFB, SOUTHWEST OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DEPTH 192 FT, PERFORATED 77-93, 101-177 FT. ALTITUDE OF LSD 70 FT. RECORDS AVAILABLE 1941-42, 1955-56, 1966-73, 1975-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	30.63 S	MAY 02, 1988	32.99 S	SEP 28, 1988	O
PERIOD OF RECORD	HIGHEST	18.40	APR 01, 1942	LOWEST	42.67 MAY 16, 1986

SITE NUMBER 344033120263404

LOCAL NUMBER 007N034W22J06S

WEST OF LA PURISIMA MISSION ALONG LOMPOC-CASMALIA ROAD. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 135 FT. ALTITUDE OF LSD 90 FT. RECORDS AVAILABLE 1949-54, 1957-58, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 22, 1988	41.48 S				
PERIOD OF RECORD	HIGHEST	27.77	NOV 23, 1949	LOWEST	55.34 APR 16, 1973

SITE NUMBER 344010120251601

LOCAL NUMBER 007N034W24N01S

SOUTHEAST OF LA PURISIMA MISSION ALONG LOMPOC-CASMALIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 183 FT. ALTITUDE OF LSD 130.4 FT. MEASUREMENTS 1930-35 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1924, 1930-35, 1949, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 22, 1988	71.93 S				
PERIOD OF RECORD	HIGHEST	38.00	JUL , 1924	LOWEST	78.99 SEP 21, 1971

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343943120252201

LOCAL NUMBER 007N034W26H03S

ABOUT 1.5 MI NORTHEAST OF LOMPOC. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 123 FT, 43 FT IN 1966, CLEANED OUT TO 83 FT IN 1967. ALTITUDE OF LSD 112.92 FT. MEASUREMENTS PROVIDED BY U.S. BUREAU OF RECLAMATION AND ALSO MEASURED BY U.S.G.S. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 23, 1988	55.70	S			
PERIOD OF RECORD	HIGHEST	40.13	MAR 09, 1950	LOWEST	61.4 FEB 26, 1987

SITE NUMBER 343939120265301

LOCAL NUMBER 007N034W27F04S

ABOUT 0.5 MI NORTH OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 178 FT, PERFORATED 110-172 FT. ALTITUDE OF LSD 96.79 FT. MEASUREMENTS PROVIDED BY U.S. BUREAU OF RECLAMATION AND ALSO MEASURED BY U.S.G.S. RECORDS AVAILABLE 1950 TO 1988. WELL DESTROYED.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 22, 1988		W			
PERIOD OF RECORD	HIGHEST	31.91	FEB 03, 1953	LOWEST	57.40 AUG 28, 1977

SITE NUMBER 343948120292002

LOCAL NUMBER 007N034W29E04S

ABOUT 2.5 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 176 FT. ALTITUDE OF LSD 67.71 FT. RECORDS AVAILABLE 1945-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 24, 1988	33.40	S			
PERIOD OF RECORD	HIGHEST	18.36	MAR 31, 1958	LOWEST	48.14 JUL 24, 1963

SITE NUMBER 343941120300102

LOCAL NUMBER 007N034W30L03S

SOUTH OF CENTRAL AVENUE AND EAST OF ARTESIA SCHOOL. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 31.8 FT IN 1947. ALTITUDE OF LSD 58.79 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 24, 1988	23.62	S			
PERIOD OF RECORD	HIGHEST	13.74	APR 08, 1983	LOWEST	26.41 APR 24, 1951

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343901120300301

LOCAL NUMBER 007N034W31C02S

ABOUT 50 FT WEST OF LEGGE AVENUE AND 3200 FT NORTH OF OCEAN AVENUE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 64.72 FT. RECORDS AVAILABLE 1937, 1941, 1943, 1947-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS						
MAR 24, 1988	32.75	S					
PERIOD OF RECORD	HIGHEST	8.06	APR 16, 1941	LOWEST	47.38	JUL 27, 1965	

SITE NUMBER 343901120300302

LOCAL NUMBER 007N034W31C03S

ABOUT 2.25 MI WEST-NORTHWEST OF LOMPOC. BORED OBSERVATION WELL. DIAM UNKNOWN, DEPTH 28 FT. ALTITUDE OF LSD 64.68 FT. RECORDS AVAILABLE 1947-59, 1961-68, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS						
MAR 24, 1988	20.72	S					
PERIOD OF RECORD	HIGHEST	12.24	APR 29, 1953	LOWEST	21.97	DEC 26, 1951	

SITE NUMBER 343846120255101

LOCAL NUMBER 007N034W35F02S

ABOUT 1 MI EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 15 IN, DEPTH 102 FT IN 1963, 101 FT IN 1965, PERFORATED 30-54, 96-136 FT. ALTITUDE OF LSD 99.8 FT. RECORDS 1930-40, 1942 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-68, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS						
MAR 23, 1988	17.22	S					
PERIOD OF RECORD	HIGHEST	9.50	MAR 06, 1941	LOWEST	37.48	OCT 25, 1966	

SITE NUMBER 343840120254701

LOCAL NUMBER 007N034W35K09S

ABOUT 0.5 MI EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 128 FT, PERFORATED 52-80, 112-124 FT. RECORDS IN 1960-69 AND REPORTED MEASUREMENTS BEGINNING IN 1970 PROVIDED BY U.S. BUREAU OF RECLAMATION. RECORDS AVAILABLE 1950, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS						
MAR 23, 1988	21.77	S					
PERIOD OF RECORD	HIGHEST	18.4	MAR 28, 1983	APR 26, 1983	LOWEST	42.00	SEP 16, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344116120351401

LOCAL NUMBER 007N035W17K01S

ON VANDENBERG AFB, SOUTH OF LAGOON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DRILLED DEPTH 190 FT, DEPTH 186.7 FT IN 1966, PERFORATED 175-185 FT. ALTITUDE OF LSD 10 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	3.15 S	MAY 02, 1988	2.32 S	SEP 28, 1988	2.77 S
PERIOD OF RECORD	HIGHEST	0.02	APR 05, 1967	LOWEST	4.36 MAY 16, 1986

SITE NUMBER 344112120351001

LOCAL NUMBER 007N035W17K20S

NORTH OF OCEAN PARK ROAD. DIAM 6 IN, DEPTH 126 FT, PERFORATED 96-116 FT. ALTITUDE OF LSD 24 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	16.45 S	MAY 02, 1988	15.54 S	JUN 23, 1988	15.88 S	SEP 28, 1988	16.84 S
PERIOD OF RECORD	HIGHEST	15.21	NOV 20, 1984	LOWEST	18.60	OCT 31, 1985	

SITE NUMBER 344114120353501

LOCAL NUMBER 007N035W17M01S

NEAR OCEAN BEACH COUNTY PARK AT SURF. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT IN 1966, PERFORATED 115-120 FT. ALTITUDE OF LSD 9.74 FT. RECORDS AVAILABLE 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 24, 1988	3.56 S				
PERIOD OF RECORD	HIGHEST	1.68	JAN 26, 1968	LOWEST	5.40 AUG 07, 1978

SITE NUMBER 344110120351201

LOCAL NUMBER 007N035W17Q06S

ON VANDENBERG AFB. DIAM 6 IN, DEPTH 87 FT, PERFORATED 57-77 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	10.63 S	MAY 02, 1988	9.67 S	JUN 23, 1988	9.95 S
PERIOD OF RECORD	HIGHEST	9.57	NOV 20, 1984	LOWEST	12.50 OCT 31, 1985

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344135120355201

LOCAL NUMBER 007N035W18H01S

ON VANDENBERG AFB, NORTH OF LAGOON. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 111.5 FT IN 1966, PERFORATED 83-88 FT. ALTITUDE OF LSD 5.87 FT. RECORDS AVAILABLE 1963-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 24, 1988	0.93	S			
PERIOD OF RECORD	HIGHEST	0.44	APR 07, 1981	LOWEST	2.60 APR 05, 1967

SITE NUMBER 344118120355902

LOCAL NUMBER 007N035W18J02S

NEAR SOUTH EXIT ROAD AT OCEAN BEACH COUNTY PARK. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 121.7 FT IN 1966, PERFORATED 100-105 FT. ALTITUDE OF LSD 7.38 FT. RECORDS AVAILABLE 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 24, 1988	2.65	S			
PERIOD OF RECORD	HIGHEST	2.34	DEC 29, 1964	LOWEST	4.85 MAR 26, 1969

SITE NUMBER 344041120341101

LOCAL NUMBER 007N035W21G02S

ON VANDENBERG AFB. DIAM 6 IN, DEPTH 180 FT, PERFORATED 150-170 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 12, 1987	12.11	S	MAY 02, 1988	11.41	S	JUN 23, 1988	11.99	S	SEP 28, 1988	12.96	S
PERIOD OF RECORD	HIGHEST	10.14	MAY 25, 1983	LOWEST	13.55	JUN 20, 1982					

SITE NUMBER 344021120324101

LOCAL NUMBER 007N035W22J01S

ABOUT 1 MI WEST OF MAIN GATE AT PT. ARGUELLO. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 182 FT, PERFORATED 133-180 FT. ALTITUDE OF LSD 31.76 FT. RECORDS 1930-35 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1941-42, 1945-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 24, 1988	18.47	S			
PERIOD OF RECORD	HIGHEST	6.01	APR 08, 1958	LOWEST	24.06 MAY 08, 1984

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344025120331301

LOCAL NUMBER 007N035W22L01S

ON VANDENBERG AFB, ABOUT 0.50 MI NORTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 219 FT, PERFORATED 172-189 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1934-35, 1953, 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	16.85 S	MAY 02, 1988	17.05 S	SEP 28, 1988	21.30 S
PERIOD OF RECORD	HIGHEST	10.70	APR 05, 1967	LOWEST	24.80 SEP 19, 1935

SITE NUMBER 344025120333401

LOCAL NUMBER 007N035W22M01S

ON VANDENBERG AFB, WEST OF RENWICK AVE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 180 FT. ALTITUDE OF LSD 29 FT. RECORDS AVAILABLE 1933, 1935, 1937, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	14.32 S	MAY 02, 1988	9.72 S	SEP 28, 1988	13.45 S
PERIOD OF RECORD	HIGHEST	2.87	MAR 27, 1952	LOWEST	20.20 SEP 19, 1935

SITE NUMBER 344048120320201

LOCAL NUMBER 007N035W23B02S

ABOUT 3500 FT SOUTHEAST OF THE INTERSECTION OF 13TH AND TERRA STREET. DIAM 6 IN, DEPTH 80 FT, CASED TO 80 FT, PERFORATED 20-60 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1987	18.60 S				
PERIOD OF RECORD	HIGHEST	17.63	MAY 23, 1980	LOWEST	19.77 JUN 20, 1984

SITE NUMBER 344043120322402

LOCAL NUMBER 007N035W23E02S

ABOUT 5.29 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 212 FT, PERFORATED 170-190 FT. ALTITUDE OF LSD 36.11 FT. RECORDS 1930-35 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1937-38, 1941-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 25, 1988	18.51 S	APR 03, 1988	18.28 S				
PERIOD OF RECORD	HIGHEST	8.03	SEP 28, 1954				
	LOWEST	65.00	APR 28, 1943	MAY 12, 1943	MAY 19, 1943	MAY 26, 1943	

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344025120313701

LOCAL NUMBER 007N035W23J05S

ABOUT 0.84 MI NORTH OF INTERSECTION OF ARTESIA AVENUE AND CENTRAL AVENUE, 30 FT WEST OF ARTESIA AVENUE. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 43 FT. RECORDS AVAILABLE 1966-72, 1974-75, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 25, 1988	25.08	S				
PERIOD OF RECORD	HIGHEST	12.76	APR 25, 1978	LOWEST	25.08	MAR 25, 1988

SITE NUMBER 344021120303504

LOCAL NUMBER 007N035W24J04S

ABOUT 3.5 MI NORTHWEST OF LOMPOC. DRILLED UNUSED WELL. DIAM 8-30 IN, DEPTH 171 FT, 8¹-IN CSG TO 171 FT, 30-IN CSG TO 10 FT, PERFORATED 165-170 FT. ALTITUDE OF LSD 52 FT. RECORDS AVAILABLE 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 24, 1988	31.60	S				
PERIOD OF RECORD	HIGHEST	24.77	APR 05, 1982	LOWEST	52.00	, 1961

SITE NUMBER 344029120310305

LOCAL NUMBER 007N035W24K05S

ABOUT 0.9 MI NORTH OF CENTRAL AVENUE AND 75 FT EAST OF DE WOLF AVENUE. IRRIGATION WELL. DIAM 14 IN, DEPTH 174 FT, PERFORATED 130-135, 140-170 FT. ALTITUDE OF LSD 51 FT. RECORDS AVAILABLE 1973-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 25, 1988	23.97	S				
PERIOD OF RECORD	HIGHEST	18.62	APR 25, 1978	LOWEST	28.77	APR 26, 1984

SITE NUMBER 343947120310701

LOCAL NUMBER 007N035W25F05S

ABOUT 0.25 FT WEST OF DE WOLF AVENUE AND 500 FT NORTH OF CENTRAL AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 184 FT, PERFORATED 145-175 FT. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1939-41, 1945-48, 1950, 1952-55, 1957-73, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 24, 1988	28.39	S				
PERIOD OF RECORD	HIGHEST	5.72	MAR 27, 1941	LOWEST	37.45	JUL 24, 1963

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343947120310703

LOCAL NUMBER 007N035W25F06S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 19.3 FT IN 1945. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 24, 1988	12.08	S				
PERIOD OF RECORD	HIGHEST	3.84	APR 04, 1969	LOWEST	16.18	OCT 28, 1964

SITE NUMBER 343947120310702

LOCAL NUMBER 007N035W25F07S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 32 FT, CASSED TO 29.5 FT, SAND POINT 29.5 FT. ALTITUDE OF LSD 46.9 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 24, 1988	12.39	S				
PERIOD OF RECORD	HIGHEST	5.70	APR 25, 1978	LOWEST	19.96	FEB 04, 1964

SITE NUMBER 343948120320901

LOCAL NUMBER 007N035W26F04S

NORTH OF CENTRAL AVENUE AND WEST OF UNION AVENUE. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 190 FT IN 1952. ALTITUDE OF LSD 35 FT. RECORDS AVAILABLE 1970-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
APR 03, 1988	20.05	S				
PERIOD OF RECORD	HIGHEST	10.43	APR 02, 1982	LOWEST	25.80	MAY 08, 1984

SITE NUMBER 343952120332001

LOCAL NUMBER 007N035W27F01S

ON VANDENBERG AFB, ABOUT 0.45 MI EAST OF ARGUELLO BLVD AND 50 FT NORTH OF CLARK STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH DRILLED 123 FT. ALTITUDE OF LSD 27.63 FT. RECORDS PRIOR TO 1942 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-32, 1934, 1942, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
NOV 12, 1987	10.55	S	MAY 02, 1988	10.34	S	SEP 28, 1988	14.15	S
PERIOD OF RECORD	HIGHEST	2.52	APR 21, 1958	LOWEST	23.23	AUG 05, 1930		

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343948120330101

LOCAL NUMBER 007N035W27H01S

ON VANDENBERG AFB, ABOUT 200 FT SOUTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 142 FT, PERFORATED 80-124 FT. ALTITUDE OF LSD 27 FT. RECORDS IN 1935-42 PROVIDED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1935-42, 1953-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	9.17 S	MAY 02, 1988	9.60 S	SEP 28, 1988	14.62 S
PERIOD OF RECORD	HIGHEST	1.50	APR 02, 1941	LOWEST	21.40 JUL 31, 1936

SITE NUMBER 343923120332501

LOCAL NUMBER 007N035W27P01S

ON VANDENBERG AFB, SOUTH OF HWY 246. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN 0-582 FT, DEPTH 677 FT, PERFORATED 562-577 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	226.31 S	MAY 02, 1988	225.84 S	SEP 28, 1988	227.31 S
PERIOD OF RECORD	HIGHEST	222.24	APR 24, 1963	LOWEST	235.20 APR 10, 1979

SITE NUMBER 343944120361901

LOCAL NUMBER 007N035W30G01S

ON VANDENBERG AFB, ABOUT 0.1 MI SOUTH OF ROAD TO LAUNCH COMPLEX A. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 277 FT, PERFORATED 115-275 FT. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1958-61, 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	96.99 S	MAY 02, 1988	97.14 S	SEP 28, 1988	97.22 S
PERIOD OF RECORD	HIGHEST	95.82	MAR 13, 1985	LOWEST	98.34 JUL 31, 1958

SITE NUMBER 343841120355201

LOCAL NUMBER 007N035W31J01S

ON VANDENBERG AFB, IN BEAR CREEK AREA. DIAM 6 IN, DEPTH 625 FT, PERFORATED 571-591 FT. ALTITUDE OF LSD 160 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	52.43 S	MAY 02, 1988	51.35 S	SEP 28, 1988	O
PERIOD OF RECORD	HIGHEST	48.18	OCT 30, 1963	LOWEST	66.49 JAN 04, 1963

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343839120365301

LOCAL NUMBER 007N035W31M02S

ON SOUTH VANDENBERG AFB. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 200 FT. RECORDS AVAILABLE 1966-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	8.16 S	MAY 02, 1988	8.17 S	SEP 28, 1988	8.20 S
PERIOD OF RECORD	HIGHEST	6.75	APR 14, 1975	LOWEST	13.05 NOV 12, 1968

SITE NUMBER 343831120354301

LOCAL NUMBER 007N035W32N01S

ON SOUTH VANDENBERG AFB IN BEAR CREEK AREA. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 300 FT, DEPTH 224.6 FT IN 1966, PERFORATED 10-210 FT. ALTITUDE OF LSD 175 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	2.73 S	MAY 02, 1988	1.94 S	SEP 28, 1988	2.31 S
PERIOD OF RECORD	HIGHEST	1.94	MAY 02, 1988	LOWEST	9.47 JUN 25, 1958

SITE NUMBER 343846120334801

LOCAL NUMBER 007N035W33J01S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 380 FT, DEPTH 186 FT IN 1966, PERFORATED 113-155, 173-244 FT. ALTITUDE OF LSD 177 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	123.27 SS	MAY 02, 1988	123.82 SS	SEP 28, 1988	124.90 S
PERIOD OF RECORD	HIGHEST	109.89	NOV 25, 1958	LOWEST	127.29 JUN 05, 1967

SITE NUMBER 343846120334802

LOCAL NUMBER 007N035W33J02S

ON VANDENBERG AFB, ABOUT 1.8 MI SOUTH OF SOUTH BASE ENTRANCE IN LOMPOC CANYON. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 530 FT, PERFORATED 170-210, 375-465 FT. ALTITUDE OF LSD 177 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	133.77 S	MAY 02, 1988	131.92 SR	SEP 28, 1988	142.90 SR
PERIOD OF RECORD	HIGHEST	112.94	OCT 29, 1958	LOWEST	151.00 SEP 28, 1965

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 343837120335201

LOCAL NUMBER 007N035W33J03S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH DRILLED 660 FT, 14 IN CASING 0-518 FT, PERFORATED 96-160, 428-460 FT. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1960-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 12, 1987	133.30 ST	MAY 02, 1988	133.22 ST	SEP 28, 1988	133.73 S
PERIOD OF RECORD	HIGHEST	127.92	MAR 13, 1985	LOWEST	164.74 OCT 28, 1964

SITE NUMBER 343859120314003

LOCAL NUMBER 007N035W35A03S

NORTH OF ARTESIA AVENUE AND EAST OF OCEAN AVENUE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 100 FT, PERFORATED 78-92 FT. ALTITUDE OF LSD 45.68 FT. RECORDS AVAILABLE 1945, 1947-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1988	15.7 S
PERIOD OF RECORD	HIGHEST 5.41 APR 29, 1958 LOWEST 25.81 JUL 27, 1950

SITE NUMBER 344749119265301

LOCAL NUMBER 008N024W08L01S

SOUTH OF VENTUCOPA ON HWY 33. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 290 FT IN 1950, 187 FT IN 1952. ALTITUDE OF LSD 3050 FT. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 26, 1987	120.61 S	JAN 25, 1988	125.49 S	APR 27, 1988	127.12 S	JUL 19, 1988	129.58 S
NOV 24	122.47 S	FEB 25	126.41 S	MAY 26	127.93 S	AUG 26	131.31 S
DEC 22	123.92 S	MAR 28	126.67 S	JUN 28	128.80 S	SEP 29	133.43 S
PERIOD OF RECORD	HIGHEST	40.03	MAY 25, 1983	LOWEST	162.43	DEC 27, 1977	

SITE NUMBER 344547120070901

LOCAL NUMBER 008N031W23D01S

IN FOXEN CANYON. UNUSED WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1500 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1988	357.31 S
PERIOD OF RECORD	HIGHEST 348.03 APR 20, 1984 LOWEST 404.00 JUN 14, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344418120053101

LOCAL NUMBER 008N031W25Q01S

IN SYCAMORE CANYON. STOCK WELL. DIAM 12 IN, DEPTH 190 FT, CASED TO 190 FT. ALTITUDE OF LSD 1220 FT. RECORDS AVAILABLE 1967-73, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 18, 1988	49.44	S			
PERIOD OF RECORD	HIGHEST	15.49	APR 05, 1983	LOWEST	49.44 MAR 18, 1988

SITE NUMBER 344457120122101

LOCAL NUMBER 008N032W25D01S

ABOUT 2.4 MI NORTH OF HWY 101 ON ALISO CANYON ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12.75 IN, DEPTH 881 FT, PERFORATED 268-700 FT. ALTITUDE OF LSD 763 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	79.60	S	MAY 24, 1988	80.55	S	SEP 26, 1988	P
PERIOD OF RECORD	HIGHEST	48.29	FEB 27, 1980	LOWEST	85.18	JUL 01, 1987	

SITE NUMBER 344417120151001

LOCAL NUMBER 008N032W28P01S

ABOUT 1.5 MI EAST OF LOS ALAMOS. IRRIGATION WELL. DIAM 12 IN, DEPTH 235 FT, PERFORATED 67-79, 81-101 FT. ALTITUDE OF LSD 616 FT. RECORDS AVAILABLE 1943, 1955, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	74.55	SV	MAY 24, 1988	70.31	S	SEP 26, 1988	P
PERIOD OF RECORD	HIGHEST	23.12	DEC 02, 1943	LOWEST	76.38	SEP 19, 1986	

SITE NUMBER 344457120174001

LOCAL NUMBER 008N032W30D01S

NORTH OF HWY 135 AND 0.33 MI WEST OF BELL STREET. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL. DIAM 16 IN, DEPTH 899 FT, PERFORATED 265-355, 378-409, 463-523, 667-895 FT. ALTITUDE OF LSD 540 FT. RECORDER INSTALLED 12/1977. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	59.35	S	MAY 24, 1988	56.79	S	SEP 26, 1988	63.04 S
PERIOD OF RECORD	HIGHEST	23.18	APR 30, 1978	LOWEST	67.73	AUG 01, 1985	

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344530120231601

LOCAL NUMBER 008N033W19K01S

NEAR LOS ALAMOS. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 300 FT. ALTITUDE OF LSD 368 FT. RECORDS AVAILABLE 1952, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	67.89 SV	MAY 24, 1988	67.79 S	SEP 26, 1988	P
PERIOD OF RECORD	HIGHEST	45.58	JUN 17, 1958	LOWEST	67.79 MAY 24, 1988

SITE NUMBER 344518120221002

LOCAL NUMBER 008N033W20Q02S

ABOUT 5.5 MI WEST OF LOS ALAMOS ON HWY 137 AND 200 FT WEST OF BACHELOR ROAD. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH 260 FT. ALTITUDE OF LSD 408 FT. RECORDS AVAILABLE 1958, 1967-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 25, 1988	41.9 S				
PERIOD OF RECORD	HIGHEST	7.37	JAN 16, 1958	LOWEST	46.34 AUG 29, 1968

SITE NUMBER 344517120220701

LOCAL NUMBER 008N033W20R01S

ABOUT 5.15 MI WEST OF LOS ALAMOS AND 50 FT SOUTH OF LOS ALAMOS ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 75 FT. ALTITUDE OF LSD 410 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 25, 1988	44.18 S				
PERIOD OF RECORD	HIGHEST	21.20	JAN 30, 1947	LOWEST	44.18 MAR 25, 1988

SITE NUMBER 344517120214301

LOCAL NUMBER 008N033W21M03S

ABOUT 4.5 MI WEST OF LOS ALAMOS ON HWY 135. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN 0-207 FT, 12 IN 207-447 FT, DEPTH 452 FT, CASED TO 447 FT, PERFORATED 348-447 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1966, 1968, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 24, 1988	56.19 SS	SEP 26, 1988	47.88 S		
PERIOD OF RECORD	HIGHEST	+1.39	JAN 19, 1968	LOWEST	47.88 SEP 26, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344516120190201

LOCAL NUMBER 008N033W23Q02S

WEST OF LOS ALAMOS AND NORTH OF HWY 135. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 311 FT, CASED TO 220 FT, PERFORATED 52-220 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1955, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	17.51 SV	MAY 24, 1988	15.39 S	SEP 26, 1988	18.19 S
PERIOD OF RECORD	HIGHEST	6.90	APR 21, 1955	LOWEST	44.53 SEP 25, 1985

SITE NUMBER 344802120255901

LOCAL NUMBER 008N034W02M01S

ABOUT 0.50 MI EAST OF INTERSECTION OF CABRILLO HWY AND VANDENBERG ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 420 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	111.06 S	MAY 24, 1988	110.93 S	SEP 26, 1988	111.34 S
PERIOD OF RECORD	HIGHEST	83.52	JAN 18, 1978	LOWEST	120.53 SEP 26, 1983

SITE NUMBER 344712120273901

LOCAL NUMBER 008N034W09K01S

ON VANDENBERG AFB, ABOUT 1.7 MI NORTHEAST OF INTERSECTION OF VANDENBERG ROAD AND SAN ANTONIO ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 620 FT, PERFORATED 120-320, 380-580 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	95.09 S	MAY 24, 1988	95.85 S	SEP 28, 1988	97.05 S
PERIOD OF RECORD	HIGHEST	82.75	MAR 22, 1979	LOWEST	97.05 SEP 28, 1988

SITE NUMBER 344624120253901

LOCAL NUMBER 008N034W14L01S

ABOUT 80 FT WEST OF HWY 1 AND 85 FT NORTH OF SAN ANTONIO ROAD. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 640 FT, CASED TO 593 FT, PERFORATED 320-440, 500-560 FT. ALTITUDE OF LSD 330 FT. RECORDER INSTALLED 1980-86. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	29.73 S	MAY 23, 1988	29.19 S	SEP 26, 1988	30.52 S
PERIOD OF RECORD	HIGHEST	17.59	MAR 19, 1981	LOWEST	30.52 SEP 26, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344628120264201

LOCAL NUMBER 008N034W15F02S

ON VANDENBERG AFB, AT THE EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 338 FT, PERFORATED 98-298 FT. ALTITUDE OF LSD 310 FT. RECORDER INSTALLED 1978-86. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	18.15 S	MAY 24, 1988	18.18 S	SEP 28, 1988	19.20 S
PERIOD OF RECORD	HIGHEST	10.52	MAR 15, 1979	MAR 20, 1979	LOWEST 19.20 SEP 28, 1988

SITE NUMBER 344628120264203

LOCAL NUMBER 008N034W15F04S

ON VANDENBERG AFB, AT EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 475 FT, PERFORATED 375-435 FT. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	16.81 S	MAY 24, 1988	16.97 S	SEP 28, 1988	17.99 S
PERIOD OF RECORD	HIGHEST	10.05	FEB 24, 1984	LOWEST	17.99 SEP 28, 1988

SITE NUMBER 344640120274401

LOCAL NUMBER 008N034W16C01S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 86.25 FT, SCREENED 85-89 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	69.59 S	MAY 24, 1988	70.60 S	SEP 28, 1988	73.58 S
PERIOD OF RECORD	HIGHEST	39.92	FEB 05, 1970	LOWEST	73.58 SEP 28, 1988

SITE NUMBER 344640120274402

LOCAL NUMBER 008N034W16C02S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH MEASURED 169.43 FT, SCREENED 168-172 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	63.64 S	MAY 24, 1988	62.57 S	SEP 28, 1988	63.66 S
PERIOD OF RECORD	HIGHEST	33.91	FEB 05, 1970	LOWEST	63.66 SEP 28, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344640120274403

LOCAL NUMBER 008N034W16C03S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH MEASURED 317.68 FT, SCREENED 320-324 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	48.15 S	MAY 24, 1988	48.72 S	SEP 28, 1988	50.09 S
PERIOD OF RECORD	HIGHEST	27.05	AUG 26, 1971	LOWEST	50.09 SEP 28, 1988

SITE NUMBER 344640120274404

LOCAL NUMBER 008N034W16C04S

ON VANDENBERG AFB, EAST OF WELL ROAD AND SOUTH OF VANDENBERG ROAD. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 560 FT, SCREENED 556-560 FT. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	52.87 S	MAY 24, 1988	52.57 S	SEP 28, 1988	53.56 S
PERIOD OF RECORD	HIGHEST	21.06	FEB 05, 1970	LOWEST	53.56 SEP 28, 1988

SITE NUMBER 344638120280701

LOCAL NUMBER 008N034W16D02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 62 FT, SAND POINT 60.5-62 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	18.38 S	MAY 25, 1988	18.02 S	SEP 28, 1988	19.67 S
PERIOD OF RECORD	HIGHEST	+2.66	APR 26, 1977	LOWEST	19.67 SEP 28, 1988

SITE NUMBER 344636120274201

LOCAL NUMBER 008N034W16F01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 59 FT, SAND POINT 57.5-59 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1987	22.96 S	MAY 25, 1988	22.56 S	SEP 28, 1988	23.60 S
PERIOD OF RECORD	HIGHEST	+0.99	JAN 22, 1979	LOWEST	23.60 SEP 28, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344628120273201

LOCAL NUMBER 008N034W16G02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN PASO ROBLES FORMATION. DIAM 14 IN, DEPTH DRILLED 700 FT, PERFORATED 52-680 FT. ALTITUDE OF LSD 306 FT. RECORDS AVAILABLE 1964, 1966-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 26, 1987	41.95 S		JAN 22, 1988	41.49 S		MAY 04, 1988	43.04 S		AUG 17, 1988	46.17 S
NOV 24	41.52 S		MAR 02	40.20 S		JUN 01	45.61 S			
DEC 22	40.20 S		APR 07	44.56 S		JUL 08	46.12 S			
PERIOD OF RECORD HIGHEST 14.67 DEC 01, 1966 LOWEST 46.35 SEP 28, 1987										

SITE NUMBER 344626120272901

LOCAL NUMBER 008N034W16G03S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 58 FT, SAND POINT 54.5-56 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	26.56 S		MAY 25, 1988	25.47 S		SEP 28, 1988	26.82 S
PERIOD OF RECORD HIGHEST 10.08 APR 29, 1976 LOWEST 26.82 SEP 28, 1988							

SITE NUMBER 344620120271701

LOCAL NUMBER 008N034W16J01S

ON VANDENBERG AFB, IN BARKA SLOUGH. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 597 FT, PERFORATED 256-558 FT. ALTITUDE OF LSD 320 FT. RECORDS AVAILABLE 1961, 1966-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	45.42 SV						
PERIOD OF RECORD HIGHEST 2.50 SEP 29, 1961 LOWEST 41.51 SEP 18, 1986							

SITE NUMBER 344630120290101

LOCAL NUMBER 008N034W17E01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 97 FT, SAND POINT 87.5-89 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 02, 1987	10.99 S		MAY 25, 1988	10.84 S		SEP 27, 1988	11.17 S
PERIOD OF RECORD HIGHEST 5.26 JUN 27, 1983 LOWEST 11.17 SEP 27, 1988							

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344637120282901

LOCAL NUMBER 008N034W17G01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	+2.21 S		MAY 25, 1988	+2.42 S		SEP 28, 1988	+1.50 S
PERIOD OF RECORD	HIGHEST	+9.01	SEP 26, 1978	LOWEST	+0.27	NOV 21, 1980	

SITE NUMBER 344633120281901

LOCAL NUMBER 008N034W17H01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	3.15 S		MAY 25, 1988	2.58 S		SEP 28, 1988	4.35 S
PERIOD OF RECORD	HIGHEST	+7.54	FEB 25, 1983	LOWEST	4.35	SEP 28, 1988	

SITE NUMBER 344618120283201

LOCAL NUMBER 008N034W17K02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 60 FT, SAND POINT 58.5-60 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 02, 1987	+2.83 S		MAY 25, 1988	+4.00 Z		SEP 27, 1988	+2.30 S
PERIOD OF RECORD	HIGHEST	+9.55	FEB 25, 1983	LOWEST	4.00	JUL 02, 1987	

SITE NUMBER 344611120283001

LOCAL NUMBER 008N034W17Q01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 62 FT, SAND POINT 46-47.5 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 02, 1987	+1.57 S		MAY 25, 1988	+1.50 Z		SEP 27, 1988	+1.57 Z
PERIOD OF RECORD	HIGHEST	+8.55	APR 26, 1983	LOWEST	+1.31	APR 23, 1981	

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344550120273901

LOCAL NUMBER 008N034W21A01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL IN CAREAGA SAND OF PLIOCENE AGE. DIAM 6 IN, DEPTH 271 FT, PERFORATED 71-271 FT. ALTITUDE OF LSD 300 FT. RECORDER INSTALLED JAN. 5, 1978. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	11.15 S	MAY 25, 1988	11.41 S	SEP 27, 1988	12.13 S
PERIOD OF RECORD	HIGHEST	2.10	APR 25, 1978	LOWEST	12.13 SEP 27, 1988

SITE NUMBER 344539120263902

LOCAL NUMBER 008N034W22F01S

ABOUT 1.25 MI WEST OF HWY 135 AND 1 AND SOUTH OF SAN ANTONIO ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 318 FT, Cased to 269 FT, PERFORATED 105-115, 168-173 FT. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1967, 1971, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	40.80 S	MAY 25, 1988	40.47 S	SEP 27, 1988	42.33 S
PERIOD OF RECORD	HIGHEST	26.00	AUG 28, 1967	LOWEST	42.33 SEP 27, 1988

SITE NUMBER 344546120252901

LOCAL NUMBER 008N034W23B01S

ABOUT 8.3 MI WEST OF LOS ALAMOS. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 150 FT. ALTITUDE OF LSD 315 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 25, 1988	23.88 S				
PERIOD OF RECORD	HIGHEST	12.57	MAR 01, 1945	LOWEST	36.36 MAR 08, 1972

SITE NUMBER 344650120312001

LOCAL NUMBER 008N035W12M01S

ON VANDENBERG AFB, ALONG SAN ANTONIO CREEK, 2 MI DOWNSTREAM FROM BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 120 FT, PERFORATED 60-100 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 02, 1987	15.26 S	MAY 25, 1988	15.27 S	SEP 27, 1988	15.95 S
PERIOD OF RECORD	HIGHEST	6.35	APR 08, 1983	LOWEST	15.95 SEP 27, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 344910119270501

LOCAL NUMBER 009N024W33M01S

ABOUT 0.5 MI EAST OF HWY 33, NORTH OF QUATAL CANYON ROAD. DRILLED OBSERVATION WELL. DIAM 13 IN, DEPTH 233 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1950-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 02, 1988 168.77 S

PERIOD OF RECORD HIGHEST 126.64 MAY 11, 1984 LOWEST 207.54 APR 06, 1976

SITE NUMBER 345206119294701

LOCAL NUMBER 009N025W13B01S

ABOUT 3 MI NORTH OF VENTUCOPA. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 119 FT, DEEPENED TO 175 FT IN 1966, PERFORATED 120-175 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1946, 1952-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 02, 1988 104.23 S

PERIOD OF RECORD HIGHEST 84.47 APR 22, 1983 LOWEST 123.35 DEC 27, 1960

SITE NUMBER 345023119322601

LOCAL NUMBER 009N025W27C01S

IN SANTA BARBARA CANYON. DRILLED STOCK WELL. DIAM 6 IN, DEPTH 95 FT. ALTITUDE OF LSD 2820 FT. RECORDS AVAILABLE 1941-43, 1966, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 02, 1988 81.96 S

PERIOD OF RECORD HIGHEST 33.69 APR 22, 1983 LOWEST 83.85 DEC 27, 1977

SITE NUMBER 345325119365603

LOCAL NUMBER 009N026W01F03S

ABOUT 2.7 MI EAST OF BELL ROAD AND 0.57 MI SOUTH OF FOOTHILL ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 500 FT. ALTITUDE OF LSD 2604.5 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 01, 1988 298.37 S

PERIOD OF RECORD HIGHEST 293.78 APR 23, 1983 LOWEST 298.37 APR 01, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345323120173801

LOCAL NUMBER 009N032W06D01S

SOUTH OF SANTA MARIA MESA ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	106.88	S			
PERIOD OF RECORD	HIGHEST	60.72	APR 07, 1969	LOWEST	113.50 SEP 30, 1966

SITE NUMBER 345238120164701

LOCAL NUMBER 009N032W07A01S

ABOUT 2100 FT SOUTH-SOUTHWEST FROM SANTA MARIA MESA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 452 FT, PERFORATED 107-115, 154-189, 235-238, 282-290, 410-416, 428-436 FT. ALTITUDE OF LSD 490 FT. RECORDS AVAILABLE 1944, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	152.64	S			
PERIOD OF RECORD	HIGHEST	96	NOV 18, 1944	LOWEST	159.03 APR 05, 1977

SITE NUMBER 345155120170001

LOCAL NUMBER 009N032W07Q01S

ABOUT 0.5 MI EAST OF SISQUOC. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 421 FT. RECORDS AVAILABLE 1935, 1940-42, 1947, 1950, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	87.80	SR			
PERIOD OF RECORD	HIGHEST	19.18	AUG 14, 1941	LOWEST	99.40 SEP 29, 1966

SITE NUMBER 345152120162801

LOCAL NUMBER 009N032W08N01S

ABOUT 0.9 MI EAST OF SISQUOC. DOMESTIC WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 420 FT. RECORDS AVAILABLE 1958, 1966-74, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	75.00	S			
PERIOD OF RECORD	HIGHEST	17.80	APR 07, 1969	LOWEST	75.00 MAR 31, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345116120150601

LOCAL NUMBER 009N032W16L01S

ABOUT 1200 FT NORTH OF SISQUOC ROAD AND 2200 FT EAST OF TEPUSQUET CANYON ROAD. IRRIGATION WELL. DIAM 16 IN, DEPTH 109.7 FT IN 1942, PERFORATED 36-95 FT. ALTITUDE OF LSD 468 FT. RECORDS AVAILABLE 1929, 1938, 1942, 1945, 1947, 1950, 1953, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	46.65	S				
PERIOD OF RECORD	HIGHEST	9.75	MAY 20, 1938	LOWEST	67.11	APR 05, 1977

SITE NUMBER 345129120160301

LOCAL NUMBER 009N032W17G01S

ON HWY 148 ABOUT 2 MI EAST OF SISQUOC. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 107 FT. ALTITUDE OF LSD 447 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	62.25	S				
PERIOD OF RECORD	HIGHEST	11.22	APR 05, 1943	LOWEST	86.59	OCT 26, 1960

SITE NUMBER 345056120163901

LOCAL NUMBER 009N032W19A01S

ON WEST SIDE OF LONG CANYON, ON EDGE OF HILLTOP. DOMESTIC WELL. DIAM 13 IN, DEPTH 357.77 FT IN 1961; DRILLED OUT AND CEMENTED AT 550 FT IN 1964, PERFORATED 500-530, 548-578 FT. ALTITUDE OF LSD 727.6 FT. RECORDS AVAILABLE 1961, 1964, 1966-71, 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	364.58	S				
PERIOD OF RECORD	HIGHEST	350.59	APR 06, 1970	LOWEST	432.40	APR 07, 1969

SITE NUMBER 345035120162901

LOCAL NUMBER 009N032W20E01S

EAST OF LONG CANYON ROAD. UNUSED WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 638 FT. RECORDS AVAILABLE 1964, 1966-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS					
MAR 31, 1988	274.54	S				
PERIOD OF RECORD	HIGHEST	246.90	MAR 17, 1971	LOWEST	274.54	MAR 31, 1988

WATER LEVELS, SANTA BARBARA COUNTY--Continued
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
 WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345053120141501

LOCAL NUMBER 009N032W22D01S

ABOUT 0.22 MI EAST OF FOXEN ROAD. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 219 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1950, 1958, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	32.28	S			
PERIOD OF RECORD	HIGHEST	4.26	APR 10, 1979	LOWEST	44.88 JAN 05, 1978

SITE NUMBER 345035120123501

LOCAL NUMBER 009N032W23K01S

ABOUT 7600 FT EAST OF FOXEN CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 75 FT, PERFORATED 34-55 FT. ALTITUDE OF LSD 532 FT. RECORDS AVAILABLE 1940, 1943, 1950-52, 1958, 1960-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 02, 1988	18.45	S			
PERIOD OF RECORD	HIGHEST	5.90	APR 27, 1978	LOWEST	33 SEP 19, 1940

SITE NUMBER 344840120155701

LOCAL NUMBER 009N032W32K01S

IN LONG CANYON. DOMESTIC WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 720 FT. RECORDS AVAILABLE 1961, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	42.53	S			
PERIOD OF RECORD	HIGHEST	13.80	MAR 28, 1974	LOWEST	58.24 OCT 17, 1968

SITE NUMBER 344835120152701

LOCAL NUMBER 009N032W33M01S

IN LONG CANYON. STOCK WELL. DIAM 10 IN, DEPTH 120.28 FT IN 1961, 99 FT IN 1967. ALTITUDE OF LSD 745 FT. RECORDS AVAILABLE 1961, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 31, 1988	56.32	S			
PERIOD OF RECORD	HIGHEST	53.77	MAR 28, 1974	LOWEST	73.20 MAR 25, 1976

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345233120181001

LOCAL NUMBER 009N033W12C01S

ABOUT 1.2 MI SOUTHEAST OF GAREY. IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF
LSD 399 FT. RECORDS AVAILABLE 1948, 1950, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	112.37 S
PERIOD OF RECORD	HIGHEST 59.50 MAR 09, 1948 LOWEST 147.70 SEP 29, 1966

SITE NUMBER 345024120181801

LOCAL NUMBER 009N033W24L01S

NORTH OF INTERSECTION OF PALMER AND CAT CANYON ROADS. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN,
DEPTH 622 FT, CASED TO 622 FT, PERFORATED 432-600 FT. ALTITUDE OF LSD 531 FT. RECORDS
AVAILABLE 1951-57, 1961-62, 1964, 1970-71, 1973-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	201.92 S
PERIOD OF RECORD	HIGHEST 157.28 JUL 01, 1955 LOWEST 217.50 APR 13, 1961

SITE NUMBER 344936120214301

LOCAL NUMBER 009N033W28M01S

ABOUT 3.3 MI SOUTH OF ORCUTT ROAD, 800 FT WEST OF HWY 101. DRILLED STOCK WELL. DIAM 8 IN,
DEPTH 385 FT, CASED TO 318 FT, PERFORATED 188-205, 250-318 FT. ALTITUDE OF LSD 903 FT.
RECORDS AVAILABLE 1956, 1961, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1988	263.40 T
PERIOD OF RECORD	HIGHEST 198.05 APR 12, 1979 LOWEST 271.40 MAR 13, 1968

SITE NUMBER 345340120261801

LOCAL NUMBER 009N034W03A02S

ABOUT 1000 FT WEST OF ORCUTT ROAD AND 50 FT SOUTH OF LAKEVIEW ROAD. DRILLED PUBLIC SUPPLY WELL.
DIAM 16 IN, DEPTH 350 FT, PERFORATED 247-251, 258-271, 284-331 FT. ALTITUDE OF LSD 270 FT.
RECORDS AVAILABLE 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 30, 1988	189.14 S
PERIOD OF RECORD	HIGHEST 177.13 APR 09, 1986 LOWEST 235.00 OCT 08, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345324120263801

LOCAL NUMBER 009N034W03F01S

ABOUT 2700 FT WEST OF ORCUTT ROAD AND 1900 FT SOUTH OF LAKEVIEW ROAD. DRILLED PUBLIC SUPPLY WELL.
 DIAM 16 IN, DEPTH 461 FT, PERFORATED 321-327, 345-358, 368-376, 382-392, 419-449 FT.
 ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1942, 1966-67, 1969-72, 1974, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	190.62 S
PERIOD OF RECORD	HIGHEST 150.26 AUG 27, 1942 LOWEST 250.50 APR 05, 1977

SITE NUMBER 345251120270701

LOCAL NUMBER 009N034W03N01S

ABOUT 5350 FT NORTH OF MAIN STREET IN ORCUTT AND 250 FT EAST OF LOWER ORCHID ROAD. DRILLED
 PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 232 FT, PERFORATED 163-190 FT. ALTITUDE OF LSD 258 FT.
 RECORDS AVAILABLE 1932-34, 1937-42, 1945, 1947, 1955-72, 1974-75, 1977 TO 1987. WELL DESTROYED.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	W
PERIOD OF RECORD	HIGHEST 142.00 JUN 30, 1937 JUL 31, 1937 JUN 30, 1938 LOWEST 201.06 APR 01, 1970

SITE NUMBER 345330120300801

LOCAL NUMBER 009N034W06C01S

ABOUT 3 MI WEST OF SANTA MARIA. DOMESTIC WELL. DIAM 10 IN, DEPTH 300 FT. ALTITUDE OF LSD
 132 FT. RECORDS AVAILABLE 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1988	61.33 S
PERIOD OF RECORD	HIGHEST 45.98 APR 21, 1987 LOWEST 110.95 AUG 02, 1966

SITE NUMBER 345300120294101

LOCAL NUMBER 009N034W06K02S

ABOUT 970 FT NORTH OF JUNCTION OF ORCUTT-CASMALIA ROAD, 50 FT WEST OF CASMALIA HWY. DRILLED
 INDUSTRIAL WELL. DIAM 12 IN, DEPTH 139 FT. ALTITUDE OF LSD 161 FT. RECORDS AVAILABLE 1942,
 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 29, 1988	71.52 S
PERIOD OF RECORD	HIGHEST 59.22 MAR 26, 1942 LOWEST 99.67 OCT 08, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345225120283101

LOCAL NUMBER 009N034W08H01S

ABOUT 100 FT SOUTH OF ORCUTT-CASMALIA ROAD AND 5750 FT WEST OF SOUTH BLOSSER ROAD. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 222 FT. RECORDS AVAILABLE 1955 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	127.71	S			
PERIOD OF RECORD	HIGHEST	119.73	MAR 25, 1958	LOWEST	156.20 JUL 27, 1959

SITE NUMBER 345205120271801

LOCAL NUMBER 009N034W09R01S

ABOUT 0.1 MI EAST OF SOUTH BLOSSER ROAD AND 0.3 MI SOUTH OF HWY 1. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 510 FT, CASED TO 510 FT, PERFORATED 363-382, 418-458 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988	179.28	S			
PERIOD OF RECORD	HIGHEST	168.85	APR 08, 1986	LOWEST	224.89 DEC 27, 1977

SITE NUMBER 345110120263001

LOCAL NUMBER 009N034W15Q01S

ON ELKHORN GOLF COURSE NEAR ORCUTT. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 512 FT, CASED TO 512 FT, PERFORATED 385-412, 423-435 FT. ALTITUDE OF LSD 430 FT. RECORDS AVAILABLE 1961, 1964, 1966-72, 1974, 1976 TO 1988. WELL DESTROYED.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 29, 1988		W			
PERIOD OF RECORD	HIGHEST	317.10	APR 02, 1985	LOWEST	369.29 APR 27, 1978

SITE NUMBER 344836120265401

LOCAL NUMBER 009N034W34P01S

ON VANDENBERG AFB ABOUT 4 MI SOUTH OF ORCUTT. DIAM 6 IN, DEPTH 420 FT, CASED TO 240 FT, PERFORATED 100-220 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS
OCT 01, 1987	61.83	S	MAY 24, 1988	62.94	S	SEP 26, 1988	63.51 S
PERIOD OF RECORD	HIGHEST	46.60	OCT 24, 1979	LOWEST	63.51	SEP 26, 1988	

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345500119343201

LOCAL NUMBER 010N025W29K02S

ABOUT 6.5 MI EAST OF NEW CUYAMA. IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 450 FT, CASED TO 296 FT, PERFORATED 120-296 FT. ALTITUDE OF LSD 2357 FT. RECORDS AVAILABLE 1966, 1968, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 01, 1988	334.12	S
PERIOD OF RECORD	HIGHEST 121.20 DEC 11, 1968	LOWEST 334.77 APR 17, 1981

SITE NUMBER 345512119354101

LOCAL NUMBER 010N025W30F01S

ABOUT 0.85 MI SOUTH OF HWY 166 ON KIRSCHENMANN ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 212 FT IN 1970, PERFORATED 124-160, 170-187, 196-202, 229-232, 241-250, 265-268, 274-313, 332-370 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1941-56, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 02, 1988	169.84	S
PERIOD OF RECORD	HIGHEST 47.36 APR 24, 1945	LOWEST 169.84 APR 02, 1988

SITE NUMBER 345631119391501

LOCAL NUMBER 010N026W15N01S

ON RUSSELL RANCH. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 781 FT, PERFORATED 94-106, 118-124, 142-154, 172-190, 196-226, 238-244, 262-274, 286-346, 358-370, 382-388, 406-418, 430-484, 502-544 FT. ALTITUDE OF LSD 2210 FT. MEASUREMENTS 3/24/70-4/27/77 FORMERLY PUBLISHED FOR WELL 10N/26W-16Q1. RECORDS AVAILABLE 1948, 1955, 1958, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 01, 1988	171.42	S
PERIOD OF RECORD	HIGHEST 25.00 NOV , 1948	LOWEST 171.42 APR 01, 1988

SITE NUMBER 345603119411901

LOCAL NUMBER 010N026W20M01S

SOUTH OF NEW CUYAMA. DIAM 16 IN, DEPTH 790 FT, PERFORATED 350-790 FT. ALTITUDE OF LSD 2165 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 01, 1988	76.22	S
PERIOD OF RECORD	HIGHEST 58.37 APR 11, 1986	LOWEST 88.12 APR 16, 1982

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345807119433501

LOCAL NUMBER 010N027W11A03S

ABOUT 3 MI NORTHWEST OF NEW CUYAMA. UNUSED WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD 1978 FT. RECORDS AVAILABLE 1955-60, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 01, 1988	61.48	S			
PERIOD OF RECORD	HIGHEST	21.85	FEB 27, 1959	LOWEST	77.74 AUG 25, 1976

SITE NUMBER 345555120172701

LOCAL NUMBER 010N032W19E01S

ABOUT 3 MI DOWNSTREAM FROM TWITCHELL DAM. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 18 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	13.75	S			
PERIOD OF RECORD	HIGHEST	6.35	MAR 18, 1968	LOWEST	15.20 APR 05, 1977

SITE NUMBER 345554120172701

LOCAL NUMBER 010N032W19E02S

ABOUT 3 MI UP CUYAMA RIVER FROM SANTA MARIA MESA ROAD. DRILLED UNUSED WELL. DIAM 18 IN, DEPTH 78 FT, PERFORATED 35-72 FT. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1963, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	13.42	S			
PERIOD OF RECORD	HIGHEST	7.72	NOV 06, 1967	LOWEST	17.18 APR 05, 1977

SITE NUMBER 345541120173001

LOCAL NUMBER 010N032W19M01S

ABOUT 2.5 MI UP CUYAMA RIVER VALLEY FROM SANTA MARIA MESA ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 18 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1958, 1967-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	10.13	S			
PERIOD OF RECORD	HIGHEST	5.70	NOV 06, 1967	LOWEST	13.80 APR 05, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345725120235701

LOCAL NUMBER 010N033W07M01S

ABOUT 1650 FT NORTH OF MAIN STREET AND 2450 FT EAST OF SUEY ROAD. DRILLED IRRIGATION WELL.
DIAM 16 IN, DEPTH 253 FT, PERFORATED 130-146, 186-214, 218-226, 229-238 FT. ALTITUDE OF
LSD 255 FT. RECORDS AVAILABLE 1940, 1942, 1955, 1958-59, 1967-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 01, 1988	134.4	SR			
PERIOD OF RECORD	HIGHEST	58.49	APR 11, 1979	LOWEST	132.45 JAN 04, 1955

SITE NUMBER 345716120232301

LOCAL NUMBER 010N033W07Q02S

ABOUT 640 FT NORTH OF EAST MAIN STREET AND 1.12 MI EAST OF SUEY ROAD. DRILLED IRRIGATION WELL.
DIAM 14 IN, DEPTH 200 FT, PERFORATED 120-180 FT. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE
1951, 1955, 1958-59, 1970-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	126.39	S			
PERIOD OF RECORD	HIGHEST	49.38	APR 29, 1980	LOWEST	137.00 JUL 10, 1951

SITE NUMBER 345710120230801

LOCAL NUMBER 010N033W07R01S

ABOUT 35 FT NORTH OF MAIN STREET AND 4200 FT EAST OF BATTLES ROAD. DRILLED UNUSED WELL. DIAM
16 IN, DEPTH 210 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1928, 1934, 1936, 1942, 1947,
1955-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 02, 1988	120.61	S			
PERIOD OF RECORD	HIGHEST	38.05	APR 11, 1979	LOWEST	139.68 NOV 19, 1964

SITE NUMBER 345627120214201

LOCAL NUMBER 010N033W16N01S

ABOUT 0.65 MI EAST OF PHILBRIC ROAD AND 1.1 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL.
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 292 FT. RECORDS AVAILABLE 1946, 1955, 1968 TO
CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 02, 1988	95.31	ST			
PERIOD OF RECORD	HIGHEST	13.73	APR 11, 1979	LOWEST	102.76 APR 06, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345627120214401

LOCAL NUMBER 010N033W16N02S

ABOUT 0.6 MI EAST OF PHILBRIC ROAD AND 1.1 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 240 FT. ALTITUDE OF LSD 292 FT. RECORDS AVAILABLE 1952, 1955, 1958-59, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 02, 1988 98.41 SR

PERIOD OF RECORD HIGHEST 12.61 APR 11, 1979 LOWEST 118.21 APR 06, 1977

SITE NUMBER 345538120231101

LOCAL NUMBER 010N033W19K01S

ABOUT 0.25 MI NORTH OF BETTERAVIA ROAD, 30 FT NORTHEAST OF RESERVOIR. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 292 FT WHEN DRILLED, DEEPENED TO 423 FT IN 1957, PERFORATED 262-295, 305-417 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1950, 1953, 1957, 1966-72, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 149.65 S

PERIOD OF RECORD HIGHEST 106.01 APR 02, 1985 LOWEST 183.60 SEP 29, 1966

SITE NUMBER 345552120220001

LOCAL NUMBER 010N033W20H01S

ABOUT 0.5 MI EAST OF PHILBRIC ROAD AND 0.7 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 251 FT, PERFORATED 100-106, 126-132, 161-175 FT. ALTITUDE OF LSD 300 FT. REPORTED MEASUREMENTS FURNISHED BY SAN JOAQUIN POWER DIVISION OF PACIFIC GAS AND ELECTRIC COMPANY AND J.B. LIPPINCOTT ENGINEERING OFFICES. RECORDS AVAILABLE 1929-40, 1942, 1950, 1955, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 104.46 S

PERIOD OF RECORD HIGHEST 51.10 APR 29, 1980 LOWEST 136.99 APR 25, 1962

SITE NUMBER 345547120222301

LOCAL NUMBER 010N033W20L01S

ABOUT 30 FT WEST OF SISQUOC ROAD AND 225 FT SOUTH OF OLD RAILROAD TRACKS. IRRIGATION WELL. DIAM 16 IN, DEPTH 300 FT, PERFORATED 95-105, 114-130, 148-160, 264-278 FT. ALTITUDE OF LSD 294 FT. RECORDS AVAILABLE 1937, 1942, 1950, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 139.22 S

PERIOD OF RECORD HIGHEST 63.04 JAN 22, 1970 LOWEST 172.30 JUN 27, 1961

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345449120200501

LOCAL NUMBER 010N033W27K02S

ABOUT 1.45 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 95-110, 138-156 FT. ALTITUDE OF LSD 344 FT. RECORDS AVAILABLE 1933, 1936, 1938-39, 1941, 1943, 1947, 1950, 1955-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	97.89	S			
PERIOD OF RECORD	HIGHEST	34.18	APR 02, 1970	LOWEST	127.70 DEC 27, 1961

SITE NUMBER 345433120194401

LOCAL NUMBER 010N033W27R01S

ABOUT 1.9 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 130-224 FT. ALTITUDE OF LSD 352 FT. RECORDS AVAILABLE 1926, 1937-39, 1942-43, 1947, 1949-50, 1955, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	102.57	S			
PERIOD OF RECORD	HIGHEST	35.50	MAY 21, 1943	LOWEST	120.50 AUG 09, 1950

SITE NUMBER 345500120211901

LOCAL NUMBER 010N033W28F01S

ABOUT 0.6 MI SOUTH OF GATES. IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 149-154, 170-175, 196-216, 238-248, 291-311, 320-326, 342-348 FT. ALTITUDE OF LSD 316 FT. RECORDS AVAILABLE 1933, 1936-37, 1942, 1947, 1949-50, 1955, 1958, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	145.63	S			
PERIOD OF RECORD	HIGHEST	72.50	JAN 29, 1942	LOWEST	197.90 SEP 29, 1966

SITE NUMBER 345459120222301

LOCAL NUMBER 010N033W29F01S

ABOUT 1.2 MI SOUTHWEST OF GATES. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 315 FT. RECORDS AVAILABLE 1958-59, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 30, 1988	167.9	S			
PERIOD OF RECORD	HIGHEST	137.03	APR 02, 1985	LOWEST	216.95 SEP 29, 1966

WATER LEVELS, SANTA BARBARA COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345406120204901

LOCAL NUMBER 010N033W33H01S

IN BRADLEY CANYON. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 290 FT, PERFORATED 204-232, 245-250, 270-280 FT. ALTITUDE OF LSD 402 FT. RECORDS AVAILABLE 1929, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 216.2 S

PERIOD OF RECORD HIGHEST 179.50 JAN 29, 1947 LOWEST 264.30 SEP 28, 1965

SITE NUMBER 345426120191501

LOCAL NUMBER 010N033W35C01S

ABOUT 1.2 MI NORTH OF GAREY. DRILLED IRRIGATION WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 348 FT. RECORDS AVAILABLE 1947, 1955, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 70.82 S

PERIOD OF RECORD HIGHEST 3.55 MAR 19, 1968 LOWEST 80.55 MAR 13, 1972

SITE NUMBER 345423120175001

LOCAL NUMBER 010N033W36A01S

ABOUT 3 MI NORTH OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 16 IN, DEPTH 162 FT, PERFORATED 30-76 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1939-42, 1951-53, 1958-59, 1966-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 32.24 S

PERIOD OF RECORD HIGHEST 7.05 JAN 20, 1942 LOWEST 32.24 MAR 30, 1988

SITE NUMBER 345657120242901

LOCAL NUMBER 010N034W13C01S

WEST OF SUEY, 0.25 MI SOUTH OF MAIN STREET. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 209 FT, PERFORATED 125-175, 182-204 FT. ALTITUDE OF LSD 249 FT. RECORDS AVAILABLE 1927, 1929-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 02, 1988 139.75 S

PERIOD OF RECORD HIGHEST 86.30 MAY 10, 1984 LOWEST 190.80 OCT 08, 1953

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345644120241801

LOCAL NUMBER 010N034W13G01S

ABOUT 1.7 MI EAST-SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 136-160, 165-170, 344-360, 363-373, 390-395 FT. ALTITUDE OF LSD 253 FT. RECORDS AVAILABLE 1933-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 02, 1988	137.01	S
PERIOD OF RECORD	HIGHEST 89.50	APR 01, 1970 LOWEST 158.40 MAR 25, 1976

SITE NUMBER 345635120235901

LOCAL NUMBER 010N034W13J01S

ABOUT 0.3 MI NORTH OF INTERSECTION OF ROSEMARY AND STOWELL ROADS. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 308 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1947-52, 1955, 1959, 1967-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 31, 1988	131.48	S
PERIOD OF RECORD	HIGHEST 85.74	MAY 11, 1984 LOWEST 171.00 AUG 08, 1947

SITE NUMBER 345649120255201

LOCAL NUMBER 010N034W14E05S

IN SANTA MARIA. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 322 FT, PERFORATED 150-188, 312-322 FT. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1951, 1955, 1957, 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS		DATE	WATER LEVEL MS	
OCT 26, 1987	126.69	TV	JAN 26, 1988	126.58	SV	APR 28, 1988	131.15	R	JUL 30, 1988	133.66	R
NOV 24	127.60	TV	FEB 24	129.25	R	MAY 27	133.0	R	AUG 29	135.17	R
DEC 22	128.18	TV	MAR 15	129.75	R	JUN 30	132.0	R	SEP 30	131.58	R
PERIOD OF RECORD	HIGHEST 96.36	JAN 25, 1985	LOWEST 177.92	MAR 23, 1978							

SITE NUMBER 345358120295401

LOCAL NUMBER 010N034W31L02S

ABOUT 1.4 MI SOUTH OF BETTERAVIA ROAD AND 0.5 MI WEST OF MAHONEY ROAD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 140 FT, CASED TO 140 FT, PERFORATED 120-140 FT. ALTITUDE OF LSD 175 FT. RECORDS AVAILABLE 1955, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
MAR 29, 1988	95.88	S
PERIOD OF RECORD	HIGHEST 91.27	APR 08, 1986 LOWEST 139.22 OCT 08, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345459120250301

LOCAL NUMBER 010N034W26H02S

ABOUT 50 FT SOUTH OF PRELL ROAD AND 75 FT WEST OF BRADLEY ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1957-59, 1966-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 30, 1988 170.98 S

PERIOD OF RECORD HIGHEST 153.47 APR 03, 1985 LOWEST 212.00 MAR 22, 1967

SITE NUMBER 345751120340001

LOCAL NUMBER 010N035W09F01S

ABOUT 0.6 MI NORTHEAST OF GUADALUPE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 198 FT, PERFORATED 228-240 FT. ALTITUDE OF LSD 88 FT. RECORDS AVAILABLE 1930, 1933, 1935-36, 1938-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 43.43 S

PERIOD OF RECORD HIGHEST 13.74 FEB 29, 1944 LOWEST 74.24 JUL 24, 1964

SITE NUMBER 345624120320901

LOCAL NUMBER 010N035W14P01S

ABOUT 1500 FT NORTH OF CORRALILLOS CANYON ROAD AND 6500 FT WEST OF INTERSECTION WITH BETTERAVIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 320 FT, PERFORATED 96-103, 129-132, 151-158, 180-193, 280-310 FT. ALTITUDE OF LSD 122 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 59.64 S

PERIOD OF RECORD HIGHEST 41.72 APR 07, 1986 LOWEST 59.64 MAR 28, 1988

SITE NUMBER 345659120362002

LOCAL NUMBER 010N035W18F02S

ABOUT 0.8 MI SOUTH OF MAIN STREET, 1.8 MI WEST OF HWY1. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 360 FT, PERFORATED 143-180, 236-251 FT. ALTITUDE OF LSD 49 FT. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 28, 1988 13.84 S

PERIOD OF RECORD HIGHEST 3.38 APR 08, 1986 LOWEST 29.13 OCT 07, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 345544120322501

LOCAL NUMBER 010N035W23M02S

ABOUT 3 MI SOUTHEAST OF GUADALUPE. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 180 FT. ALTITUDE OF LSD 125 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
APR 01, 1988	57.41	S			
PERIOD OF RECORD	HIGHEST	38.83	APR 07, 1986	LOWEST	98.00 SEP 15, 1966

SITE NUMBER 345538120304801

LOCAL NUMBER 010N035W24Q01S

ABOUT 0.65 MI NORTH OF BETTERAVIA ROAD AND 0.1 MI WEST OF SINTON ROAD. STOCK WELL. DIAM 12 IN, DEPTH 310 FT. ALTITUDE OF LSD 162 FT. RECORDS AVAILABLE 1958, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	89.9	S			
PERIOD OF RECORD	HIGHEST	77.66	APR 08, 1986	LOWEST	123.20 APR 09, 1973

SITE NUMBER 345406120313501

LOCAL NUMBER 010N035W35J02S

ABOUT 2 MI WEST ON HWY 1 FROM BLACK ROAD, 85 FT NORTH OF HWY 1. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 760 FT, PERFORATED 580-660, 730-750 FT. ALTITUDE OF LSD 110 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS				
MAR 28, 1988	30.18	S			
PERIOD OF RECORD	HIGHEST	12.29	APR 01, 1985	LOWEST	54.52 JAN 31, 1978

SITE NUMBER 345724120374101

LOCAL NUMBER 010N036W12P01S

ABOUT 2.85 MI NORTHEAST OF MUSSEL POINT. DRILLED DOMESTIC WELL. DIAM 4 IN, DEPTH 172 FT. ALTITUDE OF LSD 28 FT. RECORDS AVAILABLE 1942, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS				
MAR 28, 1988	+0.37	S			
PERIOD OF RECORD	HIGHEST	+2.78	FEB 27, 1962	LOWEST	7.50 OCT 09, 1968

WATER QUALITY, SANTA BARBARA COUNTY

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
004N027W07D01S	06-15-88	1120	--	1350	7.30	22.0	580	280	140
004N027W07G07S	06-15-88	1410	--	1440	7.10	20.0	650	380	160
004N027W07H05S	06-15-88	1305	--	1190	7.10	19.5	560	220	160
004N027W08L03S	06-15-88	0905	--	936	6.90	23.0	380	140	98
004N027W08R02S	06-21-88	1605	110.06	1010	6.70	19.0	550	330	150
004N027W16R01S	06-22-88	1015	60.29	942	7.40	23.0	310	0	88
004N027W17J01S	06-21-88	1405	45.38	672	7.00	22.0	310	66	80
004N027W17M01S	09-16-88	1515	--	--	--	--	460	160	120
004N027W18C02S	11-10-87	1130	--	1790	8.40	19.5	830	250	220
004N027W18C03S	11-10-87	1010	--	3550	7.30	22.5	1300	1100	440
004N027W18Q04S	06-15-88	1015	--	1210	7.20	20.0	580	200	160
004N027W22A02S	11-10-87	1445	--	610	6.60	21.0	160	4	47
004N027W22A03S	11-10-87	1550	--	710	7.20	20.5	270	34	70
004N027W22A04S	11-10-87	1345	--	768	6.90	24.5	310	56	86
004N027W22B02S	06-13-88	1300	3.08	752	6.90	22.5	390	190	100
004N027W22B03S	06-13-88	1530	1.87	480	7.40	21.0	130	0	27
004N027W22B04S	06-13-88	1400	3.10	1680	8.00	--	120	0	15
004N027W22B05S	06-13-88	1135	3.47	2300	8.40	23.5	330	0	85
004N027W22G02S	10-08-87	1425	27.47	890	6.60	20.0	--	0	--
004N027W22G02S	10-08-87	1515	--	--	--	--	350	160	89
004N027W22G03S	10-08-87	1425	31.81	686	6.40	20.5	290	70	78
004N027W22G04S	10-08-87	1215	53.79	790	7.80	22.0	330	21	93
004N027W23D01S	06-21-88	1050	F	558	6.70	21.0	230	50	58
004N027W23E01S	11-02-87	1125	11.37	13200	6.80	22.5	--	--	--
004N027W23E01S	01-13-88	1310	1.23	16400	6.60	22.5	--	--	--
004N027W23E01S	04-12-88	1400	15.29	16300	6.80	23.0	--	--	--
004N027W23E01S	06-08-88	1405	2.07	15900	7.00	23.0	--	--	--
004N027W23E01S	08-31-88	1200	+0.80	723	6.60	23.0	--	--	--
004N027W23E02S	11-02-87	1155	11.43	12800	6.80	22.5	--	--	--
004N027W23E02S	01-13-88	1230	0.31	14500	6.70	22.5	--	--	--
004N027W23E02S	04-12-88	1330	14.39	15300	6.80	22.0	--	--	--
004N027W23E02S	06-08-88	1415	1.48	15200	6.70	22.5	--	--	--
004N027W23E02S	08-31-88	1240	F	15100	6.60	23.0	--	--	--
004N027W23E03S	11-02-87	1245	8.16	624	7.00	20.5	--	--	--
004N027W23E03S	01-13-88	1130	1.01	617	6.90	19.5	--	--	--
004N027W23E03S	04-12-88	1150	21.98	632	7.00	20.5	--	--	--
004N027W23E03S	06-08-88	1500	F	640	6.80	20.5	--	--	--
004N027W23E03S	08-31-88	1130	F	588	7.00	21.0	--	--	--
004N027W23E04S	11-02-87	1035	1.69	679	7.00	20.0	--	--	--
004N027W23E04S	01-13-88	1050	+0.50	660	6.80	20.0	--	--	--
004N027W23E04S	04-12-88	1130	2.71	695	7.00	20.5	--	--	--
004N027W23E04S	06-08-88	1520	+0.40	700	7.10	20.0	--	--	--
004N027W23E04S	08-31-88	1025	F	671	7.00	20.5	--	--	--
004N027W23E05S	11-03-87	1610	12.27	5230	6.70	22.5	--	--	--
004N027W23E05S	01-15-88	1145	2.60	8600	6.40	22.0	--	--	--
004N027W23E05S	02-08-88	1100	1.62	8900	6.10	22.0	3500	3300	920
004N027W23E05S	04-13-88	1135	16.23	9190	6.80	23.5	--	--	--
004N027W23E05S	06-08-88	1040	2.50	7480	6.60	22.5	--	--	--
004N027W23E05S	09-14-88	1015	F	7880	6.40	21.5	--	--	--
004N027W23E06S	11-03-87	1540	15.21	716	7.40	22.5	--	--	--
004N027W23E06S	01-15-88	1045	0.10	639	7.20	22.5	--	--	--
004N027W23E06S	02-08-88	1130	0.24	737	7.40	22.0	300	32	83
004N027W23E06S	04-13-88	1035	21.34	725	7.50	22.5	--	--	--
004N027W23E06S	06-08-88	0955	1.67	779	7.30	22.0	--	--	--
004N027W23E06S	09-14-88	1015	F	718	7.30	21.5	--	--	--

F Flowing.

+ Indicates water level above land surface.

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
004N027W07D01S	56	97	27	2	2.6	300	330	110	0.70
004N027W07G07S	62	88	23	2	2.1	275	360	110	0.60
004N027W07H05S	39	64	20	1	1.8	344	280	58	0.40
004N027W08L03S	32	60	26	1	1.7	237	190	43	0.40
004N027W08R02S	43	55	18	1	0.90	221	320	72	0.40
004N027W16R01S	23	110	43	3	2.2	328	120	110	0.60
004N027W17J01S	26	44	24	1	1.1	241	100	47	0.50
004N027W17M01S	38	86	29	2	1.4	--	150	110	0.40
004N027W18C02S	68	110	22	2	1.9	580	310	110	0.40
004N027W18C03S	48	490	45	6	11	204	1900	190	0.40
004N027W18Q04S	43	72	21	1	2.0	375	220	91	0.40
004N027W22A02S	11	69	47	2	3.2	--	110	40	0.50
004N027W22A03S	24	64	34	2	2.0	240	140	22	0.30
004N027W22A04S	24	49	25	1	1.8	258	130	26	0.20
004N027W22B02S	35	47	21	1	1.6	201	110	100	0.50
004N027W22B03S	16	40	39	2	1.5	263	37	22	0.30
004N027W22B04S	19	370	87	15	4.7	162	1.6	530	0.70
004N027W22B05S	28	710	82	18	6.6	338	9.0	1100	1.0
004N027W22G02S	--	--	--	--	--	--	--	--	--
004N027W22G02S	31	60	27	1	2.1	--	110	75	0.50
004N027W22G03S	23	46	26	1	1.8	220	110	18	0.40
004N027W22G04S	23	57	27	1	2.0	306	100	22	0.30
004N027W23D01S	20	41	28	1	1.2	177	98	21	0.40
004N027W23E01S	--	--	--	--	--	--	--	5200	--
004N027W23E01S	--	--	--	--	--	--	--	4600	--
004N027W23E01S	--	--	--	--	--	--	--	5300	--
004N027W23E01S	--	--	--	--	--	--	--	5200	--
004N027W23E01S	--	--	--	--	--	--	--	4900	--
004N027W23E02S	--	--	--	--	--	--	--	5100	--
004N027W23E02S	--	--	--	--	--	--	--	4100	--
004N027W23E02S	--	--	--	--	--	--	--	4700	--
004N027W23E02S	--	--	--	--	--	--	--	5000	--
004N027W23E02S	--	--	--	--	--	--	--	4800	--
004N027W23E03S	--	--	--	--	--	--	--	31	--
004N027W23E03S	--	--	--	--	--	--	--	31	--
004N027W23E03S	--	--	--	--	--	--	--	30	--
004N027W23E03S	--	--	--	--	--	--	--	28	--
004N027W23E04S	--	--	--	--	--	--	--	51	--
004N027W23E04S	--	--	--	--	--	--	--	45	--
004N027W23E04S	--	--	--	--	--	--	--	47	--
004N027W23E04S	--	--	--	--	--	--	--	47	--
004N027W23E04S	--	--	--	--	--	--	--	45	--
004N027W23E05S	--	--	--	--	--	--	--	2300	--
004N027W23E05S	--	--	--	--	--	--	--	2600	--
004N027W23E05S	280	300	16	2	6.4	114	380	2900	0.10
004N027W23E05S	--	--	--	--	--	--	--	2800	--
004N027W23E05S	--	--	--	--	--	--	--	2400	--
004N027W23E05S	--	--	--	--	--	--	--	2600	--
004N027W23E06S	--	--	--	--	--	--	--	22	--
004N027W23E06S	--	--	--	--	--	--	--	18	--
004N027W23E06S	22	48	26	1	2.3	266	110	16	0.30
004N027W23E06S	--	--	--	--	--	--	--	27	--
004N027W23E06S	--	--	--	--	--	--	--	34	--
004N027W23E06S	--	--	--	--	--	--	--	16	--

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
004N027W07D01S	30	1020	955	2.00	0.030	0.09	180	23	12
004N027W07G07S	29	1060	1030	11.0	0.040	0.12	130	13	<1
004N027W07H05S	30	860	888	11.0	0.050	0.15	90	9	<1
004N027W08L03S	40	842	612	1.10	0.050	0.15	80	17	34
004N027W08R02S	32	811	825	4.20	0.070	0.21	70	20	4
004N027W16R01S	33	648	684	<0.100	0.050	0.15	690	90	67
004N027W17J01S	36	481	481	0.100	0.060	0.18	50	640	230
004N027W17M01S	25	747	711	<0.100	0.030	0.09	150	450	330
004N027W18C02S	24	1140	1260	16.0	0.060	0.18	230	15	45
004N027W18C03S	3.7	3360	3210	<0.100	<0.100	--	1100	50	240
004N027W18Q04S	30	812	845	<0.100	0.040	0.12	130	1200	710
004N027W22A02S	31	401	409	0.120	0.300	0.92	50	31	7
004N027W22A03S	36	677	505	<0.100	0.810	2.5	70	31	<1
004N027W22A04S	36	487	508	<0.100	0.030	0.09	60	450	180
004N027W22B02S	36	596	604	12.0	0.040	0.12	50	360	33
004N027W22B03S	18	279	320	<0.100	0.010	0.03	40	110	19
004N027W22B04S	2.6	1020	1040	0.120	0.020	0.06	2800	20	<10
004N027W22B05S	29	2130	2180	0.120	0.030	0.09	6100	120	20
004N027W22G02S	--	--	--	--	--	--	--	--	--
004N027W22G02S	38	570	562	10.0	0.090	0.28	50	10	50
004N027W22G03S	38	440	448	0.120	0.090	0.28	40	<10	50
004N027W22G04S	37	512	518	<0.100	0.070	0.21	60	50	220
004N027W23D01S	40	381	387	0.260	0.100	0.31	40	150	4
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	43	5310	4900	<0.100	0.020	0.06	50	130	70
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	39	470	481	<0.100	0.070	0.21	40	140	280
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--

< Actual value is known to be less than the value shown.

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)
004N027W23F02S	11-03-87	1240	5.76	588	7.00	20.5	--	--	--
004N027W23F02S	01-12-88	1345	F	658	7.00	20.0	--	--	--
004N027W23F02S	02-10-88	1300	F	780	6.90	20.0	320	140	86
004N027W23F02S	04-14-88	0950	15.38	580	6.90	20.0	--	--	--
004N027W23F02S	06-09-88	1015	F	702	6.80	20.5	--	--	--
004N027W23F02S	09-01-88	1030	F	702	6.80	20.5	--	--	--
004N027W23F03S	11-03-87	1340	7.28	787	7.10	21.0	--	--	--
004N027W23F03S	01-12-88	1400	+1.74	721	6.80	20.0	--	--	--
004N027W23F03S	02-10-88	1130	+2.34	860	7.00	22.0	300	110	79
004N027W23F03S	04-14-88	1130	11.97	880	6.90	22.0	--	--	--
004N027W23F03S	06-09-88	1200	+1.47	822	6.90	22.5	--	--	--
004N027W23F03S	09-01-88	1100	F	1210	6.80	20.0	--	--	--
004N027W23F04S	11-03-87	1550	14.55	30400	6.40	22.5	5300	5200	1100
004N027W23F04S	01-12-88	1430	5.65	30800	6.60	21.5	--	--	--
004N027W23F04S	02-10-88	1200	5.13	32200	6.90	22.5	5200	5000	1100
004N027W23F04S	04-14-88	1045	16.94	31700	6.70	20.0	--	--	--
004N027W23F04S	06-09-88	1140	6.07	31800	6.60	23.0	--	--	--
004N027W23F04S	09-01-88	1140	3.49	32800	6.40	23.0	--	--	--
004N027W23F04S	09-01-88	1205	--	32800	6.40	23.0	--	--	--
004N027W23F05S	10-01-87	1215	7.11	2130	7.00	21.0	--	--	--
004N027W23F05S	11-09-87	1400	2.38	2040	6.60	21.5	360	150	77
004N027W23F05S	01-12-88	1100	1.99	14600	6.90	23.0	--	--	--
004N027W23F05S	02-09-88	1430	2.52	19000	6.90	22.0	2700	2600	530
004N027W23F05S	04-15-88	1200	6.42	5710	6.80	21.0	--	--	--
004N027W23F05S	06-09-88	1530	2.63	12200	6.80	21.0	--	--	--
004N027W23F05S	09-01-88	1500	1.74	658	6.80	21.0	--	--	--
004N027W23F05S	09-01-88	1515	1.76	20300	6.60	22.0	--	--	--
004N027W23F06S	10-01-87	1315	13.69	1510	--	20.5	--	--	--
004N027W23F07S	10-01-87	1115	37.30	617	7.20	21.5	--	--	--
004N027W23F07S	11-02-87	1510	9.76	606	7.00	20.5	--	--	--
004N027W23F07S	01-12-88	1215	F	603	6.80	21.0	--	--	--
004N027W23F07S	02-09-88	1345	F	665	6.90	20.0	270	83	70
004N027W23F07S	04-15-88	1045	17.03	645	6.90	21.0	--	--	--
004N027W23F07S	06-09-88	1500	F	638	6.90	20.5	--	--	--
004N027W23F07S	09-01-88	1500	F	658	6.80	--	--	--	--
004N027W23H03S	11-03-87	1050	2.41	9650	6.80	19.5	--	--	--
004N027W23H03S	01-13-88	1550	0.05	3800	6.80	19.5	--	--	--
004N027W23H03S	04-13-88	1455	5.49	12900	6.80	19.0	--	--	--
004N027W23H03S	06-10-88	1050	+0.32	6670	7.10	19.5	--	--	--
004N027W23H03S	08-31-88	1525	F	5240	6.80	21.0	--	--	--
004N027W23H04S	11-03-87	1005	0.99	1500	7.00	19.0	--	--	--
004N027W23H04S	01-13-88	1515	1.51	1560	6.80	23.0	--	--	--
004N027W23H04S	04-13-88	1400	2.14	1380	7.00	19.0	--	--	--
004N027W23H04S	06-10-88	1040	0.74	1630	7.00	19.5	--	--	--
004N027W23H04S	08-31-88	1500	0.10	1400	6.90	21.0	--	--	--
004N028W12H03S	07-22-88	1035	--	1340	7.20	22.0	610	0	150
006N029W08P02S	07-22-88	1520	--	598	7.50	22.0	300	0	51
007N030W33M01S	07-22-88	1235	--	748	7.70	21.0	400	34	31
007N030W34G01S	07-22-88	1350	--	860	7.70	19.5	460	0	39
007N034W19C03S	07-25-88	1435	--	1390	6.60	--	--	--	--
007N034W19C04S	07-26-88	0830	--	843	8.30	19.5	--	--	--
007N034W19J06S	06-22-88	0830	--	1710	7.10	20.5	590	260	170
007N034W20K06S	06-22-88	0950	--	1040	7.20	21.5	410	160	120
007N034W20L03S	06-22-88	0910	--	1270	7.20	21.5	450	170	130
007N034W27P05S	07-20-88	1450	--	1820	7.10	18.0	1000	570	220

F Flowing.

+ Indicates water level above land surface.

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WAT WH TOT FET FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
004N027W23F02S	--	--	--	--	--	--	--	20	--
004N027W23F02S	--	--	--	--	--	--	--	49	--
004N027W23F02S	26	41	22	1	1.6	184	100	--	0.40
004N027W23F02S	--	--	--	--	--	--	--	19	--
004N027W23F02S	--	--	--	--	--	--	--	78	--
004N027W23F02S	--	--	--	--	--	--	--	78	--
004N027W23F03S	--	--	--	--	--	--	--	58	--
004N027W23F03S	--	--	--	--	--	--	--	72	--
004N027W23F03S	26	61	30	2	2.1	194	140	76	0.30
004N027W23F03S	--	--	--	--	--	--	--	110	--
004N027W23F03S	--	--	--	--	--	--	--	140	--
004N027W23F03S	--	--	--	--	--	--	--	210	--
004N027W23F04S	620	5700	70	35	15	--	1700	11000	0.10
004N027W23F04S	--	--	--	--	--	--	--	11000	--
004N027W23F04S	590	4700	66	29	21	140	1800	11000	0.10
004N027W23F04S	--	--	--	--	--	--	--	11000	--
004N027W23F04S	--	--	--	--	--	--	--	10000	--
004N027W23F04S	--	--	--	--	--	--	--	10000	--
004N027W23F04S	--	--	--	--	--	--	--	11000	--
004N027W23F05S	--	--	--	--	--	--	--	640	--
004N027W23F05S	40	160	49	4	1.7	--	120	300	0.60
004N027W23F05S	--	--	--	--	--	--	--	4600	--
004N027W23F05S	330	2800	69	24	13	155	930	3000	0.20
004N027W23F05S	--	--	--	--	--	--	--	1400	--
004N027W23F05S	--	--	--	--	--	--	--	3100	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	6900	--
004N027W23F06S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	31	--
004N027W23F07S	--	--	--	--	--	--	--	25	--
004N027W23F07S	--	--	--	--	--	--	--	32	--
004N027W23F07S	22	41	25	1	1.6	183	100	43	0.40
004N027W23F07S	--	--	--	--	--	--	--	40	--
004N027W23F07S	--	--	--	--	--	--	--	34	--
004N027W23F07S	--	--	--	--	--	--	--	61	--
004N027W23H03S	--	--	--	--	--	--	--	4500	--
004N027W23H03S	--	--	--	--	--	--	--	1400	--
004N027W23H03S	--	--	--	--	--	--	--	4000	--
004N027W23H03S	--	--	--	--	--	--	--	1500	--
004N027W23H03S	--	--	--	--	--	--	--	1500	--
004N027W23H04S	--	--	--	--	--	--	--	330	--
004N027W23H04S	--	--	--	--	--	--	--	300	--
004N027W23H04S	--	--	--	--	--	--	--	300	--
004N027W23H04S	--	--	--	--	--	--	--	330	--
004N027W23H04S	--	--	--	--	--	--	--	270	--
004N028W12H03S	58	97	26	2	2.0	1490	400	78	0.40
006N029W08F02S	43	24	15	0.6	1.5	315	5.6	25	0.20
007N030W33M01S	78	25	12	0.6	1.7	--	23	39	0.20
007N030W34G01S	89	28	12	0.6	1.0	464	37	35	0.10
007N034W19C03S	--	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	99	--	--	--
007N034W19J06S	40	140	34	3	6.2	330	250	240	0.30
007N034W20K06S	27	71	27	2	3.4	254	160	120	0.30
007N034W20L03S	30	110	35	2	4.3	280	150	190	0.20
007N034W27P05S	110	110	19	2	5.2	434	610	130	0.40

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	38	487	--	<0.100	0.060	0.18	40	4	3
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	41	542	542	<0.100	0.060	0.18	40	27	51
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	36	20800	20200	<0.100	0.030	0.09	1500	280	180
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	37	20800	19300	<0.100	0.050	0.15	1400	230	180
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	39	849	862	<0.100	0.070	0.21	180	26	34
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	39	11800	7750	<0.100	0.070	0.21	190	160	190
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F06S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	39	427	427	<0.100	0.080	0.25	40	12	10
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N028W12H03S	30	963	1720	1.40	0.040	0.12	190	7	1
006N029W08P02S	39	375	385	1.60	0.020	0.06	40	10	<1
007N030W33M01S	43	432	471	2.60	0.050	0.15	90	7	<1
007N030W34G01S	41	489	556	1.60	0.080	0.25	110	8	<1
007N034W19C03S	--	--	--	--	--	--	--	--	--
007N034W19C04S	--	--	--	--	--	--	--	--	--
007N034W19J06S	46	1120	1090	<0.100	0.070	0.21	350	270	540
007N034W20K06S	46	708	701	0.160	0.070	0.21	170	300	310
007N034W20L03S	49	889	833	<0.100	0.100	0.31	320	290	420
007N034W27P05S	40	1550	1490	<0.100	<0.010	--	500	2200	880

< Actual value is known to be less than the value shown.

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS TOTAL (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD MG/L AS CACO3	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
007N035W17G01S	09-28-88	1545	6.32	4210	7.30	22.0	1000	370	140	160
007N035W17K20S	06-23-88	1230	15.88	5290	7.40	19.0	1200	810	200	170
007N035W17Q06S	06-23-88	1430	9.95	10700	7.30	19.5	2200	1700	290	350
007N035W21G02S	06-23-88	1645	11.99	2360	7.40	19.0	1300	720	270	140
007N035W23B02S	04-15-88	0950	--	--	--	--	300	160	69	32
007N035W23B02S	06-24-88	0835	18.86	1280	7.80	16.0	310	110	70	32
007N035W24K05S	07-25-88	1030	--	1820	5.20	--	440	280	110	41
007N035W26F04S	07-20-88	1600	--	2300	7.20	18.5	1300	850	260	150
007N035W33J02S	04-15-88	1345	--	717	--	17.5	--	--	--	--
007N035W33J02S	06-22-88	1100	--	687	6.70	18.0	160	50	34	19
007N035W33J04S	06-22-88	1130	--	1060	6.90	19.0	410	220	110	34
008N032W27H01S	06-21-88	1040	--	973	7.40	24.0	410	130	94	43
008N032W27F02S	06-21-88	0950	--	522	7.00	20.0	170	42	39	17
008N032W29L03S	06-21-88	1200	69.13	475	6.40	18.5	140	62	31	14
008N033W19G02S	06-21-88	1500	--	1450	7.40	19.0	500	100	100	60
008N033W22E01S	06-21-88	1335	--	1270	7.00	23.0	510	260	140	39
008N033W24B02S	06-22-88	1530	--	583	6.90	20.0	160	88	38	16
008N034W02M01S	08-17-88	1710	--	1180	7.30	23.0	290	69	70	28
008N034W24E01S	06-21-88	1545	--	1330	7.10	18.0	480	190	120	45
008N035W12M01S	06-24-88	1100	15.28	5260	6.80	19.0	720	0	160	79
009N024W33M01S	07-19-88	1055	--	1010	7.40	23.0	180	0	56	8.7
009N032W08N01S	07-20-88	0915	--	996	7.30	17.5	470	300	95	57
010N025W22E02S	07-19-88	1210	--	2030	7.20	18.0	1200	1000	290	110
010N026W09R03S	07-19-88	1425	--	2000	7.20	19.0	1200	1100	300	110
010N026W21G01S	07-19-88	1330	--	1840	7.50	24.0	850	720	230	67
010N033W20F01S	07-19-88	1650	--	1250	7.30	17.5	570	360	130	59
010N034W26H02S	07-20-88	0800	--	1820	7.10	18.0	810	570	160	99
010N034W29N01S	07-20-88	1040	--	1000	7.20	18.5	440	260	95	49
010N035W14D03S	07-20-88	1150	--	1810	7.30	18.0	800	530	180	85

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	SODIUM PERCENT	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT WH TOT FET FIELD MG/L AS CAO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)
007N035W17G01S	910	66	13	21	644	250	1500	0.10	44
007N035W17K20S	740	57	9	22	386	420	1300	0.40	38
007N035W17Q06S	2200	68	21	44	507	1100	3900	0.60	35
007N035W21G02S	200	26	3	8.7	534	600	460	0.30	41
007N035W23B02S	180	56	5	1.8	--	250	230	0.30	25
007N035W23B02S	180	56	5	1.9	192	240	220	0.60	28
007N035W24K05S	190	48	4	8.5	161	230	300	0.20	42
007N035W26F04S	170	22	2	7.0	414	720	300	0.20	43
007N035W33J02S	--	--	--	--	--	--	--	--	--
007N035W33J02S	77	50	3	2.8	113	39	130	0.40	34
007N035W33J04S	72	27	2	4.1	192	120	180	0.10	50
008N032W27H01S	70	27	2	2.5	279	240	31	0.50	37
008N032W27P02S	41	34	1	2.3	126	42	61	0.30	55
008N032W29L03S	38	37	1	2.3	73	63	57	0.30	57
008N033W19G02S	150	39	3	3.6	394	270	130	0.09	39
008N033W22E01S	79	25	2	3.2	248	110	170	0.30	48
008N033W24B02S	46	38	2	2.7	73	81	82	0.20	68
008N034W02M01S	120	47	3	7.3	221	120	160	0.20	51
008N034W24E01S	130	37	3	4.8	297	210	160	0.10	44
008N035W12M01S	1100	76	18	20	1360	1.7	1200	0.30	36
009N024W33M01S	160	66	5	2.2	238	170	82	0.60	25
009N032W08N01S	51	19	1	2.1	177	360	24	0.40	24
010N025W22E02S	96	15	1	4.3	140	1100	25	0.60	18
010N026W09R03S	99	15	1	4.2	150	1200	19	0.40	22
010N026W21G01S	140	26	2	5.5	127	980	11	0.30	64
010N033W20F01S	79	23	1	3.4	--	460	42	0.50	27
010N034W26H02S	95	20	1	3.7	--	640	100	0.30	29
010N034W29N01S	53	21	1	2.4	180	270	61	0.20	35
010N035W14D03S	110	23	2	4.2	271	530	170	0.40	31

WATER QUALITY, SANTA BARBARA COUNTY--Continued

INORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHOROUS ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
007N035W17G01S	3490	3410	<0.100	--	0.010	0.03	1500	670	560
007N035W17K20S	3410	3130	<0.100	--	0.330	1.0	440	4700	790
007N035W17Q06S	8440	8240	<0.100	--	0.810	2.5	1600	7800	610
007N035W21G02S	2020	2050	<0.100	--	0.200	0.61	310	3000	1300
007N035W23B02S	--	875	<0.100	0.100	--	--	260	19	440
007N035W23B02S	911	889	<0.100	--	0.120	0.37	270	600	440
007N035W24K05S	--	1020	<0.100	2.50	--	--	370	160	200
007N035W26F04S	2660	1900	<0.100	--	0.050	0.15	340	2000	1500
007N035W33J02S	--	--	--	--	--	--	--	--	--
007N035W33J02S	404	414	2.20	--	0.140	0.43	80	<11	<1
007N035W33J04S	675	686	0.200	--	0.040	0.12	60	26	50
008N032W27H01S	691	686	<0.100	--	<0.010	--	120	76	24
008N032W27P02S	327	337	0.910	--	0.040	0.12	80	13	29
008N032W29L03S	314	317	1.90	--	0.760	2.3	90	<8	7
008N033W19G02S	995	1010	4.00	--	0.230	0.71	420	11	2
008N033W22E01S	777	818	18.0	--	0.020	0.06	120	10	4
008N033W24B02S	400	396	3.90	--	0.320	0.98	90	50	8
008N034W02M01S	707	690	<0.100	--	0.090	0.28	320	390	150
008N034W24E01S	871	907	3.30	--	0.070	0.21	260	16	140
008N035W12M01S	3300	3420	<0.100	--	0.280	0.86	9000	2000	120
009N024W33M01S	643	649	0.230	--	0.020	0.06	340	11	<1
009N032W08N01S	758	723	0.760	--	0.010	0.03	130	36	<1
010N025W22E02S	1840	1770	9.70	--	<0.010	--	220	40	<10
010N026W09R03S	1860	1860	2.40	--	<0.010	--	210	20	<10
010N026W21G01S	1600	1580	0.210	--	<0.010	--	180	<3	110
010N033W20F01S	952	945	4.30	--	0.010	0.03	210	9	2
010N034W26H02S	1110	1370	23.0	--	0.020	0.06	190	10	2
010N034W29N01S	730	696	5.10	--	<0.010	--	110	3	<1
010N035W14D03S	1380	1330	12.0	--	<0.010	--	230	24	<1

< Actual value is known to be less than the value shown.

WATER QUALITY, SANTA BARBARA COUNTY--Continued

ORGANIC DATA

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)
007N034W19C03S	07-25-88	1435	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.70	<0.20
007N034W19C04S	07-26-88	0830	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	1,2- DIBROMO ETHYL- ENE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)
007N034W19C03S	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<1.0	<0.20	<0.20	<0.20
007N034W19C04S	<0.20	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.20	5.9
	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- TRANS DI CHLORO- ETHENE TOTAL (UG/L)	
007N034W19C03S	0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	
007N034W19C04S	6.2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	
	STYRENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)	XYLENE TOTAL WHOLE TOT REC (UG/L)	
007N034W19C03S	<0.2	0.30	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	
007N034W19C04S	<0.2	<0.20	<0.20	<0.20	<0.2	<0.20	<0.20	<0.20	<0.2	

< Actual value is known to be less than the value shown.

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SHASTA COUNTY

	<u>Page</u>
LOCAL NUMBER 029N006W12E01M.....	338
LOCAL NUMBER 029N006W12E02M.....	338
LOCAL NUMBER 029N006W12E03M.....	338




FIGURE 19.--Index map to location of wells in Shasta County.

WATER LEVELS, SHASTA COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 402259122295601

LOCAL NUMBER 029N006W12E01M

NORTH OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 80 FT, PERFORATED 65-75 FT. MP IS TOP OF CASING 4.75 FT ABOVE LSD. ALTITUDE OF LSD 520 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	F	APR 22, 1988	F	JUN 24, 1988	F	AUG 22, 1988	F
MAR 18	F	MAY 12	F	JUL 25	F	SEP 23	F
PERIOD OF RECORD	HIGHEST	+4.48	APR 23, 1985	LOWEST	+1.15	JUN 23, 1984	

SITE NUMBER 402259122295602

LOCAL NUMBER 029N006W12E02M

NORTH OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 40 FT, PERFORATED 25-35 FT. ALTITUDE OF LSD 520 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	9.85 S	APR 22, 1988	10.10 S	JUN 24, 1988	10.72 S	AUG 22, 1988	11.28 S
MAR 18	10.33 S	MAY 12	9.40 S	JUL 25	9.21 S	SEP 23	11.23 S
PERIOD OF RECORD	HIGHEST	8.71	NOV 21, 1984	LOWEST	11.28	AUG 22, 1988	

SITE NUMBER 402300122295601

LOCAL NUMBER 029N006W12E03M

NORTH OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 40 FT, PERFORATED 25-35 FT. ALTITUDE OF LSD 520 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	11.17 S	APR 22, 1988	11.69 S	JUN 24, 1988	12.17 S	AUG 22, 1988	12.70 S
MAR 18	11.76 S	MAY 12	11.04 S	JUL 25	12.57 S	SEP 23	12.60 S
PERIOD OF RECORD	HIGHEST	10.13	NOV 21, 1984	LOWEST	12.70	AUG 22, 1988	

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SUTTER COUNTY

	<u>Page</u>
LOCAL NUMBER 012N003E02G01M.....	340
LOCAL NUMBER 012N003E02G02M.....	341
LOCAL NUMBER 012N003E02G03M.....	342
LOCAL NUMBER 012N003E02G04M.....	342




FIGURE 20.--Index map to location of wells in Sutter County.

WATER LEVELS, SUTTER COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385501121361901

LOCAL NUMBER 012N003E02G01M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 1081 FT, CASED TO 1081 FT, SCREENED 1066-1071 FT. ALTITUDE OF LSD 32.54 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	19.02	17.06	16.13	15.00	13.75	12.97	12.72	13.60	15.88	18.47	22.48	24.03
2	18.96	17.05	16.10	14.98	13.72	12.95	12.72	13.63	15.95	18.60	22.57	24.05
3	18.90	17.02	16.08	14.91	13.72	12.94	12.71	13.63	16.01	18.72	22.69	24.08
4	18.84	16.96	15.96	14.82	13.73	12.94	12.72	13.59	16.04	18.87	22.80	24.07
5	18.73	16.88	15.90	14.70	13.72	12.94	12.69	13.60	16.09	19.02	22.85	24.04
6	18.63	16.87	15.88	14.67	13.72	12.93	12.70	13.67	16.15	19.16	22.92	24.01
7	18.57	16.88	15.87	14.60	13.69	12.90	12.69	13.72	16.26	19.28	23.00	24.01
8	18.50	16.84	15.87	14.51	13.65	12.88	12.73	13.79	16.37	19.44	23.06	24.01
9	18.45	16.81	15.85	14.50	13.63	12.90	12.73	13.87	16.43	19.58	23.11	24.00
10	18.40	16.77	15.59	14.50	13.60	12.91	12.74	13.96	16.49	19.68	23.15	23.98
11	18.36	16.72	15.59	14.45	13.56	12.84	12.75	14.04	16.56	19.83	23.21	23.96
12	18.29	16.65	15.55	14.45	13.51	12.82	12.73	14.09	16.63	20.02	23.28	23.94
13	18.22	16.54	15.52	14.47	13.47	12.82	12.75	14.21	16.68	20.16	23.40	23.91
14	18.15	16.46	15.48	14.47	13.44	12.80	12.75	14.29	16.75	20.26	23.48	23.89
15	18.08	16.46	15.35	14.40	13.41	12.71	12.76	14.33	16.84	20.41	23.55	23.84
16	18.04	16.44	15.04	14.28	13.37	12.70	12.84	14.42	16.90	20.54	23.59	23.77
17	18.00	16.36	14.86	14.13	13.37	12.73	12.89	14.54	16.96	20.67	23.62	23.70
18	17.95	16.31	14.82	14.04	13.35	12.75	12.95	14.66	16.98	20.80	23.68	23.62
19	17.86	16.31	14.82	14.10	13.33	12.73	12.96	14.75	17.04	20.91	23.70	23.55
20	17.79	16.25	14.80	14.16	13.33	12.71	12.93	14.85	17.09	21.06	23.71	23.43
21	17.74	16.22	14.80	14.18	13.31	12.67	12.94	14.96	17.19	21.22	23.74	23.37
22	17.70	16.20	15.29	14.17	13.24	12.67	13.00	15.05	17.29	21.34	23.81	23.35
23	17.63	16.17	15.23	14.17	13.17	12.68	13.13	15.11	17.37	21.44	23.87	23.26
24	17.61	16.34	15.21	14.12	13.15	12.71	13.27	15.17	17.48	21.59	23.92	23.15
25	17.61	16.35	15.19	14.11	13.14	12.71	13.35	15.26	17.63	21.71	23.95	23.08
26	17.55	16.34	15.14	14.06	13.10	12.69	13.36	15.36	17.83	21.80	23.94	23.03
27	17.45	16.32	15.14	14.00	13.06	12.68	13.35	15.46	17.98	21.89	23.93	22.97
28	17.39	16.27	15.07	13.93	13.04	12.72	13.37	15.52	18.12	22.02	23.96	22.87
29	17.30	16.18	15.00	13.87	13.02	12.72	13.47	15.57	18.28	22.13	23.99	22.75
30	17.23	16.17	14.98	13.84	---	12.72	13.54	15.68	18.36	22.24	23.99	22.60
31	17.13	---	15.01	13.81	---	12.72	---	15.77	---	22.38	23.99	---

PERIOD OF RECORD HIGHEST 11.50 APR 18, 1987 LOWEST 33.88 SEP 09, 1981

WATER LEVELS, SUTTER COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385501121361902

LOCAL NUMBER 012N003E02G02M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
DEPTH 721 FT, CASED TO 711 FT, SCREENED 706-711 FT. ALTITUDE OF LSD 32.54 FT. RECORDS
AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.66	15.29	14.43	13.62	12.38	11.75	11.71	12.55	13.87	15.63	18.57	19.86
2	16.63	15.30	14.39	13.58	12.37	11.76	11.70	12.55	13.92	15.74	18.62	19.90
3	16.60	15.27	14.38	13.48	12.38	11.77	11.68	12.51	13.96	15.78	18.70	19.95
4	16.54	15.23	14.29	13.39	12.38	11.78	11.73	12.45	14.00	15.91	18.78	19.95
5	16.45	15.17	14.27	13.33	12.37	11.78	11.75	12.46	14.05	16.06	18.82	19.95
6	16.36	15.18	14.20	13.36	12.37	11.77	11.73	12.51	14.14	16.15	18.89	19.96
7	16.33	15.18	14.28	13.26	12.32	11.75	11.73	12.48	14.23	16.27	18.96	20.01
8	16.28	15.15	14.21	13.20	12.30	11.77	11.76	12.53	14.35	16.38	19.03	20.01
9	16.22	15.13	14.21	13.18	12.28	11.79	11.76	12.56	14.37	16.46	19.07	20.01
10	16.20	15.12	14.20	13.15	12.26	11.77	11.76	12.60	14.44	16.55	19.13	20.01
11	16.15	15.08	14.21	13.09	12.22	11.74	11.76	12.62	14.49	16.68	19.18	20.00
12	16.13	15.03	14.18	13.09	12.17	11.74	11.76	12.65	14.55	16.83	19.27	19.99
13	16.08	14.85	14.17	13.11	12.15	11.75	11.79	12.75	14.58	16.92	19.35	20.00
14	16.04	14.88	14.16	13.08	12.14	11.72	11.77	12.76	14.67	17.00	19.41	19.99
15	15.99	14.88	14.07	12.98	12.10	11.65	11.80	12.77	14.74	17.13	19.47	19.97
16	15.97	14.85	13.89	12.86	12.08	11.68	11.89	12.85	14.78	17.19	19.51	19.95
17	15.96	14.75	13.85	12.69	12.09	11.72	11.94	12.89	14.82	17.29	19.55	19.91
18	15.92	14.77	13.88	12.78	12.07	11.73	11.96	12.96	14.84	17.37	19.58	19.87
19	15.86	14.77	13.85	12.84	12.04	11.71	11.92	13.01	14.87	17.48	19.58	19.79
20	15.81	14.68	13.89	12.88	12.05	11.68	11.85	13.07	14.94	17.61	19.60	19.72
21	15.75	14.68	13.89	12.83	12.03	11.68	11.89	13.16	14.98	17.73	19.64	19.69
22	15.72	14.66	13.79	12.82	11.97	11.68	11.99	13.22	14.99	17.79	19.70	19.69
23	15.66	14.64	13.82	12.81	11.93	11.68	12.16	13.25	15.03	17.87	19.75	19.61
24	15.66	14.65	13.82	12.77	11.92	11.70	12.26	13.30	15.07	18.00	19.78	19.54
25	15.68	14.65	13.77	12.76	11.92	11.70	12.33	13.37	15.15	18.09	19.79	19.53
26	15.63	14.62	13.78	12.70	11.84	11.68	12.33	13.45	15.25	18.16	19.78	19.47
27	15.57	14.59	13.76	12.63	11.83	11.70	12.32	13.53	15.35	18.21	19.79	19.42
28	15.53	14.53	13.63	12.57	11.82	11.72	12.38	13.56	15.40	18.32	19.80	19.34
29	15.44	14.55	13.58	12.51	11.78	11.70	12.46	13.62	15.55	18.36	19.81	19.26
30	15.40	14.49	13.62	12.49	---	11.70	12.50	13.70	15.58	18.43	19.80	19.17
31	15.32	---	13.63	12.44	---	11.71	---	13.78	---	18.53	19.81	---

PERIOD OF RECORD HIGHEST 10.12 MAR 15, 1986 LOWEST 26.94 SEP 08, 1981

WATER LEVELS, SUTTER COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385501121361903

LOCAL NUMBER 012N003E02G03M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 321 FT, CASED TO 311 FT, SCREENED 306-311 FT. ALTITUDE OF LSD 32.54 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.80	10.50	10.21	9.06	7.45	8.41	9.09	9.30	9.42	9.05	9.31	10.10
2	9.91	10.60	10.18	8.96	7.50	8.51	9.11	9.26	9.44	9.10	9.38	10.24
3	10.00	10.60	10.12	8.85	7.64	8.57	9.15	9.14	9.44	9.07	9.54	10.28
4	10.00	10.57	9.94	8.73	7.69	8.61	9.18	9.02	9.48	9.09	9.57	10.24
5	9.98	10.57	10.04	8.57	7.70	8.64	9.24	9.16	9.51	9.17	9.60	10.15
6	9.97	10.70	9.83	8.61	7.72	8.63	9.21	9.34	9.67	9.10	9.70	10.10
7	10.06	10.75	10.08	8.46	7.69	8.62	9.19	9.29	9.78	9.10	9.71	10.10
8	10.08	10.70	9.88	8.34	7.71	8.71	9.25	9.38	9.79	9.17	9.70	10.08
9	10.14	10.78	9.86	8.28	7.78	8.83	9.19	9.37	9.69	9.12	9.69	10.07
10	10.24	10.79	9.81	8.19	7.79	8.76	9.20	9.38	9.70	9.09	9.64	10.07
11	10.25	10.77	9.76	8.01	7.77	8.69	9.17	9.31	9.64	9.26	9.71	10.07
12	10.29	10.70	9.61	8.06	7.77	8.78	9.19	9.33	9.55	9.36	9.79	10.08
13	10.29	10.52	9.60	8.09	7.79	8.81	9.29	9.43	9.46	9.32	9.81	10.16
14	10.33	10.70	9.54	8.04	7.83	8.78	9.36	9.31	9.43	9.32	9.78	10.11
15	10.34	10.72	9.42	7.83	7.86	8.73	9.50	9.23	9.40	9.36	9.72	10.09
16	10.44	10.65	9.11	7.69	7.90	8.90	9.82	9.33	9.37	9.30	9.62	10.07
17	10.48	10.52	9.19	7.46	8.01	9.02	10.02	9.31	9.32	9.29	9.62	10.07
18	10.46	10.63	9.34	7.55	8.01	9.06	10.00	9.28	9.29	9.25	9.65	10.08
19	10.43	10.60	9.28	7.61	8.05	8.99	9.86	9.20	9.24	9.20	9.59	10.06
20	10.47	10.36	9.40	7.61	8.16	8.94	9.83	9.19	9.28	9.30	9.56	10.02
21	10.49	10.44	9.38	7.52	8.16	8.96	9.68	9.19	9.36	9.40	9.63	10.15
22	10.43	10.37	9.18	7.49	8.09	9.00	9.52	9.17	9.32	9.34	9.73	10.28
23	10.45	10.34	9.24	7.48	8.13	8.99	9.49	9.11	9.28	9.31	9.77	10.21
24	10.57	10.38	9.28	7.42	8.27	9.05	9.45	9.12	9.20	9.36	9.80	10.18
25	10.65	10.35	9.16	7.47	8.30	8.99	9.31	9.21	9.29	9.33	9.73	10.35
26	10.58	10.29	9.22	7.42	8.22	8.90	9.11	9.21	9.33	9.28	9.61	10.41
27	10.51	10.24	9.23	7.38	8.32	8.99	9.01	9.17	9.23	9.29	9.66	10.43
28	10.56	10.15	9.03	7.38	8.42	9.01	9.12	9.10	9.17	9.32	9.82	10.37
29	10.53	10.29	9.06	7.40	8.40	8.96	9.20	9.16	9.18	9.27	9.89	10.37
30	10.54	10.26	9.09	7.54	---	9.00	9.22	9.26	9.09	9.28	9.90	10.36
31	10.44	---	9.14	7.48	---	9.01	---	9.34	---	9.32	9.98	---

PERIOD OF RECORD HIGHEST 0.62 MAY 11, 1983 LOWEST 11.31 DEC 24, 1980

SITE NUMBER 385501121361904

LOCAL NUMBER 012N003E02G04M

1.7 MI NORTHWEST OF NICOLAUS. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 80 FT, CASED TO 54 FT. ALTITUDE OF LSD 32.54. RECORDS AVAILABLE JULY 19, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 22	9.09 S	FEB 18	5.94 S	MAY 03	7.80 S	AUG 04	5.74 S
NOV 24	7.94 S	MAR 10	6.95 S	JUN 02	6.33 S	SEP 07	5.99 S
DEC 22	5.92 S	APR 05	8.49 SR	JUL 05	5.06 S		

PERIOD OF RECORD HIGHEST 2.59 MAR 11, 1986 LOWEST 10.10 NOV 21, 1985

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

TEHAMA COUNTY

	<u>Page</u>
LOCAL NUMBER 029N004W11Q01M.....	346
LOCAL NUMBER 029N004W11Q02M.....	346
LOCAL NUMBER 029N004W14B01M.....	346
LOCAL NUMBER 029N004W17B01M.....	346
LOCAL NUMBER 029N004W17B02M.....	347
LOCAL NUMBER 029N004W17B03M.....	347
LOCAL NUMBER 029N005W32H01M.....	347




FIGURE 21.--Index map to location of wells in Tehama County.

WATER LEVELS, TEHAMA COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 402230122165101

LOCAL NUMBER 029N004W11Q01M

ALONG COTTONWOOD CREEK EAST OF HWY 99 BRIDGE. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 93 FT, PERFORATED 78-88 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	7.26 S	APR 22, 1988	7.26 S	JUN 24, 1988	7.80 S	AUG 22, 1988	8.35 S
MAR 18	8.22 S	MAY 12	7.11 S	JUL 25	8.47 S	SEP 23	8.24 S
PERIOD OF RECORD		HIGHEST	5.92 DEC 18, 1984	LOWEST	8.47 JUL 25, 1988		

SITE NUMBER 402230122165201

LOCAL NUMBER 029N004W11Q02M

ALONG COTTONWOOD CREEK EAST OF HWY 99 BRIDGE. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 45 FT, PERFORATED 30-40 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	7.30 S	APR 22, 1988	7.37 S	JUN 24, 1988	7.69 S	AUG 22, 1988	8.11 S
MAR 18	8.38 S	MAY 12	7.16 S	JUL 25	8.09 S	SEP 23	7.98 S
PERIOD OF RECORD		HIGHEST	5.89 DEC 18, 1984	LOWEST	8.38 MAR 18, 1988		

SITE NUMBER 402229122165201

LOCAL NUMBER 029N004W14B01M

ALONG COTTONWOOD CREEK EAST OF HWY 99 BRIDGE. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 47 FT, PERFORATED 32-42 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	7.16 S	APR 22, 1988	7.00 S	JUN 24, 1988	7.49 S	AUG 22, 1988	7.89 S
MAR 18	8.03 S	MAY 12	6.96 S	JUL 25	7.85 S	SEP 23	7.84 S
PERIOD OF RECORD		HIGHEST	5.57 DEC 18, 1984	LOWEST	8.03 MAR 18, 1988		

SITE NUMBER 402225122201201

LOCAL NUMBER 029N004W17B01M

ALONG COTTONWOOD CREEK NORTH OF SOUTH FORK OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 160 FT, PERFORATED 70-80, 150-160 FT. ALTITUDE OF LSD 440 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	29.21 S	APR 22, 1988	29.47 S	JUN 24, 1988	30.84 S	AUG 22, 1988	33.06 S
MAR 18	29.75 S	MAY 12	29.40 S	JUL 25	32.78 S	SEP 23	32.89 S
PERIOD OF RECORD		HIGHEST	27.58 JAN 25, 1985	LOWEST	33.06 AUG 22, 1988		

WATER LEVELS, TEHAMA COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 402225122201202

LOCAL NUMBER 029N004W17B02M

ALONG COTTONWOOD CREEK NORTH OF SOUTH FORK OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 80 FT, PERFORATED 70-80 FT. ALTITUDE OF LSD 440 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	19.08 S	APR 22, 1988	19.12 S	JUN 24, 1988	20.52 S	AUG 22, 1988	21.96 S
MAR 18	19.91 S	MAY 12	19.04 S	JUL 25	22.24 S	SEP 23	21.96 S
PERIOD OF RECORD	HIGHEST	14.59	JUN 25, 1984	LOWEST	26.83	FEB 25, 1985	

SITE NUMBER 402224122201001

LOCAL NUMBER 029N004W17B03M

ALONG COTTONWOOD CREEK NORTH OF SOUTH FORK OF COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 80 FT, PERFORATED 70-80 FT. ALTITUDE OF LSD 440 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	20.20 S	APR 22, 1988	20.25 S	JUN 24, 1988	21.62 S	AUG 22, 1988	23.66 S
MAR 18	21.03 S	MAY 12	20.16 S	JUL 25	23.31 S	SEP 23	22.96 S
PERIOD OF RECORD	HIGHEST	14.83	JUN 25, 1984	LOWEST	23.66	AUG 22, 1988	

SITE NUMBER 401932122263301

LOCAL NUMBER 029N005W32H01M

ALONG SOUTH FORK COTTONWOOD CREEK. DRILLED OBSERVATION WELL. DIAM 6 IN, DEPTH 105 FT, PERFORATED 90-100 FT. ALTITUDE OF LSD 510 FT. RECORDS AVAILABLE 1984-85, 1988 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 19, 1988	15.08 S	APR 22, 1988	16.85 S	JUN 24, 1988	16.21 S	AUG 22, 1988	19.96 S
MAR 18	15.48 S	MAY 12	15.86 S	JUL 25	18.57 S	SEP 23	20.78 S
PERIOD OF RECORD	HIGHEST	14.61	APR 24, 1985	LOWEST	20.78	SEP 23, 1988	

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

VENTURA COUNTY

	<u>Page</u>
LOCAL NUMBER 004N025W35A02S.....	350
LOCAL NUMBER 004N025W35A03S.....	350
LOCAL NUMBER 007N024W13C02S.....	350




FIGURE 22.--Index map to location of wells in Ventura County.

WATER LEVELS, VENTURA COUNTY
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 342323119274601

LOCAL NUMBER 004N025W35A02S

ABOUT 3 MI EAST OF CARPINTERIA. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 413 FT, CASED TO 403 FT, PERFORATED 55-179, 231-401 FT. ALTITUDE OF LSD 147 FT. BEGINNING APR. 17, 1979, MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1945, 1949-50, 1955-56, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 29, 1988	14.15 R	APR 27, 1988	13.78 R	JUN 28, 1988	13.66 R	AUG 31, 1988	15.36 R
MAR 11	14.02 R	MAY 26	13.45 R	JUL 29	13.49 R	SEP 27	15.28 R
PERIOD OF RECORD	HIGHEST	11.09	FEB 20, 1980	LOWEST	85.76	DEC 13, 1949	

SITE NUMBER 342321119274601

LOCAL NUMBER 004N025W35A03S

EAST OF RINCON CREEK ROAD AND SOUTH OF RINCON CREEK BRIDGE. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 145.8 FT. ALTITUDE OF LSD 147 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1978. RECORDS AVAILABLE 1941, 1945-46, 1949-50, 1955-56, 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 30, 1987	32.05 R	APR 27, 1988	31.61 R	JUL 29, 1988	33.79 R		
JAN 29, 1988	31.15 R	MAY 26	32.03 R	AUG 31	35.65 R		
MAR 02	30.86 R	JUN 27	33.05 R	SEP 27	35.26 RS		
PERIOD OF RECORD	HIGHEST	11.48	APR 24, 1978	LOWEST	108.49	OCT 31, 1961	

SITE NUMBER 344224119223901

LOCAL NUMBER 007N024W13C02S

ABOUT 1.8 MI NORTHWEST OF APACHE SCHOOL. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT. ALTITUDE OF LSD 3435 FT. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS						
APR 01, 1988	21.91 S						
PERIOD OF RECORD	HIGHEST	17.98	APR 10, 1979	LOWEST	44.23	DEC 27, 1951	

YOLO COUNTY

	<u>Page</u>
LOCAL NUMBER 011N001E03D01M.....	353
LOCAL NUMBER 011N001E03E01M.....	353
LOCAL NUMBER 012N001E34Q01M.....	354
LOCAL NUMBER 012N001E34Q02M.....	355
LOCAL NUMBER 012N001E34Q03M.....	355




FIGURE 23.--Index map to location of wells in Yolo County.

WATER LEVELS, YOLO COUNTY

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385009121512401

LOCAL NUMBER 011N001E03D01M

2.9 MI NORTHEAST OF ZAMORA. UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 10 IN, DEPTH 500 FT. ALTITUDE OF LSD 30.16 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 22	26.65 S	JAN 20	10.09 S	APR 05	29.02 S	JUL 05	46.34 S
NOV 24	22.32 S	FEB 18	7.82 S	MAY 04	28.55 S	AUG 04	47.49 S
DEC 22	14.10 S	MAR 10	9.20 S	JUN 02	30.46 S	SEP 06	41.07 S

PERIOD OF RECORD HIGHEST 4.85 MAR 02, 1984 LOWEST 50.85 JUL 06, 1981

SITE NUMBER 384951121512401

LOCAL NUMBER 011N001E03E01M

2.7 MI NORTHEAST OF ZAMORA. DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 260 FT, PERFORATED 220-260 FT. ALTITUDE OF LSD 33.13 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 22	10.56 S	JAN 20	7.43 S	APR 05	9.38 S	JUL 05	12.21 S
NOV 24	11.45 S	FEB 18	7.44 S	MAY 04	10.55 S	AUG 04	13.10 S
DEC 22	10.26 S	MAR 10	7.71 S	JUN 02	11.46 S	SEP 06	13.03 S

PERIOD OF RECORD HIGHEST 2.15 FEB 28, 1980 LOWEST 16.19 OCT 05, 1979

WATER LEVELS, YOLO COUNTY--Continued
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS
WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385020121503601

LOCAL NUMBER 012N001E34Q01M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
DEPTH 2125 FT, CASED TO 2125 FT, SCREENED 2120-2125 FT. ALTITUDE OF LSD 24.27 FT.
RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	+4.14	+4.07	+3.86	+3.92	+4.01	+3.98	+4.04	+4.21	+4.23	+4.23	+4.23	---
2	+4.14	+4.05	+3.86	+3.92	+4.01	+3.98	+4.04	+4.21	+4.23	+4.23	+4.23	---
3	+4.14	+4.05	+3.86	+3.93	+4.01	+3.98	+4.05	+4.21	+4.23	+4.23	+4.23	---
4	+4.14	+4.03	+3.86	+3.93	+4.01	+3.98	+4.05	+4.21	+4.23	+4.23	+4.23	---
5	+4.14	+4.03	+3.86	+3.94	+4.00	+3.98	+4.05	+4.21	+4.23	+4.23	---	---
6	+4.14	+4.01	+3.86	+3.95	+4.00	+3.98	+4.05	+4.21	+4.23	+4.23	---	+3.99
7	+4.15	+4.01	+3.86	+3.95	+4.00	+3.98	+4.06	+4.21	+4.23	+4.23	---	---
8	+4.15	+3.99	+3.86	+3.96	+4.00	+3.98	+4.06	+4.21	+4.23	+4.23	---	---
9	+4.15	+3.99	+3.86	+3.97	+3.99	+3.98	+4.06	+4.21	+4.23	+4.23	---	---
10	+4.15	+3.98	+3.86	+3.98	+3.99	+4.03	+4.07	+4.21	+4.23	+4.23	---	---
11	+4.15	+3.97	+3.86	+3.98	+3.99	+4.03	+4.07	+4.21	+4.23	+4.23	---	---
12	+4.15	+3.96	+3.86	+3.99	+3.99	+4.03	+4.08	+4.21	+4.23	+4.23	---	---
13	+4.15	+3.95	+3.86	+3.99	+3.99	+4.03	+4.08	+4.21	+4.23	+4.23	---	---
14	+4.15	+3.94	+3.86	+4.00	+3.98	+4.03	+4.08	+4.21	+4.23	+4.23	---	---
15	+4.15	+3.93	+3.86	+4.01	+3.98	+4.03	+4.09	+4.21	+4.23	+4.23	---	---
16	+4.15	+3.92	+3.86	+4.01	+3.98	+4.03	+4.09	+4.21	+4.23	+4.23	---	---
17	+4.15	+3.91	+3.86	+4.02	+3.98	+4.03	+4.10	+4.21	+4.23	+4.23	---	---
18	+4.16	+3.90	+3.86	+4.03	+3.98	+4.03	+4.10	+4.21	+4.23	+4.23	---	---
19	+4.16	+3.89	+3.86	+4.03	+3.98	+4.03	+4.11	+4.22	+4.23	+4.23	---	+4.43
20	+4.16	+3.89	+3.86	+4.04	+3.98	+4.03	+4.12	+4.22	+4.23	+4.23	---	---
21	+4.16	+3.88	+3.86	+4.04	+3.98	+4.03	+4.14	+4.22	+4.23	+4.23	---	---
22	+4.16	+3.87	+3.85	+4.04	+3.98	+4.03	+4.16	+4.23	+4.23	+4.23	---	---
23	+4.15	+3.87	+3.86	+4.03	+3.98	+4.03	+4.17	+4.23	+4.23	+4.23	---	---
24	+4.14	+3.86	+3.86	+4.03	+3.98	+4.03	+4.17	+4.23	+4.23	+4.23	---	---
25	+4.13	+3.86	+3.87	+4.03	+3.98	+4.03	+4.18	+4.23	+4.23	+4.23	---	---
26	+4.12	+3.86	+3.88	+4.03	+3.98	+4.03	+4.19	+4.23	+4.23	+4.23	---	---
27	+4.11	+3.86	+3.88	+4.02	+3.98	+4.03	+4.20	+4.23	+4.23	+4.23	---	---
28	+4.10	+3.86	+3.89	+4.02	+3.98	+4.03	+4.20	+4.23	+4.23	+4.23	---	---
29	+4.09	+3.86	+3.90	+4.02	+3.98	+4.03	+4.21	+4.23	+4.23	+4.23	---	---
30	+4.09	+3.86	+3.90	+4.02	---	+4.03	+4.21	+4.23	+4.23	+4.23	---	---
31	+4.07	---	+3.91	+4.01	---	+4.04	---	+4.23	---	+4.23	---	---

PERIOD OF RECORD HIGHEST +4.43 SEP 19, 1988 LOWEST 0.64 APR 17, 1980

WATER LEVELS, YOLO COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1987 TO SEPTEMBER 1988

SITE NUMBER 385020121503602

LOCAL NUMBER 012N001E34Q02M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
 DEPTH 1401 FT, CASED TO 1401 FT, SCREENED 1396-1401 FT. ALTITUDE OF LSD 24.27 FT.
 RECORDS AVAILABLE 1979 TO CURRENT YEAR . RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS	
OCT 22	F	MAR 10	+5.91 S	JUL 05	F	SEP 27	+6.21 S
NOV 24	+5.83 S	APR 05	+6.29 S	AUG 04	F		
JAN 20	+5.67 S	MAY 04	F	SEP 06	+6.74 S		
FEB 18	+5.85 S	JUN 02	F	19	+6.50 S		

PERIOD OF RECORD HIGHEST +6.74 SEP 06, 1988 LOWEST 6.31 APR 18, 1979

SITE NUMBER 385020121503603

LOCAL NUMBER 012N001E34Q03M

4 MI NORTHEAST OF ZAMORA. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,
 DEPTH 947 FT, CASED TO 947 FT, SCREENED 942-947 FT. ALTITUDE OF LSD 24.27 FT.
 RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.83	06.75	05.75	04.39	2.74	1.49	0.24	+0.90	0.32	1.46	3.45	---
2	6.85	06.73	05.69	04.32	2.72	1.45	0.18	+0.94	0.40	1.49	3.52	---
3	6.90	06.73	05.64	04.16	2.72	1.39	0.11	+0.98	0.40	1.52	3.62	---
4	6.93	06.73	05.60	03.98	2.72	1.37	0.09	+1.03	0.40	1.62	3.76	---
5	6.93	06.71	05.57	03.88	2.69	1.33	0.08	+0.97	0.40	1.75	---	---
6	6.91	06.70	05.53	03.81	2.63	1.28	0.07	+0.91	0.42	1.76	---	---
7	6.91	06.70	05.48	03.77	2.57	1.24	0.05	+0.87	0.46	1.78	---	5.96
8	6.91	06.70	05.44	03.71	2.53	1.23	0.01	+0.81	0.49	1.84	---	---
9	6.91	06.69	05.38	03.70	2.50	1.20	+0.02	+0.75	0.50	1.88	---	---
10	6.92	06.69	05.33	03.65	2.46	1.13	+0.07	+0.70	0.55	1.90	---	---
11	6.92	06.69	05.29	03.60	2.38	1.11	+0.11	+0.66	0.57	1.98	---	---
12	6.92	06.67	05.25	03.58	2.29	1.09	+0.15	+0.60	0.60	2.08	---	---
13	6.92	06.61	05.21	03.57	2.25	1.06	+0.18	+0.55	0.60	2.14	---	---
14	6.92	06.54	05.19	03.55	2.21	0.98	+0.22	+0.49	0.63	2.20	---	---
15	6.91	06.47	05.08	03.53	2.14	0.89	+0.26	+0.45	0.69	2.29	---	---
16	6.92	06.47	04.94	03.50	2.11	0.85	+0.31	+0.39	0.76	2.35	---	---
17	6.92	06.47	04.87	03.45	2.08	0.85	+0.34	+0.34	0.79	2.40	---	---
18	6.92	06.41	04.87	03.40	2.06	0.84	+0.38	+0.29	0.83	2.47	---	---
19	6.91	06.36	04.86	03.37	2.04	0.79	+0.42	+0.24	0.86	2.57	---	6.49
20	6.90	06.33	04.87	03.27	2.00	0.72	+0.47	+0.18	0.93	2.65	---	---
21	6.90	06.25	04.86	3.26	1.91	0.66	+0.50	+0.13	0.98	2.74	---	---
22	6.91	06.20	04.77	3.26	1.84	0.66	+0.54	+0.08	1.01	2.80	---	---
23	06.89	06.15	04.74	3.27	1.81	0.63	+0.58	+0.03	1.04	2.84	---	---
24	06.88	06.05	04.72	3.26	1.79	0.60	+0.62	0.02	1.07	2.92	---	---
25	06.89	06.00	04.67	3.21	1.72	0.55	+0.66	0.07	1.14	3.01	---	---
26	06.90	05.98	04.65	3.15	1.66	0.46	+0.70	0.13	1.23	3.07	---	---
27	06.89	05.93	04.58	3.07	1.63	0.41	+0.74	0.17	1.30	3.15	---	---
28	06.86	05.86	04.49	2.98	1.58	0.40	+0.78	0.23	1.36	3.25	---	---
29	06.84	05.84	04.44	2.90	1.53	0.37	+0.82	0.27	1.42	3.34	---	---
30	06.83	05.81	04.42	2.87	---	0.32	+0.86	0.29	1.44	3.36	---	---
31	06.80	---	04.42	2.81	---	0.28	---	0.30	---	3.41	---	---

PERIOD OF RECORD HIGHEST +2.16 MAY 03, 04, 05, 1984 LOWEST 19.30 NOV 09, 10, 1979

INDEX

	Page		Page
ACCESS TO WATSTORE DATA.....	5	Land-surface datum, definition of.....	5
Aquifer, definition of.....	5	Latitude-Longitude System.....	3
Artesian, definition of.....	5	Local Well Numbers.....	3
		Los Angeles County, index map to location of wells in.....	77
Chemical oxygen demand, definition of..	5		
Color unit, definition of.....	5	Mendocino County, index map to location of wells in.....	116
Contra Costa County, index map to location of wells in.....	11	Merced County, index map to location of wells in.....	123
COOPERATION.....	2	Methylene blue active substance, definition of.....	5
Data Collection and Computation.....	4	Micrograms per liter, definition of....	6
Data Presentation.....	5	Milligrams per liter, definition of....	7
DEFINITION OF TERMS.....	5		
Dissolved, definition of.....	5	Pesticides, definition of.....	6
Dissolved-solids concentration, definition of.....	5	pH, definition of.....	6
EXPLANATION OF THE RECORDS.....	3	Polychlorinated biphenyls, definition of	6
		PUBLICATIONS ON TECHNIQUES OF WATER- RESOURCES INVESTIGATIONS.....	8
Glenn County, index map to location of wells in.....	14	REMARK CODES, definition of.....	7
Ground-Water Levels, Records of.....	4	Riverside County, index map to location of wells in.....	147
Ground-water levels and quality records by county:			
Contra Costa County.....	10	San Bernardino County, index map to location of wells in.....	163
Glenn County.....	13	San Diego County, index map to location of wells in.....	212
Humboldt County.....	18	San Francisco County, index map to location of wells in.....	217
Imperial County.....	21	San Luis Obispo County, index map to location of wells in.....	230
Inyo County.....	32	San Mateo County, index map to location of wells in.....	245
Kern County.....	40	Santa Barbara County, index map to location of wells in.....	250
Los Angeles County.....	75	Shasta County, index map to location of wells in.....	337
Mendocino County.....	115	Sodium-adsorption-ratio, definition of..	6
Merced County.....	122	Specific conductance, definition of....	6
Riverside County.....	146	Suspended recoverable, definition of....	6
San Bernardino County.....	161	Suspended total, definition of.....	6
San Diego County.....	211	Suspended, definition of.....	6
San Francisco County.....	216	Sutter County, index map to location of wells in.....	340
San Luis Obispo County.....	229		
San Mateo County.....	244	Tehama County, index map to location of wells in.....	345
Santa Barbara County.....	247	Total recoverable, definition of.....	6
Shasta County.....	336	Total, definition of.....	6
Sutter County.....	339		
Tehama County.....	344	Ventura County, index map of well locations in.....	349
Ventura County.....	348		
Yolo County.....	351	WSP, definition of.....	6
Ground-Water Quality, records of.....	4	Yolo County, index map to location of wells in.....	352
Hardness, definition of.....	5		
Humboldt County, index map to location of wells in.....	19		
HYDROLOGIC CONDITIONS, SUMMARY OF.....	2		
Imperial County, index map to location of wells in.....	22		
INTRODUCTION.....	1		
Inyo County, index map to location of wells in.....	33		
Kern County, index map to location of wells in.....	41		

FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI).

Multiply inch-pound units	By	To obtain SI units
<i>Length</i>		
inches (in)	2.54×10^1	millimeters (mm)
	2.54×10^{-2}	meters (m)
feet (ft)	3.048×10^{-1}	meters (m)
miles (mi)	1.609×10^0	kilometers (km)
<i>Area</i>		
acres	4.047×10^3	square meters (m ²)
	4.047×10^{-1}	square hectometers (hm ²)
	4.047×10^{-3}	square kilometers (km ²)
square miles (mi ²)	2.590×10^0	square kilometers (km ²)
<i>Volume</i>		
gallons (gal)	3.785×10^0	liters (L)
	3.785×10^0	cubic decimeters (dm ³)
	3.785×10^{-3}	cubic meters (m ³)
million gallons	3.785×10^3	cubic meters (m ³)
	3.785×10^{-3}	cubic hectometers (hm ³)
cubic feet (ft ³)	2.832×10^1	cubic decimeters (dm ³)
	2.832×10^{-2}	cubic meters (m ³)
cfs-days	2.447×10^3	cubic meters (m ³)
	2.447×10^{-3}	cubic hectometers (hm ³)
acre-feet (acre-ft)	1.233×10^3	cubic meters (m ³)
	1.233×10^{-3}	cubic hectometers (hm ³)
	1.233×10^{-6}	cubic kilometers (km ³)
<i>Flow</i>		
cubic feet per second (ft ³ /s)	2.832×10^1	liters per second (L/s)
	2.832×10^1	cubic decimeters per second (dm ³ /s)
	2.832×10^{-2}	cubic meters per second (m ³ /s)
gallons per minute (gal/min)	6.309×10^{-2}	liters per second (L/s)
	6.309×10^{-2}	cubic decimeters per second (dm ³ /s)
	6.309×10^{-5}	cubic meters per second (m ³ /s)
million gallons per day	4.381×10^1	cubic decimeters per second (dm ³ /s)
	4.381×10^{-2}	cubic meters per second (m ³ /s)
<i>Mass</i>		
tons (short)	9.072×10^{-1}	megagrams (Mg) or metric tons

U.S. DEPARTMENT OF THE INTERIOR
Geological Survey, Room W-2234
2800 Cottage Way, Federal Building
Sacramento, CA 95825

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF THE INT
INT 413



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
SPECIAL 4TH CLASS BOOK RATE

