


M . 18 9 2

12 100

Water Resources Data New York Water Year 1993

Volume 2. Long Island



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-93-2 Prepared in cooperation with the State of New York and with other agencies

CALENDAR FOR WATER YEAR 1993

1992


		OC	ТОВ	ER					NOV	/EMI	BER						DEC	CEMI	BER		
S	M	T	W	T	F	S	S	M	T	W	T	F	S		S	M	T	W	T	F	S
				1	2	3	1	2	3	4	5	6	7				1	- 2	3	4	5
4	5	6	7	8	9	10	8	9	10	11	12	13	14		6	7	8	9	10	11	12
11	12	13	.14	15	16	17	15	16	17	18	19	20	21		13	14	15	16	17	18	19
18	19	20	21	22	23	24	22	23	24	25	26	27	28		20	21	22	23	24	25	26
25	26	27	28	29	30	31	29	30							27	28	29	30	31		
							-			1993				-	-	100					
		JA	NUA	RY					FEB	RUA	RY						M	ARC	H		
S	M	Т	W	Т	F	S	S	M	Т	W	Т	F	S		S	M	Т	W	Т	F	S
3	4	5	6	7	1 8	2	7	1 8	2	3 10	4	5 12	6		7	1 8	2 9	3 10	4	5 12	6
10	11	12	13	14	15	16	14	15	16	17	18	19	20		14	15	16	17	18	19	20
17	18	19	20	21	22	23	21	22	23	24	25	26	27		21	22	23	24	25	26	27
24	25	26	27	28	29	30	28		23	24	23	20	21		28	29	30	31	25	20	21
31						-	20								20						
		A	APRI	L					1	MAY							J	IUNE	3		
S	M	T	W	Т	F	S	S	M	Т		Т	F	S		S	M	Т	W	Т	F	S
				1	2	2							1				1	2	3	1	5
4	5	6	7	1 8	2	3 10	2	3	4	5	6	7	1 8		6	7	1 8	9	10	4	5 12
11	12	13	14	15	16	17	9	10	11	12	13	14	15		13	14	15	16	17	18	19
18	19	20	21	22	23	24	16		18	19	20	21	22		20	21	22	23		25	
25	26	27	28	29			23			26	27		29		27	28		30			
								31													
			JULY	7					AU	JGUS	ST						SEP	ГЕМ	BER		
S	M	T	W	T	F	S	S	M	Т	W	T	F	S		S	M	Т	W	Т	F	S
													_								
4		,	_	1	2	3	1	2	3	4	5	6	7		_		_	1	2	3	4
4		6	7	8	9	10	8	9	10	11	12	13	14			6	7	8	9	10	11
11	12	13	14	15	16	17	15	16	17	18	19	20	21		12	13	14	15	16	17	18
18	19	20	21	22	23	24	22	23	24	25	20	27	28		19	20	21	22	23	24	25
25	26	27	28	29	30	31	29	30	31						26	27	28	29	30		



Water Resources Data New York Water Year 1993

Volume 2. Long Island

by A.G. Spinello, J.H. Nakao, R. Busciolano, R.B. Winowitch, and V.K. Eagen



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-93-2 Prepared in cooperation with the State of New York and with other agencies U.S. DEPARTMENT OF THE INTERIOR

BRUCE BABBITT, Secretary

U.S. GEOLOGICAL SURVEY

Gordon P. Eaton, Director

For information on the water program in New York write to
District Chief, Water Resources Division
U.S. Geological Survey
U.S. Post Office and Courthouse
P.O. Box 1669
Albany, New York 12201

For information on the water program in Long Island write to Subdistrict Chief, Water Resources Division
U.S. Geological Survey
5 Aerial Way
Syosset, New York 11791

PREFACE

This volume of the annual hydrologic data report of New York is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for New York are contained in 3 volumes:

Volume 1. Eastern New York excluding Long Island Volume 2. Long Island Volume 3. Western New York.

The data contained in these three volumes were collected, computed, and processed from three subdistrict offices and one area field office. The offices, and personnel in charge, are:

Albany, John R. Ritter, Subdistrict Chief Potsdam, Howard G. Lent, Jr., Technician-in-charge Volume 1.

Volume 2. Syosset, Bronius Nemickas, Acting Subdistrict Chief Volume 3. Ithaca, Robin G. Brown, Acting Subdistrict Chief

The authors had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guidelines. The following individuals contributed significantly to the collection, processing, and tabulation of the data:

> L. A. Chapman V. A. Liogys K. McGrath D. M. Mutter G. Pena-Cruz C. E. Schubert

J. A. Pitt typed the text of the report.

This report was prepared in cooperation with the State of New York and with other agencies under the general supervision of L. G. Moore, District Chief, New York.

REPORT DOCUMENTATION PAGE 1_REPORT NO. USGS/WRD/HD-94/296	2.	3. Recipient's Accession No.
N. Title and Subtitle Water Resources Data - New York, Water Year 1993 Volume 2. Long Island	5. Report Date May 1994 6.	
R.B. Winowitch, and V.K. Eagen	8. Performing Organization Rept. No. USGS/WDR-NY-93-2	
Performing Organization Name and Address U.S. Geological Survey, Water Resources Divisi	on	10. Project/Task/Work Unit No.
5 Aerial Way Syosset, New York 11791		11. Contract(C) or Grant(G) No. (C) (G)

15. Supplementary Notes

Prepared in cooperation with the State of New York and other agencies.

U.S. Geological Survey, Water Resources Division

16. Abstract (Limit: 200 words)

P.O. Box 1669

12. Sponsoring Organization Name and Address

Albany, New York 12201

James T. Foley U.S. Courthouse

Water resources data for the 1993 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; and water levels and water quality of ground-water wells. This volume contains records for water discharge at 18 gaging stations; water quality at 19 gaging stations, and 36 wells; and water levels at 714 observation wells. Also included are data for 79 low-flow partial-record stations. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data, together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey in cooperation with State, Federal, and other agencies in New York.

17. Document Analysis a. Descriptors

*New York, *Hydrologic data, *Groundwater, *Surface waters, *Water quality, Gaging stations, Streamflow, Flow rates, Lakes, Reservoirs, Chemical analysis, Sediments, Water temperature, Water analysis, Water levels, Water wells, Data collections, Sites.

b. Identifiers/Open-Ended Terms

c. COSATI Field/Group

18. Availability Statement	19. Security Class (This Report)	21. No. of Pages
This report may be purchased from	UNCLASSIFIED	240
National Technical Information Service	20. Security Class (This Page)	22. Price
Springfield, VA 22161	UNCLASSIFIED	

13. Type of Report & Period Covered

to September 30, 1993

Annual - October 1, 1992

CONTENTS

		rage
Preface List of si	urface-water stations, in downstream order, for which records are published in	111
this volu	me	vii
Introduct	ion	1
Cooperatio	onf hydrologic conditions	2
Special ne	etworks and programs	3
Explanation	on of the records	3
Downs	identification numberstream order systemtream	3
Latit	ude-longitude system	3
Records	of stage and water dischargecollection and computation	2
Data	presentation	5
	tion manuscriptat allows mean valuesat able of daily mean values	5
Stat	tistics of monthly mean data	6
Sumi	mary statistics	6
Accura	ifying estimated daily dischargeacy of the records	8
Other	records available	8
Records	of surface-water qualityification of records	8
Arrand	gement of records	. 8
	te measurements and sample collection	9
Sedime	temperatureemperatureentemperatureentententententententent.ent	9
Labora	atory measurements	10
Remar	presentationks_codes	10 10
Records	of ground-water levels	11
Data	collection and computationpresentation	11 11
Records	of ground-water quality	12
Data	collection and computationpresentation	12 12
Access to	WATSTORE data	12
Definition	n of terms	14 21
Station re	n of terms. ons on Techniques of Water-Resources Investigations. ecords, surface water. ge at partial-record stations and miscellaneous sites.	38
Discharg	ge at partial-record stations and miscellaneous sites	81
Station re	low partial-record stationsecords. ground water	81 88
Ground-	ecords, ground waterwater levels	88
Index	of ground-water	230 239
2.1.40		
	ILLUSTRATIONS	
Figure 1.	System for numbering wells	4
2. 3.	Discharge data, East Meadow Brook at Freeport	25 26
4.	Discharge data, Nissequogue River near Smithtown	27
5.	Hydrograph of water-table observation well N1259 at Plainedge	28
DA.	Map showing location of surface-water data collection stations in Kings Queens, and Nassau Counties	29
6B.	Map showing location of surface-water data collection stations in west	•
6C.	half of Suffolk County	30
2.	half of Suffolk County	31
74.	Map showing location of water-level data collection stations in Kings, Queens, and Nassau Counties	32
7B.	Map showing location of water-level data collection stations in west	
7C.	half of Suffolk County	33
70.	half of Suffolk County	34
8A.	Map showing location of quality of ground-water data collection stations	
88.	in Kings, Queens, and Nassau Counties	35
1550	in west half of Suffolk County	36
8C.	Map showing location of quality of ground-water data collection stations in east half of Suffolk County	37
		31
	TABLE	inside
Table 1.	Factors for converting inch-pound units to International System	of back
	Units (SI)	cover

VI SURFACE-WATER STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE PUBLISHED IN THIS VOLUME

NOTE.--Data for partial-record stations and miscellaneous sites for surface-water discharge are published in separate sections of the data report. See references at the end of this list for page numbers for these sections.

[Letter after station name designates type of data: (d) discharge, (e) contents and/or elevation, (c) chemical, (b) biological, (m) microbiological, (t) water temperature, (s) sediment]

	ation mber	Page
Glen Cove Creek at Glen Cove (dct)	1302500	38
Mill Neck Creek at Mill Neck (dct)0	1303000	40
Cold Spring Brook at Cold Spring Harbor (dct)	1303500	42
Nissequogue River near Smithtown (dcts)0	1304000	44
Peconic River at Riverhead (dct)0	1304500	47
Carmans River at Yaphank (dcts)0	1305000	50
Swan River at East Patchogue (dct)	1305500	53
Patchogue River at Patchogue (ct)	1306000	55
Connetquot Brook at Central Islip (d)	1306440	56
Connetquot Brook near Central Islip (d)	1306460	57
Connetquot River near Oakdale (dct)	1306500	58
Champlin Creek at Islip (ct)	1307000	62
Penataquit Creek at Bay Shore (ct)0	1307500	63
Sampawams Creek at Babylon (dct)	1308000	64
Carlls River at Babylon (dct)	1308500	67
Santapogue Creek at Lindenhurst (ct)0	1309000	70
Massapequa Creek at Massapequa (dct)0	1309500	71
Seaford Creek at Massapequa (d)0	1309680	73
Belimore Creek at Belimore (dct)0	1310000	74
East Meadow Brook at Freeport (dct)0	1310500	76
Pines Brook at Malverne (dct)0	1311000	78
Valley Stream at Valley Stream (d)	1311500	80
Discharge at partial-record stations and miscellaneous sites		81
Low-flow partial-record stations		81

WATER RESOURCES DATA - NEW YORK, 1993

DISCONTINUED SURFACE-WATER DISCHARGE STATIONS

The following continuous-record surface-water discharge stations on Long Island have been discontinued. Daily streamflow records were collected and published for the period of record, expressed in water years, shown for each station. Those stations with an asterisk (*) after the station number are currently operated as partial record stations. Discontinued project stations with less than 3 years of record have not been included. Information regarding these stations may be obtained from the District Office at the address given on the back side of the title page of this report.

[Letters after station name designate type of data collected: (d) discharge, (e) elevation (stage only)]

Station name	Station number	Drainage area (sq mi)	Period of record
Patchoque River at Patchoque (d)	01306000*	13.5	1946-69, 1974-76
Champlin Creek at Islip (d)	01307000*	6.5	1945-69
Penataquit Creek at Bay Shore (d)	01307500*	5	1945-76
Santapoque Creek at Lindenhurst (d)	01309000*	7	1947-69

WATER RESOURCES DATA - NEW YORK, 1993 Volume 2.--Long Island

INTRODUCTION

Water resources data for the 1993 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; water quality of precipitation; and water levels and water quality of ground-water wells. This volume contains records for water discharge at 18 gaging stations; water quality at 19 gaging stations, 36 wells; and water levels at 714 observation wells. Also included are data for 79 low-flow partial-record stations. Locations of these sites are shown on pages 29-37. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State, local, and Federal agencies in New York.

Records of discharge and stage of streams, and contents or stage of lakes and reservoirs were first published in a series of U.S. Geological Survey water-supply papers entitled "Surface Water Supply of the United States." Through September 30, 1960, these water-supply papers were in an annual series and then in a 5-year series for 1961-65 and 1966-70. Records of chemical quality, water temperatures, and suspended sediment were published from 1941 to 1970 in an annual series of water-supply papers entitled "Quality of Surface Waters of the United States." Records of ground-water levels were published from 1935 to 1974 in a series of water-supply papers entitled "Ground-Water Levels in the United States." Water-supply papers may be consulted in the libraries of the principal cities in the United States or may be purchased from the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Denver, Colorado 80225.

Since the 1961 water year, streamflow data and since the 1964 water year, water-quality data have been released by the Geological Survey in annual reports on a State-boundary basis. These reports provided rapid release of water data in each state shortly after the end of the water year. Through 1970 the data were also released in the water-supply paper series mentioned above.

Streamflow and water-quality data beginning with the 1971 water year, and ground-water data beginning with the 1975 water year are published only in reports on a State-boundary basis. Beginning with the 1975 water year, these Survey reports carry an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is identified as "U.S. Geological Survey Water-Data Report NY-93-2." Water-data reports are for sale in paper copy or in microfiche by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. Beginning with the 1990 water year, all water-data reports will also be available on Compact Disc - Read Only Memory (CD-ROM). All data reports published for the current water year for the entire Nation, including Puerto Rico and the Trust Territories, will be reproduced on a single CD-ROM disc.

Additional information, including current prices, for ordering specific reports may be obtained from the district chief at the address given on the back of the title page or by telephone (518) 472-2457. A limited number of CD-ROM discs will be available for sale by the Books and Open-File Services Section, U.S. Geological Survey, Federal Center, Box 25425, Denver, Colorado 80225.

COOPERATION

The U.S. Geological Survey and organizations of the State of New York and other agencies have had cooperative programs for the systematic collection of water records since 1900. Organizations that assisted in collecting the data included in Volume 2 through cooperative agreements with the U.S. Geological Survey are:

New York State Department of Environmental Conservation, Thomas Jorling, Commissioner. County of Nassau, Department of Public Works, John M. Waltz, Commissioner. County of Suffolk, Department of Health Services, Dr. Mary Hibberd, Commissioner. Suffolk County Water Authority, Michael A. LoGrande, Chairman.

The following organizations aided in collecting records:

Nassau County Department of Health, Nassau County Department of Public Works, Suffolk County Department of Health Services, and Suffolk County Water Authority.

SUMMARY OF HYDROLOGIC CONDITIONS

Streamflow and ground-water levels on Long Island ranged from near to below average at the beginning of the 1993 water year and increased gradually through the spring. Above-average precipitation in March and April resulted in near or above-average streamflow and ground-water levels, when they began a decline that continued into August with a slight increase in September (figs. 3-5). The lowered water table in the highly urbanized area in southern Nassau County caused below-average stream discharges for most of the water year (fig. 2).

The maximum stream discharges of water year 1993 occurred mainly in November, December, and April. The storms of November 23 and April 1 caused most of the maximum discharges in southern Nassau and Suffolk Counties, whereas the storm of December 11 caused the maximum discharges in northern Nassau and Suffolk Counties. Runoff on Long Island generally exceeded that of the previous water year and ranged from near average to below average for the year. Maximum monthly mean discharges at most stations occurred in April, and minimum monthly mean discharges occurred mostly in August.

Water levels in most wells screened in the upper glacial aquifer were near at the beginning of the water year, then began a slight rise that lasted until the end of May; thereafter they began a moderate fall that lasted through the remainder of the water year.

Water levels in the Magothy and Lloyd aquifers were near or above average at the beginning of the water year, then began a moderate rise that lasted until the end of April; during the remainder of the water year they underwent a moderate fall.

Record high water levels were measured in a few wells screened in the upper glacial, Magothy, and Lloyd aquifers during the middle part of the water year in southern and central Queens County and in a few widely scattered areas throughout Nassau and Kings Counties. The record-high water levels in a few wells in southern and central Queens County occurred during a time when pumpage by a principal water-supply company was being decreased. Record low water levels were measured in two wells screened in the upper glacial aquifer in southwestern Suffolk County.

Concentrations of inorganic constituents in surface-water and ground-water samples collected during the 1993 water year did not differ significantly from those of the previous year. Specific conductance of surface-water samples ranged from 81 to 924 uS/cm (microsiemens per centimeter at 25 degrees Celsius); the median was 174 uS/cm. Unusually high specific conductance values in stream-water samples collected during the winter were affected by salt from road deicing. The pH of water samples from streams ranged from 6.3 to 9.5; the median was 6.9. Annual median stream pH was highest in the north-shore streams of Nassau County and generally decreased southward and eastward into Suffolk County. Specific conductance of water samples from the Magothy aquifer ranged from 30 to 137 uS/cm, with a median of 69 uS/cm, and specific conductance of samples from the Lloyd aquifer ranged from 24 to 117 uS/cm, with a median of 72 uS/cm. The pH of water samples from the Magothy aquifer ranged from 5.8 to 7.4, with a median of 6.2; the pH of water samples from the Magothy aquifer ranged from 5.8 to 7.4, with a median of 6.3. The pH of water samples from the Lloyd aquifer ranged from 6.2 to 7.0, with a median of 6.5.

SPECIAL NETWORKS AND PROGRAMS

National stream-quality accounting network (NASQAN) is a data collection network designed by the U.S. Geological Survey to meet many of the information demands of agencies or groups involved in national or regional water-quality planning and management. Both accounting and broad-scale monitoring objectives have been incorporated into the network design. Areal configuration of the network is based on river-basin accounting units (identified by 8-digit hydrologic-unit numbers) designated by the Office of Water Data Coordination in consultation with the Water Resources Council. Primary objectives of the network are (1) to depict areal variability of streamflow and water-quality conditions nationwide on a year-by-year basis and (2) to detect and assess long-term changes in streamflow and stream quality.

EXPLANATION OF THE RECORDS

The surface-water and ground-water records published in this report are for the 1993 water year that began October 1, 1992, and ended September 30, 1993. A calendar of the water year is provided on the inside of the front cover. The records contain streamflow data, stage and content data for lakes and reservoirs, water-quality data for surface water, and ground-water level data. The locations of the stations and wells where the data were collected are shown in figures 6A, B, C, 7A, B, C, and 8A, B, C. The following sections of the introductory text are presented to provide users with a more detailed explanation of how the hydrologic data published in this report were collected, analyzed, computed, and arranged for presentation.

Station Identification Numbers

Each data station, whether streamsite or well, in this report is assigned a unique identification number. This number is unique in that it applies specifically to a given station and to no other. The number usually is assigned when a station is first established and is retained for that station indefinitely. The systems used by the U.S. Geological Survey to assign identification numbers for surface-water stations and for ground-water well sites differ, but both are based on geographic location. The "downstream order" system is used for regular surface-water stations and the "latitude-longitude" system is used for wells.

Downstream Order System

Since October 1, 1950, the order of listing hydrologic-station records in Survey reports is in a downstream direction along the main stream. All stations on a tributary entering upstream from a main-stream station are listed before that station. A station on a tributary that enters between two main-stream stations is listed between them. A similar order is followed in listing stations on first rank, second rank, and other ranks of tributaries. The rank of any tributary on which a station is situated with respect to the stream to which it is immediately tributary is indicated by an indention in a "List of Stations" in the front of the report. Each indention represents one rank. This downstream order and system of indention show which stations are on tributaries between any two stations and the rank of the tributary on which each station is situated.

The station identification number is assigned according to downstream order. In assigning station numbers, no distinction is made between partial-record stations, miscellaneous sites, and other stations; therefore, the station number for a partial-record station or a miscellaneous site indicates downstream-order position in a list made up of all types of stations. Gaps are left in the series of numbers to allow for new stations that may be established; hence, the numbers are not consecutive. The complete 8-digit number for each station such as 01300500 includes the 2-digit part number "01" plus the 6-digit downstream order number "300500". The part number designates the major river basin. (In a few instances where no gaps were left in the 8-digit numbering sequence, one or two digits were added (making a 9- or 10-digit station number) and (or) a latitude-longitude number was used for identification.)

Latitude-Longitude System

The identification numbers for wells are assigned according to the grid system of latitude and longitude. The number consists of 15 digits. The first 6 digits denote the degrees, minutes, and seconds of latitude, the next 7 digits denote degrees, minutes, and seconds of longitude, and the last 2 digits (assigned sequentially) identify the wells within a 1-second grid. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number; however, its true latitude and longitude will be listed in the LOCATION paragraph of the station description. See figure 1 on next page.

A local well-numbering system is also used. It is a 2-part identifier, assigned by the New York State Department of Environmental Conservation, consisting of the abbreviation of county name and the serial number of the well within the county.




Figure 1. System for numbering wells (latitude and longitude).

Records of Stage and Water Discharge

Records of stage and water discharge may be complete or partial. Complete records of discharge are those obtained using a continuous stage-recording device through which either instantaneous or mean daily discharges may be computed for any time, or any period of time, during the period of record. Complete records of lake or reservoir content, similarly, are those for which stage or content may be computed or estimated with reasonable accuracy for any time, or period of time. They may be obtained using a continuous stage-recording device, but need not be. Because daily mean discharges and end-of-day contents commonly are published for such stations, they are referred to as "daily stations."

By contrast, partial records are obtained through discrete measurements without using a continuous stage-recording device and pertain only to a few flow characteristics, or perhaps only one. The nature of the partial record is indicated by table titles such as "Crest-stage partial records," or "Low-flow partial records." Records of miscellaneous discharge measurements or of measurements from special studies, such as low-flow seepage studies, may be considered as partial records, but they are presented separately in this report. Locations of all gaging stations and observations wells in this report are shown in figures 6A, B, C, and 7A, B, and C.

Data Collection and Computation

The base data collected at gaging stations consist of records of stage and measurements of discharge of streams or canals, and stage, surface area, and contents of lakes or reservoirs. In addition, observations of factors affecting the stage-discharge relation or the stage-capacity relation, weather records, and other information are used to supplement base data in determining the daily flow or volume of water in storage. Records of stage are obtained from either direct readings on a nonrecording gage or from a water-stage recorder that gives either a continuous graph of the fluctuations or a tape punched at selected time intervals. Measurements of discharge are made with a current meter, using the general methods adopted by the Geological Survey. These methods are described in standard textbooks, in Water-Supply Paper 2175, and in U.S. Geological Survey Techniques of Water Resources Investigations, book 3, chapter A6.

In computing discharge records, results of individual measurements are plotted against the corresponding stages, and stage-discharge relation curves are then constructed. For stream-gaging stations, rating tables giving the discharge for any stage are prepared from stage-discharge relation curves. If extensions to the rating curves are necessary to express discharge greater than measured, they are made on the basis of indirect measurements of peak discharge (such as slope-area or contracted-opening measurements, computation of flow over dams or weirs), step-backwater techniques, velocity-area studies, and logarithmic plotting. The daily mean discharge is computed from gage heights and rating tables, then the monthly and yearly mean discharges are computed from the daily figures. If the stage-discharge relation is subject to change because of frequent or continual change in the physical features that form the control, the daily mean discharge is computed by the shifting-control method, in which correction factors based on individual discharge measurements and notes by engineers and observers are used in applying the gage heights to the rating tables. If the stage-discharge relation for a station is temporarily changed by the presence of aquatic growth or debris on the control, the daily mean discharge is computed by what is basically the shifting-control method. For some stations, formation of ice in the winter may so obscure the stage-discharge relations that daily mean discharges must be estimated from other information such as temperature and precipitation records, notes of observations, and records for other stations in the same or nearby basins for comparable periods.

At some stream-gaging stations the stage-discharge relation is affected by the backwater from reservoirs, tributary streams, or other sources. This necessitates the use of the slope method in which the slope or fall in a reach of the stream is a factor in computing discharge. The slope or fall is obtained by means of an auxiliary gage set at some distance from the base gage. At some stations the stage-discharge relation is affected by changing stage; at these stations the rate of change in stage is used as a factor in computing discharge.

At some stream-gaging stations the stage-discharge relation is affected by ice in the winter, and it becomes impossible to compute the discharge in the usual manner. Discharge for periods of ice effect is computed on the basis of gage-height record and occasional winter discharge measurements. Consideration is given to the available information on temperature and precipitation, notes by gage observers and hydrologists, and comparable records of discharge for other stations in the same or nearby basins.

For a lake or reservoir station, capacity tables giving the contents for any stage are prepared from stage-area relation curves defined by surveys. The application of the stage to the capacity table gives the contents, from which the daily, monthly, or yearly change in contents is computed. If the stage-capacity curve is subject to changes because of deposition of sediment in the reservoir, periodic resurveys of the reservoir are necessary to define new stage-capacity curves. During the period between reservoir surveys the computed contents may be increasingly in error due to the gradual accumulation of sediment.

For some gaging stations there are periods when no gage-height record is obtained or the recorded gage height is so faulty that it cannot be used to compute daily discharge or contents. This happens when the recorder stops or otherwise fails to operate properly, intakes are plugged, the float is frozen in the well, or for various other reasons. For such periods the daily discharges are estimated on the basis of recorded range in stage, prior and subsequent records, discharge measurements, weather records, and comparison with records for other stations in the same or nearby basins. Likewise daily contents may be estimated on the basis of operator's log, prior and subsequent records, inflow-outflow studies, and other information. Information explaining how estimated daily-discharge values are identified in station records is included in the next two sections, "Data Presentation" (REMARKS paragraph) and "Identifying Estimated Daily Discharge."

Data Presentation

Streamflow data in this report are presented in a new format that is considerably different from the format in data reports prior to the 1991 water year. The major changes are that statistical characteristics of discharge now appear in tabular summaries following the water-year data table and less information is provided in the text or station manuscript above the table. These changes represent the results of a pilot program to reformat the annual water-data report to meet current user needs and data preferences.

The records published for each continuous-record surface-water discharge station (gaging station) now consist of four parts, the manuscript or station description; the data table of daily mean values of discharge for the current water year with summary data; a tabular statistical summary of monthly mean flow data for a designated period, by water year; and a summary statistics table that includes statistical data of annual, daily, and instantaneous flows as well as data pertaining to annual runoff, 7-day low-flow minimums, and flow duration.

Station manuscript

The manuscript provides, under various headings, descriptive information, such as station location; period of record; historical extremes outside the period of record; record accuracy; and other remarks pertinent to station operation and regulation. The following information, as appropriate, is provided with each continuous record of discharge or lake content. Comments to follow clarify information presented under the various headings of the station description.

LOCATION.--Information on locations is obtained from the most accurate maps available. The location of the gage with respect to the cultural and physical features in the vicinity and with respect to the reference place mentioned in the station name is given. River mileages, given for some stations, were determined and used by the U.S. Army Corps of Engineers of other agencies.

DRAINAGE AREA.--Drainage areas are measured using the most accurate maps available. Because the type of maps available varies from one drainage basin to another, the accuracy of drainage areas likewise varies. Drainage areas are updated as better maps become available.

PERIOD OF RECORD. -- This indicates the period for which there are published records for the station or for an equivalent station. An equivalent station is one that was in operation at a time that the present station was not, and whose location was such that records from it can reasonably be considered equivalent with records from the present station.

REVISED RECORDS.--Published records, because of new information, occasionally are found to be incorrect, and revisions are printed in later reports. Listed under this heading are all the reports in which revisions have been published for the station and the water years to which the revisions apply. If a revision did not include daily, monthly, or annual figures of discharge, that fact is noted after the year dates as follows: "(M)" means that only the instantaneous maximum discharge was revised; "(m)" that only the instantaneous minimum was revised; and "(P)" that only peak discharges were revised. If the drainage area has been revised, the report in which the most recently revised figure was first published is given.

GAGE.--The type of gage in current use, the datum of the current gage referred to National Geodetic Vertical Datum of 1929 (see glossary), and a condensed history of the types, locations, and datums of previous gages are given under this heading.

REMARKS.--All periods of estimated daily-discharge record will either be identified by date in this paragraph of the station description for water-discharge stations or flagged in the daily-discharge table. (See next section, "Identifying Estimated Daily Discharge.") If a remarks statement is used to identify estimated record, the paragraph will begin with this information presented at the first entry. The paragraph is also used to present information relative to the accuracy of the records, to special methods of computation, to conditions that affect natural flow at the station and, possibly, to other pertinent items. For reservoir stations, information is given on the dam forming the reservoir, the capacity, outlet works and spillway, and purpose and use of the reservoir.

COOPERATION. -- Records provided by a cooperating organization or obtained for the Geological Survey by a cooperating organization are identified here.

EXTREMES OUTSIDE PERIOD OF RECORD.--Included here is information concerning major floods or unusually low flows that occurred outside the stated period of record. The information may or may not have been obtained by the U.S. Geological Survey.

REVISIONS.--If a critical error in published records is discovered, a revision is included in the first report published following discovery of the error.

Although rare, occasionally the records of a discontinued gaging station may need revision. Because, for these stations, there would be no current or, possibly, future station manuscript published to document the revision in a "Revised Records" entry, users of data for these stations who obtained the record from previously published data reports may wish to contact the District office to determine if the published records were ever revised after the station was discontinued. Of course, if the data were obtained by computer retrieval, the data would be current and there would be no need to check because any published revision of data is always accompanied by revision of the corresponding data in computer storage.

Manuscript information for lake or reservoir stations differs from that for stream stations in the nature of the "Remarks" and in the inclusion of a skeleton stage-capacity table when daily contents are given.

Headings for AVERAGE DISCHARGE, EXTREMES FOR PERIOD OF RECORD, AND EXTREMES FOR CURRENT YEAR have been depleted and the information contained in these paragraphs, except for the listing of secondary instantaneous peak discharges and the EXTREMES FOR CURRENT YEAR paragraph, is now presented in the tabular summaries following the discharge table or in the REMARKS paragraph, as appropriate. No changes have been made to the data presentations of lake contents.

Data table of daily mean values

The daily table of discharge records for stream-gaging stations gives mean discharge for each day of the water year. In the monthly summary for the table, the line headed "TOTAL" gives the sum of the daily figures for each month; the line headed "MEAN" gives the average flow in cubic feet per second for the month; and the lines headed "MAX" and "MIN" give the maximum and minimum daily mean discharges, respectively, for each month. Discharge for the month also is usually expressed in cubic feet per second per square mile (line headed "CFSM"); or in inches (line headed "IN."); or in acre-feet (line headed "AC-FT"). Figures for cubic feet per second per square mile and runoff in inches or in acre-feet may be omitted if there is extensive regulation or diversion or if the drainage area includes large noncontributing areas. At some stations monthly and (or) yearly observed discharges are adjusted for reservoir storage or diversion, or diversion data or reservoir contents are given. These figures are identified by a symbol and corresponding footnote.

Statistics of monthly mean data

A tabular summary of the mean (line headed "MEAN"), maximum (line headed "MAX"), and minimum (line headed "MIN") or monthly mean flows for each month for a designated period is provided below the mean values table. The water years of the first occurrence of the maximum and minimum monthly flows are provided immediately below those figures. The designated period will be expressed as "FDR WATER YEARS _____ BY WATER YEAR (WY)" and will list the first and last water years of the range of years selected from the PERIOD OF RECORD paragraph in the station manuscript. It will consist of all of the station record within the specified water years, inclusive, including complete months of record for partial water years, if any, and may coincide with the period of record for the station. The water years for which the statistics are computed will be consecutive, unless a break in the station record is indicated in the manuscript.

Summary statistics

A table titled "SUMMARY STATISTICS" follows the statistics of monthly mean data tabulation. This table consists of four columns, with the first column containing the line headings of the statistics being reported. The table provides a statistical summary of yearly, daily, and instantaneous flows, not only for the current water year but also for the previous calendar year and for a designated period, as appropriate. The designated period selected, "WATER YEARS ____," will consist of all of the station record within the specified water years, inclusive, including complete months of record for partial water years, if any, and may coincide with the period of record for the station. The water years for which the statistics are computed will be consecutive, unless a break in the station record is indicated in the manuscript. All of the calculations for the statistical characteristics designated ANNUAL (See line headings below.), except for the "ANNUAL 7-DAY MINIMUM" statistic, are calculated for the designated period using complete water years. The other statistical characteristics may be calculated using partial water years.

The date or water year, as appropriate, of the first occurrence of each statistic reporting extreme values of discharge is provided adjacent to the statistic. Repeated occurrences may be noted in the REMARKS paragraph of the manuscript or in footnotes. Because the designated period may not be the same as the station period of record published in the manuscript, occasionally the dates of occurrence listed for the daily and instantaneous extremes in the designated-period column may not be within the selected water years listed in the heading. When this occurs, it will be noted in the REMARKS paragraph or in footnotes. Selected streamflow duration curve statistics and runoff data are also given. Runoff data may be omitted if there is extensive regulation or diversion of flow in the drainage basin.

The following summary statistics data, as appropriate, are provided with each continuous record of discharge. Comments to follow clarify information presented under the various line headings of the summary statistics table.

- ANNUAL TOTAL.--The sum of the daily mean values of discharge for the year. At some stations the annual total discharge is adjusted for reservoir storage or diversion. The adjusted figures are identified by a symbol and corresponding footnotes.
- ANNUAL MEAN.—The arithmetic mean of the individual daily mean discharges for the year noted or for the designated period. At some stations the yearly mean discharge is adjusted for reservoir storage or diversion. The adjusted figures are identified by a symbol and corresponding footnotes. At least 5 complete years of record must be available before this statistic is published for the designated period.
- HIGHEST ANNUAL MEAN. -- The maximum annual mean discharge occurring for the designated period.
- LOWEST ANNUAL MEAN. -- The minimum annual mean discharge occurring for the designated period.
- HIGHEST DAILY MEAN. -- The maximum daily mean discharge for the year or for the designated period.
- LOWEST DAILY MEAN. -- The minimum daily mean discharge for the year or for the designated period.
- ANNUAL 7-DAY MINIMUM.--The lowest mean discharge for 7 consecutive days for a calendar year or a water year. Note that most low-flow frequency analyses of annual 7-day minimum flows use a climatic year (April 1-March 31). The date shown in the summary statistics table is the initial date of the 7-day period. (This value should not be confused with the 7-day 10-year low-flow statistic.)
- INSTANTANEOUS PEAK FLOW. -- The maximum instantaneous discharge occurring for the water year or for the designated period. Note that secondary instantaneous peak discharges above a selected base discharge are stored in District computer files for stations meeting certain criteria. Those discharge values may be obtained by writing to the District Office. (See address on back of title page of this report.)
- INSTANTANEOUS PEAK STAGE.--The maximum instantaneous stage occurring for the water year or for the designated period. If the dates of occurrence for the instantaneous peak flow and instantaneous peak stage differ, the REMARKS paragraph in the manuscript or a footnote may be used to provide further information.
- INSTANTANEOUS LOW FLOW. -- The minimum instantaneous discharge occurring for the water year or for the designated period.
- ANNUAL RUNOFF (AC-FT).--Indicates the depth, in acre-feet, to which the drainage area would be covered if all the runoff for the year were uniformly distributed on it.
- ANNUAL RUNOFF (CFSM).--Indicates the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area for the year.
- ANNUAL RUNOFF (INCHES).--Indicates the depth to which the drainage area would be covered if all the runoff for the year were uniformly distributed on it.
- 10 PERCENT EXCEEDS.--The discharge that is exceeded 10 percent of the time for the designated period.
- 50 PERCENT EXCEEDS.--The discharge that is exceeded 50 percent of the time for the designated period.
- 90 PERCENT EXCEEDS. -- The discharge that is exceeded 90 percent of the time for the designated period.

Data collected at partial-record stations follow the information for continuous-record sites. Data for partial-record discharge stations are presented in two tables. The first is a table of annual maximum stage and discharge at crest-stage stations, and the second is a table of discharge measurements at low-flow partial-record stations. The tables of partial-record stations are followed by a listing of discharge measurements made at sites other than continuous-record or partial-record stations. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Identifying Estimated Daily Discharge

Estimated daily-discharge values published in the water-discharge tables of annual State data reports are identified either by flagging individual daily values with the letter symbol "e" and printing a table footnote, "e Estimated," or by listing the dates of the estimated record in the REMARKS paragraph of the station description.

Accuracy of the Records

The accuracy of streamflow data depends primarily on (1) the stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements, and (2) the accuracy of observations of stage, measurements of discharge, and interpretations of records.

The station description under "REMARKS" states the degree of accuracy of the records. "Excellent" means that about 95 percent of the daily discharges are within 5 percent; "good," within 10 percent; and "fair," within 15 percent. "Poor" means that daily discharges have less than "fair" accuracy.

Figures of daily mean discharge in this report are shown to the nearest hundredth of a cubic foot per second for discharges of less than 1 $\rm ft^3/s$; to tenths between 1.0 and 10 $\rm ft^3/s$; to whole numbers between 10 and 1,000 $\rm ft^3/s$; and to 3 significant figures above 1,000 $\rm ft^3/s$. The number of significant figures used is based solely on the magnitude of the figure. The same rounding rules apply to discharge figures listed for partial-record stations.

Discharge at many stations, as indicated by the monthly mean, may not reflect natural runoff due to the effects of diversion, consumption, regulation by storage, increase or decrease in evaporation due to artificial causes, or to other factors. For such stations, figures of cubic feet per second per square mile and of runoff in inches are not published unless satisfactory adjustments can be made for diversions, for changes in contents of reservoirs, or for other changes incident to use and control. Evaporation from a reservoir is not included in the adjustments for changes in reservoir contents, unless it is so stated. Even at those stations where large adjustments are made, large errors in computed runoff may occur if adjustments or losses are large in comparison with the observed discharge.

Other Records Available

Information of a more detailed nature than that published for most of the gaging stations such as observations of water temperatures, discharge measurements, gage-height records, and rating tables is on file in the district office. Also most gaging-station records are available in computer-usable form and many statistical analyses have been made.

Information on the availability of unpublished data or statistical analyses may be obtained from the district office.

Records of Surface-Water Quality

Records of surface-water quality ordinarily are obtained at or near stream-gaging stations because interpretation of records of surface-water quality nearly always requires corresponding discharge data. Records of surface-water quality in this report may involve a variety of types of data and measurement frequencies.

Classification of Records

Water-quality data for surface-water sites are grouped into one of three classifications. A continuing record station is a site where data are collected on a regularly scheduled basis. Frequency may be once or more times daily, weekly, monthly, or quarterly. A partial-record station is a site where limited water-quality data are collected systematically over a period of years. Frequency of sampling is usually less than quarterly. A miscellaneous sampling site is a location other than a continuing or partial-record station, where random samples are collected to give better areal coverage to define water-quality conditions in the river basin.

A careful distinction needs to be made between "continuing records" as used in this report and "continuous recordings," which refers to a continuous graph or a series of discrete values punched at short intervals on a paper tape. Some records of water quality, such as temperature and specific conductance, may be obtained through continuous recordings; however, because of costs, most data are obtained only monthly or less frequently.

Arrangement of Records

Water-quality records collected at a surface-water daily record station are published immediately following that record, unless otherwise footnoted under "REMARKS". Station number and name are the same for both records. Where a surface-water daily record station is not available or where the water quality differs significantly from that at the nearby surface-water station, the continuing water-quality record is published with its own station number and name in the regular downstream order sequence. Water-quality data for partial-record stations and for miscellaneous sampling sites appear in separate tables following the table of discharge measurements at miscellaneous sites. Data for precipitation-quality stations appears next. The table of ground-water quality follows ground-water level records. Data for quality of ground water is listed alphabetically by County, and is identified by well number.

On-Site Measurements and Sample Collection

In obtaining water-quality data, a major concern needs to be assuring that the data obtained represent the in situ quality of the water. To assure this, certain measurements, such as water temperature, pH, and dissolved oxygen, need to be made onsite when the samples are taken. To assure that measurements made in the laboratory also represent the in situ water, carefully prescribed procedures need to be followed in collecting the samples, in treating the samples to prevent changes in quality pending analysis, and in shipping the samples to the laboratory. Procedures for onsite measurements and for collecting, treating, and shipping samples are given in publications on "Techniques of Water-Resources Investigations," Book 1, Chap. D2; Book 3, Chap. C2; Book 5, Chap. A1, A3, and A4. Also, detailed information on collecting, treating, and shipping samples may be obtained from the Geological Survey District office.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled through several vertical sections to obtain a representative sample needed for an accurate mean concentration and for use in calculating load. All samples obtained for the National Stream Quality Accounting Network (see definitions) are obtained from at least several verticals. Whether samples are obtained from the centroid of flow or from several verticals, depends on flow conditions and other factors which must be evaluated by the collector.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between a reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determination of carbonate and bicarbonate in the laboratory.

Historical and current (1993) dissolved trace-element concentrations are reported herein for water that was collected, processed, and analyzed by using either ultraclean or other than ultraclean techniques. If ultraclean techniques were used, then those concentrations are reported in nanograms per liter. If other than ultraclean techniques were used, then those concentrations are reported in micrograms per liter and could reflect contamination introduced during some phase of the procedure.

For chemical-quality stations equipped with digital monitors, the records consist of daily maximum, minimum, and mean values for each constituent measured and are based upon hourly punches beginning at 0100 hours and ending at 2400 hours for the day of record. More detailed records (hourly values) may be obtained from the district office.

Water Temperatures

Water temperatures are measured at most of the water-quality stations. In addition, water temperatures are taken at time of discharge measurements for water-discharge stations. For stations where water temperatures are taken manually once or twice daily, the water temperatures are taken at about the same time each day. Large streams have a small diurnal temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where recording instruments are used, either mean temperatures and/or maximum and minimum temperatures for each day are published.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross-section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross sections.

During periods of rapidly changing flow or rapidly changing concentration, samples may have been collected more frequently (twice daily or, in some instances, hourly). The published sediment discharges for days of rapidly changing flow or concentration were computed by the subdivided-day method (time-discharge weighted average). Therefore, for those days when the published sediment discharge value differs from the value computed as the product of discharge times mean concentration times 0.0027, the reader can assume that the sediment discharge for that day was computed by the subdivided-day method. For periods when no samples were collected, daily loads of suspended sediment were estimated on the basis of water discharge, sediment concentrations observed immediately before and after the periods, and suspended-sediment loads for other periods of similar discharge.

At other stations, suspended-sediment samples were collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observations, such data are useful in establishing seasonal relations between quality and streamflow and in predicting long-term sediment-discharge characteristics of the stream.

In addition to the records of the quantities of suspended sediment, records of the periodic measurements of the particle-size distribution of the suspended sediment and bed material are included.

Laboratory Measurements

Samples for indicator bacteria and daily samples for specific conductance are analyzed locally. Sediment samples are analyzed in the Geological Survey laboratory in Harrisburg, Pa. All other samples are analyzed in the Geological Survey laboratories in Arvada, Colo., or Doraville, Ga. Methods used in analyzing sediment samples and computing sediment records are given in TWRI, Book 5, Chap. C1. Methods used by the Geological Survey laboratories are given in TWRI, Book 1, Chap. D2; Book 3, Chap. C2; Book 5, Chap. A1, A3, and A4.

Data Presentation

For continuing-record stations, information pertinent to the history of station operation is provided in descriptive headings preceding the tabular data. These descriptive headings give details regarding location, drainage area, period of record, type of data available, instrumentation, general remarks, cooperation, and extremes for parameters currently measured daily. Tables of chemical, physical, biological, radiochemical data, and so forth, obtained at a frequency less than daily are presented first. Tables of "daily values" of specific conductance, pH, water temperature, dissolved oxygen, and suspended sediment then follow in sequence.

In the descriptive headings, if the location is identical to that of the discharge gaging station, neither the LOCATION nor the DRAINAGE AREA statements are repeated. The following information, as appropriate, is provided with each continuous-record station. Comments that follow clarify information presented under the various headings of the station description.

LOCATION. -- See Data Presentation under "Records of Stage and Water Discharge;" same comments apply.

DRAINAGE AREA. -- See Data Presentation under "Records of Stage and Water Discharge;" same comments apply.

PERIOD OF RECORD.--This indicates the periods for which there are published water-quality records for the station. The periods are shown separately for records of parameters measured daily or continuously and those measured less than daily. For those measured daily or continuously, periods of record are given for the parameters individually.

INSTRUMENTATION.--Information on instrumentation is given only if a water-quality monitor temperature record, sediment pumping sampler, or other sampling device is in operation at a station.

REMARKS.--Remarks provide added information pertinent to the collection, analysis, or computation of the records.

COOPERATION. -- Records provided by a cooperating organization or obtained for the Geological Survey by a cooperating organization are identified here.

EXTREMES.--Maximums and minimums are given only for parameters measured daily or more frequently. None are given for parameters measured weekly or less frequently, because the true maximums or minimums may not have been sampled. Extremes, when given, are provided for both the period of record and for the current water year.

REVISIONS.--If errors in published water-quality records are discovered after publication, appropriate updates are made to the Water-Quality File in the U.S. Geological Survey's computerized data system, WATSTORE, and subsequently by monthly transfer of update transactions to the U.S. Environmental Protection Agency's STORET system. Because the usual volume of updates makes it impractical to document individual changes in the State data-report series or elsewhere, potential users of U.S. Geological Survey water-quality data are encouraged to obtain all required data from the appropriate computer file to insure the most recent updates.

The surface-water-quality records for partial record stations and miscellaneous sampling sites are published in a separate table following the table of discharge measurements at miscellaneous sites. No descriptive statements are given for these records. Each station is published with its own station number and name in the regular downstream-order sequence.

Remark Codes

The following remark codes may appear with the water-quality data in this report:

PRINTED OUTPUT	REMARK
E	Estimated value
>	Actual value is known to be greater than the value shown
<	Actual value is known to be less than the value shown
K	Results based on colony count outside the acceptance range (non-ideal colony count)

Dissolved Trace-Element Concentrations

Note.--Traditionally, dissolved trace-element concentrations have been reported at the microgram per liter (ug/L) level. Recent evidence, mostly from large rivers, indicates that actual dissolved-phase concentrations for a number of trace elements are within the range of 10's and 100's of nanograms per liter (ng/L). Present data above the ug/L level should be viewed with caution. Such data may actually represent elevated environmental concentrations from natural or human causes; however, these data could reflect contamination introduced during sampling, processing, or analysis. To confidently produce dissolved trace-element data with insignificant contamination, the U.S. Geological Survey will begin using new trace-element protocols in water year 1994.

Records of Ground-Water Levels

Although over 950 wells are measured at annual or more frequent intervals, only ground-water level data from a basic network of 714 observation wells are published herein. This basic network contains observation wells so located that the most significant data are obtained from the fewest wells in the most important aguifers.

Each well is identified by means of (1) a 15-digit number that is based on latitude and longitude and (2) a local number that is provided for local needs. See figure 1.

Data Collection and Computation

Measurements are made in many types of wells, under varying conditions of access and at different temperatures, hence, neither the method of measurement nor the equipment can be standardized. At each observation well, however, the equipment and techniques used are those that will ensure that measurements at each well are consistent.

Water-level measurements in this report are given in feet in reference to National Geodetic Vertical Datum of 1929. National Geodetic Vertical Datum of 1929 is the datum plane on which the national network of precise levels is based; land-surface datum is a datum plane that is approximately at land surface at each well. If known, the altitude of the land-surface datum in reference to National Geodetic Vertical Datum of 1929 is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. Water levels in wells equipped with recording gages are reported as mean daily values, and the extremes are instantaneous values selected from the digital record. Water levels in wells not equipped with recording gages are read periodically or measured periodically with a weighted tape by U.S. Geological Survey personnel and/or an observer.

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth to water of several hundred feet, the error in determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot.

Data Presentation

Most well records consist of three parts, the station description, the data table of water levels observed during the current water year, and a graph of the water levels for the current water year or other selected period. The description of the well is presented first through use of descriptive headings preceding the tabular data. The comments to follow clarify information presented under the various headings of the well description.

LOCATION.--This paragraph follows the well-identification number and reports the latitude and longitude (given in degrees, minutes, and seconds); a landline location designation; the hydrologic unit number; the distance and direction from a geographic point of reference; and the owner's name.

AQUIFER.--This entry designates by name (if a name exists) and geologic age the aquifer(s) open to the well.

WELL CHARACTERISTICS.--This entry describes the well in terms of depth, diameter, casing depth and/or screened interval, method of construction, use, and additional information such as casing breaks, collapsed screen, and other changes since construction.

INSTRUMENTATION.—This paragraph provides information on both the frequency of measurement and the collection method used, allowing the user to better evaluate the reported water-level extremes by knowing whether they are based on weekly, monthly, or some other frequency of measurement.

DATUM.--This entry describes both the measuring point and the land-surface elevation at the well. The measuring point is described physically (such as top of collar, notch in top of casing, plug in pump base and so on), and in relation to land surface (such as 1.3 ft above land-surface datum). The elevation of the land-surface datum is described in feet above (or below) National Geodetic Vertical Datum of 1929 (NGVD of 1929); it is reported with a precision depending on the method of determination.

REMARKS.--This entry describes factors that may influence the water level in a well or the measurement of the water level. It should identify wells that also are water-quality observation wells, and may be used to acknowledge the assistance of local (non-Survey) observers.

PERIOD OF RECORD.--This entry indicates the period for which there are published records for the well. It reports the month and year of the start of publication of water-level records by the U.S. Geological Survey and the words "to current year" if the records are to be continued into the following year. Periods for which water-level records are available, but are not published by the Geological Survey, may be noted.

EXTREMES FOR PERIOD OF RECORD.—This entry contains the highest and lowest water levels of the period of record, with respect to land-surface datum, and the dates of their occurrence.

A table of water levels follows the station description for each well. Water levels are reported in feet above National Geodetic Vertical Datum and all taped measurements of water level are listed. For wells equipped with recorders, only abbreviated tables are published; generally, only water-level means are listed for every fifth day and at the end of the month (eom). The highest and lowest water levels of the water year and their dates of occurrence are shown on a line below the abbreviated table. Because all values are not published for wells with recorders, the extremes may be values that are not listed in the table. Missing records are indicated by dashes in place of the water level. A hydrograph of water levels follows the data table for some wells. The current year and the previous 9 years of record are plotted in feet above National Geodetic Vertical Datum. If the period of record is less than 10 years, the water levels for the entire record are plotted.

A hydrograph of water levels follows the data table for some wells. The current year and the previous 9 years of record are plotted in feet above National Geodetic Vertical Datum. If the period of record is less than 10 years, the water levels for the entire record are plotted.

Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records in that for most sampling sites they consist of only one set of measurements for the water year. The quality of ground water ordinarily changes only slowly; therefore, for most general purposes one annual sampling, or only a few samples taken at infrequent intervals during the year, is sufficient. Frequent measurement of the same constituents is not necessary unless one is concerned with a particular problem, such as monitoring for trends in nitrate concentration. In the special cases where the quality of ground water may change more rapidly, more frequent measurements are made to identify the nature of the changes.

Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as part of a special study in a specific area. Consequently, a number of chemical analyses are presented for one county, but none are presented for others. As a result, the records for this year, by themselves, do not provide a balanced view of ground-water quality Statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" manuals listed on a following page. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. All samples were obtained by trained personnel. The wells sampled were pumped long enough to assure that the water collected came directly from the aquifer and had not stood for a long time in the well casing where it would have been exposed to the atmosphere and to the material, possibly metal, comprising the casings.

Data Presentation

The records of ground-water quality are published in a section titled QUALITY OF GROUND WATER immediately following the ground-water-level records. Data for quality of ground water are listed alphabetically by County, and are identified by well number. The prime identification number for wells sampled is the 15-digit number derived from the latitude-longitude locations. No descriptive statements are given for ground-water-quality records; however, the well number, data of sampling, and other pertinent data are given in the table containing the chemical analyses of the ground water. The REMARK codes listed for surface-water-quality records are also applicable to ground-water-quality records.

ACCESS TO WATSTORE DATA

The U.S. Geological Survey is the principal Federal water-data agency and, as such, collects and disseminates about 70 percent of the water data currently being used by numerous State, local, private, and other Federal agencies to develop and manage our water resources. As part of the Geological Survey's program of releasing water data to the public, a large-scale computerized system has been developed for the storage and retrieval of water data collected through its activities. The National Water Data Storage and Retrieval System (WATSTORE) was established in 1972 to provide an effective and efficient means for the processing and maintenance of water data collected through the activities of the U.S. Geological Survey and to facilitate release of the data to the public. A variety of useful products, ranging from data tables to complex statistical analyses such as Log Pearson Type III, can be produced using WATSTORE. The system resides on the central computer facilities of the U.S. Geological Survey at its National Center in Reston, Virginia, and consists of related files and data bases.

- * Station Header File Contains descriptive information on more than 440,000 sites throughout the United States and its territories where the U.S. Geological Survey collects or has collected data.
- Daily Values File Contains more than 220 million daily values of stream flows, stages, reservoir contents, water temperatures, specific conductances, sediment concentrations, sediment discharges, and ground-water levels.
- Peak Flow File Contains approximately 500,000 maximum (peak) streamflow and gage-height values at surface-water sites.
- * Water Quality File Contains approximately 2 million analyses of water samples that describe the chemical, physical, biological, and radio-chemical characteristics of both surface and ground water.

Ground-Water Site Inventory Data Base - Contains inventory data for more than 900,000 wells, springs, and other sources of ground water. The data includes site location, geohydrologic characteristics, well-construction history, and one-time filed measurements such as water temperature.

In 1976, the U.S. Geological Survey opened WATSTORE to the public for direct access. The signing of a Memorandum of Agreement with the Survey is required to obtain direct access to WATSTORE. The system can be accessed either synchronously or asynchronously. The requestor will be expected to pay all computer costs he/she incurs. Direct access may be obtained by contacting:

U.S. Geological Survey National Water Data Exchange 421 USGS National Center Reston, Virginia 22092

In addition to providing direct access to WATSTORE, data can be provided in various machine-readable formats on magnetic tape or 5-1/4 inch floppy disk; and, as noted in the introduction, on CD-ROM discs. Beginning with the 1990 water year, all water-data reports will also be available on Compact Disc - Read Only Memory (CD-ROM). All data reports published for the current water year for the entire Nation, including Puerto Rico and the Trust Territories, will be reproduced on a single CD-ROM disc. Information about the availability of specific types of data or products, and user charges, can be obtained locally from each of the Water Resources Division's District offices. (See address on the back of the title page.) A limited number of CD-ROM discs will be available for sale by the Books and Open-File Reports Section, U.S. Geological Survey, Federal Center, Box 25425, Denver, Colorado 80225.

DEFINITION OF TERMS

Terms related to streamflow, water quality, and other hydrologic data, as used in this report, are defined below. See also the table for converting inch-pound system units to International System of units (SI) on the inside of the back cover.

Acre-foot (AC-FT, acre-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Algae are mostly aquatic single-celled, colonial, or multi-celled plants, containing chlorophyll and $\overline{\text{lacking}}$ roots, stems, and leaves.

Algal growth potential (AGP) is the maximum algal dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present as stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Bacteria are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria which ferment lactose with gas formation within 48 hours at 35° C. In the laboratory these bacteria are defined as the organisms which produce colonies within 24 hours when incubated at 35° C ±1.0°C on M-endo median (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal coliform bacteria are bacteria that are present in the intestines or feces of warm-blooded animals. They are often used as indicators of the sanitary quality of the water. In the laboratory they are defined as all organisms which produce blue colonies within 24 hours when incubated at 44.5° C $^{\pm}$ 0.2°C on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal streptococcal bacteria are bacteria found also in intestines of warm-blooded animals. Their presence in water is considered to verify fecal pollution. They are characterized as gram-positive, cocci bacteria which are capable of growth in brain-heart infusion broth. In the laboratory they are defined as all the organisms which produce red or pink colonies within 48 hours at $35^{\circ\pm}1.0^{\circ}C$ on KF Streptococcus agar (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Bed material: See Bottom material.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

Biomass is the amount of living matter present at any given time, expressed as the mass per unit area or volume of habitat.

Ash mass is the mass or amount of residue present after the residue from the dry mass determination has been ashed in a muffle furnace at a temperature of 500° C for 1 hour. The ash mass values of zooplankton and phytoplankton are expressed in grams per cubic meter (g/m³), and periphyton and benthic organisms in grams per square meter (g/m²).

Dry mass refers to the mass of residue present after drying in an oven at 60°C for zooplankton and 105°C for periphyton, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry mass values are expressed in the same units as ash mass.

Organic mass or volatile mass of the living substance is the difference between the dry mass and ash mass, and represents the actual mass of the living matter. The organic mass is expressed in the same units as for ash mass and dry mass.

Wet mass is the mass of living matter plus contained water.

Biomass pigment ratio is an indicator of the total proportion of periphyton which are autotrophic (plants). This is also called the Autotrophic Index.

Bottom material is the unconsolidated material of which a streambed, lake, pond, reservoir, or estuary bottom is composed.

Recoverable from bottom material is the amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of only readily soluble substances. Complete dissolution of all bottom material is not achieved by the digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Total in bottom material is the total amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total in bottom material".

Cells/volume refers to the number of cells of any organism which is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample, usually milliliters (mL) or liters (L).

Cfs-day is the volume of water represented by flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, about 646,000 gallons or 2,447 cubic meters.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water, and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Chlorophyll refers to the green pigments of plants. Chlorophyll \underline{a} and \underline{b} are the two most common pigments in plants.

Colloid is any substance with particles in such a fine state of subdivision dispersed in a medium, for example water, that they do not settle out; but not in so fine a state of subdivision that they can be said to be truly dissolved.

Color unit is produced by one milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Confined aquifer is the term used to describe an aquifer containing water between two relatively impermeable boundaries. The water level in a well tapping a confined aquifer stands above the top of the confined aquifer and can be higher or lower than the water table (it can also be above ground level). Formerly called artesian aquifer.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of salt water.

Cubic feet per second per square mile (CFSM) is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area.

Cubic foot per second (FT3/S, ft3/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

Discharge is the volume of water (or more broadly, volume of fluid plus suspended sediment), that passes a given point within a given period of time.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

Instantaneous discharge is the discharge at a particular instant of time.

Annual 7-day minimum is the lowest mean discharge for 7 consecutive days for a calendar year or a water year. Note that most low-flow frequency analyses of annual 7-day minimum flows use a climatic year (April 1-March 31). The data shown in the summary statistics table is the initial date of the 7-day period. (This value should not be confused with the 7-day 10-year low-flow statistic.)

Dissolved is that material in a representative water sample which passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate.

Diversity index is a numerical expression of evenness of distribution of aquatic organisms. The formula for diversity index is:

$$\overline{d} = -\sum_{i=1}^{8} \frac{n_i}{n} \log_2 \frac{n_i}{n}$$

Where n; number of individuals per taxon, n is the total number of individuals, and s is the total number of taxa in the sample of the community. Diversity index values range from zero when all the organisms in the sample are the same, to some positive number, when some or all of the organisms in the sample are different.

Drainage area of a stream at a specific location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the river above the specified point. Figures of drainage area given herein include all closed basins, or noncontribution areas, within the area unless otherwise noted.

Drainage basin is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or a body of impounded surface water together with all tributary surface streams and bodies of impounded surface water.

Gage height (G.H.) is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

Gaging station is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate (CaCO₃).

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as delineated by the Office of Water Data Coordination on the State Hydrologic Unit Maps; each hydrologic unit is identified by an 8-digit number.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per gram (ug/g) is a unit expressing the concentration of a chemical element as the mass (micrograms) of the element sorbed per unit mass (gram) of sediment.

Micrograms per liter (UG/L, ug/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in mg/L, and is based on the mass of sediment per liter of water-sediment mixture.

National Geodetic Vertical Datum of 1929 (NGVD) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level" in this series of reports. Although the datum was derived from the average sea level over a period of many years at 28 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

Organic carbon (OC) is a measure of the organic matter present in aqueous solution and (or) suspension. May be reported in any of three categories (DOC, dissolved organic carbon; SOC, suspended organic carbon; TOC, total organic carbon).

Organism is any living entity, such as an insect, phytoplankter, or zooplankter.

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square meters (m²), acres, or hectares. Periphyton benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliters (mL) or liters (L). Numbers of planktonic organisms can be expressed in these terms.

Total organism count is the total number of organisms collected and enumerated in any particular sample.

Partial-record station is a particular site where limited streamflow and/or water-quality data are collected systematically over a period of years for use in hydrologic analyses.

Particle-size is the diameter, in millimeters (mm), of suspended sediment or bed material determined by either sieve or sedimentation methods. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification used in this report agrees with recommendations made by the American Geophysical Union Subcommittee on Sediment Terminology.

The classification is as follows:

Classification	Size (mm)	Method of analysis
Clay Silt Sand	0.00024 - 0.004 .004062	Sedimentation.
Gravel	.062 - 2.0	Sedimentation or sieve.

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. Most of the organic material is removed and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Percent composition is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, mass or volume.

Periphyton is the assemblage of algae, fungi, and bacteria which are attached to or live upon submerged objects in lakes or rivers.

Pesticides are chemical compounds used to control undesirable plants and animals. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

Picocurie (PC, pCi) is one trillionth (1 x 10^{12}) of the amount of radioactivity represented by a curie (Ci). A curie is the amount of radioactivity that yields 3.7 x 10^{10} radioactive disintegrations per second. A picocurie yields 2.22 dpm (disintegrations per minute).

Plankton is the community of suspended, floating, or weakly swimming organisms that live in the open $\overline{\text{water of lakes}}$ and rivers.

Phytoplankton is the plant part of the plankton. They are usually microscopic and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment, and are commonly known as algae.

Blue-green algae are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water.

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells/mL of sample.

Euglenoids (Euglenophyta) are a group of algae that are usually free-swimming and rarely creeping. They have the ability to grow either photosynthetically in the light or heterotrophically in the dark.

Fire algae (Pyrrhophyta) are free-swimming unicells characterized by a red spot.

Green-algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algal mats or floating "moss" in lakes. Their concentrations are expressed as number of cells/mL of sample.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column, and are often large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Polychlorinated napthalenes (PCNs) are industrial chemicals that are mixtures of chlorinated napthalene compounds. They have properties and applications similar to polychlorinated biphenyls (PCBs) and have been identified in commercial PCB preparations.

Primary productivity is a measure of the rate at which new organic matter is formed and accumulated through photosynthetic and chemosynthetic activity of producer organisms (chiefly green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated by the plants (carbon method).

Milligrams of carbon per area or volume per unit time [mg $C/(m^2.time)$ for periphyton and macrophytes and mg $C/(m^3.time)$] for phytoplankton are units for expressing primary productivity. They define the amount of carbon dioxide consumed as measured by radioactive carbon (carbon 14). The carbon 14 method is of greater sensitivity than the oxygen light and dark bottle method, and is preferred for use in unenriched waters. Unit time may be either the hour or day, depending on the incubation period.

Milligrams of oxygen per area or volume per unit time [mg $0_2/(m^2.time)$] for periphyton and macrophytes and mg $0_2/(m^3.time)$] for phytoplankton are the units for expressing primary productivity. They define production and respiration rates as estimated from changes in the measured dissolved oxygen concentration. The oxygen light and dark bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period.

Runoff in inches (IN., in.) shows the depth to which the drainage area would be covered if all the runoff for a given time period were uniformly distributed on it.

Sediment is solid material that originates mostly from disintegrated rocks and is transported by, suspended in, or deposited from water; it includes chemical and biochemical precipitates and decomposed organic material, such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are influenced by environmental factors. Some major factors are degree of slope, length of slope, soil characteristics, land usage, and quantity and intensity of precipitation.

Suspended sediment is the sediment that at any given time is maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid.

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 ft above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L).

Suspended-sediment discharge (tons/day) is the rate at which dry weight of sediment passes a section of a stream or is the quantity of sediment, as measured by dry weight or volume, that passes a section in a given time. It is computed by multiplying discharge times mg/L times 0.0027.

Total sediment discharge (tons/day) is the sum of the suspended-sediment discharge and the bed-load discharge. It is the total quantity of sediment, as measured by dry weight or volume, that passes a section during a given time.

Mean concentration is the time-weighted concentration of suspended sediment passing a stream section during a 24-hour day.

Solute is any substance derived from the atmosphere, vegetation, soil, or rocks that is dissolved in water.

Specific conductance is a measure of the ability of a water to conduct an electrical current. It is expressed in microsiemens per centimeter at 25°C. Specific conductance is related to the type and concentrations of ions in solution and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in microsiemens). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stage-discharge relation is the relation between gage height (stage) and volume of water per unit of time, flowing in a channel.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lived.

Natural substrates refers to any naturally occurring emersed or submersed solid surface, such as a rock or tree, upon which an organism lived.

Artificial substrate is a device which is purposely placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is taken. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multi-plate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection.

Surface area of a lake is that area outlined on the latest U.S.G.S. topographic map as a boundary of the lake and measured by a planimeter in acres. In localities not covered by topographic maps, the areas are computed from the best maps available at the time planimetered. All areas shown are those for the stage when the planimetered map was made.

Surficial bed material is that part (0.1 to 0.2 ft) of the bed material that is sampled using U.S. $\frac{1}{2}$ Series Bed-Material Samplers.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of the total concentration in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) that material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water—suspended sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total".

Determinations of "suspended, total" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total concentrations of the constituent.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular mayfly, Hexagenia limbata is the following:

Kingdom Animal
Phylum Arthropoda
Class Insecta
Order Ephemeroptera
Family Ephemeridae
Genus Hexagenia

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water that would be contained in a vessel or reservoir that had received equal quantities of water from the stream each day for the year.

Tons per acre-foot indicates the dry mass of dissolved solids in 1 acre-foot of water. It is computed by multiplying the concentration in milligrams per liter by 0.00136.

Tons per day is the quantity of substance in solution or suspension that passes a stream section during a 24-hour day.

Total (as used in tables of chemical analyses):

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total". (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all of the constituent in the sample).

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

When virtually all of a constituent is present in the dissolved phase, the reported value for the dissolved constituent may appear slightly greater than that for the total determination. The difference is within the standard laboratory error for the analytical methods used.

Total load (tons) is the total quantity of any individual constituent, as measured by dry mass or volume, that is dissolved in a specific amount of water (discharge) during a given time. It is computed by multiplying the total discharge, times the mg/L of the constituent, times the factor 0.0027, times the number of days.

Total organic carbon (TOC) is a measure of all organic matter present in aqueous solution and suspension.

Water table is the surface of a ground-water body at which the water is at atmospheric pressure. It is defined by the levels at which water stands in wells that penetrate the water body just far enough to hold standing water.

Water-table aquifer is an unconfined aquifer whose upper boundary is the water table.

WDR is used as an abbreviation for "Water-Data Report" in the REVISED RECORDS paragraph to refer to state annual basic-data reports published beginning in 1975.

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

WSP is used as an abbreviation for "Water-Supply Paper" in references to previously published reports.

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Denver, Colorado 80225 (authorized agent of the Superintendent of Documents, Government Printing Office). Prepayment is required. Remittance should be sent by check or money order payable to the U.S. Geological Survey. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

- 1-D1. Water temperature--influential factors, field measurement, and data presentation, by H. H. Stevens, Jr., J. F. Ficken, and G. F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. Guidelines for collection and field analysis of ground-water samples for selected unstable constituents, by W. W. Wood: USGS-TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. Application of surface geophysics to ground-water investigations, by A. A. R. Zohdy, G. P. Eaton, and D. R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-D2. Application of seismic-refraction techniques to hydrologic studies, by F. P. Haeni: USGS--TWRI Book 2, Chapter D2. 1988. 86 pages.
- 2-E1. Application of borehole geophysics to water-resources investigations, by W. S. Keys and L.M. McCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 2-E2. Borehole geophysics applied to ground-water investigations, by W. S. Keys: USGS--TWRI Book 2, Chapter E2. 1990. 150 pages.
- 2-F1. Application of drilling, coring, and sampling techniques to test holes and wells, by Eugene Shuter and W. E. Teasdale: USGS--TWRI Book 2, Chapter F1. 1989. 97 pages.
- 3-A1. General field and office procedures for indirect discharge measurements, by M. A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. Measurement of peak discharge by the slope-area method, by Tate Dalrymple and M. A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. Measurement of peak discharge at culverts by indirect methods, by G. L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. Measurement of peak discharge at width contractions by indirect methods, by H. F. Matthai: USGS-TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. Measurement of peak discharge at dams by indirect methods, by Harry Hulsing: USGS--TWRI Book 3. Chapter A5. 1967. 29 pages.
- 3-A6. General procedure for gaging streams, by R. W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. Stage measurements at gaging stations, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. Discharge measurements at gaging stations, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.

- 3-A9. Measurement of time of travel in streams by dye tracing, by F. A. Kilpatrick and J. F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1989. 27 pages.
- 3-Alo. Discharge ratings at gaging stations, by E. J. Kennedy: USGS--TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. Measurement of discharge by moving-boat method, by G. F. Smoot and C. E. Novak: USGS-TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A12. Fluorometric procedures for dye tracing, by J. F. Wilson, Jr., E. D. Cobb, and F. A. Kilpatrick: USGS--TWRI Book 3, Chapter A12. 1986. 41 pages.
- 3-A13. Computation of continuous records of streamflow, by E. J. Kennedy: USGS--TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. Use of flumes in measuring discharge, by F. A. Kilpatrick and V. R. Schneider: USGS--TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. Computation of water-surface profiles in open channels, by Jacob Davidian: USGS--TWRI Book 3, Chapter A15. 1984. 48 pages.
- 3-A16. Measurement of discharge using tracers, by F. A. Kilpatrick and E. D. Cobb: USGS--TWRI Book 3, Chapter A16. 1985. 52 pages.
- 3-A17. Acoustic velocity meter systems, by Antonius Laenen: USGS--TWRI Book 3, Chapter A17. 1985. 38 pages.
- 3-A18. Determination of stream reaeration coefficients by use of tracers, by F. A. Kilpatrick, R. E. Rathburn, Nobuhiro Yotsukura, G. W. Parker, and L. L. DeLong: USGS--TWRI Book 3, Chapter A18. 1989. 52 pages.
- 3-A19. Levels of streamflow gaging stations, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A19. 1990. 27 pages.
- 3-B1. Aquifer-test design, observation, and data analysis, by R. W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- 3-B2. Introduction to ground-water hydraulics, a programmed text for self-instruction, by G. D. Bennett: USGS-- TWRI Book 3, Chapter B2. 1976. 172 pages.
- 3-B3. Type curves for selected problems of flow to wells in confined aquifers, by J. E. Reed: USGS-TWRI Book 3, Chapter B3. 1980. 106 pages.
- 3-B4. Regression modeling of ground-water flow, by R. L. Cooley and R. L. Naff: USGS--TWRI Book 3, Chapter B4. 1990. 232 pages.
- 3-B4. Supplement 1. Regression modeling of ground-water flow Modifications to the computer code for nonlinear regression solution of steady-state ground-water flow problems, by R. L. Cooley. USGS--TWRI Book 3, Chapter B4. 1993. 8 pages.
- 3-B5. Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems--An introduction, by O. L. Franke, T. E. Reilly, and G. D. Bennett: USGS--TWRI Book 3, Chapter B5. 1987. 15 pages.
- 3-B6. The principle of superposition and its application in ground-water hydraulics, by T. E. Reilly, O. L. Franke, and G. D. Bennett: USGS--TWRI Book 3, Chapter B6. 1987. 28 pages.
- 3-B7. Analytical solutions for one-, two-, and three-dimensional solute transport in ground-water systems with uniform flow, by E. J. Wexler: USGS--TWRI Book 3, Chapter B7. 1992. 90 pages.
- 3-C1. Fluvial sediment concepts, by H. P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. Field methods for measurement of fluvial sediment, by H. P. Guy and V. W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.

- 3-C3. Computation of fluvial-sediment discharge, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. Some statistical tools in hydrology, by H. C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. Frequency curves, by H. C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. Low-flow investigations, by H. C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. Storage analyses for water supply, by H. C. Riggs and C. H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. Regional analyses of streamflow characteristics, by H. C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. Computation of rate and volume of stream depletion by wells, by C. T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. Methods for determination of inorganic substances in water and fluvial sediments, by M.J. Fishman and L. C. Friedman: USGS--TWRI Book 5, Chapter A1. 1989. 545 pages.
- 5-A2. Determination of minor elements in water by emission spectroscopy, by P. R. Barnett and E. C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. Methods for the determination of organic substances in water and fluvial sediments, edited by R. L. Wershaw, M. J. Fishman, R. R. Grabbe, and L. E. Lowe: USGS--TWRI Book 5, Chapter A3. 1987. 80 pages.
- 5-A4. Methods for collection and analysis of aquatic biological and microbiological samples, by L. J. Britton and P. E. Greeson, editors: USGS--TWRI Book 5, Chapter A4. 1989. 363 pages.
- 5-A5. Methods for determination of radioactive substances in water and fluvial sediments, by L.L. Thatcher, V. J. Janzer, and K. W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. Quality assurance practices for the chemical and biological analyses of water and fluvial sediments, by L. C. Friedman and D. E. Erdmann: USGS--TWRI Book 5, Chapter A6. 1982. 181 pages.
- 5-C1. Laboratory theory and methods for sediment analysis, by H. P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 6-A1. A modular three-dimensional finite-difference ground-water flow model, by M. G. McDonald and A. W. Harbaugh: USGS--TWRI Book 6, Chapter A1, 1988, 586 pages.
- 6-A2. Documentation of a computer program to simulate aquifer-system compaction using the modular finite-difference ground-water flow model, by S. A. Leake and D. E. Prudic: USGS--TWRI Book 6, Chapter A2. 1991. 68 pages.
- 6-A3. A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 1: Model Description and User's Manual, by L. J. Torak: USGS--TWRI Book 6, Chapter A3. 1993. 136 pages
- 6-A4. A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 2: Derivation of finite-element equations and comparisons with analytical solutions, by R. L. Cooley: USGS-TWRI Book 6, Chapter A4. 1992. 108 pages.
- 6-A5. A modular finite-element model (MODFE) for areal and axisymmetric ground-water- problems, Part 3: Design philosophy and programming details, by L. J. Torak. USGS--TWRI Book 6, Chapter A5, 1993. 243 pages.
- 7-C1. Finite difference model for aquifer simulation in two dimensions with results of numerical experiments, by P. C. Trescott, G. F. Pinder, and S. P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.

24 PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS--Continued

- 7-C2. Computer model of two-dimensional solute transport and dispersion in ground water, by L. F. Konikow and J. D. Bredehoett: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. A model for simulation of flow in singular and interconnected channels, by R. W. Schaffrannek, R. A. Baltzer, and D. E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. Methods of measuring water levels in deep wells, by M. S. Garber and F. C. Koopman: USGS-TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-A2. Installation and service manual for U.S. Geological Survey manometers, by J. D. Craig: USGS-TWRI Book 8, Chapter A2. 1983. 57 pages.
- 8-B2. Calibration and maintenance of vertical-axis type current meters, by G. F. Smoot and C. E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.




Figure 2.—Discharge data, East Meadow Brook at Freeport, Water year 1993.




Figure 3.—Discharge data, Nissequogue River near Smithtown, Water year 1993.




Figure 4.— Hydrograph of water—table observation well S4271 at Riverhead, N.Y.




Figure 5.--Hydrograph of water-table observation well N1259 at Plainedge, N.Y.




FIGURE 6A .-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6B .-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6C .-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 7A.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7B .-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7C .-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 8A .-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS




FIGURE 8B .-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS




FIGURE 8C .-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS

01302500 GLEN COVE CREEK AT GLEN COVE, NY

LOCATION.--Lat 40°51'48", long 73°38'05", Nassau County, Hydrologic Unit 02030201, on right bank just downstream from Glen Cove Road, at 8- by 10-foot concrete culvert in Pratt Park, one block west of post office, in Glen Cove. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 11 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1938 to current year. Prior to October 1967, published as Cedar Swamp Creek.
REVISED RECORDS (WATER YEARS). -- WSP 971: 1939-42. WDR NY-86-2: 1960 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 15.68 ft above National Geodetic Vertical Datum of 1929. Prior to Oct. 31, 1977, at datum 0.15 ft higher. Prior to June 17, 1965, at datum 0.19 ft higher. REMARKS.--No estimated daily discharges. Records good except those above 200 ft³/s, which are fair.

		DISCHAR	GE, CUBI	C FEET PER	SECOND, DAILY	WATER YE	AR OCTOBER LUES	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	3.9 3.9 3.9 3.9	3.7 4.6 37 9.6 8.4	4.0 5.9 4.1 3.9 5.5	5.2 4.4 4.4 4.6 29	4.2 4.1 4.2 4.1 4.2	4.2 4.3 4.4 22 12	45 21 11 7.8 6.6	4.6 4.5 4.4 4.6 4.9	8.7 5.8 4.9 4.5 4.9	3.9 4.0 12 4.9 4.4	3.9 3.9 4.0 4.0 3.9	4.0 4.0 4.0 4.8 4.0
6 7 8 9	3.9 3.9 3.9 14 8.4	5.8 4.5 4.1 3.9 3.9	3.9 3.9 3.8 3.7 4.2	8.9 6.5 5.2 4.5 4.2	4.2 4.2 4.4 4.2 4.2	7.5 5.8 5.2 4.9	6.0 5.4 5.3 5.1 7.6	4.5 4.4 4.4 4.4	4.4 4.2 4.2 6.0 4.3	4.0 4.1 5.8 4.1 6.7	5.4 5.9 4.1 4.9 4.0	4.0 4.0 5.1 4.2 7.9
11 12 13 14 15	8.4 6.4 4.6 4.0 3.9	3.9 6.6 9.1 4.2 4.1	81 30 17 9.7 6.9	4.3 7.9 14 7.4 5.9	4.2 6.5 22 8.1 6.0	4.8 4.4 4.9 10 6.8	6.3 5.4 5.3 5.1 5.0	4.5 4.4 4.5 4.4	4.2 4.2 4.2 4.2 4.2	4.3 4.1 4.0 4.0 4.1	3.9 18 4.7 4.3 4.1	4.0 3.9 3.9 4.0 4.3
16 17 18 19 20	3.9 3.7 3.7 3.8 3.8	3.9 3.9 3.7 3.7	5.7 19 8.8 6.4 6.6	5.0 4.7 4.3 4.2 4.2	24 14 8.0 5.9 5.0	8.1 30 16 9.0 7.3	5.6 9.5 6.9 5.8 5.4	4.4 4.4 4.5 5.4 4.4	4.1 4.2 4.2 4.1 6.6	4.0 4.0 4.0 4.8 4.1	4.7 9.7 6.5 4.4 4.1	7.6 13 12 6.1 4.8
21 22 23 24 25	3.9 3.8 3.9 5.6 4.4	3.7 6.3 26 6.9 6.6	4.9 4.5 4.4 4.1 4.0	4.3 16 5.8 5.2 4.7	4.7 7.3 5.2 4.6 4.4	11 10 12 41 16	5.3 9.1 6.3 5.4 5.2	4.4 4.4 4.3 4.4 4.3	5.8 4.2 4.0 4.1 4.1	4.1 4.1 4.1 4.1 4.1	4.0 3.9 3.9 3.9 9.0	6.4 4.3 4.2 4.1 4.5
26 27 28 29 30 31	3.9 3.8 3.7 3.7 3.9	13 7.2 5.3 4.6 4.2	3.9 3.9 3.9 6.0 11 8.0	4.4 4.3 4.2 4.2 4.2 4.2	4.4 4.2 4.2 	11 7.9 20 8.7 6.9 6.0	6.2 7.9 6.0 5.2 4.8	4.3 4.3 4.3 4.2 4.2	4.0 4.4 3.9 3.9 3.9	4.1 6.2 4.0 7.2 4.0 3.9	4.1 4.5 3.9 3.9 3.9	25 63 13 9.9 7.0
TOTAL MEAN MAX MIN	144.2 4.65 14 3.7	216.1 7.20 37 3.7	292.6 9.44 81 3.7	200.3 6.46 29 4.2	184.7 6.60 24 4.1	327.0 10.5 41 4.2	242.5 8.08 45 4.8	150.5 4.85 17 4.2	138.4 4.61 8.7 3.9	145.2 4.68 12 3.9	157.5 5.08 18 3.9	251.0 8.37 63 3.9
							BY WATER			9		
MEAN MAX (WY) MIN (WY)	6.39 11.7 1990 3.18 1966	7.09 15.4 1978 3.23 1966	7.19 12.4 1984 3.48 1966	7.58 29.8 1979 3.27 1970	7.85 16.2 1941 3.48 1967	8.45 14.7 1980 4.32 1981	8.22 23.5 1983 3.90 1966	7.56 21.2 1989 3.87 1965	6.81 16.0 1984 3.07 1971	6.87 19.1 1984 3.14 1970	7.40 20.5 1955 3.25 1965	6.79 13.7 1975 2.84 1967
	STATIST		FOR	1992 CALEN	IDAR YEAR	F	OR 1993 WA	TER YEAR		WATER Y	EARS 1939	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST	TOTAL MEAN F ANNUAL MEAN ANNUAL ME	MEAN EAN		2446.9 6.69			2450.0 6.71	Dec 11		7.3 12.8 4.2 455		1979 1966 21 1979
LOWEST ANNUAL INSTANT INSTANT INSTANT	DAILY ME/ SEVEN-DAY FANEOUS PE FANEOUS PE FANEOUS PE	MEAN EAN AN / MINIMUM EAK STAGE W FLOW EDS		3.7 3.8	Dec 11 Oct 17 Oct 26		3.7 3.8 656 6.63	Dec 11 Oct 17 Oct 26 Sep 27 Sep 27 Many d		2.2 2.3 728a 7.1 2.1	Oct Oct Sep 2 Sep	21 1979 8 1967 2 1967 12 1960 12 1960 15 1967
10 PERC 50 PERC 90 PERC	ENT EXCE ENT EXCE ENT EXCE	DS DS DS		9.7 4.8 3.9			10 4.4 3.9	many u		11 5.8 3.5		

a From rating curve extended above 110 ft3/s on basis of step-backwater method.

01302500 GLEN COVE CREEK AT GLEN COVE, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	DXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
0CT 15	0845	3.9	297	6.9	9.5	766	9.8	23	7.9
JAN 07	0950	6.7	256	7.0	5.0	770	12.5	18	6.2
APR 05	1240	6.5	318	7.0	11.0	769	10.6	22	7.0
JUL 07	0825	4.0	320	6.9	14.5	766	10.0	21	7.7
DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)
0CT 15	21	2.2	43	27	36	0.10	18	0.008	3.9
JAN 07	20	2.4	37	23	34	0.10	11	0.013	3.0
APR 05	25	2.3	42	26	46	⟨0.10	13	0.005	3.2
JUL 07	22	2.4	41	29	42	0.10	17	0.005	4.1
DATE	NITRO- GEN AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
0CT 15	0.09	⟨0.20	0.016	0.011	450	250	60	58	0.04
JAN 07	0.31	0.60	0.059	0.025	600	370	60	54	0.05
APR 05	0.07	0.20	0.031	0.013	670	350	70	61	0.05
JUL 07	0.05	⟨0.20	0.014	0.009	310	170	50	37	0.06

01303000 MILL NECK CREEK AT MILL NECK, NY

LOCATION.--Lat 40°53'15", long 73°33'51", Nassau County, Hydrologic Unit 02030201, on right bank at Beaver Lake, 30 ft upstream from Feeks Lane (Cleft Road) bridge in Mill Neck, and 1.5 mi southwest of Bayville. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 11.5 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- January 1937 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE. --Water-stage recorder and steel sheet-piling control. Datum of gage is 6.49 ft above National Geodetic Vertical Datum of 1929. Prior to June 23, 1965, at datum 0.06 ft higher.

REMARKS.--Records good except those for estimated period, which are poor. Slight regulation by ponds above station.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 32 ft³/s and maximum (*):

Date Dec. 11 Mar. 13	Time unknown 1730	Discharge (ft ³ /s) c 35	Gage height (ft) *4.24 0.76	Date Sep. 27	Time 1600	Discharge (ft ³ /s) *38	Gage height (ft) 0.80

		DISCH	ARGE, CUBI	C FEET PE	R SECOND, I	MATER YE	AR OCTOBER	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	6.6 6.7 6.6 6.5	6.9 6.9 17 13 9.4	7.3 7.6 7.9 7.5 8.1	9.0 7.9 7.5 7.8	6.6 7.4 6.9 6.7 6.6	6.6 6.8 7.1 9.7	18 19 12 10 9.1	8.2 8.0 7.7 7.9 8.2	15 10 8.0 7.5 7.5	6.2 6.5 12 9.8 8.1	6.3 6.1 5.8 5.7 5.5	5.7 5.7 5.9 6.0 6.1
6 7 8 9	6.2 6.3 6.3 7.2	8.3 7.6 7.1 6.9 6.9	8.5 8.5 8.5 8.4	13 9.5 8.2 7.5 7.2	7.0 7.0 7.0 6.8 6.8	10 8.4 7.8 7.7 7.4	8.6 8.3 8.1 8.1 9.4	8.2 7.8 7.6 7.6 7.7	7.8 7.4 7.2 7.8 7.6	7.3 6.9 6.6 6.2 6.2	5.9 7.6 7.2 7.0 7.2	5.7 5.6 6.3 6.4 7.8
11 12 13 14 15	8.7 9.4 8.0 7.4 7.2	7.0 7.3 9.5 8.2 7.8	e25 e30 e20 e15	7.3 8.2 11 11 9.1	7.0 8.2 15 11 8.7	7.4 7.1 16 19 10	9.8 8.7 8.4 8.2 8.1	7.7 7.5 7.3 7.4 7.4	7.0 6.9 6.9 7.0 7.0	6.9 6.5 6.2 5.9 5.8	6.8 10 11 8.4 7.2	6.8 6.3 6.1 5.9 5.7
16 17 18 19 20	7.1 6.5 6.4 6.5	7.4 7.2 7.0 6.9 6.8	7.9 9.6 11 8.5 7.7	8.1 7.6 7.1 6.9 6.9	10 15 11 8.4 7.5	8.1 11 13 9.5 8.0	8.7 14 11 9.1 8.4	7.3 7.4 7.3 8.2 8.2	6.7 6.8 6.9 6.8	5.5 5.3 5.5 6.2 7.0	6.6 8.3 8.4 7.6 7.0	7.1 11 12 9.4 7.0
21 22 23 24 25	6.6 6.4 6.6 7.0 7.8	7.0 7.6 15 11 9.2	7.1 7.0 7.1 6.9 9.1	7.1 11 9.9 8.5 7.8	7.6 8.5 7.9 7.2 6.7	8.4 8.9 9.0 18	7.9 11 11 9.1 8.4	7.9 7.4 7.2 7.2 7.2	10 9.0 7.3 6.6 6.3	6.8 6.4 6.3 6.2 6.1	6.4 5.9 6.0 5.9 7.3	7.1 7.6 7.4 7.2 6.7
26 27 28 29 30 31	7.2 6.7 6.7 6.7 7.0	9.2 10 8.3 7.9 7.5	7.9 7.1 7.1 7.7 9.6	7.5 7.3 7.1 6.8 7.1 7.0	6.8 6.9 6.7	12 9.9 15 12 10 8.9	9.3 14 11 9.3 8.6	7.0 6.7 6.8 6.7 7.4	6.0 6.1 6.5 6.3	5.8 6.6 6.5 8.3 7.6 6.7	7.0 6.3 6.1 6.6 6.2 5.9	14 23 19 10 7.7
TOTAL MEAN MAX MIN	217.6 7.02 10 6.2	257.8 8.59 17 6.8	313.1 10.1 30 6.9	261.9 8.45 14 6.8	228.9 8.17 15 6.6	322.7 10.4 19 6.6	304.6 10.2 19 7.9	232.8 7.51 8.2 6.7	225.0 7.50 15 6.0	209.9 6.77 12 5.3	215.2 6.94 11 5.5	248.2 8.27 23 5.6
	STICS OF	MONTHLY M		OR WATER	YEARS 1937		BY WATER	YEAR (WY				
MEAN MAX (WY) MIN (WY)	8.36 12.9 1956 5.22 1966	9.23 12.3 1978 5.48 1967	9.26 14.5 1974 5.20 1967	9.17 16.4 1979 5.36 1967	9.42 13.4 1979 5.66 1968	9.98 13.8 1953 6.59 1966	9.77 14.9 1980 5.19 1966	9.29 13.9 1984 5.45 1965	8.61 14.1 1984 4.53 1966	8.46 17.9 1984 4.10 1966	8.63 15.7 1955 4.54 1966	8.41 13.3 1960 4.64 1965

STREAMS ON LONG ISLAND 01303000 MILL NECK CREEK AT MILL NECK, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1937 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN	2846.5 7.78	3037.7 8.32	9.05 12.1 5.59 1984
LOWEST ANNUAL MEAN HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM	38 Aug 18 5.0 Jul 22 5.5 Jun 12	30 Dec 12 5.3 Jul 17 5.8 Jul 13	105 Aug 12 1955 3.6 Sep 11 1965 3.7 Oct 7 1966
INSTANTANEOUS PEAK FLOW INSTANTANEOUS PEAK STAGE INSTANTANEOUS LOW FLOW 10 PERCENT EXCEEDS	0.5	38a Sep 27 4.24c Dec 11 5.0 Jul 17	137b Sep 12 1960 4.85d Sep 21 1938 .09f Dec 11 1941
50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	9.5 7.0 5.9	7.4 6.2	8.4 5.9

a May have been higher on Dec 11. b From rating curve extended above 70 ft³/s. c Backwater from high tide. d From hurricane wave. e Estimated. f Result of freezeup.

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

	DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
OCT	4	0935	7.4	155	7.4	14.5		11.0	11	4.4
JAN	6	1245	13	478	7.4	7.0	769	13.2	12	9.5
APR	5	1140	9.2	256	7.5	7.5	769	12.5	10	5.5
JUL	6	1045	7.7	190	9.5	27.0	766	12.7	10	4.7
٠	0	1040	1.1	190	9.0	27.0	700	12.7	10	7.1
	DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)
OCT	4	12	1.4	28	17	17	⟨0.10	8.0	0.012	0.77
JAN	6	64	3.4	24	28	110	⟨0.10	9.1	0.024	1.4
APR	5	29	1.8	26	19	48	⟨0.10	7.2	0.010	1.1
JUL	6	16	1.6	30	16	25	(0.10	12	0.002	(0.050
	DATE	NITRO- GEN AMMONTA DIS- SOLVED (MG/L AS N)	NITRO- GEN.AM- MONÍA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT	4	0.04	(0.20	0.022	0.002	430	120	40	22	0.03
JAN	6	0.23	0.50	0.041	0.008	570	140	40	32	0.05
APR	5	0.04	0.30	0.027	0.002	400	170	20	13	0.04
JUL	6	0.03	0.30	0.215	0.004	1000	84	80	3	0.08
		0.00	0.00	0.210	0.004	1000	34	30	•	0.00

01303500 COLD SPRING BROOK AT COLD SPRING HARBOR, NY

LOCATION.--Lat 40°51'26° long 73°27'50°, Nassau County, Hydrologic Unit 02030201, on left bank 270 ft upstream from State Highway 25Å, at Cold Spring Harbor State Fish Hatchery, and 1.0 mi southwest of village of Cold Spring Harbor.

DRAINAGE AREA. -- About 7.3 mi2.

PERIOD OF RECORD .-- July 1950 to current year.

REVISED RECORDS.--WDR NY-81-2: 1954 (M), 1958 (M), 1962-63 (M), 1971 (M), 1978-79, 1980 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 5.38 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those above 100 ft³/s, which are poor and estimated period, which are fair. Flow occasionally regulated at outlet of pond 40 ft above station. Diversion from this pond by New York State Fish Hatchery bypasses station, except during the 1979 water year.

		DISCHARG	E, CUBIC	FEET PER	SECOND, W	ATER YEA	AR OCTOBER	1992 TO S	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	1.8 1.8 1.8 1.9	2.1 2.0 5.4 4.6 2.9	2.0 1.9 1.9 1.7 1.8	2.5 2.1 2.0 2.2 3.9	2.0 1.8 1.8 2.0 2.0	2.0 2.1 2.2 2.8 4.5	6.1 5.7 3.8 3.0 2.8	2.4 2.3 2.2 2.2	4.0 2.8 2.2 2.0 1.8	1.6 1.4 3.2 2.8 2.2	2.0 1.9 1.7 1.6 1.6	1.4 1.4 1.6 1.6
6 7 8 9	1.8 1.8 1.8 2.1 3.8	2.4 2.0 1.8 1.8	1.7 1.6 1.6 1.6	3.9 2.7 2.4 2.2 2.0	2.2 2.2 2.2 2.0 2.0	3.2 2.6 2.4 2.3 2.2	2.6 2.4 2.4 2.4 3.0	2.2 2.0 2.0 2.0 1.8	2.0 1.8 1.8 2.0 2.0	1.8 1.6 1.6 1.6 1.7	1.6 1.8 1.9 2.6 2.5	1.5 1.4 1.4 1.5 2.0
11 12 13 14 15	2.9 3.0 2.3 2.0 2.0	1.8 2.0 2.4 2.3 2.0	e5.0 e8.0 e5.0 e3.0 e2.5	2.1 2.3 2.8 2.8 2.4	2.0 2.6 4.0 3.1 2.4	2.2 2.1 3.5 4.2 2.9	3.2 2.7 2.6 2.4 2.4	1.9 2.0 1.9 1.9	1.8 1.7 1.6 1.6	1.8 1.6 1.6 1.5	1.8 1.8 2.1 2.0 1.8	1.8 1.5 1.5 1.4 1.4
16 17 18 19 20	1.9 1.7 1.6 1.7 1.6	1.8 1.8 1.7 1.6	e2.3 e2.5 e3.0 e2.5 e2.3	2.2 2.2 2.0 2.0 2.0	2.7 4.7 3.4 2.5 2.2	2.4 3.0 4.5 3.1 2.5	2.5 3.6 3.0 2.5 2.4	1.8 1.9 1.8 2.1 2.2	1.6 1.6 1.6 1.6	1:4 1:4 1:4	1.6 2.2 2.2 2.0 1.6	1.6 2.2 3.0 2.6 2.0
21 22 23 24 25	1.8 1.8 1.8 1.9 2.0	1.7 1.8 4.5 3.7 2.8	e2.0 e2.0 e2.0 e2.0	2.0 3.2 3.2 2.7 2.1	2.4 2.6 2.4 2.2 2.0	2.5 2.6 2.5 4.7 4.6	2.4 3.2 3.2 2.6 2.4	2.0 1.8 1.8 1.8 1.7	2.0 2.0 1.7 1.6 1.6	1.4 1.4 1.3 1.3	1.6 1.4 1.5 1.5	1.9 1.8 1.8 1.6 1.5
26 27 28 29 30 31	1.8 1.8 1.9 2.0 2.2	3.2 4.2 2.9 2.3 2.1	e2.0 e2.0 e2.1 2.1 2.5 3.1	1.8 2.6 3.1 2.5 2.0	2.0 2.0 2.0	3.4 2.8 3.9 3.7 3.0 2.6	2.6 3.8 3.0 2.6 2.4	1.6 1.6 1.6 1.6 2.0	1.5 1.6 1.7 1.6 1.6	1.2 1.5 1.8 2.1 2.2 2.2	1.9 1.8 1.7 1.9 1.7	3.1 3.8 3.2 2.1 1.7
TOTAL MEAN MAX MIN	62.3 2.01 3.8 1.6	75.2 2.51 5.4 1.6	77.9 2.51 8.0 1.6	75.9 2.45 3.9 1.8	67.4 2.41 4.7 1.8	93.0 3.00 4.7 2.0	89.7 2.99 6.1 2.4	59.7 1.93 2.4 1.6	55.7 1.86 4.0 1.5	52.1 1.68 3.2 1.2	56.9 1.84 2.6 1.4	56.7 1.89 3.8 1.4
							BY WATER			2.00		
MEAN MAX (WY) MIN (WY)	2.49 6.02 1980 .38 1966	2.68 6.35 1980 .29 1967	2.63 5.95 1980 .29 1967	2.81 8.56 1979 .27 1967	2.92 6.85 1979 .29 1967	2.92 6.56 1979 .46 1967	2.92 7.25 1980 .45 1966	2.76 6.60 1979 .41 1967	2.65 6.37 1979 .67 1967	2.61 6.17 1979 .63 1968	2.72 6.11 1979 .59 1988	2.52 6.35 1979 .63 1965
SUMMARY	STATISTI	cs	FOR 1	1992 CALEN	DAR YEAR	F	DR 1993 WA	TER YEAR		WATER YE	ARS 1950 -	1993
ANNUAL I ANNUAL I HIGHEST LOWEST / LOWEST / LOWEST I ANNUAL S INSTANT/ INSTANT/ INSTANT/ 10 PERCE 90 PERCE	TOTAL MEAN ANNUAL ME ANNUAL ME DAILY MEA SAILY MEA NEOUS PE ANEOUS PE ANEOUS LO ENT EXCEE ENT EXCEE ENT EXCEE	EAN AN N MINIMUM AK FLOW AK STAGE W FLOW DS DS		980.70 2.68 12 .56 1.5	Aug 18 Aug 30 Aug 25		822.5 2.25 8.0 1.2 1.3 9.8a 5.13 1.14 3.2 2.0 1.6	Dec 12 Jul 26 Jul 26 Jul 26 Apr 1 C Dec 11 Jul 26		2.72 6.32 53 18 22 181b 5.34 2.0 4.4 2.5 86	Jan 21 Dec 7 Dec 3 Jan 21 C Aug 31 Jan 24	1979 1967 1979 1983 1983 1983 1979 1954

May have been higher on Dec 11.
Result of regulation, from rating curve extended above 70 ft³/s.
Backwater from high tide, from high water mark.
Also occurred on Jul 27.

01303500 COLD SPRING BROOK AT COLD SPRING HARBOR, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARD- METRIC PRES- SURE (MM DF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
OCT 13	1245	2.4	90.5	7.0	15.0		10.2	4.7	1.9
JAN 06	1020	4.2	99.8	7.0	5.0	770	13.8	5.0	1.9
APR 05	0950	2.8	152	6.8	8.0		11.5	5.5	2.1
JUL 06	0930	1.8	106	7.1	24.5	766	7.2	4.9	2.0
DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SD4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)
0CT 13	8.2	1.0	15	5.0	13	⟨0.10	3.8	0.004	0.54
JAN 06	10	1.0	12	6.2	15	⟨0.10	6.9	0.013	1.1
APR 05	20	0.90	15	6.1	32	⟨0.10	3.0	0.003	0.73
JUL 06	11	0.70	16	5.0	21	<0.10	4.9	0.004	0.22
DATE	NITRO- GEN AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
13	0.11	0.30	0.021	0.006	570	430	20	21	0.02
JAN 06	0.10	0.20	0.032	0.004	440	240	20	13	0.03
APR 05	0.05	0.30	0.028	0.003	800	450	20	26	0.03
JUL 06	0.06	(0.20	0.029	0.002	590	150	30	17	0.03

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY

(National stream-quality accounting network station)

LOCATION.--Lat 40°50'58", long 73°13'29", Suffolk County, Hydrologic Unit 02030201, on left bank 0.5 mi downstream from New Mill Pond, 1.0 mi southwest of Smithtown, and 1.5 mi southwest of village of Smithtown Branch. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 27 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1943 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE. -- Water-stage recorder and concrete control. Datum of gage is 9.59 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--No estimated daily discharges. Records excellent. Occasional regulation caused by cleaning of fish screens and trash racks at outlets of New Mill Pond on main stream and ponds on tributaries above station.

		DISCHAR	GE, CUBIC	FEET PER	SECOND, W	ATER Y	EAR OCTOBER ALUES	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	38 38 37 37 37	38 39 56 55 48	43 44 48 44 45	51 49 47 48 59	44 44 45 44 44	45 46 47 50 59	82 90 76 66 61	55 54 54 54 54	64 56 50 49 48	40 40 53 48 43	37 36 35 35 34	33 33 33 33
6 7 8 9	37 37 37 40 43	45 42 40 39 40	44 42 41 41 40	60 53 50 48 47	45 44 45 44 44	55 51 49 48 48	59 58 57 57 58	53 51 51 51 51	48 47 46 48 47	40 40 40 39 39	35 37 36 36 35	32 32 33 50
11 12 13 14 15	41 44 41 39 38	39 40 46 43 41	75 100 80 64 56	47 49 54 54 51	44 48 62 56 51	48 47 55 64 57	59 59 59 57 57	51 50 51 50	46 45 45 44 44	39 38 38 38 38	35 35 35 35 35	51 42 37 35 34
16 17 18 19 20	39 37 37 36 37	40 40 39 38 38	51 56 62 56 54	49 48 47 46 45	54 68 58 52 49	53 60 71 63 57	57 66 61 59 57	49 49 50 51 51	43 43 43 42 43	37 36 37 38 38	35 39 38 36 36	36 41 45 41 39
21 22 23 24 25	37 36 37 37 37	39 42 75 66 55	51 49 48 47 47	45 52 52 50 49	49 51 50 49 47	56 56 76 75	55 62 61 58 56	50 49 48 48 48	44 46 43 42 42	38 36 36 36 36	34 34 34 34 35	39 39 38 36 36
26 27 28 29 30 31	37 37 38 38 38	56 61 52 47 44	46 45 45 47 52 56	48 47 48 46 45 45	47 46 45 	65 60 65 63 60 57	56 62 59 57 56	47 46 47 48 45 47	41 41 41 41	35 43 43 41 39 37	34 34 36 38 35 34	47 47 43 39 37
TOTAL MEAN MAX MIN	1179 38.0 44 36	1383 46.1 75 38	1617 52.2 100 40	1527 49.3 60 45	1369 48.9 68 44	1762 56.8 76 45	1837 61.2 90 55	1552 50.1 55 45	1363 45.4 64 41	1219 39.3 53 35	1097 35.4 39 34	1146 38.2 51 32
STATIST	ICS OF MO	NTHLY MEA		R WATER Y	EARS 1944	- 1993	, BY WATER	EAR (WY				
MEAN (WY) MIN (WY)	38.7 76.1 1991 23.5 1967	40.6 70.0 1956 24.3 1967	42.4 63.8 1991 24.0 1967	43.7 75.5 1979 23.3 1967	44.8 66.2 1979 23:4 1967	46.9 70.1 1979 29.2 1966	48.1 73.7 1983 27.3 1966	46.0 63.0 1989 30.8 1966	43.0 69.2 1984 25.6 1966	40.1 70.4 1984 22.4 1966	39.7 59.0 1984 22.1 1966	38.4 55.3 1984 24.2 1966
SUMMARY	STATISTI	cs	FOR 1	992 CALEN	DAR YEAR		FOR 1993 WAT	TER YEAR		WATER YE	ARS 1944	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST ANNUAL INSTANT INSTANT INSTANT 10 PERC 90 PERC 90 PERC	TOTAL MEAN ANNUAL MEAN DAILY MEA SEVEN-DAY ANEOUS PE ANEOUS PE ANEOUS LO ENT EXCEE ENT EXCEE ENT EXCEE	EAN AN AN N MINIMUM AK FLOW AK STAGE W FLOW DS		16014 43.8 118 35 37	Jun 6 Aug 8 Oct 17		17051 46.7 100 32 33 109 1.08 31 59 45 36	Dec 12 Sep 6 Sep 2 Dec 11 Dec 11 Sep 7		42.7 58.9 27.0 334 19 21 952a 3.22 16b 56 41	Jan 2 Jun 3 Jan 2 Jan 2 Jun 2	1991 1966 2 1967 6 1967 1 1966 2 1979 2 1979 5 1967

a Result of dam failure, from rating curve extended above 600 ft $^3/s$. b Also occurred on Jun 8 1967.

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- February 1967 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE: December 1978 to September 1981. WATER TEMPERATURES: January 1978 to September 1981.

COOPERATION. -- Some water-quality analyses for this station were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

			WATER-QUA	LITY DA	TA, WATER	YEAR OCT	OBER 1992	TO SEPTE	MBER 1993			
DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	CON- DUCT- ANCE (FIELD	PH WATER WHOLE FIELD STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	SOLIDS, RESIDUÉ AT 180 DEG. C DIS- SOLVED (MG/L)	TUR- BID- ITY (NTU)	COLI- FORM, FECAL, 0.45 UM-MF (COLS./ 100 ML)	STREP- TOCOCCI FECAL KF AGAR (COLS. PER 100 ML)	CALCIUM DIS- SOLVED (MG/L AS CA)
18	1030	38	125	6.8	8.0		11.8	75	0.40	K6	K14	6.9
02	1540	42	92	6.8	7.0		9.4					6.6
B 10	1015	44	141	8.8	5.5	769	13.0	80	0.80	K11	K2	7.6
IR 103	1505	47	157	7.1	6.0							7.3
06	0835	54	174	7.0	17.0	767	9.3	85	1.1	K20	K23	8.2
JN 24	1425	40	125	6.8	21.5		6.5				-22	6.9
JG 17	0905	40	131	7.0	18.5	761	8.5	76	0.40			7.3
DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	SULVED	ALKA- INITY IAT DIS OT IT FIELD IG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN AM- MONÍA + ORGANIC TOTAL (MG/L AS N)
)V _18	2.7	11	1.4	14	10	16	⟨0.10	7.4	0.02	2.1	0.03	⟨0.2
C 02	2.6	11	1.2		10	18		- 22				
B 10	2.8	13	1.6	17	11	18	(0.10	8.1	0.03	2.3	0.04	0.2
R 03	2.7	15	1.1		11	23						<0.05
08	2.9	14	1.2	16	12	20	⟨0.10	6.1	0.01	1.9	0.05	0.3
JN 24	3.1	15	1.4		10	20						
JG 17	2.8	13	1.0	18	9.5	17	<0.10	6.9	<0.01	1.7	0.06	0.4
DATE	PHOP PHOP TO 1 (MC	AL SOL	IS- DIS-	ARSE	VED SOLV	_ nrs	VED SOL	S- DIS	M, COBA - DIS VED SOLV	ED SOL	.VED ERA	N, AL OV- BLE (L FE)
18	0	.01	0.02 <0.0	11 -	-	17 -			_	(3 -		_
*02					<20	< 50 -	- <2	0	⟨20	(20	⟨20	150
10	0	.01 (0.01 (0.0		-	18 -						_
#03					⟨20	<50 <1	0 (2	1	te"	⟨20	⟨20	80
06			0.01 (0.0		-	14 -		1				-
JUN *24						<50 <1				⟨20		230
AUG												

K Results based on colony counts outside the acceptable range (non-ideal colony count).

STREAMS ON LONG ISLAND
01304000 NISSEQUOQUE RIVER NEAR SMITHTOWN, NY--Continued
WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)
NOV 18	38		<4		22	<10	(1	(1	(1.0	56	<6
DEC *02 FEB 10 MAR *03	90	⟨20		40	40	(20	(20	⟨20	⟨20	50	<20
10	57		(4		140	<10	1	(1	⟨1.0	58	⟨6
*03	50	⟨20		80	70	⟨20	(20	⟨20	⟨20	60	⟨20
MAY 06 JUN *24	84		<4		170	<10	1	<1	<1.0	62	(6
*24 AUG_	150	<20		80	70	<20	<20	⟨20	<20	60	⟨20
17	38		<4		34	<10	<1	<1	<1.0	58	<6

SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	CHARGE, INST. CUBIC FEET PER SECOND	SEDI- MENT, SUS- PENDED (MG/L)	MENT, DIS- CHARGE, SUS- PENDED (T/DAY)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM
NOV 18	1030	38	1	0.10	100
10	1015	44	3	0.36	59
06	0835	54	2	0.29	87

01304500 PECONIC RIVER AT RIVERHEAD, NY

LOCATION.--Lat 40°54'49" long 72°41'14". Suffolk County, Hydrologic Unit 02030202, on right bank 200 ft downstream from Long Island Lighting Co. dam, 0.4 mi west of Riverhead, and 1.2 mi upstream from outlet of Sweezy Pond. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 75 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- June 1942 to current year.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 6.54 ft above National Geodetic Vertical Datum of 1929.

REMARKS .-- No estimated daily discharges. Records good. Flow regulated by ponds above station.

		DISCHARG	E, CUBIC	FEET PER	SECOND, W	ATER YE	AR OCTOBER	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	23 23 23 22 21	20 19 24 27 27	33 33 35 39 56	47 45 44 45 49	34 27 45 41 39	45 43 43 43	72 79 81 78 76	58 56 55 54 53	45 44 43 43 43	22 23 25 25 25	18 17 17 16 16	15 14 14 15 14
6 7 8 9	21 21 21 21 22 26	27 27 26 26 24	46 37 26 26 27	50 50 49 47 45	38 37 37 36 35	50 50 49 49 48	73 69 68 66 66	52 52 50 49 47	45 43 41 42 43	24 23 22 18 21	15 17 17 17 17	14 14 14 15 18
11 12 13 14 15	26 25 24 23 23	24 24 27 26 25	32 43 45 51 53	45 45 47 49 48	35 37 48 48 47	48 47 49 62 41	66 66 65 63	47 47 45 45 45	41 39 38 37 37	21 21 21 20 18	17 17 16 17 16	20 18 17 17 16
16 17 18 19 20	23 23 21 21 21	24 24 24 24 23	49 50 53 51 51	47 46 45 43 42	49 57 55 53 49	62 62 65 63 62	64 67 65 64 62	43 43 43 45 46	37 35 35 34 27	14 12 11 12 14	16 18 19 18 18	16 17 19 19 18
21 22 23 24 25	20 20 20 20 20 20	23 25 31 31 32	50 48 47 43 41	41 42 43 42 42	47 52 51 50 47	62 64 70 74 73	60 63 63 62 60	47 45 44 43 43	20 25 26 25 26	15 15 15 15 15	17 16 15 15 16	18 25 25 23 21
26 27 28 29 30 31	20 20 20 19 19	33 37 35 34 34	42 40 40 40 43 47	40 40 39 39 36 37	47 47 45 	69 68 68 72 70 68	60 60 60 60	42 40 38 39 38 37	26 25 25 24 23	15 17 19 20 19	15 15 15 15 15	23 24 24 23 21
TOTAL MEAN MAX MIN	670 21.6 26 19	807 26.9 37 19	1317 42.5 56 26	1369 44.2 50 36	1233 44.0 57 27	1788 57.7 74 41	1984 66.1 81 60	1431 46.2 58 37	1037 34.6 45 20	576 18.6 25 11	508 16.4 19 15	551 18.4 25 14
							BY WATER Y					
MEAN MAX (WY) MIN (WY)	26.7 69.6 1990 12.5 1967	31.0 80.6 1990 13.3 1967	34.7 63.8 1984 13.2 1967	39.1 106 1979 14.7 1966	42.5 105 1979 16.4 1967	48.2 109 1979 22.8 1966	51.4 96.4 1984 17.1 1966	46.5 96.3 1958 18.7 1966	40.4 104 1984 17.1 1986	30.7 84.7 1984 13.5 1966	29.0 83.4 1989 10.8 1966	25.8 62.6 1954 11.1 1966
SUMMARY	Y STATIST	CS	FOR 1	992 CALEN	DAR YEAR	F	OR 1993 WAT	ER YEAR		WATER YE	ARS 1942 -	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST LOWEST ANNUAL INSTANT INSTANT 10 PERC 90 PERC 90 PERC	TOTAL MEAN ANNUAL M ANNUAL M T DAILY ME SEVEN-DA' TANEOUS PE TANEOUS PE TANEOUS PE TANEOUS CENT EXCER EENT EXCER EENT EXCER ENT EXCER ENT EXCER	MEAN EAN IN		11323 30.9 65 19 20 42 30 23	Jun 6 Oct 29 Oct 27		81 11 11 13 81a 2.33c 2.7d 62 37	Apr 3 Jul 18 Jul 18 Mar 24 Dec 11 Feb 2		37.2 67.9 16.1 173 3.7 5.8 225b 2.33 1.4f 622 17	Jan 27 Aug 2 Aug 30 Jan 30 C Dec 11 Jan 9	1984 1966 7 1979 2 1944 9 1966 1 1978 1 1992 1 1966

a Also occurred on Apr 2.
b Result of regulation.
c Backwater from high tide.
d Result of freezeup.
f Also occurred on Jan 31 1967, Dec 6 1969, Jan 27 1972 and Dec 10,11 1977. Result of freezeup.

01304500 PECONIC RIVER AT RIVERHEAD, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- Water years 1966 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE: June 1975 to September 1980. WATER TEMPERATURES: June 1975 to September 1980.

COOPERATION. --Water-quality analyses for this station identified by an asterisk (*) were collected and analysed by Suffolk County Department of Health Services.

All other analyses for this station were collected and analysed by the U.S. Geological Survey.

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)
DEC *01	0915	32	81	7.0	6.5		9.9	6.4	2.3	8.4
MAR *02 09	0930 0950	43 49	93 97.9	6.8	4.0 6.5	757	13.3	6.4	2.2	9 8.6
JUN 08 *28 AUG	0905 0930	42 26	107 111	7.0 6.6	19.0 23.0	764	8.9 6.2	6.2 7.0	2.2	8.7
*30	0930	15	101	6.6	25.0		6.2	6.8	2.5	9.7
97	0900	14	129	7.1	23.0	766	7.8	7.6	2.7	11
DATE	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN. NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONÍA TOTAL (MG/L AS N)
DEC #01	1.4		11	15				0.2		0.05
*02 09 JUN	1.2	14	13 12	13 13	⟨0.10	4.7	0.003	0.2	0.25	0.03
08 *28	0.90	17	10 10	13 15	<0.10	2.8	0.002	(0.2	0.1	0.07
*30 SEP	1.2		10	16				<0.2		0.04
07	1.1	16	10	13	⟨0.10	3.9	0.001	47	<0.05	
DATE	NITRO- GEN AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS DIS- SOLVED (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
DEC *01				100	0.014		⟨50	⟨20	<20	⟨50
#02 09	<0.05 0.4	0.04	0.051 0.072	Ξ	0.012	0.012	_<50	<20	<20	_<50
JUN 08 *28 AUG	0.7	0.07	0.067	===	0.028	0.023	₹50	₹20	 <20	- - <50
*30	0.51		0.052		0.024		⟨50	⟨20	⟨20	<50
SEP 07	<0.2	0.05	0.045			0.009				

STREAMS ON LONG ISLAND 01304500 PECONIC RIVER AT RIVERHEAD, NY--Continued WATER-QUALITY RECORDS

DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
DEC #01		(20	⟨20	⟨20	(20	330	180	⟨20	40	⟨20
#02 09	<10	<20	<20	<20	<20	360 520	260 180	_<20	80 110	70 93
09 JUN 08 *28	(10	(20	 (20	 <20	(20	570 400	270 270	 <20	70 70	48 60
*30	<10	⟨20	⟨20	⟨20	(20	280	110	(20	60	40
07						320	110		50	42
DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC *01	⟨20	⟨20	⟨20	⟨20	1800	30	⟨50	⟨20	⟨20	
MAR *02 09	<20	_<20	_<20	<20	2100	_30	<50	<20	<20	<0.02 0.04
JUN 08 *28	 (20	 <20	 <20	(20	1700	40	 (50	 (20	(20	0.04
AUG *30	⟨20	⟨20	<20	⟨20	1300	40	⟨50	⟨20	⟨20	0.02
SEP 07										0.02

01305000 CARMANS RIVER AT YAPHANK, NY

(National stream-quality accounting network station)

LOCATION.--Lat 40°49°49°, long 72°54°24°, Suffolk County, Hydrologic Unit 02030202, on left bank 50 ft upstream from Long Island Railroad bridge, 0.6 mi northeast of Yaphank Station, and 0.7 mi southeast of Yaphank. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 71 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- June 1942 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 17.95 ft above National Geodetic Vertical Datum of 1929. Prior to Feb. 2, 1967, at datum 1.00 ft higher.

REMARKS.-- Records good. Some regulation by two lakes above station.

		DISCHARGE	, CUBIC	FEET PER	SECOND, DAILY	MATER YEA	R OCTOBER	1992 TO S	EPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	18 17 17 17 17	17 17 25 22 20	19 19 20 19 19	24 23 22 23 25	22 18 22 22 21	22 22 23 24 26	32 34 31 30 29	27 27 27 27 27 27	31 27 25 24 24	21 21 25 23 22	20 20 19 19	19 19 19 19
6 7 8 9	17 17 17 18 19	19 18 18 18	18 18 18 17 17	25 24 23 23 23	22 22 22 21 21	25 24 23 24 23	29 29 629 29 29	26 26 25 26 25	25 24 24 26 25	21 21 21 22 22 21	19 22 21 20 20	18 18 18 19 22
11 12 13 14 15	19 19 18 17 17	17 17 19 18 18	26 29 26 23 22	23 23 25 24 24	21 22 29 25 23	24 23 27 32 23	29 29 29 29 29	25 25 25 25 25	24 23 23 23 23 23	20 22 21 20 20	20 19 19 19	21 19 19 19 18
16 17 18 19 20	17 17 17 17 17	17 17 17 17 17	22 24 25 23 24	23 23 23 22 22	25 29 25 24 23	26 28 29 26 25	29 32 30 29 28	25 25 25 26 26	23 22 22 22 22 22	20 18 51 71 35	19 20 20 20 20	19 20 22 21 19
21 22 23 24 25	17 17 17 17 17	17 17 24 21 20	23 22 22 22 22	22 23 23 22 22 23	23 25 24 24 23	25 26 25 32 30	28 32 31 29 28	25 25 25 25 25	23 23 22 22 22	34 33 31 31 29	20 19 19 19	20 19 18 22 19
26 27 28 29 30 31	17 17 17 17 17 17	21 23 20 19 19	22 22 22 22 24 25	22 22 22 22 21 21	23 23 23	29 27 32 30 29 28	28 31 29 28 27	24 24 24 24 24 24	22 22 22 22 22 22	27 28 24 23 23 23	19 19 19 20 19 18	22 21 21 19 19
TOTAL MEAN MAX MIN	537 17.3 19 17		676 21.8 29 17	710 22.9 25 21	647 23.1 29 18	812 26.2 32 22	885 29.5 34 27	784 25.3 27 24	704 23.5 31 22	820 26.5 71 18	804 19.5 22 18	587 19.6 22 18
		ONTHLY MEAN										V.
MEAN MAX (WY) MIN (WY)	22.1 38.6 1980 10.9 1967	22.4 37.9 1990 10.6 1967	22.8 35.0 1980 9.48 1967	23.7 42.6 1979 9.35 1967	24.8 44.0 1979 9.74 1967	26.1 45.4 1979 13.7 1967	27.1 42.5 1984 13.1 1966	26.5 41.8 1984 14.1 1966	25.4 49.2 1984 13.8 1966	23.7 46.6 1984 10.5 1968	23.3 40.9 1984 10.5 1966	22.2 38.7 1984 10.6 1966
SUMMARY	STATIST	ics	FOR 1	992 CALEN	DAR YEAR	FC	R 1993 WAT	TER YEAR		WATER YE	ARS 1942 -	1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST ANNUAL INSTANT INSTANT 10 PERCO	TOTAL MEAN ANNUAL MANUAL MANUAL ME DAILY ME DAILY ME SEVEN-DAY ANEOUS PE ANE	MEAN EAN AN Y MINIMUM EAK FLOW EAK STAGE W FLOW EDS		7620 20.8 41 15 17	Jun 6 Jun 16 Oct 2		8332 22.8 71 17 17 134cd 2.05 8.1f 29 22 17	Jul 19 Oct 2 Oct 2 Jul 18 Jul 18 Mar 15		24.2 37.7 12.9 84 6.2a 7.4 143c 2.09 2.8b 34 23 316	Feb 25	1979 1967 1978 1967 1967 1989 1989 1989

a Also occurred on Mar 3 1967.
b Result of temporary construction upstream.
c From rating curve extended above 80 ft³/s.
d Result of regulation.
e Estimated.
f Result of freezeup.

01305000 CARMANS RIVER AT YAPHANK, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD .-- May 1966 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE.--December 1979 to September 1981. WATER TEMPERATURES.--December 1979 to September 1981.

COOPERATION. -- Some water-quality analyses for this station were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

of Hea	ith Serv	ices. Th	ey are ide	alyses fo entified	r this sta in the tab	ition wer ole by an	e collecte asterisk	ed and and (*).	alyzed by	SUTTOIK	County De	partment
			ATER-QUAL	ITY DATA,	WATER YEA	R OCTOBE	R 1992 TO	SEPTEMBE	R 1993			
DATE	TİME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARD- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	SOLIDS, RESIDUÉ AT 180 DEG. C DIS- SOLVED (MG/L)	TUR- BID- ITY (NTU)	COLI- FORM, FECAL, 0.45 UM-MF (COLS./ 100 ML)	STREP- TOCOCCI FECAL, KF AGAR (COLS. PER 100 ML)	CALCIUM DIS- SOLVED (MG/L AS CA)
NOV 17	1000	17	132	6.7	6.5	765	10.5	83	0.90	КВ	K11	8.0
DEC +01	1045	19	90	7.2	7.0		10.4					7.6
FEB 09	1030	21	132	6.9	4.5		17.0	78	1.3	K7	K5	8.0
MAR *02	1045	22	131	6.8	5.0							8.2
MAY 05	0835	27	183	7.0	17.0	767	8.7	87	1.1	K8	K12	8.2
JUN *28	0950	22	124	6.6	20.0		7.4					8.2
AUG 18	1015	20	147	6.8	19.0		7.9	80	0.50	22		8.4
*30	1045	19	115	6.6	20.0		8.2					7.5
DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WAT DIS TOT IT FIELD MG/L AS CACO3	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)
17 DEC	3.2	10	1.0	19	13	16	⟨0.10	12	0.01	1.5	0.04	⟨0.2
*01	3.0	9.1	1.0	44	13	16						
FEB 09 MAR	3.2	11	1.0	18	13	15	(0.10	12	0.02	1.6	0.03	<0.2
*02	3.3	10	1		15	15						<0.05
MAY 05	3.3	11	1.1	18	13	16	<0.10	8.5	<0.01	1.2	0.05	0.3
JUN *28	3.4	10	1.0		12	16						
AUG 18 *30	3.4	11 9.7	1.0	17	13 11	16 16	<0.10	11	<0.01	1.2	0.03	0.3 0.29
DATE NOV 17 DEC *01 FEB 09 MAR *02 MAY 05 JUN *28	; ; ; ;	RUS DI FAL SOLL (MC P) AS 0.02 0 0.01 <0 0.01	US ORTI S- DIS- VED SOLVI/L (MG// P) AS P	JS ARSE DI ED SOL (UG) AS	S- DIS- VED SOLVE /L (UG AS) AS E - <20 < - <20 <	DIS D SOL (L (UG SA) AS	<2 <2 0 <2	S- DIS- VED SOLL (UG CD) AS 0 0	M, COBA VED SOLV /L (UG CR) AS - (20 - (20	- DIS SOL (UG)	VED ERA VIL (UG CU) AS <20 <20	N, AL 0V- BLE IL FE) 100 - 190
AUG 18					-	21 -				5		_

K Results based on colony counts outside the acceptable range (non-ideal colony count).

(20

(20

⟨20

₹20

200

0.03

<0.01

STREAMS ON LONG ISLAND

01305000 CARMANS RIVER AT YAPHANK, NY--Continued WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)
NOV 17	120		<4		57	<10	(1	(1	⟨1.0	39	(6
*01 FEB 09	190	⟨20		⟨20	⟨20	<20	⟨20	⟨20	⟨20	40	⟨20
09	100		<4		61	<10	(1	<1	⟨1.0	40	⟨6
*02	110	⟨20		50	50	<20	⟨20	⟨20	⟨20	40	⟨20
MAY 05	110		<4		47	<10	<1	<1	⟨1.0	41	<6
*28	170	⟨20		50	50	<20	⟨20	⟨20	⟨20	40	⟨20
05 JUN *28 AUG 18 *30	100 120	 <20	<4	50	69 50	⟨10 ⟨20	⟨ ¹ ⁄ ₂₀	⟨\$1 ⟨20	⟨1.0 ⟨20	41 40	⟨\$6 ⟨20

SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	CHARGE, INST. CUBIC FEET PER SECOND	SEDI- MENT, SUS- PENDED (MG/L)	MENT, DIS- CHARGE, SUS- PENDED (T/DAY)	SUSP. SIEVE DIAM. * FINER THAN .062 MM
NOV 17	1000	17	6	0.28	45
09 MAY	1030	21	3	0.17	84
05	0835	27	2	0.15	80

01305500 SWAN RIVER AT EAST PATCHOGUE, NY

LOCATION.--Lat 40°46'01", long 72°59'39", Suffolk County, Hydrologic Unit 02030202, on left bank 94 ft downstream from Montauk Highway in East Patchogue, 200 ft downstream from outlet of Swan Lake, and 1.2 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 8.8 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1946 to current year.

REVISED RECORDS.--WSP 1622: Drainage area. WDR NY-81-2: 1952-77 (M), 1978, 1979-80 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 2.84 ft above National Geodetic Vertical Datum of 1929.

REMARKS.--No estimated daily discharges. Records good except those for Dec. to June; which are fair. Flow regulated at outlet of Swan Lake.

		DISCHARGE	, CUBIC	FEET PER	SECOND, W	MEAN VAL	AR OCTOBER LUES	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	9.8 10 10 9.4 9.1	9.4 9.7 17 11 10	10 10 10 10 10	11 11 11 11 16	11 11 11 11 10	11 11 11 13 13	20 17 14 13 13	14 14 14 14 14	18 14 13 13	12 13 13 10 10	9.2 9.4 9.0 8.4 8.1	7.8 7.7 7.7 7.8 7.7
6 7 8 9	9.1 9.2 9.3 10	10 9.9 9.4 9.4 9.4	11 11 11 11 11	12 11 11 11 11	11 11 11 10 11	12 11 11 11 11	13 13 13 13 13	13 14 14 14 14	13 13 15 15 14	9.8 9.2 8.9 9.2 9.2	8.6 9.5 8.1 7.3 7.3	7.7 7.7 7.7 7.7 7.7
11 12 13 14 15	9.9 10 9.5 9.1 9.0	9.4 9.4 10 9.7 9.4	25 18 13 11	12 12 14 12 12	11 13 17 12 11	11 11 15 14 12	14 13 13 13 14	14 15 13 13 16	16 14 16 16 14	9.1 9.6 9.3 9.0 8.6	7.1 7.3 7.4 7.3 7.3	8.3 7.7 7.7 7.7 7.7
16 17 18 19 20	9.0 9.1 9.2 9.4 9.0	9.4 9.4 9.5 9.4 9.4	11 16 13 11 12	11 11 12 12 11	14 14 11 11	12 15 15 13 13	14 17 14 14	14 16 15 14 13	13 15 15 12 13	8.5 8.3 8.7 9.6	7.3 8.1 8.5 8.5 9.1	7.9 8.6 9.4 8.7 8.1
21 22 23 24 25	8.8 8.9 9.0 9.2 9.3	9.4 9.9 15 11	11 11 11 11 11	11 12 11 11 12	11 12 11 11 11	13 13 13 20 16	14 18 15 14 14	14 15 15 14 14	16 14 11 10 10	9.6 9.3 9.0 8.8 8.9	9.4 9.1 9.0 9.0 8.9	8.4 8.4 8.1 8.1 7.9
26 27 28 29 30 31	9.0 9.0 9.0 9.0 8.9 9.7	13 12 11 10 10	11 11 11 12 14 13	12 12 12 11 12 12	11 11 11 	14 14 17 14 14 14	15 16 14 14 14	13 14 15 15 13 15	9.5 9.2 9.4 9.4 9.8	9.0 12 10 10 9.9 9.7	8.7 8.8 9.3 8.6 8.2 8.0	9.4 8.9 9.0 8.8
TOTAL MEAN MAX MIN	288.9 9.32 10 8.8	311.5 10.4 17 9.4	373 12.0 25 10	363 11.7 16 11	322 11.5 17 10	408 13.2 20 11	430 14.3 20 13	439 14.2 16 13	393.3 13.1 18 9.2	301.2 9.72 13 8.3	259.8 8.38 9.5 7.1	249.3 8.31 11 7.7
		ONTHLY MEAN										
MEAN MAX (WY) MIN (WY)	11.4 17.3 1980 7.26 1989	1956	11.7 16.4 1984 7.64 1967	12.3 18.6 1979 7.64 1967	12.7 18.3 1973 8.03 1967	13.4 19.6 1984 9.49 1966	14.2 21.7 1984 8.85 1966	14.0 21.5 1984 9.30 1968	13.3 21.6 1984 8.01 1981	12.4 20.7 1979 7.78 1988	11.9 20.1 1984 7.31 1981	11.3 19.7 1984 7.64 1988
SUMMARY	Y STATIST	ICS	FOR 1	992 CALEN	DAR YEAR	F	DR 1993 WAT	TER YEAR		WATER Y	EARS 1947	- 1993
ANNUAL ANNUAL HIGHES LOWEST HIGHES' LOWEST ANNUAL INSTAN' INST	TOTAL MEAN T ANNUAL ANNUAL T ANNUAL T DAILY ME SEVEN-DA TANEOUS TANEOU	MEAN EAN EAN AN Y MINIMUM EAK FLOW EAK STAGE OW FLOW EDS EDS EDS		3897.3 10.6 30 8.0 8.5	Jun 6 Feb 13 Feb 18		4139.0 11.3 25 7.1 7.3 42 2.25 7.0 15	Dec 11 Aug 11 Aug 9 Dec 11 Mar 14 Aug 9		12.8 18.8 8.6 40 4.3 5.8 77b 2.7 16 12 9.0	38 Jan 20 3a Oct 13 3 Oct 21 4 Aug 24 11 Aug 24	1984 1966 8 1978 3 1966 5 1988 4 1990 4 1990 2 1964

a Also occurred on Oct 14 1967. b From rating curve extended above 55 ft³/s. c Result of high tide. d Result of regulation.

STREAMS ON LONG ISLAND 01305500 SWAN RIVER AT EAST PATCHOGUE, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	ATE	TIME	CHAR INS CUB FE PE SEC	R	SPE CIF CON DUC ANC FIEL (US/	T_ }	PH WATE WHOLE FIEL STAN ARE JNIT	D TEM	PER- URE TER G C)	OXYGE DIS SOLV (MG)	N,	CALC DIS SOL (MC	VE VE	MAGNI M SIUI DIS D SOLV (MG/I	M, S	ODIU DIS- OLVE (MG/ AS	M, SI	AS- UM, S- VED /L K)	SULFATE DIS- SOLVED (MG/L AS S04)
DEC 01		1315	10		92		6.	.9	7.0	10.	3	7	7.0	2.	3	10	1	. 5	12
MAR 02		1240	11		129		7	1	5.0			7	7.7	2.	6	12	1	.4	11
JUN 28		1250	9	.4	132		6	.7	20.0	9.	7	7	7.3	2.	7	12	1	.4	7
AUG 30.		1250	8	. 1	113		6	.9	22.0	10	0	(3.7	2.	3	11	1	. 2	10
	DATE	CH RI DI SO (M	LO- DE, S- LVED IG/L CL)	ND2	TRO- EN +NO3 TAL G/L N)	NITRI GEN AMMONI TOTAI (MG/I	D- ta	NITRO- GEN.AM- MONÍA + ORGANIC TOTAL (MG/L AS N)	PHO TO (A	IDS- PRUS ITAL IG/L IG/L	PHO ORT TO (M	OS- RUS HO TAL G/L P)		ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI MONY DIS SOLV (UG/ AS S	- - - ED L B)	ARSENIC DIS- SOLVED (UG/L AS AS)	SOI	RIUM, IS- LYED JG/L S BA)
	DEC 01	1	6		2.3	0.:	10				<0	.005		⟨50	<	20	⟨20		⟨50
	MAR 02	1	6		2.6	0.	06	<0.05		0.048	<0	.005		<50	<	20	⟨20		⟨50
	JUN 28	1	.7		1.9	0.	06				0	.006		⟨50	<	20	(20		70
,	AUG 30	1	.7		2.0	0.1	03	0.27		0.01	0	. 010		<50	<	20	<20		⟨50
	DATE	SI	RYL- UM, S- ILVED IG/L BE)	SO	MIUM IS- LVED IG/L CD)	CHROMIUM DIS- SOLV (UG/I	, ED	COBALT, DIS- SOLVED (UG/L AS CO)	COF	PPER, IS- ILVED IG/L IS CU)	RE	ON, TAL COV- ABLE G/L FE)		IRON, DIS- SOLVED (UG/L AS FE)	LEAD DIS SOLV (UG/	ED L B)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	N	ANGA- ESE, DIS- DLVED JG/L S MN)
1	DEC 01			,	20	,	20	⟨20		⟨20		110		70	,	20	70		⟨20
1	MAR 02		10		20		20	(20		⟨20		120		60		20	110		100
	JUN 28		10		20		20	⟨20		⟨20		160		110		20	160		150
•	AUĞ		10		20		20	⟨20		⟨20		130		70	1 0	20	40		30
	DATE	MO DE SO (U	LYB- NUM, IS- LVED IG/L MO)	NIC DI SO (U	KEL, S- LVED IG/L NI)	SELE NIUM DIS SOLV (UG/I	ED EE)	SILVER, DIS- SOLVED (UG/L AS AG)	SIL SOL AS	ICON IS- VED IG/L SI)	ST	RON- IUM, IS- LVED G/L SR)	S	THAL- LIUM, DIS- OLVED (UG/L S TL)	TITA NIUM DIS SOLV (UG/ AS T	ED L	VANA- DIUM, DIS- SOLVED (UG/L AS V)	M A	ETHY- LENE BLUE CTIVE SUB- TANCE MG/L)
	DEC 01		⟨20		⟨20		20	⟨20		4900		40		<50		20	⟨20		g In ine
	MAR 02		⟨20		⟨20		20	⟨20		4800		40		⟨50		20	(20	50	(0.02
	JUN		⟨20		⟨20		20	⟨20		5000		40		⟨50		20	⟨20		
,	AUĞ		<20		⟨20		20	⟨20		3900		40		⟨50		20	⟨20		(0.02

01306000 PATCHOGUE RIVER AT PATCHOGUE, NY

LOCATION.--Lat 40°45'56°, long 73°01'16°, Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from Montauk Highway in Patchogue, and 1.0 mi upstream from mouth.

DRAINAGE AREA. -- About 13.5 square miles.

PERIOD OF RECORD. -- May 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)
DEC	1205	133	6.9	7.5	10.1	10	3.3	16	3.0	9
MAR 02	1145	218	7.0	4.5		11	3.6	20	3.1	16
JUN 28	1150	188	7.1	24.0	5.3	11	3.7	19	2.9	10
AUG 30	1150	171	6.9	25.0	7	9.8	3.5	18	2.9	11
DATE	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	NITRO- GEN ND2+NO3 TOTAL (MG/L AS N)	NITRO- GEN AMMONÍA TOTAL (MG/L AS N)	NITRO- GEN AM- MONIA + ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
DEC 01	26	2.9	0.18			<0.005	⟨50	⟨20	⟨20	⟨50
MAR 02	32	3.1	0.68	0.44	<0.01	<0.005	⟨50	⟨20	⟨20	⟨50
JUN 28	29	2.4	0.03			(0.005	⟨50	⟨20	⟨20	⟨50
AUG 30	29	2.3	0.04	0.36	<0.01	0.007	(50	⟨20	⟨20	⟨50
DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
DEC 01 MAR		⟨20	⟨20	⟨20	⟨20	330	220	⟨20	230	210
02	<10	(20	(20	(20	⟨20	320	180	⟨20	300	270
JUN 28	(10	(20	(20	⟨20	⟨20	220	140	⟨20	120	110
AUG 30	<10	(20	⟨20	(20	⟨20	160	60	⟨20	100	60
DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC 01	⟨20	⟨20	⟨20	<20	4300	60	<50	⟨20	⟨20	
MAR 02	⟨20	⟨20	⟨20	⟨20	4300	60	⟨50	⟨20	⟨20	<0.02
JUN	⟨20	⟨20	⟨20	⟨20	3400	70	⟨50	⟨20	⟨20	
28 AUG 30	⟨20	<20	⟨20	<20	2100	60	<50	⟨20	⟨20	<0.02

01306440 CONNETQUOT BROOK AT CENTRAL ISLIP, NY

LOCATION.--Lat 40°47'33", long 73°09'58", Suffolk County, Hydrologic Unit 02030202, 200 ft downstream from culvert on Veterans Memorial Highway, 2.0 mi northeast of Central Islip, and 3.8 mi upstream from gaging station 01306499.

DRAINAGE AREA. -- About 12 mi2.

PERIOD OF RECORD. -- Occasional low-flow measurements, water years 1968, 1971-78. May 1979 to current year.

GAGE.--Water-stage recorder and Parshall flume. Datum of gage is 29.93 ft above National Geodetic Vertical Datum of 1929.

REMARKS. -- Records good.

		DISCHA	RGE, CUBI	C FEET PER	SECOND, DAILY	WATER YEA	AR OCTOBER	1992 TO	SEPTEMBE	R 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	4.7 4.6 4.5 4.4 4.3	3.9 3.6 8.4 6.5 5.7	6.1 6.2 6.3 5.8 6.1	8.1 7.6 7.5 7.5 9.8	6.9 6.7 6.8 6.8	7.3 7.4 7.5 8.4 9.6	15 15 13 13	11 11 10 10 11	8.7 8.1 7.9 7.8	4.2 4.0 6.1 5.4 4.6	2.5 2.4 2.3 2.2 2.2	2.1 2.1 2.0 2.0 2.1
6 7 8 9	4.3 4.3 4.2 4.6 5.0	5.4 5.0 4.8 4.6 4.5	5.7 5.6 5.4 5.3 5.2	8.8 8.2 8.0 7.8 7.6	6.7 6.6 6.6 6.6 6.5	8.6 8.2 8.0 7.9 7.8	12 12 12 12 12	11 10 10 9.8 9.2	7.7 7.4 7.1 7.3 7.2	4.3 4.2 4.2 3.8 3.7	2.3 2.5 2.5 2.4 2.3	2.0 1.9 2.1 2.1 4.3
11 12 13 14 15	4.8 5.1 4.6 4.3 4.3	4.4 4.4 4.8 4.5 4.3	12 13 11 9.8 9.2	7.5 8.0 9.0 8.6 8.1	6.6 7.1 9.8 8.2 7.5	8.0 7.7 9.2 11 9.1	12 12 12 11 11	9.2 9.1 9.0 8.9 8.7	6.9 6.7 6.6 6.5 6.4	3.5 3.4 3.1 2.9 2.8	2.3 2.3 2.4 2.4 2.2	2.8 2.5 2.4 2.4 2.3
16 17 18 19 20	4.3 4.1 4.1 4.1 4.0	4.1 4.1 4.1 4.0 3.9	8.8 10 11 9.5 9.6	8.0 7.8 7.6 7.3 7.3	9.0 11 9.4 8.8 8.5	9.0 11 12 11 10	11 13 12 11 11	8.6 8.5 8.8 8.7	6.3 6.0 6.0 5.8 5.7	2.7 2.5 2.4 2.7 3.5	2.3 2.7 2.5 2.4 2.5	2.3 3.2 3.7 3.0 2.8
21 22 23 24 25	4.0 4.0 3.9 4.1 4.1	3.9 4.3 9.5 7.1 6.5	9.1 8.8 8.5 8.1 7.8	7.3 8.3 7.8 7.5 7.5	8.4 9.0 8.6 8.2 7.8	11 11 11 15 13	11 12 12 11 11	8.4 8.2 8.1 8.0 7.9	e5.6 e5.6 5.1 5.1 5.0	3.1 2.6 2.5 2.4 2.4	2.4 2.3 2.2 2.2 2.3	3.0 2.8 2.8 2.7 2.7
26 27 28 29 30 31	4.1 4.0 3.9 3.9 4.1	7.4 8.3 6.9 6.5 6.3	7.8 7.5 7.5 7.8 8.5 9.3	7.3 7.3 7.1 7.0 6.8 6.9	7.8 7.8 7.5 	13 12 14 12 12 12	11 12 11 11 11	7.8 7.5 7.4 7.2 6.9 7.3	4.9 4.8 4.7 4.5 4.4	2.4 3.3 3.0 3.2 2.8 2.6	2.2 2.1 2.3 2.2 2.2	4.2 3.5 3.2 3.1 3.0
TOTAL MEAN MAX MIN	132.8 4.28 5.1 3.9	161.7 5.39 9.5 3.6	252.3 8.14 13 5.2	240.9 7.77 9.8 6.8	217.9 7.78 11 6.5	314.7 10.2 15 7.3	358 11.9 15 11	275.8 8.90 11 6.9	192.8 6.43 11 4.4	104.3 3.36 6.1 2.4	72.2 2.33 2.7 2.1	81.1 2.70 4.3 1.9
			AN DATA	FOR WATER Y	EARS 1979		BY WATER)			
MEAN MAX (WY) MIN (WY)	5.87 14.3 1991 .93 1989	6.16 14.0 1991 1.69 1982	6.56 13.4 1991 2.29 1983	6.21 14.7 1991 2.16 1989	6.46 13.1 1991 2.53 1989	7.24 15.0 1991 3.41 1989	8.61 14.9 1984 3.79 1988	8.08 14.7 1984 3.14 1981	8.24 17.8 1984 1.99 1988	6.43 18.8 1984 .94 1988	6.01 15.6 1984 .62 1988	5.48 16.0 1984 .76 1988
SUMMARY	Y STATIST	ICS	FOR	1992 CALEN	IDAR YEAR	F	OR 1993 WA	TER YEAR		WATER Y	EARS 1979	- 1993
ANNUAL ANNUAL HIGHES' LOWEST HIGHES' LOWEST ANNUAL INSTAN' INSTAN' INSTAN' 10 PERG	TOTAL MEAN T ANNUAL M T DAILY ME SEVEN-DA TANEOUS P TANEOUS P TANEOUS L CENT EXCE CENT EXCE	MEAN EAN EAN AN Y MINIMUM EAK FLOW EAK STAGE DW FLOW EDS		2037.3 5.57 18 3.0 3.2 7.5 5.2 4.1	Jun 6 May 30 May 24		2404.5 6.59 15 1.9 2.0 18 97 1.8a 11 6.7 2.4	Mar 24 Sep 7 Sep 1 Apr 1		6.6 12.3 2.5 27 4 40 1.5 .3 13 5.6 2.1	1 Aug 2 3 Aug 1	1984 1988 2 1984 2 1988 7 1988 4 1979 4 1979 5 1980
	CENT EXCE			4.1			2.4			2.1		

a Also occurred on Sep 3, 6, 7. b Result of regulation. e Estimated

01306460 CONNETQUOT BROOK NEAR CENTRAL ISLIP, NY

LOCATION.--Lat 40°46'19", long 73°09'33", Suffolk County, Hydrologic Unit 02030202, 200 ft upstream from bridge on dirt road in Connetquot River State Park Preserve, and 1.8 mi upstream from gaging station 01306499.

DRAINAGE AREA. -- About 18 mi2.

PERIOD OF RECORD. --Occasional low-flow measurements, water years 1968, 1973-77. November 1977 to current year.

GAGE. --Water-stage recorder and wooden stoplog control. Datum of gage is 15.10 ft above National Geodetic Vertical Datum of 1929.

REMARKS. -- No estimated daily discharges. Records good.

		DISCHARG	E, CUBIC	FEET PER	SECOND, W	MEAN VA	AR OCTOBER	1992 TO S	SEPTEMBER	R 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	20 20 20 20 19	23 23 39 31 26	32 29 25 24 25	38 36 36 36 41	29 27 27 27 27	29 29 29 32 37	53 53 47 44 43	37 37 37 35 36	37 33 31 30 30	21 20 27 24 23	17 17 17 17 17	17 17 17 17 17
6 7 8 9 10	19 19 19 21 23	23 22 21 21 21	24 24 23 23 23	35 31 31 29 29	27 26 26 26 26	34 33 32 32 31	43 42 40 40 40	36 35 34 34 34	31 29 29 30 29	23 23 23 22 21	17 19 18 18 18	17 17 17 17 26
11 12 13 14 15	22 24 23 22 21	21 21 23 21 21	47 56 48 42 37	29 31 34 34 32	25 27 35 33 30	32 31 36 41 37	42 40 39 37 37	33 33 32 30 29	28 27 27 27 27	21 21 20 19 20	17 17 18 18 18	21 19 18 18 18
16 17 18 19 20	22 21 21 21 21 21	21 21 20 20 20	34 38 41 37 38	32 31 30 29 29	34 42 36 34 33	36 43 45 40 40	37 41 38 37 37	29 29 30 32 32	26 26 26 25 24	19 19 18 20 22	18 19 18 18 17	18 22 25 19 18
21 22 23 24 25	22 21 21 22 22	20 22 39 34 32	37 36 36 36 38	29 33 31 31 31	33 34 34 33 32	40 40 40 56 51	37 40 39 37 37	31 29 29 29 29	24 25 24 23 22	20 18 17 17 17	17 17 17 17 17	19 18 17 17 17
26 27 28 29 30 31	22 22 22 22 22 22 23	35 40 37 34 33	34 34 35 38 40	29 29 29 29 29	32 31 29 	45 43 50 44 42 41	38 41 39 38 38	29 28 28 27 27	23 23 23 23 22	16 19 18 19 18	17 17 18 19 18 17	26 23 20 19 19
TOTAL MEAN MAX MIN	659 21.3 24 19	785 26.2 40 20	1064 34.3 56 23	982 31.7 41 29	855 30.5 42 25	1191 38.4 56 29	1214 40.5 53 37	977 31.5 37 27	804 26.8 37 22	622 20.1 27 16	545 17.6 19 17	570 19.0 26 17
STATIST		NTHLY MEAN					BY WATER			22.52	42.2	1
MEAN MAX (WY) MIN (WY)	24.2 43.0 1991 13.0 1989	25.9 38.8 1990 17.1 1988	28.8 37.0 1990 18.4 1988	28.8 45.4 1979 18.1 1981	29.2 49.4 1979 20.2 1989	31.8 52.0 1979 21.3 1988	34.2 48.6 1983 20.2 1988	31.8 44.1 1979 18.0 1986	31.2 46.2 1984 15.8 1988	26.3 47.8 1984 13.5 1988	25.8 43.5 1979 11.5 1988	23.4 37.2 1984 12.3 1988
SUMMARY	STATISTI	cs	FOR 1	992 CALEN	DAR YEAR	F	OR 1993 WAT	TER YEAR		WATER YE	ARS 1978	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST ANNUAL INSTANT INSTANT 10 PERC 90 PERC	TOTAL MEAN ANNUAL ME ANNUAL ME DAILY MEA SEVEN-DAY FANEOUS PE FANE	EAN AN AN AN MINIMUM AK FLOW AK STAGE W FLOW DS DS		9164 25.0 81 18 19 34 23 20	Jun 6 Jul 12 May 23		10268 24.7 56 16 17 78 2.39 15 40 27 18	Dec 12 Jul 26 Jul 31 Dec 11 Dec 11 Jul 26		28.1 39.8 17.1 85 11 154 2.82 11a 41 27	Jan 2 Aug Aug 1 Aug 1 Aug 1	1979 1988 1 1988 7 1988 7 1988 9 1991 9 1991 7 1988

a Also occurred on Aug 8-14, Sept 29 to Oct 2 1988, minimum recorded.

01306500 CONNETQUOT RIVER NEAR OAKDALE, NY

LOCATION.--Lat 40°44'51", long 73°09'03", Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from bridge on State Highway 27, 1.0 mi west of Oakdale. Water-quality sampling site at base and supplementary gage.

DRAINAGE AREA.--About 24 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1943 to current year (monthly means estimated October 1974 to September 1975).
REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Base gage (01306499): Water-stage recorder and wooden stoplog control. Datum of gage is 1.56 ft above
National Geodetic Vertical Datum of 1929.
Supplementary gage (01306495): Water-stage recorder with concrete control on left bank of secondary channel
0.25 mi northeast of base gage at datum of 4.74 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 10,
1965, at datum 1.0 ft higher.

REMARKS.--Records fair. Flow at both gages occasionally regulated by cleaning operations at outlets of ponds above stations. Discharge figures are those of combined flows in main and secondary channels.

DISCHARGE CURIC EEET DED SECOND WATER VEAR OCTORER 1000 TO SEPTEMBER 1002

		DISCHARGE	, CUBIC	FEET PER	SECOND, DAILY	WATER YE MEAN VA	AR OCTOBER LUES	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	30 30 29 29 29	e27 e27 47 43 37	37 38 39 36 36	44 40 39 40 45	38 39 41 39 39	47 44 41 44 52	60 66 58 53 52	47 46 45 45 45	45 44 41 39 39	34 34 44 39 32	29 26 25 24 23	27 27 29 27 26
6 7 8 9 10	27 27 27 30 34	35 33 32 31 31	35 34 34 34 36	46 43 43 42 42	38 39 e39 e39 e37	49 46 43 43	51 51 51 49 50	45 44 43 42 42	39 37 36 38 38	31 31 30 30 30	23 28 27 24 24	26 25 24 26 35
11 12 13 14 15	31 34 32 30 28	31 32 39 33 29	64 85 70 64 56	41 42 47 48 46	e36 e38 e48 e45 e42	43 40 47 52 47	51 50 49 49 48	43 44 46 45 44	35 34 34 33 34	28 28 31 26 25	24 25 26 27 27	29 25 24 24 24
16 17 18 19 20	29 28 28 29 30	29 30 30 30 29	49 50 54 49	42 43 46 38 38	e46 e57 51 48 47	46 56 58 50 48	49 55 49 48 48	44 42 41 43 44	33 32 32 31 31	25 25 26 29 30	27 30 28 28 28	24 31 39 33 29
21 22 23 24 25	28 27 27 28 28	30 32 48 41 43	45 45 44 43 42	38 42 42 40 41	47 51 49 44 42	48 48 48 61 63	48 51 50 48 46	43 42 41 41 40	34 35 32 31 31	30 28 27 25 25	28 26 25 25 25	29 29 29 27 27
26 27 28 29 30 31	28 26 26 e26 e26 e28	43 49 43 40 39	40 39 39 40 43 48	39 39 40 38 36 38	41 43 45	56 52 59 55 52 50	48 52 50 48 48	38 37 36 36 35 37	31 31 31 31 30	24 29 30 29 28 27	23 22 26 29 27 27	41 38 34 30 28
TOTAL MEAN MAX MIN	889 28.7 34 26		1417 45.7 85 34	1288 41.5 48 36	1208 43.1 57 36	1529 49.3 63 40	1524 50.8 66 46	1306 42.1 47 35	1042 34.7 45 30	910 29.4 44 24	806 26.0 30 22	866 28.9 41 24
STATIST				R WATER Y			BY WATER Y	THE GIVEN VEN				
MEAN MAX (WY) MIN (WY)	34.0 65.2 1956 22.0 1967	36.4 67.3 1956 17.3 1983	38.4 55.2 1991 21.8 1967	39.4 65.1 1979 24.0 1967	40.6 62.3 1979 23.8 1967	43.6 70.3 1979 29.4 1966	44.4 69.7 1980 25.8 1966	42.2 62.2 1958 28.2 1966	40.3 64.1 1984 25.6 1988	36.2 64.3 1984 20.0 1966	34.9 52.1 1984 19.5 1966	33.0 48.6 1984 21.2 1986
	STATIS		FOR 1	992 CALEN	DAR YEAR	F	OR 1993 WAT	TER YEAR		WATER YE	ARS 1944 -	1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN LOWEST ANNUAL MEAN HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM 10 PERCENT EXCEEDS 90 PERCENT EXCEEDS				13771 37.6 116 26 27 45 37 30	Jun 6 Oct 27 Oct 27		13848 37.9 85 22 25 50 38 28	Dec 12 Aug 27 Aug 22	-1	38.6 52.5 24.9 263 9.3a 13 52 37	Oct 16 Nov 25 Nov 22	1984 1966 1955 1982 1982
	It of re	egulation.										

STREAMS ON LONG ISLAND 01306500 CONNETQUOT RIVER NEAR DAKDALE, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- 01306499 (Base gage): May 1966 to current year.

COOPERATION. --Water-quality analyses for this station identified by an asterisk (*) were collected and analysed by Suffolk County Department of Health Services.

All other analyses for this station were collected and analysed by the U.S. Geological Survey.

	DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)
	#03 09	0900 1140	23 24	200 116	6.7 7.0	6.0	 757	11.2	8.3 7.5	4.9	23 12
4	14 *24	1055 0855	16 15	137 255	7.4 6.9	18.5 19.0	768	11.2 8.6	8.1 9.0	3.8 7.0	12 40
	₩31	0915	16	110	6.8	20.0		8.4	7.0	3.5	10
S	07	1045	14	126	7.3	20.0	766	12.9	7.7	3.6	10
	DATE	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN. AMMONIA TOTAL (MG/L AS N)
	#03 #09	1.8	21	15 9.7	37 15	⟨0.10	11	0.008	2.6	2.3	0.05
	14 *24	1.5 2.6	22	9.1 19	16 62	<0.10	6.7	0.016	1.6	2.0	0.03
	UG ≠31	1.3		9	16				2.0		0.03
3	07	1.2	21	9.4	13	⟨0.10	9.0	0.012		2.0	
	DATE	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN AMMONTA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS DIS- SOLVED (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
	#03 09	(0.05 1.1	0.04	<0.01 0.020	==	0.006	0.009	<50	<20	<20	<50
	14 *24	(0.2	0.05	0.016	==	0.006	0.004	 (50	 <20	 <20	~ 50
	#31	0.23		<0.01		0.006		⟨50	<20	<20	<50
5	07	0.2	0.06	0.032			0.009				

STREAMS ON LONG ISLAND
01306500 CONNETQUOT RIVER NEAR OAKDALE, NY--Continued

				WATER-	UALITY RE	CORDS			MANGA-	
DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
MAR *03 09	<10	⟨20	<20	<u><20</u>	<20	130 160	70 79	_<20	70 70	60 65
JUN 14 +24	(10	(20	<20	₹20	<20	160 220	82 130	 <20	70 80	61 70
*24 AUG *31	<10	<20	⟨20	<20	⟨20	130	80	<20	20	20
\$31 SEP 07						150	76		30	27
DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
MAR *03 09	_<20	<20	<20	(20	4600	_60	<50	<20	<u> </u>	(0.02 0.06
JUN 14 *24 AUG *31	₹20	 <20	 <20	⟨20	3000	70	 <50	 <20	₹20	0.04
*31	<20	<20	⟨20	<20	3700	50	<50	<20	<20	<0.02
\$31 SEP 07										⟨0.02

STREAMS ON LONG ISLAND 01306500 CONNETQUOT RIVER NEAR DAKDALE, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. --01306495 (Supplementary gage): March 1988 to current year.

COOPERATION. --All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

	DATE	TIME	CUB: FEI PEI SEC	r. COI	N- WHO CT- FII CF (ST	TER OLE ELD TEM AND- AT RD WA	PER- URE TER G C)	OXYG DI: SOL (MG	EN, D	LCI IS- OLV MG/ S C	FD SI	GNE- IUM, IS- LVED IG/L MG)	SODI DIS SOLV (MG AS	UM, SI	S- VFD	SULFATE DIS- SOLVED (MG/L AS SO4)
MAR 03	3	1015	18	122		3.8	6.0	-		7.	8	3.4	10	1	.3	12
JUN 24 AUG	1	0957	16	129		3.7	17.0	5	.6	8.	3	4.1	12	1	.6	12
AUG 31	1	1015	11	110			19.0	6	.4	7.	4	3.5	9	.6 1	. 4	8
	DATE	13	HLO- IDE, IS- OLVED WG/L S CL)	NITRO- GEN NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	PHU	RUS FAL G/L P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)		ALUM- INUM, DIS- SOLVED (UG/L AS AL)	AI Mi Si	NTI- ONY, DIS- OLVED UG/L S SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARI DIS SOLV (UC	-
	MAR 03 Jun	1	15	2.7	0.04	⟨0.05	(0.038	⟨0.00	5	⟨50		<20	⟨20		<50
	24 AUG		16	2.0	0.03			-	0.00	8	<50		<20	⟨20		<50
	31		15	2.2	0.03		<(0.01	0.00	8	<50		⟨20	⟨20		<50
	DATE	L.	ERYL- IUM, IS- DLVED JG/L S BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPP DIS SOI (UC	PER, S- VED G/L CU)	IRON, TOTAL RECOV ERABL (UG/L AS FE	Ē	IRON, DIS- SOLVED (UG/L AS FE)	- 1	EAD, DIS- DLVED UG/L S PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	NES DI SOI	IGA- IE, S- VED I/L MN)
	MAR 03		(10	⟨20	(20	⟨20		⟨20	13	0	60		(20	80		70
	HIM		(10	(20	⟨20	⟨20		(20	14		90		(20	80		60
	24 AUG 31		(10	⟨20	⟨20	(20		⟨20	12		60		⟨20	30		30
	DATE	MI DI SI	DLYB- ENUM, DIS- DLYED JG/L S MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILI DIS SOLV (UC	S- VED	STRON TIUM DIS- SOLVE (UG/L AS SR	D	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	N:	ITA- IUM DIS- DLVED UG/L S TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	ACT SU STA	HY- NE UE IVE IB- NCE
	MAR		400		/00			400					400	400	,,	. 00
	03 JUN 24 AUG		<20 <20	<20 <20	<20 <20	(20		1400 1200		0	<50 <50		⟨20	〈20 〈20		.02
	AUĞ 31		⟨20	(20	(20	<20 <20		3500		0	(50		<20 <20	<20 <20		.02

01307000 CHAMPLIN CREEK AT ISLIP, NY

LOCATION.--Lat 40°44'13", long 73°12'08", Suffolk County, Hydrologic Unit 02030202, on right bank just upstream from Long Island Railroad bridge, 220 ft downstream from Moffit Boulevard, at Islip, and 1.8 mi upstream from mouth.

DRAINAGE AREA. -- About 6.5 square miles.

PERIOD OF RECORD. -- Water years 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

		A I EK-WOAL	, אואט ווו	WATER TE	AK UCTUBE	W 1995 IN	SEFTEMBE	W 1992			
DATE	TIME	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	
DEC 01	1430	216	6.5	11.0	7.3	14	3.9	30	2.1	19	
MAR 02	1350	343	6.5	11.0		15	4.3	35	2.2	24	
JUN 28	1350	300	6.3	19.5	8.0	13	4.4	35	2.4	19	
AUG 30	1350	258	6.3	16.5	6.0	13	4.1	32	2.1	18	
DATE	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	NITRO- GEN NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN AMMONTA TOTAL (MG/L AS N)	NITRO- GEN AM- MONIA + ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	
DEC	NS CL)	NS N)	AS N)	AS N)	AS P)	AS P)	NO NL)	NO 38)	NO NO)	NO DA)	
Ö1	56	2.7	0.32			<0.005	<50	⟨20	<20	⟨50	
02 JUN	60	3.4	0.32	0.26	<0.01	<0.005	<50	⟨20	⟨20	<50	
28	61	2.4	0.19			0.010	<50	⟨20	⟨20	<50	
30	61	2.2	0.10	0.45	<0.01	<0.008	<50	⟨20	⟨20	<50	
DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	
DEC 01		<20	<20	⟨20	⟨20	280	150	⟨20	530	130	
MAR 02	<10	⟨20	⟨20	⟨20	⟨20	250	160	⟨20	400	360	
JUN 28	<10	⟨20	<20	<20	⟨20	120	210	⟨20	260	280	
AUG 30	<10	⟨20	⟨20	⟨20	⟨20	100	50	⟨20	110	90	
DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)	
DEC 01	⟨20	⟨20	⟨20	⟨20	4700	100	<50	⟨20	<20		
MAR 02	⟨20	⟨20	<20	⟨20	4700	110	(50	<20	<20	0.02	
JUN 28	⟨20	<20	⟨20	⟨20	5100	120	⟨50	(20	<20		
AUG 30	⟨20	⟨20	⟨20	⟨20	4000	100	⟨50	(20	⟨20	(0.02	
	-			•							

01307500 PENATAQUIT CREEK AT BAY SHORE, NY

DRAINAGE AREA. -- About 5 square miles.

PERIOD OF RECORD. -- May 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	DXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)
DE	01	1545	205	6.7	12.0	8.0	15	3.4	26	2.3	25
MA	02	1510	300	6.6	11.0		16	3.6	30	2.4	26
JU	28	1450	262	6.5	20.0	8.7	15	3.8	33	2.6	23
AU	30	1450	252	6.6	18.0	7.9	13	3.6	31	2.5	20
	DATE	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	NITRO- GEN, NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN AMMONIA TOTAL (MG/L AS N)	NITRO- GEN AM- MONIA - ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
DE	01	44	3.7	0.33			(0.005	⟨50	(20	⟨20	⟨50
MA	02	49	3.9	0.33	0.17	(0.01	(0.005	(50	⟨20	⟨20	(50
JU	JN 28	55	3.8	0.20			0.008	⟨50	⟨20	(20	(50
AU	JG 30	52	3.7	0.15	0.64	(0.01	0.005	(50	⟨20	(20	(50
	DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
DE	01		⟨20	⟨20	⟨20	⟨20	550	200	⟨20	770	660
MA	02	⟨10	⟨20	(20	⟨20	⟨20	280	160	⟨20	800	680
JU	28	⟨10	⟨20	(20	⟨20	(20	100	210	⟨20	500	520
AU	IG 30	<10	⟨20	⟨20	<20	⟨20	510	70	⟨20	630	290
	DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DE	01	⟨20	⟨20	⟨20	⟨20	4500	90	⟨50	⟨20	⟨20	
MA	02	⟨20	⟨20	(20	(20	4100	90	(50	⟨20	(20	0.03
JU	N 28	⟨20	(20	(20	<20	4500	100	(50	(20	(20	
AU	30	⟨20		⟨20	<20	3900	90	⟨50	⟨20	⟨20	0.02

01308000 SAMPAWAMS CREEK AT BABYLON, NY

LOCATION.--Lat 40°42'15", long 73°18'52", Suffolk County, Hydrologic Unit 02030202, on left bank at upstream side of John Street Bridge in Babylon, 180 ft downstream from Long Island Railroad, and 0.6 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 23 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1944 to current year (monthly means estimated December 1966 to November 1967).

REVISED RECORDS.--WSP 1141: Drainage area. WSP 1702: 1955(M), 1956(M). WRD NY 1974: 1970(P).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 6.36 ft above National Geodetic Vertical Datum of 1929. October 1944 to December 1966, water-stage recorder at site 100 ft east at datum 0.34 ft higher.

REMARKS.--No estimated daily discharges. Records good except those for Oct. to Dec., Aug. and Sept., which are fair. Flow regulated slightly by pumping operations at railroad and occasionally by ponds above station. Indeterminate effect caused by ground-water pumpage for water-supply purposes at Smith Street substation 0.2 mi northwest of gage. Prior to November 1950, slight diurnal fluctuation caused by power operations.

EXTREMES FOR CURRENT YEAR. -- Peak discharges greater than base discharge of 88 ft3/s and maximum (*):

Date Nov. 3	Time 081	Disc (f	harge t ³ /s) 92	Gage h	eight t) 54			Date v. 23	Time 0700	Discharge (ft ³ /s) *98	Ga	age height (ft) *1.61
		DISCHA	RGE, CUBI	C FEET PE	R SECOND,	WATER YE Y MEAN VA	EAR OCTOBEI	R 1992 T	O SEPTEMB	ER 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	5.1 4.8 5.0 4.8 4.3	4.3 4.6 30 12 9.4	7.8 8.7 7.8 7.6 8.9	11 10 9.7 10	9.5 8.0 9.5 9.5 9.2	9.8 9.7 9.7 16 13	36 26 21 21 20	14 14 14 13 12	21 11 9.3 8.4 8.3	4.6 4.6 20 8.3 6.5	4.1 3.5 3.2 3.2 3.0	3.9 4.0 4.3 4.3 4.1
6 7 8 9	4.4 4.3 4.1 5.3 5.2	7.9 6.8 6.4 6.0 5.7	7.6 7.4 7.1 6.8 6.9	13 12 11 10 9.7	9.1 9.0 8.8 8.5 8.6	11 11 11 10 10	20 19 20 20 20	14 13 12 12 11	8.2 8.2 7.7 11 8.5	5.7 5.5 5.3 4.9 5.3	4.4 5.0 3.2 3.0 3.1	4.0 4.1 4.2 4.0
11 12 13 14 15	6.9 7.0 4.5 4.7 5.0	5.8 5.8 7.2 5.6 5.4	45 26 16 13 12	9.8 12 15 12 11	8.4 11 19 12 10	10 9.4 17 19 13	20 19 17 17 16	12 11 11 10 10	7.6 7.2 7.0 6.8 6.6	4.7 4.5 4.5 5.0 5.7	3.1 3.2 3.1 3.1 3.1	3.6 3.3 3.5 3.8 4.0
16 17 18 19 20	5.0 4.4 4.3 4.5 4.7	5.1 5.4 5.1 5.0	12 20 16 14 14	11 10 9.6 9.7 9.5	21 18 13 11 11	13 25 21 16 15	17 22 18 16 16	9.4 10 9.3 9.5 9.5	6.3 6.1 6.1 5.9 5.7	5.6 5.6 6.4 6.5 6.7	3.4 3.2 3.1 3.4	4.5 9.4 11 5.3 4.5
21 22 23 24 25	4.9 4.8 5.0 5.0 4.9	5.2 6.6 25 11 9.2	12 12 12 11 11	9.4 14 11 11 10	11 13 12 11 10	16 15 15 38 23	16 21 18 16 15	8.9 8.7 9.0 8.4 7.9	6.5 7.2 5.8 5.5 5.4	6.4 6.0 5.8 5.6 4.9	3.2 2.9 2.9 3.0 3.7	5.2 4.7 4.7 4.5 4.4
26 27 28 29 30 31	5.0 4.7 4.5 4.6 4.4 4.6	15 12 9.3 8.4 8.0	11 10 10 11 13 13	9.7 10 9.7 9.3 9.2 9.6	10 10 10 	19 18 29 22 19 18	17 19 16 15 15	7.6 7.5 7.4 7.2 7.0	5.0 5.1 5.0 4.8	4.4 6.1 4.7 5.5 4.7 4.5	3.3 3.6 4.8 4.0 3.5 3.7	16 6.5 4.3 4.0 3.8
TOTAL MEAN MAX MIN	150.7 4.86 7.0 4.1	258.6 8.62 30 4.3	390.6 12.6 45 6.8	337.9 10.9 19 9.2	311.1 11.1 21 8.0	501.6 16.2 38 9.4	569 19.0 36 15	321.3 10.4 14 7.0	222.2 7.41 21 4.8	184.5 5.95 20 4.4	106.0 3.42 5.0 2.9	166.9 5.56 19 3.3
STATIST		MONTHLY ME	AN DATA F		YEARS 194		BY WATER	YEAR (W	Y)			
MEAN MAX (WY) MIN (WY)	7.32 22.5 1991 3.95 1988	8.30 19.8 1956 4.30 1951	9.48 14.2 1984 4.23 1966	10.3 19.6 1978 5.13 1981	10.9 16.6 1979 5.77 1947	12.4 20.1 1958 6.97 1988	13.4 23.7 1983 5.98 1966	11.7 20.7 1989 5.79 1986	10.1 24.3 1989 4.70 1986	8.77 21.9 1975 3.38 1966	8.22 20.5 1989 3.42 1993	7.39 16.3 1989 3.79 1986

STREAMS ON LONG ISLAND 01308000 SAMPAWAMS CREEK AT BABYLON, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1945 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN LOWEST ANNUAL MEAN	2923.9 7.99	3520.4 9.64	9.83 15.4 15.55 1988
HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM INSTANTANEOUS PEAK FLOW	45 Dec 11 4.1 Oct 8 4.5 Oct 2	45 Dec 11 2.9 Aug 22 3.1 Aug 9 98 Nov 23	93
INSTANTANEOUS PEAK STAGE INSTANTANEOUS LOW FLOW 10 PERCENT EXCEEDS 50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	12 6.9 5.0	1.61 Nov 23 2.7 Aug 24 18 8.5 4.0	3.28 Feb 7 1971 1.3b Sep 13 1986 16 8.7 4.7

a From rating curve extended above 110 $\rm ft^3/s.$ b Result of regulation, also occurred on Sept 14 1986.

01308000 SAMPAWAMS CREEK AT BABYLON, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

		DIS- HARGE,	SPE	- PH		JAN OCT	ODLK 1	332 10	I LINDE			da lei
		HARGE, INST. CUBIC FEET PER	CIF CON DUC ANC FIEL	- AHU	ER .	IRF	XYGEN, DIS-	CALC DIS SOL	VED SOLV	NE- JM, SODI S- DIS VED SOLV	UM; \$1 - D1 ED \$0L	TAS- LUM, SULFATE S- LYED SOLVED LYL (MG/L K) AS SD4)
DATE	TIME	PER	FIEL (US/	D AR	TS) (DEC	ER C)	SOLVED (MG/L)	AS	(MG CA) AS	VED SOLV	NA) AS	S- DIS- VED SOLVED I/L (MG/L K) AS SO4)
DEC	1130	7.6	158	6	. 5	9.5	7.6	13	3.	.0 17	2	2.6 22
MAR 03	1115	9.7	225	6	.6	8.0		15	3.	.3 18	2	2.9 26
JUN 24	1110	5.4	200	6	.4 1	7.0	6.6	15	3	.7 20		1.2 26
31	1125	3.5	187	6	.4 1	9.0	4.3	13	3	.1 19	2	2.5 22
					NITRO-							
	CHLO- RIDE, DIS-	G	TRO- EN. +NO3	NITRO- GEN AMMONÍA	NITRO- GEN, AM- MONIA + ORGANIC	PHOS	- PH	HOS- ORUS THO	ALUM- INUM, DIS-	MONY, DIS-	ARSENIC	BARIUM,
DATE	SOLVE	ED TÖ	TAL G/L N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTA	L T	UIAL	SOL VED	SULVED	SOLVED	DIS- SOLVED
	AS CI	(i) AS	(N)	AS N)	AS N)	TOTA (MG/I) X	MG/L S P)	(UG/L AS AL)	AS SB)	AS AS)	AS BA)
DEC 02 MAR	25		2.1	0.93				0.005	<50	⟨20	⟨20	⟨50
03	25		2.7	0.95	0.90	<0.	01	0.006	<50	<20	<20	<50
JUN 24	27		1.8	0.43				0.007	<50	<20	<20	⟨50
31	31		1.7	0.52	0.74	<0.	01 (0.005	<50	<20	⟨20	<50
	BERYL LIUM, DIS-	, CAD	MIUM IS- LVED G/L CD)	CHRO- MIUM, DIS- SOLVED	COBALT, DIS- SOLVED	COPPE DIS- SOLV	R, T	RON, OTAL ECOV- RABLE	IRON, DIS- SOLVED	LEAD, DIS-	MANGA- NESE, TOTAL RECOV- ERABLE	MANGA- NESE, DIS- SOLVED
DATE	SOLVE (UG/L AS BE	E) AS	CD)	(UG/L AS CR)	(UG/L AS CO)	AS C	(i)	UG/L S FE)	(UG/L AS FE)	SOLVED (UG/L AS PB)	(UG/L AS MN)	(UG/L AS MN)
DEC 02 MAR	4	<	20	<20	⟨20	<	20	550	360	⟨20	1000	910
	<10	<	20	⟨20	<20	<	20	580	360	<20	1000	890
24	<10	<	20	<20	⟨20	<	20	670	490	⟨20	620	560
31	<10	<	20	⟨20	⟨20	<	20	1800	1400	⟨20	900	780
DATE	MOLYE DENUI DIS- SOLVE (UG/L AS MO	A, NIC DI ED SO (U	KEL, S- LVED G/L NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILIC DIS- SOLVE (UG/ AS SI	ON SIL (I	TRON- TIUM, DIS-' OLVED UG/L S SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC 02	<	20	⟨20	⟨20	<20	37	00	70	<50	⟨20	⟨20	
MAR 03	<	20	⟨20	<20	<20	34	00	70	⟨50	⟨20	<20	0.03
JUN 24	<	20	⟨20	<20	<20	39	00	80	⟨50	⟨20	<20	
AUG 31	<	20	⟨20	<20	⟨20	33	00	80	⟨50	(20	⟨20	0.03

01308500 CARLLS RIVER AT BABYLON, NY

LOCATION.--Lat 40°42'31", long 73°19'44". Suffolk County, Hydrologic Unit 02030202, on left bank 130 ft downstream from outlet of Southards Pond in Babylon, and 0.9 mi upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 35 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1944 to current year.

REVISED RECORDS.--WSP 1141: Drainage area. WRD NY 1972: 1947(m), 1952(m), 1954(m), 1958(m), 1960-63(m).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 10.63 ft above National Geodetic Vertical Datum of 1929.

REMARKS. -- Records good. Occasional regulation at outlet of Southards Pond.

		DISCHARG	E, CUBIC	FEET PER	SECOND, V	MEAN VA	AR OCTOBER	1992 TO	SEPTEMBE	R 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	16 16 16 15 15	14 14 66 40 25	24 25 28 24 26	29 27 26 27 45	23 22 22 22 22 22	25 24 24 35 41	91 77 53 47 43	28 28 27 27 28	53 27 23 21 20	12 13 42 22 16	10 8.1 11 9.5 9.0	10 8.6 8.7 9.1 9.3
6 7 8 9	14 14 12 15 21	23 17 17 17 17 18	22 22 21 20 21	36 29 28 27 26	22 22 22 22 22 22	31 27 26 22 23	42 39 38 39 40	28 26 25 25 24	21 20 19 24 24	15 15 14 13 13	10 17 12 11 11	9.1 8.8 9.1 9.6 41
11 12 13 14 15	19 24 17 18 15	17 17 22 19 17	82 84 47 36 30	26 31 37 34 30	23 29 47 33 27	25 26 35 54 36	43 36 33 34 33	24 24 24 23 22	20 18 17 17 18	13 12 11 12 13	10 10 11 10 10	18 13 12 11
16 17 18 19 20	14 13 14 16 15	16 16 16 15 16	31 42 49 35 35	29 28 26 25 25	32 52 32 29 29	33 49 60 41 38	34 48 37 31 30	22 e22 e21 e21 e22	18 15 15 16 15	12 11 10 11 13	10 12 11 11 11	12 22 28 19 15
21 22 23 24 25	14 13 13 14 15	16 19 71 39 29	32 30 29 28 27	25 35 29 27 27	28 33 31 29 26	39 38 38 80 61	31 44 37 32 31	e22 22 21 20 20	19 21 17 14 12	12 11 10 9.8 9.7	9.5 9.3 9.2	15 15 14 13 13
26 27 28 29 30 31	14 14 14 14 13 13	36 45 29 26 25	27 26 26 26 32 36	25 26 25 24 23 24	26 26 25 	43 40 61 47 42 39	32 39 31 30 29	20 20 19 20 18 20	13 14 14 13 13	9.7 15 14 15 13 11	11 9.5 10 17 13 14	30 24 20 16 15
TOTAL MEAN MAX MIN	468 15.1 24 12	757 25.2 71 14	1023 33.0 84 20	881 28.4 45 23	778 27.8 52 22	1203 38.8 80 22	1204 40.1 91 29	713 23.0 28 18	571 19.0 53 12	423.2 13.7 42 9.7	339.1 10.9 17 8.1	459.3 15.3 41 8.6
STATIST		NTHLY MEAN				- 1993,			1000	22.10	20.0	
MEAN MAX (WY) MIN (WY)	21.0 52.0 1991 10.5 1968	24.4 50.3 1956 11.3 1966	27.3 48.8 1978 12.3 1966	28.5 55.8 1978 13.6 1966	29.9 49.3 1979 15.1 1967	33.0 54.5 1979 18.5 1966	34.2 64.3 1983 13.2 1966	30.3 53.8 1989 14.1 1986	26.3 50.7 1989 11.8 1986	22.4 49.6 1984 8.57 1966	21.9 40.7 1990 9.66 1966	20.2 36.4 1960 9.67 1965
	STATISTI	cs	FOR 1	992 CALEN	DAR YEAR	F	OR 1993 WAT	TER YEAR		WATER Y	EARS 1945	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST LOWEST ANNUAL INSTANT INSTANT INSTANT	TOTAL MEAN ANNUAL ME ANNUAL ME DAILY ME DAILY ME SEYEN-DAY ANEOUS PE ANEOUS PE ANEOUS PE ENT EXCEE ENT EXCEE	EAN AN AN MINIMUM AK FLOW AK STAGE W FLOW		8428 23.0 114 12 14	Jun 6 Oct 8 Oct 26		91 8.1 9.0 150 1.69 3.35b	Apr 1 Aug 2 Sep 2 Apr 1 Apr 1		26.6 39.9 14.1 205 4.5 7.4 300a 2.3	Jan 2 Jul Aug	1978 1966 26 1978 6 1966 4 1966 4 1990 24 1990 4 1963
50 PERC 90 PERC	ENT EXCEE	DS DS		32 21 15			40 22 11			41 24 14		

a From rating curve extended above 190 $\rm ft^3/s$. b Result of regulation. c Also occurred on Jul 6 1966 and Aug 29 1972. e Estimated.

01308500 CARLLS RIVER AT BABYLON, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION. --Water-quality analyses for this station identified by an asterisk (*) were collected and analysed by Suffolk County Department of Health Services.

All other analyses for this station were collected and analysed by the U.S. Geological Survey.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	E ge	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	DXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)
*02		1400	23	145	6.6	7.5		9.7	12	2.8	16
#03 09		1325 1250	24 22	242 205	7.0 7.0	6.0	757	9.9	14 12	3.2	22 19
JUN 14 *24		1130 1325	17 14	203 198	7.3 7.0	23.5 23.0	766	9.3 7.8	14 13	3.4	20 21
*31		1325	13	165	6.7	25.0		8	11	3.0	17
SEP 08		0835	9.0	194	7.0	21.0	759	6.0	12	3.0	18
DAT		POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN. NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN. NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN AMMONÍA TOTAL (MG/L AS N)
DEC *02		2.7		24	24				2.2		1.00
*03		3.0	17	30 29	29 24	(0.10	7.8	0.014	3.0	2.6	1.22
JUN 14 *24		3.2	19	28 33	23 24	(0.10	3.2	0.050	2.4	2.6	0.09
#31		2.9		28	23				2.0		0.05
08		2.4	18	26	22	<0.10	3.7	0.009		1.6	
DATI	G M O	NITRO- EN AM- ONIA + RGANIC TOTAL (MG/L AS N)	NITRO- GEN, AMMONTA DIS- SOLVED (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS DIS- SOLVED (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
DEC *02						(0.005		(50	(20	(20	⟨50
#03 09		0.95	0.83	(0.01 0.025	==	(0.005	0.003	<50	<20	<20	⟨50
JUN 14 *24		0.5	0.17	0.024	-	<0.005	<0.001	~~ <50	 <20	 (20	~ 50
*31 SEP		0.80		<0.01		⟨0.005		⟨50	⟨20	⟨20	⟨50
08		0.4	0.08	0.014			<0.001			V. LE	M

STREAMS ON LONG ISLAND 01308500 CARLLS RIVER AT BABYLON, NY--Continued WATER-QUALITY RECORDS

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
DEC +0	2		⟨20	⟨20	⟨20	⟨20	550	270	⟨20	1000	910
MAR +0: JUN	3 9	<10	<20	_<20 	<u><20</u>	<u><20</u>	470 460	200 150	_<20 	1100 680	920 670
*2	t :::	(10	(20	 <20	 (20	<20	430 350	82 170	 (20	550 530	570 470
*3:	1	<10	⟨20	⟨20	⟨20	⟨20	310	100	⟨20	420	240
SEP	В						250	60		630	570
	DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC *02 MAR	2	⟨20	⟨20	⟨20	⟨20	3500	60	⟨50	⟨20	<20	
*03	3	<20	∠ 20	<20	<20	3600		_<50 	_<20 	<20	0.03
*24	::::	 <20	₹20	 <20	⟨20	2600	80	~~ <50	 <20	 <20	0.07
AUG *31 SEP	1	<20	<20	<20	<20	1200	70	<50	⟨20	⟨20	<0.02
08	3										0.03

01309000 SANTAPOGUE CREEK AT LINDENHURST, NY

LOCATION.--Lat 40°41'30°, long 73°21'20°, Suffolk County, Hydrologic Unit 02030202, on left bank just upstream from East Hoffman Avenue bridge, 1.0 mi east of Long Island Railroad station in Lindenhurst, and 1.5 mi upstream from mouth.

DRAINAGE AREA. -- About 7 square miles.

PERIOD OF RECORD. -- Water years 1966 to current year.

REMARKS.--Partial-record discharge data included in this report.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)
DEC	1245	242	6.3	9.0	7.6	22	4.2	27	3.8	31
MAR 03	1215	350	6.6	8.0		23	4.7	33	4.3	34
JUN 24	1220	274	6.3	15.5	4.3	19	3.9	28	4.3	29
AUG 31	1225	259	6.4	17.5	4.2	19	3.5	27	3.6	31
DATE	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	NITRO- GEN NO2+NO3 TOTAL (MG/L AS N)	NITRO- GEN AMMONÍA TOTAL (MG/L AS N)	NITRO- GEN.AM- MONIA + ORGANIC TOTAL (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ANTI- MONY, DIS- SOLVED (UG/L AS SB)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)
DEC 02	48	0.80	1.41			0.005	⟨50	⟨20	⟨20	70
MAR 03	48	1.1	1.59	1.43	0.052	⟨0.005	⟨50	⟨20	⟨20	60
JUN 24	41	1.0	1.45			0.008	⟨50	⟨20	⟨20	60
AUG 31	46	2.0	1.21	1.54	<0.01	0.006	⟨50	⟨20	<20	50
DATE	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
DEC		⟨20	⟨20	⟨20	⟨20	1500	990	⟨20	2100	2000
MAR 03	<10	<20	⟨20	⟨20	⟨20	780	460	⟨20	2200	2100
JUN 24	<10	⟨20	⟨20	⟨20	⟨20	890	560	⟨20	2600	2400
AUG 31	<10	<20	⟨20	⟨20	⟨20	640	380	⟨20	1700	1600
DATE	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, DIS- SOLVED (UG/L AS AG)	SILICON DIS- SOLVED (UG/L AS SI)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	THAL- LIUM, DIS- SOLVED (UG/L AS TL)	TITA- NIUM DIS- SOLVED (UG/L AS TI)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC	⟨20	(20	(20	(20	4000	130	⟨50	⟨20	(20	
MAR	(20	⟨20	⟨20	<20	3600	120	⟨50	⟨20	⟨20	0.03
JUN 24	(20	⟨20	⟨20	⟨20	4600	120	⟨50	⟨20	⟨20	
JUN 24 AUG 31	⟨20	⟨20	(20	(20	4100	100	⟨50	⟨20	⟨20	0.03

STREAMS ON LONG ISLAND

01309500 MASSAPEQUA CREEK AT MASSAPEQUA, NY

LOCATION.--Lat 40°41'20", long 73°27'19", Nassau County, Hydrologic Unit 02030202, on left bank 3000 ft upstream from Clark Boulevard Bridge in Massapequa, and 350 ft west of Lake Shore Drive at Garfield Street in Massapequa Park. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 38 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1903, December 1936 to current year (monthly means estimated December 1959 to February 1961). Published as Massatayun Creek at Massapequa, December 1936 to September 1941.

REVISED RECORDS. -- WSP 1411: Drainage area. WRD NY 1970: 1966-69 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 18.31 ft above National Geodetic Vertical Datum of 1929. Prior to October 1903, non-recording gage at different datum. December 1936 to March 1961, at datum 1.0 ft higher.

REMARKS.--No estimated daily discharges. Records good.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 110 ft3/s and maximum (*):

Date Nov. 23 Apr. 1	Tim 071 111	D 16 15 15	ischarge (ft ³ /s) 162 *176		e height (ft) 1.68 *1.72			Date une 1	Time 0030	Discharge (ft ³ /s) 120		Gage height (ft) 1.54
		DISCH	ARGE, CUI	BIC FEET P	ER SECOND,	WATER YE	EAR OCTOBE	R 1992 TO	SEPTEMBI	ER 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	1.6 1.6 1.5 1.5	1.4 1.3 30 4.5 3.3	4.5 4.7 4.5 4.0 5.3	5.6 5.3 5.0 5.2	4.5 5.1 4.0 4.0 4.0	4.5 4.5 4.5 9.2 8.4	48 22 14 13 12	7.8 7.6 7.3 6.9 7.1	23 5.7 5.1 4.7 4.6	2.5 2.6 17 3.6 3.1	2.0 1.9 1.9 1.9 1.8	1.8 1.7 1.7 1.8 1.8
6 7 8 9	1.5 1.4 1.4 3.8 9.9	3.2 2.7 2.3 1.8 1.7	3.5 3.3 3.1 2.9 2.9	6.8 5.7 5.4 4.9 4.9	4.0 3.9 3.6 3.4 3.3	5.7 5.2 4.9 4.9	11 11 11 10 13	6.9 6.5 6.4 6.2 6.1	4.6 4.0 3.9 8.7 5.1	2.9 2.6 2.3 2.2 2.2	2.5 2.8 2.0 1.9	1.8 1.9 2.0 1.9
11 12 13 14 15	4.2 6.8 2.5 2.0 1.7	1.7 1.8 5.5 2.7 2.3	45 17 9.8 7.8 6.9	4.8 7.3 9.7 7.3 5.8	3.3 5.1 15 6.7 5.5	5.2 4.5 9.0 15 7.1	11 10 10 10 9.7	6.0 5.8 5.7 5.7	3.9 3.8 3.5 3.5 3.5	2.2 2.2 2.2 2.3 2.4	1.9 2.1 2.0 1.9	2.4 2.1 1.9 1.8 1.8
16 17 18 19 20	1.7 1.5 1.5 1.5 1.4	1.8 1.7 1.7 1.7	6.3 15 10 6.9 7.8	5.4 5.3 4.9 4.6 4.5	13 13 6.9 6.1 5.8	7.8 24 13 9.3 8.7	10 18 11 11	5.7 5.5 5.4 5.6 5.3	3.4 3.1 3.1 3.1 2.9	2.2 2.2 2.1 2.4 2.3	1.8 3.3 2.1 1.9	2.2 4.1 5.6 2.9 2.2
21 22 23 24 25	1.4 1.4 1.3 1.5 1.7	1.7 3.4 42 6.5 5.4	6.4 5.8 5.8 5.6 5.4	4.5 8.9 5.6 5.1 5.3	5.4 7.0 5.6 5.2 4.9	9.7 9.0 8.9 35	10 15 10 9.3 9.2	4.9 4.8 4.7 4.5 4.4	3.8 3.8 2.8 2.8 2.8	2.1 2.1 1.9 2.1 1.9	1.9 1.8 1.8 1.7 2.8	2.3 2.3 2.2 2.1 2.0
26 27 28 29 30 31	1.7 1.7 1.6 1.5 1.4 1.5	13 10 5.3 4.7 4.6	5.4 5.1 4.9 5.5 6.8 7.8	4.6 4.5 4.4 4.3 4.5	4.9 4.8 4.7	11 10 25 12 11 9.8	11 14 9.7 9.3 8.8	4.3 4.1 4.0 3.9 3.7 8.8	2.6 2.6 2.5 2.5 2.5	2.0 2.6 2.7 2.6 2.2 2.1	1.9 1.7 2.9 2.4 1.9	9.4 6.3 3.5 2.5 2.3
TOTAL MEAN MAX MIN	67.2 2.17 9.9 1.3	171.4 5.71 42 1.3	235.7 7.60 45 2.9	181.6 5.86 17 4.3	162.7 5.81 15 3.3	314.5 10.1 35 4.5	383.0 12.8 48 8.8	177.2 5.72 8.8 3.7	131.9 4.40 23 2.5	87.8 2.83 17 1.9	63.9 2.06 3.3 1.7	90.3 3.01 12 1.7
STATISTIC	S OF N	ONTHLY M	EAN DATA	FOR WATER	YEARS 1937	7 - 1993,	BY WATER	YEAR (WY)			
MAX (WY) MIN	7.44 18.6 1956 1.95 1987	8.89 24.5 1956 2.01 1966	9.63 18.8 1973 2.12 1966	10.9 33.2 1979 2.71 1966	11.7 25.7 1973 3.72 1989	13.9 28.7 1939 3.85 1966	15.1 33.3 1953 2.91 1966	13.1 32.5 1979 2.92 1986	10.8 28.7 1952 1.95 1986	8.80 25.7 1984 1.90 1966	8.49 22.9 1955 1.73 1966	7.11 18.2 1938 1.47 1986

STREAMS ON LONG ISLAND
01309500 MASSAPEQUA CREEK AT MASSAPEQUA, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1937 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN LOWEST ANNUAL MEAN	1600.7 4.37	2067.2 5.66	10.6 19.4 3.19 1966
HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM INSTANTANEOUS PEAK FLOW	45 Dec 11 1.3 Jul 8 1.4 Oct 17	48 Apr 1 1.3 Oct 23 1.4 Oct 17 176 Apr 1	191 Jan 21 1979 1.0 Nov 5 1987 1.2 Aug 19 1987 510a Jul 29 1980
INSTANTANEOUS PEAK STAGE INSTANTANEOUS LOW FLOW 10 PERCENT EXCEEDS 50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	6.8 3.4 1.5	1.72 Apr 1 1.3b Oct 7	2.40 Jul 29 1980 .48c Nov 21 1987 20 8.6 3.4

a From rating curve extended above 200 ft $^3/s$. b Also occurred on Oct 8, 20, 21, 22, 23, Nov 2. c Result of regulation.

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
0CT 20	0920	1.5	243	6.3	5.5	771	9.1	18	3.3
JAN 19	0930	4.5	243	6.4	2.5		11.8	18	3.4
APR	0840	11	290		8.5		11.1	18	3.5
JUL				6.6	8.5		1700	1100	
JUL 13	0830	2.0	246	6.6		761	8.4	18	3.5
DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLYED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)
OCT 20	22	3.1	23	30	34	⟨0.10	9.8	0.026	2.8
JAN 19	24	3.2	23	29	35	⟨0.10	9.1	0.017	2.9
APR 07	30	2.7	31	27	51	⟨0.10	7.7	0.011	2.5
JUL 13	20	2.9	23	28	33	⟨0.10	7.0	0.029	2.3
DATE	NITRO- GEN AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 20	0.14	0.40	0.013	0.002	240	92	350	330	0.08
JAN 19	0.52	0.70	0.017	0.005	130	47	660	620	0.07
APŘ 07	0.35	0.40	0.020	0.004	230	95	540	510	0.07
JUL 13	0.15	0.30	0.017	0.004	190	52	250	230	0.07
	0.10	3.00	0.017	0.004	100	02	200	200	3.07

01309680 SEAFORD CREEK AT MASSAPEQUA, NY

LOCATION.--Lat 40°40'06", long 73°28'55", Nassau County, Hydrologic Unit 02030202, on left bank 15 ft downstream from concrete foot bridge, in Tackapausha Preserve in Massapequa.

DRAINAGE AREA.--About 3.3 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- Occasional measurements 1989, 1991, March 1992 to current year.

GAGE.--Water-stage recorder. Elevation of gage is 3.0 ft above National Geodetic Vertical Datum of 1929, from topographic map.

REMARKS.--Records fair except those for estimated period, which are poor.

		DISCHA	RGE, CUBIC	FEET PE	R SECOND,	WATER YEA	AR OCTOBER	R 1992 TO	SEPTEMBE	R 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	e.45 e.45 e.45 e.45	1.0 1.0 7.3 .83 .71	1.0 1.1 1.1 .99 1.3	1.4 1.3 1.3 1.4 4.0	1.0 .90 .92 .89	.87 .82 .80 2.7 1.5	9.2 3.8 2.4 2.1 2.3	1.1 1.1 1.0 1.0	5.1 .90 .79 .78 .74	.59 .64 4.1 .54 .46	.31 .32 .30 .31 .30	.33 .36 .37 .42 .35
6 7 8 9	e.45 e.45 e.45 e.90 e2.0	.73 .56 .54 .50	.98 .95 .88 .89	1.6 1.3 1.2 1.2	.87 .84 .90 .83 .85	1.0 .94 .95 .90 .97	1.8 2.3 1.6 1.4 2.0	. 99 . 89 . 86 . 87 . 86	.78 .74 .76 1.7	.46 .45 .42 .39 .37	.68 .77 .42 .38 .35	.30 .32 .35 .34 2.3
11 12 13 14 15	e.80 e1.5 e.70 e.60 e.55	.51 .52 1.0 .57 .55	e9.0 e4.0 2.6 2.0 1.8	1.1 1.7 2.2 1.5 1.3	.79 1.1 e3.0 1.3 1.1	.96 .87 e2.0 e3.0 1.6	1.4 1.4 1.7 1.4 1.5	.87 .83 .80 .77 .76	.77 .76 .77 .79 .80	.36 .34 .32 .38 .49	.33 .38 .35 .32	.44 .39 .37 .41 .41
16 17 18 19 20	e.50 e.50 e.50 e.50 e.50	.53 .55 .52 .52	1.6 3.6 2.5 1.8 2.1	1.2 1.2 1.1 1.1	2.8 2.4 1.3 1.3	1.7 5.0 3.7 2.3 1.8	1.7 2.9 1.4 1.3	.77 .76 .78 .79	.79 .81 .83 .85	.36 .34 .35 .47 .41	.34 .84 .45 .38 .50	1.5 1.6 .52 .45
21 22 23 24 25	e.50 e.50 e.50 e.70 e.90	.54 .77 8.3 1.3	1.6 1.5 1.5 1.4 1.4	1.1 2.0 1.2 1.2 1.2	1.1 1.5 1.1 .99	2.2 2.6 2.8 8.1 3.0	1.4 2.1 1.4 1.3 1.3	.74 .72 .70 .73 .76	1.1 1.0 .81 .80 .79	.34 .31 .29 .30 .29	.55 .34 .32 .31	.47 .46 .45 .43 .40
26 27 28 29 30 31	e.90 .94 .92 .88 .86	3.2 2.4 1.2 1.1	1.4 1.3 1.3 1.5 1.8	1.7 1.4 1.7 1.0 1.0	.89 .87 .87	2.6 2.4 5.7 2.7 2.5 2.3	1.6 2.1 1.2 1.2 1.1	.78 .81 .78 .73	.78 .81 .76 .72 .62	.30 .36 .33 .46 .32	.37 .35 1.4 .51 .39	2.0 1.1 .51 .45 .44
TOTAL MEAN MAX MIN	21.75 .70 2.0 .45	40.67 1.36 8.3 .50	57.63 1.86 9.0 .88	43.8 1.41 4.0 1.0	33.30 1.19 3.0 .79	71.28 2.30 8.1 .80	59.7 1.99 9.2 1.1	26.85 .87 1.7 .70	29.51 .98 5.1 .62	15.84 .51 4.1 .29	14.24 .46 1.4 .30	18.76 .63 2.3 .30
				R WATER		2 - 1993,	BY WATER					
MEAN MAX (WY) MIN (WY)	.70 .70 1993 .70 1993	1.36 1.36 1993 1.36 1993	1.86 1.86 1993 1.86 1993	1.41 1.41 1993 1.41 1993	1.19 1.19 1993 1.19 1993	2.30 2.30 1993 2.30 1993	1.49 1.99 1993 1.00 1992	. 96 1.05 1992 .87 1993	.98 .98 1993 .97 1992	.65 .78 1992 .51 1993	.79 1.12 1992 .46 1993	.60 .63 1993 .58 1992
SUMMARY	Y STATIST	ICS			FOR 1	993 WATER	YEAR			WATER Y	EARS 1992	- 1993
ANNUAL ANNUAL HIGHES LOWEST HIGHES LOWEST ANNUAL INSTAN' INSTAN' 10 PERC 90 PERC	TOTAL MEAN ANUAL ANUAL T ANUAL MEAN T DAILY ME SEVEN-BUS TANEOUS TANEOUS TANEOUS CENT EXCE CENT EXCE CENT EXCE	MEAN EAN AN Y MINIMUM EAK FLOW EAK STAGE OW FLOW EDS EDS				.31 Jo 36 No 3.34a Do	or 1 23 11 30 12 23 12 11 12 23			2.0	9	1993 1993 1 1993 23 1993 30 1993 23 1992 23 1992 23 1993

a Result of high tide.
b Also occurred on Jul 24, 25, 26, 30, 31, Aug 3, 4.
e Estimated

01310000 BELLMORE CREEK AT BELLMORE. NY

LOCATION.--Lat 40°40'43", long 73°30'58", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft east of intersection of Valentine Place and Mill Road, in Bellmore, 0.5 mi north of Sunrise Highway, and 0.5 mi northwest of Wantagh. Water-quality sampling site at base gage.

DRAINAGE AREA. -- About 17 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1883 (fragmentary), July to October 1903, published in Professional Paper 44, September 1937 to current year. Prior to October 1957, published as Wantagh Stream at Wantagh. October 1957 to October 1967, published as Wantagh Stream at Bellmore.

GAGE.--Base gage (01309950): Water-stage recorder. Concrete control since July 24, 1974. Datum of gage is 15.06 ft above National Geodetic Vertical Datum of 1929. June to October 1883, determination of flow by various methods at different site and datum. July to October 1903, nonrecording gages on two channels near present site at different datum. Sept. 23, 1937, to Aug. 1, 1958, water-stage recorder with concrete control on right bank of present secondary channel about 1,000 ft east at datum 1.88 ft higher (used as supplementary gage since Aug. 1, 1958).

Supplementary gage (01309990): Water-stage recorder with concrete control on right bank of secondary channel about 1,000 ft east of base gage at datum of 18.98 ft National Geodetic Vertical Datum of 1929. Prior to July 28, 1965, at datum 2.00 ft higher. From July 28, 1965 to Oct. 6, 1965, at datum 1.00 ft higher.

REMARKS.--No estimated daily discharges. Records good. Prior to Nov. 4, 1955, flow at all stages regulated intermittently at outlet of Wantagh Reservoir, 1.0 mi above station, and prior to November 1953 by Browning Pond, 0.5 mi above station the. Subsequent to Nov. 3, 1955, permanent diversion of a substantial portion of the flow through west branch of Bellmore Creek. Discharge figures given are those of combined flows in main and secondary channels.

		DISCHAR	RGE, CUBIC	FEET PE	R SECOND,	WATER YE	AR OCTOBER	R 1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	1.6 1.7 1.5 1.5	1.4 1.5 19 2.6 2.4	2.7 2.8 2.8 2.9 3.4	3.7 3.4 3.4 3.6	2.8 2.9 3.1 2.8 2.8	3.5 3.7 3.4 10 4.8	30 13 8.3 7.6 6.9	4.4 4.2 4.1 3.9 3.8	10 2.9 2.8 2.5 2.5	1.3 1.4 10 1.9 1.6	.84 .79 .85 1.2 .75	.82 .81 .75 .78 .71
6 7 8 9 10	1.6 1.4 1.5 5.3 5.6	2.2 2.0 1.9 1.9 2.0	3.3 3.5 3.1 3.1 3.3	4.2 3.9 3.5 3.3 3.2	2.8 2.9 2.8 2.7 2.8	4.1 3.7 3.7 3.6 3.8	6.7 6.6 6.5 7.3	3.8 3.6 3.5 3.4 3.2	2.4 2.2 2.2 5.5 3.0	1.5 1.4 1.3 1.3	1.1 1.3 .94 .87 .79	.68 .66 .80 .71 6.7
11 12 13 14 15	2.1 2.2 1.7 1.7	2.0 2.0 3.0 2.0 2.2	35 9.9 5.3 4.6 4.4	3.2 4.0 5.9 4.1 3.7	2.7 3.6 8.4 3.4 3.1	3.8 3.5 8.1 7.9 4.9	6.9 6.3 6.1 6.2 6.2	3.3 3.3 3.2 3.2 3.0	2.2 2.0 1.9 1.9	1.2 1.2 1.1 1.1	.73 .79 .79 .78 .73	.92 .83 .79 .75 .73
16 17 18 19 20	1.6 1.5 1.6 1.5	1.7 1.7 1.7 1.6 1.5	4.1 9.6 5.2 4.4 4.6	3.6 3.4 3.2 3.2 3.1	10 6.0 4.5 4.0 3.8	5.3 18 8.8 6.2 5.8	9.4 9.4 5.9 5.6 5.5	2.9 2.8 3.0 3.2 3.0	1.9 1.7 1.6 1.6	1.1 1.0 .99 1.1 1.1	.72 2.6 1.0 .95 .92	.85 1.2 2.8 1.1 .96
21 22 23 24 25	1.7 1.6 1.6 1.6	1.7 2.5 32 4.2 3.0	3.8 3.8 3.7 4.2 4.6	3.2 5.1 3.3 3.2 3.2	4.0 5.3 4.1 3.8 3.8	6.4 5.9 6.0 26 8.7	5.3 6.8 5.3 5.2	2.8 2.7 2.6 2.5 2.4	2.2 1.8 1.6 1.5	1.0 .93 1.3 1.1	.87 .81 .79 .72 1.7	1.0 1.0 .95 .90
26 27 28 29 30 31	1.6 1.5 1.4 1.4	9.2 5.1 3.1 2.8 2.7	4.2 3.9 4.0 4.1 4.4 4.1	3.0 3.2 3.1 3.1 3.3 3.3	3.7 3.6 3.5 	7.4 7.1 16 7.6 7.0 6.4	6.6 6.1 4.8 4.7 4.5	2.3 2.3 2.2 2.0 2.0	1.5 1.4 1.4 1.4 1.4	.93 1.1 1.1 1.2 .95 .86	.82 .73 5.9 1.2 .88	4.9 2.9 1.3 1.2 1.1
TOTAL MEAN MAX MIN	57.4 1.85 5.6 1.4	122.6 4.09 32 1.4	162.8 5.25 35 2.7	117.6 3.79 11 3.0	109.7 3.92 10 2.7	221.1 7.13 26 3.4	221.7 7.39 30 4.5	106.6 3.44 14 2.0	70.0 2.33 10 1.4	45.31 1.46 10 .86	34.74 1.12 5.9 .72	40.46 1.35 6.7 .66
	TICS OF	MONTHLY MEA	N DATA FO	R WATER	YEARS 1937	- 1993,	BY WATER	YEAR (WY)				
MEAN (WY) MIN (WY)	7.06 18.9 1959 .65 1987	8.42 24.4 1956 1.17 1988	9.10 20.8 1978 1.71 1988	9.83 21.8 1978 2.45 1989	10.8 19.9 1956 3.03 1983	12.3 24.4 1961 3.45 1992	12.6 26.2 1953 2.93 1988	10.8 23.2 1958 2.58 1986	9.32 26.5 1952 1.02 1986	7.74 19.5 1975 .93 1986	7.73 21.2 1961 .69 1986	6.76 23.0 1960 .29 1986

STREAMS ON LONG ISLAND
01310000 BELLMORE CREEK NEAR BELLMORE, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1937 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN LOWEST ANNUAL MEAN HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM 10 PERCENT EXCEEDS 50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	35 Dec 11 1.4 Jul 21 1.5 Oct 27 4.4 2.7	1310.01 3.59 35 Dec 11 .66 Sep 7 .73 Sep 3 6.7 2.8	9.36 19.7 2.41 162 Sep 12 1960 .00a Jul 24 1986 .18 Jul 20 1986

a Also occurred on Jul 25 1986.

WATER-QUALITY RECORDS

PERIOD OF RECORD.--01309950 (Base gage): April 1988 to current year.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
OCT 20	1115	1.6	253	6.8	8.5	771	10.4	18	3.2
JAN 11	1440	2.8	265	6.6	6.0	775	10.5	18	3.2
APR 08	0920	4.6	283	6.5	10.5	768	9.9	18	3.3
JUL 13	0825	1.1	272	6.6	22.0	762	7.3	19	3.6
DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)
OCT 20	26	2.4	35	27	37	(0.10	10	0.027	1.9
JAN 11	32	2.3	32	27	48	⟨0.10	9.9	0.017	2.7
APR 08	29	2.3	36	26	45	⟨0.10	7.2	0.009	2.4
JUL 13	25	2.3	36	25	39	⟨0.10	6.9	0.031	1.4
DATE	NITRO- GEN AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 20	0.13	0.30	0.022	0.002	630	75	370	360	0.07
20 JAN 11	0.14	0.30	0.008	0.003	290	67	350	350	0.05
APR 08	0.08	0.20	0.013	0.002	310	90	440	410	0.07
JUL 13	0.10	(0.20	0.030		1000	100	190	160	0.06

01310500 EAST MEADOW BROOK AT FREEPORT, NY

LOCATION.--Lat 40°39'56", long 73°34'13", Nassau County, Hydrologic Unit 02030202, on right bank 24 ft upstream from bridge on Hempstead-Babylon Turnpike and 400 ft west of Meadowbrook Parkway, in Freeport. Water-quality sampling site at discharge station.

DRAINAGE AREA . -- About 31 mi2.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1851 to December 1852, June to October 1883, September and October 1885 (fragmentary), June to October 1903, published in Professional Paper 44, January 1937 to current year (monthly means estimated November 1962 to December 1963).

REVISED RECORDS. -- WRD NY 1972: 1967-71 (P). WDR NY 1977: 1973-76 (P).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 10.45 ft above National Geodetic Vertical Datum of 1929. Prior to October 1885, determinations of flow by various methods at different site and datum. June to October 1903, weir in swamp at head of Brooklyn waterworks supply pond. January 1937 to November 1982, water-stage recorder and concrete control at site 81 ft east at datum 0.47 ft higher.

REMARKS.--Records good except for estimated daily discharges, Dec. 18-21 and those below 5 ft³/s, which are fair. Discharge during December to February was affected by dewatering activities connected with construction.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 250 ft³/s and maximum (*):

Discharge Gage height Date Time (ft $^3/s$) (ft) Date Time (ft $^3/s$) (ft) No other peak greater than base discharge.

		DISCHA	RGE, CUBI	C FEET PE	R SECOND,	WATER YE	AR OCTOBER	1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	1.7 1.6 1.6 1.5	3.2 3.3 53 5.3 5.0	3.0 3.4 2.8 2.5 3.5	5.7 5.4 6.0 6.0 21	e5.5 5.2 5.4 5.5 5.7	3.3 3.3 8.3 6.0	59 24 12 9.7 8.9	5.3 5.2 5.0 5.0 4.9	36 8.7 5.7 4.3 4.0	1.4 1.6 15 2.6 1.9	.71 .63 .55 .25	.40 .27 .27 .32 .24
6 7 8 9	1.5 1.5 1.5 2.3 6.0	4.8 3.9 3.4 3.8 4.0	2.6 3.1 5.7 4.6 4.9	8.0 7.0 6.4 6.0 6.1	5.3 4.9 5.0 5.5 5.2	4.4 4.0 3.8 3.6 3.7	8.4 8.1 7.9 7.7 8.7	4.8 4.5 4.7 4.5 4.3	3.7 3.3 3.1 4.7 3.9	1.7 1.6 1.4 1.2 1.2	.39 1.2 .62 .48 .39	.16 .14 .37 .39 3.2
11 12 13 14 15	2.5 3.2 1.9 1.7	4.3 4.5 6.1 2.5 2.2	87 32 11 9.0 e7.9	6.2 7.1 8.5 7.3 6.4	5.0 6.8 12 7.3 6.7	3.8 3.5 7.2 11 5.9	10 8.1 7.5 7.3 7.3	4.3 4.0 4.0 4.0 4.0	3.1 2.7 2.7 2.6 2.5	1.1 1.0 .91 .89 1.0	. 27 . 53 . 61 . 40 . 32	.75 .52 .42 .34 .28
16 17 18 19 20	1.8 1.8 1.7 2.5 4.2	4.4 1.9 1.8 1.9 1.7	e7.0 e17 e11 e7.5 e9.0	6.0 6.2 5.7 5.5 5.5	11 10 8.0 7.2 6.9	5.7 35 16 7.9 7.5	9.4 24 8.9 7.8 7.2	3.9 3.7 3.8 4.1 3.9	2.4 2.3 2.2 2.0 2.1	.79 .76 .67 1.0	4.3 1.1 .82 .85	.74 1.1 3.3 1.4 .86
21 22 23 24 25	3.4 3.4 3.9 4.1 3.4	1.5 2.7 38 4.8 3.8	e7.0 6.4 6.4 6.1 5.7	5.5 8.1 6.0 5.5 5.5	7.0 8.3 7.1 6.3 6.0	7.9 7.2 6.8 50	7.1 12 8.7 6.4 6.0	3.7 3.5 3.6 3.5 3.5	3.5 2.6 2.0 1.8 1.8	.82 .66 .59 .53	.75 .56 .49 .38 2.1	1.1 1.3 .84 .82 .66
26 27 28 29 30 31	2.9 2.8 3.0 3.0 3.3 3.3	25 13 4.4 3.6 3.2	5.4 5.5 6.3 7.0 6.9	5.2 5.9 5.9 5.9 65.9	5.9 4.1 3.4	9.1 8.4 26 10 8.3 7.8	7.5 11 8.5 5.9 5.6	3.3 3.2 3.1 3.0 2.8	1.8 1.9 1.8 1.8	.53 .99 .72 1.4 1.0	.67 .43 2.1 1.3 .60 .45	4.3 41 5.6 2.4 1.8
TOTAL MEAN MAX MIN	80.2 2.59 6.0 1.5	221.0 7.37 53 1.5	302.3 9.75 87 2.5	207.3 6.69 21 5.2	182.2 6.51 12 3.4	301.7 9.73 50 3.3	328.6 11.0 59 5.6	132.1 4.26 11 2.8	122.6 4.09 36 1.6	47.34 1.53 15 .52	24.71 .80 4.3 .14	75.29 2.51 41 .14
STATIS	TICS OF	MONTHLY ME	AN DATA F	OR WATER	YEARS 1937	- 1993,	BY WATER	YEAR (WY)			
MEAN MAX (WY) MIN (WY)	10.5 27.3 1956 .75 1987	11.7 29.6 1956 .66 1966	12.4 23.8 1955 1.36 1966	13.5 37.0 1978 1.72 1967	14.6 28.8 1949 2.03 1967	16.3 31.7 1953 2.98 1992	18.0 36.2 1980 2.02 1966	16.2 34.2 1958 2.93 1992	14.1 34.3 1984 1.56 1988	12.5 34.7 1984 .21 1966	12.1 39.6 1955 .48 1966	10.7 34.0 1960 .42 1965

STREAMS ON LONG ISLAND 01310500 EAST MEADOW BROOK AT FREEPORT, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1937 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN	1578.9 4.31	2025.34 5.55	13.5 23.3 2.51 1961
LOWEST ANNUAL MEAN HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM	118 Aug 18 1.0 Jul 30 1.3 May 24	87 Dec 11 .14 Aug 5 .25 Sep 2	375 Sep 12 1960 .00 Aug 26 1971 .00 Aug 15 1988
INSTANTANEOUS PEAK FLOW INSTANTANEOUS PEAK STAGE INSTANTANEOUS LOW FLOW 10 PERCENT EXCEEDS		258 Apr 1 1.75 Apr 1 .08b Aug 5 8.9	848 Jul 29 1980 4.38a Sep 12 1960 .00c Aug 26 1971 24
10 PERCENT EXCEEDS 50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	6.4 2.2 1.5	3.9 .63	11 2.2

a Datum then in use.
b Also occurred on Sep 6.7.
c Also occurred on Aug 15-23 1988.
e Estimated.

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- April 1966 to current year.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

D	ATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARD- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
OCT 20.		1220	4.3	411	6.9	10.0	771	9.6	17	4.2
JAN		1340	5.9	342	6.7	6.0	775	10.7	17	4.1
APR		1025	8.4	359	6.5	10.0	768	9.1	15	3.5
JUL	••	0945	1.5	370	- 7		761	7.4	16	3.8
06. JUL 08.	• •	0840	1.5	3/0	6.6	20.5	701	1.4	10	3.0
	ATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)
OCT 20.		54	2.1	40	26	85	⟨0.10	6.2	0.013	0.97
JAN 11.		43	2.0	34	27	67	⟨0.10	7.8	0.014	1.7
APR 06.		48	1.8	29	21	74	⟨0.10	6.4	0.007	1.5
JUL 08.		48	2.1	33	23	74	0.10	6.6	0.008	0.98
D	ATE	NITRO- GEN. AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN.AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 20.		0.09	0.20	0.012	<0.001	290	88	150	130	0.08
JAN 11.		0.26	0.30	0.013	0.001	840	160	340	330	0.06
APR 06.		0.11	0.20	0.013	0.002	770	400	320	310	0.07
JUL 08.		0.08	(0.20	0.014	0.001	630	120	170	160	0.07
		0.00	10.20	0.014	0.001	000	120	1,0	100	0.01

01311000 PINES BROOK AT MALVERNE, NY

LOCATION.--Lat 40°39'59", long 73°39'35", Nassau County, Hydrologic Unit 02030202, on left bank 300 ft downstream from Lakeview Avenue and southern boundary of Malverne. Water-quality sampling site at discharge station.

DRAINAGE AREA.--About 10 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. --1851-52, 1858-57, 1885, 1894 (fragmentary in Professional Paper 44); December 1936 to current year (monthly means estimated March to September 1970).

REVISED RECORDS .-- WSP 1432: 1937, 1940.

GAGE.--Water-stage recorder with steel plate V-notch weir and concrete controls. Datum of gage is 7.11 ft above National Geodetic Vertical Datum of 1929 (Nassau County Bench mark). Prior to 1894, determinations of flow by various methods, at different sites and datums. December 1936 to Oct. 1, 1970, at site 200 ft upstream at datum 2.31 ft higher. Oct. 1, 1970 to May 31, 1972, supplementary gage on secondary channel 10 ft downstream at same datum.

REMARKS.--No estimated daily discharges. Records good. Prior to Feb. 20, 1958, flow occasionally regulated by Pines Pond. Indeterminate diversion from Pines Pond for emergency municipal water supply for City of New York, August 1953 to September 1954.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 200 ft3/s and maximum (*):

		Discharge	Case height			Diecharge	Gage height	
Date Nov 23	Time 0645	(ft3/s)	Gage height (ft)	Date	Time	(ft ³ /s)	Gage height (ft)	

		DISCH	ARGE, CUBI	C FEET PE	ER SECOND,	WATER YE	AR OCTOBER	R 1992 TO	SEPTEMBER	1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	.13 .13 .12 .11	.09 .13 36 .40 .27	. 24 . 43 . 26 . 23 . 57	.71 .66 .53 .58	.67 .49 .53 .52 .52	.94 .70 .65 14 1.7	29 6.1 2.0 1.9 1.8	1.3 1.2 1.2 1.2 1.3	5.8 .54 .47 .43 .60	.06 .11 .12 .11 .08	.00	.00 .00 .00 .01
6 7 8 9 10	.09 .09 .09 .54 5.0	.26 .20 .19 .19	. 27 . 26 . 23 . 19 . 25	.71 .64 .64 .59	.50 .50 .52 .47 .49	. 93 . 82 . 82 . 80 . 88	1.8 1.8 1.8 1.8	1.2 1.1 1.1 1.1 1.1	.47 .40 .39 1.9	.08 .07 .06 .06	.78 .47 .00 .00	.00 .00 .00 .00 4.3
11 12 13 14 15	3.5 1.3 .14 .13 .13	.17 .20 .65 .17	51 4.7 1.2 .86 .81	.57 1.5 4.7 1.1 .68	.46 1.1 9.6 .91 .66	.94 .70 2.9 5.3 1.0	1.7 1.7 1.8 1.8 1.7	1.3 1.1 .97 .90 .88	.38 .31 .28 .27 .25	.05 .04 .04 .06 .05	7.8 .62 .02 .00	.00 .00 .00
16 17 18 19 20	.13 .12 .11 .11 .10	.15 .32 .17 .13 .13	76 8.4 1.2 .64 .88	.74 .70 .74 .58 .59	8.4 2.3 .99 .77 .76	1.6 14 2.0 1.3 1.2	6.2 5.9 1.7 1.7	. 93 . 86 . 85 . 88 . 82	.25 .22 .19 .18 .26	.05 .05 .04 .05 .04	8.6 .03 .02 .02	.03 .75 4.0 .00
21 22 23 24 25	.09 .10 .12 .14	23 . 23 . 28	.59 .57 .57 .52 .47	4.3 .74 .80 .77	.73 2.1 .80 .70 .64	1.6 1.3 1.5 18 2.0	1.6 4.3 1.6 1.4 1.5	.76 .75 .70 .70	1.5 1.1 .17 .13 .11	.04 .03 .03 .03	.01 .00 .00 .00	.02 .00 .08 .01
26 27 28 29 30 31	.11 .10 .11 .10 .11	23 1.2 .34 .29 .27	.50 .51 .52 .73 1.0 1.4	.78 .78 .76 .74 .72 .76	.67 .69 .72	1.8 1.6 6.4 1.6 1.6	3.5 2.5 1.4 1.4 1.4	.61 .57 .54 .50 .44	.09 .09 .08 .08 .07	.02 .20 .00 2.4 .01	.00 .00 .19 .02 .00	5.8 18 .17 .06 .06
TOTAL MEAN MAX MIN	13.38 .43 5.0 .09	89.53 2.98 36 .09	80.76 2.61 51 .19	43.26 1.40 14 .53	38.21 1.36 9.6 .46	92.08 2.97 18 .65	96.2 3.21 29 1.4	45.51 1.47 18 .44	17.51 .58 5.8 .07	15.93 .51 12 .00	20.29 .65 8.6 .00	33.30 1.11 18 .00
STATIS	TICS OF	MONTHLY M	EAN DATA F	OR WATER	YEARS 1937	- 1993,	BY WATER	YEAR (WY)				
MEAN (WY) MIN (WY)	2.63 9.41 1939 .000 1983	3.12 7.49 1952 .050 1966	3.23 7.22 1945 .019 1986	3.50 11.4 1949 .051 1967	3.76 10.9 1949 .099 1983	4.40 12.2 1939 .21 1981	4.75 14.0 1939 .31 1966	4.31 10.3 1939 .41 1987	3.69 11.7 1984 .027 1971	3.27 11.0 1948 .001 1966	3.11 11.7 1955 .002 1981	2.74 11.2 1938 .002 1965

STREAMS ON LONG ISLAND 01311000 PINES BROOK AT MALVERNE, NY--Continued

SUMMARY STATISTICS	FOR 1992 CALENDAR YEAR	FOR 1993 WATER YEAR	WATER YEARS 1937 - 1993
ANNUAL TOTAL ANNUAL MEAN HIGHEST ANNUAL MEAN LOWEST ANNUAL MEAN HIGHEST ANNUAL MEAN HIGHEST DAILY MEAN LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM INSTANTANEOUS PEAK FLOW INSTANTANEOUS PEAK STAGE INSTANTANEOUS LOW FLOW 10 PERCENT EXCEEDS 50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	560.67 1.53 51 Dec 11 .05 Aug 7 .06 Aug 2	585.96 1.61 51 Dec 11 .00 Many days .00 Many days 280 Apr 1 4.12 Apr 1 .00 Many days 2.3 .54	3.51 8.35 126 126 Sep 12 1960 .00 Many years .00 Many years Jun 30 1984 .00 Many years Jun 30 1984 .00 Many years Jun 30 1984 .00 Many years

a From rating curve extended above 220 ft³/s.

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
0CT 15	1120	0.08	317	7.6	15.5	764	10.8	24	5.0
JAN 11 APR	1235	0.57	924	6.8	9.0	774	9.6	27	5.7
06	0925	1.8	349	6.8	10.0	768	8.1	25	5.8
JUL 08	0830	0.06	362	7.7	19.0	762	12.2	25	5.7
DATE	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SI02)	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)
0CT 15	28	4.7	57	31	35	0.10	8.3	0.023	2.7
JAN 11	150	5.3	50	38	230	(0.10	8.3	0.015	3.0
APR 06	33	4.0	58	31	49	⟨0.10	8.0	0.009	2.5
JUL 08	33	6.4	66	34	42	⟨0.10	7.6	0.016	2.5
DATE	NITRO- GEN AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN.AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
0CT 15	0.06	⟨0.20	0.050	0.020	580	36	250	120	0.08
JAN 11	0.19	0.40	0.174	0.061	520	160	330	300	0.09
APR 06	0.27	0.60	0.014	0.007	610	260	350	360	0.08
08	0.05	⟨0.20	0.024	0.011	90	34	130	94	0.07

01311500 VALLEY STREAM AT VALLEY STREAM, NY

LOCATION.--Lat 40°39'49", long 73°42'18", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft upstream from West Valley Stream Boulevard in Valley Stream.

DRAINAGE AREA. -- About 4.5 mi2.

PERIOD OF RECORD. --1851-52, 1854, 1856-57, 1885, 1894 (fragmentary in Professional Paper 44), July 1954 to current year. Prior to October 1968, published as Watts Creek at Valley Stream.

REVISED RECORDS .-- WRD NY 1971: 1962-63(M), 1966-69(M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 7.49 ft above National Geodetic Vertical Datum of 1929. Prior to 1894, determinations of flow by various methods, at different sites and datums. July 1954 to July 18, 1964 at same site at datum 1.0 ft higher.

REMARKS.--No estimated daily discharges. Records good. Flow regulated occasionally by cleaning operation at outlet of Valley Stream Pond above station.

		DISCHAR	RGE, CUBI	C FEET PE	R SECOND,	WATER YE	EAR OCTOBER	1992 TO	SEPTEMBE	R 1993		
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1 2 3 4 5	.00 .00 .00 .00	.00 .00 32 .90 .16	.10 .17 .19 .15 .25	.50 .37 .31 .41	.89 .33 .36 .40	.39 .39 .42 10 4.5	25 8.6 2.3 1.8 1.7	.75 .71 .65 .72 .84	17 1.1 .56 .42 .45	.00 .02 11 .42 .07	.00 .00 .00	.00 .00 .00 .00
6 7 8 9	.00 .00 .00 .00	.08 .00 .00 .00	. 29 . 28 . 29 . 22 . 23	1.2 .54 .46 .48 .39	. 24 . 23 . 30 . 32 . 29	.71 .52 .51 .48 .39	1.6 1.6 1.4 1.4	.84 .80 .66 .70	.40 .24 .23 .90 .89	.02 .00 .00 .00	.00 .00 .00 .00	.00
11 12 13 14 15	.30 .81 .11 .08 .04	.00 .00 .00 .00	37 8.8 1.4 .55 .49	.36 .66 2.8 1.7 .55	. 28 . 65 6. 0 . 83 . 39	.48 .26 1.7 4.2 .86	1.5 1.1 1.2 1.3 1.2	.49 .57 .47 .43 .43	.27 .11 .15 .15 .17	.00	5.4 .79 .05	.00 .00 .34 .25
16 17 18 19 20	.00 .00 .00 .00	.00 .00 .00 .00	.51 4.9 2.4 .58 .62	.51 .47 .50 .43 .43	3.2 3.5 .62 .43 .40	1.0 12 4.4 1.2 1.0	2.1 8.4 1.4 1.1	.44 .35 .41 .54	.13 .09 .07 .09	.00 .00 .00 .00	6.5 .10 .00	.00 .00 .05 .00
21 22 23 24 25	.00 .00 .00 .00	.00 .00 19 .61 .18	.50 .48 .50 .47 .34	2.7 .73 .55 .50	1.4 1.4 .95 .45 .37	1.3 1.2 1.1 18 2.6	.99 3.3 1.4 .85 .80	.63 .44 .36 .51	.37 1.9 .20 .00	.00 .00 .00 .00	.00 .00 .00 .00	.00
26 27 28 29 30	.00 .00 .00 .00	14 3.4 .24 .14 .13	.53 .52 .37 .53 .79	.47 .50 .30 .54 .61	.36 .36 .37	1.6 1.3 7.1 1.9 1.5	1.5 2.5 .85 .75 .74	.54 .50 .43 .41 .28	.00	.00 .00 .00 .97 .07	.00	1.8 17 1.5 .18 .08
TOTAL MEAN MAX MIN	2.34 .075 1.0 .00	70.84 2.36 32 .00	65.24 2.10 37 .10	31.13 1.00 10 .30	24.65 .88 6.0 .23	84.41 2.72 18 .26	80.88 2.70 25 .74	21.47 .69 4.8 .28	25.98 .87 17 .00	12.57 .41 11 .00	12.85 .41 8.5 .00	21.20 .71 17 .00
							BY WATER		1			
MEAN MAX (WY) MIN (WY)	1.64 10.8 1959 .000 1966	1.99 10.9 1956 .000 1966	1.87 9.18 1956 .000 1966	2.07 9.37 1956 .000 1966	2.09 9.91 1955 .000 1980	2.38 10.2 1956 .000 1981	2.91 12.0 1958 .000 1981	2.44 12.3 1958 .000 1981	1.94 8.43 1956 .000 1966	1.64 8.32 1956 .000 1966	2.00 16.8 1955 .000 1965	1.78 11.6 1954 .000 1982
SUMMARY	STATIST	ICS	FOR	1992 CALE	NDAR YEAR	F	OR 1993 WA	TER YEAR	10/1/47	WATER Y	EARS 1954	- 1993
ANNUAL ANNUAL HIGHEST LOWEST HIGHEST ANNUAL INSTANT INSTANT 10 PERC 90 PERC	TOTAL MEAN ANNUAL M DAILY ME SEVEN-DA ANEOUS P A	MEAN MEAN MEAN AN AN Y MINIMUM EAK FLOW EAK STAGE OW FLOW EDS EDS EDS		299.8 .8: 37 .0: .0:	Dec 11 Many da Many da	ays ays	453.56 1.24 37 .00 .00 123 2.60 1.9 .36	Dec 11 Many da		2.03 8.88 1140 .00 294 5.76 .00 6.44	Aug Many Many Jun B Jun	1956 1986 12 1955 years years 30 1984 30 1984 years

As the number of streams on which streamflow information is likely to be desired far exceeds the number of stream-gaging stations feasible to operate at one time, the Geological Survey collects limited streamflow data at sites other than stream gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or floodflow analyses, depending on the type of data collected. In addition, discharge measurements are made at other sites not included in the partial record program. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites. those events. Those miscellaneous sites.

Low-flow partial-record stations

Measurements of streamflow in the area covered by this report made at low-flow partial-record stations are given in the following table. Most of these measurements were made during periods of base flow when streamflow is primarily from ground-water storage. These measurements, when correlated with the simultaneous discharge of a nearby stream where continuous records are available, give a picture of the low-flow potentiality of the stream. The column headed "Period of record" shows the water years in which measurements were made at the same, or practically the same, site. Where "Drainage area" column is blank, drainage area was not available at time of publication.

Discharge measurements made at low-flow partial-record stations during water year 1993

Station No.	Station name	Location	Drainage area (mi ²)	Period of record	Measu Date	rements Discharge (ft ³ /s)
Station No.	Scatton name		(m1-)	160014	Dave	(10-75)
01302200	Whitney Lake Outlet at Manhasset, N.Y.	Streams on Long Island Lat 40°47'30", long 73°42'32", Nassau County, at bridge on Creek Road, at Manhasset, 0.25 mi northwest of State Highway 25A.	222	1953-93	4-29-93 8-10-93	1.3 0.67
01302300	Roslyn Brook at Roslyn, N.Y.	Lat 40°47'55", long 73°38'51", Nassau County, at Roslyn, 200 ft downstream from dam in Roslyn Park.	- 44	1953-93	4-29-93 8-10-93	.43
01302800	Island Swamp Brook at Lattingtown, N.Y.	Lat 40°53'25", long 73°37'10", Nassau County, at bridge on Lattingtown Road, 0.3 mi southwest of Lattingtown, and 1.5 mi northwest of Locust Valley.		1953-93	4-29-93	.94
01303600	Mill Creek near Huntington, N.Y.	Lat 40°52'56", long 73°25'17", Suffolk County, at culvert on Creek Road, 300 ft west on Ne York Ave., 1 mi northeast of Huntington.	*	1953-93	4-30-93	2.5
01303700	Stony Hollow Run at Centerport, N.Y.	Lat 40°53'05", long 73°21'41", Suffolk County, at culvert on State Highway 25A, 0.25 mi east of Centerport, and 1.5 m southwest of Northport.	-	1953-93	4-30-93	1.4
01303742	Fresh Pond Outlet at Fort Salonga, N.Y.	Lat 40°55'26", long 73°17'43", Suffolk County, 200 ft down- stream from Fresh Pond outlet 0.75 mi north of Fort Salonga		1977-93	4-30-93	1.6
01303790	Northeast Branch Nissequogue River near East Hauppauge, N.Y.	Lat 40°50'27", long 73°10'41", Suffolk County, at culvert on State Highway 347, 1.5 mi northwest of East Hauppauge, and 4.0 mi upstream from gaging station near Smithtown.		1972-87 1989-93	6-15-93	. 45
01303800	Northeast Branch Nissequogue River at Smithtown, N.Y.	Lat 40°51'05", long 73°11'15", Suffolk County, 300 ft upstream from culvert on State Highway 111, 0.75 mi southeas of Smithtown, and 3.0 mi upstream from gaging station near Smithtown.	 t	1948-49 1951-76 1979-93	6-15-93	1.7
01303850	Northeast Branch Nissequogue River near Hauppauge, N.Y.	Lat 40°50'43", long 73°11'50", Suffolk County, at culvert on Maple Avenue, 0.75 mi south o Smithtown, and 2.5 mi upstream from gaging station near Smithtown.		1972-93	6-15-93	2.0

Discharge measurements made at low-flow partial-record stations during water year 1993--Continued

			Drainage	Period	Measurements	
Station No.	Station name	Location	area (mi ²)	of record	Date	Discharge (ft ³ /s)
		Streams on Long Island				
01303900	Northeast Branch Nissequogue River near Smithtown, N.Y.	Lat 40°50'45°, long 73°12'29°, Suffolk County, 10 ft upstream from culvert at Brooksite Driv 0.75 mi southwest of Smithtown and 2.0 mi upstream from gaging station near Smithtown.		1953-93	6-15-93	3.9
01303941	Nissequogue River near Hauppauge, N.Y.	Lat 40°50'30", long 73°13'43", Suffolk County, 30 ft downstre: from dam at New Mill Road, 2 m northwest of Hauppauge, and 0.5 mi upstream from gaging station near Smithtown.	am i	1972-93	6-15-93	25.
01304010	Nissequogue River at Smithtown, N.Y.	Lat 40°51'48", long 73°12'05", Suffolk County, at culvert on Landing Ave., at Smithtown, and 1.5 mi downstream from gaging station near Smithtown.	 d	1974-93	6-15-93	45.
01304051	Stony Brook at Stony Brook, N.Y.	Lat 40°54'53", long 73°08'52", Suffolk County, 100 ft down- stream from Harbor Road, at Stony Brook.		1977-93	4-30-93	2.5
01304060	Unnamed tributary to Conscience Bay at Setauket, N.Y.	Lat 40°56'49", long 73°07'01", Suffolk County, 30 ft downstre from pond below Old Field Road at Setauket.	am	1977-93	4-30-93	2.6
01304065	Unnamed tributary to Setauket Harbor at East Setauket, N.Y.	Lat 40°56'35", long 73°06'08", Suffolk County, at culvert on State Highway 25A, at East Setauket		1977-93	4-30-93	.41
01304070	Unnamed tributary to Port Jefferson Harbor at Port Jefferson, N.Y.	Lat 40°56'41", long 73°04'18", Suffolk County, at culvert on Barnum Ave., at Port Jefferson	194	1977-93	4-30-93	. 58
01304100	Wading River at Wading River, N.Y.	Lat 40°57'20°, long 72°51'19°, Suffolk County, at pond outlet 0.25 mi west of Wading River.		1953-62 1964-83 1985-86 1989-93	6-17-93	.76
01304150	Fresh Pond Outlet, at Baiting Hollow, N.Y.	Lat 40°57'43°, long 72°46'17°, Suffolk County, 25 ft downstre from dirt road at outlet of Fresh Pond, 0.7 mi northwest of Baiting Hollow.		1977-93	8-11-93	. 59
01304400	Peconic River at Manorville, N.Y.	Lat 40°52'38", long 72°49'42", Suffolk County, at bridge on Schultz Road, 1 mi northwest o Manorville, and 8.5 mi upstream from gaging station at Riverhead.		1948-49 1951-93	6-16-93	3.0
01304510	Peconic River at Nugent Drive, at Riverhead, N.Y.	Lat 40°55'03", long 72°40'11", Suffolk County, at bridge on Nugent Drive, at Riverhead, and 1.4 mi downstream from gaging station at Riverhead.	d	1976-93	6-16-93	39.
01304530	Little River near Riverhead, N.Y.	Lat 40°53'52", long 72°40'30", Suffolk County, at Wildwood La outlet, 500 ft east of Moriche Riverhead Road, 1.5 mi southwe of Riverhead.	 ke s- st	1952-93	6-29-93	3.7
01304560	White Brook at Riverhead, N.Y.	Lat 40°54'40", long 72°38'37", Suffolk County, at culvert on State Highway 24, 1 mi southea of Riverhead.	st	1953-69 1973-93	6-29-93	2.2

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES Discharge measurements made at low-flow partial-record stations during water year 1993--Continued

			Drainage	Period of	Measu	rements
Station No.	Station name	Location	(mi ²)	record	Date	Oischarge (ft ³ /s)
		Streams on Long Island				
01304600	Big Fresh Pond Outlet at North Sea, N.Y.	Lat 40°55'49", long 72°25'04", Suffolk County, at culvert on Noyack Road, at North Sea, 3.5 mi northwest of Southampton.		1951-69 1971-93	6-29-93	.39
01304630	Mill Creek at Noyack, N.Y.	Lat 40°59'35", long 72°21'00", Suffolk County, 50 ft upstream from culvert on Noyack Road, 0.25 mi west of Noyack.		1958-93	6-29-93	.66
01304660	Ligonee Brook at Sag Harbor, N.Y.	Lat 40°59'21", long 72°18'12", Suffolk County, at culvert on Brick Kiln Road, 0.75 mi southwest of Sag Harbor.		1953-69 1973-93	6-29-93	.03
01304730	Poxabogue Pond Outlet at Sagaponack, N.Y.	Lat 40°55'48", long 72°17'16" Suffolk County, at culvert on Sagg St., at Sagaponack, and 1 mi southeast of Bridgehampton.	i e e	1953-78 1980-86 1988-93	6-29-93	1.3
01304745	Weesuck Creek at East Quogue, N.Y.	Lat 40°50'52", long 72°34'42", Suffolk County, at culvert on State Highway 27A, 0.5 mi northeast of East Quogue.		1974-93	6-30-93	1.8
01304760	Quantuck Creek at Quogue, N.Y.	Lat 40°49'57", long 72°37'06", Suffolk County, at culvert in Old Meeting House Road, 1 mi northwest of Quogue.		1953-69 1974-93	6-30-93	2.1
01304780	Aspatuck Creek near Westhampton Beach, N.Y.	Lat 40°49'04", long 72°38'13", Suffolk County, at culvert on Brook Road, at Westhampton Beach.	77	1959-88 1990-93	6-30-93	1.2
01304800	Beaverdam Creek at Westhampton Beach, N.Y.	Lat 40°49'23", long 72°39'42", Suffolk County, at culvert on Old Country Road, 100 ft north west of State Highway 27A, and 1 mi northwest of Westhampton.		1953-88 1990-93	6-30-93	2.0
01304820	Speonk River at Speonk, N.Y.	Lat 40°49'06", long 72°41'29", Suffolk County, at culvert on State Highway 27A, 0.75 mi east of Speonk.		1974-93	6-30-93	.95
01304860	Seatuck Creek at Eastport, N.Y.	Lat 40°49'30", long 72°43'43", Suffolk County, 15 ft downstream from culvert on State Highway 27A, at Eastport	 	1953-93	6-30-93	4.2
01304900	Little Seatuck Creek at Eastport, N.Y.	Lat 40°49'12", long 72°44'23", Suffolk County, at culvert on Moriches Blvd., 0.75 mi southwest of Eastport.		1955-69 1974-93	6-30-93	3.5
01304960	Forge River at Moriches, N.Y.	Lat 40°48'22", long 72°50'00", Suffolk County, at culvert on State Highway 27A, at Moriches	 i.	1948-50 1952-93	6-30-93	6.0

			Drainage	Period	Measu	rements
Station No.	Station name	Location	(mi ²)	of record	Date	Discharge (ft ³ /s)
		Streams on Long Island				
01304990	Carmans River at Middle Island, N.Y.	Lat 40°51'47", long 72°56'35", Suffolk County, at culvert on East Bartlett Road, 0.75 mi south of Middle Island, and 3.0 mi upstream from gaging station at Yaphank.		1947-93	6-16-93	1.5
01304995	Carmans River near Yaphank, N.Y.	Lat 40°50'29", long 72°56'13", Suffolk County, 25 ft downstres from Mill Road, 1.2 mi northwes of Yaphank, and 1.9 mi upstreas from gaging station at Yaphank	am st m	1973-93	6-16-93	9.5
01304998	Carmans River, below Lower Lake, at Yaphank, N.Y.	Lat 40°50'07", long 72°55'01", Suffolk County, at culvert on Yaphank Avenue, at Yaphank, and 0.7 mi upstream from gaging station at Yaphank.	 d	1973-93	6-16-93	15.
01305040	Carmans River at South Haven, N.Y.	Lat 40°48'09°, long 72°53'09°, Suffolk County, 75 ft upstream from culvert on State Highway 27Å, at South Haven, and 2.6 m downstream from gaging station at Yaphank.	1	1973-93	6-16-93	52.
01305300	Mud Creek at East Patchogue, N.Y.	Lat 40°45'47", long 72°58'59", Suffolk County, at culvert on South Country Road, at East Patchogue, 2 mi east of Patchogue.		1947-69 1971-93	8-10-93	2.8
01305800	Patchogue River near Patchogue, N.Y.	Lat 40°46'55", long 73°01'19", Suffolk County, at bridge on discontinued road, 300 ft west of North Ocean Ave., and 1 mi north of State Highway 27A and gaging station at Patchogue.		1945-50 1952-93	8-10-93	7.8
01306000 <u>c</u> /	Patchogue River at Patchogue, N.Y.	Lat 40°45'56", long 73°01'16", Suffolk County, at State Highw 27A, at Patchogue.	b _{13.5}	1946-69* 1970-73 1974-76* 1977-93	8-10-93	15.
01306400	Green Creek at West Sayville, N.Y.	Lat 40°43'51", long 73°05'32", Suffolk County, 30 ft upstream from State Highway 27A at West Sayville.		1953-93	8-10-93	3.7
01306405	Lake Ronkonkoma Inlet at Lake Ronkonkoma, N.Y.	Lat 40°49'57", long 73°07'34", Suffolk County, 300 ft southea of Smithtown Blvd., 0.2 mi wes of Lake Ronkonkoma.	st t	1948-49 1953-54 1977-79 1981-86 1988-89 1991-93	7-22-93	.71
01306470	Connetquot Brook near Oakdale, N.Y.	Lat 40°45'47", long 73°09'10", Suffolk County, 100 ft downstream from fish hatchery, and 1.1 mi upstream from gaging station 01306499.	E A	1968 1973-93	8-10-93	21.
01306700	Rattlesnake Brook near Oakdale, N.Y.	Lat 40°44'52", long 73°08'45", Suffolk County, 50 ft downstre from State Highway 27, 1.5 mi northwest of Dakdale.	am	1944-69 1971-93	8-10-93	18.

^{*} Operated as a continuous-record gaging station. b About c/ Water-quality data included in this report.

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES Discharge measurements made at low-flow partial-record stations during water year 1993--Continued

			Drainage	Period of	Measu	rements Discharge
Station No.	Station name	Location	area (mi ²)	record	Date	(ft3/s)
		Streams on Long Island				
01307000 <u>c</u> /	Champlin Creek at Islip, N.Y.	Lat 40°44'13", long 73°12'08", Suffolk County, at Long Island Railroad Railroad bridge, 220 downstream from Moffitt Boulevard, at Islip.	b _{6.5} ft	1948-69* 1970-86 1991-93	4-29-93	7.8
01307300	Pardees Ponds Outlet at Islip, N.Y.	Lat 40°43'40", long 73°13'16", Suffolk County, at culvert on State Highway 27A, at Islip.		1948-72 1974-93	4-29-93	3.3
01307400	Awixa Creek at Islip, N.Y.	Lat 40°43'39", long 73°13'51", Suffolk County, at culvert on State Highway 27A, 0.75 mi wes of Islip.	 t	1948-93	4-29-93	3.1
01307500 <u>c</u> /	Penataguit Creek at Bay Shore, N.Y.	Lat 40°43'37", long 73°14'41", Suffolk County, at Union Avenu at Bayshore.	b ₅	1945-76* 1977-93	8- 2-93	3.3
01307600	Cascade Lakes Outlet at Brightwaters, N.Y.	Lat 40°42'40", long 73°15'38", Suffolk County, at culvert on Montauk Highway, at Brightwaters.	,	1958-93	8-10-93	. 50
01307920	Sampawams Creek near Deer Park, N.Y.	Lat 40°44'27", long 73°18'24", Suffolk County, 30 ft down- stream from Bay Shore Road, and 2.5 mi upstream from gaging station at Babylon.		1965-66 1973-93	8- 2-93	.87
01307950	Sampawams Creek near North Babylon, N.Y.	Lat 40°43'37", long 73°18'46", Suffolk County, 120 ft down- stream from Hunter Avenue, and 1.6 mi upstream from gaging station at Babylon.		1967 1971-93	8- 2-93	1.4
01308200	Sampawams Creek below Hawleys Lake, at Babylon, N.Y.	Lat 40°41'48", long 73°19'04", Suffolk County at pond outlet, 200 ft upstream from State Highway 27A, at Babylon, and 0.5 mi downstream from gaging station at Babylon.		1953-67 1969-93	8- 2-93	3.8
01308600	Carlls River at Park Avenue, Babylon, N.Y.	Lat 40°42'06", long 73°19'43", Suffolk County, at culvert on Park Avenue, at Babylon, and 0.5 mi downstream from gaging station at Babylon.	-	1968-85 1987-93	7-13-93	14.
01309000 <u>c</u> /	Santapogue Creek at Lindenhurst, N.Y.	Lat 40°41'30°, long 73°21'20°, Suffolk County, at culvert on East Hoffman Avenue, 1 mi east of Long Island Railroad statio at Lindenhurst.	b ₇	1947-69* 1970-93	4-30-93	2.7
01309100	Santapogue Creek at State Highway 27A, Lindenhurst, N.Y.	Lat 40°41'02", long 73°21'06", Suffolk County, at culvert on State Highway 27A, 0.5 mi downstream from discontinued gaging station at Lindenhurst.	-2-	1953-69 1971-93	4-30-93	7.1

^{*} Operated as a continuous-record gaging station. b About c/ Water-quality data included in this report.

Discharge measurements made at low-flow partial-record stations during water year 1993--Continued

			Drainage	Period	Measu	rements
Station No.	Station name	Location	(mi ²)	record	Date	(ft ³ /s)
		Streams on Long Island			at I find	pro 3754
01309200	Neguntatogue Creek at Lindenhurst, N.Y.	Lat 40°40'47", long 73°21'40", Suffolk County, 20 ft upstream from State Highway 27A, in Lindenhurst.	-	1948-50 1952-93	4-30-93	3.4
01309250	Strongs Creek at Lindenhurst, N.Y.	Lat 40°40'22", long 73°22'40", Suffolk County, 30 ft upstream from State Highway 27A, at Lindenhurst.	- No.	1953-69 1971-93	4-30-93	1.9
01309350	Amityville Creek at Amityville, N.Y.	Lat 40°40'13", long 73°24'51", Suffolk County, 100 ft upstream from State Highway 27A, at Amityville.		1953-93	4-30-93	3.6
01309400	Carman Creek at Amityville, N.Y.	Lat 40°40'09", long 73°26'02", Nassau County, at bridge on State Highway 27A, 0.75 mi west of Amityville.	:	1949 1953-69 1971-88 1990-93	6-29-93 9-13-93	2:1 5:0
01309454	Massapequa Creek at South Farmingdale, N.Y.	Lat 40°42'55", long 73°27'00", Nassau County, 75 ft upstream from Tomes Avenue, 0.2 mi south of South Farmingdale, and 1.9 mi upstream from gaging station at Massapequa.		1962-65 1973-78 1980-93	7-19-93 9-15-93	.00
01309476	Massapequa Creek at Southern State Parkway, at South Farmingdale, N.Y.	Lat 40°42'21", long 73°27'05", Nassau County, 30 ft upstream from culvert at Southern State Parkway, 0.8 mi south of South Farmingdale, and 1.2 mi upstream from gaging station at Massapequa.		1962-65 1973-93	7-19-93 9-15-93	:00
01309490	Massapequa Creek at North Massapequa, N.Y.	Lat 40°41'55", long 73°27'08", Nassau County, opposite Franklin Street, at North Massapequa, and 0.55 mi upstream from gaging station at Massapequa.	-	1962 1964 1973-93	7-19-93 9-15-93	.45 .31
01309700	Seaford Creek at Seaford, N.Y.	Lat 40°40'00", long 73°28'57", Nassau County, at bridge on State Highway 27A, in Seaford		1953-93	8-13-93	.69
01309800	Seamans Creek at Seaford, N.Y.	Lat 40°39'56", long 73°29'37", Nassau County, at culvert on State Highway 27A, 0.2 mi west of Seaford.	1.	1953-67 1971-81 1983-93	9-23-93	1.7
01309970	Bellmore Creek tributary near North Wantagh, N.Y.	Lat 40°41'52°, long 73°30'33°, Nassau County, at culvert on Duck Pond Drive North, 0.3 mi north of North Wantagh, and 1.2 mi upstream from gaging station 01309990.		1973-93	7-19-93 9-14-93	.00
01309980	Bellmore Creek tributary at North Wantagh, N.Y.	Lat 40°41'20", long 73°30'37", Nassau County, at culvert on Beltagh Avenue, at North Wantagh, and 0.6 mi upstream from gaging station 01309990.	**	1973-93	7-19-93 9-14-93	.00
01310100	Newbridge Creek at Merrick, N.Y.	Lat 40°39'42", long 73°32'02", Nassau County, downstream from bridge on Merrick Road in Merrick.	-	1963-93	8-12-93 9-29-93	.13

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

Discharge measurements made at low-flow partial-record stations during water year 1993--Continued

			Drainage	Period of	Measur	rements Discharge
Station No.	Station name	Location	(mi ²)	record	Date	(ft^3/s)
		Streams on Long Island				
01310200	Cedar Swamp Creek at Merrick, N.Y.	Lat 40°39'39", long 73°32'24", Nassau County, at bridge on State Highway 27A, in Merrick 2.5 mi east of Freeport.		1953-62 1965-93	8-12-93 9-23-93	2.2 2.1
01310470	East Meadow Brook near Westbury, NY.	Lat 40°44'01", long 73°35'06", Nassau County, 50 ft downstream from culvert on Meadowbrook State Parkway, 1. mi south of Westbury, and 4.8 mi upstream from gage at Freeport.	0	1973-93	8- 6-93	. 29
01310475	East Meadow Brook at Uniondale, N.Y.	Lat 40°43'17", long 73°35'00", Nassau County, at bridge on Hempstead Turnpike, 0.9 mi northeast of Uniondale, and 3.9 mi upstream from gage at Freeport.	**	1973-93	8- 6-93	.00
01310488	East Meadow Brook at East Meadow, N.Y.	Lat 40°41'56", long 73°34'37", Nassau County, 300 ft west of Luddington Road, 1.4 mi southwest of East Meadow, and 2.3 mi upstream from gage at Freeport.		1973-93	8- 6-93	.00
01310510	East Meadow Pond Outlet at Freeport, N.Y.	Lat 40°39'32", long 73°34'01", Nassau County, 50 ft down- stream from culvert at Sunris Highway, and 0.5 mi down- stream from gaging station 01310500.	 e	1975-80 1986 1990-93	8- 6-93	.44
01310515	Freeport Creek at Freeport, N.Y.	Lat 40°39'28", long 73°34'22", Nassau County, 20 ft upstream from culvert at Sunrise High- way, and 0.5 mi downstream from gaging station 01310500.		1975-80 1986 1990-93	8-11-93 9-21-93	. 39 . 24
01310600	Milburn Creek at Baldwin, N.Y.	Lat 40°39'04", long 73°36'13", Nassau County, 50 ft down- stream from bridge on State Highway 27A, 0.5 mi east of Baldwin.		1953-93	6-30-93	1.9
01310700	Parsonage Creek at Baldwin, N.Y.	Lat 40°38'48", long 73°38'59", Nassau County, 20 ft down- stream from bridge on Foxhurs Road, at Baldwin.	 t	1953-69 1971-81 1983-84 1986-88 1991-93	6-30-93	1.1
01310800	South Pond Outlet at Rockville Centre, N.Y.	Lat 40°40'00", long 73°39'08", Nassau County, at bridge on Lakeview Ave., 0.75 mi north of Rockville Centre.	- 17	1953-93	6-30-93 9-30-93	.00 .21
01311200	Motts Creek at Valley Stream, N.Y.	Lat 40°39'01", long 73°42'45", Nassau County, 50 ft down- stream from bridge on Rosedal Road, 1 mile southwest of Valley Stream.	 e	1954-93	6-30-93 9-30-93	.64 .26
01311700	Valley Stream, below West Branch, at Valley Stream, N.Y.	Lat 40°39'47", long 73°42'21", Nassau County, 200 ft down- stream from West Branch, 500 ft downstream from bridge on West Valley Stream Blvd., at village park in Valley Stream and 500 ft downstream from gaging station.		1953-93	6-30-93 9-22-93	.00

GROUND-WATER LEVELS: NASSAU COUNTY

CONTINUOUS RECORDING STATIONS

404931073382101. Local number, N 110.1 LOCATION.--Lat 40°49'31", long 73°38'21", Hydrologic Unit 02030201, at Jericho Water District storage garage, 27 ft south of Scudders Lane, 32 ft west of Motts Cove Road, in recorder shelter, Glenwood Landing.

Owner: Jericho Water District.

AQUIFER.--Lloyd (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 16 in., reported depth 519 ft, measured depth 324 ft, screened 445 to 515 ft.

INSTRUMENTATION. -- Digital water-level recorder -- 30-minute punch.

DATUM. -- Land-surface datum is 56.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel nipple, 0.44 ft above land-surface datum.


REMARKS. -- Water level affected by tidal fluctuation and nearby pumping. PERIOD OF RECORD.--January 1948 to current year. Unpublished records for 1946-48, 1952, 1955, 1961, 1965, 197075, are available in files of Long Island Subdistrict office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 27.99 ft NGVD, December 15, 1970; lowest measured, -9.05 ft NGVD, May 22, 1957.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	15.73	19.47	20.29	20.82	20.91	01 62	01 47	20.89	17.57	14.67	8.71	
10	16.07	19.69	20.40	20.67	20.91	21.63 21.43	21.47 21.70	20.89	18.09	9.73	13.27	15.81
15	16.78	20.10	20.58	20.90	20.96	20.90	21.50	19.65	17.41	12.43	14.69	16.06
20	17.37	19.97	20.81	20.57	21.14	21.02	21.39	18.68	14.49	11.68	15.62	16.54
25	16.84	20.30	20.63	20.68	21.01	21.31	21.33	18.44	15.53	8.12	15.40	15.78
EOM	17.82	20.34	20.99	20.98	21.24	21.48	21.37	16.85	12.88	13.24	15.68	15.91
MEAN	16.82	19.85	20.60	20.76	21.09	21.31	21.50	19.38	16.27	11.70	13.95	15.90
MAX	18.52	20.41	21.24	21.04	21.54	21.72	21.72	21.28	18.09	14.67	15.84	17.02
MIN	15.00	18.11	20.11	20.54	20.89	20.90	21.25	16.75	12.49	7.89	8.71	12.83

WTR YR 1993 MEAN 18.27 MAX 21.72 MIN 7.89



403805073395301. Local number, N 2790.2 LOCATION.--Lat 40°38'05", long 73°39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, in recorder shelter, Bay Park. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined).

WÈLL CHARACTËRISTICS.--Drilled steel observation well, diameter 8 in., depth 571 ft, screened 538 to 560 ft. INSTRUMENTATION. -- Digital water-level recorder -- 30-minute punch.

DATUM. --Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Base of recorder shelf, 3.82 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation and nearby pumping.

PERIOD OF RECORD. -- February 1950 to current year. Unpublished records from February 1950 to September 1975 are


available in files of Long Island Subdistrict office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.50 ft NGVD, April 6, 1958; lowest measured, -0.36 ft NGVD, July 20, 1977.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	2.65	3.25	3.43	3.72	3.61	4.21	4.61	3.80	3.01	2.29	1.39	
10	2.84	3.03	3.45	3.83	3.53		4.69	3.40	2.81	1.63		2.57
15	2.84	3.09	4.36	4.03	3.64			3.31	2.23	1.67		2.09
20	2.84	3.13	4.09	3.51	3.83	3.98	4.05	3.60	1.75	1.97		2.64
25	2.90	3.50	3.61	3.60	3.66	4.38	4.05	2.96	1.85	1.40		
EOM	2.78	3.54	3.91	3.65	3.86	4.57	4.12	2.60	1.86	1.70		
MEAN	2.79	3.20	3.81	3.73	3.73	4.17	4.38	3.45	2.40	1.73		
MAX	2.98	3.58	4.55	4.03	4.14	4.64	4.88	4.02	3.17	2.31		
MIN	2.58	2.75	3.18	3.41	3.44	3.75	3.95	2.60	1.75	1.40		

WTR YR 1993 MEAN 3.21 MAX 4.88 MIN 1.39



404418073434101. Local number, Q 577.1 LOCATION.--Lat 40°44'18°, long 73°43'41°, Hydrologic Unit 02030201, at Creedmoor State Hospital, near the intersection of Hillside Avenue and Cross Island Parkway, in recorder shelter, Bellerose. Owner: State of New York.

AQUIFER. -- Lloyd (confined)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 12 in., depth 640 ft, screen assumed at bottom. INSTRUMENTATION.--Digital water-level recorder -- 60-minute punch. DATUM.--Land-surface datum is 113.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

12-in. steel casing, 0.22 ft above land-surface datum.
REMARKS.--Water level affected by nearby pumping.
PERIOD OF RECORD.--February 1946 to current year. Unpublished records from February 1946 to September 1975 are


available in files of Long Island Subdistrict office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.34 ft NGVD, January 14, 1992; lowest measured, -18.66 ft NGVD, July 30, 1954.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	5.65					10.79	10.02	9.43	5.70	3.59	1.68	
10	6.61	7.26				10.30	10.05	8.02	6.16	3.25	1.89	
15		7.69			10.63	9.83	9.92	7.87	5.61	2.24	2.60	
20		7.45			10.82	9.65	9.74	7.55	4.69	1.65		
25		7.68			10.14	9.95	9.78	7.20	4.13	1.49		
EOM		8.26			10.57	10.04	9.74	5.68	3.86	1.92		
MEAN		7.60			10.67	10.15	9.92	7.91	5.26	2.40		
MAX		8.26			11.16	10.84	10.21	9.75	6.16	3.62		
MIN		7.14			10.14	9.59	9.64	5.68	3.86	1.16		

WTR YR 1993 MEAN 7.10 MAX 11.16 MIN 1.16



403727073154601. Local number, S 21091.1 LOCATION.--Lat 40°37'27", long 73°15'48", Hydrologic Unit 02030202, at Robert Moses State Park, in water treatment building, Fire Island. Owner: Long Island State Park Commission.

AQUIFER .-- Lloyd (confined) .

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 1,921 ft, screened 1,918 to 1,921 ft. INSTRUMENTATION.--Digital water-level recorder -- 15-minute punch.

DATUM. -- Land-surface datum is 10.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

6-in. steel casing, 13.68 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD.--September 1962 to current year. Unpublished records from September 1962 to September 1975 are available in files of Long Island Subdistrict office.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.10 ft NGVD, March 16, 1976; lowest measured, 15.13 ft NGVD, Narch 16, 1976; lowest measured,

15.13 ft NGVD, June 2, 1972.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5			17.56		18.06	18.92	18.15	18.20		222		
10			18.09		17.83	18.18	18.62	18.32				
15		17.52		18.00	17.81		18.37	18.65				
20		17.40		17.30	18.17		18.20	18.78				
25		17.93		17.61	17.60		18.18	18.32				
EOM		17.68		18.19	18.44		18.46	18.49				
MEAN		17.68		17.82	18.11		18.37	18.40				
MAX		18.02		18.22	18.79		18.79	18.81				
MIN		17.34		17.28	17.60		18.05	18.07				

WTR YR 1993 MEAN 18.12 MAX 18.92 MIN 17.28



403727073154503. Local number, S 21311.1 LOCATION.--Lat 40°37'28", long 73°15'48", Hydrologic Unit 02030202, at Robert Moses State Park, in water treatment building, Fire Island. Owner: Long Island State Park Commission.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in., depth 721 ft, screened 711 to 721 ft.

INSTRUMENTATION. -- Digital water-level recorder -- 15-minute punch.

DATUM. -- Land-surface datum is 10.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 20.01 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD.--November 1962 to current year. Unpublished records from November 1962 to September 1975 are

available in files of Long Island Subdistrict office.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.04 ft NGVD, January 25, 1979; lowest measured,

5.35 ft above NGVD, February 23, 1972.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

JUN JUL AUG SEP	
9.83 9.20 8.69 8.98	
9.70 9.18 8.56 9.09	
9.47 9.12 8.90 8.66	
9.27 9.21 9.13 9.02	
9.23 8.70 8.68 9.06	
9.31 8.92 8.96 9.09	
9.48 9.08 8.85 8.99	
9.11 8.66 8.50 8.61	**
9999	.70 9.18 8.56 9.09 .47 9.12 8.90 8.66 .27 9.21 9.13 9.02 .23 8.70 8.68 9.06 .31 8.92 8.96 9.09 .48 9.08 8.85 8.99 .98 9.47 9.25 9.33

WTR YR 1993 MEAN 9.54 MAX 11.54 MIN 8.50



404935073055901. Local number, S 33379.1 LOCATION.--Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncan Avenue and Portion Road, in pumping center, in recorder shelter, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 1,305 ft, screened 1,290 to 1,300 ft. INSTRUMENTATION. -- Digital water-level recorder -- 15-minute punch.

DATUM.--Land-surface datum is 134.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 2.34 ft above land-surface datum. REMARKS.--Water level affected by nearby pumping.


PERIOD OF RECORD. --October 1968 to current year. Unpublished records from October 1968 to September 1975 are available in files of Long Island Subdistrict office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 40.92 ft NGVD, June 5, 1979; lowest measured, 33.84 ft NGVD, September 29, 1988.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	36.76	36.95	37.09				37.47	37.72	37.66	37.07	36.50	36.46
10	36.87	36.53	36.80	36.78		37.36	37.79	37.71	37.75	37.05	36.39	36.60
15	36.80	36.74	37.05	37.06		37.24	37.59	37.79	37.53	36.87	36.50	36.45
20	36.66	36.49	37.03	36.92		37.17	37.68	37.83	37.39	36.78	36.59	36.42
25	37.01	36.82	37.14			37.42	37.69	37.75	37.19	36.57	36.50	36.51
EOM	36.69	37.01		37.41		37.55	37.75	37.67	37.19	36.65	36.45	36.54
MEAN	36.81	36.77	36.96	37.07		37.39	37.68	37.74	37.49	36.86	36.50	36.48
MAX	37.01	37.05	37.19	37.41		37.81	37.99	37.96	37.77	37.18	36.63	36.73
MIN	36.59	36.49	36.70	36.78		37.09	37.47	37.59	37.19	36.52	36.37	36.32

WTR YR 1993 MEAN 37.06 MAX 37.99 MIN 36.32



GROUND-WATER LEVELS: SUFFOLK COUNTY--Continued

CONTINUOUS RECORDING STATIONS

404932073055902. Local number, S 33380.1

LOCATION.--Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncan Avenue and Portion Road, in pumping center, in recorder shelter, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 855 ft, screened 840 to 850 ft.

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 855 ft, screened 840 to 850 ft. INSTRUMENTATION.--Digital water-level recorder -- 15-minute punch, changed to 30-minute on August 16, 1990. DATUM.--Land-surface datum is 133.5 ft National Goodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel casing, 2.13 ft above land-surface datum.

REMARKS.--Water level affected by nearby pumping.


PERIOD OF RECORD.--October 1968 to current year. Unpublished records from October 1968 to September 1975 are available in files of Long Island Subdistrict office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 54.30 ft NGVD, April 27, 1979; lowest measured, 45.16 ft above NGVD, December 5, 1969.

ELEVATION (FEET NGVD), WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	49.58	49.53	49.61	49.81	49.70	49.96	50.28		50.79	50.02		49.12
10	49.68	49.38	49.47	49.62	49.70	49.81	50.60		50.88	49.75	49.55	49.27
15	49.61	49.31	49.61	49.73	49.48	49.68	50.41	50.75	50.37	49.76	49.48	49.09
20	49.48	49.29	49.77	49.72	49.77	49.99	50.52	50.96	50.23	49.67	49.52	49.07
25	49.55	49.41	49.60	49.68	49.81	50.21	50.64	50.69	50.16	49.63	49.28	49.08
EOM	49.35	49.57	49.74	49.88	49.88	50.14	50.89	50.60	50.05	49.39	49.18	48.92
MEAN	49.55	49.41	49.59	49.71	49.71	49.98	50.53	50.71	50.49	49.72	49.40	49.09
MAX	49.72	49.57	49.77	49.93	49.88	50.25	50.89	50.96	50.88	50.29	49.65	49.27
MIN	49.35	49.26	49.38	49.51	49.48	49.68	50.28	50.52	50.05	49.36	49.05	48.92

WTR YR 1993 MEAN 49.80 MAX 50.96 MIN 48.92



404059073520702. Local number, K 1194.4 LOCATION.--Lat 40°40'59", long 73°52'07", Hydrologic Unit 02030202, at east side of Nichols Avenue, 100 ft north of Atlantic Avenue, New Lots. Owner: City of New York.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 55 ft, screened 52 to 55 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 32.1 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.34 ft below land-surface datum. REMARKS.--Replaced well K 1194.3 in July 1970.

PERIOD OF RECORD. -- November 1970 to current year. Records for November 1970 to September 1987 are unpublished and are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 14.92 ft NGVD, October 28, 1992; lowest measured,

-0.83 ft NGVD, November 2, 1970.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	14.92	JAN 22	9.76	FEB 24	10.57	APR 29	9.99	JUN 22	9.90	AUG 18	9.83
NOV 24 DEC 29	12.51 10.85	26	10.34	MAR 22	10.11	MAY 19	9.95	JUL 14	9.79	SEP 15	9.65

403939073542901. Local number, K 1265.1
LOCATION.--Lat 40°39'39", long 73°54'29", Hydrologic Unit 02030202, at west side of Thatford Avenue, 30 ft south of Riverdale Avenue, Brownsville. Owner: City of New York.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 44 ft, screened 42 to 43 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 23.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Hole in

top of plug, 0.01 ft below land-surface datum.

PERIOD OF RECORD. -- April 1933 to current year. Unpublished records for 1933-35, 1941-78 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 21.53 ft NGVD, June 12, 1991; lowest measured, -11.55 ft NGVD, August 22, 1942.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	9.11 8.96	DEC 29 JAN 26	8.84 8.75	FEB 24 MAR 22	8.67 8.60	APR 29 MAY 19	8.66 8.64	JUN 22	8.57	JUL 15	8.55

404238073574601. Local number, K 1301.1 LOCATION.--Lat 40°42'35°, long 73°57'48°, Hydrologic Unit 02030201, at Williamsburgh Savings Bank, in basement, 84 ft north of Broadway and 178 ft west of Driggs Avenue, Williamsburgh. Owner: Williamsburg Savings Bank. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled unused steel well, diameter 8 in. to 6 in., depth 92 ft, screened 72 to 92 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 52.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Hole in top of 4-in. steel plug, 9.03 ft below land-surface datum.

PERIOD OF RECORD .-- January 1961 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.08 ft NGVD, October 2, 1978; lowest measured, -7.72 ft NGVD, January 19, 1961.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	4.35	DEC 29 JAN 26	4.50	APR 29	4.59 4.11	JUN 22 JUL 15	4.08	AUG 18	4.07	SEP 15	4.06

404155073552108. Local number, K 3245.1

LOCATION.--Lat 40°41'55", long 73°55'22", Hydrologic Unit 02030201, at west side of Wilson Avenue, 54 ft north of Stanhope Street, Bushwick. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered steel observation well, diameter 2 in., depth 24 ft, screened 21 to 24 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 24.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.05 ft below land-surface datum.

PERIOD OF RECORD. -- June 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.52 ft NGVD, September 23, 1980; lowest measured, 5.80 ft NGVD, June 1, 1988.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	8.63 9.12	DEC 29 JAN 26	7.98 7.95	FEB 24 MAR 23	6.97	APR 29 MAY 20	7.32	JUN 22 JUL 15	7.20 7.12	AUG 18 SEP 15	7.05 6.95

403902073552801. Local number, K 3246.1

LOCATION.--Lat 40°39°02°, long 73°55'28°, Hydrologic Unit 02030202, at north side of Snyder Avenue, 86 ft west of East 56th Street, East Flatbush. Owner: United States Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 30 ft, screened 27 to 30 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 25.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.04 ft below land-surface datum. PERIOD OF RECORD.--April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 9.62 ft NGVD, June 27, 1984; lowest measured, 7.27 ft NGVD, May 5, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	7.74	JAN 26	7.85	FEB 24	7.90	APR 29	8.41	JUN 22	8.08	AUG 18	7.82
NOV 24 DEC 29	7.69 7.91	FEB 2	7.83 7.89	MAR 22	8.00	MAY 19	8.29	JUL 15	7.94	SEP 15	7.74

403623074002101. Local number, K 3249.1 LOCATION.--Lat 40°36'23", long 74°00'23", Hydrologic Unit 02030202, at east side of Bay 16th Street, 42 ft north of Benson Avenue, Bath Beach. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 34 ft, screened 31 to 34 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 31.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.02 ft below land-surface datum. PERIOD OF RECORD.--April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.09 ft NGVD, January 24, 1991; lowest measured, 3.16 ft NGVD, May 21, 1985.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 28 NOV 24	3.87 4.03	DEC 29 JAN 26	3.88 3.89	FEB 24 MAR 22	4.04	APR 29 MAY 19	4.66 4.35	JUN 22 JUL 15	4.14 4.17	AUG 18 SEP 15	4.20

403520073575501. Local number, K 3251.1

LOCATION.--Lat 40°35'20", long 73°57'55", Hydrologic Unit 02030202, at north side of Avenue Y, 115 ft west of East 6th Street, Brighton Beach. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WÈLL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 23 ft, screened 20 to 23 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 9.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.06 below land-surface datum. PERIOD OF RECORD.--April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.36 ft NGVD, June 26, 1984, and June 21, 1989; lowest measured, 2.56 ft NGVD, March 25, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	2.91	DEC 29	3.11	FEB 24 MAR 22	3.05	APR 29 WAY 19	3.21 3.15	JUN 22 JUL 15	3.06	AUG 18 SEP 15	3.11

403702073555808. Local number, K 3252.1

LOCATION.--Lat 40°37'04", long 73°55'59", Hydrologic Unit 02030202, at east side of Hendrickson Street, 46 ft north of Quentin Avenue, Flatlands. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in., depth 30 ft, screened 27 to 30 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 12.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.02 ft below land-surface datum.

PERIOD OF RECORD. -- June 1980 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.68 ft NGVD, February 11, 1981; lowest measured, 0.68 ft NGVD, October 6, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	1.36	DEC 29	1.73	FEB 24	1.59	APR 29	1.75	JUN 22	1.40	AUG 18	1.31
NOV 24	1.33	JAN 26	1.57	MAR 22	1.75	MAY 19	1.59	JUL 15	1.33	SEP 15	

403728073590708. Local number, K 3253.2 LOCATION.--Lat 40°37'28", long 73°59'07", Hydrologic Unit 02030202, at north side of 56th Street, 55 ft west of 18th Avenue, Borough Park. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 55 ft, screened 52 to 55 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 46.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.03 ft below land-surface datum.

REMARKS.--Replaced well K 3253.1 in April 1981.

PERIOD OF RECORD .-- April 1981 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.07 ft NGVD, October 3, 1984; lowest measured, 4.33 ft NGVD, December 21, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	5.09 5.50	DEC 29 JAN 26	5.28 5.17	FEB 24 MAR 22	5.34 5.19	APR 29 MAY 19	5.64 5.37	JUN 22 JUL 15	5.35 5.22	AUG 18	5.12

403737073564908. Local number, K 3254.1

LOCATION. -- Lat 40°37'36", long 73°56'46", Hydrologic Unit 02030202, at east side of East 31st Street, 46 ft south of Avenue J, Flatbush. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Drilled steel observation well, diameter 2 in., depth 29 ft, screened 26 to 29 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 26.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.09 ft below land-surface datum. PERIOD OF RECORD. --April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.91 ft NGVD, June 27, 1984; lowest measured, 4.64 ft NGVD, July 15, 1992.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	4.97	DEC 29	5.31	FEB 24	5.14	MAY 19	5.51	JUL 15	5.18 5.03	SEP 15	4.94

404036073584008. Local number, K 3261.1

LOCATION. -- Lat 40°40'37", long 73°58'41", Hydrologic Unit 02030201, at east side of Lincoln Place, 122 ft north of 6th Avenue, northern most well, Park Slope. Owner: United States Geological Survey. AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in., depth 45 ft, screened 42 to 45 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 64.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.01 ft above land-surface datum. PERIOD OF RECORD.--April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 31.86 ft NGVD, March 16, 1984; lowest measured, 24.03 ft NGVD, March 29, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	24.44	DEC 29	24.14	FEB 24	24.27	APR 29	25.45	JUN 22	26.32	AUG 18	26.27
NOV 24	24.04	JAN 28	24.11	MAR 23	24.84	MAY 20	25.95	JUL 15	26.40	SEP 15	25.96

403635073580108. Local number, K 3274.1 LOCATION.--Lat 40°36'35", long 73°58'01", Hydrologic Unit 02030202, at west side of East 7th Street, 49 ft north of Avenue P, Gravesend. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 34 ft, screened 31 to 34 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 27.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.28 ft above land-surface datum.

PERIOD OF RECORD. -- June 1981 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.88 ft NGVD, October 3, 1984; lowest measured, 3.53 ft NGVD, October 6, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	4.50	DEC 29	4.79	FEB 24	4.61	APR 29	5.05	JUN 22	4.70	AUG 18	4.55
NOV 24	4.77	JAN 26	4.66	MAR 22	4.82	MAY 19	4.90	JUL 15	4.61	SEP 15	

403737074011701. Local number, K 3275.1
LOCATION.--Lat 40°37'37", long 74°01'15", Hydrologic Unit 02030202, at east side of 6th Avenue, 19 ft south of 76th Street, Bay Ridge. Owner: United States Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 76 ft, screened 73 to 76 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 67.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.05 ft below land-surface datum.

PERIOD OF RECORD.--June 1981 to current year. Unpublished records from June 1981 to September 1982 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.65 ft NGVD, January 5, 1984; lowest measured,

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

3.20 ft NGVD, April 28, 1989.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28 NOV 24	4.16	DEC 29 JAN 26	4.31 4.16	FEB 24 MAR 23	4.06	APR 29	4.70	JUN 22 AUG 18	4.68 4.48	SEP 15	4.54

404135073584001. Local number, K 3276.1
LOCATION.--Lat 40°41'34°, long 73°58'41°, Hydrologic Unit 02030201, at east side of St. Edwards Street, 75 ft south of Myrtle Avenue, Fort Greene. Owner: United States Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 54 ft, screened 51 to 54 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface Datum is 38.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.02 ft below land-surface datum.

PERIOD OF RECORD.--April 1981 to current year. Unpublished records from April 1981 to September 1982 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.71 ft NGVD, January 5, 1984; lowest measured, 4.30 ft NGVD, October 1, 1985.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	5.26	DEC 29	5.38	FEB 24	5.82	APR 29	6.18	JUN 22	5.78	AUG 18	5.37
NOV 24	5.25	JAN 26	5.44	MAR 23	5.59	MAY 20	6.08	JUL 15	5.62	SEP 15	5.33

404043073413108. Local number, N 7.1 LOCATION.--Lat 40°40'43", long 73°41'31", Hydrologic Unit 02030202, at Valley Stream State Park, 150 ft west of Corona Avenue, 130 ft north of Remsen Street, Valley Stream. Owner: Long Island State Park Commission. AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS.--Drilled unused steel well, diameter 6 in., depth 911 ft, screened 851 to 911 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 20.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1/4-in. hole drilled in 4-in. steel plug, 2.17 ft above land-surface datum. REMARKS.--Water level affected by nearby pumping.

PERIOD OF RECORD .-- March 1941 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 12.75 ft NGVD, March 9, 1941; lowest measured, -6.84 ft NGVD, August 25, 1970.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21	6.25	JAN 4	8.79	FEB 25	9.17	APR 20	9.55	JUN 15	6.89	AUG 18	3.98
NOV 19	8.11		8.86	MAR 23	8.79	MAY 13	9.15	JUL 14	4.01	SEP 23	5.13

404048073412602. Local number, N 9.1 LOCATION.--Lat 40°40'48", long 73°41'26", Hydrologic Unit 02030202, at Valley Stream State Park, 30 ft west of Corona Avenue, 650 ft north of Remsen Street, Valley Stream. Owner: Long Island State Park Commission.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled unused steel well, diameter 4 in. to 6 in., depth 138 ft, screened 98 to 138 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 22.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

6-in. steel casing, 2.08 ft above land-surface datum.

PERIOD OF RECORD.--July 1936 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 23.57 ft NGVD, September 23, 1938; lowest measured, 5.95 ft NGVD, March 22, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21 NOV 19	14.45 14.54	JAN 4 20	16.08 16.14	FEB 25 MAR 23	16.20 17.07	APR 20 MAY 13	17.81 17.17	JUN 15 JUL 14	16.14 14.87	AUG 18 SEP 23	14.80 14.08
GVD	18	-		1	-		•	M	1	1	
IN FEET IN REFERENCE TO NGVD	16 -					~	\sqrt{V}	1	M_//	1/-	
REFERE	14								٧ ٠	7	
EET IN R	12			\wedge	Μ					-	
, IN F	10		\\ \\		$\mathcal{N}_{\mathcal{I}}$						
WATER LEVEL,	8	$\sqrt{}$		V							
WATE	6 198	34 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	

TIME, IN WATER YEARS

405010073414901. Local number, N 35.1 LOCATION.--Lat 40°50'10°, long 73°41'51°, Hydrologic Unit 02030201, at Port Washington Water District Pumping Center, 115 ft south of Sandy Hollow Road, in recorder shelter, Port Washington. Owner: Port Washington Water District.

AQUIFER. --Port Washington (confined).
WELL CHARACTERISTICS. --Drilled steel observation well, diameter 16 in. to 6 in., depth 387 ft, screened 287 to 387 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 13.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 3.64 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation and nearby pumping.

PERIOD OF RECORD.--April 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.02 ft NGVD, January 31, 1958; lowest measured, -16.15 ft NGVD, July 29, 1954.


WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24 DEC 9	3.07 6.15 5.06	JAN 20	5.07 6.47	FEB 23 MAR 26	8.94 6.40	APR 21 MAY 20	7.46 2.84	JUN 16 24	1.60 1.69	AUG 16 SEP 16	1.00 1.97
NGVD	8 -	١,			n	1 1		N4	,		
2	6 -	MIL			111		A	M A	. 1	1	
ENCE	H	111	11	1	N/	Λ	MI		7	1	
EFER	4	11/	N	1	1:1	LI	NI	11		17	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	2	V) I	1	14		1				V	
N.	0 -		1	1	V		V	V		4	
ÆL,	-		, 1		1	V				-	
~ LE	-2 -							- 1			
WATER	-4	1984 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	
				TIME	E, IN	WATER YE	EARS				

7.85 ft NGVD, August 30, 1966.

403929073382908. Local number, N 53.1
LOCATION.--Lat 40°39'29°, long 73°38'29°, Hydrologic Unit 02030202, at Rockville Centre Municipal Power Plant, in battery room, Maple Avenue and Morris Avenue, Rockville Centre. Owner: Village of Rockville Center. AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 8 in., depth 50 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 26.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 5.24 ft below land-surface datum.
PERIOD OF RECORD.--August 1934 to current year. Unpublished records from August 1934 to September 1975 are available in files of Long Island Subdistrict Office.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.49 ft NGVD, April 15, 1939; lowest measured,

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



403922073353501. Local number, N 67.1
LOCATION.--Lat 40°39'22°, long 73°35'35°, Hydrologic Unit 02030202, at Freeport Power Station, in battery room,
105 ft north of Sunrise Highway (Rt. 27) and west of Long Beach Avenue, Freeport. Owner: Village of Freeport.
AQUIFER.--Lloyd (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 12 in., depth 1052 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 22.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of
12-in. steel casing, 1.0 ft below land-surface datum.
PERIOD OF RECORD.--December 1948 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.95 ft NGVD, May 8, 1957; lowest measured,
-3.76 ft NGVD, March 23, 1983.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 30	10.07 10.72	JAN 15 FEB 25	11.36 11.33	APR 5 23	11.79 12.06	MAY 21 JUN 21	11.18 8.89	JUL 22 AUG 20	6.85 6.89	SEP 22	7.48

404030073293703. Local number, N 180.2 LOCATION.--Lat 40°40'30", long 73°29'37", Hydrologic Unit 02030202, at Long Island Railroad track embankment, 200 ft north of Sunrise Highway (Rt. 27), west of Seaford-Oyster Bay Expressway (Rt. 135), Seaford. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled unused steel well, diameter 4 in. to 6 in., depth 723 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 16.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel coupling, 13.69 ft above land-surface datum.

PERIOD OF RECORD. -- October 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 21.08 ft NGVD, June 6, 1952; lowest measured, 10.63 ft NGVD, July 1, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18	14.06 14.34	JAN 4 19	14.56 14.88	FEB 18 MAR 25	15.92 15.58	APR 22 JUN 16	16.39 12.03	JUL 16 AUG 18	11.13 13.68	SEP 23	13.93

404609073421602. Local number, N 1102.2

LOCATION.--Lat 40°46'09", long 73°42'16", Hydrologic Unit 02030201, at southwest corner of Community Drive and Long Island Expressway westbound service road, Lake Success. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 166 ft, screened 161 to 166 ft.

INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .


DATUM. -- Land-surface datum is 184.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel coupling, 0.32 ft below land-surface datum.
REMARKS.--Replaced well N 1102.1 in March 1963 at same location, which has a period of record from October 1937 to March 1963.

PERIOD OF RECORD. -- April 1963 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 47.02 ft NGVD, April 24, 1963; lowest measured, 28.90 ft NGVD, January 19, 1983.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21 NOV 19 DEC 3	39.33	JAN 4 20	39.63 39.67	FEB 25 MAR 31		APR 20 MAY 13	39.52 39.45	JUN 22 JUL 14	38.92 37.82	AUG 18 SEP 23	37.62 38.04
0_0											



TIME, IN WATER YEARS


404039073420001. Local number, N 1110.1 LOCATION.--Lat 40°40'40", long 73°42'01", Hydrologic Unit 02030202, at Valley Stream State Park, southeast corner of North Fletcher Avenue and entrance to parking field, Valley Stream. Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven steel observation well, diameter 1 1/4 in., depth 27 ft, screened 24 to 27 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel. DATUM. -- Land-surface datum is 31.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.80 ft below land-surface datum. PERIOD OF RECORD.--October 1936 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 21.81 ft NGVD, September 28, 1938; lowest measured, 5.78 ft NGVD, September 15, 1981.



404125073394802. Local number, N 1129.2 LOCATION.--Lat 40°41'25°, long 73°39'48°, Hydrologic Unit 02030202, at east side of Euclid Avenue, 30 ft south of Hawthorne Street, West Hempstead. Owner: Nassau County Department of Public Works.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 44 ft, screened 41 to 44 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 51.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.46 ft below land-surface datum.


REMARKS.--Replaced well N 1129.1 in October 1966 at same location, unpublished record from August 1937 to October 1966 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--October 1966 to current year. Unpublished records from October 1966 to September 1975 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 29.48 ft NGVD, July 23, 1984; lowest measured, 21.49 ft NGVD, October 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405104073375201. Local number, N 1152.1 LOCATION.--Lat 40°51'04", long 73°37'52", Hydrologic Unit 02030201, at northwest corner of Sea Cliff Avenue and Center Street, Glen Cove. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 130 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 154.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.15 ft below land-surface datum.

PERIOD OF RECORD .-- August 1940 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 52.39 ft NGVD, July 13, 1961; lowest measured, 44.33 ft NGVD, April 12, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
0CT 26 NOV 24 DEC 7	47.96 47.74 47.76	DEC 22 JAN 25 FER 19	47.87 48.05 48.18	MAR 25 APR 20	48.49 49.00	MAY 21 JUN 15	49.26 49.27	JUN 22 JUL 19	49.29 48.03	AUG 16 SEP 15	48.75 48.49

404659073332601. Local number, N 1194.2

LOCATION.--Lat 40°46'59", long 73°33'26", Hydrologic Unit 02030202, at north side of Long Island Expressway westbound service road, just west of Jericho Turnpike (Rt. 25), Jericho. Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 100 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 168.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel casing, 0.02 ft below land-surface datum.
REMARKS.--Replaced well N 1194.2 in December 1961. Well also sampled for water quality.

PERIOD OF RECORD. -- December 1961 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 92.18 ft NGVD, June 7, 1979; lowest measured, 74.59 ft NGVD, July 17, 1967.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18 DEC 3	80.98 80.88	JAN 4 19 EER 18	81.08 80.93	MAR 25 APR 23	80.91 81.24	MAY 17 JUN 16	81.25 81.20	JUN 22 JUL 16	81.41 80.84	AUG 18 SEP 23	80.52 80.33

404453073323902. Local number, N 1197.4

LOCATION. -- Lat 40°44'53", long 73°32'39", Hydrologic Unit 02030202, at west side of Abode Lane, 41 ft north of Stewart Avenue, Hicksville. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 69 ft, screened 64 to 69 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 117.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.95 ft below land-surface datum. REMARKS.--Replaced well N 1197.3 in July 1975.

PERIOD OF RECORD.--July 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 80.13 ft NGVD, June 7, 1979; lowest measured, 64.40 ft NGVD, October 27, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 20	67.59	JAN 4	68.20	FEB 18	68.48	APR 23	69.86	JUN 16	69.55	AUG 18	67.80
NOV 18	67.61	19	68.40	MAR 23	68.49	MAY 17	69.86	JUL 16	68.91	SEP 23	66.76

405000073293301. Local number, N 1228.3

LOCATION. --Lat 40°50°00°, long 73°29°33°, Hydrologic Unit 02030201, at south side of Cold Spring Road, 332 ft west of Townsend Road, Syosset. Owner: Nassau County Department of Public Works.

AQUIFER. --Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 176 ft, screened 173 to 176 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 227.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 0.12 ft above land-surface datum. REMARKS.--Replaced well N 1228.2 in February 1962.

PERIOD OF RECORD .-- February 1962 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 70.69 ft NGVD, May 29, 1980; lowest measured, 52.22 ft NGVD, July 18, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18	63.87 63.56 63.43	JAN 21 FEB 18	63.44 63.38	MAR 25 APR 22	63.58 63.37	MAY 17 JUN 16	63.42 63.34	JUN 22 JUL 19	65.25 63.09	AUG 18 SEP 24	62.78 62.44

405027073272602. Local number, N 1243.5 LOCATION.--Lat 40°50'26°, long 73°27'20°, Hydrologic Unit 02030201, at south side of Stillwell Road, 98 ft west of Harbor Road, Cold Spring Harbor. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 28 ft, screened 25 to 28 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.


DATUM. -- Land-surface datum is 64.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.92 ft below land-surface datum.

REMARKS.--Replaced well N 1243.4 in September 1975 at same location, unpublished records from November 1939 to September 1975 are available in files of Long Island Subdistrict Office. Well also sampled for water quality.

PERIOD OF RECORD.--September 1975 to current year. EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.70 ft NGVD, March 21, 1978; lowest measured, 51.66 ft NGVD, September 26, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404317073291105. Local number, N 1259.5
LOCATION.--Lat 40°43'16", long 73°29'10", Hydrologic Unit 02030202, at south side of Mary Lane, 79 ft east of Hicksville Road (Rt. 107), Plainedge. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 41 ft, screened 38 to 41 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 78.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.08 ft above land-surface datum.

REMARKS.--Replaced well N 1259.4 in June 1961 at same location, unpublished records from January 1909 to June 1961 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- June 1961 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 57.60 ft NGVD, February 21, 1978; lowest measured, 44.41 ft NGVD, September 26, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404302073295705. Local number, N 1263.4 LOCATION.--Lat 40°43'02", long 73°29'58", Hydrologic Unit 02030202, at northeast corner of Wantagh Avenue and Miller Place, Levittown. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water-table)

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 35 ft, screened 32 to 35 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 67.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.41 ft below land-surface datum.
REMARKS.--Replaced well N 1263.3 in December 1952 at same location, unpublished records from June 1936 to December 1952 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- December 1952 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 57.74 ft NGVD, March 21, 1978; lowest measured, 42.70 ft NGVD, October 14, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404042073292601. Local number, N 1464.1 LOCATION. --Lat 40°40'42°, long 73°29'26°, Hydrologic Unit 02030202, at north side of Franklin Avenue, 102 ft east of Grant Avenue, in sidewalk, Seaford. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Drilled steel observation well, diameter 1 1/4 in. to 6 in., depth 42 ft, screened 32 to 42 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 28.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing extension, 0.37 ft below land-surface datum.

PERIOD OF RECORD.--May 1943 to current year. EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 20.43 ft NGVD, March 25, 1975; lowest measured, 12.22 ft NGVD, January 26, 1950.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	15.04	JAN 4	15.90	FEB 18	15.82	APR 22	16.88	JUN 16	16.44	AUG 18	15.08
NOV 18	15.05	19	16.10	MAR 25	16.57	MAY 17	15.98	JUL 16	14.94	SEP 23	14.86

405019073415301. Local number, N 1482.1

LOCATION.--Lat 40°50'19", long 73°41'53", Hydrologic Unit 02030201, at north side of Mill Pond Road, 55 ft west of Pleasant Avenue, eastern most well, Port Washington. Owner: Nassau County Department of Public Works.

AQUIFER .-- Port Washington (confining unit).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 1/2 in., depth 151 ft, screened 148 to 151 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 11.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2 1/2-in. steel casing, 0.23 ft below land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- November 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.31 ft NGVD, January 18, 1991; lowest measured, -19.18 ft NGVD, July 7, 1955.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24	7.25 7.23	DEC 28 JAN 20	10.04 9.58	MAR 26 APR 21	8.37 8.45	MAY 20 JUN 16	7.92 6.96	JUN 24 JUL 16	6.89	AUG 16 SEP 16	4.96
DEC 9	7.20	FFR 23	8 66		0.40	2011 20	0.00				

405019073415302. Local number, N 1483.1

LOCATION.--Lat 40°50'19', long 73°41'53", Hydrologic Unit 02030201, at north side of Mill Pond Road, 58 ft west of Pleasant Avenue, middle well, Port Washington. Owner: Nassau County Department of Public Works. AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 1/2 in., depth 99 ft, screened 96 to 99 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 11.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 1/2-in. steel casing, 0.55 ft below land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- February 1946 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 13.94 ft NGVD, September 9, 1955; lowest measured, -7.13 ft NGVD, September 3, 1970.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	7.66	DEC 28	8.33	MAR 26	8.74	MAY 20	8.93	JUN 24	8.33	AUG 16	7.74
NOV 24	7.71	JAN 20	8.32	APR 21	9.57	JUN 16	8.48	JUL 16	8.05	SEP 16	7.64
DEC 9	7.76	FEB 23	8.39								

405019073415303. Local number, N 1484.1 LOCATION.--Lat 40°50'19°, long 73°41'53°, Hydrologic Unit 02030201, at north side of Mill Pond Road, 61 ft west of Pleasant Avenue, western most well, Port Washington. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 1/2 in., depth 52 ft, screened 50 to 52 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 11.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2 1/2-in. steel casing, 0.88 ft below land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- April 1955 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 15.11 ft NGVD, September 7, 1955; lowest measured, 6.19 ft NGVD, June 27, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24	8.21 8.30	DEC 28 JAN 20	8.66 8.70	MAR 26 APR 21	9.34 9.97	MAY 20 JUN 16	9.34 8.89	JUN 24 JUL 16	8.75	AUG 16 SEP 16	8.21 8.10
DEC 9	8.27	FEB 23	8.83	Ark 21	9.91	JON 10	0.00	JOL 10	0.40	36 10	0.10

404446073392904. Local number, N 1614.4
LOCATION.--Lat 40°44'46", long 73°39'29", Hydrologic Unit 02030202, at west side of Herricks Road, 135 ft north of Birchwood Drive, North Hempstead. Owner: Nassau County Department of Public Works.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 53 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 101.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 1.16 ft below land-surface datum.
REMARKS.--Replaced well N 1614.3 in April 1966 at same location, unpublished records from December 1933 to September 1975 are available in files of Long Island Subdistrict Office.
PERIOD OF RECORD.--April 1968 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured. 60.78 ft NGVD. July 23, 1984; lowest measured.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 60.78 ft NGVD, July 23, 1984; lowest measured, 48.42 ft NGVD, December 21, 1970.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 19 NOV 19 DEC 3	55.04 54.95 54.94	DEC 21 JAN 14 FEB 18	55.00 55.22 55.37	MAR 25 31 APR 20	58.92 58.47 57.67	MAY 18 JUN 15	57.32 56.99	JUN 22 JUL 14	56.89 56.53	AUG 23 SEP 20	55.75 55.31
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	62	٨						· T	,		
10	60 -	Λ								1	
ENCE	-						1 M	~~~		1 1	
EFER	58 -						11	1		1	
N.		/ \				N	$\wedge \vee$,		111	
13	56 -	M								1 4	
3		L	\.	٨.					\sim	1	
=	54 -		My	/~	\					1	
CVEL	1/		1	1	121					1	
R L	52			\vee	V ~ \	\sim				+	
INTE	-									1	
-	50 19	84 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	
				TIM	E, IN W	ATER YE	EARS				

404209073340601. Local number, N 1615.3
LOCATION.--Lat 40°42'09°, long 73°34'06°, Hydrologic Unit 02030202, at east side of Merrick Avenue, 100 ft south of Van Buren Avenue, Freeport. Owner: Nassau County Department of Public Works.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 33 ft, screened 30 to 33 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 61.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.13 ft below land-surface datum.
REMARKS.--Replaced well N 1615.2 in August 1966 at same location, unpublished record from March 1913 to

August 1966 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. --August 1966 to current year. Unpublished records from August 1966 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 46.25 ft NGVD, January 25, 1991; lowest measured, 36.37 ft NGVD, October 26, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 19 NOV 19 DEC 21	40.82 39.76 39.16	JAN 14 FEB 18	39.11 39.10	MAR 22 31	39.13 39.28	APR 20 MAY 18	39.75 40.14	JUN 15 JUL 14	41.49 40.83	AUG 23 SEP 20	39.72 39.51
NGVD	48			1				T			
CE TO	46 -							1			
REFEREN	44	\wedge					٨	1			
ET IN	42	/ \					$^{\prime}$.]	
, IN FE	40	7	1~	Λ			V	7		M	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	38 -		0-1	\bigvee	V				V,		
T.	36 19	84 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	
				TIM	E, IN	NATER YE	ARS				

404554073351502. Local number, N 1616.2 LOCATION.--Lat 40°45'54", long 73°35'15", Hydrologic Unit 02030202, at south side of Argyle Road, south loop, 40 ft west of Post Avenue, Old Westbury. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 68 ft, screened 65 to 68 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 122.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.42 ft below land-surface datum.

REMARKS.--Replaced well N 1616.1 in October 1965 at same location, it was previously screened in Upper Glacial

Aquifer, which has a period of record from March 1913 to October 1965.

PERIOD OF RECORD. -- October 1965 to current year. Unpublished record from October 1965 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 82.14 ft NGVD, June 20, 1980; lowest measured, 68.28 ft NGVD, February 28, 1967.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

ATE .	WA.	TER VEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATE
T 19 IV 19 EC 3	71 71	. 18 . 94 . 98	DEC 21 JAN 14 FEB 18	72.03 72.14 72.37	MAR 25 31 APR 20	72.59 72.70 73.29	MAY 18 JUN 15	73.57 73.34	JUN 22 JUL 14	73.23 72.79	AUG 23 SEP 20	71.9 71.5
NGVD	92	E	1			T		ı	i i	·]	
ICE TO	88	=									=	
REFEREN	84											
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	80		\wedge								1	
L, IN	76			1				~~	~		=	
ER LEVE	72				✓						\wedge	
MAT	68	198	4 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	

405101073343401. Local number, N 2528.2

LOCATION.--Lat 40°50'01", long 73°34'32", Hydrologic Unit 02030201, at south side of Chicken Valley Road, 83 ft west of Wolver Hollow Road, Upper Brookville. Owner: Nassau County Department of Public Works. AQUIFER. -- Magothy (confined).

TIME, IN WATER YEARS

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in. to 4 in., depth 328 ft, screened 278 to 282 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 93.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel reducer, 0.86 ft above land-surface datum. REMARKS.--Replaced well N 2528.1 in November 1947.

PERIOD OF RECORD. -- December 1947 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 79.92 ft NGVD, July 25, 1957; lowest measured, 59.12 ft NGVD, February 24, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 19	67.75 66.50	JAN 21 FEB 23	66.81 66.87	MAR 25 APR 21	67.26 68.04	MAY 17 JUN 17	68.07 67.93	JUN 22 JUL 19	67.88 67.51	AUG 18 SEP 24	67.15 66.75
IAN A	88 98									7	

404619073270601. Local number, N 3355.2

LOCATION. -- Lat 40°46'18", long 73°27'04", Hydrologic Unit 02030202, at former site of Nassau County Sanitarium, 336 ft west of Round Swamp Road, south of Locust Road, in wooden recorder shelter, Plainview. Owner: United States Geological Survey.

AQUIFER.--Lloyd (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in. to 8 in., depth 1,093 ft, screened 1,070 to 1,090 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 183.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 8-in. steel casing, 0.28 ft below land-surface datum.

PERIOD OF RECORD .-- January 1956 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 36.17 ft NGVD, April 10, 1957; lowest measured, 23.18 ft NGVD, April 11, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 20	31.05	JAN 4	31.82	FEB 18	32.18	APR 22	32.71	JUN 16	31.46	AUG 18	29.72
NOV 18	31.36	21	31.76	MAR 23	32.07	MAY 17	32.26	JUL 16	30.46	SEP 23	30.00

403751073440201. Local number, N 3861.1 LOCATION.--Lat 40°37'51", long 73°44'01", Hydrologic Unit 02030202, at Cedarhurst Water Pollution Control Plant, north of Peninsula Boulevard , 28 ft east of Arlington Place, Cédarhurst. Owner: United States Geological Survey.

WATER

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in., depth 530 ft, screened 519 to 530 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 7.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 2.37 ft above land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation.

1985

1986

1987

WATER

PERIOD OF RECORD. -- April 1952 to current year. Unpublished records from April 1952 to September 1975 are available in files of Long Island Subdistrict Office.

WATER

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, -2.09 ft NGVD, March 20, 1991; lowest measured, -7.57 ft NGVD, August 7, 1955.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

WATER

1990

1991

WATER

1992

1993

WATER

LEVEL -5.26 -4.65

DATE	LE	Æ.	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE
OCT 29 NOV 30		.61 .48	JAN 6 28	-3.24 -3.27	FEB 26 MAR 23	-2.69 -3.30	APR 26 MAY 25	-3.22 -3.88	JUN 24 JUL 21	-4.64 -5.23	AUG 18 SEP 16
NGVD	0				T	т	,	1		Т.	
10	-1	-									- 4
REFERENCE	-2	-							1		
EET IN	-3	38			1		M	MA	M	. 1	4
L, IN FI	-4	M		1 11	M	\bigcap	N	V'		\mathcal{M}	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	-5		\mathbb{W}^{\wedge}	$\mathbb{W}^{\mathbb{N}}$	$\sqrt{}$	/ /			V		4

1988

1989

TIME, IN WATER YEARS

403911073432701. Local number, N 3867.2 LOCATION.--Lat 40°39'12", long 73°43'20", Hydrologic Unit 02030202, at Brook Road Park, 35 ft south of Brook Road, 41 ft east of stream, Green Acres. Owner: United States Geological Survey.


AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 517 ft, screened 505 to 517 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 7.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 1.54 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuation and nearby pumping.

PERIOD OF RECORD. -- January 1953 to current year. Unpublished records from January 1953 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.99 ft NGVD, January 28, 1953; lowest measured, -2.61 ft NGVD, July 19, 1977.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



403751073440202. Local number, N 3932.1 LOCATION.--Lat 40°37'51", long 73°44'01", Hydrologic Unit 02030202, at Cedarhurst Water Pollution Control Plant, north of Peninsula Boulevard, 37 ft east of Arlington Place, Cedarhurst. Owner: Nassau County Department of Public Works.

AQUIFER. -- Jameco (confined)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 178 ft, screened 172 to 176 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 7.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel nipple, 3.24 ft above land-surface datum.

REMARKS .-- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- June 1952 to current year. Unpublished records from June 1952 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.13 ft NGVD, November 10, 1975; lowest measured, 0.30 ft NGVD, September 20, 1977.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 30	3.52 4.81	JAN 6 28	3.84 3.76	FEB 26 MAR 23	4.38	APR 26 MAY 25	3.79 2.84	JUN 24 JUL 21	2.60 2.19	AUG 20 SEP 16	3.12 2.32

403713073415901. Local number, N 4026.1

LOCATION. -- Lat 40°37'12", long 73°41'59", Hydrologic Unit 02030202, at Woodsburgh Town Dock parking field, south end of Woodmere Boulevard, on west side of sewer treatment substation, Woodsburgh. Owner: Nassau County Department of Public Works. AQUIFER. -- Jameco (confined).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in., depth 153 ft, screened 149 to 153 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing at yellow arrow, 3.00 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuations.

PERIOD OF RECORD. -- February 1968 to current year. Unpublished records from February 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.27 ft NGVD, March 21, 1984; lowest measured,

-0.26 ft NGVD, September 30, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 29 NOV 30	4.10	JAN 6	3.79	FEB 26	4.25	MAY 25	3.30	JUN 24	2.91	JUL 21	2.46

403844073340801. Local number, N 4150.2

LOCATION.--Lat 40°38'43", long 73°34'07", Hydrologic Unit 02030202, at south side of Albany Avenue, in driveway of Nassau County Department of Public Works building, Freeport. Owner: United States Geological Survey. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 765 ft, screened 729 to 745 ft. INSTRUMENTATION. -- Measurement with clear plastic tube extension and stadia rod by USGS personnel.

DATUM.--Land-surface datum is 6.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1/2-in. steel valve, 0.55 ft below land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- January 1968 to current year. Unpublished records from January 1968 to September 1987 are available in files of Long Island sub-district Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.25 ft NGVD, July 1, 1975; lowest measured, 5.24 ft NGVD, July 29, 1971.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 29 NOV 30	7.72 7.97	JAN 15 FEB 25	8.39 8.04	MAR 25 APR 23	8.07 8.76	MAY 21 JUN 21	8.36 6.61	AUG 20	7.16	SEP 22	7.30

403911073432001. Local number, N 4213.1 LOCATION.--Lat 40°39'12°, long 73°43'20°, Hydrologic Unit 02030202, at Brook Road Park, 34 ft south of Brook Road, 32 ft east of stream, Green Acres. Owner: Nassau County Department of Public Works. AQUIFER. -- Jameco (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 134 ft, screened 130 to 134 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATUM.--Land-surface datum is 5.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 3.42 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD.--February 1968 to current year. Unpublished records from February 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.33 ft NGVD, June 30, 1975; lowest measured, -2.40 ft NGVD, March 22, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 30	3.60 5.22	JAN 6	4.35	FEB 26 MAR 23	4.96	MAY 7	4.71	JUN 24	1.55	AUG 20 SEP 16	2.04

405125073420702. Local number, N 6282.2

LOCATION. -- Lat 40°51°25°, long 73°42°07°, Hydrologic Unit 02030201, at Helen Keller National Center for Deaf-Blind Youths and Adults, 300 ft north of Middle Neck Road, western most well, Sands Point. Owner: United States Geological Survey.

AQUIFER. -- Port Washington (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 396 ft, screened 378 to 388 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 100.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 1.32 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation and nearby pumping.
PERIOD OF RECORD.--August 1957 to current year. Unpublished records from August 1957 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.49 ft NGVD, May 31 and June 1, 1983; lowest measured, -28.36 ft NGVD, February 17, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24 DEC 9	5.47 6.48 5.67	DEC 28 JAN 20 FEB 23	6.32 6.68 7.03	MAR 26 APR 21	7.06 8.24	MAY 20 JUN 16	-3.16 -9.02	JUN 24 JUL 16	-7.08 -9.04	AUG 16 SEP 16	-5.94 -5.32
NGVD	12	1	1	Τ.	1	, ,	,		1		
CE 10	* [1 M	7	\sim	Λ	~/	7	7 0	~ N	1]	
REFEREN	4										
, II	0 =										
IN FE	-4	1			111.	14		1		1=	
LEVEL, IN FEET IN REFERENCE TO NGVD	-8	Y	W	/ /	N	J	V	'	W	M	

TIME, IN WATER YEARS

1989

1991

1990

1985

1986

1987

405001073343205. Local number, N 6294.2 LOCATION.--Lat 40°50'01", long 73°34'32", Hydrologic Unit 02030201, at south side of Chicken Valley Road, 85 ft west of Wolver Hollow Road, Upper Brookvile. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 37 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 93.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.30 ft above land-surface datum.

1988

PERIOD OF RECORD. -- September 1982 to current year. Unpublished records from September 1982 to September 1987 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 73.07 ft NGVD, December 18, 1984; lowest measured, 63.81 ft NGVD, March 21, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 19	66.71 66.44	JAN 21 FEB 23	66.76 66.73	MAR 31 APR 21	67.30 68.01	MAY 17 JUN 17	68.08	JUN 22 JUL 19	67.85 87.55	AUG 18 SEP 24	67.13 66.71
JAN 4	66.79	MAR 25	66.95	74 14 22	00.01	JON 17	01.00	302 13	01.00	00 21	

405125073420705. Local number, N 6342.1

LOCATION. -- Lat 40°51'25°, long 73°42'07°, Hydrologic Unit 02030201, at Helen Keller National Center for Deaf-Blind Youths and Adults, 300 ft north of Middle Neck Road, eastern most well, Sands Point. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 185 ft, screened 183 to 185 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 97.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 3.99 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- August 1957 to current year. Unpublished records from August 1957 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 24.99 ft NGVD, September 14, 1984; lowest measured, 14.06 ft NGVD, February 28, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL								
OCT 29	18.90	DEC 28	17.45	FEB 23	17.79	APR 21	18.69	JUN 18	20.70	JUL 16	20.87
NOV 24	17.59	JAN 20	17.53	MAR 26	17.97	MAY 20	19.89	24	20.81	SEP 16	20.52
DEC 9	19.42								-	70 PO.	2107

405212073354002. Local number, N 6668.1 LOCATION.--Lat 40°52'12°, long 73°35'40°, Hydrologic Unit 02030201, at east side of Piping Rock Road, 58 ft south of Underhill Road, south loop, Matinecock. Owner: United States Geological Survey. AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 43 ft, screened 41 to 43 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 103.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.35 ft above land-surface datum.

PERIOD OF RECORD.--April 1968 to current year. Unpublished records from April 1968 to September 1982 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 74.80 ft NGVD, February 2, 1979; lowest measured, 63.30 ft NGVD, April 22, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER
OCT 20 NOV 19 JAN 4	64.96 64.81 64.63	JAN 21 FEB 23	64.63 64.72	MAR 31 APR 21	64.93 65.13	MAY 17 JUN 17	65.64 66.27	JUN 22 JUL 19	66.31 66.48	AUG 18 SEP 24	66.52 66.45

403517073430702. Local number, N 6702.1

LOCATION.--Lat 40°35'17", long 73°43'06", Hydrologic Unit 02030202, at pumping center, 0.1 miles west of end of Park Street, 300 ft north of Beech Street, in east shelter, Atlantic Beach. Owner: United States Geological

AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 677 ft, screened 666 to 677 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 11.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of


4-in. steel coupling, 1.04 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD.--September 1959 to current year. Unpublished records from September 1959 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, -2.50 ft NGVD, April 13, 1961; lowest measured, -6.58 ft NGVD, November 30, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



403517073430705. Local number, N 6705.1 LOCATION.--Lat 40°35'17", long 73°43'06", Hydrologic Unit 02030202, at pumping center, 0.1 miles west of end of Park Street, 300 ft north of Beech Street, in west shelter, Atlantic Beach. Owner: United States Geological Survey.

AQUIFER. -- Jameco (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 157 ft, screened 147 to 157 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 10.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 2.45 ft above land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- February 1968 to current year. Unpublished records from February 1968 to September 1968 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.12 ft NGVD, March 3, 1969; lowest measured, -2.77 ft NGVD, April 5, 1973.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	1.47	JAN 6	1.09	FEB 26	1.24	APR 26	1.47	JUN 24	1.46	AUG 20	2.05
NOV 30	1.53	28	1.62	MAR 24		MAY 25	1.59	JUL 21	1.83	SEP 16	1.25

403713073415902. Local number, N 6707.1

LOCATION.--Lat 40°37'12", long 73°41'59", Hydrologic Unit 02030202, at Woodsburgh Town Dock parking field, south end of Woodmere Boulevard, on north side of sewage treatment substation, Woodsburgh. Owner: United States Geological Survey.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 503 ft, screened 493 to 503 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 1.08 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- October 1959 to current year. Unpublished records from October 1959 to September 1975 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.52 ft NGVD, March 13, 1961; lowest measured, -1.33 ft NGVD, July 19, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

E	LEVI	ER EL DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE
29	2.	57 NOV 30	2.62	JAN 6	1.92	JAN 28	1.65	FEB 26	2.15	
	5	· · · · · · · · · · · · · · · · · · ·			Т	т т		—т		
	4	•				~	\ \	Λ		1
	3	Λ					VI	//		1
		M		Λ		N	V	V	1/1	
	2	MI	1/1	/ / /	M	1		1	MA	1 -
		MY	111	1	[]	N		/	M /	
	1	- '\)	11	1	1	1		1 10.00		
			V		V					
	0		1	/\						

TIME, IN WATER YEARS

1989

1990

1987 1988

403533073353201. Local number, N 6849.1

LOCATION.--Lat 40°35'33", long 73°35'32", Hydrologic Unit 02030202, at pumping center, north of Lido Boulevard, 0.3 miles west of Loop Parkway, in south shelter, Lido Beach. Owner: United States Geological Survey. AQUIFER.--Raritan (confining unit).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 1,040 ft, screened 1,027 to 1,037 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 7.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 2.36 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

1985

1986

PERIOD OF RECORD. -- February 1968 to current year. Unpublished records from February 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.01 ft NGVD, May 21, 1993; lowest measured, 3.88 ft NGVD, December 22, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 30	6.14 6.07	JAN 15 FEB 25	6.46 6.07	MAR 25 APR 23	6.49	MAY 21 JUN 21	7.01 6.56	JUL 22	.8.34	AUG 20	6.40

403533073353202. Local number, N 6850.2 LOCATION.--Lat 40°35'33", long 73°35'32", Hydrologic Unit 02030202, at pumping center, north of Lido Boulevard, 0.3 miles west of Loop Parkway, in north shelter, Lido Beach. Owner: United States Geological Survey.


AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 913 ft, screened 898 to 909 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 6.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

6-in. steel coupling, 2.58 ft above land-surface datum.
REMARKS.--Water level affected by tidal fluctuation and nearby pumping. Replaced well N 6850.1 in May 1960. PERIOD OF RECORD. -- June 1960 to current year. Unpublished records from June 1960 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.00 ft NGVD, April 13, 1961; lowest measured, 2.69 ft NGVD, October 27, 1980.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405311073331801. Local number, N 6879.1 LOCATION.--Lat 40°53'11", long 73°33'18", Hydrologic Unit 02030201, at west side of private road, 165 ft south of Cleft Road, opposite Horse Shoe Road, Mill Neck. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 131 ft, screened 129 to 131 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel. DATUM .-- Land-surface datum is 131.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.47 ft above land-surface datum.

PERIOD OF RECORD. --April 1962 to current year. Unpublished records from April 1962 to September 1987 are available in files of Long Island Subdistrict Office. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 32.97 ft NGVD, June 22, 1979; lowest measured, 24.82 ft NGVD, October 21, 1966.

					2012						
2.22	WATER	3-1-2	WATER		WATER		WATER		WATER	4.62	WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 26	26.94	DEC 22	26.99	MAR 26	27.48	MAY 21	28.35	JUN 23	28.80	AUG 16	28.67
NOV 24	26.90	JAN 25	27.13	APR 20	27.78	JUN 15	28.73	JUL 19	28.87	SEP 15	28.50
DEC 8	26 94	FFR 19	27 24								

405432073345001. Local number, N 7152.1

LOCATION.--Lat 40°54'33", long 73°34'46", Hydrologic Unit 02030201, at Oak Neck Beach, 35 ft north of Bayville Avenue, east of beach parking field, Bayville. Owner: United States Geological Survey. AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in. to 6 in., depth 370 ft,

screened 360 to 370 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 14.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel nipple, 3.63 ft above land-surface datum.


REMARKS. -- Water level affected by tidal fluctuation and nearby pumping.

PERIOD OF RECORD. -- September 1961 to current year. Unpublished records from September 1961 to September 1975 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 15.74 ft NGVD, February 5, 1962; lowest measured, -5.50 ft NGVD, June 27, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



403856073392603. Local number, N 7161.2

LOCATION.--Lat 40°38'56", long 73°39'26", Hydrologic Unit 02030202, at Rockville Centre Village Dump, south of the end of Riverside Road, 79 ft north of the end of Roxbury Road, northern most well, Rockville Centre.

Owner: Village of Rockville Centre.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in., depth 666 ft, screened 661 to 665 ft.


INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel. DATUM. -- Land-surface datum is 7.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

6-in. steel casing, 2.78 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation and nearby pumping. Replaced well N 7161.1 in September 1961. PERIOD OF RECORD. -- October 1961 to current year. Unpublished records from October 1961 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.03 ft NGVD, March 13, 1962; lowest measured, -2.81 ft NGVD, July 13, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



403855073392402. Local number, N 7207.1 LOCATION.--Lat 40°38'55°, long 73°39'24°, Hydrologic Unit 02030202, at Rockville Centre Village Dump, south of the end of Riverside Road, 44 ft north of the end of Roxbury Road, southern most well, Rockville Centre. Owner: Village of Rockville Centre. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 98 ft, screened 95 to 98 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 8.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. to 2-in. steel reducer, 2.39 ft above land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation and nearby pumping.

PERIOD OF RECORD. -- January 1968 to current year. Unpublished records from January 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.33 ft NGVD, June 30, 1975; lowest measured, 1.47 ft NGVD, January 30, 1970.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 30	3.64	JAN 28 FER 26	3.37	MAR 26	4.12	MAY 25	3.53	JUN 24	3.40	JUL 21	2.74

404237073433701. Local number, N 7493.1

LOCATION. -- Lat 40°42'36", long 73°43'35", Hydrologic Unit 02030202, at west side of Cross Island Parkway exit ramp (Hempstead Turnpike eastbound), 21 ft south of Hempstead Turnpike, Elmont. Owner: Nassau County Department of Public Works.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 353 ft, screened 349 to 353 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 75.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel flange, 2.59 ft above land-surface datum.

PERIOD OF RECORD.--April 1964 to current year. Unpublished records from April 1964 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 24.84 ft NGVD, May 17, 1991; lowest measured, 3.52 ft NGVD, August 8, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404705073394902. Local number, N 7554.2 LOCATION.--Lat 40°47'05", long 73°39'49", Hydrologic Unit 02030202, at Christopher Morley Park, 55 ft east of Searingtown Road, just north of main entrance to park, North Hills. Owner: Port Washington Water District.

AQUIFER.--Magothy (water-table).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 12 in. to 6 in., depth 464 ft, screened 454 to 464 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 190.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 5.57 ft above land-surface datum. REMARKS.--Replaced well N 7554.1 in May 1964.

PERIOD OF RECORD. -- March 1964 to current year. Unpublished records from March 1964 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 50.62 ft NGVD, April 28, 1965; lowest measured,

21.52 ft NGVD, July 18, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
OCT 21 NOV 19	39.95 40.60	JAN 4	40.89 40.66	MAR 25 APR 20	40.83	MAY 13 JUN 15	41.45	JUN 22 JUL 14	38.80 35.18	AUG 18 SEP 23	36.56 36.64
DEC 3	40.93	FEB 25	40.43		10	0011 20					

404947073450301. Local number, N 8046.1

LOCATION.--Lat 40°49'47", long 73°45'03", Hydrologic Unit 02030201, at south side of Pond Road, 85 ft west of Hayworth Drive, eastern most well, Kings Point. Owner: Nassau County Department of Public Works.

AQUIFER.--Port Washington (confined). Previously reported as Jameco Aquifer.

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 189 ft, screened 184 to 189 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 9.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 2.36 ft above land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation. PERIOD OF RECORD. -- May 1966 to current year. Unpublished records from May 1966 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.60 ft NGVD, February 6, 1978; lowest measured, -1.20 ft NGVD, July 19, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	W	ATER EVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24 DEC 8	4	4.10 4.54 3.47	DEC 28 JAN 20 FEB 23	4.70 4.07 4.48	MAR 25 APR 21 MAY 2	4.36 4.73 4.75	MAY 20 JUN 16 18	4.88 3.91 4.06	JUL 16 AUG 16	3.87 4.20	SEP 16 30	4.43 4.41
NGVD	9		1			T	1 1			ı		
10	8	-									-	
REFERENCE	7	-									-	
EET IN	6	-									+	
Z	5	1	1								-	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	4	7	M	1/1/	\mathcal{M}	M	M	M	/ \	M	M	
Ī	3	198	198	V. 5 1986	1987	1988	1989	1990	1991 1	992 1	993	

404947073450201. Local number, N 8052.1 LOCATION.--Lat 40°49'47", long 73°45'03", Hydrologic Unit 02030201, at south side of Pond Road, 91 ft west of Hayworth Drive, western most well, Kings Point. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 94 ft, screened 90 to 94 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 12.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

TIME, IN WATER YEARS

2-in. steel casing, 0.65 ft above land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- May 1966 to current year. Unpublished records from May 1966 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.35 ft NGVD, June 20, 1974; lowest measured,

1.70 ft NGVD, January 22, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29	4.78	DEC 28	4.52	MAR 25	5.02	JUN 16	4.85	JUL 16	4.53	SEP 16	5.01
NOV 24	5.18	JAN 20	4.75	APR 21	5.31	18		AUG 16	4.83	30	5.28

404535073370002. Local number, N 8269.2
Location.--Lat 40°45'35", long 73°37'00", Hydrologic Unit 02030202, at east side of Bacon Road, 106 ft north of Hillside Avenue, south of school entrance, 0ld Westbury. Owner: Nassau County Department of Public Works. AQUIFER.--Magothy (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 4 in., depth 86 ft, screened 81 to 86 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 111.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.15 ft below land-surface datum.

REMARKS.--Prior to April 1967, well was screened in Upper Glacial Aquifer. Well N 1258.1 was replaced by well N 8269.1 in April 1967, which was replaced by well N 8269.2 in June 1976.

PERIOD OF RECORD.--June 1976 to current year. Unpublished records from June 1936 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 74.18 ft NGVD, May 21, 1980; lowest measured, 62.74 ft NGVD, March 16, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404742073410301. Local number, N 8309.1

LOCATION.--Lat 40°47'42", long 73°41'03", Hydrologic Unit 02030201, at east side of Manhasset Woods Road, 73 ft north of Northern Boulevard, Munsey Park. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 199 ft, screened 194 to 199 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 143.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel coupling, 0.15 ft below land-surface datum.
REMARKS.--Replaced well N 1121.2 in March 1967 at same location, unpublished records from March 1940 to March 1967 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- March 1967 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 42.81 ft NGVD, June 20, 1980; lowest measured, 33.07 ft NGVD, September 27, 1989.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WA	TER VEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21 NOV 19 DEC 9	39	.17 .52 .21	JAN 4 20 FEB 25	39.29 39.06 38.85	MAR 26 APR 20	39.51 39.52	MAY 13 JUN 15	39.54 39.20	JUN 24 JUL 14	38.91 38.38	AUG 18 SEP 23	37.64 37.08
	44	F	1	1	1	1	, ,	,	Ť	1		
10	42	-									-	
R LEVEL, IN FEET IN REFERENCE TO NGVD	40	-		M					\mathcal{N}	1	\ \[\frac{1}{2}\]	
FEET IN	38	-	~	~U. /		Λ		SW			\ <u></u>	
LEVEL, IN	36	-/					\wedge					

TIME, IN WATER YEARS

1989

1990

1991

1992

1985

403942073334401. Local number, N 8847.1 LOCATION.--Lat 40°39'42", long 73°33'44", Hydrologic Unit 02030202, at north side of Bedford Avenue, 38 ft east of Babylon Turnpike, Merrick. Owner: Nassau County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

1988

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 1 1/4 in., depth 26 ft, screened 21 to 28 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 16.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.37 ft below land-surface datum.

REMARKS.--Replaced well N 3943.2 in April 1972, which replaced well N 1185.1 in June 1939.

PERIOD OF RECORD.--June 1972 to current year. Unpublished records from June 1972 to September 1987 are

1987

1986

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.62 ft NGVD, March 26, 1993; lowest measured, -1.04 ft NGVD, June 11, 1974.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21	8.04	JAN 4	8.74	FEB 25	8.79	APR 20	9.03	JUN 15	8.09	AUG 18	7.55
NOV 19	8.15		8.72	MAR 26	9.62	MAY 13	8.55	JUL 14	7.64	SEP 23	7.83

76.86 ft NGVD, March 21, 1989.

404702073305601. Local number, N 8888.1
LOCATION.--Lat 40°47'03", long 73°30'56", Hydrologic Unit 02030202, at north side of Miller Place, 59 ft east of Vincent Road, Hicksville. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 111 ft, screened 106 to 111 ft.


INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 174.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 0.49 ft above land-surface datum.

REMARKS.--Replaced well N 1213.1 in October 1972.

PERIOD OF RECORD.--October 1972 to current year. Unpublished records from October 1972 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 94.22 ft NGVD, September 14, 1979; lowest measured,



404757073440401. Local number, N 9099.1 LOCATION.--Lat 40°47°57", long 73°44°04", Hydrologic Unit 02030201, at west side of Middle Neck Road, 33 ft north of Preston Road, Great Neck. Owner: Nassau County Department of Public Works.

of Preston Road, Great Neck. Uwner: Nassau County Department of Fubic Notes.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 71 ft, screened 66 to 71 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 60.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of
4-in. steel coupling, 0.37 ft below land-surface datum.

REMARKS.--Replaced well N 1479.1 in February 1976, which has a period of record from September 1944 to February

1978 unpublished and are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--February 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 24.45 ft NGVD, June 7, 1976; lowest measured, 14.90 ft NGVD, November 26, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WA	TER	Di	ATE	WAT	TER /EL	DATE		WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 29 NOV 24 DEC 8	19	.20 .04 .02	J	EC 28 AN 20 EB 23	19.	.99 .01 .15	MAR APR MAY	21	19.30 19.64 20.15	JUN 16 18	20.37 20.37	JUL 16 AUG 16	20.23 19.81	SEP 16 30	19.60 19.54
	28	F			•		-			,		1		7	
12	26	-												4	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	24	-												.	
ET IN RE	22	-		4							^	\wedge		1	
, IN FE	20	-	}	٩	V	1							M	A	
ER LEVEL	18	-			٧	لر	_/	<u></u>	~						
HHT	16	15	984	198	5	1986	19	87	1988	1989	1990	1991 1	992 1	993	
							T	IME	, IN W	ATER YE	ARS				

404901073443004. Local number, N 9208.2
LOCATION.--Lat 40°49°01°, long 73°44'30°, Hydrologic Unit 02030201, at pumping field, 174 ft south of Wildwood Road, east of Catalina Drive, Kings Point. Owner: Nassau County Department of Public Works.

AQUIFER.--Port Washington (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 96 ft, screened 91 to 96 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 18.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.82 ft below land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.


PERIOD OF RECORD.--June 1977 to current year. Unpublished records from June 1977 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 16.50 ft NGVD, May 23, 1983; lowest measured, 5.68 ft NGVD, April 21, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404232073432501. Local number, N 9979.1
LOCATION.--Lat 40°42'32", long 73°43'25", Hydrologic Unit 02030202, at west side of Wellington Road, 279 ft south of Hempstead Turnpike, Elmont. Owner: Nassau County Department of Public Works.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 95 ft, screened 87 to 92 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 71.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.36 ft below land-surface datum.
REMARKS.--Replaced well N 1622.4 in June 1982.
PERIOD OF RECORD.--December 1982 to current year. Unpublished records from December 1982 to September 1987 are available in files of Long Island Subdistrict Office.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 24.98 ft NGVD, May 17, 1991; lowest measured, 5.39 ft NGVD, April 8, 1983.



47.07 ft NGVD, September 26, 1988.

404338073371502. Local number, N 10035.1
LOCATION.--Lat 40°43'38°, long 73°37'15°, Hydrologic Unit 02030202, at north side of Commercial Avenue, 60 ft east of Clinton Avenue, Garden City. Owner: Nassau County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 56 ft, screened 48 to 53 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 77.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.38 ft below land-surface datum.

REMARKS.--Replaced well N 1255.2 in October 1982, records from May 1913 to October 1982 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--October 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 57.04 ft NGVD, August 8, 1984; lowest measured,

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 19 NOV 19 DEC 21	49.62 49.40 50.19	JAN 14 FEB 18	50.50 50.37	MAR 23 31	50.63 51.17	APR 20 MAY 18	52.05 51.56	JUN 15 JUL 14	50.96 49.87	AUG 23 SEP 20	49.07 48.80
O NGVD	58	Λ		1	1				19		
ENCE TO	56 -	//								.]	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	54 -					~				1	
FEET 1	52	,	\n	۸				1	\	1	
ÆL, IN	50			, /\	\ <u>_</u>				W	1	
TER LEV	48 -			\bigvee	~~	\mathcal{N}				-	
Ŧ.	46 19	84 198	5 1986		1988	1989	1990	1991 1	992 1	993	
				TIM	E, IN W	IATER YE	EARS				

404451073475003. Local number, Q 283.2 LOCATION.--Lat 40°44'51", long 73°47'50", Hydrologic Unit 02030201, at City of New York storage facility, 50 ft south of Underhill Avenue, west of Fresh Meadow Lane, eastern most well, Flushing. Owner: City of New York. AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS.--Drilled steel abandoned public supply well, diameter 26 in., depth 409 ft, screened 309 to 352 ft and 367 to 409 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 27.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel plate, 0.37 ft above land-surface datum.

PERIOD OF RECORD. -- June 1946 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 9.68 ft NGVD, February 23, 1993; lowest measured, -27.40 ft NGVD, September 14, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27 NOV 19	7.19 7.51	JAN 5	8.66 9.13	FEB 23 MAR 23	9.68 8.82	APR 29 MAY 19	9.02 7.92	JUN 23 AUG 23	5.31 4.90	SEP 21	5.68

403624073491601. Local number, Q 287.1 LOCATION.--Lat 40°36'24", long 73°49'16", Hydrologic Unit 02030202, at Broad Channel School, west side of Shad Creek Road, 131 ft south of 9th Road, Broad Channel. Owner: City of New York. AQUIFER. -- Lloyd (confined)

WELL CHARACTERISTICS.--Drilled steel abandoned public supply well, diameter 8 in., depth 725 ft, screen assumed at bottom.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 8.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 8-in. to 4-in. steel reducer bushing, 0.52 ft below land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- January 1944 to current year. Unpublished records from January 1944 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.79 ft NGVD, January 1, 1945; lowest measured, -0.96 ft NGVD, September 5, 1969.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 24	6.64 7.68	DEC 29 JAN 26	7.29 7.28	FEB 24 MAR 25	7.41 7.46	APR 29 JUN 22	7.88 6.46	JUL 14 AUG 23	4.78 5.29	SEP 16	5.55

404541073452601. Local number, Q 470.1

LOCATION.--Lat 40°45'41°, long 73°45'26°, Hydrologic Unit 02030201, at southbound side of Cross Island Parkway, 325 ft south of Northern Boulevard (Rt. 25A), southern most well, Bayside. Owner: City of New York. AQUIFER.--Lloyd (confined)

WELL CHARACTERISTICS. -- Drilled steel abandoned public supply well, diameter 6 in., depth 379 ft, screened 347 to 375 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 13.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel coupling, 0.73 ft above land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- January 1934 to current year. Unpublished records from January 1934 to January 1935, January 1940 to December 1940, and July 1954 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.23 ft NGVD, February 20, 1992; lowest measured, -7.44 ft NGVD, July 29, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 24	7.43 8.33	DEC 29 JAN 20	9.85 10.54	FEB 23 MAR 23	11.14 9.80	MAY 19 JUN 23	7.92 5.47	JUL 15 AUG 16	2.78 4.16	SEP 28	6.47

404541073452602. Local number, Q 471.1 LOCATION.--Lat 40°45'41", long 73°45'26", Hydrologic Unit 02030201, at southbound side of Cross Island Parkway, 313 ft south of Northern Boulevard (Rt. 25A), northern most well, Bayside. Owner: City of New York.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.-- Drilled steel observation well, diameter 8 in., depth 118 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 23.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel flange, 5.22 ft above land-surface datum.

REMARKS .-- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- March 1939 to current year. Unpublished records from March 1939 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 18.15 ft NGVD, April 3, 1991; lowest measured, 12.83 ft NGVD, April 19, 1971.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 24	17.33 17.41	DEC 29 JAN 20	17.64 17.81	FEB 23 MAR 23	18.14 18.05	MAY 19 JUN 23	17.96 17.69	JUL 15 AUG 16	17.58 17.51	SEP 28	17.66

403454073495602. Local number, @ 1071.2

LOCATION.--Lat 40°34'54", long 73°49'56", Hydrologic Unit 02030202, at abandoned pump house, 142 ft north of Rockaway Beach Boulevard (Marks Avenue), between 109th Street and 110th Street, Rockaway Park. Owner: City of New York.

AQUIFER.--Lloyd (confined).
WELL CHARACTERISTICS.--Drilled steel abandoned public supply well, diameter 12 in. to 2 in., depth 836 ft, screened 771 to 836 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 9.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel extension, 2.24 ft above land-surface datum.

REMARKS .-- Water level affected by tidal fluctuation.

PERIOD OF RECORD.--December 1976 to current year. Unpublished records from December 1976 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.73 ft NGVD, March 20, 1992; lowest measured, 1.17 ft NGVD, October 11, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	6.41	DEC 29	6.49	FEB 24 MAR 29	6.89	APR 29	7.54	MAY 19	7.53	JUN 22	6.43

403958073445801. Local number, Q 1187.1 LOCATION.--Lat 40°39'58", long 73°44'58", Hydrologic Unit 02030202, at south side of North Conduit, 1775 ft west of 225th Street, western most well, in ravine, Rosedale. Owner: City of New York. AQUIFER. -- Jameco (confined)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 8 in., depth 130 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 10.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

small hole in 8-in. steel cap, 4.71 ft above land-surface datum.

PERIOD OF RECORD. --November 1968 to current year. Unpublished records from November 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.74 ft NGVD, March 23, 1993; lowest measured, 2.26 ft NGVD, June 22, 1981.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 27	7.46	DEC 30	8.24	FEB 23	8.28	APR 28	8.70	JUN 23	7.88	AUG 24	7.10
NOV 19	7.48	JAN 27	8.20	MAR 23	8.74	MAY 19	8.53	JUL 15	7.41	SEP 21	7.01

403958073445801. Local number, Q 1189.1 LOCATION.--Lat 40°39'58", long 73°44'58", Hydrologic Unit 02030202, at southside of North Conduit, 1790 ft west of 225th Street, eastern most well, in ravine, Rosedale. Owner: City of New York.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 50 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 13.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

small hole in 6-in. steel cap, 1.76 above land-surface datum.
PERIOD OF RECORD.--November 1968 to current year. Unpublished records from November 1968 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.81 ft NGVD, June 21, 1989; lowest measured, 1.86 ft NGVD, December 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27	5.94	DEC 30	6.90	FEB 24	6.83	APR 28	7.31	JUN 23	6.43	AUG 24	5.77
NOV 19	6.06	JAN 27		MAR 23	7.50	MAY 19	6.97	JUL 15	6.17	SEP 21	5.66

403959073474401. Local number, Q 1237.1 LOCATION.--Lat 40°39°59°, long 73°47°44°, Hydrologic Unit 02030202, at south side of exit ramp from John F. Kennedy International Airport, just east of Van Wyck Expressway approach ramp, South Ozone Park. Owner: City of New York.

AQUIFER. -- Jameco (confined)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 8 in., depth 227 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 27.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. to 1 1/4-in. steel reducer, 0.88 ft below land-surface datum.

PERIOD OF RECORD. -- December 1950 to current year. Unpublished records from December 1950 to September are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.24 ft NGVD, April 16, 1991; lowest measured, -4.55 ft NGVD, July 1, 1969.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 19	4.15 4.93	DEC 30 JAN 27	5.17 4.88	FEB 23 MAR 23	4.71 4.53	APR 28 MAY 19	3.35 2.78	AUG 24	4.39	SEP 21	3.35

404240073443401. Local number, Q 1249.1 LOCATION.--Lat 40°42'40°, long 73°44'34°, Hydrologic Unit 02030202, at west side of 216th Street, 42 ft north of 106th Avenue, Queens Village. Owner: City of New York.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 88 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 72.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel coupling, 0.36 ft above land-surface datum.

PERIOD OF RECORD. --October 1940 to current year. Unpublished records from October 1940 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 33.41 ft NGVD. September 26, 1946; lowest measured, -5.67 ft NGVD, March 8, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	18.43	JAN 5	18.32	FEB 24	18.42	APR 28	18.94	JUN 23	19.21	AUG 24	18.36
NOV 19	18.48		18.30	MAR 25	18.61	MAY 19	19.16	JUL 15	18.95	SEP 21	17.87

404302073481601. Local number, Q 1812.1 LOCATION.--Lat 40°43'02", long 73°48'16", Hydrologic Unit 02030202, at west side of 164th Street, 670 ft south of Goethals Avenue, at Queens General Hospital, Jamaica. Owner: Queens General Hospital.

AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled unused steel diffusion well, diameter 12 in., depth 250 ft, screened 195 to 245 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 115.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling at end of 2-in. steel extension, 0.93 ft below land-surface datum.

PERIOD OF RECORD.--January 1982 to current year. Unpublished records from January 1982 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.11 ft NGVD, April 15, 1992; lowest measured,

-12.80 ft NGVD, December 17, 1984.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	14.62	DEC 30	15.07	FEB 23	15.07	APR 29	15.28	JUN 23		AUG 23	14.84
NOV 19	14.43	JAN 27	15.27	MAR 23	14.86	MAY 19	15.31	JUL 15		SEP 21	15.12

403957073495001. Local number, Q 2324.1 LOCATION.--Lat 40°39'57", long 73°49'50", Hydrologic Unit 02030202, at north side of North Conduit Avenue, 66 ft east of entrance to Aqueduct Race Track, South Ozone Park. Owner: New York Racing Association. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 1/2 in., depth 91 ft, screen assumed at bottom.


INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 22.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 1/2-in. steel coupling, 0.04 ft above land-surface datum. PERIOD OF RECORD.--March 1959 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.19 ft NGVD, June 20, 1989; lowest measured, -3.40 ft NGVD, May 25, 1959.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 27	4.42	DEC 29	4.73	FEB 24	4.51	APR 29	4.96	JUN 22	4.58	AUG 23	4.36
NOV 24	4.52	JAN 26	4.64	MAR 26	4.83	MAY 19	4.86	JUL 14	4.43	SEP 16	4.11

404451073475002. Local number, Q 2348.1
LOCATION.--Lat 40°44′551°, long 73°47′50°, Hydrologic Unit 02030201, at City of New York storage facility, 55 ft south of Underhill Avenue, west of Fresh Meadow Lane, western most well, Flushing. Owner: City of New York. AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 17 ft, screened 12 to 17 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 29.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.98 ft above land-surface datum.
PERIOD OF RECORD.--August 1960 to current year. Unpublished records from August 1960 to September 1975 are available in files of Long Island Subdistrict Office.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.97 ft NGVD, March 23, 1993; lowest measured, 13.18 ft NGVD, February 25, 1983.



404025073463801. Local number, Q 2422.1 LOCATION.--Lat 40°40'25°, long 73°46'38°, Hydrologic Unit 02030202, at Jamaica Water Supply Pumping Center, 140 ft west of Guy R. Brewer Boulevard, just south of 132nd Avenue, Jamaica. Owner: Jamaica Water Supply Company.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 8 in., depth 370 ft, screened 342 to 362 ft.


INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 21.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 8-in. steel nipple at yellow arrow, 1.21 ft above land-surface datum.

PERIOD OF RECORD.--May 1964 to current year. Unpublished records from May 1964 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.16 ft NGVD, November 28, 1990; lowest measured, -5.65 ft NGVD, September 7, 1970, and September 9, 11, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404624073483501. Local number, Q 2791.1 LOCATION.--Lat 40°46'24", long 73°48'35", Hydrologic Unit 02030201, at Saint Mel's Roman Catholic Church, north side of 27th Avenue, 173 ft east of 154th Street, under steel doors, Flushing. Owner: Saint Mel's Roman Catholic Church.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel public supply well, diameter 6 in., depth 76 ft, screened 68 to 76 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 90.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Edge of

1/4-in. access hole in steel cap, 3.27 ft below land-surface datum.

PERIOD OF RECORD. -- May 1981 to current year. Unpublished records from May 1981 to September 1987 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 58.23 ft NGVD, June 27, 1984; lowest measured, 50.17 ft NGVD, April 2, 1986.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	53.75 53.70	MAR 23	55.35 56.07	JUN 23	55.53	JUL 16	54.88	AUG 23	54.63	SEP 21	54.41

403932073482901. Local number, Q 3109.1 LOCATION.--Lat 40°39'32", long 73°48'29", Hydrologic Unit 02030202, at John F. Kennedy International Airport, in grassy area at Federal Cricle, 160 ft west of Federal Circle Loop Road, near Bergan Road split, just east of Van Wyck Expressway, northern most well, South Ozone Park. Owner: New York Port Authority. AQUIFER.—Magothy (confined).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 400 ft, screened 290 to 310 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 22.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. PVC coupling, 1.30 ft below land-surface datum. REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- December 1981 to current year. Unpublished records from December 1981 to September 1987 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.83 ft NGVD, October 26, 1990; lowest measured, -1.32 ft NGVD, September 26, 1983.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	2.93	DEC 29	3.06	FEB 24	3.03	APR 29	2.91	JUN 22	1.67	AUG 23	2.78
NOV 24	3.56	JAN 26	2.73	MAR 25	3.48	MAY 19	2.61	JUL 14	1.34	SEP 16	2.33

403932073482902. Local number, Q 3114.1
LOCATION.--Lat 40°39'32", long 73°48'29", Hydrologic Unit 02030202, at John F. Kennedy International Airport, in grassy area at Federal Circle, 160 ft west of Federal Circle Loop Road, near Bergan Road split, just east of Van Wyck Expressway, southern most well, South Ozone Park. Owner: New York Port Authority.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 31 ft, screened 29 to 31 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 21.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.26 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation.

PERIOD OF RECORD.--December 1981 to current year. Unpublished records from December 1981 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.30 ft NGVD, April 30, 1984; lowest measured, 0.48 ft NGVD, October 4, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	2.93	DEC 29	3.32	FEB 24	2.89	APR 29	3.66	JUN 22	3.14	AUG 23	2.73
NOV 24	3.09	JAN 26	3.08	MAR 25	3.46	MAY 19	3.55	JUL 14	2.94	SEP 16	

404631073543901. Local number, Q 3121.1
LOCATION.--Lat 40°46'31", long 73°54'39", Hydrologic Unit 02030201, at south side of 24th Avenue, 62 ft west of 32nd Street, Astoria. Owner: United States Geological Survey.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 47 ft, screened 44 to 47 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 50.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.14 ft above land-surface datum.

PERIOD OF RECORD. -- September 1980 to current year. Unpublished records from September 1980 to September 1982 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 26.54 ft NGVD, June 27, 1984; lowest measured, 19.83 ft NGVD, October 15, 1985.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	
OCT 28 NOV 24	23.46 23.84	DEC 29 JAN 27	24.37 23.61	FEB 23 MAR 23	23.58 23.82		24.39 24.34	JUN 23 JUL 15	24.19 24.06	AUG 23 SEP 21	24.02 23.89	

WATER

WATER

404516073550201. Local number, Q 3122.1
LOCATION.--Lat 40°45'16", long 73°55'02", Hydrologic Unit 02030201, at east side of 29th Street, 42 ft south of 38th Avenue, Long Island City. Owner: United States Geological Survey.

AQUIFER.--Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 47 ft, screened 44 to 47 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 45.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.09 ft above land-surface datum. PERIOD OF RECORD. -- September 1980 to current year. Unpublished records from September 1980 to September 1987 are available in files of Long Island Subdistrict Office. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 15.27 ft NGVD, December 22, 1980; lowest measured, 11.72 ft NGVD, September 22, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 28	13.06	DEC 29	13.14	FEB 23	13.18	APR 29	13.57	JUN 23	13.65	AUG 23	13.53
NOV 24	12.97	JAN 27	13.15	MAR 23	13.12	MAY 20	13.66	JUL 15	13.62	SEP 21	13.49

404112073500901. Local number, Q 3160.1 LOCATION.--Lat 40°41'12", long 73°50'09", Hydrologic Unit 02030202, at west side of 108th Street, 196 ft south of 101st Avenue, Woodhaven. Owner: City of New York. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 65 ft, screened 60 to 65 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel. DATUM. --Land-surface datum is 45.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.22 ft below land-surface datum. PERIOD OF RECORD.--March 1984 to current year. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 12.31 ft NGVD, June 13, 1991; lowest measured, 6.08 ft NGVD, March 2, 1984.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

WATER

WATER

WATER

WATER

DATE	LE	VEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 27 NOV 19		.07 .95	DEC 3 JAN 2		FEB 23 MAR 23	11.41 11.30	APR 28 MAY 19	12.06 12.11	JUN 23 JUL 15	11.68 11.43	AUG 24 SEP 21	10.87 10.57
NGVD	18	F	-	1300	T	T 266	, ,			100	7	
12	16	-									4	
ERENCE	14	-									1	
REF		-									-	VIE O
IN FEET IN REFERENCE TO NGVD	12	-						V	1	\ ~	1	
	10	-								~		
WATER LEVEL,	8	-	1	\			_~					
*	6	19	84 19	85 198	6 1987	1988	1989	1990	1991 1	992 1	993	
					TIM	E, IN	MATER YE	EARS				

404119073463601. Local number, Q 3162.1 LOCATION.--Lat 40°41'19", long 73°46'36", Hydrologic Unit 02030202, at east side of 172nd Street, 66 ft north of 116th Avenue, Rochdale Village. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 44 ft, screened 39 to 44 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel. DATUM.--Land-surface datum is 27.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.32 ft below land-surface datum.
PERIOD OF RECORD.--March 1984 to current year. Unpublished records from March 1984 to September 1987 are

available in files of Long Island Subdistrict Office. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 15.53 ft NGVD, June 21, 1989; lowest measured, 9.62 ft NGVD, May 15, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27	13.08	DEC 30	14.10	FEB 23	13.88	APR 28	14.42	JUN 23	13.56	AUG 24	13.19
NOV 19	13.16	JAN 27	13.93	MAR 23	14.58	MAY 19	14.03	JUL 15	13.36	SEP 21	12.99

404143073482701. Local number, Q 3165.1 LOCATION.--Lat 40°41'43", long 73°48'27", Hydrologic Unit 02030202, at east side of Liverpool Street, 54 ft north of 101st Avenue, Jamaica. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 65 ft, screened 60 to 65 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 41.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.59 ft below land-surface datum.

PERIOD OF RECORD. --March 1984 to current year. Unpublished records from March 1984 to September 1987 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.27 ft NGVD, June 13, 1991; lowest measured,

7.28 ft NGVD, March 2, 1984.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	15.99	DEC 30	16.33	FEB 23	16.47	APR 28	17.16	JUN 23	16.78	AUG 24	16.22
NOV 19	15.91	JAN 27	16.42	MAR 23	16.51	MAY 19	17.17	JUL 15	16.61	SEP 21	15.93

404213073201001. Local number, S 1803.4 LOCATION.--Lat 40°42'13", long 73°20'10", Hydrologic Unit 02030202, at north side of State Route 109, west of Little East Neck Road, on median, Babylon. Owner: New York State Department of Transportation. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven steel observation well, diameter 1 1/4 in., depth 19 ft, screened 16 to 19 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 23.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.08 ft above land-surface datum.

REMARKS.--Replaced well S 1803.3 in November 1975 at same location. Unpublished records from October 1912 to November 1914, August and September 1932, and June 1938 to September 1975, for wells S 1803.1 to S 1803.3 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- November 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 19.87 ft NGVD, May 23, 1983; lowest measured, 13.06 ft NGVD, July 26, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WA	TER VEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 19 NOV 19 DEC 21	15	.80 .83 .31	JAN 14 FEB 18	17.08 17.07	MAR 26 31	17.98 18.01	APR 20 MAY 18	17.54 16.77	JUN 15 JUL 14	16.17 15.48	AUG 23 SEP 20	14.97 15.24
TO NGVD	20		T .		-		1	ant-		A STATE OF THE STA		
12	19	-									3.0	1 100
IN REFERENCE	18	F. /	1				1	1			A	
EET IN	17	-1	W	.//	M	M	MV	WV	M	. 1	/\	
CL, IN FEET	16	1		\\\] \			HE SHIP	\/\/	M		
WATER LEVEL,	15			V							V	
Æ	14	1984	1985	1986	1987	1988	1989		1991 1	992 1	993	

404301073240901. Local number, S 1805.4
LOCATION.--Lat 40°43'01", long 73°24'09", Hydrologic Unit 02030202, at south side of State Route 109, west of Albany Avenue, Maywood. Owner: New York State Department of Transportation.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 33 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 57.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel casing, 2.02 ft above land-surface datum.

REMARKS.--Replaced well S 1805.3 in October 1953 at same location. Unpublished records from October 1912 to September 1975 for wells S 1805.1 to S 1805.3 are available in files of Long Island Subdistrict Office. PERIOD OF RECORD. -- October 1953 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 46.47 ft NGVD, August 27, 1984; lowest measured, 35.79 ft NGVD, December 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 19 NOV 19 DEC 21	40.08 39.67 40.65	JAN 14 FEB 18	41.25 41.24	MAR 26 31	42.14 42.65	APR 20 MAY 18	43.88 43.37	JUN 15 JUL 14	42.54 41.48	AUG 23 SEP 20	39.96 39.23
	48	-	-	1	'	•		-	1		
)E T0	46 -	M								-	
REFERENC	44	1/1				1	\ \ \ \	M			
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	42			Λ			VV	M	,	/ \}	
IN F	40		\\\\		1~			,	W	A	
LEVEL	38 -			\bigvee	V /	5				1	
WATER	36	984 198	5 1986	1987	1988	1989	1990	1991 1	992 1	993	
						ATER YE					

404442073240501. Local number, S 1806.3

AUA4420/3240501. Local number, S 1805.3

LOCATION.--Lat 40°44'42", long 73°24'05", Hydrologic Unit 02030202, at west side of Wellwood Avenue, north of Conklin Street, south of railroad tracks, Pinelawn. Owner: Suffolk County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 1 1/4 in., depth 45 ft, screened 41 to 45 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 85.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.19 ft below land-surface datum.

REMARKS.--Replaced well S 1806.2 in August 1977 at same location. Unpublished records for October 1912 to November 1914, and May to September 1975, for wells S 1806.1 to S 1806.2 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--August 1977 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.37 ft NGVD, June 20, 1984; lowest measured, 50.50 ft NGVD, October 26, 1988.

DATE	WA	TER VEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 19 NOV 19 DEC 21	53	.77 .34 .22	JAN 14 FEB 18	55.05 54.86	MAR 25 31	55.22 55.86	APR 20 MAY 18	57.36 56.64	JUN 15 JUL 14	55.77 54.74	AUG 23 SEP 20	53.37 52.73
TO NGVO	72	E	1	L			1	-	-11	=1,==	3	
	68	E									3	
FERENCE	64									17		
IN FEET IN REFERENCE	60	F /	\									
	56		/	\ .	Λ		\sim	WW	T	لممي	1	
WATER LEVEL,	52			\sim	\ \	5				~		
WAT	48	1984	1985	1986	1987	1988	1989	1990 1	991 1	992 19	93	
					TIME	, IN WA	TER YE	ARS				

404319073184601. Local number, S 1807.5 LOCATION.--Lat 40°43'19", long 73°18'46", Hydrologic Unit 02030202, at east side of Higbie Lane, north of Martin Drive, West Islip. Owner: Town of Islip.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven steel observation well, diameter 1 1/4 in., depth 21 ft, screened 19 to 21 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.


DATUM. -- Land-surface datum is 23.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel coupling, 0.21 ft above land-surface datum.

REMARKS. -- Replaced well S 1807.4 in July 1976 at same location. Unpublished records for October 1912 to November 1914, August 1932 to June 1933, and June 1936 to September 1975, for wells S 1807.1 to S 1807.4 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--July 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.30 ft NGVD, January 24, 1979; lowest measured, 19.26 ft NGVD, July 26, 1976.



404221073164901. Local number, S 1808.4
LOCATION.--Lat 40°42'21°, long 73°16'49°, Hydrologic Unit 02030202, at Manor and Bardolier Lanes, West Islip.
Owner: Town of Islip.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 11 ft, screened 10 to 11 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 13.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of
1 1/4-in. steel coupling, 0.29 ft below land-surface datum.
REMARKS.--Replaced well S 1808.3 in July 1984 at same location. Unpublished records from October 1912 to
September 1975, for wells S 1808.1 to S 1808.3 are available in files of Long Island Subdistrict Office.
PERIOD OF RECORD.--July 1984 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.40 ft NGVD, April 26, 1989; lowest measured,
9.07 ft NGVD, August 23, 1993.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WA	TER VEL	DA	ΓE	WATER	?	DATE	N.	ATER LEVEL		DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 19 NOV 19 DEC 21	9 10	.60 .70 .65	JAI FEI	14 18 18	9.50 10.71	1	MAR 2	6 1	11.23		APR 20 MAY 18	10.44 9.99	JUN 15 JUL 14	9.70 9.33	AUG 23 SEP 20	9.07 9.40
NGVD	15	Г						1		1			-	T	1	
10	14	F										24.1				
REFERENCE	13	-													24	
NI II	12	-													-	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	11	-	1	√ √	1	7	M		M	1	Λ	W	M	M		
Ī	9	15	984	1985	5 19	986	198	7	1988	1	1989	1990	1991 1	992 1	993	
							TI	ME,	IN	MA.	TER YE	EARS				

404351073164901. Local number, \$ 1809.4 LOCATION.--Lat 40°43'51°, long 73°16'49°, Hydrologic Unit 02030202, at recharge basin at south east corner of Muncey Road and Manor Lane, Bay Shore. Owner: Town of Islip.

AQUIFER. -- Upper Glacial (water-table).
WELL CHARACTERISTICS. -- Augered PVC observation well, diameter 2 in., depth 29 ft, screened 26 to 29 ft.

INSTRUMENTATION. --Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 42.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.45 ft below land-surface datum.

REMARKS. --Replaced well S 1809.3 in March 1981 at same location. Unpublished records for October 1912 to November 1914, and August 1932 to September 1975, for wells S 1809.1 to S 1809.3 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD.--March 1981 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 32.97 ft NGVD, June 23, 1989; lowest measured, 24.92 ft NGVD, September 26, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WA	TER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 19 NOV 19 DEC 21	26	.97 .81 .38	JAN 14 FEB 18	28.61 28.76	MAR 25 31	29.78 30.02	APR 20 MAY 18	30.25 29.51	JUN 15 JUL 14	28.54 28.31	AUG 23 SEP 20	25.96 25.81
NGVD	36	F		1	T	1	, ,		Ţ	1		
13	34	-									-	
IN REFERENCE	32		\bigwedge				Λ	\^\	\mathcal{N}_{γ}		\ \ - \ \ \ - \ \ \ \ \ \ \ \ \ \ \ \ \	
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	28			$\backslash \wedge$	\bigwedge	$ \langle $		V V	4	Jun	/\-	
WATER	24	1	984 198	5 1986	1987 TIM	1988 E, IN P	1989 HATER YE	1990 CARS	1991 1	992 1	993	

404614073164401. Local number, S 1810.4
LOCATION.--Lat 40°46'14", long 73°16'44", Hydrologic Unit 02030202, at west side of North Gardiner Drive at house
1712, south of Pine Aire Drive, Pine Aire. Owner: United States Geological Survey.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 55 ft, screened 52 to 55 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 90.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 1.00 ft below land-surface datum.

REMARKS.--Replaced well S 1810.3 in November 1975 at same location. Unpublished records from October 1912 to

November 1914, and August 1932 to September 1975, for wells S 1810.1 to S 1810.3 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- November 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 56.28 ft NGVD, July 23, 1984; lowest measured, 46.86 ft NGVD, October 26, 1988.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	WA	in Lever,	111 1 11	THE ENDINCE	io navo,	WATER TOWN	OCTODEN 1	002 10 02			
DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 19 NOV 19 DEC 21	50.56 50.19 50.63	JAN 14 FEB 18	51.00 51.15	MAR 23 31	51.49 51.82	APR 20 MAY 18	52.96 52.83	JUN 15 JUL 14	52.28 51.48	AUG 23 SEP 20	50.48 50.14
OASN	58			T	1						
IN REFERENCE TO NGVD	56 -	\wedge					, , /	4		1	
REFEREN	54 -	1				~	\\\\\\			1	
ET IN	52							/	\	\mathcal{M}	
, IN FEET	50 -		1	\wedge					~\\		

TIME, IN WATER YEARS

1989

1990

1991

1992

1988

1985

1986

1987

1984

WATER LEVEL

48

46

404957073073401. Local number, S 1811.2 LOCATION.--Lat 40°49'57°, long 73°07'37°, Hydrologic Unit 02030202, at Shore Road, south of Smithtown Boulevard, north of Lake Ronkonkoma, Lake Ronkonkoma. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Drilled PVC observation well, diameter 2 in., depth 31 ft, screend 28 to 31 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 57.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.17 ft below land-surface datum.

REMARKS. -- Replaced well S 1811.1 in March 1987 at same location. Unpublished records form April 1937 to September 1978 for well S 1811.1 are available in files of Long Island Subdistrict Office. PERIOD OF RECORD .-- March 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 57.92 ft NGVD, June 6, 1991; lowest measured, 53.29 ft NGVD, September 30, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	55.48 55.49	JAN 6	56.24 56.24	MAR 2	56.33 56.86	APR 28 MAY 20	56.98 56.66	JUN 18 JUL 16	56.24 55.68	AUG 26 SEP 28	55.07 55.08

404958073085001. Local number, S 1812.3 LOCATION.--Lat 40°49'58°, long 73°08'50°, Hydrologic Unit 02030202, at southwest corner of Smithtown Boulevard and Nichols Road, Ronkonkoma. Owner: United States Geological Survey.


AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 50 ft, screened 46 to 50 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 69.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.68 ft below land-surface datum.
REMARKS.--Replaced well S 1812.2 in May 1982 at same location. Unpublished records from April 1937 to September 1975 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- May 1982 to current year. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 51.34 ft NGVD, July 23, 1984; lowest measured, 42.23 ft NGVD, October 20, 1988.



404737073112303. Local number, S 1814.3
LOCATION.--Lat 40°47'37°, long 73°11'23°, Hydrologic Unit 02030202, at northwest corner of Suffolk Avenue and Dovecott Lane, Central Islip. Owner: United States Geological Survey.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 54 ft, screened 51 to 54 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 63.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of


2-in. PVC coupling, 0.35 ft below land-surface datum.

REMARKS.--Replaced well S 1814.2 in May 1982 at same location, unpublished records from November 1939 to September 1975 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- September 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 41.50 ft NGVD, June 12, 1984; lowest measured, 35.15 ft NGVD, September 27, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993




405146073031801. Local number, S 3513.1 LOCATION.--Lat 40°51'46", long 73°03'18", Hydrologic Unit 02030202, at south side of State Route 25, 235 ft west of High View Drive, Selden. Owner: New York Department of Transportation. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled unused steel well, diameter 8 in. to 4 in., depth 65 ft, screened 63 to 65 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel. DATUM. --Land-surface datum is 101.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. to 1 1/4-in. steel reducer, 1.31 ft above land-surface datum.

PERIOD OF RECORD.—April 1942 to current year.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 69.91 ft NGVD, May 29, 1979; lowest measured,

56.06 ft NGVD, March 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404812073004101. Local number, S 3521.1
LOCATION.--Lat 40°48'12°, long 73°00'41°, Hydrologic Unit 02030202, at west side of Old Medford Avenue, 237 ft north of Cedar Avenue, Medford. Owner: Town of Brookhaven.

AQUIFER.--Upper Glacial (water-table).


WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 50 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 71.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.77 ft above land-surface datum.

PERIOD OF RECORD.--January 1907 to current year. Unpublished records from January 1907 to July 1909, April 1942 to September 1975, are available in files of Long Island Subdistrict Office.


EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 40.75 ft NGVD, March 27, 1979; lowest measured, 34.38 ft NGVD, October 26, 1966.



404806072553802. Local number, S 3529.2
LQCATION.--Lat 40°48'01", long 72°55'38", Hydrologic Unit 02030202, at entrance to Brookhaven Landfill, south of Horseblock Road, South Yapank. Owner: United States Geological Survey.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 45 ft, screened 41 to 45 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 34.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 3.11 ft above land-surface datum.
PERIOD OF RECORD.--December 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 29.59 ft NGVD, June 14, 1984; lowest measured, 22.94 ft NGVD, October 24, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405037072390301. Local number, S 3543.1
LOCATION.--Lat 40°50'37°, long 72°39'03°, Hydrologic Unit 02030202, at Stewart Avenue, 0.25 miles west of Old Riverhead Road, 226 ft north on dirt path, West Hampton. Owner: City of New York.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 58 ft, screened 56 to 58 ft.


INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 64.1 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.34 ft above land-surface datum.

PERIOD OF RECORD.--March 1907 to December 1909, April 1942 to April 1943, January 1947 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 22.53 ft NGVD, July 23, 1984; lowest measured, 14.94 ft NGVD. November 25, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405145072592501. Local number, S 3870.1
LOCATION.--Lat 40°51'45°, long 72°59'25°, Hydrologic Unit 02030202, at south side of Coram Yapank Road, 115 ft west of Overton Road, Coram. Owner: Town of Brookhaven.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 43 ft, screen assumed at bottom.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 87.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 1.11 ft above land-surfale datum.

PERIOD OF RECORD.--January 1954 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 61.86 ft NGVD, June 27, 1979; lowest measured, 49.54 ft NGVD, October 26, 1966.

DATE	WATER LEVEL	NATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	55.35 55.18	55.29 55.42	MAR 2 29	55.66 55.01	APR 28 MAY 20	57.78 56.98	JUN 18 JUL 16	56.92 56.71	AUG 26 SEP 28	56.24 55.87

405343073055004. Local number, S 3955.4 LOCATION.--Lat 40°53'43", long 73°05'50", Hydrologic Unit 02030201, at west side of Mark Tree Road, south of Pond Path, Setauket. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 80 ft, screened 76 to 80 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel.


DATUM. --Land-surface datum is 123.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.24 ft below land-surface datum.

REMARKS. -- Replaced well S 3955.3 in April 1975 at same location. Unpublished records from September 1944 to September 1975 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- April 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 60.23 ft NGVD, June 21, 1979; lowest measured, 51.70 ft NGVD, March 22, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405743072425701. Local number, S 4271.1 LOCATION.--Lat 40°57'43°, long 72°42'57°, Hydrologic Unit 02030202, at Long Island Research Farm, Horton Avenue south of Sound Avenue, Riverhead. Owner: United States Geological Survey.


AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 105 ft, screened 100 to 105 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 100.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.04 ft above land-surface datum.

PERIOD OF RECORD. -- August 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 14.25 ft NGVD, August 12, 1984; lowest measured, 8.16 ft NGVD, September 5, 1966.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405607072393502. Local number, S 4523.2 LOCATION.--Lat 40°56'07", long 72°39'35", Hydrologic Unit 02030202, at west side of Northville Turnpike, 94 ft south of Old Country Road, Riverhead. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 13 ft, screen assumed at bottom.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 17.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC casing, 0.01 ft below land-surface datum.

PERIOD OF RECORD. -- September 1981 to current year. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 12.43 ft NGVD, June 22, 1984; lowest measured, 6.79 ft NGVD, September 14, 1981.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27	9.41	DEC 29	9.99	MAR 2	10.01	APR 23	10.42	JUN 29	9.42	AUG 25	8.71
NOV 17	9.54	JAN 29	9.95		10.44	MAY 18	10.00	JUL 15	9.06	SEP 28	9.37

405149072532201. Local number, \$ 5517.1
LOCATION.--Lat 40°51'49°, long 72°53'22°, Hydrologic Unit 02030202, at northwest corner of Princeton Avenue and Upton Road, 77 ft south of parking field. Owner: Brookhaven National Laboratory.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 91 ft, screened 85 to 91 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel. DATUM.--Land-surface datum is 115.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel casing, 0.04 ft above land-surface datum. PERIOD OF RECORD.--April 1948 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 46.93 ft NGVD, June 25, 1958; lowest measured, 33.34 ft NGVD, March 1, 1967.



TIME, IN WATER YEARS

405650072541801. Local number, S 6411.1 LOCATION.--Lat 40°56'50°, long 72°54'18°, Hydrologic Unit 02030202, at south side of State Route 25A, 86 ft east of Ridge Road, Shoreham. Owner: Brookhaven National Laboratory.

AQUIFER. -- Upper Glacial (water-table).

42.40 ft NGVD, March 1, 1967.

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 149 ft, screened 143 to 149 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.


DATUM.--Land-surface datum is 138.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 1.73 ft above land-surface datum.

PERIOD OF RECORD. -- November 1948 to current year. Unpublished records from November 1948 to September 1975 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 34.49 ft NGVD, July 26 and August 28, 1979; lowest measured, 25.15 ft NGVD, December 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405308072553101. Local number, S 6413.1 LOCATION.--Lat 40°53'08", long 72°55'31", Hydrologic Unit 02030202, at south side of State Route 25, 70 ft east of Woodville Road, Middle Island. Owner: New York State Department of Transportation. AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 108 ft, screened 103 to 108 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 93.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel meter box rim at yellow arrow, 0.13 ft above land-surface datum. PERIOD OF RECORD .-- January 1954 to current year.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 54.16 ft NGVD, April 12, 1979; lowest measured,

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	50.79	DEC 29	50.41	MAR 2 23	50.28	APR 23	51.02	JUN 29	50.96	AUG 25	50.90
NOV 17	50.66	JAN 29	50.27		51.07	MAY 18	51.00	JUL 15	50.96	SEP 28	50.78

405222072523301. Local number, S 6431.1 LOCATION.--Lat 40°52°23°, long 72°52°36°, Hydrologic Unit 02030202, at northwest corner of Thomson Road and Forth Avenue, Brookhaven National Laboratory, Upton. Owner: Brookhaven National Laboratory.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 125 ft, screened 121 to 125 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 87.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel casing at yellow arrow, 1.48 ft below land-surface datum.

PERIOD OF RECORD.--January 1953 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 48.98 ft NGVD, April 12, 1979; lowest measured, 39.14 ft NGVD, September 16, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 27 NOV 17	41.94	DEC 29 JAN 29	41.96 42.25	MAR 2	42.63 42.92	APR 23	44.39	JUN 29 JUL 15	44.39 44.02	AUG 25 SEP 28	43.11 42.45

405223072523401. Local number, S 6434.1

LOCATION.--Lat 40°42'23", long 72°52'34", Hydrologic Unit 02030202, at northeast corner of Thomson Road and Forth Avenue, in pump shed, Brookhaven National Laboratory, Upton. Owner: Brookhaven National Laboratory. AQUIFER.--Lloyd (confined).

WELL CHARACTERISTICS .-- Drilled steel public supply well, diameter 10 in., depth 1,395 ft, screened 1,312 to 1,392 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 85.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Hole in flange at yellow arrow, 2.07 ft above land-surface datum. PERIOD OF RECORD.—-August 1949 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 36.11 ft NGVD, July 12, 1979; lowest measured, 28.74 ft NGVD, March 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	31.75 31.57	DEC 29 JAN 29		MAR 2	32.11 32.19	APR 23	32.94	JUL 15	32.44	AUG 25	31.05

405223072523403. Local number, S 6455.1 LOCATION.--Lat 40°52'23°, long 72°52'34°, Hydrologic Unit 02030202, at northeast corner of Thomson Road and Forth Avenue, under manhole cover, Brookhaven National Laboratory, Upton. Owner: Brookhaven National Laboratory.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 962 ft, screened 952 to 962 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 85.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel casing, 0.45 ft below land-surface datum.

PERIOD OF RECORD.--July 1949 to June 1952, January 1954 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.50 ft NGVD, April 2, 1979; lowest measured, 33.82 ft NGVD, December 27, 1968 and March 1, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	37.47	DEC 29	37.85	MAR 2	38.41	APR 23	39.69	JUN 29	39.15	AUG 25	38.25
NOV 17	37.43	JAN 29	38.25		38.56	MAY 18	39.50	JUL 15	38.78	SEP 28	37.90

410247072261101. Local number, S 6524.1

LOCATION. --Lat 41°02'47", long 72°28'11", Hydrologic Unit 02030202, at Bayview Avenue and Route 25, Southold.

Owner: Southold Fire Department.

AQUIFER. -- Upper Glacial (water-table)

WELL CHARACTERISTICS.--Driven steel fire-protection well, diameter 6 in., depth 40 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 5.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top edge of 6-in. steel casing, inside elbow extension, 2.99 ft above land-surface datum.

PERIOD OF RECORD .-- July 1949 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.43 ft NGVD, May 7, 1958; lowest measured, -1.99 ft NGVD, October 2, 1972.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	1.44 1.21	DEC 29 JAN 29	1.98 1.76	MAR 2	2.01	APR 23 MAY 18	2.60 2.11	JUN 30 JUL 15	1.74 1.56	AUG 25 SEP 28	1.50

405835072325601. Local number, S 6558.1 LOCATION.--Lat 40°58'35", long 72°32'56", Hydrologic Unit 02030201, at Route 25, firewell, 244 ft east of railroad tracks, Mattituck. Owner: Mattituck Fire Department.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel fire-protection well, diameter 6 in., depth 38 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 14.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top edge

of 6-in. steel casing, inside elbow extension, 1.04 ft above land-surface datum.

PERIOD OF RECORD. -- July 1949 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.45 ft NGVD, March 29, 1973; lowest measured, 1.06 ft NGVD, September 22, 1971.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	4.51	DEC 29 JAN 29	5.08 5.26	MAR 2	5.47 5.81	APR 23 MAY 18	6.48	JUN 30 JUL 15	5.26	AUG 25 SEP 28	4.44

405756072173501. Local number, S 8833.1

LOCATION.--Lat 40°57'56°, long 72°17'35°, Hydrologic Unit 02030202, at west side of Toppings Path, near Crooked Pond, Bridgehampton. Owner: Town of Southampton.

AQUIFER .-- Upper Glacial (water-table) .

WELL CHARACTERISTICS.--Driven steel observation well, diameter 2 in., depth 13 ft, screened 10 to 13 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 20.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 1.63 ft above land-surface datum.

PERIOD OF RECORD. --October 1950 to current year. Unpublished records from October 1950 to September 1977 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 19.33 ft NGVD, April 27, 1990; lowest measured, 12.84 ft NGVD, March 29, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	15.30	DEC 29	15.78	MAR 2 22	16.43	APR 30	17.91	JUN 29	17.60	AUG 23	16.86
NOV 18	15.21	FEB 1	16.12		16.97	MAY 25	17.95	JUL 22	17.22	SEP 30	16.59

405309072233101. Local number, S 8836.1 LOCATION.--Lat 40°53'09", long 72°23'31", Hydrologic Unit 02030202, at south side of Nugent Street, 399 ft east of Windmill Lane, Southampton. Owner: Southampton Fire Department.

AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled steel fire-protection well, diameter 8 in., depth 37 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 18.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top edge


of 8-in. steel casing, inside elbow extension, 0.87 ft above land-surface datum.

PERIOD OF RECORD.--July 1950 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.12 ft NGVD, June 21, 1984; lowest measured,

4.93 ft NGVD, August 30, 1968.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405628072164701. Local number, S 8838.1 LOCATION.--Lat 40°56'28", long 72°16'47", Hydrologic Unit 02030202, at west side of Sagg Road, 153 ft north of Montauk Highway (State Route 27), Bridgehampton. Owner: Bridgehampton Fire Department. AQUIFER. -- Upper Glacial (water-table)

WELL CHARACTERISTICS.--Drilled steel fire-protection well, diameter 6 in., depth 46 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 28.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top edge of 6-in. steel casing, inside elbow extension, 0.40 ft above land-surface datum.

PERIOD OF RECORD.--July 1950 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.89 ft NGVD, March 16, 1971; lowest measured,


8.84 ft NGVD, August 8, 1966.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	10.18	DEC 29	10.74	MAR 2 22	11.32	APR 30	12.41	JUN 29	11.72	AUG 23	10.82
NOV 18	10.15	FEB 1	10.96		11.88	MAY 25	12.21	JUL 22	11.22	SEP 30	10.64

405840072082301. Local number, S 8839.1
L0CATION.--Lat 40°58'40°, long 72°08'23°, Hydrologic Unit 02030202, at west side of Windmill Lane, behind third house, 0.1 miles north of State Route 27, Amaganset. Owner: D. Toler
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 37 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 39.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.97 ft above land-surface datum.
PERIOD OF RECORD.--August 1950 to current year. Unpublished records from August 1950 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 10.55 ft NGVD, February 27, 1979; lowest measured, 6.10 ft NGVD, October 27, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405908072110001. Local number, S 8843.1
LOCATION.--Lat 40°59'08°, long 71°11'00°, Hydrologic Unit 02030202, at east side of Three Mile Harbor Road, behind house, 0.35 miles north of Morris Park Lane, East Hampton. Owner: Conklin.
AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Dug unused well, diameter 30 in., depth 25 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 32.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel grill, 3.12 ft above land-surface datum.
PERIOD OF RECORD.--July 1950 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 12.38 ft NGVD, June 20, 1984; lowest measured, 6.59 ft NGVD, December 17. 1981.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER
OCT 22	8.67	DEC 29	8.51	MAR 2	9.48	APR 30	10.87	JUN 29	10.78	AUG 23	10.03
NOV 18	8.13	FEB 1	8.18	23	9.95	MAY 25	11.08	JUL 22	10.48	SEP 30	9.58

405907072172101. Local number, S 8844.1 LOCATION.--Lat 40°59'07°, long 72°15'12°, Hydrologic Unit 02030202, at south side of Hempstead Street, 91 ft east of Hampton Street, Sag Harbor. Owner: Sag Harbor Fire Department.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel fire-protection well, diameter 6 in., depth 85 ft, screen assumed at bottom.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 19.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top edge

of 6-in. steel casing, inside elbow extension, 1.48 ft above land-surface datum.

PERIOD OF RECORD.--August 1950 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 7.47 ft NGVD, July 18, 1989; lowest measured, 4.43 ft NGVD, December 26, 1950.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 18	5.36 5.26	DEC 29 FEB 1	6.03	MAR 2	6.34	APR 30 MAY 25	7.22 6.83	JUN 29 JUL 22	6.23 5.86	AUG 23 SEP 30	5.56 5.64

405250073180801. Local number, S 15622.1 LOCATION.--Lat 40°52'50°, long 73°18°08°, Hydrologic Unit 02030201, at north side of Pulaski Road, 17 ft east

of Rowens Lane, Northport. Owner: Rottkamp.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel unused domestic supply well, diameter 10 in., depth 458 ft, screened 437 to 457 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 205.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of hole in steel plate, at yellow arrow, 0.19 ft below land-surface datum.

PERIOD OF RECORD. -- January 1958 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 47.09 ft NGVD, January 7, 1980; lowest measured, 34.33 ft NGVD, April 14, 1969.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	41.15	JAN 6	40.52 40.56	MAR 3	40.51 40.54	APR 30 MAY 24	40.73	JUN 21 JUL 16	40.64 40.15	AUG 26 SEP 28	40.41

410634072223601. Local number, S 16783.2 LOCATION.--Lat 41°06'34", long 72°22'36", Hydrologic Unit 02030202, at south side of North Road, east of Moore Lane, Greenport. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 2 in., depth 28 ft, screened 20 to 24 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 16.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.13 ft below land-surface datum.

REMARKS.--Replaced well S 16783.1 in May 1982, which has a period of record from August 1958 to September 1981.

PERIOD OF RECORD. -- July 1982 to current year. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.79 ft NGVD, March 18, 1983; lowest measured, 1.56 ft NGVD, July 22, 1991.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	1.85	DEC 29 JAN 29	2.68 2.50	MAR 2 23	2.79 3.28	APR 23 MAY 18	3.19 2.50	JUN 30 JUL 15	1.90 1.80	AUG 25 SEP 28	1.79 2.04

410858072171501. Local number, S 16787.1

LOCATION.--Lat 41°08'58", long 72°17'15", Hydrologic Unit 02030201, at south side of State Route 25, east of Platt Road, Orient. Owner: Suffolk County Department of Public Works.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 44 ft, screened 41 to 44 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 22.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. steel casing, 0.14 ft above land-surface datum.
PERIOD OF RECORD. --August 1958 to current year. Unpublished records from August 1958 to September 1977 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.16 ft NGVD, June 22, 1984; lowest measured,

1.12 ft NGVD, August 8, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	2.31	DEC 29	2.91	MAR 2 23	3.40	APR 23	4.68	JUN 30	3.75	AUG 25	2.55
NOV 17	2.31	JAN 29	3.27		3.65	MAY 18	4.52	JUL 15	3.41	SEP 28	2.44

404747073241501. Local number, S 16874.1
LOCATION.--Lat 40°47'47", long 73°24'15", Hydrologic Unit 02030202, at northeast corner of Old Country Road and New York Avenue, Huntington. Owner: Town of Huntington.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven steel observation well, diameter 1 1/4 in., depth 82 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 141.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of


1 1/4-in. steel casing, 0.25 ft below land-surface datum.

PERIOD OF RECORD.--July 1958 to current year. Unpublished records from July 1958 to May 1959, August 1971 to September 1975, are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 80.14 ft NGVD, May 21, 1980; lowest measured,

66.95 ft NGVD, October 20, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 23	72.88	JAN 6	73.18	MAR 3	72.95	APR 30	74.50	JUN 21	73.56	AUG 27	71.66
NOV 17	72.75	28	73.19		73.21	MAY 24	74.23	JUL 16	72.73	SEP 29	71.32



TIME, IN WATER YEARS

405034073140401. Local number, S 16881.1 LOCATION.--Lat 40°50'34°, long 73°14'04°, Hydrologic Unit 02030201, at east side of Old Willets Path, north of Bridge Branch Road, Commack. Owner: Town of Smithtown.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 47 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 58.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.34 ft below land-surface datum.

PERIOD OF RECORD.--July 1958 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 33.05 ft NGVD, January 23, 1974; lowest measured, 29.26 ft NGVD, October 20, 1988.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 17	30.93 31.52	JAN 26 MAR 2		MAR 24 APR 28	31.46	MAY 20	31.50 31.37	JUL 16 AUG 26	30.88	SEP 28	30.48

404902073094001. Local number, S 22577.1

LOCATION.--Lat 40°49'02°, long 73°09'40°, Hydrologic Unit 02030202, at north side of Motor Parkway, west of Parkway Gardens Boulevard, Hauppauge. Owner: United States Geological Survey.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 736 ft, screened 724 to 734 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 60.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 2.63 ft above land-surface datum.

PERIOD OF RECORD. -- August 1964 to current year. Unpublished records from August 1964 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 45.04 ft NGVD, March 28, 1979; lowest measured, 36.19 ft above NGVD, March 2, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	41.23 41.27	JAN 6 26	42.02 42.07	MAR 2 APR 28	42.01 42.88	MAY 20 JUN 18	43.61 41.67	JUL 16 AUG 26	40.86 40.24	SEP 28	40.24

404902073094002. Local number, S 22578.1

LOCATION.--Lat 40°49'02", long 73°09'40", Hydrologic Unit 02030202, at north side of Motor Parkway, west of Parkway Gardens Boulevard, Hauppauge. Owner: United States Geological Survey. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 402 ft, screened 392 to 402 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 60.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 2.89 ft above land-surface datum.

PERIOD OF RECORD. -- August 1964 to current year. Unpublished records from August 1964 to September 1975 are in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 45.25 ft NGVD, March 28, 1979; lowest measured, 36.35 ft NGVD, March 1, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	41.33 41.42	JAN 6	42.29 42.43	MAR 2 APR 28	42.24 43.11	MAY 20 JUN 18	42.73 41.93	JUL 16 AUG 26	41.09 40.50	SEP 28	40.32

404819073160303. Local number, S 24769.1

LOCATION.--Lat 40°48'19", long 73°16'03", Hydrologic Unit 02030202, at south side of Vanderbilt Parkway, 600 ft east of Wicks road, western most well, Brentwood. Owner: United States Geological Survey.

AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 810 ft, screened 800 to 810 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 139.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 1.17 ft below land-surface datum.

PERIOD OF RECORD. -- August 1965 to current year. Unpublished records from August 1965 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 57.33 ft NGVD, March 21, 1991; lowest measured, 45.31 ft NGVD, March 7, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 23 NOV 17	51.94 51.83	JAN 6 MAR 2	52.53 52.74	MAR 25 APR 28	51.34 52.10	MAY 20 JUN 17	52.43 52.13	JUL 16 AUG 26	51.37 51.16	SEP 28	51.73

404829073161502. Local number, S 24770.1 LOCATION.--Lat 40°48'19", long 73°16'03", Hydrologic Unit 02030202, at south side of Vanderbilt Parkway, 606 ft east of Wicks Road, middle well, Brentwood. Owner: United States Geological Survey. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS .-- Drilled steel observation well, diameter 4 in., depth 434 ft, screened 424 to 434 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 139.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 0.88 ft below land-surface datum.

PERIOD OF RECORD. -- August 1965 to current year. Unpublished records from August 1965 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 57.93 ft NGVD, March 21, 1991; lowest measured,

45.66 ft NGVD, March 7, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	52.61 52.57	JAN 6 MAR 2	53.02 53.34	MAR 25 APR 28	53.43 54.13	MAY 20 JUN 17	54.47 53.57	JUL 16 AUG 26	54.04 53.48	SEP 28	52.83

404820073160303. Local number, S 24771.1

LOCATION.--Lat 40°48'20°, long 73°16'03°, Hydrologic Unit 02030202, at south side of Vanderbilt Parkway, 612 ft east of Wicks Road, eastern most well, Brentwood. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).


WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 127 ft, screened 117 to 127 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 139.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 1.06 ft below land-surface datum.

PERIOD OF RECORD. -- August 1965 to current year. Unpublished records from August 1965 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 62.01 ft NGVD, January 18, 1991; lowest measured, 43.50 ft NGVD, November 30, 1966.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405455073025802. Local number, S 31734.1 LOCATION.--Lat 40°54'51", long 73°02'57", Hydrologic Unit 02030202, at west side of Jayne Boulevard, 0.7 miles south of Nesconset Road (Rt. 347), eastern most well, Terryville. Owner: Suffolk County Water Authority. AQUIFER. -- Lloyd (confined)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 1,095 ft, screened 1,070 to 1,090 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 164.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling welded to casing cap, 1.92 ft above land-surface datum.

PERIOD OF RECORD. -- December 1970 to current year. Unpublished records from December 1970 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 44.52 ft NGVD, May 30, 1979; lowest measured, 36.63 ft NGVD, August 23, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	42.09	JAN 6	42.02	MAR 2	42.80	APR 28	41.34	JUN 18	40.96	AUG 26	39.48
NOV 17	42.25	26	42.47	25	41.14	MAY 20	40.89	JUL 16	38.81	SEP 28	40.88

405452073025701. Local number, S 32895.1 LOCATION.--Lat 40°54'51", long 73°02'57", Hydrologic Unit 02030202, at west side of Jayne Boulevard, 0.7 miles south of Nesconset Road (Rt. 347), western most well, Terryville. Owner: Suffolk County Water Authority. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 845 ft, screened 840 to 845 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 164.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. steel coupling, 2.49 ft above land-surface datum.

PERIOD OF RECORD.--March 1970 to current year. Unpublished records from March 1970 to September 1975 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 48.54 ft NGVD, December 11, 1984; lowest measured, 37.97 ft NGVD, August 23, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 17	44.39	JAN 26 MAR 2	44.49 44.88	MAR 25	42.51 42.90	MAY 20	42.42	JUL 16	39.67	SEP 28	42.43

WATER

LEVEL

DATE

405715072193701. Local number, S 33921.1 LOCATION.--Lat 40°57'15", long 72°19'37", Hydrologic Unit 02030202, at north side of Scuttlehole Road, near Millstone Road, Bridgehampton. Owner: Suffolk County Water Authority.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 6 in., depth 174 ft, screened 159 to 174 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 110.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. to 2-in. steel reducer, 2.42 ft above land-surface datum. PERIOD OF RECORD.--January 1973 to current year.

DATE

WATER

LEVEL

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 24.30 ft NGVD, March 30, 1978; lowest measured, 15.17 ft NGVD, December 17, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE

WATER

LEVEL

WATER

LEVEL

DATE

WATER

LEVEL

DATE

WATER

LEVEL

18.46 18.19

DATE

T 22	16 16	. 91 . 82	DEC FEB	29 1	16.89 17.14	MAR	2 23	17.21 17.37	APR 30 MAY 25	18.06 18.52	JUN 29 JUL 22	18.68 18.62	AUG 2 SEP 3
Q.	26		-	-	-	-					-	1	
9N 0	24								7 7 7 7				1
ICE T	21	_											
FERE	22	-											3
Z Z		-	1		+					1			1
ET 13	20	F /	,	1									-
., IN FEET IN REFERENCE TO NGVD	18	196 101		1			1	~				\	7
MATER LEVEL,	16				1	V		05.281	\sim				
E E	14	198		985	1986		87	1988	1989	1990	1991	1992 1	993

TIME, IN WATER YEARS

WATER

LEVEL

47.86

47.53

DATE

WATER

LEVEL

DATE

405040072414801. Local number, S 34743.1 LOCATION.--Lat 40°50'40°, long 72°41'48°, Hydrologic Unit 02030202, at 0.6 miles south of Sunrise Highway (Rt. 27), 120 ft east of Speonk Riverhead Road, northern most well, Speonk. Owner: Suffolk County Water Authority.

AQUIFER. -- Lloyd (confined)

WÈLL CHARACTERISTICS.--Drilled steel observation well, access pipe diameter 4 in., casing diameter 12 in., depth 1,226 ft, screened 1,077 to 1,117 ft.
INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 64.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 2.94 ft above land-surface datum. PERIOD OF RECORD.--March 1970 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 22.24 ft NGVD, April 2, 1979; lowest measured, 16.18 ft NGVD, March 18, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	18.39	DEC 30	18.37	MAR 2	18.73	APR 30	19.46	JUN 21	19.63	AUG 30	19.09
NOV 18	18.26	JAN 29	18.50		18.69	MAY 17	19.60	JUL 21	19.51	SEP 24	19.04

DATE

WATER

LEVEL

DATE

405517072574902. Local number, S 34892.1 LOCATION.--Lat 40°55'19", long 72°57'49", Hydrologic Unit 02030202, at east side of Radio Avenue, 1.3 miles south of Nesconset Road (Rt. 25A), northern most well, Rocky Point. Owner: Suffolk County Water Authority. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 138 ft, screened 124 to 138 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 122.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

WATER

LEVEL

6-in. steel casing, 0.78 ft above land-surface datum.
PERIOD OF RECORD.--July 1970 to current year. Unpublished records from July 1970 to September 1975 are available

in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 52.82 ft NGVD, September 15, 1984; lowest measured, 42.17 ft NGVD, March 21, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE

WATER

LEVEL

WATER

LEVEL

DATE


27 17	46 46	.78 .71	J	EC 2	9	46. 46.	57 64	MAR	23	46 46	. 82 . 98		APR MAY	23 18	47.5 48.2	3	JUL	29 15	48. 48.	53 A 35 S	UG EP
	54					-		-		1		-		-				-	_	1	1
	52	-	/	1																	+
	50			1	\										_	\	^				
	48				/	1								1	/			1		\bigcap	A
	46						/	\	1	1										\sim	-
	44	[,		~	/									
	42		84		85		1986		87		988		198		1990		991		992	1993	

TIME, IN WATER YEARS

404930073120002. Local number, S 36142.2
LOCATION.--Lat 40°49'30°, long 73°12'00°, Hydrologic Unit 02030202, at east side of Lincoln Boulevard, 266 ft south of Townline Road, Islip. Owner: Hauppauge School District.

AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 73 ft, screen assumed at bottom.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 81.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.29 ft below land-surface datum.
PERIOD OF RECORD.--July 1980 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 47.71 ft NGVD, June 12, 1984; lowest measured, 41.07 ft NGVD. October 20, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



TIME, IN WATER YEARS

404640073050201. Local number, S 36144.1 LOCATION.--Lat 40°46'40", long 73°05'02", Hydrologic Unit 02030202, at east side of Lincoln Avenue, south of State Route 454, Bohemia. Owner: Town of Islip.

AQUIFER. -- Upper Glacial (water-table)

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 53 ft, screen assumed at bottom. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.


DATUM. -- Land-surface datum is 54.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel casing, 1.84 ft above land-surface datum.
PERIOD OF RECORD.--October 1969 to current year. Unpublished records from October 1969 to September 1977 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 39.96 ft NGVD, March 29, 1979; lowest measured, 31.88 ft NGVD, December 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405013073263601. Local number, S 40840.1 LOCATION.--Lat 40°50'13°, long 73°26'36°, Hydrologic Unit 02030201, at intersection of Cold Spring Hill Road, Ledgewood Drive, and West Rogues Path, on grass island, Huntington. Owner: Town of Huntington.

AQUIFER. -- Upper Glacial (water-table).


WELL CHARACTERISTICS. -- Augered PVC observation well, diameter 2 in., depth 79 ft , screened 77 to 79 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 131.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.03 ft below land-surface datum.

PERIOD OF RECORD. -- August 1971 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 67.02 ft NGVD, December 10, 1984; lowest measured, 54.98 ft NGVD, December 29, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405124073111501. Local number, S 40843.1 LOCATION.--Lat 40°51'24", long 73°11'15", Hydrologic Unit 02030201, at intersection of Nissequogue River Road and North Country Road (Rt. 25A), just north of Middle Country Road (Rt. 25), on grass island, Smithtown. Owner: Town of Smithtown.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Augered steel observation well, diameter 2 in., depth 44 ft, screened 41 to 44 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 66.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.01 ft below land-surface datum.

PERIOD OF RECORD. -- July 1971 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 37.93 ft NGVD, March 27, 1979; lowest measured, 33.84 ft NGVD, July 9, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	34.55	JAN 6	35.73	MAR 3	35.34	APR 28	36.33	JUN 18	35.17	AUG 26	34.18
NOV 17	34.43	28	35.46		35.77	MAY 24	35.56	JUL 16	34.67	SEP 28	34.70

405230073212101. Local number, S 46517.1
LOCATION.--Lat 40°52'30°, long 73°21'21°, Hydrologic Unit 02030201, at southeast corner of Stony Hollow Road and and Maple Road, Huntington. Owner: Town of Huntington.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 66 ft, screened 63 to 66 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 123.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel casing, 0.03 ft above land-surface datum.

PERIOD OF RECORD. -- September 1979 to current year. Unpublished records from September 1979 to September 1982 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 69.61 ft NGVD, June 11, 1984; lowest measured, 66.87 ft NGVD, August 23, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23		JAN 6	67.61 67.71	MAR 30 APR 30		MAY 24	68.32 68.32	JUL 16 AUG 27		SEP 28	67.80

410218072093301. Local number, S 46519.1

LOCATION. -- Lat 41002'08", long 72009'32", Hydrologic Unit 02030202, at northwest corner of Hog Creek Lane and White Birch Drive, East Hampton. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 33 ft, screened 30 to 33 ft.

INSTRUMENTATION . -- Measurement with chalked tape by USGS personnel . DATUM. -- Land-surface datum is 32.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.08 ft below land-surface datum. PERIOD OF RECORD. -- November 1972 to current year. Unpublished records from November 1972 to September 1982 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 9.45 ft NGVD, January 13, 1983; lowest measured, Dry, September 16, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	2.47	DEC 29	3.15	MAR 2	3.41	APR 30	4.32	JUN 29	3.01	AUG 23	2.47
NOV 18	2.42	FEB 1	3.22	23	3.78	MAY 25	3.74	JUL 22	2.68	SEP 30	2.59

405139072432401. Local number, S 46544.1 LOCATION.--Lat 40°51'39°, long 72°43'24°, Hydrologic Unit 02030202, at southwest corner of County Road 51 and service road for recharge basin 33, Eastport. Owner: Suffolk County Department of Public Works. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 2 in., depth 107 ft, screen assumed at bottom. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 102.9 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.19 ft below land-surface datum.

PERIOD OF RECORD --December 1972 to current year. Unpublished records from December 1972 to September 1976 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 31.28 ft NGVD, June 28, 1979; lowest measured, 23.76 ft NGVD, March 18, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18	26.34 26.18	DEC 30 JAN 29	26.05 26.06	MAR 2	26.19 26.28	APR 30 MAY 17	26.76 27.14	JUN 21 JUL 21		AUG 30 SEP 24	27.69 27.55

405604073064301. Local number, S 47973.1

LOCATION. -- Lat 40°56'04", long 73°06'43", Hydrologic Unit 02030201, at north side of State Route 25A, 189 ft west of Ridgeway Avenue, Setauket. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 90 ft, screened 78 to 88 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 94.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel flange, 2.43 ft below land-surface datum.

PERIOD OF RECORD. -- January 1974 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 28.14 ft NGVD, April 26, 1991; lowest measured 20.83 ft NGVD, March 5, 1980.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 23	24.86	JAN 6	25.09	MAR 2 25	25.46	APR 28	26.66	JUN 18	26.72	AUG 26	25.58
NOV 17	24.73	28	25.18		25.61	MAY 24	26.93	JUL 16	26.32	SEP 28	25.17

410243071560101. Local number, S 48519.1

LOCATION. -- Lat 41°02'42", long 71°56'05", Hydrologic Unit 02030202, at southwest corner of South Fairview Avenue and South Federal Street, East Hampton. Owner: Suffolk County Department of Health Services.

AQUIFER.--Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 82 ft, screened 68 to 78 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 63.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel flange, 1.68 ft below land-surface datum.

PERIOD OF RECORD. -- January 1974 to current year. Unpublished records from January 1974 to September 1983 are

available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.59 ft NGVD, March 15, 1983; lowest measured, 2.07 ft NGVD, December 22, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	W	ATER EVEL	D	ATE	W.	ATER EVEL	1	DATE		WATER		DATE	WATER LEVEL		DAT	E	WAT	TER /EL	DA	TE.	WATER
OCT 22 NOV 18		2.67	P	EC 29		2.97 3.04	1	MAR	2 22	3.41 3.11		APR 30 MAY 25	3.66 3.35		JUL	29	2.	.88 .85	AU SE	23 23 30	2.85 2.90
NGVD	8	Γ					-			1	1			•		-		-	7		
12	7	+																	- 4		11. 11.
WATER LEVEL, IN FEET IN REFERENCE TO NGVD	6	-																		200	
EET IN	5	-																			
L, IN F	4	-	Λ			•		A /	1										۸.		
TER LEVE	3	1	/\	W	V	M	/	/\		^ ^	4	M	M	√	N	<u>ل</u>	M	V	/\\		
=	2	19	984	19	85	198	6	19	87	198	8	1989	1990	1 !	991	1	992	1	1993		

TIME, IN WATER YEARS

410149071583201. Local number, \$ 48577.1 LOCATION.--Lat 41°01'49", long 71°58'32", Hydrologic Unit 02030202, at north side of Montauk Point Parkway, 19 ft east of entrance to East Hampton Disposal and Recycling Center, Montauk. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 189 ft, screened 173 to 183 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 168.1 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel flange, 1.61 ft below land-surface datum.

PERIOD OF RECORD. -- January 1974 to current year. Unpublished records from January 1974 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.50 ft NGVD, September 18, 1979; lowest measured, -0.54 ft NGVD, May 5, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 18	3.13 3.41	DEC 29 FEB 1	3.74	MAR 2	3.76 3.63	APR 30 MAY 25	3.97 4.04	JUN 29 JUL 22	3.80 3.76	AUG 23 SEP 30	3.71 3.64

410316071535501. Local number, S 48579.1 LOCATION.--Lat 41°03'16", long 71°53'54", Hydrologic Unit 02030202, at north side of Montauk Highway, adjacent to intersection of Old Montauk Highway, Montauk. Owner: Suffolk County Department of Health Services. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 66 ft, screened 53 to 56 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel

DATUM.--Land-surface datum is 38.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel flange, 1.55 ft below land-surface datum

PERIOD OF RECORD. -- January 1974 to current year. Unpublished records from January 1974 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.18 ft NGVD, June 5, 1984; lowest measured, 2.46 ft NGVD, December 22, 1976.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 18	3.15 2.95	DEC 29 FEB 1	3.15 3.39	MAR 2	3.71 3.35	APR 30 MAY 25	4.17 3.92	JUN 29 JUL 22	3.45 3.49	AUG 23 SEP 30	3.35

405309073125401. Local number, S 50507.1

LOCATION.--Lat 40°53'09", long 73°12'54", Hydrologic Unit 02030201, at east side of Landing Avenue, 1.5 miles north of Spruce Street, San Remo. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 80 ft, screened 76 to 80 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 90.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.01 ft above land-surface datum.

PERIOD OF RECORD. -- December 1973 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 46.23 ft NGVD, September 19, 1984; lowest measured, 41.51 ft NGVD, December 14, 1981.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23	43.14	JAN 6	43.13	MAR 3	43.43	APR 28	44.11	JUN 21	44.59	AUG 26	44.41
NOV 17	43.08	28	43.28		43.55	MAY 24	44.41	JUL 16	44.58	SEP 28	44.28

410104072303301. Local number, S 53324.1

LOCATION. -- Lat 41°01'04", long 72°30'33", Hydrologic Unit 02030202, at east side of Alvahs Lane, 200 ft north of State Route 27A, Southold. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 6 in., depth 62 ft, screened 49 to 59 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 42.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel flange, 0.51 ft above land-surface datum.

PERIOD OF RECORD. -- October 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.32 ft NGVD, September 28, 1989; lowest measured, 3.52 ft NGVD, November 20, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	5.19	DEC 29	5.45	MAR 2	6.42	APR 23	8.15	JUN 30	7.82	AUG 25	6.45
NOV 17	5.19	JAN 29	6.03		6.79	MAY 18	8.46	JUL 15	7.42	SEP 28	5.93

404642072520001. Local number, S 54882.1 LOCATION.--Lat 40°46'42", long 72°52'00", Hydrologic Unit 02030202, at grassy divide between Margin Drive West and William Floyd Parkway, 156 ft south of Ranch Avenue, Center Moriches. Owner: United States Geological Survey.
AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 2 in., depth 34 ft, screened 30 to 34 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 33.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.43 ft below land-surface datum.

PERIOD OF RECORD. -- July 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 13.62 ft NGVD, August 23, 1989; lowest measured, 6.48 ft NGVD, December 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 20 NOV 18	8.43 8.10	JAN 29 MAR 1	8.87 9.11	MAR 25 APR 30	9.59 10.95	MAY 17 JUN 21	10.71 10.16	JUL 21 AUG 30	9.55 8.66	SEP 24	8.27

405418072494401. Local number, S 54884.1

405418072494401. Local number, S 54884.1
LOCATION.--Lat 40°54°18°, long 72°49°44°, Hydrologic Unit 02030202, at north corner of Wading River Road and Grumman Boulevard, Manorville. Owner: United States Geological Survey.

AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 45 ft, screened 41 to 45 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 63.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.22 ft below land-surface datum.

PERIOD OF RECORD. -- June 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 47.63 ft NGVD, February 1, 1979; lowest measured, 40.50 ft NGVD, November 21, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 27 NOV 17	42.63 42.44	DEC 29 JAN 29	43.70	MAR 2	44.15	APR 23 MAY 18	45.63 45.08	JUN 29	44.25	AUG 25 SEP 28	42.78 42.16

405241072381801. Local number, S 54886.1

LOCATION. -- Lat 40°52'41°, long 72°38'18°, Hydrologic Unit 02030202, at intersection of Old Riverhead Road and Riverhead-Quogue Road, on grass island, Riverhead. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 55 ft, screened 51 to 55 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 59.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.36 ft below land-surface datum.

PERIOD OF RECORD. -- October 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 22.41 ft NGVD, September 25, 1984; lowest measured, 15.25 ft NGVD, December 29, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	17.30	DEC 30	17.23	MAR 2	17.61	APR 30	18.75	JUN 21	19.29	AUG 30	18.72
NOV 18	17.13	JAN 29	17.42		17.80	MAY 17	19.02	JUL 21	19.16	SEP 24	18.45

405326072275601. Local number, S 57366.1 LOCATION.--Lat 40°53'26*, long 72°27'56*, Hydrologic Unit 02030202, at west side of Hill Station Road, 172 ft south of railroad trestle, Southampton. Owner: Town of Southampton.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 64 ft, screened 60 to 64 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 55.4 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.04 ft below land-surface datum.

PERIOD OF RECORD .-- November 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.50 ft NGVD, August 30, 1989; lowest measured, 3.19 ft NGVD, March 13, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 18	3.78 3.70	DEC 29 FEB 1	3.81 4.06	MAR 2	4.27 4.08	APR 30 MAY 25	4.94	JUN 29 JUL 22	4.51 4.35	AUG 23 SEP 30	4.17 3.96

410052072134001. Local number, S 57371.1
LOCATION.--Lat 41°00'55°, long 72°13'42°, Hydrologic Unit 02030202, at west side of Old Northwest Road, 0.95 miles south of Alewive Brook Road, Grassy Hollow. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 62 ft, screened 58 to 62 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 24.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.30 ft below land-surface datum. PERIOD OF RECORD. -- November 1975 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.31 ft NGVD, April 4, 1979; lowest measured, 5.80 ft NGVD, December 17, 1981.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 22	6.55	DEC 29	7.02	MAR 2	7.68	APR 30	9.12	JUN 29	8.43	AUG 23	7.50
NOV 18	6.48	FEB 1	7.40	23	8.13	MAY 25	8.96	JUL 22	8.00	SEP 30	7.21

405927072041901. Local number, S 57372.1

LOCATION. -- Lat 40°59'27°, long 72°04'19°, Hydrologic Unit 02030202, at south side of Montauk Highway, 2.4 miles east of Bluff Road, Napeague State Park. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 12 ft, screened 8 to 12 ft.

INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATUM.--Land-surface datum is 8.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.03 ft above land-surface datum.

PERIOD OF RECORD. -- January 1976 to current year. Unpublished records from January 1976 to September 1983 are available in files of Long Island Subdistrict Office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.23 ft NGVD, July 18, 1989; lowest measured, 2.16 ft NGVD, July 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 22 NOV 18	2.57 2.73	DEC 29 FEB 1	3.50 2.97	MAR 2	3.27 3.58	APR 30 MAY 25	3.39	JUN 29 JUL 22	2.48	AUG 23 SEP 30	2.39

410040072002501. Local number, S 58921.1

WATER

LEVEL

DATE

LOCATION.--Lat 41°00'40", long 72°00'24", Hydrologic Unit 02030202, at north side of Montauk Highway, east of Hither Hills State Park entrance, Hither Hills. Owner: Nassau-Suffolk Regional Planning Board. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 75 ft, screened 67 to 72 ft.

INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATE

WATER

LEVEL

DATUM.--Land-surface datum is 48.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC casing, 0.25 ft below land-surface datum.

WATER

LEVEL

PERIOD OF RECORD. -- October 1976 to current year.

DATE

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.11 ft NGVD, April 30, 1987; lowest measured, 2.11 ft NGVD, January 26, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE

WATER

I FVFI

WATER

LEVEL

DATE

WATER

LEVEL 3.00

2.97

DATE

					100000		3			-		-		-			
OCT 22 NOV 18	2 2	2.84 2.56	DEC FEB	29 1	2.43 2.89	MAR	2 22	3.56 3.10	APR MAY	30 25	3.69 3.36	JUN JUL	29 22	3. 3.	06 20	AUG SEP	23 30
GVD	8	Г			•	1		•		•		161	1		-		
10 12	7	-														-	
REFERENCE	6	-														- 1 - 1 - 1 - 1 - 1	
N.	5	-														-	
FEE																	
2	4	-					٨					7				-	
WATER LEVEL, IN FEET IN REFERENCE TO NGYD	3	1	~\\	\mathcal{N}	M	M	14	~	W	N	MM	M	V	M	Ц	M	
-	2	198	4 1	985	1986	19	187	1988	198	9	1990	1991	1	992	1	1993	

TIME, IN WATER YEARS

405558072252401. Local number, S 58958.1

LOCATION.--Lat 40°55'57", long 72°25'43", Hydrologic Unit 02030202, at west side of North Sea Road, 107 ft north of Jennings Road, North Sea. Owner: Nassau-Suffolk Regional Planning Board.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 43 ft, screened 35 to 40 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 5.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC casing, 0.61 ft below land-surface datum.

PERIOD OF RECORD. -- October 1976 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.51 ft NGVD, September 16, 1982; lowest measured, 0.19 ft NGVD, January 17, 1983.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	1.76	FEB 1	1.79	MAR 23 APR 30	1.62	MAY 25 JUN 29	1.19	JUL 22 AUG 23	1.44	SEP 30	1.89

405642072240001. Local number, S 59992.1 LOCATION.--Lat 40°56'42", long 72°24'00", Hydrologic Unit 02030202, at southwest corner of of Noyack Road and Majors Path, Noyack. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 4 in., depth 292 ft, screened 268 to 278 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 24.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC casing, 0.31 ft below land-surface datum. PERIOD OF RECORD.--November 1977 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.52 ft NGVD, April 17, 1984; lowest measured, 4.46 ft NGVD, June 23, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	4.98	DEC 29	5.23	MAR 2 23	5.44	APR 30	5.88	JUN 29	5.24	AUG 23	5.09
NOV 18	4.79	FEB 1	5.24		5.42	MAY 25	5.62	JUL 22	5.15	SEP 30	5.06

405559072145901. Local number, S 60123.1 LOCATION.--Lat 40°56'00°, long 72°15'00°, Hydrologic Unit 02030202, at southwest corner of Wainscott Hollow Road and Wainscott Main Street, northern middle well, Wainscott. Owner: Suffolk County Department of Health

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 4 in., depth 280 ft, screened 270 to 280 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATUM. -- Land-surface datum is 12.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC casing, at yellow arrow, 0.02 ft above land-surface datum.

PERIOD OF RECORD. -- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.69 ft NGVD, June 20, 1984; lowest measured, 6.16 ft NGVD, November 18, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22	6.88	DEC 29	7.06	MAR 2 22	7.62	APR 30	8.00	JUN 29	7.35	AUG 23	6.98
NOV 18	6.63	FEB 1	7.38		7.59	MAY 25	7.72	JUL 22	7.22	SEP 30	7.13

405600072150003. Local number, S 62394.1

LOCATION.--Lat 40°56'00°, long 72°15'00°, Hydrologic Unit 02030202, at southwest corner of Wainscott Hollow Road and Wainscott Main Street, southern middle well, Wainscott. Owner: United States Geological Survey. AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 74 ft, screened 70 to 74 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 12.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.46 ft below land-surface datum.

PERIOD OF RECORD. -- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.47 ft NGVD, July 18, 1989; lowest measured, 5.84 ft NGVD, July 2, 1985.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 18	6.62	DEC 29 FEB 1	7.02	MAR 2	7.34	APR 30	7.86	JUN 29 JUL 22	6.86	AUG 23 SEP 30	6.41

405600072150002. Local number, S 62395.1

LOCATION. -- Lat 40°56'00", long 72°15'00", Hydrologic Unit 02030202, at southwest corner of Wainscott Hollow Road and Wainscott Main Street, southern most well, Wainscott. Owner: United States Geological Survey. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Driven PVC observation well, diameter 2 in., depth 14 ft, screened 10 to 14 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 12.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.51 ft below land-surface datum.

PERIOD OF RECORD. -- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 8.45 ft NGVD, July 18, 1989; lowest measured, 5.90 ft NGVD, October 28, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 22 NOV 18	6.59 6.37	DEC 29 FEB 1	7.02 7.08	MAR 2	7.31 7.81	APR 30 MAY 25	7.84 7.35	JUN 29 JUL 22	6.84 6.52	AUG 23 SEP 30	6.38

415843072213401. Local number, S 62402.1 LOCATION.--Lat 40°58'58", long 72°21'36", Hydrologic Unit 02030202, at south end of Club Lane, 587 ft east of Wildwood Road, Noyack. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 84 ft, screened 80 to 84 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 99.3 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.22 ft below land-surface datum.
PERIOD OF RECORD.--May 1977 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 39.32 ft NGVD, June 20, 1984; lowest measured, 32.58 ft NGVD, December 5, 1986.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 22 DEC 29	33.95 33.94	FEB 1 MAR 2	34.22 34.46	MAR 23 APR 30		MAY 25 JUN 29	36.23 35.93	JUL 22 AUG 23	35.77 35.43	SEP 30	35.18

WATER

LEVEL 38.61

38.49

DATE

WATER

LEVEL

DATE

405740073064501. Local number, S 62405.1 LOCATION. -- Lat 40°57'40", long 73°06'45", Hydrologic Unit 02030201, at Conscience Circle, on southwest corner of grass island, west of Maple Road, Strong's Neck. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Augered PVC observation well, diameter 2 in., depth 55 ft, screened 51 to 55 ft.

INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 38.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.29 ft below land-surface datum.

PERIOD OF RECORD. -- October 1977 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.85 ft NGVD, June 25, 1982; lowest measured, 2.79 ft NGVD, March 26, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	3.71 3.63	JAN 6	4.06	MAR 2	4.15	APR 28	4.65	JUN 18 JUL 16	4.21	AUG 26 SEP 28	3.74 3.68

404813073084102. Local number, S 65601.1 LOCATION.-Lat 40°48'13", long 73°08'41", Hydrologic Unit 02030202, at northside of Johnson Avenue, 70 ft east of Terry Road, Ronkonkoma. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 2 in., depth 41 ft, screened 38 to 41 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 62.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.20 ft below land-surface datum.

REMARKS.--Replaced well S 1813.2 in September 1978. Record from November 1939 to September 1978 are available in files of Long Island Subdistrict Office.

PERIOD OF RECORD. -- September 1978 to current year.

DATE

WATER

LEVEL

DATE

WATER

LEVEL

DATE

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.39 ft NGVD, July 23, 1984; lowest measured, 36.57 ft NGVD, September 27, 1988.

LEVEL

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE

WATER

LEVEL

7 20 7 18	39	. 19		JAN	29	39	. 87 . 89	MAR	23	39 40	25		APR	17	40. 40.	57	J	JL	17 20	40. 39.	30	AUG SEP
TO NGVD	48	-		1		-				T.		-		-			·		1		1	-
	46	-																				-
NCE.		-																				
IN KEPEKENCE	44	-																				-
2		-																				-
	42	-	1	1													~					-
MNIEN LEVEL, IN FEET	40			1	/				٨				1	V	~~	~		V	/	~	\sim	1
בע בר בר	38	-				1	~	5	/ \		~	1 /									196	4
Ē								~				U				-						

TIME, IN WATER YEARS

405030073180601. Local number, S 65602.1
LOCATION.--Lat 40°50'30°, long 73°18'06°, Hydrologic Unit 02030202, at southwest corner of Wilshire Drive and Renee Place, Commack. Owner: United States Geological Survey.


AQUIFER.--Upper Glacial (water-table).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 96 ft, screened 91 to 96 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 148.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.19 ft below land-surface datum.

REMARKS.--Replaces well S 3514.1 in September 1978, which has a period of record from May 1942 to September 1978. PERIOD OF RECORD.--September 1978 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 76.41 ft NGVD, August 28, 1979; lowest measured, 69.74 ft NGVD, January 25, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404936072483501. Local number, \$ 65604.1

LOCATION. -- Lat 40°49'36", long 72°48'35", Hydrologic Unit 02030202, at northwest corner of Sunrise Highway Service Road and Wading River Road, Manorville. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 56 ft, screened 51 to 56 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.


DATUM. -- Land-surface datum is 64.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. PVC coupling, 0.32 ft below land-surface datum.

REMARKS.--Replaces well S 6439.1 in October 1978, which has a period of record from January 1949 to October 1978. PERIOD OF RECORD. -- October 1978 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 28.14 ft NGVD, July 23, 1984; lowest measured, 20.48 ft NGVD, December 21, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



404430073123301. Local number, S 66135.1

LOCATION.--Lat 40°44'30°, long 73°12'33°, Hydrologic Unit 02030202, at south side of Sunrise Highway, west of Great Neck Road, in grassy area of entrance ramp cloverleaf, Copiague. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled steel observation well, casing diameter 6 in., screen diameter 4 in., depth 168 ft, screened 127 to 137 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 30.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. steel casing, 3.99 ft above land-surface datum.

PERIOD OF RECORD.--January 1980 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 23.55 ft NGVD, November 27, 1989; lowest measured, 18.19 ft NGVD, August 30, 1993.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18	19.39 19.32	DEC 30 JAN 29	20.69	MAR 1	20.80	APR 30	22.01 21.21	JUN 17 JUL 20	20.08	AUG 30 SEP 24	18.19 18.40

403935073235001. Local number, S 66136.1 LOCATION.--Lat 40°39'37", long 73°23'50", Hydrologic Unit 02030202, at south side of Kerrigan Road across from Harding Road, eastern most well, Tanner Park, Copiague. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled PVC observation well, casing diameter 6 in., screen diameter 4 in., depth 134 ft, screened 124 to 134 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 5.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 6-in. PVC casing, 2.43 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation. Well also sampled for water quality.

PERIOD OF RECORD. -- October 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.79 ft NGVD, March 4, 1991; lowest measured, 3.37 ft NGVD, September 13, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992-TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 26	3.93	FEB 25	3.70	MAY 6	3.99	JUN 23	3.58	AUG 20	4.10	SEP 22	4.05

404524073123401. Local number, S 66149.1

LOCATION.--Lat 40°45'24", long 73°12'34", Hydrologic Unit 02030202, at southeast corner of State Route 111 and Spur Drive North, near Southern Parkway exit ramp, Islip. Owner: Suffolk County Department of Environmental Conservation.

AQUIFER. --Magothy (confined).
WELL CHARACTERISTICS. --Drilled PVC observation well, diameter 4 in., depth 167 ft, screened 157 to 167 ft.
INSTRUMENTATION. --Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 40.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC casing, 2.33 ft below land-surface datum.

PERIOD OF RECORD. -- January 1980 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 25.92 ft NGVD, May 22 and June 22, 1989; lowest measured, 20.55 ft NGVD, March 7, 1980.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
OCT 20 NOV 18	23.26 23.28	DEC 30 JAN 29	24.43 24.33	MAR 1 23	24.43 24.88	APR 30 MAY 17	24.92 24.45	JUN 17 JUL 20	23.73	AUG 30 SEP 24	22.53 22.69

403935073235002. Local number, S 67537.1 LOCATION.--Lat 40°39'37", long 73°23'50", Hydrologic Unit 02030202, at south side of Kerrigan Road, across from Harding Road, eastern middle well, Tanner Park, Copiague. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Drilled PVC observation well, diameter 2 in., depth 61 ft, screened 56 to 61 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 7.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC casing, 0.28 ft below land-surface datum.

REMARKS. -- Water level affected by tidal fluctuation.

PERIOD OF RECORD. -- December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 2.48 ft NGVD, August 21, 1990; lowest measured, 1.28 ft NGVD, December 16, 1986.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 26 NOV 30	1.70	JAN 29 FEB 25	1.56	MAR 29	2.41	MAY 26 JUN 23	1.67	JUL 23 AUG 20	1.85	SEP 22	2.05

3.50

405529073272901. Local number, S 69781.1 LOCATION.--Lat 40°55'29", long 73°27'29", Hydrologic Unit 02030201, at Caumsett State Park, 1 mile northeast of parking field, on park service road, Lloyd Neck. Owner: Suffolk County Department of Health Services. AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 155 ft, screened 139 to 149 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM .-- Land-surface datum is 109.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. PVC coupling, 0.66 ft below land-surface datum.
PERIOD OF RECORD.--April 1986 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 9.85 ft NGVD, July 13, 1990; lowest measured, 6.44 ft NGVD, March 22, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	6.49 6.45	JAN 6	6.77 6.99	MAR 3	7.30 7.48	APR 30 MAY 24	8.50 8.93	JUN 21 JUL 16	9.11 8.87	AUG 27 SEP 29	8.43 8.10

410343071533101. Local number, S 70262.1

LOCATION. --Lat 41º03'43", long 71º53'31", Hydrologic Unit 02030202, at south side of Montauk Point State Parkway, 110 ft west of Highway Marker 27 0705 19.02, Montauk. Owner: United States Geological Survey. AQUIFER. --Upper Glacial (water-table).


WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 168 ft, screened 158 to 163 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 50.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.32 ft below land-surface datum.

PERIOD OF RECORD. -- June 1981 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 4.94 ft NGVD, May 23, 1983; lowest measured, 2.62 ft NGVD, November 3, 1981.



TIME, IN WATER YEARS

405801072354401. Local number, \$ 71576.1

LOCATION. -- Lat 40°58'01", long 72°35'44", Hydrologic Unit 02030202, at east side of Manor Lane, 1.6 miles north of Main Road, southern middle well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 4 in., depth 448 ft, screened 443 to 448 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 53.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 1.16 ft below land-surface datum.

PERIOD OF RECORD. -- February 1982 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 13.02 ft NGVD, September 27, 1984; lowest measured, 7.31 ft NGVD, July 22, 1992.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	7.73	DEC 29	8.00	MAR 2	8.59	APR 23	9.70	JUN 30	9.12	AUG 25	8.19
NOV 17	7.71	JAN 29	8.22		8.81	MAY 18	9.79	JUL 15	8.77	SEP 28	7.98

405642072240003. Local number, S 73993.1

LOCATION. -- Lat 40°56'42", long 72°24'00", Hydrologic Unit 02030202, at southwest corner of Noyack Road and Majors Path, North Sea. Owner: Suffolk County Department of Health Services. AQUIFER.--Magothy (confined).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 1 1/4 in., depth 238 ft, screened 230 to 235 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 24.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. PVC casing, 0.51 ft below land-surface datum. PERIOD OF RECORD.--April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.47 ft NGVD, April 17, 1984; lowest measured, 4.43 ft NGVD, September 23, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 22	4.96	DEC 29	5.20	MAR 2 23	5.41	APR 30	5.86	JUN 29	5.22	AUG 23	5.06
NOV 18	4.74	FEB 1	5.21		5.42	MAY 25	5.59	JUL 22	5.10	SEP 30	5.05

405600072150005. Local number, S 73994.1

LOCATION. -- Lat 40°56'00", long 72°15'00", Hydrologic Unit 02030202, at southwest corner of Wainscott Hollow Road and Wainscott Main Street, northern most well, Wainscott. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 1 1/4 in., depth 303 ft, screened 298 to 303 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 12.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

1 1/4-in. PVC casing, at land-surface datum. PERIOD OF RECORD.--March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.52 ft NGVD, June 20, 1984; lowest measured, 4.30 ft NGVD, October 28, 1988

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
OCT 22	4.90	DEC 29	5.04	MAR 2 22	5.58	APR 30	5.91	JUN 29	5.27	AUG 23	5.00
NOV 18	4.63	FEB 1	5.33		5.52	MAY 25	5.66	JUL 22	5.16	SEP 30	5.09

405858072213501. Local number, S 73998.1 LOCATION.--Lat 40°58'58", long 72°21'35", Hydrologic Unit 02030202, at south end of Club Lane, 624 ft west of Wildwood Road, near Highway Department entrance, southern most well, Noyack. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 1 1/4 in., depth 803 ft, screened 795 to 800 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 99.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 1 1/4-in. steel casing, 0.2 ft below land-surface datum. PERIOD OF RECORD.--April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.73 ft NGVD, August 30, 1989; lowest measured, 4.00 ft NGVD, December 5, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 DEC 29	4.80	FEB 1 MAR 2		MAR 23 APR 30	4.77	MAY 25 JUN 29	5.61 5.19	JUL 22 AUG 23	5.18 5.22	SEP 30	5.18

405858072213802. Local number, \$ 73999.1 LOCATION.--Lat 40°58'58", long 72°21'35", Hydrologic Unit 02030202, at south end of Club Lane, 624 ft west of Wildwood Road, near Highway Department entrance, northern most well, Noyack. Owner: Suffolk County Department of Helath Services.

AQUIFER. --Magothy (confined).
WELL CHARACTERISTICS.--Drilled steel observation well, diameter 3 in., depth 597 ft, screened 584 to 594 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 99.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

3-in. steel casing, 0.35 ft below land-surface datum. PERIOD OF RECORD.--April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.63 ft NGVD, April 17, 1984; lowest measured, 8.73 ft NGVD, December 18, 1990.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 DEC 29	9.82 9.71	FEB 1 MAR 2	10.02 10.19	MAR 23 APR 30	9.75 10.69	MAY 25 JUN 29	10.36	JUL 22 AUG 23	9.97 10.15	SEP 30	10.37

405322072454101. Local number, S 74292.1 LOCATION.--Lat 40°53'23°, long 72°45'43°, Hydrologic Unit 02030202, at south side of Mill Road, opposite Primrose Path, Brookhaven. Owner: United States Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 56 ft, screened 52 to 56 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 73.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 1.20 ft above land-surface datum.

PERIOD OF RECORD.--May 1983 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.22 ft NGVD, June 21, 1984; lowest measured, 33.64 ft NGVD, December 29, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	36.37	DEC 29	36.04	MAR 2	36.66	APR 23	38.09	JUN 29	38.25	AUG 25	37.47
NOV 17	36.19	JAN 29	36.42		36.97	MAY 18	38.45	JUL 15	38.07	SEP 28	36.88

404433073244903. Local number, S 74586.1

LOCATION. -- Lat 40°44'33°, long 73°24'49°, Hydrologic Unit 02030202, at northwest corner of New Highway and Conklin Street, north of Long Island Railroad tracks, western most well, Pinelawn. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined)

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 441 ft, screened 433 to 438 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 86.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.90 ft below land-surface datum.

REMARKS. -- Well also sampled for water quality.

PERIOD OF RECORD.--April 1983 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 60.33 ft NGVD, June 5, 1984; lowest measured, 50.58 ft NGVD, October 24, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	53.79	DEC 30	54.74	MAR 1	54.75	APR 30	56.67	JUN 17	55.00	AUG 30	53.04
NOV 18	53.19	JAN 29	54.82		55.39	MAY 17	56.11	JUL 20	54.14	SEP 24	52.76

404433073244904. Local number, S 74587.1

LOCATION. -- Lat 40°44'43", long 73°24'49", Hydrologic Unit 02030202, at northwest corner of New Highway and Conklin Street, north of Long Island Railroad tracks, middle well, Pinelawn. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 196 ft, screened 188 to 193 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 86.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.22 ft below land-surface datum.

REMARKS. -- Well also sampled for water quality.

PERIOD OF RECORD. -- April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 61.94 ft NGVD, June 5, 1984; lowest measured, 50.80 ft NGVD, September 27, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 20	54.71	DEC 30	55.64	MAR 1 25	55.62	APR 30	57.75	JUN 17	56.46	AUG 30	54.07
NOV 18	54.32	JAN 29	55.74		56.27	MAY 17	57.29	JUL 20	55.35	SEP 24	53.68

404433073244905. Local number, S 75033.1 LOCATION.--Lat 40°44'33", long 73°24'49", Hydrologic Unit 02030202, at northwest corner of New Highway and Conklin Street, north of Long Island Railroad tracks, eastern most well, Pinelawn. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS .-- Drilled PVC observation well, diameter 4 in., depth 62 ft, screened 47 to 52 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 86.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.51 ft below land-surface datum.

PERIOD OF RECORD .-- April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 62.19 ft NGVD, June 5, 1984; lowest measured, 51.81 ft NGVD, October 24, 1988.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 20	54.84	DEC 30	55.76	MAR 1 25	55.74	APR 30	57.87	JUN 17	56.65	AUG 30	54.19
NOV 18	54.48	JAN 29	55.86		56.36	MAY 17	57.45	JUL 20	55.50	SEP 24	53.79

404433073244902. Local number, S 75034.2

LOCATION. -- Lat 40°44'33", long 73°24'49", Hydrologic Unit 02030202, at northwest corner of New Highway and Conklin Street, north of Long Island Railroad tracks, northern middle well, Pinelawn. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 698 ft, screened 688 to 693 ft. INSTRUMENTATION . -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 86.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.26 ft below land-surface datum. PERIOD OF RECORD.--April 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 59.57 ft NGVD, June 9, 1984; lowest measured, 50.12 ft NGVD, August 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 DEC 30	53.24 54.30	JAN 29 MAR 1	54.30 54.26	MAR 25 APR 30	54.85 56.05	MAY 17 JUN 17	55.44 54.30	JUL 20 AUG 30	53.40 52.43	SEP 24	52.21

404859073194002. Local number, S 75454.2 LOCATION.--Lat 40°48'59", long 73°19'40", Hydrologic Unit 02030202, at Dix Hills Park and Golf Course, 180 ft west of DeForest Road, 154 ft north of parking lot, northern most well, Dix Hills. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).
WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 740 ft, screened 730 to 735 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel

DATUM .-- Land-surface datum is 230.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel casing, 0.14 ft below land-surface datum.

PERIOD OF RECORD .-- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 74.05 ft NGVD, March 21, 1991; lowest measured, 63.34 ft NGVD, August 23, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	69.88 69.85	JAN 6 28	69.75 69.77	MAR 3	69.73 69.80	APR 30 MAY 24	70.14 69.88	JUN 21 JUL 16	69.55 68.85	AUG 27 SEP 28	68.32 68.78

404859073194003. Local number, S 75455.1 LOCATION.--Lat 40°48'59°, long 73°19'40°, Hydrologic Unit 02030202, at Dix Hills Park and Golf Course, 180 ft west of DeForest Road, 144 ft north of parking lot, middle well, Dix Hills. Owner: Suffolk County Department of Health Services.

AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 508 ft, screened 500 to 505 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 230.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.32 ft below land-surface datum.

PERIOD OF RECORD. -- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 74.45 ft NGVD, March 21, 1991; lowest measured, 63.86 ft NGVD, August 23, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 23	70.30	JAN 6	70.13	MAR 3 25	71.09	APR 30	70.46	JUN 21	69.95	AUG 27	68.86
NOV 17	70.29	28	70.14		70.12	MAY 24	70.28	JUL 16	69.36	SEP 28	69.21

404859073194004. Local number, S 75456.1 LOCATION.--Lat 40°48'59", long 73°19'40", Hydrologic Unit 02030202, at Dix Hills Park and Golf Course, 180 ft west of DeForest Road, 134 ft north of parking lot, southern most well, Dix Hills. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 203 ft, screened 195 to 200 ft.

INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATUM .-- Land-surface datum is 230.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.98 ft below land-surface datum.

PERIOD OF RECORD .-- March 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 78.96 ft NGVD, November 20, 1991; lowest measured, 71.50 ft NGVD, September 16, 1987.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 23 NOV 17	75.96 75.80	JAN 6	75.54 75.44	MAR 3	75.25 75.20	APR 30 MAY 24	75.42 75.50	JUN 21 JUL 16	75.49 74.90	AUG 27 SEP 28	74.75 74.88

404530073181102. Local number, S 76016.2
LOCATION.--Lat 40°45'30°, long 73°18'11°, Hydrologic Unit 02030202, at south side of Burt Drive, 150 ft west of
West Jefryn Boulevard, western most well, Deer Park. Owner: Suffolk County Department of Health Services. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 4 in., depth 762 ft, screened 752 to 757 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 63.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.33 ft below land-surface datum. PERIOD OF RECORD.--June 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 48.77 ft NGVD, November 16, 1990; lowest measured, 38.98 ft NGVD, August 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20 NOV 18	42.77 42.93	DEC 30 JAN 29	43.45 44.00	MAR 1 25	44.57 44.49	APR 30 MAY 17	45.01 43.77	JUN 17 JUL 20	42.20 41.71	AUG 30 SEP 24	41.48

404530073181103. Local number, S 76017.1

LOCATION.--Lat 40°45'30°, long 73°18'11°, Hydrologic Unit 02030202, at south side of Burt Drive, 150 ft west of West Jefryn Boulevard, eastern middle well, Deer Park. Owner: Suffolk County Department of Health Services. AQUIFER .-- Magothy (confined) .

WELL CHARACTERISTICS .-- Drilled PVC observation well, diameter 4 in., depth 503 ft, screened 495 to 500 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 63.2 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.35 ft below land-surface datum.

PERIOD OF RECORD. -- June 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 46.50 ft NGVD, November 16, 1990; lowest measured, 39.22 ft NGVD, August 22, 1988.

DATE	WATER	DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER LEVEL
OCT 20	42.51	DEC 30	43.25	MAR 1 25	44.30	APR 30	44.77	JUN 17	41.90	AUG 30	41.15
NOV 18	42.69	JAN 29	43.75		44.20	MAY 17	43.40	JUL 20	41.46	SEP 24	42.30

404530073181104. Local number, S 76018.1 LOCATION.--Lat 40°45'30°, long 73°18'11°, Hydrologic Unit 02030202, at south side of Burt Drive, 150 ft west of West Jefryn Boulevard, western middle well, Deer Park. Owner: Suffolk County Department of Health Services.

AQUIFER.--Magothy (confined).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 194 ft, screened 186 to 191 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 63.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.24 ft below land-surface datum.

PERIOD OF RECORD .-- June 1984 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 47.08 ft NGVD, November 16, 1990; lowest measured, 38.46 ft NGVD, August 22, 1988.

WATER LEVEL. IN FEET IN REFERENCE TO NGVD. WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	43.23	DEC 30	43.75	MAR 1	44.78	APR 30	45.36	JUN 17	42.44	AUG 30	41.67
NOV 18	43.30	JAN 29	44.29		44.63	MAY 17	43.78	JUL 20	42.07	SEP 24	42.90

404530073181105. Local number, S 76019.1
LOCATION.--Lat 40°45'30", long 73°18'11", Hydrologic Unit 02030202, at south side of Burt Drive, 150 ft west of West Jefryn Boulevard, eastern most well, Deer Park. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table). WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 2 in., depth 62 ft, screened 57 to 62 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 63.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. PVC coupling, 0.14 ft below land-surface datum.

PERIOD OF RECORD. -- September 1984 to current year.

EXTREMES FOR PERIOD OF RECORD .-- Highest water level measured, 56.11 ft NGVD, October 16, 1990; lowest measured, 50.44 ft NGVD, January 24, 1989.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	52.27	DEC 30	52.76	MAR 1 25	52.69	APR 30	53.72	JUN 17	53.25	AUG 30	52.58
NOV 18	51.87	JAN 29	52.60		53.74	MAY 17	53.43	JUL 20	53.00	SEP 24	52.46

405317072331902. Local number, S 77435.1
LOCATION.--Lat 40°53'17", long 72°33'18", Hydrologic Unit 02030202, at south side of dirt road, 145 ft east of Riverhead-Hampton Bays Road (Rt. 24), 195 ft south of Bellows Pond Road, eastern most well, Rampasture.

Owner: Suffolk County Department of Helath Services.

AQUIFER .-- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in., depth 27 ft, screened 25 to 27 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 18.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.36 ft below land-surface datum. PERIOD OF RECORD.--March 1985 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.04 ft NGVD, April 19, 1990; lowest measured, 6.77 ft NGVD, October 28, 1986.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	8.09	DEC 30	8.97	MAR 2	9.19	APR 30	9.71	JUN 21	9.13	AUG 30	8.01
NOV 18	7.92	JAN 29	8.98		9.65	MAY 17	9.53	JUL 21	8.57	SEP 24	8.07

405317072331903. Local number, S 77436.2

LOCATION.--Lat 40°53'17", long 72°33'18", Hydrologic Unit 02030202, at south side of dirt road, 138 ft east of Riverhead-Hampton Bays Road (Rt. 24), 195 ft south of Bellows Pond Road, western most well, Rampasture.

Owner: Suffolk County Department of Health Services.

AQUIFER .-- Lloyd (confined) .

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 508 ft, screened 500 to 505 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 18.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.41 ft below land-surface datum.

PERIOD OF RECORD. -- March 1985 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 10.24 ft NGVD, August 23, 1989; lowest measured, 6.94 ft NGVD, September 22, 1986.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 20	8.02	DEC 30	8.51	MAR 2	8.91	APR 30	9.77	JUN 21	9.15	AUG 30	8.16
NOV 18	7.83	JAN 29	8.65	22	9.09	MAY 17	9.55	JUL 21	8.67	SEP 24	8.09

403935073235003. Local number, S 79407.1 LOCATION.--Lat 40°39'37", long 73°23'50", Hydrologic Unit 02030202, at south side of Kerrigan Road, across from Harding Road, western middle well, Tanner Park, Copiaque. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 1,219 ft, screened 1,192 to 1,214 ft. INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 7.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of removable extension, 10.39 ft above land-surface datum.

REMARKS.--Water level affected by tidal fluctuation. Flowing well, measurement taken from top of removable calibrated PVC extension. Well also sampled for water quality.

PERIOD OF RECORD. -- December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 18.29 ft NGVD, February 24, 1992, and April 7, 1992; lowest measured, 14.07 ft NGVD, September 30, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 26 NOV 30	17.18 16.99	JAN 29	17.79	FEB 25	16.99	MAY 6	18.28	MAY 26	17.88	JUN 23	17.38

403935073235004. Local number, S 79408.1

LOCATION.--Lat 40°39'37", long 73°23'50", Hydrologic Unit 02030202, at south side of Kerrigan Road, across from Harding Road, western most well, Tanner Park, Copaique. Owner: Suffolk County Department of Helath Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 4 in., depth 680 ft, screened 670 to 675 ft. INSTRUMENTATION. -- Measurement with clear plastic tube extension and stadia rod by USGS personnel.

DATUM. --Land-surface datum is 7.8 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. steel coupling, 0.58 ft below land-surface datum

REMARKS. -- Water level affected by tidal fluctuation. Well also sampled for water quality.

PERIOD OF RECORD. -- December 1985 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 7.22 ft NGVD, March 4, 1991; lowest measured, 5.28 ft NGVD, July 16, 1986.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 28 NOV 30	6.20 6.45	JAN 29 FEB 25	6.40	MAY 6	6.59 5.92	JUN 23 JUL 23	5.68 5.57	AUG 20	6.06	SEP 22	6.12

WATER

LEVEL.

16.70

16.86

DATE

405604073064302. Local number, S 81831.1

LOCATION. -- Lat 40°56'04", long 73°06'43", Hydrologic Unit 02030201, at north side of Route 25A, 199 ft west of Ridgeway Avenue, East Setauket. Owner: Suffolk County Department of Environmental Consevation. AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 470 ft, screened 462 to 467 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.
DATUM.--Land-surface datum is 94.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. PVC coupling, 0.96 ft below land-surface datum.

PERIOD OF RECORD. -- March 1986 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 24.03 ft NGVD, February 13, 1991; lowest measured, 18.77 ft NGVD, August 23, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 23 NOV 17	20.89 21.14	JAN 6	21.29 21.50	MAR 2	21.71 21.71	APR 28 MAY 24	22.31 21.14	JUN 18 JUL 16	21.25 19.95	AUG 26 SEP 28	20.67 20.97

405536072375301. Local number, S 82938.1

LOCATION.--Lat 40°55'36", long 72°37'53", Hydrologic Unit 02030202, at north side of entrance road, Indian Island Park, 107 ft east of restroom facilities, Riverhead. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Lloyd (confined)

WATER

LEVEL

DATE

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in., depth 1,022 ft, screened 1,010 to 1,022 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 21.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.14 ft below land-surface datum. PERIOD OF RECORD.--June 1987 to current year.

WATER

LEVEL

DATE

DATE

1987

WATER

LEVEL

1988

1989

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 18.11 ft NGVD, April 27, 1990; lowest measured, 15.55 ft NGVD, October 23, 1987.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE

WATER

I FVFI

WATER

LEVEL

DATE

								-			_						
T 27	16 16	.70 .49	DEC JAN	29 29	16.64 16.95	MAR	2 22	17 17	. 19 . 11	APR MAY	23 18	17.81 17.60	JUN	29 15	17. 17.	26 11	AUG SEP
GVD	21	Г	_	-		1	-	,			-	•			-		
E TO NGVD	20	-															-
WATER LEVEL, IN FEET IN REFERENCE	19	-															4
EET IN R	18	-							~	M	\					^	
IN E	17	-			Λ						1	M	N		~	$\int_{-\infty}^{\infty}$	4
ER LEVEI	16	-		V	WY	W	ſ							~	, ,		+
MAT	15	L,	097		1000		200			200		1001	10	00		100	

TIME, IN WATER YEARS

1990

1991

1992

1993

405536072375302. Local number, S 82939.1

LOCATION. -- Lat 40°55'36", long 72°37'53", Hydrologic Unit 02030202, at north side of entrance, Indian Island
Park, 107 ft east of restroom facilities, Riverhead. Owner: Suffolk County Department of Health Services.
AQUIFER: -- Magothy (confined).


WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 162 ft, screened 155 to 162 ft.

INSTRUMENTATION, -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 21.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

2-in. steel coupling, 0.03 ft below land surface datum.
PERIOD OF RECORD.--June 1987 to current year.
EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 4.11 ft NGVD, August 22, 1989; lowest measured, 2.61 ft NGVD, December 29, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993



405641072341602. Local number, S 83709.1 LOCATION.--Lat 40°56'41", long 72°34'16", Hydrologic Unit 02030202, at east side of state boat ramp, Jamesport, 118 ft south of Peconic Bay Boulevard, western most well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled steel observation well, diameter 2 in., depth 161 ft, screened 153 to 158 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.06 ft below land-surface datum.

PERIOD OF RECORD. -- June 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 5.02 ft NGVD, August 22, 1989; lowest measured, 1.55 ft NGVD, April 27, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	3.95 3.54	DEC 29 JAN 29	4.05	MAR 2	3.59	APR 23 MAY 18	4.94	JUN 29 JUL 15	4.20	AUG 25 SEP 28	3.80

405641072341604. Local number, S 83792.1

LOCATION. -- Lat 40°56'41", long 72°34'16", Hydrologic Unit 02030202, at eastside of state boat ramp, Jamesport, 118 ft south of Peconic Bay Boulevard, eastern most well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Augered steel observation well, diameter 2 in., depth 18 ft, screened 16 to 18 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 6.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.29 ft above land-surface datum.

PERIOD OF RECORD. -- August 1988 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 2.49 ft NGVD, July 21, 1989; lowest measured, 0.92 ft NGVD, December 29, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 17	1.64	DEC 29 JAN 29	1.79 1.52	MAR 2	2.11 2.01	APR 23 MAY 18	2.05 1.89	JUN 29 JUL 15	1.44 1.73	AUG 25 SEP 28	1.35

404846072533204. Local number, S 84808.1 LOCATION.--Lat 40°48'46", long 72°53'32", Hydrologic Unit 02030202, at north side of dirt road, 227 ft west of Carman's River, eastern most well, Southhaven County Park, Yaphank. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.--Drilled PVC to steel observation well, diameter 8 in. from surface to 75 ft, and 2 in. from 75 ft to bottom, depth 849 ft, screened 839 to 849 ft.
INSTRUMENTATION.--Measurement with clear plastic tube extension and stadia rod by USGS personnel.

DATUM. -- Land-surface datum is 17.6 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel meter box rim, 0.01 ft above land-surface datum. PERIOD OF RECORD.--March 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 25.81 ft NGVD, June 15, 1990; lowest measured, 21.74 ft NGVD, March 23, 1987, and September 30, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 26 DEC 1	23.04 22.95	JAN 7	23.36 23.53	MAR 1 25	23.24 23.80	APR 30 MAY 17	24.78 24.62	JUN 21 JUL 21	24.33 23.62	AUG 30 SEP 24	23.42 23.16

404846072533201. Local number, S 84807.1

LOCATION. --Lat 40°48'46", long 72°53'32", Hydrologic Unit 02030202, at north side of dirt road, 253 ft west of Carman's River, western most well, Southaven County Park, Yaphank. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled PVC to steel observation well, diameter 8 in, from surface to 94 ft, and 4 in, from 94 ft to bottom, depth 556 ft, screened 545 to 556 ft.

INSTRUMENTATION. -- Measurement with clear plastic tube extension and stadia rod by USGS personnel.

DATUM. --Land-surface datum is 17.7 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of steel meter box rim, 0.03 ft below land-surface datum.

PERIOD OF RECORD .-- March 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 23.45 ft NGVD, June 15, 1990; lowest measured, 19.50 ft NGVD, September 30, 1988.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 26 DEC 1	20.51 20.40	JAN 7 29	20.55 20.81	MAR 1 25	21.07 21.85	APR 30 MAY 17	22.08 21.91	JUL 21 AUG 30	20.76 20.73	SEP 24	20.52

404848072533203. Local number, S 84808.1

LOCATION. -- Lat 40°48'46", long 72°53'32", Hydrologic Unit 02030202, at north side of dirt road, 240 ft west of Carman's River, eastern middle well, Southaven County Park, Yaphank. Owner: Suffolk County Department of

AQUIFER.--Magothy (water-table).
WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 109 ft, screened 101 to 106 ft.

INSTRUMENTATION .-- Measurement with chalked tape by USGS personnel .

DATUM.--Land-surface datum is 17.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.21 ft above land-surface datum.

PERIOD OF RECORD. -- March 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.73 ft NGVD, March 4, 1991; lowest measured, 10.31 ft NGVD, August 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 26 DEC 1	10.69	JAN 7	11.21 11.13	MAR 1 25	11.17 11.53	APR 30 MAY 17	11.44 11.31	JUN 21 JUL 21	11.10 10.92	AUG 30 SEP 24	10.72 10.72

404846072533202. Local number, S 85712.1 LOCATION.--Lat 40°48'46", long 72°53'32", Hydrologic Unit 02030202, at north side of dirt road, 246 ft west of Carman's River, western middle well, Southaven County Park, Yaphank. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled steel observation well, diameter 2 in., depth 22 ft, screened 21 to 22 ft. INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 17.5 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 2-in. steel coupling, 0.52 ft below land-surface datum. PERIOD OF RECORD.--March 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 12.19 ft NGVD, June 9, 1988; lowest measured, 10.17 ft NGVD, August 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 26 DEC 1	10.57 10.68	JAN 7	11.09 10.99	MAR 1 25	11.03 11.42	APR 30 MAY 17	11.30 11.17	JUN 21 JUL 21	10.95 10.79	AUG 30 SEP 24	10.61 10.61

404433073244908. Local number, S 87041.1

LOCATION.--Lat 40°44'33", long 73°24'49", Hydrologic Unit 02030202, at northwest corner of New Highway and Conklin Street, north of Long Island Railroad tracks, northern most well, Pinelawn. Owner: Suffolk County Department of Health Services.

AQUIFER .-- Lloyd (confined)

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 983 ft, screened 968 to 978 ft.
INSTRUMENTATION.--Measurement with chalked tape by USGS personnel.

DATUM. --Land-surface datum is 86.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.28 ft above land-surface datum. PERIOD OF RECORD.--June 1987 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 28.63 ft NGVD, March 20, 1991; lowest measured, 22.84 ft NGVD, August 22, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

16.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20	26.05	DEC 30	26.79	MAR 1 25	27.16	APR 30	27.42	JUN 17	26.58	AUG 30	24.90
NOV 18	26.33	JAN 29	27.12		27.25	MAY 17	27.38	JUL 20	26.74	SEP 24	25.08

405801072354404. Local number, S 91812.1 LOCATION.--Lat 40°58'01", long 72°35'44", Hydrologic Unit 02030202, at east side of Manor Lane, south of Sound Avenue, 175 ft north of power lines, northern most well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled PVC observation well, diameter 4 in., depth 99 ft, screened 91 to 98 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM. -- Land-surface datum is 53.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.41 ft below land-surface datum.

PERIOD OF RECORD .-- September 1988 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.73 ft NGVD, May 15, 1990; lowest measured, 7.56 ft NGVD, July 22, 1992.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	8.07	DEC 29	8.27	MAR 2	8.91	APR 23	10.11	JUN 30	9.56	AUG 25	8.58
NOV 17	8.06	JAN 29	8.48		9.17	MAY 18	10.29	JUL 15	9.20	SEP 28	8.33

405801072354405. Local number, S 91813.1

LOCATION.--Lat 40°58'01", long 72°35'44", Hydrologic Unit 02030202, at east side of Manor Lane, south of Sound Avenue, 168 ft north of power lines, northern middle well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Drilled PVC observation well, diameter 4 in., depth 199 ft, screened 191 to 196 ft. INSTRUMENTATION.--Measurement with chalked tape by USGS personnel. DATUM.--Land-surface datum is 53.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of

4-in. PVC coupling, 0.20 ft below land-surface datum.

PERIOD OF RECORD. -- September 1988 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.78 ft NGVD, November 21, 1989; lowest measured, 5.75 ft NGVD, November 4, 1988.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	8.67	DEC 29	8.73	MAR 2	9.43	APR 23	10.74	JUN 30	10.13	AUG 25	9.30
NOV 17	8.57	JAN 29	8.96		9.78	MAY 18	10.90	JUL 15	9.71	SEP 28	8.92

410038072284202. Local number, S 91814.1 LOCATION.--Lat 40°58'01", long 72°35'44", Hydrologic Unit 02030202, at east side of Manor Lane, south of Sound Avenue, 155 ft north of power lines, southern most well, Jamesport. Owner: Suffolk County Department of Health Services.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.--Augered PVC observation well, diameter 4 in., depth 77 ft, screened 67 to 72 ft.

INSTRUMENTATION. -- Measurement with chalked tape by USGS personnel.

DATUM.--Land-surface datum is 53.0 ft National Geodetic Vertical Datum of 1929. Measuring point: Top of 4-in. PVC coupling, 0.04 ft above land-surface datum. PERIOD OF RECORD.--September 1988 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 12.69 ft NGVD, June 18, 1990; lowest measured, 5.77 ft NGVD, October 31 and November 4, 1988.

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	8.68	DEC 29	8.72	MAR 2	9.44	APR 23	10.74	JUN 30	10.15	AUG 25	9.31
NOV 17	8.59	JAN 29	8.96		9.79	MAY 18	10.89	JUL 15	9.71	SEP 28	8.93

GROUND-WATER LEVELS: KINGS COUNTY

STATION NUMBER	LOCA	L NUMB	BER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404057073583701	K	19.	1	404058	735840	112JMC0	1954	46.9	******	1	10-27-92 11-19-92 12-28-92 01-19-93 03-23-93 04-28-93	8.29 8.25 8.39 8.41 8.44 8.91
											05-24-93 06-22-93 07-22-93 08-25-93	8.82 8.66 8.51 8.38
403451073585601	K	2859.	1	403451	735856	211LLYD	1981	8.0	474	500	03-22-93	4.15
403612073573208	K	3159.	1	403612	735732	112GLCLU	1970	20.0	32	35	03-22-93	4.35
403605073571201	K	3247.	1	403605	735712	112GLCLU	1980	18.6	21	24	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 06-22-93 07-22-93 08-24-93	3.11 3.78 4.13 4.02 4.17 4.21 4.07 3.96 3.94 3.91
403712074001608	K	3248.	. 1	403712	740016	112GLCLU	1980	40.4	42	45	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 06-22-93 07-22-93 08-25-93	4.92 .4.80 5.01 4.98 4.95 5.42 5.35 5.18 5.09 5.04
403442073575401	K	3250.	. 1	403443	735755	112GLCLU	1980	9.2	21	24	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 06-22-93 07-22-93 08-24-93	1.71 1.55 1.72 1.70 1.91 1.93 1.87 1.79 1.84
403827073535201	K	3255.	. 1	403827	735352	112GLCLU	1980	16.8	21	24	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 06-22-93	4.26 4.59 4.91 4.81 4.76 4.62 4.03
403949073532108	K	3256	. 1	403949	735321	112GLCLU	1980	27.0	26	29	07-22-93 08-24-93 10-27-92 11-19-92 12-28-92 01-19-93 03-22-93	3.98 4.03 5.71 5.56 5.93 5.75 5.70

			AQUIFER	START OF	ALTITUDE OF LAND SURFACE	(FT	INTERVAL BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCAL NUMBER	LATITUDE LONGITUDE	E UNIT CODE	RECORD	(FT, NGVD)	TOP	BOTTOM	DATE	(FT, NGVD)
403949073532108	K 3256. 1	403949 735321	112GLCLU	1980	27.0	26	29	04-28-93 05-24-93 06-22-93 07-22-93 08-24-93	6.13 5.88 5.58 5.46 5.48
404017073544501	K 3257. 1	404017 735445	112GLCLU	1980	49.0	47	50	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 06-22-93 07-22-93 08-24-93	10.29 10.12 10.25 10.23 10.28 10.65 10.65 10.57 10.39
404057073585901	K 3259. 1	404056 735900	112GLCLU	1980	23.0	27	30	10-27-92 11-19-92 12-28-92 01-19-93 03-23-93 06-14-93 06-22-93 07-22-93 08-25-93	11.90 12.13 12.92 13.09 13.46 13.47 13.30 12.75
404025073515101	K 3271. 1	404025 735151	112GLCLU	1981	22.4	31	34	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 07-22-93 08-24-93	5.73 5.68 5.95 5.89 6.10 6.01 5.43 5.16 4.90 5.01
403817073580101	K 3273. 1	403817 735801	112GLCLU	1981	33.5	36	39	10-27-92 11-19-92 12-28-92 01-19-93 03-22-93 04-28-93 05-24-93 06-22-93 07-22-93 08-25-93	7.31 7.17 7.37 7.36 8.08 7.97 7.76 7.55 7.37 7.23
404037073584001	K 3301. 1	404036 735840	112GLCLU	1984	60.6	65	70	11-24-92 12-29-92 01-26-93 02-24-93 03-26-93 04-29-93 05-20-93 06-22-93 07-15-93 08-18-93 09-15-93	14.83 14.67 14.61 14.86 15.16 15.66 16.45 16.77 16.55 16.45

GROUND-WATER LEVELS: NASSAU COUNTY

STATION NUMBER	LOCA	L NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	I INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404856073442601	N	31. 2	404857	734427	112PGQF	1955	13.0	183	229	04-05-93	-1.45
405110073430401	N	36. 2	405109	734303	112PGQF	1936	46.0	200	214	04-08-93	5.82
405244073352301	N	119. 1	405243	733524	211LLYD	1945	79.7	497	571	04-21-93	37.51
405355073355901	N	124. 1	405355	733600	211LLYD	1946	9.7	1. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1	05-07-93	17.12
405231073323102	N	202. 1	405231	733232	211LLYD	1946	9.1		-2	05-07-93	28.67
404940073392701	N	662. 1	404940	733927	211LLYD	1977	10.6	347	363	03-26-93 06-24-93	16.50 13.50
404527073353301	N	845. 1	404527	733533	211MGTY	1941	110.0		204	04-14-93	67.81
405036073391201	N	906. 1	405035	733912	211LLYD	1946	11.1	319	419	04-22-93	18.21
403748073422603	N	1115. 3	403748	734226	112GLCLU	1990	22.0	:: *	, , , , , , , , , , , , , , , , , , , 	10-29-92 11-30-92 01-06-93 01-28-93 02-26-93 03-24-93	8.90 9.13 10.02 9.80 9.77 10.77
							. \$		1	04-26-93 05-25-93 06-24-93 07-21-93 08-20-93 09-16-93	11.31 10.54 9.83 9.29 8.93 8.40
405048073404303	N	1118.21	405048	734043	112GLCLU	1961	147.0	73	82	12-10-92 03-26-93 06-24-93	76.90 77.97 80.67
404835073404004	N	1120. 4	404835	734040	112GLCLU	1976	116.0	95	100	10-29-92 11-24-92 12-09-92 12-28-92	46.75 46.55 46.61 46.68
							QM,A	1807		01-20-93 02-23-93 03-26-93 04-21-93 05-20-93 06-16-93 06-24-93	46.70 46.86 47.02 47.36 47.61 47.67 47.75
										07-16-93 08-16-93 09-16-93	47.67 47.35 47.07
403942073371301	N	1147. 2	403942	733713	112GLCLU	1966	27.0	21	24	03-23-93	14.74
405318073375501	N	1149. 1	405318	733755	112PGFG	1941	89.0	77	82	10-26-92 11-24-92 12-07-92 12-22-92 01-25-93 02-19-93 03-25-93 04-20-93 05-21-93	40.35 40.48 39.87 39.95 40.03 40.00 40.16 40.47 41.01
										06-15-93 06-22-93 07-19-93 08-16-93 09-15-93	41.29 41.56 41.57 41.73 41.59

STATION NUMBER	LOCAL NUMBER	LATITUDE LONGIT	AQUIFER	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)		INTERVAL BELOW JRFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405007073373101	N 1153. 1	405007 73373	1 211MGTY	1940	122.0	-	86	12-07-92 03-25-93	55.01 55.61
404800073371201	N 1155. 1	404800 73371	2 211MGTY	1941	261.0	-	230	10-20-92 11-19-92 12-03-92 01-04-93 01-26-93 02-23-93 04-21-93	66.09 66.03 66.09 66.07 66.05 66.17 66.24
								05-17-93 06-17-93 06-22-93 07-19-93 08-18-93 09-24-93	66.13 65.87 65.85 65.43 65.04 64.84
404736073353101	N 1176. 1	404736 73353	1 211MGTY	1940	195.0	193	198	12-04-92 03-25-93 06-22-93	76.57 76.37 76.28
404037073335303	N 1184. 3	404036 73338	1 112GLCLU	1969	32.0	26	31	03-22-93	20.42
405246073343301	N 1189. 1	405246 73343	3 112PGFG	1941	67.0	77		12-08-92 03-26-93	58.47 61.13
404614073330504	N 1195. 5	404614 73330	15 211MGTY	1976	148.0	111	116	10-20-92 11-18-92 01-04-93 01-19-93 02-18-93 03-25-93 04-23-93 05-17-93 06-16-93 07-16-93 08-18-93 09-23-93	77.12 76.91 77.30 77.33 77.10 77.27 77.80 77.94 77.71 77.25 76.72 76.40
404202073315105	N 1201. 3	404202 7331	51 112GLCLU	1961	56.0	26	30	10-20-92 11-18-92 01-04-93 01-19-93 02-18-93 03-22-93 04-23-93 05-17-93 06-16-93 07-16-93 08-18-93 09-23-93	35.35 35.21 36.71 36.75 37.68 37.84 38.75 38.45 38.45 36.40 36.40 35.12 34.44
404015073312702	N 1204. 2	404015 7331	27 112GLCLU	1975	21.0	37	40	03-22-93	12.67
405228073322901	N 1207. 1	405228 7332	29 112GLCLU	1938	23.0	4-	-	12-08-92 03-26-93 06-23-93	17.94 18.52 18.10
404542073282803	N 1232. 3	404542 7328	28 211MGTY	1975	111.0	52	57	10-20-92 11-18-92 01-04-93 01-21-93 02-18-93	71.28 71.03 71.93 71.68 71.47

				i (2 93 e		AQUIFER	START	ALTITUDE OF LAND SURFACE	(FT	INTERVAL BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCAL	NUMB	ER	LATITUDE	LONGITUDE	UNIT CODE					DATE	Annual Control of the
404542073282803	N	1232.	3	404542	732828	211MGTY	1975	111.0	52	57	04-22-93 05-17-93	72.88 72.74
									11.48		06-16-93 07-16-93 08-18-93 09-23-93	72.47 71.68 70.64 69.89
404301073275104	N	1236.	3	404301	732751	112GLCLU	1975	70.0	47	52	03-25-93	43.53
404310073260102	N	1250.	2	404310	732601	112GLCLU	1956	61.0	30	34	03-23-93	45.65
404133073253802	N	1252.	3	404133	732538	112GLCLU	1958	31.0	21	24	10-20-92	23.41
									4		11-18-92 01-04-93 01-21-93	23.27 24.62 24.65
											02-18-93 03-23-93	24.72 25.47
									***		04-22-93 05-17-93 06-16-93	26.13 25.15 24.24
404102073283401	N	1260.	1	404102	732834	112GLCLU	1936	33.0	-31		03-25-93	20.49
403948073272704	N	1278.	2	403948	732727	112GLCLU	1965	13.0	11	14	10-29-92 11-30-92 01-15-93 02-25-93 03-26-93 04-23-93 05-21-93 06-21-93 07-22-93	5.15 5.40 5.89 5.91 6.90 6.28 5.58 5.11 5.90
											08-20-93 09-22-93	5.02 5.26
404024073272804	N	1280.	2	404024	732728		1965	20.0			03-25-93	11.61
403637073434502	N	1422.	. 2	403637	734345	112GLCLU	1964	16.0	1	\$ 1742	10-29-92 11-30-92 01-06-93 01-28-93 02-26-93 03-24-93 05-25-93	6.15 6.87 7.12 6.82 6.88 8.10 7.57 6.68
											06-24-93 07-21-93 08-20-93 09-16-93	6.34 6.03 6.12 5.73
404008073380501	N	1438	. 2	404009	733804	112GLCLU	1981	35.0			03-23-93	17.38
403926073381601	N	1439	. 2	403925	733817	112GLCLU	1984	27.0	20.00		03-23-93	12.16
404032073360603	N	1442.	. 3	404032	733606	112GLCLU	1967	29.0	21	24	11-19-92 01-04-93 01-20-93 02-25-93 03-26-93 04-20-93 05-13-93 06-15-93	19.11 19.08 20.58 20.63 20.69 21.43 21.44 21.19 20.55
											07-14-93 08-18-93 09-23-93	19.48 18.81 18.22

STATION NUMBER	LOCA	L NUME	BER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(F)	N INTERVAL T BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404027073324301	N	1446.	1	404026	733242	112GLCLU	1952	20.0	4.75		03-22-93	15.43
404038073400101	N	1459.	2	404038	734001	112GLCLU	1956	36.0	26	29	03-23-93	17.86
404512073295902	N	1461.	2	404512	732959		1983	131.0	81	86	03-25-93	70.21
404516073343401	N	2602	2	404518	733433	211LLYD	1953	116.0	760	800	04-14-93	20.49
404943073415201	N	2635	1	404943	734152	112GRDR	1948	41.0	150	154	12-09-92 03-26-93 06-24-93	23.97 25.00 25.40
404850073344501	N	3475	. 1	404849	733445	211MGTY	1955	208.0	432	482	04-13-93	73.77
404359073283601	N	3554	. 1	404359	732836	211MGTY	1968	90.0	265	269	10-20-92 11-18-92 01-04-93 01-21-93 02-18-93 03-25-93 04-22-93 05-17-93 06-16-93 07-16-93 08-18-93 09-23-93	54.21 54.00 54.82 55.02 55.05 55.33 56.70 56.33 56.33 55.04 53.65
403842073420201	N	3707	. 3	403842	734202	112GLCLU	1968	8.0	15	17	10-28-92 11-18-92 12-31-92 01-28-93 03-23-93 03-25-93 05-24-93 06-22-93 07-22-93	1.68 1.79 2.03 2.06 2.44 2.79 1.86 1.74 1.60
403823073422301	N	3710	. 1	403823	734322	112GLCLU	1968	6.0	15	18	10-28-92 11-18-92 12-31-92 01-28-93 03-23-93 03-25-93 05-24-93 06-22-93 07-22-93	0.25 0.47 1.01 0.94 0.54 2.25 0.75 0.79 0.63 1.02
403859073430501	N	3711	. 3	403859	734305	112GLCLU	1968	8.0	21	24	03-23-93	2.44
403621073441801	N	3862	. 2	403621	734418	211MGTY	1968	8.0	295	306	10-28-92 11-18-92 12-31-92 01-28-93 03-24-93 05-24-93 06-22-93 07-22-93 08-24-93 09-22-93	3.17 3.42 3.62 3.47 3.26 3.48 3.20 2.74 2.28 2.86 3.04

						AQUIFER	START	ALTITUDE OF LAND SURFACE	(F	N INTERVAL F BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCA	L NUME	BER	LATITUDE	LONGITUDE	UNIT CODE	RECORD	(FT, NGVD)	TOP	BOTTOM	DATE	(FT, NGVD)
403734073374801	N	3865	2	403734	733748	211MGTY	1955	5.0	553	563	03-25-93	3.67
403621073441702	N	4062.	1	403621	734418	112JMC0	1968	8.0	137	142	03-24-93	3.38
403904073324101	N	4149.	2	403904	733241	211MGTY	1968	4.8	546	562	03-25-93	8.33
404855073404701	N	4223.	2	404855	734034	112GLCLU	1955	192.0	273	326	04-06-93	25.96
404753073440303	N	4266.	2	404752	734403	211LLYD	1954	57.0	377	393	12-08-92 03-25-93 05-02-93 06-18-93	6.01 5.07 9.57 -2.11
405325073351401	N	5152.	1	405326	733514	112PGQF	1955	44.1	305	355	04-21-93	24.78
404820073381401	N	5883.	1	404820	733814	211MGTY	1956	208.0	210	215	12-09-92 03-26-93 06-24-93	49.86 50.20 49.76
403601073390703	N	6366.	3	403601	733907	112GLCLU	1966	7.0			03-26-93	0.33
403642073433201	N	6510.	1	403642	734332	211MGTY	1958	8.0	455	461	10-28-92 11-18-92 12-31-92 01-28-93 03-24-93 03-25-93 05-24-93 06-22-93	-2.65 -2.39 -2.39 -2.32 -2.37 -2.29 -2.57 -3.51 -3.88
											08-24-93 09-22-93	-3.14 -3.12
405242073352201	N	6670	1	405242	733522	112GLCLU	1968	81.0		-	12-07-92 03-25-93 06-22-93	72.62 74.08 74.54
403517073430610	N	6701	. 2	403517	734306	211RCNF	1959	11.0	822	832	10-29-92 11-30-92 01-06-93 01-28-93 02-26-93 03-24-93 04-26-93	8.56 8.35 8.51 8.41 8.36 8.60 8.73
									1 TY		05-25-93 06-24-93	8.84 8.79
											07-21-93 08-20-93 09-16-93	8.87 9.01 8.42
403517073430703	N	6703	. 1	403517	734306	211MGTY	1968	10.0	468	478	03-24-93	2.14
403517073430704	N	6704	. 1	403517	734306	211MGTY	1968	10.0	284	294	03-24-93	5.28
403713073415903	N	6706	. 1	403713	734159	211MGTY	1993	6.0	625	630	03-24-93	4.50
403713073415905	N	6793	. 1	403712	734159	112GLCLU	1992	6.0	0	11	10-29-92 11-30-92 01-06-93 01-28-93 02-26-93	-1.11 -1.46 4.83 4.83 4.72
403533073353203	N	6851	. 1	403533	733532	211MGTY	1968	7.0	551	556	03-25-93	5.63

STATION NUMBER	LOCAL	NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
403533073353204	N 6	852. 1	403533	733532	211MGTY	1968	7.0	258	263	03-25-93	0.61
403533073353205	N 6	853. 1	403533	733532	211MGTY	1968	7.0	127	132	10-29-92 11-30-92 01-15-93 02-25-93 03-25-93 04-23-93 05-21-93 07-22-93 08-20-93	4.30 3.91 4.35 3.46 4.11 4.33 4.35 4.04 4.16
403805073395302	N 6	928. 2	403805	733953	211RCNF	1987	6.0	716	726	03-25-93	4.78
404635073331001	N 7	030. 1	404635	733311	211MGTY	1964	158.0	480	530	04-13-93	79.72
405433073344602	N 7	190. 1	405433	733446	112PGQF	1961	14.0	237	240	10-26-92 11-24-92 12-08-92 12-22-92 01-25-93 02-19-93 03-26-93 04-20-93 06-15-93 06-23-93 07-19-93 08-16-93 09-15-93	8.17 8.90 9.70 10.77 9.84 9.46 8.62 8.74 3.80 1.68 -0.40 6.14 8.38
403838073405502	N 7	7235. 2	403838	734055	112GLCLU	1968	25.0	43	45	10-28-92 11-18-92 12-31-92 01-28-93 03-23-93 03-25-93 05-24-93 06-22-93 07-22-93	4.93 5.23 5.56 6.30 7.02 7.17 6.41 5.45 4.63 4.21
405018073395301	N 7	244. 1	405018	733954	112PGQF	1981	13.9	292	302	12-09-92 03-26-93 06-24-93	13.59 14.91 12.29
404544073265502	N 7	397. 2		732655	112GLCLU	1984	154.0	96	101	03-23-93	69.01
404855073360102	N 7	450. 2	404855	733601	211MGTY	1975	176.0	-	134	12-04-92 03-31-93 06-22-93	72.93 72.81 73.44
404751073321901	N 7	478. 1	404751	733219	211MGTY	1968	217.0	160	165	12-04-92 03-25-93	81.12 80.63
404652073372802	N 7	513. 1	404652	733727	211MGTY	1964	154.0	420	470	04-14-93	65.36
404652073394602	N 7	553. 2	404652	733946	211MGTY	1964	153.0	396	406	12-03-92 03-31-93 06-22-93	31.19 31.15 29.25

				AQUIFER	START OF	ALTITUDE OF LAND SURFACE	(FT	INTERVAL BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	UNIT CODE	RECORD	(FT, NGVD)	TOP	ВОТТОМ	DATE	(FT, NGVD)
404531073415401	N 7593. 1	405045	732830	211MGTY	1970	253.0	408	468	04-13-93	46.56
404345073411901	N 7650. 1	404344	734121	211MGTY	1967	97.0	400	440	04-06-93	40.06
404611073401005	N 7651. 2	404611	734010	211MGTY	1970	162.0	321	405	04-08-93	44.78
405204073345401	N 7665. 1	405203	733500	112GLCLU	1970	218.0	320	370	04-21-93	58.57
403805073395303	N 7675. 1	403805	733953	112GLCLU	1974	6.0	28	34	03-25-93	2.79
403805073395304	N 7676. 1	403805	733953	112GLCLU	1974	5.5	7	10	03-25-93	3.09
405010073305901	N 7773. 1	405010	733059	211MGTY	1969	230.0	500	560	04-13-93	63.24
404757073283301	N 8043. 1	404754	732831	211MGTY	1969	222.0	515	688	04-13-93	77.31
403910073341701	N 8203. 1	403909	733416	112GLCLU	1973	7.0	13	16	03-25-93 03-26-93	3.34 3.72
404156073262004	N 8214. 2	404156	732620	211MGTY	1969	37.0	605	686	04-15-93	26.29
404039073303201	N 8412. 1	404039	733032	112GLCLU	1968	26.0	25	28	03-22-93	16.64
403637073431101	N 8644. 1	403637	734309	112GLCLU	1970	18.0	21	24	10-28-92 11-18-92 12-31-92 01-28-93 03-24-93 03-25-93 05-24-93	4.54 4.67 5.83 5.49 6.50 6.68 5.37
									06-22-93 07-22-93 08-24-93 09-22-93	4.69 5.07 3.85 3.99
404144073285201	N 8669. 1	404143	732850	112GLCLU	1970	42.0	30	35	03-25-93	30.66
403522073371903	N 8698. 1	403522	733719	112GLCLU	1970	9.0	16	20	10-29-92 11-30-92 01-15-93 02-25-93 03-25-93 04-23-93 05-21-93	2.70 2.90 3.35 3.01 3.17 3.48 3.47
									06-21-93 07-22-93	4.89
									08-20-93 09-22-93	4.00 3.93
403631073391002	N 8715. 1	403631	733910	112GLCLU	1971	7.0	16	18	03-26-93	3.31
405145073372901	N 8716. 1	405145	733729	112GLCLU	1970	47.0	(a 0 §	10.	12-07-92 03-25-93 06-22-93	39.34 39.94 39.83
403936073303501	N 8717. 1	403936	733035	112GLCLU	1974	9.0	11	15	10-29-92 11-30-92 01-15-93 02-25-93 03-26-93 04-23-93 05-21-93 06-21-93 08-20-93 09-22-93	3.47 4.45 4.61 4.40 5.78 4.69 3.84 3.38 3.11 3.22 3.58

STATION NUMBER	LOCA	L NUME	BER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405124073421002	N	8766.	2	405124	734210	112PGQF	1982	92.5	320	360	12-09-92 03-26-93 04-07-93	5.87 6.97 7.53
404151073273805	N	8789.	2	404151	732738	112GLCLU	1981	40.0	27	32	03-25-93	28.23
403925073261101	N	8876.	1	403923	732611	112GLCLU	1972	5.0	30	35	03-26-93	2.33
404730073423101	N	8877.	1	404730	734231	112GLCLU	1972	12.0	71	76	10-29-92 11-24-92 12-08-92 12-28-92 01-20-93 02-23-93 03-25-93 04-21-93	9.81 10.36 9.57 10.53 10.57 9.86 10.62 11.19
								,	W		05-20-93 06-16-93 06-18-93 07-16-93 08-16-93 09-16-93	11.03 10.46 10.16 9.48 9.75 9.75
405055073430701	N	8891.	1	405047	734314	112GLCLU	1972	60.0	67	72	12-09-92 03-26-93 06-24-93	7.71 9.05 10.03
404723073443501	N	8933.	1	404723	734435	112PGQF	1973	32.0	143	148	12-08-92 03-25-93 06-18-93	12.19 12.67 11.51
404313073352201	N	8944	. 1	404313	733522	112GLCLU	1974	80.0	50	55	03-23-93	51.55
404606073434101	N	8970.	. 1	404606	734341	112GLCLU	1973	154.0	188	193	12-03-92 03-25-93 06-22-93	30.14 29.97 30.15
405153073420601	N	8994	. 1	405152	734206	112PGQF	1981	21.0	298	308	12-09-92 03-26-93 06-24-93	5.92 6.55 -0.04
403822073363302	N	9054	. 1	403822	733633	112GLCLU	1974	14.0	35	40	10-29-92 11-30-92 01-15-93 02-25-93 03-25-93 04-23-93 05-21-93 06-21-93 07-22-93 08-20-93	4.52 5.17 5.66 5.54 6.57 6.14 5.41 4.82 4.33 4.17 4.11
405204073363403	N	9066	2	405204	733634	211MGTY	1983	143.0	220	270	03-25-93	40.19
404324073342201		9078		404324	733422	112GLCLU	1975	84.0	60	65	10-21-92 11-19-92 01-04-93 01-20-93 02-25-93 03-22-93 04-20-93 05-13-93	51.72 51.57 52.52 52.68 52.66 52.91 54.43 54.13

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404324073342201	N 9078. 1	404324	733422	112GLCLU	1975	84.0	60	65	06-15-93 07-14-93 08-18-93 09-23-93	53.36 52.63 51.86 51.27
404740073285701	N 9089. 1	404719	732857	211MGTY	1975	173.0	173	178	10-20-92 11-18-92 01-04-93 01-21-93 02-18-93 03-25-93 04-22-93 05-17-93	78.78 78.58 78.74 78.72 78.75 78.01 79.42 79.68
					\.				06-16-93 07-16-93 08-18-93 09-23-93	79.47 78.96 78.28 77.94
404828073444501	N 9098. 1	404828	734445	112GLCLU	1976	59.0	67	72	12-08-92 03-25-93 06-18-93	18.49 19.39 20.30
405113073361301	N 9115. 1	405113	733613	211MGTY	1970	145.0	105	110	12-04-92 03-25-93 06-22-93	58.26 57.07 58.70
405131073405802	N 9116. 1	405131	734058	112GLCLU	1976	15.0	26	31	12-09-92 03-26-93 06-24-93	7.13 9.16 8.35
405144073432902	N 9118. 1	405144	734329	112GLCLU	1976	51.0	95	100	12-09-92 03-26-93 06-24-93	3.61 4.76 4.75
405416073325701	N 9127. 1	405416	733257	112GLCLU	1976	10.0	36	41	12-08-92 03-26-93 06-23-93	1.68 2.48 2.43
405158073300101	N 9154. 1	405158	733001	112PGFG	1976	34.0	61	66	10-26-92 11-24-92 12-08-92 12-22-92 01-25-93 02-19-93 03-26-93	24.26 24.19 24.14 24.54 24.53 24.19 24.41
									04-20-93 05-21-93 06-15-93 06-23-93 07-19-93 08-16-93 09-15-93	25.06 24.78 24.75 23.82 23.68 23.55 23.74
404633073345401	N 9168. 1	404633	733454	211MGTY	1976	165.0	212	217	12-03-92 06-22-93	87.43 88.42
405148073320201	N 9189. 1	405148	733202	112GLCLU	1981	59.0	37	42	12-08-92 03-26-93 06-23-93	43.57 44.64 43.76
404703073370202	N 9190. 1	404703	733702	211MGTY	1977	156.0	128	133	10-20-92 11-19-92 12-03-92 01-04-93 01-26-93	67.98 67.84 67.79 67.92 67.73

STATION NUMBER	LOCAL NUMBER	LATITUDE LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404703073370202	N 9190. 1	404703 733702	211MGTY	1977	156.0	128	133	02-23-93 03-25-93 04-21-93 05-17-93 06-17-93 06-22-93 07-19-93 08-18-93 09-24-93	67.91 66.95 68.22 68.37 68.33 68.62 67.81 67.64 67.03
404331073330801	N 9225. 1	404331 733308	112GLCLU	1980	90.0	39	44	03-23-93	53.92
404430073331001	N 9234. 1	404430 733310	211MGTY	1980	107.0	200	205	03-23-93	64.77
404430073331002	N 9235. 1	404430 733310	211MGTY	1980	107.0	100	105	03-23-93	64.81
404430073331003	N 9236. 1	404430 733310	112GLCLU	1980	107.0	45	50	03-23-93	64.82
404735073424101	N 9308. 2	404735 734240	211LLYD	1981	15.2	307	410	04-08-93	8.77
404112073421003	N 9309. 1	404112 734210	112GLCLU	1977	42.7	54	59	03-23-93	18.92
404748073385705	N 9313. 1	404748 733857	112GLCLU	1977	58.0	44	59	12-09-92 03-26-93 06-24-93	45.49 46.07 45.66
405350073345401	N 9314. 1	405350 733454	112GLCLU	1977	32.0	49	54	03-26-93 06-23-93	22.81 21.25
405326073302102	N 9316. 1	405326 733021	112GLCLU	1977	25.0	53	58	10-26-92 11-24-92 12-08-92 12-22-92 01-25-93 02-19-93 03-26-93 04-20-93 05-21-93 06-15-93 06-23-93 07-19-93 08-16-93	3.52 3.18 3.19 4.10 3.66 3.91 4.22 4.46 4.06 3.38 3.80 3.82 3.58
404928073313401	N 9317. 1	404928 733134	211MGTY	1977	218.0	189	194	10-20-92 11-18-92 01-04-93 01-21-93 02-23-93 04-22-93 05-17-93 06-16-93 06-22-93 07-19-93 08-18-93 09-24-93	70.87 70.73 70.61 70.64 70.61 70.75 70.47 69.93 69.85 69.27 68.89 68.42
404934073334801	N 9353. 1	404934 733348	211MGTY	1978	143.0	96	101	10-20-92 11-19-92 01-04-93 01-21-93 02-23-93 03-31-93 04-21-93 05-17-93	77.19 76.94 78.86 78.74 76.67 76.78 77.12 77.28

STATION NUMBER	LOCA	L NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	I INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404934073334801	N	9353. 1	404934	733348	211MGTY	1978	143.0	96	101	06-17-93 06-22-93 07-19-93	77.15 78.30 76.89
										08-18-93 09-24-93	76.58 76.17
405126073421002	N	9446. 2	405127	734210	112PGQF	1982	97.0	327	367	04-08-93	7.48
404125073325006	N	9473. 1	404125	733250	112GLCLU	1990	42.0	37	42	03-25-93	31.04
403526073441301	N	9474. 1	403526	734413	112GLCLU	1990	9.0	28	33	03-24-93	3.43
404208073433401	N	9476. 1	404208	734334	112GLCLU	1978	59.0	73	. 78	10-27-92 11-18-92	20.78 20.67
										12-28-92 01-21-93	20.84 20.96
							1100			03-23-93	21.21
										03-25-93 04-30-93	21.26 22.33
									P	05-24-93	22.42
										06-22-93	22.14
										07-22-93 08-24-93	21.29 20.66
										09-22-93	20.19
405428073350302	N	9478. 1	405428	733503	112GLCLU	1978	9.0	19	24	10-26-92	5.63
										11-24-92 12-08-92	5.12 6.95
										12-22-92	6.46
										01-25-93	6.13
										02-19-93 03-26-93	6.35
										04-20-93	6.51
										05-21-93	5.94
				1						06-15-93 06-23-93	5.25 5.37
										07-19-93	4.90
										08-16-93	4.76
						,				09-15-93	4.45
404944073393603	N	9608. 2	404944	733936	112GLCLU	1983	17.0	132	151	12-09-92 03-26-93	13.89 16.28
										06-24-93	16.01
										09-28-93	13.72
404154073374003	N	9648. 1	404154	733740	112GLCLU	1979	53.0	46	51	03-23-93	31.98
404219073293402	N	9658. 1	404219	732934	112GLCLU	1988	56.0	47	52	03-25-93	39.40
404347073260702	N	9662. 1	404347	732607	112GLCLU	1981	68.8	52	57	10-20-92	50.77
										11-18-92	50.48
										01-04-93 01-21-93	52.02 52.02
										02-18-93	51.91
										03-23-93	52.88
										04-22-93 05-17-93	54.14 53.49
							43010 305	L 3181		06-16-93	52.78
									* *100	07-16-93	51.94
										08-18-93 09-23-93	50.77 50.00
404136073303801	N	9664. 1	404136	733038		1987	36.0	26	31	03-25-93	26.85
404202073354306	N	9666. 1	404202	733543	112GLCLU	1979	55.0	42	47	03-23-93	38.22

STATION NUMBER	LOCAL NUMBER	LATITUDE LONGITU	AQUIFER DE UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	I INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404320073305602	N 9667. 1	404320 733056	112GLCLU	1985	76.0	50	55	03-25-93	50.51
404111073353303	N 9668. 1	404111 733533	112GLCLU	1979	49.0	45	50	03-26-93	29.81
405142073375603	N 9670. 1	405142 733756	112GLCLU	1979	33.0	37	42	12-07-92 03-25-93 06-22-93	23.84 24.54 23.09
404707073385003	N 9711. 1	404707 733850	112GLCLU	1979	145.0		146	01-04-93 01-20-93 02-25-93 03-25-93 04-20-93 05-13-93 06-15-93 06-22-93 07-14-93 08-18-93 09-23-93	57.24 57.25 57.01 57.20 57.35 57.59 57.24 57.16 56.73 56.24 55.88
404846073440901	N 9776. 1	404846 734410	211LLYD	1982	30.5	268	279	12-08-92 03-25-93 06-18-93	-2.32 -0.99 -11.22
404817073443901	N 9820. 1	404816 734450	211LLYD	1982	68.9	308	313	12-08-92 03-25-93 05-02-93 06-18-93	11.59 12.68 13.06 10.27
404907073435001	N 9840. 1	404907 734350	211LLYD	1982	21.4	299	309	12-08-92 03-25-93 06-18-93	-1.38 0.98 -8.17
404901073443005	N 9909. 1	404901 734430	112GLCLU	1990	17.9	18	40	12-08-92 03-25-93 06-18-93	9.20 10.11 9.63
404253073395601	N 9945. 1	404253 733956	112GLCLU	1982	76.0	59	64	10-21-92 11-19-92 01-04-93 01-20-93 02-25-93 03-23-93 04-20-93 05-13-93 07-14-93 08-18-93 09-23-93	39.13 38.97 39.83 40.00 39.98 40.19 41.34 41.50 40.92 40.23 39.54 39.04
404319073432901	N 9947. 1	404319 734329	112GLCLU	1982	81.7	101	106	10-27-92 11-18-92 12-28-92 01-21-93 03-23-93 03-25-93 04-30-93 05-24-93 06-22-93 07-22-93	28.78 28.61 28.56 28.66 28.89 28.90 29.49 29.87 29.88 29.44 28.52
404446073372401	N 9962. 1	404446 733724	112GLCLU	1982	111.0	60	65	03-23-93	61.58
404404073363101	N 9967. 1	404404 733631	112GLCLU	1982	82.0	48	54	03-23-93	57.64

				AQUIFER	START OF	ALTITUDE OF LAND SURFACE	(FT	INTERVAL BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	UNIT CODE	RECORD		TOP	BOTTOM	DATE	(FT, NGVD)
404421073262301	N 9980. 1	404421	732623	112GLCLU	1986	81.0	50	55	03-23-93	56.74
404404073420201	N 9983. 1	404404	734202	211MGTY	1982	108.0	91	96	10-21-92 11-19-92 01-04-93	41.18 41.30 42.26
									01-20-93 02-25-93 03-23-93	42.28 42.44 42.53
									04-20-93 05-13-93 06-15-93 07-14-93	42.81 43.21 43.43 43.14
									08-18-93 09-23-93	42.72 42.30
403959073434301	N 10001. 1	403959	734343	112GLCLU	1990	16.0			10-27-92 11-18-92 12-28-92 01-21-93	7.44 7.44 8.25 8.21
								No.	03-23-93 03-25-93 04-30-93	8.84 9.05 8.90
									05-24-93 06-22-93 07-22-93 08-24-93	8.32 7.81 7.11 6.86
400040070004004	N 40000 4								09-22-93	6.72
403810073381201	N 10008. 1	403810	733812	112GLCLU	1990	11.0	21	26	03-25-93	5.88
403926073333001	N 10007. 1	403926	733330	110010111	1981	12.0			03-26-93	9.07
403847073401101	N 10010. 1	403847	734011	112GLCLU	1990	23.0	35	40	03-25-93	9.36
403950073361403	N 10011. 1	403950	733614	112GLCLU	1981	18.5	21	26	03-26-93	13.09
404855073444801	N 10100. 1	404855	734448	112PLSC	1985	28.9	300	310	12-08-92 03-25-93 05-02-93 06-18-93	8.94 10.37 11.04 7.79
404845073440901	N 10101. 1	404845	734409	211LLYD	1985	35.2	270	280	12-08-92 03-25-93 05-02-93	-2.37 -1.40 5.72
							18		06-18-93	-11.29
403518073344401	N 10134. 1	403518	733444	112GLCLU	1990	11.0		77	03-25-93	4.36
404821073430501	N 10192. 1	404821	734305	211LLYD	1985	24.0	acidos.	5. 160	12-08-92 03-25-93 05-02-93	5.00 7.23 6.65
									06-18-93	-2.08
405320073370101	N 10199. 1	405320	733630	112GLCLU	1990	70.0	46	56	10-26-92 11-24-92 12-07-92 12-22-92 01-25-93	58.10 58.18 58.47 59.57 60.28
									02-19-93 03-25-93 04-20-93 05-21-93 06-15-93	60.38 61.35 61.78 60.93 60.16
								V 169	06-22-93 07-19-93	59.46 59.91

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	I INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405320073370101	N 10199. 1	405320	733630	112GLCLU	1990	70.0	46	56	08-16-93 09-15-93	58.09 58.54
405001073372301	N 10245. 1	405001	733723		1990	96.0			12-07-92 06-22-93	45.39 44.93
404900073373301	N 10246. 1	404900	733733		1990	159.0			12-09-92 03-26-93 06-24-93	57.90 58.24 57.83
404539073400407	N 10291. 1	404539	734004	211MGTY	1991	124.8			12-03-92 03-25-93 06-22-93	48.19 48.68 48.35
403738073375001	N 10425. 1	403738	733750	211MGTY	1987	6.0	702	707	03-25-93	3.78
404813073310301	N 10605. 1	404813	733103		1990	188.0	-		10-20-92 11-18-92 01-04-93 01-19-93 02-18-93 03-25-93 04-21-93 05-17-93 06-16-93 06-22-93 07-16-93 08-18-93 09-23-93	81.51 81.29 81.76 81.76 81.80 81.77 82.32 82.29 82.01 82.01 81.46 81.86 80.42
405057073325102	N 10606. 1	405057	733251	112GLCLU	1990	130.0	22		10-20-92 11-18-92 01-04-93 01-21-93 02-23-93 03-25-93 04-22-93 06-17-93 06-17-93 06-22-93 07-19-93 08-18-93 09-24-93	66.12 65.91 66.08 66.09 65.92 66.09 66.87 66.84 66.58 66.70 66.46 66.21 65.81
404842073291401	N 10609. 1	404842	732914		1990	239.0		7	12-04-92 03-25-93 06-22-93	75.05 74.83 74.73
403511073450901	N 10620. 1	403511	734509	211LLYD	1987	4.0	1,140	1,150	03-24-93	6.58
403505073401301	N 11002. 1	403505	734013	211LLYD	1987	11.0	1,240	1,250	10-29-92 11-30-92 01-15-93 02-25-93 03-26-93 04-23-93 05-21-93 07-22-93 08-20-93	2.23 2.00 4.46 4.32 4.37 4.44 3.79 0.17 -0.79 -0.50 0.69
403503073402401	N 11109. 1	403505	734013	211MGTY	1987	11.0	785	790	10-29-92 11-30-92 01-15-93	-3.91 -3.81 -3.52

			* 1	AQUIFER	START OF	ALTITUDE OF LAND SURFACE	(F1	INTERVAL BELOW SURFACE)		WATER LEVEL
STATION NUMBER	LOCAL NUMBER	LATITUDE L	ONGITUDE.	UNIT CODE	RECORD	(FT, NGVD)	TOP	BOTTOM	DATE	(FT, NGVD)
403503073402401	N 11109. 1	403505	734013	211MGTY	1987	11.0	785	790	02-25-93 03-26-93	-4.14 -3.72
								13.	04-23-93 05-21-93 06-21-93	-3.45 -3.78 -4.45
									07-22-93 08-20-93 09-22-93	-4.55 -4.07 -4.40
404031073382701	N 11166. 1	404031	733827	211MGTY	1993	36.0	620	640	03-23-93	16.53
404202073401801	N 11168. 1	404202	734018	211MGTY	1992	49.5	500	520	03-23-93	29.34
404355073401801	N 11172. 1	404355	734018	211MGTY	1993	77.5	435	455	04-16-93	46.64
405122073360601	N 11279. 1	405122	733606	211LLYD	1991	131.0	475	495	10-20-92 11-19-92 01-04-93 01-21-93 02-23-93 03-31-93 04-21-93 05-17-93	24.43 25.22 25.89 25.70 26.25 26.02 25.80 20.51
									06-17-93 06-22-93 07-19-93 08-18-93 09-24-93	18.35 16.01 12.52 16.19 20.40
405035073324801	N 11280. 1	405035	733248	112LLYD	1990	187.0	625	645	12-04-92 06-22-93	60.43 59.83
405035073324601	N 11281. 1	405035	733246	112PGQF	1990	187.0	498	518	12-04-92 06-22-93	60,53 59.92
405005073353401	N 11304. 1	405005	733534	211MGTY	1992	143.0	348	368	12-04-92 06-22-93	69.01 70.15
404327073341701	N 11396. 1	404327	733417	211MGTY	1990	83.0	560	580	10-21-92 01-04-93 01-20-93 02-25-93 03-22-93	50.35 51.05 51.23 51.10 51.39
						11 T			04-20-93 05-13-93 06-15-93 07-14-93	52.80 51.95 51.07 50.13
									08-18-93 09-23-93	50.19 49.91
404328073341601	N 11397. 1	404328	733416	211MGTY	1990	83.0	260	280	10-21-92 11-19-92 01-04-93 02-25-93	51.33 51.11 52.15 52.25
									03-22-93 04-20-93 05-13-93 06-15-93 07-14-93 08-18-93 09-23-93	52.55 53.96 53.41 52.56 51.71 51.35 50.91
404818073293001	N 11453. 1	404818	732930	112PGQF	1991	207.5	840	860	10-20-92 11-18-92 01-04-93	44.30 44.76 46.36

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FI	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404818073293001	N 11453. 1	404818	732930	112PGQF	1991	207.5	840	860	01-19-93 02-18-93 03-25-93 04-21-93 05-17-93 06-16-93 06-22-93 07-16-93 08-18-93 09-23-93	46.27 45.42 46.54 46.52 45.76 45.73 44.77 44.41 44.62
404818073293101	N 11454. 1	404818	732931	211MGTY	1991	207.5	570	590	10-20-92 11-18-92 01-04-93 01-19-93 02-18-93 03-25-93 04-21-93 05-17-93 06-16-93 06-22-93 07-16-93 08-18-93 09-23-93	77.10 77.00 77.18 76.98 76.87 77.91 77.34 77.28 76.99 76.89 76.55 78.06 75.91
404636073270902	N 11455. 1	404636	732709	211LLYD	1990	194.5	961	981	04-16-93	33.21
404636073271001	N 11456. 1	404636	732710	211MGTY	1990	194.5	815	835	04-16-93	73.44
404622073330701	N 11457. 1	404622	733307	211LLYD	1991	153.0	840	860	10-20-92 11-18-92 01-04-93 01-19-93 02-18-93 03-25-93 04-23-93 05-17-93 06-16-93 07-16-93 08-18-93 09-23-93	25.57 25.80 26.61 26.11 26.84 26.92 27.67 26.28 24.97 22.84 22.37 23.28
404326073341801	N 11570. 1	404326	733418	211LLYD	1990	83.5	850	870	10-21-92 11-19-92 01-04-93 01-20-93 02-25-93 03-22-93 04-20-93 05-13-93 06-15-93 07-14-93 08-18-93 09-23-93	16.01 16.29 17.19 17.07 17.58 17.73 18.18 17.83 15.78 13.75 12.89 13.82
403732073443402	N 11573. 1	403731	734441	211LLYD	1991	8.0	775	795	10-27-92 11-18-92 12-29-92 01-28-93 03-23-93 03-25-93 05-24-93 06-22-93 07-22-93 08-24-93 09-22-93	5.84 6.06 6.67 6.91 6.89 6.21 6.43 4.47 2.36 2.85 2.67

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404012073314101	N 11576. 1	404012	733141	211LLYD	1992	15.0	930	950	04-09-93	15.33
404324073414401	N 11577. 1	404324	734144	211LLYD	1991	45.5	700	720	04-05-93	18.18
403732073443403	N 11634. 1	403733	734443	211MGTY	1991	8.5	535	555	10-27-92 11-18-92 12-29-92	-2.78 -2.66 -2.81
									01-28-93 03-23-93 03-25-93 05-24-93	-2.72 -2.95 -2.64 -3.19
									06-22-93 07-22-93 08-24-93	-3.55 -4.07 -3.49
404123073291601	N 11643. 1	404123	732916	211MGTY	1993	41.5	680	700	04-16-93	23.71
404511073402501	N 11659. 1	404511	734025	211MGTY	1992	104.0	502	522	10-21-92 12-03-92 01-04-93 01-20-93 02-25-93 03-25-93 04-20-93	45.68 46.06 46.79 48.41 48.25 46.82 49.12
									05-13-93 06-15-93 06-22-93	47.01 46.27 46.33
•									07-14-93 08-18-93 09-23-93	45.31 45.07 45.40
404233073325801	N 11720. 1	404233	733258	211MGTY	1993	63.0	229	249	04-16-93	44.32
404233073325901	N 11721. 1	404233	733259	211MGTY	1993	63.0	600	624	04-16-93	43.66
405004073353401	N 11798. 1	405004	733534	211LLYD	1992	143.0	620	640	12-04-92 06-22-93	31.32 27.01

GROUND-WATER LEVELS: QUEENS COUNTY

STATION NUMBER	LOCA	L NUMB	ER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404550073500802	Q	34.	2	404553	735008	211LLYD	1946	36.0			04-21-93	8.60
404257073493701	Q	273.	1	404257	734937	211LLYD	1952	26.0	308	438	10-27-92 11-20-92 12-30-92 01-21-93 03-23-93 04-29-93 05-24-93 06-22-93	12.67 12.39 12.87 12.82 12.99 13.03 12.97 11.83
404141073471702	Q	562.	2	404140	734716	211LLYD	1946	29.0	499	589	04-06-93	8.15
404253073481302	Q	567.	2	404254	734810	211LLYD	1946	130.0	538	618	04-06-93	7.63
404113073501102	Q	1254.	1	404113	735011	112GLCLU	1940	56.0	63	65	03-23-93	13.43
404116073505901	Q	1255.	1	404116	735059	112GLCLU	1911	40.0			03-23-93	33.84
404547073524401	Q	1326.	1	404547	735244	112GLCL.U	1950	27.0			03-23-93	16.72
404656073503701	Q	1373.	1	404656	735037	211LLYD	1962	50.5	194	206	04-21-93	5.07
404515073500401	Q	2416.	1	404504	735018	211LLYD	1982	8.0	228	273	04-21-93	10.61
404504073501801	Q	2418.	1	404504	735018	112GLCLU	1967	6.4	48	60	11-20-92 05-24-93 06-22-93 08-20-93	0.54 1.29 1.21 1.05
404503073501901	Q	2419.	1	404503	735019	211LLYD	1972	7.0	221	271	11-20-92 06-22-93 08-20-93	9.46 10.08 10.06
404135073440102	Q	2443.	1	404135	734402	211MGTY	1984	55.6	320	360	04-06-93	15.99
404511073485201	Q	2814.	1	404511	734852	112GLCLU	1982	45.0	70	79	10-27-92 12-30-92 01-21-93 03-23-93 04-29-93 05-24-93 06-22-93 08-20-93	13.57 13.62 13.63 13.71 14.22 14.20 14.21 13.98
404040073445001	Q	2955.	. 1	404040	734450	211MGTY	1967	25.0	405	445	04-06-93	11.66
403940073443601	Q	2994.	. 1	403940	734436	112GLCLU	1968	10.0	10	66	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	4.52 4.64 5.00 4.82 5.62 4.83 4.62 4.26
403940073443501	Q	2995	. 1	403940	734435	112GLCLU	1968	10.0	10	83	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	4.60 4.71 5.11 4.94 5.81 4.91 4.69 4.32

STATION NUMBER	LOCAL	L NUMB	BER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FI	N INTERVAL T BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404202073491704	q	3069.	2	404202	734917	211LLYD	1977	65.0	510	550	04-06-93	8.49
403845073475701	Q	3110.	1	403845	734757	112JMC0	1981	10.0	306	326	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	4.23 4.11 4.27 4.34 4.71 4.26 3.28 4.17
403939073472801	Q	3112.	1	403939	734728	112JMC0	1981	11.3	290	300	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	4.84 4.64 4.90 5.00 5.25 4.47 2.57 3.26
403845073475702	Q	3115.	1	403845	734757	112GLCLU	1981	10.0	25	28	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	3.32 3.29 3.79 3.58 4.15 3.80 3.18 2.57
403939073472802	Q	3117.	. 1	403939	734728	112GLCLU	1981	11.0	11	23	10-27-92 11-18-92 12-29-92 01-28-93 03-25-93 05-25-93 06-22-93 08-24-93	4.19 4.21 4.89 4.66 5.40 4.87 4.31 4.42
404654073465901	Q	3119	. 1	404854	734659	112GLCLU	1980	38.0	37	40	10-27-92 11-20-92 12-30-92 01-21-93 03-23-93 04-29-93 05-24-93 06-22-93 08-20-93	18.68 18.66 19.08 19.13 19.51 20.15 19.88 19.66 19.24
403949073495701	Q	3150	. 1	403949	734957	112JMC0	1983	12.0		54	10-27-92 11-24-92 12-29-92	3.68 3.82 4.27
404226073303201	Q	3163	. 1	404226	734533	112GLCLU	1984	50.0	61	66	10-27-92 11-19-92 12-28-92 01-19-93 03-25-93 04-28-93 05-24-93 07-22-93 08-24-93	12.92 13.22 13.07 13.01 13.14 13.89 14.29 14.20 13.52 13.14

GROUND-WATER LEVELS: SUFFOLK COUNTY

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405410073281401	S 9.1	405418	732816	211LLYD	1955	128.1	505	565	05-06-93	15.50
404659073141801	S 1815. 3	404659	731418	112GLCLU	1984	72.5	50	54	03-23-93	47.95
405109072513001	S 2485. 1	405109	725130	112GLCLU	1948	69.0	65	75	03-25-93	35.99
404509073152301	S 3516. 1	404509	731523	112GLCLU	1942	60.0			03-23-93	38.73
405121072415801	S 3539. 1	405121	724156	112GLCLU	1942	79.0	-11	194	03-30-93	23.85
405010072580901	S 3871. 1	405010	725809	112GLCLU	1958	128.2			03-25-93	47.56
405507072244402	S 8831. 2	405511	722445	112GLCLU	1976	20.0			03-23-93	7.85
405307072323503	S 8835. 2	405307	723235	112GLCLU	1981	30.5			03-22-93	9.46
404915072531801	S 9129. 1	404914	725317	112GLCLU	1982	34.0			03-25-93	14.49
404831072530501	S 9130. 1	404829	725305	112GLCLU	1952	26.0	25	28	03-25-93	10.83
404446073191801	S 9646. 1	404446	731918	112GLCLU	1958	51.0			03-25-93	41.54
404049073241201	S 10075. 1	404049	732412	112GLCLU	1958	25.0	33	43	03-26-93	15.16
404115073225901	S 10342. 1	404115	732259	112GLCLU	1958	25.0		44	03-26-93	18.63
404347073195501	S 10370. 1	404347	731955		1958	38.0			03-25-93	27.35
404433073212701	S 11204. 1	404433	732127		1958	53.0			03-25-93	44.06
404540073211001	S 11240. 1	404540	732110	112GLCLU	1958	61.0			03-25-93	54.41
404527073220901	S 12035. 1	404527	732209	112GLCLU	1958	70.0			03-25-93	56.98
404423073222601	S 12069. 1	404423	732226		1958	65.0		4	03-25-93	46.58
404527073191501	S 14119. 1	404527	731915	112GLCLU	1958	70.0			03-25-93	55.49
404425073200701	S 14471. 1	404425	732007	112GLCLU	1958	44.0			03-25-93	38.65
410034072094701	S 15048. 1	410035	720948	112GLCLU	1974	20.0	31	46	03-23-93	7.14
410008072015901	S 16118. 1	410008	720159	112GLCLU	1974	4.8	31	46	03-23-93	2.75
404200073252701	S 16480. 1	404200	732527	112GLCLU	1958	39.0	3,5	45	03-26-93	31.78
405336073073001	S 16612. 1	405336	730730		1968	146.0			03-25-93	43.84
410356072260301	S 16780. 1	410356	722603	112GLCLU	1958	43.0	47	50	03-23-93	3.32
405355073174801	S 16883. 1	405355	731748	112GLCLU	1958	56.8			03-25-93	28.76
405448073180701	S 16884. 1	405446	731807	112GLCLU	1958	34.0	40	43	03-25-93	19.56
405040073175801	S 19057. 1	405040	731758	211MGTY	1970	150.0	604	676	05-06-93	57.66
405159073085501	S 21945. 1	405200	730856	211MGTY	1970	123.0	664	726	04-20-93	42.62
404902073094003	S 22579. 1	404902	730940	112GLCLU	1964	60.0	200	210	10-23-92 11-17-92 01-06-93 01-26-93 03-02-93 04-28-93	41.35 41.42 42.31 42.45 42.31 43.15

		_ = =	33	AQUIFER	START OF	ALTITUDE OF LAND SURFACE	(FT	INTERVAL BELOW SURFACE)	D. T. T.	WATER LEVEL
STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	UNIT CODE	RECORD	(FT, NGVD)	TOP	BOTTOM	DATE	(FT, NGVD)
404902073094003	S 22579. 1	404902	730940	112GLCLU	1964	60.0	200	210	05-20-93 06-18-93 07-16-93 08-26-93 09-28-93	42.76 42.00 41.15 40.54 40.35
404828073114002	S 22580. 1	404828	731140	211MGTY	1964	123.0	792	802	03-23-93	40.10
404828073114003	S 22581. 1	404828	731140	211MGTY	1964	123.2	440	450	03-23-93	41.37
404828073114004	S 22582. 1	404828	731140	112GLCLU	1964	123.7	105	115	03-23-93	42.25
404902073094004	S 23133. 1	404902	730940	112GLCLU	1964	60.3	26	29	11-17-92 01-06-93 01-26-93 03-02-93 04-28-93	41.52 42.47 42.51 42.46 43.20
									05-20-93 06-18-93 07-16-93 08-26-93 09-28-93	42.82 42.16 41.33 40.60 40.46
405047073120601	S 23631. 1	405047	731207	211MGTY	1977	40.0	494	595	04-20-93	32.72
405140073222101	S 23998. 1	405140	732221	211MGTY	1970	220.0	525	597	05-06-93	57.77
404818073135904	S 24773. 1	404813	731356	211MGTY	1966	118.4	412	422	03-23-93	46.44
405716072505701	S 26780. 1	405716	725057	112GLCLU	1970	21.7			03-23-93	19.18
405445073064801	S 29411. 1	405451	730648	211MGTY	1977	125.0		550	04-28-93	37.31
404120073221601	S 29491. 1	404121	732246	211MGTY	1978	25.0	390	493	04-14-93	16.67
404703073264202	S 29777. 1	404710	732640	211MGTY	1967	193.0	387	397	03-30-93	75.73
404703073264205	S 29778. 1	404710	732640	211MGTY	1967	193.0	158	168	03-30-93	76.42
405124072353701	S 30230. 1	405124	723537	211MGTY	1970	45.0	805	825	03-22-93	12.05
404515073225501	S 30506. 1	404520	732244	211MGTY	1969	75.0	546	618	04-07-93	57.76
405411072232901	S 31037. 1	405411	722329	211MGTY	1980	36.0		287	04-22-93	9.95
405000072464301	S 31462. 1	405000	724643	112GLCLU	1983	67.9	67	73	04-15-93	24.49
405838072114201	S 31653. 1	405837	721137	211MGTY	1974	68.0	420	460	04-28-93	10.97
404046073252101	S 32501. 1	404047	732521	211MGTY	1972	26.0	560	630	04-07-93	15.70
405132073155901	S 33006. 1	405143	731554	211MGTY	1975	147.0	436	503	04-30-93	38.10
405336073073601	S 33500. 1	405340	730735	211MGTY	1970	148.0	485	548	04-20-93	43.83
404908072473003	\$ 33919. 1	404908	724730	112GLCLU	1970	64.0		1 23	03-25-93	19.66
405512073010502	S 34007. 1	405512	730105	211MGTY	1984	142.0	270	345	04-30-93	48.26
405246073142801	S 34460. 1	405250	731429	211MGTY	1970	153.0	531	596	04-14-93	35.85
405143073105801	S 34733. 1	405144	731057	211MGTY	1984	126.0	350	421	04-30-93	26.44
404918073253201	\$ 35007. 1	404918	732532	211MGTY	1970	232.0	575	660	05-06-93	71.39

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405505072432201	S 36013. 1	405505	724322	112GLCLU	1970	47.0		14	03-22-93	22.30
404600073193201	S 36139. 1	404600	731932	112GLCLU	1970	76.0			03-25-93	61.03
404931073140601	S 36140. 1	404931	731406	112GLCLU	1969	48.0			03-24-93	41.25
404656073081401	S 36143. 1	404656	730814	112GLCLU	1969	72.0	59	62	03-23-93	33.30
404707073023401	S 36145. 1	404707	730234	112GLCLU	1969	44.6	30	43	03-25-93	32.06
405259072465601	S 36147. 1	405259	724656	112GLCLU	1970	47.8			03-25-93	36.58
405542072462901	S 36149. 1	405542	724629	112GLCLU	1969	83.5	2-	<u></u>	10-27-92 11-17-92 12-29-92 01-29-93 03-02-93 04-23-93 05-18-93 06-29-93 07-15-93 08-25-93 09-28-93	39.30 37.57 56.47 56.08 55.72 51.94 47.35 43.76 43.98 44.60 57.34
405117072490301	S 36150. 1	405117	724903	112GLCLU	1951	50.0			03-25-93	35.08
405010072443501	S 36152. 2	405014	724438		1975	65.0	62	66	03-25-93	20.55
405715072413201	S 36153. 1	405715	724132	112GLCLU	1969	75.2			03-22-93	14.40
404627073070901	S 36460. 1	404537	731635	211MGTY	1976	76.0		611	04-07-93	42.21
404717072595603	S 37494. 1	404717	725958	211MGTY	1976	60.0		313	04-22-93	26.94
404236073225001	S 37681. 1	404232	732256	211MGTY	1976	42.0		574	04-07-93	29.98
404406073193401	S 37861. 1	404402	731929	211MGTY	1978	41.8		636	04-14-93	25.75
410400072195301	S 38461. 1	410400	721953	112GLCLU	1970	12.0			03-23-93	6.55
404921073122703	S 38491. 1	404920	731225	211MGTY	1984	61.0	320	383	04-07-93	39.99
405258073045602	S 38784. 1	405256	730456	211MGTY	1984	100.9	528	600	04-20-93	56.23
405418073064902	S 38916. 1	405418	730647	211MGTY	1976	227.0		724	04-22-93	41.48
405924072321501	S 39269. 1	405924	723215		1983	13.6		-	03-23-93	4.02
405206073153002	S 40842. 2	405206	731530		1975	91.6	60	63	03-24-93	48.54
405510073063401	S 40849. 1	405510	730634	112GLCLU	1971	80.5			03-26-93	42.14
405555073060101	S 40850. 1	405555	730601		1971	60.7			03-25-93	27.09
405744072571902	S 40851. 2	405744	725719	112GLCLU	1976	32.0	47	50	03-23-93	16.16
405646072564301	S 40852. 1	405656	725643	112GLCLU	1971	114.6	95	97	03-23-93	31.22
405610072562501	S 40853. 2	405610	725625	112GLCLU	1985	100.2	74	78	03-23-93	38.25
405223073021301	S 41050. 1	405222	730213	112GLCLU	1972	89.4	67	69	03-25-93	69.61
405119073123702	S 42473. 1	405119	731236	211MGTY	1977	76.0	574	645	04-14-93	30.84
405357073194802	S 42681. 2	405354	731948	112GLCLU	1983	83.5	75	80	03-30-93	32.61

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
						(. ,,				
405016073200101	S 42682. 1	405016	732001	112GLCLU	1972	159.2	1 44	144	03-25-93	74.57
405335073073201	S 42683. 1	405335	730732	112GLCLU	1972	145.7			03-25-93	57.32
404756073025501	S 42761. 1	404753	730249	211MGTY	1984	75.0	166	333	04-28-93	39.88
404305073161401	S 42762. 1	404305	731615	211MGTY	1976	26.0	650	710	04-07-93	19.83
404511073112301	S 42827. 1	404513	731124	211MGTY	1976	35.0	598	660	04-07-93	24.02
404124073241601	S 43809. 1	404124	732416	112GLCLU	1974	34.0	24	34	03-26-93	22.13
404124073241602	S 43810. 1	404124	732416	112GLCLU	1974	33.8	61	71	03-26-93	22.21
404503073010801	S 44466. 1	404503	730108	112GLCLU	1974	4.3	15	20	03-25-93	2.07
404945073174501	S 45210. 1	404945	731745	112GLCLU	1974	130.2	97	107	03-25-93	65.10
404508073080902	S 45636. 1	404508	730809	112GLCLU	1974	14.1	17	27	03-23-93	8.48
404503073131201	S 45839. 1	404502	731315	211MGTY	1976	40.0	650	722	04-14-93	24.85
405231073250500	S 46281. 1	405231	732505	112GLCLU	1974	34.0	38	50	03-25-93	20.80
405913072064600	S 46518. 1	405914	720645	112GLCLU	1972	27.5			03-23-93	6.12
410123072130304	S 46521. 2	410123	721303	112GLCLU	1981	65.0	82	85	03-23-93	5.81
405915072121501	S 46522. 1	405915	721215	112GLCLU	1972	91.2			03-23-93	10.12
405828072115101	S 46523. 1	405828	721150	112GLCLU	1972	64.5	94	97	03-23-93	10.73
405906072153501	S 46524. 1	405907	721534	112GLCLU	1972	15.7	-		03-23-93	10.76
405741072144800	S 46525. 1	405741	721448	112GLCLU	1972	41.5			03-22-93	12.04
405843072180801	S 46526. 1	405843	721808	112GLCLU	1972	56.5			03-23-93	18.63
405746072175901	S 46527. 1	405747	721800	112GLCLU	1972	75.0	100		03-23-93	22.41
405842072211401	S 46528. 1	405843	722115	112GLCLU	1972	125.5	99	102	03-23-93	37.96
405602072221802	S 46529. 2	405602	722248	112GLCLU	1983	70.0	77	81	03-23-93	15.30
405418072233800	S 46530. 1	405418	722338	112GLCLU	1972	36.8	38	42	03-22-93	9.14
405332072262201	S 48531. 1	405332	722622	112GLCLU	1972	36.4	WHER.		03-22-93	5.05
405147072305001	S 46532. 1	405147	723050	112GLCLU	1972	24.0	-	- 61	03-22-93	4.46
405302072313501	S 46533. 1	405302	723135	112GLCLU	1972	84.7	-		03-22-93	6.87
405230072341901	S 46534. 1	405230	723419	112GLCLU	1973	82.0	81	84	03-22-93	a 11.71
405144072333701	S 46535. 1	405144	723337	112GLCLU	1972	44.5		49	03-22-93	8.10
405324072352101	S 46536. 1	405324	723521	112GLCLU	1976	24.7	1	Salara va n	03-22-93	12.52
405130072353101	S 46537. 1	405130	723531	112GLCLU	1972	56.2		-	03-22-93	12.74
405348072370401	S 46538. 1	405340	723709	112GLCLU	1972	61.3			03-22-93	27.72
405222072370701	S 46539. 1	405222	723707	112GLCLU	1972	100.0	-		03-22-93	16.00
405020072355801	S 46540. 1	405020	723558	112GLCLU	1972	37.8			03-22-93	9.47

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	SCREEN I (FT B LAND SU TOP	ELOW	DATE	WATER LEVEL (FT, NGVD)
405353072403801	S 46541. 1	405342	724057	112GLCLU	1972	27.3	44	::	03-22-93	17.83
405301072415101	S 46542. 1	405301	724151	112GLCLU	1972	163.0	2-	44	03-22-93	25.07
405131072455701	S 46546. 1	405131	724557	112GLCLU	1972	127.0			03-25-93	28.68
405716072591701	S 46548. 1	405715	725916	112GLCLU	1972	71.0	80	84	03-23-93	9.93
405620073022001	S 46549. 1	405624	730221	112GLCLU	1972	97.0	97	101	03-25-93	24.02
404804072484101	S 46713. 1	404804	724841	211MGTY	1977	20.0	385	440	04-22-93	13.78
404606073174601	S 46830. 1	404606	731746	211MGTY	1976	76.0	550	651	04-14-93	48.86
405230073164400	S 46965. 1	405230	731644	112GLCLU	1974	166.0	138	148	03-25-93	45.97
404759073251600	S 47220. 1	404759	732516	112GLCLU	1974	172.3	79	89	03-30-93	107.49
405407073001101	S 47310. 1	405407	730011	211MGTY	1976	135.0	623	693	04-28-93	53.91
405110072531503	S 47438. 1	405123	725407	211MGTY	1983	105.0	214	265	04-30-93	37.80
404804073051300	S 47453. 1	404804	730513	211MGTY	1975	100.0	380	440	04-20-93	44.15
405111073065801	S 47675. 1	405111	730658	112GLCLU	1974	119.5	78	88	03-25-93	58.41
404607072594701	S 47752. 1	404607	725947	112GLCLU	1974	24.0	88	98	03-25-93	8.27
404423073084101	S 49396. 1	404423	730841	112GLCLU	1973	6.3	8	13	03-23-93	2.86
405335072562903	S 49606. 1	405337	725629	211MGTY	1983	75.0	307	367	04-28-93	48.26
405120073085101	S 50500. 1	405120	730851	112GLCLU	1974	118.0	81	85	03-25-93	71.12
405059073085601	S 50501. 1	405059	730856	112GLCLU	1974	73.6	60	64	03-25-93	72.27
404937073063901	S 50502. 1	404937	730639	112GLCLU	1973	84.6			03-25-93	53.95
405010073103101	S 50505. 1	405010	731031	112GLCLU	1973	50.0	6	10	03-25-93	46.91
405146073141001	S 50512. 1	405146	731410	112GLCLU	1973	84.5			03-24-93	39.23
405100073152601	S 50513. 1	405100	731526	112GLCLU	1974	93.0	57	61	03-24-93	48.11
410430072202301	S 51176. 1	410430	722023	112GLCLU	1974	41.0	47	57	03-23-93	4.22
410147072184101	S 51184. 1	410147	721841	112GLCLU	1974	18.0	20	30	03-23-93	2.44
410047072184701	S 51186. 1	410047	721847	112GLCLU	1974	22.0	30	40	03-23-93	2.98
405808072385401	S 51588. 1	405808	723854	112GLCLU	1974	56.0	58	68	03-23-93	9.99
405630072442001	S 51577. 1	405630	724420	112GLCLU	1974	80.0	83	93	03-22-93	19.14
405542072483001	S 51579. 1	405542	724630	112GLCLU	1974	78.0	75	85	10-27-92 11-17-92 12-29-92 01-29-93 03-02-93 03-25-93 05-18-93 05-18-93 07-15-93 08-25-93 09-28-93	28.21 28.17 28.00 28.33 28.59 28.76 29.60 30.22 30.24 29.98 29.53 29.09

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FI	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405722072342001	S 51581. 1	405722	723420	112GLCLU	1974	32.0	32	42	03-23-93	8.59
410516072200901	S 52084. 1	410516	722009	112GLCLU	1974	28.4	62	72	03-23-93	3.24
404357072515701	S 52162. 1	404357	725157	211LLYD	1976	18.0	1,670	1,690	05-26-93 07-23-93 08-20-93 09-22-93	23.57 24.06 24.21 23.63
404357072515702	S 52163. 1	404357	725157	211MGTY	1974	17.0	1,279	1,300	03-29-93 05-06-93 05-26-93 06-23-93 07-23-93 08-20-93 09-22-93	16.56 16.70 16.33 16.13 15.73 15.90
404357072515703	S 52164. 1	404357	725157	211MGTY	1974	17.0	709	730	03-29-93 05-06-93 05-26-93 06-23-93 07-23-93 08-20-93 09-22-93	14.47 15.68 15.27 15.03 14.58 14.75 14.41
405354073021202	S 52490. 1	405355	730212	211MGTY	1978	137.0	480	554	04-22-93	52.17
404944072380901	S 52551. 1	404944	723809	112GLCLU	1974	27.8	20	25	03-22-93	9.93
404948072372601	S 52554. 1	404948	723726	112GLCLU	1974	18.4			03-22-93	6.56
410753072205501	S 53331. 1	410747	722053	112GLCLU	1975	47.0	58	68	03-23-93	3.10
405032073162802	S 53360. 1	405034	731618	211MGTY	1984	141.0	551	667	04-20-93	49.53
404950073085002	S 53498. 1	404948	730847	211MGTY	1977	90.0	663	718	04-07-93	46.17
405230072430002	S 53851. 1	405230	724300	211MGTY	1983	167.0	244	294	04-22-93	26.09
404759073122501	S 54308. 1	404759	731225	211MGTY	1984	109.0	722	792	04-14-93	40.70
405123072533701	S 54883. 1	405049	725310	112GLCLU	1975	79.9			03-25-93	33.82
405502072254701	S 57367. 1	405502	722616	112GLCLU	1975	32.5	75	79	03-23-93	5.04
405824072220601	S 57368. 1	405825	722205	112GLCLU	1976	74.0	87	91	03-23-93	26.92
405900072192901	S 57369. 1	405855	721926	112GLCLU	1975	76.0	93	97	03-23-93	14.01
405852072192401	S 57370. 1	405854	721927	112GLCLU	1976	88.0	96	100	03-23-93	17.99
404722073093401	S 57458. 1	404722	730934		1976	47.4	-		03-23-93	32.67
404722073093402	S 57459. 1	404722	730934		1976	47.2		100	03-23-93	32.63
404616073093401	S 57480. 1	404616	730934		1976	18.7		22	03-23-93	17.13
404616073093402	S 57481. 1	404616	730934		1976	18.6			03-23-93	17.18
405123073125101	S 57484. 1	405123	731251	112GLCLU	1975	15.5	15	19	03-24-93	12.51
405458073005301	S 57486. 1	405458	730053	112GLCLU	1975	130.5			03-26-93	53.41

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW URFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405246072573601	S 57487. 1	405246	725736	112GLCLU	1975	83.5			03-23-93	67.93
405048073122801	S 57488. 1	405048	731228	112GLCLU	1975	30.0			03-26-93	28.63
410356071544201	S 58922. 1	410355	715444	112GLCLU	1976	47.8	51	56	03-23-93	1.98
410404071565901	S 58923. 1	410401	715701	112GLCLU	1976	57.3	65	70	03-22-93	8.64
410401071570202	S 58923. 2	410401	715701	112GLCLU	1976	57.6	87	92	03-22-93	3.23
405933072093401	S 58924. 1	405934	720932	112GLCLU	1976	110.3	132	137	03-23-93	8.60
405950072124501	S 58925. 1	405952	721245	112GLCLU	1976	72.0	85	90	03-23-93	10.63
405607072225801	S 58957. 1	405606	722308	112GLCLU	1976	188.8	196	201	03-23-93	12.28
405737072215801	S 58958. 1	405738	722159	112GLCLU	1976	190.0	203	208	03-23-93	25.88
405816072162801	S 58959. 1	405808	722035	112GLCLU	1976	187.5	195	200	03-23-93	16.16
405827072190501	S 58960. 1	405827	721905	112GLCLU	1976	134.2	150	155	03-23-93	21.56
405615072182301	S 59793. 1	405616	721823	211MGTY	1984	34.0	512	522	03-22-93	11.46
404524073044801	S 60812. 1	404524	730448	211MGTY	1984	38.0	404	484	04-20-93	16.31
405616072182301	S 62393. 1	405616	721823	112GLCLU	1984	34.0	30	34	03-22-93	15.03
410111072010101	S 62397. 1	410111	720101	112GLCLU	1980	57.2	61	65	03-23-93	4.07
405033072560001	S 62404. 1	405033	725600	112GLCLU	1977	55.0	41	45	03-23-93	34.18
405700073080301	S 62406. 1	405700	730803	112GLCLU	1977	42.0	41	45	03-25-93	3.86
405604073080001	S 62407. 1	405604	730800	112GLCLU	1977	40.0	41	45	03-25-93	14.43
404415073114001	S 63618. 1	404416	731137	211MGTY	1984	20.0	490	550	04-20-93	20.12
404426073181201	S 63747. 1	404426	731812		1990	50.0			03-25-93	37.44
404356073105501	S 63830. 1	404356	731055		1978	17.7			03-23-93	13.85
404303073112801	S 63832. 1	404303	731128		1978	7.3			03-23-93	5.56
404345073124001	S 63835. 1	404345	731240		1978	13.5		044	03-23-93	8.90
404331073141701	S 63841. 1	404331	731417		1978	12.1		- 144	03-23-93	6.32
404210073182501	S 64192. 1	404210	731825		1978	17.6	.44		03-26-93	10.78
404116073204201	S 64209. 1	404116	732042		1978	10.0			03-26-93	6.45
404116073204301	S 64210. 1	404116	732043		1978	10.0			03-26-93	6.48
404659073202001	S 64313. 1	404659	732020	112GLCLU	1979	89.4	25	30	03-25-93	73.55
404746073221901	S 64316. 1	404746	732219	112GLCLU	1979	160.1	58	63	03-30-93	110.75
404217073215601	S 64853. 1	404217	732156		1990	33.2			03-26-93	24.31
404713072575701	S 65603. 1	404718	725749	112GLCLU	1978	54.0	65	70	03-25-93	26.20
410104072303001	S 65605. 1	410104	723030		1978	41.0	41	44	03-23-93	6.70
405003073155201	S 65607. 1	405003	731552	112GLCLU	1978	138.0	97	102	03-25-93	52.24

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
405351072535101	S 65855. 1	405351	725351	112GLCLU	1978	77.6	28	32	03-23-93	49.25
405548072593501	S 65861. 1	405549	725936	112GLCLU	1978	143.9	106	110	03-23-93	44.86
405058073050901	S 66496. 1	405058	730509	211MGTY	1984	127.0		766	04-14-93	55.59
405245072573702	S 66506. 1	405245	725737	112GLCLU	1979	83.0	55	60	03-23-93	52.53
405345072591101	S 66507. 1	405345	725911	112GLCLU	1979	100.0	68	72	03-25-93	54.59
405014072564001	S 66508. 1	405013	725640	112GLCLU	1979	66.0	55	60	03-23-93	38.62
405441073043501	S 66510. 1	405350	730316	112GLCLU	1979	137.8			03-25-93	54.26
405644073051201	S 66511. 1	405644	730512	112GLCLU	1979	105.0			03-25-93	12.94
405504073011201	S 66512. 1	405504	730112	112GLCLU	1979	120.6	99	104	03-25-93	51.52
405333072241701	S 66825. 1	405333	722417	211MGTY	1984	50.0		259	04-28-93	9.43
404949073215101	S 66847. 1	404949	732151	112GLCLU	1978	170.8	97	102	03-26-93	78.48
404922073071201	S 66848. 1	404922	730744	112GLCLU	1979	98.0	67	72	03-25-93	48.33
404632073070802	S 67074. 1	404632	730706	211MGTY	1984	70.0	765	825	04-14-93	37.96
404652073120301	S 67197. 1	404652	731203	211MGTY	1984	65.0		749	04-07-93	34.75
405255073044301	S 67564. 1	405255	730443	112GLCLU	1980	103.0	80	85	03-25-93	59.55
404612073055003	S 68552. 1	404612	730550	211MGTY	1984	57.0		838	04-20-93	31.07
405551072561601	S 69364. 1	404551	725616	211MGTY	1983	32.8		529	04-22-93	19.71
405504073282501	S 69780. 1	405504	732825	112GLCLU	1981	110.9	139	150	03-25-93	5.43
405556073274201	S 69934. 1	405556	732742		1981	18.1	44	46	03-25-93	7.03
410137071590201	S 70255. 1	410137	715902	112GLCLU	1980	169.6	315	320	03-22-93	3.78
410108071590003	S 70257. 1	410108	715900	112GLCLU	1981	50.1	104	109	03-22-93	2.42
410233071553801	S 70259. 1	410233	715538	112GLCLU	1981	38.7	92	97	03-22-93	2.51
410213071572201	S 70260. 1	410213	715722	112GLCLU	1981	27.8	94	99	03-22-93 03-30-93	3.78 4.13
410213071572202	S 70263. 1	410213	715722	112GLCLU	1981	27.8	40	45	03-22-93	3.84
405155073045203	S 70488. 1	405158	730448	211MGTY	1984	95.6	344	437	04-14-93	58.17
410159072001601	S 70613. 1	410159	720016	112GLCLU	1981	65.8	70	75	03-23-93	2.22
410219071591101	S 70614. 1	410219	715911	112GLCLU	1981	86.0	90	95	03-23-93	4.01
410108071590002	S 70615. 1	410108	715900	112GLCLU	1981	51.2	50	55	03-22-93	2.43
410149071571601	S 70616. 1	410149	715716	112GLCLU	1981	30.0	35	40	03-22-93	2.57
410320071570601	S 70617. 1	410320	715706	112GLCLU	1982	72.7	93	97	03-22-93	6.17
410330071563901	S 70618. 1	410330	715639	112GLCLU	1981	85.6	100	105	03-22-93	3.28
410414071515901	S 70627. 1	410414	715159	112GLCLU	1981	90.1	90	95	03-23-93	14.24

STATION NUMBER	LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)	(FT	INTERVAL BELOW SURFACE) BOTTOM	DATE	WATER LEVEL (FT, NGVD)
404807072590801	S 71785. 1	404807	725908	211MGTY	1984	71.9		357	04-28-93	35.87
410322071523901	S 72283. 1	410322	715239	112GLCLU	1982	58.6	84	89	03-23-93	2.41
410118072001501	S 72415. 1	410118	720015	112GLCLU	1982	94.0	99	103	03-23-93	4.70
410211071560001	S 72416. 1	410211	715600	112GLCLU	1982	44.2	93	97	03-22-93	1.58
410235071564301	S 72417. 1	410235	715643	112GLCLU	1982	59.6	71	75	03-23-93	3.62
410319071555901	S 72418. 1	410319	715559	112GLCLU	1982	11.6	51	55	03-22-93	2.43
410420071551901	S 72871. 1	410420	715519	112GLCLU	1982	5.4	33	38	03-30-93	1.69
405616072182302	S 73990. 1	405616	721823	211MGTY	1984	34.0	540	545	03-22-93	9.48
405201072544301	S 74287. 1	405200	725434	112GLCLU	1983	58.7	31	35	03-23-93	45.37
405418072511201	S 74289. 1	405417	725116	112GLCLU	1983	76.8	40	44	03-23-93	46.11
405421072474501	S 74291. 1	405421	724745	112GLCLU	1983	44.4	15	19	03-25-93	40.01
405017072495001	S 74293. 1	405017	724950	112GLCLU	1983	83.6	67	71	03-25-93	29.38
405213072481101	S 74294. 1	405213	724808	112GLCLU	1983	56.5	32	36	03-25-93	37.45
405347072385501	S 74296. 1	405347	723855	112GLCLU	1983	23.5	20	24	03-30-93	17.27
405338072430501	S 74297. 1	405338	724305	112GLCLU	1983	103.8	96	100	03-22-93	34.73
405348072370501	S 74298. 1	405340	723709	112GLCLU	1983	61.3	74	78	03-22-93	14.28
405340072340601	S 74299. 1	405334	723408	112GLCLU	1983	22.6	20	24	03-22-93	10.73
405115072370501	S 74300. 1	405127	723643	112GLCLU	1983	75.0	68	72	03-22-93	15.43
405434072421401	S 74302. 1	405422	724233	112GLCLU	1983	36.5	40	44	03-30-93	20.37
405435072421401	S 74303. 1	405431	724110	112GLCLU	1983	19.2	20	24	03-22-93	16.11
405419072381201	S 74304. 1	405417	723810	112GLCLU	1983	25.3	25	29	03-22-93	9.60
405256072392301	S 74308. 1	405255	724019	112GLCLU	1983	98.5	100	104	03-22-93	20.83
404849073261201	S 74585. 1	404849	732612	211MGTY	1984	365.0	452	455	03-30-93	70.39
410427072213601	S 75436. 1	410427	722134	112GLCLU	1983	57.4	60	62	03-23-93	10.99
410309072205601	S 75438. 1	410319	722055	112GLCLU	1983	10.8	18	23	03-23-93	2.25
410303072194401	S 75439. 1	410304	721942	112GLCLU	1983	14.0	24	29	03-23-93	3.34
404852073024202	S 76478. 1	404852	730242	112GLCLU	1984	104.8	70	75	03-25-93	47.89
404944073075001	S 76566. 1	404944	730750	112GLCLU	1984	63.8	10	12	03-25-93	57.58
404942073175502	S 76673. 2	404942	731755	211MGTY	1984	130.0	625	630	03-25-93	63.79
404942073175503	S 76674. 1	404942	731755	211MGTY	1984	130.0	455	460	03-25-93	64.01
404942073175504	S 76675. 1	404942	731755	211MGTY	1984	130.0	245	250	03-25-93	64.80
405446072524801	S 76834. 1	405446	725248	112GLCLU	1984	87.9	44	48	03-23-93	49.38
403741073215202	S 90161. 1	403741	732152	112GLCLU	1992	12.3	40	45	03-29-93	1.72

SECONDARY WELLS

LOCAL NUMBER	LATITUDE	LONGITUDE	AQUIFER UNIT CODE	START OF RECORD	ALTITUDE OF LAND SURFACE (FT, NGVD)			DATE	WATER LEVEL (FT, NGVD)
S 90162. 1	403741	732152	112GLCLU	1992	12.3	65	70	03-29-93	1.63
S 90163. 1	403741	732152	112GLCLU	1992	12.3	80	85	03-29-93	1.63
\$ 95423. 1	410748	722054	112GLCLU	1989	47.9	103	108	03-23-93	3.19
S 95424. 1	410800	722059	112GLCLU	1989	47.9	68	70	03-23-93	2.81
S 95727. 1	410757	722057	112GLCLU	1990	50.0	136	138	03-23-93	1.76
	\$ 90162. 1 \$ 90163. 1 \$ 95423. 1 \$ 95424. 1	\$ 90162. 1 403741 \$ 90163. 1 403741 \$ 95423. 1 410748 \$ 95424. 1 410800	LOCAL NUMBER LATITUDE LONGITUDE \$ 90162. 1	AQUIFER UNIT CODE \$ 90162. 1 403741 732152 112GLCLU \$ 90163. 1 403741 732152 112GLCLU \$ 95423. 1 410748 722054 112GLCLU \$ 95424. 1 410800 722059 112GLCLU	LOCAL NUMBER LATITUDE LONGITUDE UNIT CODE RECORD S 90162. 1 403741 732152 112GLCLU 1992 S 90163. 1 403741 732152 112GLCLU 1992 S 95423. 1 410748 722054 112GLCLU 1989 S 95424. 1 410800 722059 112GLCLU 1989	LOCAL NUMBER LATITUDE LONGITUDE UNIT CODE RECORD (FT, NGVD) \$ 90162. 1 403741 732152 112GLCLU 1992 12.3 \$ 90163. 1 403741 732152 112GLCLU 1992 12.3 \$ 95423. 1 410748 722054 112GLCLU 1989 47.9 \$ 95424. 1 410800 722059 112GLCLU 1989 47.9	LOCAL NUMBER LATITUDE LONGITUDE UNIT CODE RECORD (FT, NGVD) TOP S 90162. 1 403741 732152 112GLCLU 1992 12.3 65 S 90163. 1 403741 732152 112GLCLU 1992 12.3 80 S 95423. 1 410748 722054 112GLCLU 1989 47.9 103 S 95424. 1 410800 722059 112GLCLU 1989 47.9 68	LOCAL NUMBER LATITUDE LONGITUDE UNIT CODE RECORD (FT, NGVD) (FT BELOW LAND SURFACE) TOP BOTTOM S 90162. 1 403741 732152 112GLCLU 1992 12.3 65 70 S 90163. 1 403741 732152 112GLCLU 1992 12.3 80 85 S 95423. 1 410748 722054 112GLCLU 1989 47.9 103 108 S 95424. 1 410800 722059 112GLCLU 1989 47.9 68 70	LOCAL NUMBER LATITUDE LONGITUDE UNIT CODE RECORD (FT, NGVD) TOP BOTTOM DATE S 90162. 1 403741 732152 112GLCLU 1992 12.3 65 70 03-29-93 S 90163. 1 403741 732152 112GLCLU 1992 12.3 80 85 03-29-93 S 95423. 1 410748 722054 112GLCLU 1989 47.9 103 108 03-23-93 S 95424. 1 410800 722059 112GLCLU 1989 47.9 68 70 03-23-93

Hydrogeologic unit (aquifer):

112GLCLU - Upper glacial aquifer, Pleistocene age.

112GROR - Gardiners Clay, Pleistocene age.

112JMCO - Jameco Gravel, Pleistocene age.

112PGGG - Port Washington confining unit, Pleistocene age.

112PGGF - Port Washington aquifer, Pleistocene age.

112PLSC - Pleistocene deposit, undifferentiated.

211LLYD - Lloyd aquifer, Cretaceous age.

211MGTY - Magothy aquifer, Cretaceous age.

211RCNF - Raritan confining unit, Cretaceous age.

QUALITY OF GROUND WATER WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 NASSAU COUNTY

STATION NUMBER	LOCAL IDENT- FIER	GEO- LOGIC UNIT DATE	SPE- CIFIC DEPTH CON- OF DUCT- WELL, ANCE TOTAL FIELD (FEET) (US/CM)	PH WATER WHOLE FIELD TEMPER- (STAND- ATURE ARD WATER UNITS) (DEG C)
405231073323102	N 202. 1	211LLYD 03-31-93	420 114	7.0 10.5
404659073332601	N 1194. 2	112GLCLU 07-01-93	100 265	6.3 8.0
404059073254002	N 1253. 2	112GLCLU 11-10-92	29 346	14.0
403713073415901	N 4026. 1	112JMC0 08-31-93	153 72.6	8.5 11.5
403517073430704	N 6704. 1	211MGTY 08-10-93	298 76.0	6.0 14.0
405432073345001	N 7152. 1	211LLYD 04-21-93	370 76.8	6.5 14.0
404544073285502	N 7397. 2	112GLCLU 06-22-93	101 481	5.3 12.5
405122073380601	N 11279. 1	211LLYD 08-30-93	500 61.5	6.6 11.5
404625073330701	N 11458. 1	211MGTY 08-25-93	625 40.0	6.3 12.0
404012073314101	N 11576. 1	211LLYD 06-16-93	955 71.6	6.2 13.5
404324073414401	N 11577. 1	211LLYD 06-23-93	725 61.7	8.4 13.5
404012073314102	N 11579. 1	211MGTY 06-16-93	695 42.4	5.8 12.5
404323073414401	N 11580. 1	211MGTY 06-23-93	455 69.4	6.2 14.5
405122073360602	N 11824. 1	211MGTY 08-30-93	258 125	6.4 11.5

Hydrogeologic unit (aquifer):

112GLCLU - Upper glacial aquifer, Pleistocene age.

112GRDR - Gardiners Clay, Pleistocene age.

112JMC0 - Jameco Gravel, Pleistocene age.

112PGFG - Port Washington confining unit, Pleistocene age.

112PGGF - Port Washington aquifer, Pleistocene age.

211LLYD - Lloyd aquifer, Cretaceous age.

211MGTY - Magothy aquifer, Cretaceous age.

211RCNF - Raritan confining unit, Cretaceous age.

QUALITY OF GROUND WATER WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 NASSAU COUNTY--Continued

DATE	OXYGEN, DIS- SOLVED (MG/L)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)
03-31-93	0.7	5.1	2.5	5.2	1.7	23	7.4	5.0	0.20	19
07-01-93	13.7	13	3.8	26	1.8	23	16	50	(0.10	12
11-10-92	0.8	18	1.9	34	2.9	38	31	60	0.20	14
08-31-93		2.4	2.8	6.2	1.3	26	2.5	4.7	(0.10	12
08-10-93	1.3	1.1	1.0	8.5	2.7	8.5	7.5	8.7	(0.10	8.3
04-21-93	6.8	2.9	1.1	5.8	0.70	20	1.4	5.4	<0.10	11
06-22-93	12.5	9.3	9.2	63	2.5	5.9	2.4	120	<0.10	6.5
08-30-93	8.5	3.2	1.1	5.9	0.90	16	1.0	6.3	<0.10	9.8
08-25-93	11.2	1.5	0.62	3.7	1.1	13	0.90	3.5	<0.10	6.4
06-16-93	1.7	0.42	0.34	3.7	0.50	2.0	4.2	4.1	⟨0.10	7.6
06-23-93	1.7	2.8	1.5	4.7	1.5	16	2.6	4.7	<0.10	7.8
06-16-93	0.9	0.34	0.32	8.3	0.30	6.3	8.2	5.2	⟨0.10	7.8
06-23-93	0.5	1.5	0.73	5.9	1.1	7.9	8.6	3.6	<0.10	7.4
08-30-93	10.3	9.4	3.8	7.3	1.0	16	13	7.7	<0.10	14

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

NASSAU COUNTY--Continued

DATE	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN.AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
03-31-93	0.042	<0.05	0.08	<0.20	0.019	0.040	11000	360	0.04
07-01-93	0.004	1.6	0.04	<0.20	0.010	<0.001	1500	57	0.03
11-10-92	0.004	0.1	0.33	0.50	<0.001	0.002	580	1300	0.04
08-31-93	0.004	<0.05	0.07	<0.20	0.034	0.019	1400	30	⟨0.02
08-10-93	0.002	<0.05	0.07	<0.20	0.098	0.051	2200	41	0.01
04-21-93	0.002	0.16	0.02	<0.20	<0.001	0.006	390	4	<0.01
06-22-93	0.001	3.7	0.06	<0.20	0.019	0.001	470	120	0.04
08-30-93	<0.001	0.48	0.01	<0.20	0.005	<0.001	52	23	<0.02
08-25-93	0.002	0.05	0.03	⟨0.20	0.007	<0.001	560	45	⟨0.02
06-16-93	0.004	⟨0.05	0.03	0.20	0.007	0.006	4300	23	0.02
06-23-93	0.004	0.39	0.02	⟨0.20	0.003	0.001	1200	54	0.01
06-16-93	0.003	⟨0.05	0.04	0.30	0.002	<0.001	6400	79	0.03
06-23-93	0.002	⟨0.05	0.04	⟨0.20	0.004	0.003	5200	160	0.01
08-30-93	0.001	4.7	0.02	⟨0.20	0.004	0.002	47	8	⟨0.02

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 NASSAU COUNTY (Continued)

The following wells were sampled for water quality during the 1993 water year by the agency listed below. For further information, contact:

Nassau County Department of Health New Office Building 240 Old Country Road Mineola, NY 11501

	MILIEUTA	, 11 11001				Acres 1999	
Lo iden	cal tifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier
N	14	N 2748	N 4411	N 5672	N 7353	N 8195	N 9076
N	17	N 2920	N 4425	N 5703	N 7377	N 8196	N 9151
					N 7407	N 8248	N 9151 N 9173
Ņ	22	N 3185	N 4447	N 5710	N 7407		N 9173
N	28	N 3443	N 4448	N 5762	N 7414	N 8249	N 9180 N 9210
N	29	N 3456	N 4450	N 5767	N 7421	N 8250	N 9210
N	36	N 3457	N 4451	N 5792	N 7445	N 8251	N 9211
N	37	N 3465 N 3475	N 4512	N 5852	N 7482	N 8253	N 9212
N	46	N 3475	N 4602	N 5884	N 7512	N 8264	N 9308
N	75	N 3520	N 4623	N 5947	N 7513	N 8279	N 9334 N 9338
N	79	N 3603	N 4756	N 5994	N 7515	N 8313	N 9338
N	80	N 3604	N 4757	N 6042	N 7516	N 8321	N 9452
N	81	N 3605	N 4758	N 6076	N 7521	N 8339	N 9463
N	82	N 3618	N 4759	N 6077		N 8342	N 9488
N	83	N 3010	N 4/59		N 7522	N 0342	N 9400
N		N 3668	N 4860	N 6078	N 7523	N 8354	N 9514 N 9520
N	95	N 3720	N 5007	N 6146	N 7526	N 8409	N 9520
N	97	N 3733	N 5099	N 6148	N 7548	N 8426	N 9521
N	103	N 3876	N 5121	N 6149	N 7549	N 8457	N 9521 N 9591
N	104	N 3878	N 5147	N 6150	N. 7551	N 8474	N 9613
N	118	N 3905	N 5148	N 6190	N 7552	N 8475	N 9768
N	119	N 3934	N 5152	N 6192	N 7561	N 8480	N 9809
N	570	N 3935	N 5153	N 6315	N 7562	N 8497	N 9846
N	585	N 3937	N 5155	N 6442	N 7620	N 8525	N 9878
N	590	N 3953	N 5156	N 6443	N 7649	N 8526	N 0010
N	687	N 4043	N 5100		N 7650	N 8558	N 9910 N 9976 N 10033 N 10103
N	1298	N 4043	N 5187	N 6580			N 9976
N	1298	N 4077	N 5201	N 6644	N 7665	N 8576	N 10033
N	1328	N 4082	N 5209	N 6651	N 7720	N 8595	N 10103
N	1346	N 4095	N 5227	N 6744	N 7747	N 8603	N 10144
N	1601	N 4096	N 5260	N 6745	N 7785	N 8658	N 10195
N	1603	N 4097	N 5302	N 6866	N 7797	N 8664	N 10206
N	1618	N 4118	N 5303	N 6893	N 7831	N 8665	N 10207
N	1651	N 4132	N 5304	N 6915	N 7852	N 8767	N 10144 N 10195 N 10206 N 10207 N 10208
N	1697	N 4206	N 5318	N 6916	N 7855	N 8768	N 10286
N	1715	N 4243	N 5320	N 6945	N 7857	N 8778	N 10401
N	1716	N 4245	N 5321	N 6953	N 7873	N 8778	N 10408
N	1716 1870	N 4265	N 5322	N 6956	N 7073	N 8779	N 10460
N	1070				N 7892		N 10451
N	1958	N 4298	N 5528	N 7058	N 7957	N 8818	N 10000
N	2028	N 4327	N 5596	N 7076	N 8004	N 8837	N 10286 N 10286 N 10401 N 10408 N 10451 N 10557 N 10557 N 10612 N 10863 N 10889
N	2030	N 4388	N 5603	N 7104	N 8007	N 8941	N 10612
N	2052	N 4389	N 5653	N 7117	N 8010 N 8031	N 8956	N 10863
N	2214	N 4390	N 5654	N 7126	N 8031	N 8957	N 10889
N	2239	N 4393	N 5655	N 7157	N 8054	N 8976	N 11004
N	2414	N 4400	N 5656	N 7298	N 8183	N 8979	N 11004 N 11509
N	2602	N 4405					

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

NASSAU COUNTY (Continued)

The following wells were sampled for water quality during the 1993 water year by the agency listed below. For further information, contact:

Nassau County Department of Public Works Water Supply Unit 170 Cantiague Rock Road Hicksville, NY 11801

Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier
N 1102	N 4062	N 8875	N 9470	N 9921	N 10290	N 11730
N 1114	N 4213	N 8876	N 9471	N 9922	N 10291 N 10292	N 11731 N 11777 N 11778
N 1116	N 5227	N 8877	N 9472	N 9923	N 10292	N 11777
N 1118	N 5250	N 8879	N 9473	N 9924	N 10390	N 11778
N 1120	N 6367	N 8891	N 9474	N 9925	N 10425	N 11779
N 1132 N 1133	N 6581 N 6701	N 8933	N 9475	N 9926	N 10430	N 11781 N 11782
N 1133	N 6/U1	N 8938	N 9476	N 9927	N 10606	N 11782
N 1139	N 6703 N 6704	N 8939	N 9477	N 9928	N 10620	N 11783
N 1147 N 1148	N 6849	N 8940 N 8943	N 9478 N 9607	N 9930 N 9931	N 10667 N 10731	N 11784 N 11785
N 1168	N 6850	N 8944	N 9608	N 9932	N 10732	N 11795
N 1169	N RRES	N 8964	N 9609	N 9934	N 10882	N 11798
N 1183	N 6928	N 8970	N 9848	N 9936	N 10977	N 11824
N 1184	N 7161	N 8984	N 9647	N 9938	N 10978	N 11830
N 1184 N 1189	N 7207	N 9054	N 9648	N 9939	N 10979	N 11824 N 11830 N 11865
N 1190	N 7235	N 9057	N 9649	N 9940	N 10980	N 11866
N 1194	N 6928 N 7161 N 7207 N 7235 N 7397	N 9077	N 9650	N 9941	N 11002	N 11961
N 1195	N /45U	N 9078	N 9651	N 9942	N 11067	N 11986
N 1197	N 7478	N 9079	N 9652	N 9943	N 11109	N 11987
N 1201	N 8046	N 9087	N 9654	N 9944	N 11165	N 11988
N 1197 N 1201 N 1204	N 8046 N 8052	N 9088	N 9655	N 9945	N 11166	N 11987 N 11988 N 12004
N 12U5	N 8203	N 9089	N 9656	N 9946	N 11167	N 12U39
N 1223 N 1225	N 8204	N 9098	N 9657	N 9948	N 11168	N 12050 N 12076
N 1225	N 8269	N 9099	N 9658	N 9949	N 11169	N 12076
N 1231	N 8550	N 9100	N 9659	N 9979	N 11170	N 12079
N 1232	N 8599	N 9115	N 9660	N 9980	N 11171	N 12112
N 1236	N 8630	N 9116	N 9661	N 9982	N 11172	N 12113
N 1243	N 8631	N 9117	N 9662	N 9983	N 11279	N 12114
N 1253 N 1263	N 8633 N 8636	N 9127	N 9663	N 9984	N 11304	N 12134
N 1203	N 8030	N 9152	N 9664	И 9999	N 11324	N 12151
N 1278	N 8644	N 9154	N 9665	N 10000	N 11396	N 12152
N 1279 N 1280	N 8645 N 8646	N 9168	N 9666	N 10002 N 10003	N 11397 N 11570	N 12153 N 12154
N 1281	N 8647	N 9188 N 9189	N 9667	N 10003	N 11570	N 12190
N 1422	N 8651	N 9190	N 9668 N 9669	N 10004	N 11573	N 12190
N 1429	N 8652	N 9208	N 9670	N 10005 N 10006	N 11576	N 12209
N 1442	N 8653	N 9309	N 9711	N 10007	N 11579	N 12209 N 12232 N 12238
N 1449	N 8654	N 9313	N 9712	N 10008	N 11634	N 12241
N 1825	N 8655	N 9314	N 9776	N 10009	N 11643	N 12250
N 1685	N 8669	N 9316	N 9802	N 10010	N 11644	N 12250 N 12251
N 2635	N 8717	N 9332	N 9803	N 10011	N 11859	N 12254
N 2790	N 8718	N 9333	N 9804	N 10035	N 11670	N 12255
N 3707	N 8749 N 8752	N 9353	N 9805	N 10085	N 11671	N 12255 N 12256 N 12257
N 3708	N 8752	N 9354	N 9820	N 10094	N 11672	N 12257
N 3710	N 8788	N 9355	N 9892	N 10101	N 11673	N 12258
N 3711	N 8831	N 9356	N 9899	N 10192	N 11675	N 12259 N 12260
N 3862	N 8847	N 9357	N 9907	N 10199	N 11676	N 12260
N 3864	N 8848	N 9358	N 9914	N 10200	N 11720	N 12262
N 3865	N 8849	N 9359	N 9917	N 10202	N 11721	N 12263
N 3866	N 8857	N 9373	N 9918	N 10202 N 10245	N 11722	Q 1071
N 3867	N 8863	N 9468	N 9919	N 10246	N 11723	Q 1237
N 3932	N 8873	N 9469	N 9920	N 10252	N 11724	Q 1071 Q 1237 Q 3109
N 4026						-

WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 SUFFOLK COUNTY

STATION NUMBER	LOCAL IDENT- I- FIER	GEO- LOGIC UNIT	DATE	DEPTH OF WELL TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE FIELD (US/CM)	PH WATER WHOLE FIELD (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)
404812073041201	S 44918. 1	112GLCLU	08-24-93	85	195	6.1	12.0
405240072491402	\$ 47226. 1	112GLCLU	03-02-93	30	75.7	6.7	11.0
405240072491401	\$ 47227. 1	112GLCLU	03-02-93	100	101	7.7	10.5
405412072441401	S 47753. 1	112GLCLU	07-28-93	102	57.0	6.0	10.5
405604073064301	S 47973. 1	112GLCLU	06-30-93	90	197	6.3	12.0
405844072191601	S 48438. 1	112GLCLU	08-02-93	82	130	5.8	9.5
405121072490601	S 48946. 1	112GLCLU	03-02-93	45	215	6.2	13.0
405512072395201	\$ 51573. 1	112GLCLU	04-28-93	90	153	8.0	14.5
405349072494101	S 51592. 1	112GLCLU	03-02-93	42	172	5.8	11.5
404357072515701	S 52162. 1	211LLYD	05-12-93	1695	117	7.0	16.0
404357072515702	S 52163. 1	211MGTY	05-12-93	1305	137	7.1	16.5
405508073054201	S 66513. 1	112GLCLU	08-23-93	123	265	6.1	15.5
403935073235002	S 67537. 1	112GLCLU	04-20-93	61	138	7.8	13.5
404433073244905	S 75033. 1	112GLCLU		62	198	5.6	
404433073244902	S 75034. 2		07-12-93	698	29.8	5.8	13.0
410323072182001	S 75441. 1	112GLCLU		33	81.9	6.2	11.0
405604073064302	S 81831. 1		06-30-93	470	48.0	6.4	11.5
405405072442701					77.4		11.5
	S 89534. 1		06-02-93	797		6.6	
405405072442702	\$ 89535. 1	211MGTY	06-02-93	523	107	7.4	11.5
404641073005301	\$ 94403. 1	112GLCLU	06-03-93	100	75.2	6.7	12.0
404759073251701	S 95963. 1	112GLCLU	08-11-93	193	61.4	5.6	10.5
404759073251702	S 95964. 1	211MGTY	08-11-93	411	34.2	6.3	10.5
Hydrogeologic unit (a	quifac):						

Hydrogeologic unit (aquifer):

112GLCLU - Upper glacial aquifer, Pleistocene age.

112GRDR - Gardiners Clay, Pleistocene age.

112JMC0 - Jameco Gravel, Pleistocene age.

112PGFG - Port Washington confining unit, Pleistocene age.

112PGGF - Port Washington aquifer, Pleistocene age.

211LLYD - Lloyd aquifer, Cretaceous age.

211MGTY - Magothy aquifer, Cretaceous age.

211RCNF - Raritan confining unit, Cretaceous age.

QUALITY OF GROUND WATER
WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

SUFFOLK COUNTY--Continued

			MAGNE-		POTAS-	ALKA-		CHLO-	FLU0-	SILICA,
	OXYGEN, DIS- SOLVED	CALCIUM DIS- SOLVED	SIUM, DIS- SOLVED	SODIUM, DIS- SOLVED	POTAS- SIUM, DIS- SOLVED	LAB	SULFATE DIS- SOLVED	RIDE, DIS- SOLVED	RIDE, DIS- SOLVED	DIS- SOLVED
DATE	SOLVED (MG/L)	(MG/L AS CA)	(MG/L AS MG)	(MG/L AS NA)	(MG/L AS K)	(MG/L AS CACO3)	(MG/L AS S04)	SOLVED (MG/L AS CL)	SOLVED (MG/L AS F)	(MG/L AS SIO2)
08-24-93	11.7	6.8	2.2	23	1.1	9.5	23	28	<0.10	8.2
03-02-93	0.8	4.1	0.73	4.5	0.50	13	5.6	6.3	<0.10	10
03-02-93	0.7	12	2.5	4.2	0.40	39	4.7	5.2	<0.10	14
07-28-93	7.4	3.2	1.4	4.4	0.70	7.5	7.8	5.8	<0.10	9.4
06-30-93	7.3	16	5.4	8.2	1.5	24	36	9.5	<0.10	12
08-02-93	10.0	6.0	3.2	11	0.80	15	6.5	22	<0.10	9.6
03-02-93	3.2	13	3.8	8.5	4.1	13	30	13	⟨0.10	8.5
04-28-93	0.8	19	2.4	5.4	0.70	61	0.50	5.7	<0.10	45
03-02-93	4.9	2.7	0.94	28	0.60	5.1	12	40	<0.10	6.4
05-12-93	2.0	0.14	0.15	20	2.3	28	3.0	12	<0.10	9.3
05-12-93	1.2	0.33	0.50	25	4.6	46	8.6	7.0	⟨0.10	8.9
08-23-93	8.9	15	7.4	23	1.8	16	24	38	<0.10	16
04-20-93	0.8	22	1.4	3.0	0.40	61	3.7	4.0	<0.10	9.4
07-12-93		17	3.0	11	2.6	15	24	16	<0.10	6.2
07-12-93	5.8	0.56	0.28	2.6	0.50	3.2	1.2	4.0	0.20	6.3
08-02-93	8.2	3.0	2.0	7.3	1.2	14	8.4	9.5	<0.10	12
06-30-93	3.9	2.6	1.1	4.5	0.50	14	3.3	3.8	<0.10	10
06-02-93	0.8	5.9	1.5	4.9	0.70	29	1.3	5.4	(0.10	13
06-02-93	0.7	12	2.1	4.7	0.60	38	6.0	5.8	<0.10	15
06-03-93	0.7	5.8	1.9	4.4	1.1	26	3.6	4.4	<0.10	17
08-11-93	11.3	1.6	1.4	7.2	0.80	6.8	0.50	7.2	<0.10	7.1
08-11-93	11.2	0.99	0.35	2.9	0.40	5.5	0.40	4.1	⟨0.10	5.8

QUALITY OF GROUND WATER

WATER QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993 SUFFOLK COUNTY--Continued

DATE	NITRO- GEN NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN. NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN. AMMONÍA DIS- SOLVED (MG/L AS N)	NITRO- GEN AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
08-24-93	<0.001	1.1	0.03	<0.20	0.001	<0.001	75	10	<0.02
03-02-93	0.005	<0.05	0.24	0.30	0.105	0.087	6500	150	0.02
03-02-93	<0.001	<0.05	0.11	⟨0.20	0.220	0.22	670	240	0.01
07-28-93	<0.001	<0.05	0.02	⟨0.20	0.008	0.007	41	9	0.01
06-30-93	0.008	2.3	0.18	0.20	0.039	0.019	3200	160	0.02
08-02-93	0.003	0.90	0.03	⟨0.20	0.005	<0.001	590	120	0.02
03-02-93	0.005	4.1	0.15	0.20	0.046	0.033	1800	190	0.07
04-28-93	<0.001	<0.05	0.34	0.40	0.116	0.11	130	49	0.01
03-02-93	<0.001	0.32	0.02	<0.20	0.002	<0.001	160	43	0.04
05-12-93	0.003	<0.05	0.04	⟨0.20	0.042	0.003	45	58	<0.01
05-12-93	0.003	⟨0.05	0.06	⟨0.20	0.085	0.010	1600	49	<0.01
08-23-93	<0.001	7.4	0.03	⟨0.20	0.012	0.010	6	2	<0.02
04-20-93	0.002	⟨0.05	0.02	⟨0.20	0.034	0.039	50	240	<0.01
07-12-93	0.002	5.3	0.03	⟨0.20	0.001	0.002	150	13	0.09
07-12-93	0.002	0.1	0.05	⟨0.20	⟨0.001	<0.001	1700	48	0.01
08-02-93	0.003	⟨0.05	0.02	⟨0.20	0.003	0.001	170	14	0.01
06-30-93	<0.001	⟨0.05	0.02	⟨0.20	0.002	0.001	8	<1	<0.01
06-02-93	0.002	⟨0.05	0.05	⟨0.20	<0.001	0.003	1000	75	<0.01
06-02-93	0.002	⟨0.05	0.08	(0.20	0.098	0.10	380	37	0.01
06-03-93	0.005	<0.05	0.05	⟨0.20	0.112	0.033	1800	170	0.01
08-11-93	<0.001	2.9	0.03	<0.20	0.001	<0.001	⟨3	6	0.03
08-11-93	0.001	0.28	0.02	⟨0.20	0.001	<0.001	6	27	<0.01

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

SUFFOLK COUNTY (Continued)

The following wells were sampled for water quality during the 1993 water year by the agency listed below. For further information, contact:

Suffolk County Water Authority Sunrise Highway Oakdale, NY 11769

Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier
S 871	S 20566	S 29732	S 37141	S 46713	S 55028	S 68666
S 872	S 20635	\$ 30088	S 37174	S 46830	S 55463	S 68690
S 1340	S 20688	S 30117	S 37301	S 46928	S 55502	S 68880
S 1341 S 2415	S 20689	S 30118	S 37351	S 47035	S 55733	S 69024
S 2415	S 20839	S 30207	S 37494	S 47219	S 55734	S 69364
S 4372 S 5565	S 20955	S 30208	S 37681	S 47310	S 56038	S 69511
S 5565	S 21121	S 30227	S 37847	S 47435	S 56039	S 70008
S 6513	S 21244	S 30228	S 37861	S 47436	S 56133	S 70155
S 7570	S 21247	S 30234	S 37963	S 47437	S 56674	S 70459
S 8265	S 21366	S 30506	S 37991	S 47438	S 57008	S 70488
S 8439	S 21375	S 30762	\$ 38192	S 47453	S 57354	S 70767
S 9893	S 21632	S 31037	S 38194	S 47673	S 57357	S 71038
S 11105	S 21945	S 31038	S 38320	S 47886	S 57871	S 71083
S 11464	S 22048	S 31039	S 38321	S 47887	S 57979	S 71533
S 11810	S 22351	S 31104	S 38491	S 48014	S 57980	S 71715
S 12130	S 22362	S 31624	S 38701	S 48193	S 58708 S 58761	S 71785 S 71881
S 14326 S 14710	S 22389 S 22471	S 31653 S 31913	S 38784	S 48719 S 49018	S 58761 S 59347	S 71881 S 71882
S 14792	S 22471 S 22547		S 38785 S 38916	S 49018 S 49422	S 59744	S 71892
S 14828	S 22584	S 32180 S 32287	S 38916 S 38917	S 49606	S 60127	S 72245
S 14921	S 22640	S 32325	S 39024	S 50546	5 60486	\$ 72271
S 15500	S 22711	\$ 32326	S 39347	\$ 50630	S 60812	\$ 72300
S 15501	S 23184	S 32359	S 39531	S 51214	S 61910	S 72326
S 15514	S 23185	S 32501	S 39536	S 51266	S 61937	\$ 72917
S 15746	S 23186	S 32551	S 40161	S 51274	S 62022	S 73144
S 15776	S 23255	S 32552	S 40330	S 51275	S 62240	\$ 73332
S 15898	S 23371	S 33005	S 40331	S 51298	S 62855	S 73492
S 15923	S 23440	\$ 33006	S 40497	S 51457	S 63205	S 73847
S 16129	S 23445	S 33308	S 40498	S 51519	S 63256	S 74505
S 16256	S 23524	S 33500	S 40709	S 51609	S 63618	S 74573
S 16309	S 23631	S 33820	S 40710	S 51673	S 63966	S 74865
S 16892	S 23715	S 33826	S 40711	S 51953	S 64023	S 77010
S 16893	S 23827	S 33922	S 40837	S 52126	S 64062	S 78310
S 17037	S 23828	\$ 33970	S 40838	S 52451	S 64609	S 78612
S 17241 S 17474	S 23832	S 34007	S 40980	S 52490	S 64716	S 79293 S 81473
	S 23848	S 34030	S 42226	S 52943	S 64847	
S 17630 S 17689	S 24047 S 24323	S 34031	S 42227	S 52944	S 65341 S 65505	S 82174 S 82422
S 17689 S 17835	S 24323 S 24545	S 34300 S 34301	S 42270 S 42473	S 52945 S 53074	S 65505 S 65766	S 83096
S 18003	S 24663	S 34460	S 42473 S 42499	S 53074 S 53291	S 65905	S 83707
S 18261	\$ 25617	\$ 34522	S 42504	S 53360	S 66183	S 84848
\$ 18621	\$ 25674	\$ 34595	S 42505	S 53361	S 66184	\$ 88463
S 18729	S 25776	\$ 35033	S 42760	S 53497	S 66366	\$ 90674
S 18762	S 26535	S 35448	S 42761	S 53498	S 66429	S 93519
S 19048	S 27070	S 35494	S 42762	S 53522	S 66496	\$ 93702
S 19198	S 27192	\$ 35939	S 42827	S 53593	S 66657	S 94138
S 19399	S 27259	S 36166	S 43001	S 53747	S 66733	S 94286
S 19408	S 27533	S 36459	S 43117	S 53850	S 66758	S 96232
S 19465	S 27784	S 36460	S 43641	S 53851	S 66825	S 96352
S 19565	S 28408	S 36711	S 44640	S 54162	S 66881	S 96482
S 19584	S 28503	S 36714	S 44774	S 54305	S 67074	S 96673
S 20057	S 28767	S 36748	S 45610	S 54308	S 67197	\$ 98322
S 20300	S 28819	S 36791	S 45839	S 54473	S 67656	S 98350
S 20369	S 28928	S 36869	S 45840	S 54568	S 67819	S 98523
S 20460	S 29411	S 36965	S 46235	S 54730	S 67925	S 99960
S 20479	S 29491	S 36976	S 46400	S 54957	S 68552	\$100069
S 20530	S 29492	S 37140	S 46712			

QUALITY OF GROUND WATER

WATER-QUALITY DATA, WATER YEAR OCTOBER 1992 TO SEPTEMBER 1993

SUFFOLK COUNTY (Continued)

The following wells were sampled for water quality during the 1993 water year by the agency listed below. For further information, contact:

Suffolk County Department of Health Services 225 Rabro Drive East Hauppauge, NY 11788

	•					
Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier	Local identifier
S 1512	S 45637	S 47718	S 48440	S 51185	S 53325	S 70260
S 6524	S 45717	S 47743	S 48442	S 51186	S 53326	S 70262
S 8837	\$ 45718	\$ 47745	\$ 48443	S 51517	S 53327	S 71186
S 13204	S 45719	\$ 47746	S 48517	S 51566	S 53328	S 71188
S 13924	\$ 45720	\$ 47747	S 48518	S 51567	\$ 53329	\$ 71190
S 15046	\$ 45721	\$ 47748	S 48519	S 51568	\$ 53330	\$ 72268
S 16118	\$ 45722	\$ 47749	S 48520	S 51571	S 53331	\$ 72269
S 17174	S 46281	S 47750		S 51572	\$ 53332	\$ 75435
S 22660	S 46284		S 48521		S 53333	S 75438
S 43809		S 47751	S 48522	S 51573	S 53334	
	S 46286	S 47752	S 48578	S 51575		S 75439
S 43810	S 46287	S 47753	S 48579	S 51576	S 53335	S 75441
S 43812	S 46359	S 47754	S 48580	S 51579	S 53336	S 75454
S 43813	S 46502	S 47756	S 48581	S 51580	S 53337	S 75455
S 43815	S 46962	S 47757	S 48582	S 51581	S 53338	S 75456
S 43816	S 46963	S 47758	S 48583	S 51582	\$ 53539	S 76673
S 43817	S 46964	S 47945	S 48584	S 51583	S 57371	S 76674
S 43818	S 46965	S 47973	S 48651	S 51586	S 58921	S 76675
S 43819	S 46966	S 47974	S 48759	S 51587	S 58922	S 78323
S 43820	S 47220	S 47975	S 48946	S 51589	S 58924	S 88716
S 43821	S 47223	S 47976	S 48958	S 51591	S 58925	S 88718
S 43822	S 47224	S 47977	S 49898	S 51592	S 58960	S 89534
S 44914	S 47225	S 48425	S 51169	S 52050	S 60123	S 89535
S 44918	S 47226	S 48426	S 51170	S 52084	S 60124	S 89536
S 45053	S 47227	S 48427	S 51171	S 52162	S 63831	S 90279
S 45207	S 47228	S 48428	S 51172	S 52163	S 64477	S 90280
S 45208	S 47229	S 48429	S 51175	S 52164	S 66506	S 91812
S 45210	S 47230	S 48430	S 51176	S 52383	S 66508	S 91814
S 45212	S 47232	S 48432	S 51177	S 52449	S 66509	S 92410
S 45402	S 47233	S 48433	S 51179	S 52686	S 66511	S 92411
S 45446	S 47234	S 48435	S 51180	S 53057	S 66512	S 95946
S 45447	S 47235	S 48437	S 51182	S 53196	S 66513	\$ 95963
S 45594	S 47236	S 48438	S 51183	S 53323	S 70257	S 95965
S 45636	S 47698	S 48439	S 51184	S 53324	\$ 70259	
	0.71 10.72.71					

	Page		Page
Access to WATSTORE data	12	Drainage area, definition of	16
Accuracy of the records		Drainage basin, definition of	16
(stage and water-discharge records)	iii	Dry mass, definition of	14
Acre-foot, definition of	14	East Meadow Brook, at East Meadow	87
Algae, definition of	14	at Freeport	76-77
Algal growth, definition of	14	at Uniondale	87 87
Amityville Creek, at Amityville	86	near Westbury East Meadow Pond Outlet, at Freeport	87
Aquifer, definition of	14	East Patchogue, Swan River at	53-54
Arrangement of records (water quality)	8	Euglenoids, definition of	17
Artificial substrate, definition of	19	Fecal coliform bacteria, definition of	14
Ash mass, definition of	14 83	Fecal streptococcal bacteria, definition of	14
Awixa Creek, at Islip	85	Fire algae, definition of	17
		Forge River, at Moriches	83
Babylon, Carlls River at	67-69	Freeport, East Meadow Brook atFreeport Creek, at Freeport	76-77 87
Sampawams Creek at	64-66 14	Fresh Pond Outlet, at Baiting Hollow	82
Bay Shore, Penataquit Creek at	63, 85	at Fort Salonga	81
Beaverdam Creek, at Westhampton Beach	83	A	10
Bed material, definition of	74-75	Gage height, definition of	16 16
tributary, at North Wantagh	86	Gaging station records	38-80
near North Wantagh	86	Gaging stations. List of, in downstream order	vi
Big Fresh Pond Uutlet, at North Sea	83	Glen Cove Creek, at Glen Cove	38-39 17
Biochemical oxygen demand, definition of Biomass, definition of	14	Green algae, definition of Green Creek, at West Sayville	84
Biomass pigment ratio, definition of	14	Ground water, level data	89-224
Blue-green algae, definition of	17	quality of	229-238
Bottom material, definition of	14	Ground-water levels, explanation of records	10-11
	nside of	Hardness, definition of	16
Calendar (1993 water year)from		Hydrograph, East Meadow Brook at Freeport	25 26
Carlls River, at Babylonat Park Avenue, Babylon	67-69 85	Nissequogue River near Smithtown	28
Carmen Creek, at Amityville	86	Well S 4271 at Riverhead	27
Carmans River, at Middle Island	84	Hydrologic unit, definition of	16
at South Havenat Yaphank	84 50-52	Identifying estimated daily discharge	
below Lower Lake, at Yaphank	84	Identifying estimated daily discharge Inch-pound units to	
below Lower Lake, at Yaphank	84	International System units (SI).	nside of
	0.1		
Cascade Lakes Untlet, at Brightwaters	85	Factors for convertingba	ck cover
Cascade Lakes Dutlet, at Brightwaters Cedar Swamp Creek, at Merrick	85 87	Factors for convertingba	ck cover 15
Cascade Lakes Dutlet, at Brightwaters	85	Factors for convertingba Instantaneous discharge, definition ofIntroductionIntroductionIsland Swamp Brook. at Lattingtown	ck cover 15 1 81
Cascade Lakes Dutlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near.	85 87 15 56 57	Factors for convertingba	ck cover 15 1
Cascade Lakes Dutlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near Cfs-day, definition of	85 87 15 56 57 15	Factors for convertingba Instantaneous discharge, definition ofIntroductionIsland Swamp Brook, at LattingtownIslip, Champlin Creek at	ck cover 15 1 81 62, 85
Cascade Lakes Dutlet, at Brightwaters. Cedar Swamp Creek, at Merrick Cells/volume, definition of Central Islip, Connetquot Brook at. Connetquot Brook near Cfs-day, definition of Champlin Creek, at Islip.	85 87 15 56 57 15 62, 85	Factors for convertingba Instantaneous discharge, definition ofIntroductionIntroductionIsland Swamp Brook. at Lattingtown	ck cover 15 1 81 62, 85
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of.	85 87 15 56 57 15	Factors for convertingba Instantaneous discharge, definition of Introduction	ck cover 15 1 81 62, 85 198-199
Cascade Lakes Dutlet, at Brightwaters. Cedar Swamp Creek, at Merrick	85 87 15 56 57 15 62, 85 15 15	Factors for convertingba Instantaneous discharge, definition of Introduction Island Swamp Brook, at Lattingtown Islip, Champlin Creek at Kings County, ground-water levels in95-99, Laboratory measurements (water quality) Lake Ronkonkoma, at Lake Ronkonkoma	ck cover 15 1 81 62, 85 198-199
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near. Cfs-day, definition of Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor.	85 87 15 56 57 15 62, 85 15 15 42-43	Factors for convertingba Instantaneous discharge, definition of Introduction Island Swamp Brook, at Lattingtown Islip, Champlin Creek at Kings County, ground-water levels in95-99, Laboratory measurements (water quality) Lake Ronkonkoma, at Lake Ronkonkoma Latitude-longitude system, station identifica-	ck cover 15 1 81 62, 85 198-199
Cascade Lakes Dutlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of.	85 87 15 56 57 15 62, 85 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4
Cascade Lakes Butlet, at Brightwaters. Cedlar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near. Cfs-day, definition of Champlin Creek, at Islip Chemical oxygen demand, definition of Chlorophyll, definition of Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of Color unit, definition of Confined aquifer, definition of	85 87 15 58 57 15 15 15 8 42-43 15 15	Factors for converting	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85
Cascade Lakes Butlet, at Brightwaters. Cedlar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near. Cfs-day, definition of Champlin Creek, at Islip Chemical oxygen demand, definition of Chlorophyll, definition of Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of Color unit, definition of Confined aquifer, definition of Connetquot Brook, at Central Islip	85 87 15 58 57 15 62, 85 15 15 8 42-43 15 15 15	Factors for converting	ck cover 15 181 62, 85 198-199 10 84 3-4 70, 85 82
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip near Central Islip.	85 87 15 58 57 15 62, 85 15 15 8 42-43 15 15 15	Factors for converting	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale.	85 87 15 58 57 15 62, 85 15 15 8 42-43 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82
Cascade Lakes Butlet, at Brightwaters. Cedlar Swamp Creek, at Merrick. Cells/volume, definition of Central Islip, Connetquot Brook at Connetquot Brook near. Cfs-day, definition of Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip near Central Islip near Central Islip near Oakdale. Connetquot River, near Oakdale. Contents, definition of.	85 87 15 58 57 15 15 18 42-43 15 15 15 56 84 42-43 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of.	85 87 15 58 57 15 82, 85 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 18 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Dakdale. Connetquot River, near Dakdale. Control, definition of. Control, definition of. Control structure, definition of.	85 87 15 56 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile.	85 87 15 58 57 15 82, 85 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 181 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Dakdale. Connetquot River, near Dakdale. Control, definition of. Control, definition of. Control structure, definition of.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of.	85 87 15 58 57 15 15 18 42-43 15 15 15 15 15 15 2 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 86 81 81
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetnts, definition of. Control, definition of. Control structure, definition of. Control structure, definition of. Coperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second computation (ground-water levels). (ground-water levels).	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 18 15 15
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetol, definition of. Control, definition of. Control, definition of. Control structure, definition of. Control structure, definition of. Coperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. (ground-water levels). (ground-water levels). (ground-water quality). (stage and water-discharge)	85 87 15 58 57 15 15 18 42-43 15 15 15 15 15 15 2 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 11 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 86 18 15 16 16
Cascade Lakes Butlet, at Brightwaters. Cedar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetnts, definition of. Control, definition of. Control structure, definition of. Control structure, definition of. Coperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second computation (ground-water levels). (ground-water levels).	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 1 81 62, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 18 15 15
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetquot River, near Oakdale. Control, definition of. Control, definition of. Control structure, definition of. Coperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second per second.	85 87 15 58 57 15 18 18 42-43 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting. Instantaneous discharge, definition of	ck cover 15 18 62, 85 198-199 10 84 3-4 83 70, 85 83 29-37 81-87 78-79 73 71-72 86 86 86 18 15 16 16 16 16 18 83 81
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Control structure, definition of. Control structure, definition of. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of. Cubic foot per second per square mile, definition of	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting. Instantaneous discharge, definition of	ck cover 15 162, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 86 18 15 16 16 83 40-41
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Cooperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second per square mile, definition of terms.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85 83 29-37 81-87 78-79 71-72 86 86 86 88 18 15 16 16 18 18 18 18 18 18 18 18 18 18
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetquot River, near Oakdale. Control, definition of. Control, definition of. Control structure, definition of. Coperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second water levels) (ground-water quality) (stage and water-discharge) Data presentation (ground-water quality) Cerinition of terms. Diatoms, definition of. Diischarge, definition of.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting. Instantaneous discharge, definition of	ck cover 15 162, 85 198-199 10 84 3-4 83 70, 85 82 83 29-37 81-87 78-79 73 71-72 86 86 86 18 15 16 16 83 40-41
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetnts, definition of. Control, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second per square mile, definition of definition of. Cubic foot per second per square mile, definition of definition of. Discontinued surface-water discharge stations.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85 83 29-37 81-87 78-79 71-72 86 86 86 86 81 83 84 40-41 87 16
Cascade Lakes Butlet, at Brightwaters. Cedlar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip Chemical oxygen demand, definition of. Chlorophyll, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Oakdale. Connetquot River, near Oakdale. Contents, definition of. Control, definition of. Control, definition of. Control structure, definition of. Control structure, definition of. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Data collection and computation (ground-water levels) (ground-water levels) (ground-water levels) (ground-water quality) Definition of terms. Diatoms, definition of. Discharge, definition of. Discharge, definition of. Discontinued surface-water discharge stations. Dissolved, definition of.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting. Instantaneous discharge, definition of. Introduction. Island Swamp Brook, at Lattingtown. Islip, Champlin Creek at	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85 83 29-37 81-87 78-79 73 71-72 86 86 86 88 18 15 16 16 16 83 40-41 87 84
Cascade Lakes Butlet, at Brightwaters. Cediar Swamp Creek, at Merrick. Cells/volume, definition of. Central Islip, Connetquot Brook at. Connetquot Brook near. Cfs-day, definition of. Champlin Creek, at Islip. Chemical oxygen demand, definition of. Classification of records (water quality). Cold Spring Brook, at Cold Spring Harbor. Colloid, definition of. Color unit, definition of. Confined aquifer, definition of. Connetquot Brook, at Central Islip. near Central Islip. near Oakdale. Connetquot River, near Oakdale. Connetnts, definition of. Control, definition of. Control, definition of. Control structure, definition of. Cooperation. Cubic feet per second per square mile, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second, definition of. Cubic foot per second per square mile, definition of definition of. Cubic foot per second per square mile, definition of definition of. Discontinued surface-water discharge stations.	85 87 15 58 57 15 15 15 15 15 15 15 15 15 15 15 15 15	Factors for converting. Instantaneous discharge, definition of. Introduction. Island Swamp Brook, at Lattingtown. Islip, Champlin Creek at	ck cover 15 81 62, 85 198-199 10 84 3-4 83 70, 85 83 29-37 81-87 78-79 73 71-72 86 86 86 88 18 15 16 16 16 83 40-41 87 84

240 INDEX

	Page		Page
National Geodetic Vertical Datum of 1929,		Seaford Creek, at Massapequa	73
definition of	16	Seaford Creek, at Seaford	86
National stream-quality accounting network		Seamans Creek, at Seaford	86
stations44-4	6, 50-52	Seatuck Creek, at Eastport	83
definition of	3	Sediment	9
Natural substrates, definition of Neguntatogue Creek, at Lindenhurst	19 86	Sediment, definition of	18 44-46
Newbridge Creek, at Merrick	86	Solute, definition of	18
Nissequogue River, near Hauppauge	82	South Pond Outlet, at Rockville Centre	87
at Smithtown	82	Special networks and programs	3
near Smithtown	44-46	Specific conductance, definition of	18
Northeast branch, near East Hauppauge	81	Speonk River, at Speonk	83
near Hauppauge	81	Stage and water-discharge records,	3-8
at Smithtownnear Smithtown	81 82	explanation of	18
Numbering system for wells	3-4	Station identification numbers	3
		Stony Brook at Stony Brook	82
Oakdale, Connetquot River near	58-61	Stony Hollow Run, at Centerport	81
On-site measurements and sample collection		Streamflow, definition of	19
(water quality)	9	Strongs Creek, at LindenhurstSubstrate, definition of	86 19
Organic Carbon, definition of	16 14	Suffolk County, ground-water levels in91-94,	
Organic mass, definition of	16	and the same of th	219-228
Organism count/area, definition of	16	quality of ground-water in	234-238
Organism count/volume, definition of	17	Summary of hydrologic conditions	.2
Other records available (stage and water-		Surface area, definition of	19 8-9
discharge records)	8	Surface-water quality, explanation of records Surficial bed material, definition of	19
Pardees Ponds Outlet, at Islip	85	Suspended definition of	19
Parsonage Creek, at Baldwin	87	Suspended, recoverable, definition of Suspended sediment, definition of	19
Partial-record station, definition of	17	Suspended sediment, definition of	18
Partial-record stations and miscellaneous	01 07	Suspended-sediment concentration.	18
sites, Discharge at	81-87 17	definition of Suspended-sediment discharge, definition of	18
Particle-size classification, definition of	17	Suspended, total, definition of	19
Patchogue River, at Patchogue	55, 84	Swan River, at East Patchogue	53-54
near PatchoguéPeconic River, at Manorville	84		
Peconic River, at Manorville	82	Taxonomy, definition of	19
at Nugent Drive, at Riverhead	82	Time-weighted average, definition of	19 20
at Riverhead. Penataquit Creek, at Bay Shore	47-49 63, 85	Tons per acre-foot, definition of	20
Percent composition, definition of	17	Total (as used in tables of chemical analyses).	73
Periphyton, definition of	17	Total (as used in tables of chemical analyses), definition of	20
Pesticides, definition of	17	Total coliform bacteria, definition of Total in bottom material, definition of Total load, definition of	13
Phytoplankton, definition of	17	Total land definition of	14 20
Picocurie, definition of	17 78-79	Total organic carbon, definition of	20
Plankton, definition of	17	Total organism count, definition of	17
Polychlorinated biphenyls, definition of	18	Total, recoverable, definition of	20
Polychlorinated napthalenes, definition of	18	Total sediment discharge, definition of	18
Poxabogue Pond Dutlet, at Sagaponack	. 83	II I to . I to	
Primary productivity, definition of	111	Unnamed tributary, to Conscience Bay at	82
Publications on techniques of water-resources	18	to Port Jefferson Harbor at Port Jefferson	82
investigations	21-24	to Setauket Harbor at East Setauket	81
			-
Quantuck Creek, at Quogue	83	Valley Stream, at Valley Stream	80
Queens County, ground-water levels in90,	217-218	below West Branch, at Valley Stream	87
	217-210	Wading River, at Wading River	83
Rattlesnake Brook, near Dakdale	84	Water analysis	8
Records, Explanation of	3-13	Water-discharge records, explanation of,	
(ground-water level)	11-12	(see Stage and water-discharge records,	
(ground-water quality)	12	explanation of)	00
(stage and water discharge)	4-8	Water table	20 20
(surface-water quality)	8-10	Water-table aquifer	9
definition of	15	Water-quality records, explanation	8-10
Revisions (water quality)	10	Water-quality records, explanation Weesuck Creek, at East Quogue	83
Riverhead, Peconic River at	47-49	Weighted average, definition of	20
Roslyn Brook, at Roslyn	81	Wells, system for numbering	3-4
Runoff in inches, definition of	18	Wet mass, definition of	14 82
Sampawams Creek, at Babylon	64-66	White Brook, at Riverhead	81
below Hawleys Lake, at Babylon	85	WRD, definition of	20
near Deer Park	85	WSP, definition of	20
near North Babylon	85		
Santapogue Creek, at Lindenhurst	70, 85	Yaphank, Carmans River at	50-52
at State Highway 27A, Lindenhurst	85	Zooplankton, definition of	18
		LOOPIEHROOM, WOLLHISVION VI	10

CONVERSION FACTORS AND VERTICAL DATUM

Multiply	Ву	To obtain
	Length	
inch (in.)	2.54×10^{1} 2.54×10^{-2}	millimeter meter
foot (ft)	3.048×10^{-1}	meter
mile (mi)	1.609×10^{0}	kilometer
	Area	
acre	4.047×10^{3} 4.047×10^{-1} 4.047×10^{-3}	square meter square hectometer
square mile (mi ²)	2.590×10^{0}	square kilometer square kilometer
	Volume	
gallon (gal)	3.785x10 ⁰ 3.785x10 ⁰	liter cubic decimeter
million gallons (Mgal)	3.785×10^{-3} 3.785×10^{3} 3.785×10^{-3}	cubic meter cubic meter cubic hectometer
cubic foot (ft ³)	2.832×10^{1}	cubic decimeter
cable foot (it)	2.832×10^{-2}	cubic meter
cubic-foot-per-second day [(ft ³ /s) d]	2.447×10^3	cubic meter
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.447×10^{-3}	cubic hectometer
acre-foot (acre-ft)	1.233×10^3	cubic meter
	1.233×10^{-3}	cubic hectometer
	1.233x10 ⁻⁶	cubic kilometer
	Flow	
cubic foot per second (ft ³ /s)	2.832×10^{1}	liter per second
	2.832×10^{1}	cubic decimeter per second
	2.832×10^{-2}	cubic meter per second
gallon per minute (gal/min)	6.309×10^{-2}	liter per second
	6.309×10^{-2}	cubic decimeter per second
	6.309×10^{-5}	cubic meter per second
million gallons per day (Mgal/d)	4.381×10^{1}	cubic decimeter per second
	4.381×10^{-2}	cubic meter per second
	Mass	
ton (short)	9.072×10^{-1}	megagram or metric ton

Sea level: In this report "sea level" refers to the National Geodetic Vertical Datum of 1929 (NGVD of 1929)—a geodetic datum derived from a general adjustment for the first—order level nets of both the United States and Canada, formerly called Sea Level Datum of 1929.



U.S. DEPARTMENT OF THE INTERIOR U.S. Geological Survey 5 Aerial Way Syosset, NY 11791