



# SOUTH-CENTRAL ALASKA

## 15266300 KENAI RIVER AT SOLDOTNA—Continued

SUMMARY STATISTICS	FOR 2003 CALENDAR YEAR		FOR 2004 WATER YEAR		WATER YEARS 1965 - 2004#	
ANNUAL TOTAL	2405210		2570500			
ANNUAL MEAN	6590		7023		6010	
HIGHEST ANNUAL MEAN					8810 1977	
LOWEST ANNUAL MEAN					4002 1973	
HIGHEST DAILY MEAN	20000	Oct 10	20000	Oct 10	41400 Sep 24 1995	
LOWEST DAILY MEAN	1500	Apr 14	1100	Mar 30	a770 Apr 1 1966	
ANNUAL SEVEN-DAY MINIMUM	1520	Apr 9	1140	Mar 24	774 Apr 1 1966	
MAXIMUM PEAK FLOW			b20100	Oct 9	42200 Sep 24 1995	
MAXIMUM PEAK STAGE			b10.81	Oct 9	14.50 Sep 24 1995	
MAXIMUM PEAK STAGE					c22.62 Jan 18 1969	
INSTANTANEOUS LOW FLOW					770 Apr 1 1966	
ANNUAL RUNOFF (AC-FT)	4771000		5099000		4354000	
ANNUAL RUNOFF (CFSM)	3.38		3.60		3.08	
ANNUAL RUNOFF (INCHES)	45.86		49.01		41.85	
10 PERCENT EXCEEDS	14700		15500		14300	
50 PERCENT EXCEEDS	4260		5290		3300	
90 PERCENT EXCEEDS	2010		1350		1200	

# See Period of Record; partial years used in monthly statistics  
a Apr. 1 to Apr. 4, 1966  
b Oct. 9 and 10  
c Backwater from ice