

As the number of streams on which streamflow information is likely to be desired far exceeds the number of streamflow-gaging stations feasible to operate at one time, the Geological Survey collects limited streamflow data at sites other than streamflow-gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or high-flow analyses, depending on the type of data collected.

High-flow stations

The following table contains annual maximum discharges for high-flow stations. A high-flow gage is a device that will register the peak stage occurring between inspections of the gage. A stage-discharge relation for each gage is developed from discharge measurements made by indirect measurements of peak flow or by current meter. The date of the maximum discharge is not always certain but is usually determined by comparison with nearby complete-record stations, weather records, or local inquiry. Only the maximum discharge for each water year is given. Information on some lesser floods may have been obtained but is not published herein. The years given in the period of record represent water years for which the annual maximum has been determined.

Annual maximum discharge at high-flow stations

Station name and number (fig. 3)	Location and drainage area	Period of record	Water year 2004 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Discharge (ft ³ /s)
Wolf River Basin								
Buttermilk Creek near Willis, KS (06815700)	Lat 39°45'16", long 95°27'02", in SW 1/4 SW1/4 sec.30, T.3 S., R.18 E., Brown County, Hydrologic Unit 10240005, at downstream side of county highway bridge, 3.6 mi northeast of Willis. Published as "South Branch Wolf Creek tributary" 1957-60, as "South Fork Wolf River tributary" 1961. Drainage area is 3.74 mi ² .	1957-04	6-15-04	12.38	576	6-08-84	20.18	6,000
Independence Creek Basin								
White Clay Creek at Atchison, KS (06818260)	Lat 39°33'33", long 95°07'38", in SW 1/4 NE1/4 sec.1, T.6 S., R.20 E., Atchison County, Hydrologic Unit 10240011, on right bank at center of highway bridge, on 10th Street in Atchison, and 0.15 mi downstream from Brewery Creek. Drainage area is 13.1 mi ² .	1972-04	7-12-04	8.44	140	6-08-82	16.07	5,410
Kansas River Basin								
Long Branch Draw near Norcatur, KS (06845100)	Lat 39°54'06", long 100°10'43", in SW 1/4 SW1/4 sec.6, T.2 S., R.25 W., Decatur-Norton County line, Hydrologic Unit 10250011, on downstream side of county highway bridge, 4.7 mi north of Norcatur. Drainage area is 31.7 mi ² .	1957-04	9-22-04	14.97	+	6-15-57	26.40	2,680
Prairie Dog Creek tributary at Colby, KS (06847600)	Lat 39°23'28", long 101°02'43", in SW1/4 NW1/4 NE1/4 sec.6, T.8 S., R.33 W., Thomas County, Hydrologic Unit 10250015, at downstream side of bridge on Franklin Avenue in Colby. Prior to Mar. 31, 1971, at site 0.3 mi upstream at same datum. Drainage area is 7.53 mi ² .	1957-04	7-22-04	10.90	60	6-18-75	27.44	4,300

+ Not determined.

Annual maximum discharge at high-flow stations

Station name and number (fig. 3)	Location and drainage area	Period of record	Water year 2004 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Discharge (ft ³ /s)
Kansas River Basin--Continued								
Elk Creek at Clyde, KS (06856320)	Lat 39°35'28", long 97°23'26", in NW 1/4 SE1/4 sec.26, T.5 S., R.1 W., Republic County, Hydrologic Unit 10250017, at downstream side of State Highway 9 bridge, 1.2 mi up stream from mouth. Drainage area is 73.4 mi ² .	1970-04	2004	+	<606	9-26-73 7-23-93	15.30 18.47b	6,000
Big Creek tributary near Ogallah, KS (06863400)	Lat 38°56'00", long 99°44'33", in NW 1/4 SW1/4 sec.11, T.13 S., R.22 W., Trego County, Hydrologic Unit 110260007, at downstream side of bridge on State Highway 147, 4.0 mi southwest of Ogallah. Drainage area is 4.81 mi ² .	1957-04	7-01-04		11.94	+	3-24-87	15.20 4,100
Big Creek tributary near Hays, KS (06863700)	Lat 38°51'08", long 99°14'48", in SE 1/4 NE1/4 sec.7, T.14 S., R.17 W., Ellis County, Hydrologic Unit 10260007, at downstream side of culvert on old U.S. Highway 40 at Toulon, 4.7 mi southeast of Hays. Drainage area is 6.19 mi ² .	1957-04	7-28-04		12.32	425	5-29-59	13.10 1,100
Smoky Hill River tributary at Dorrance, KS (06864300)	Lat 38°50'52", long 98°35'44", in NE 1/4 SE1/4 sec.12, T.14 S., R.12 W., Russell County, Hydrologic Unit 10260006, at downstream end of culvert on old U.S. Highway 40 at Dorrance. Drainage area is 5.39 mi ² .	1957-04	7-07-04		11.90	116	9-03-75	14.62 2,400
Coon Creek tributary near Luray, KS (06868300)	Lat 39°10'30", long 98°42'02" in NW 1/4 NE1/4 sec.19, T.10 S., R.12 W., Osborne County, Hydrologic Unit 10260010, at downstream side of county highway bridge, 4.4 mi southwest of Luray. Drainage area is 6.53 mi ² .	1957-04	7-01-04		20.02	1,700	7-02-82	21.13 4,210
Ash Creek tributary near Stockton, KS (06873300)	Lat 39°26'15", long 99°22'16" in SE 1/4 SW1/4 sec.18, T.7 S., R.18 W., Rooks County, Hydrologic Unit 10260014, at upstream end of culvert on old U.S. Highway 24, 5.3 mi west of Stockton. Drainage area is 0.89 mi ² .	1957-04	2004			no peak	5-12-93	15.54 530
Mud Creek at Abilene, KS (06877120)	Lat 38°55'47", long 97°13'39", in NE 1/4 NE1/4 sec.17, T.13 S., R.2 E., Dickinson County, Hydrologic Unit 10260008, at downstream side of bridge on old U.S. Highway 40 on north edge of Abilene. Drainage area is 87.0 mi ² .	1970-04	2004	+	<1,790		11-04-98	17.73 15,000

b Backwater, discharge not determined.

+ Not determined.

< Maximum discharge less than value shown.

Annual maximum discharge at high-flow stations

Station name and number (fig. 3)	Location and drainage area	Period of record	Water year 2004 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Discharge (ft ³ /s)
Kansas River Basin--Continued								
Mill Creek tributary near Washington, KS (06884300)	Lat 39°48'48", long 97°00'30", in SW 1/4 SW1/4 sec.5, T.3 S., R.4 E., Washington County, Hydrologic Unit 10270207, at downstream end of culvert on U.S. Highway 36, 2.2 mi east of Washington. Drainage area	1957-04	6-14-04	12.58	163	6-18-83	19.90	2,500
Cedar Creek near Manhattan, KS (06887200)	Lat 39°15'31", long 96°33'48", in NE 1/4 NE1/4 sec.19, T.9 S., R.8 E., Pottawatomie County, Hydrologic Unit 10270205, at downstream side of county highway bridge, 5.5 mi north of Manhattan. Drainage area is 13.4 mi ² .	1957-04	7-02-04	19.59	3,900	6-27-99	23.61	12,000
Indian Creek near Topeka, KS (06889550)	Lat 39°07'27", long 95°39'05", in SE 1/4 SE1/4 NE1/4 sec.5, T.11 S., R. 16 E., Shawnee County, Hydrologic Unit 10270102, 3.0 mi north of Topeka, 2.7 mi upstream from Soldier Creek (new channel). Drainage area is 9.72 mi ² .	1970-04	7-06-04	14.42	1,980	7-27-81 6-28-99	17.87 16.73	2,700 3,400
Shunganunga Creek at Topeka, KS (06889630)	Lat 39°01'54", long 95°40'57", in SW 1/4 SE1/4 SW1/4 sec.6, T.12 S., R. 16 E., Shawnee County, Hydrologic Unit 10270102, on downstream side of bridge on U.S. Highway 75, 700 ft north of 21st Street in Topeka. Drainage area is 33.5 mi ² .	1970-04	8-23-04	15.88	2,930	7-20-73 8-23-04	15.18 15.88	3,300 15,880
Naismith Creek at Lawrence, KS (06891650)	Lat 38°56'03", long 95°15'08", in NE 1/4 NE1/4 SW1/4 sec.12, T.13 S., R. 19 E., Douglas County, Hydrologic Unit 10270104, at downstream side of 27 th Street bridge in Lawrence, 6 mi above mouth. Drainage area is 1.54 mi ² .	1974-88,	7-24-04 2003-04	14.97	1,250	6-24-77	15.80	2,500
Osage River Basin								
South Fork Pottawatomie Creek tributary near Garnett, KS (06914250)	Lat 38°14'00", long 95°14'52", in NW 1/4 SE1/4 sec.7, T.21 S., R.20 E., Anderson County, Hydrologic Unit 10290101, above culvert on U.S. Highway 59, 3.1 mi south of Garnett. Drainage area is 0.35 mi ² .	1963-04	3-05-04	9.99	32.5	6-21-67	14.98	600
Big Bull Creek at Paola, KS (0691500)	Lat 38°34'36", long 94°53'44", in NW 1/4 NE1/4 NW1/4 sec.17, T.17 S., R.23 E., Miami County, Hydrologic Unit 10290102, on downstream side of bridge on county highway (extension of Peoria Street), 0.5 mi west of Paola, and 9.0 mi upstream from mouth. Drainage area is 230 mi ² .	1970-04	3-04-04	12.33	8,360	10-11-73	25.18	39,000

Annual maximum discharge at high-flow stations

Station name and number (fig. 3)	Location and drainage area	Period of record	Water year 2004 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Discharge (ft ³ /s)
Osage River Basin--Continued								
Marmaton River tributary near Fort Scott, KS (06917400)	Lat 37°47'26", long 94°47'47", in SE 1/4 SE1/4 SE1/4 sec.8, T.26 S., R. 24 E., Bourbon County, Hydrologic Unit 10290104, at downstream side of county highway bridge, 6.0 mi southwest of Fort Scott. Drainage area is 2.80 mi ² .	1957-04	3-05-04	12.11	530	9-14-98	17.23	2,160
Arkansas River Basin								
White Woman Creek tributary near Selkirk, KS (07138600)	Lat 38°31'30", long 101°37'16", in SW 1/4 SW1/4 sec.34, T.17 S., R.39 W., Greeley County, Hydrologic Unit 11030002, at downstream side of county highway bridge, 5.6 mi northwest of Selkirk. Drainage area is 38.0 mi ² , of which 7.59 mi ² is contributing.	1957-04	2004		no peak	7-09-72	13.06	1,000
Arkansas River tributary near Dodge City, KS (07139700)	Lat 37°42'52", long 100°00'53", in SE 1/4 NE1/4 sec.11, T.27 S., R.25 W., Ford County, Hydrologic Unit 11030004, at downstream side of culvert on U.S. Highway 283, 2.6 mi south of Dodge City. Prior to Mar. 1, 1959, above culvert 175 ft north of present site at same datum. Records for 1957-58 discredited. Drainage area is 8.66 mi ² .	1957-04	7-23-04	12.48	64	9-12-97	16.32	1,730
North Fork Walnut Creek near Ness City, KS (07141350)	Lat 38°28'49", long 99°59'28", in SW 1/4 SW1/4 SW1/4 sec.16, T.18 S., R.24 W., Ness County, Hydrologic Unit 11030007, at downstream side of bridge on Ness County Road 533 and 4.5 mi west and 2 mi north of Ness City. Drainage area is 470 mi ² .	2003-04	6-19-04	14.85	36	6-19-04	14.85	36
Little Cheyenne Creek tributary near Claflin, KS (07143100)	Lat 38°27'25", long 98°32'08", in NE 1/4 SE1/4 sec.28, T.18 S., R.11 W., Barton County, Hydrologic Unit 11030011, at culvert on county highway, 4.7 mi south of Claflin. Published as "Cheyenne Creek tributary" 1957-70. Drainage area is 1.48 mi ² .	1957-04	7-23-04	10.62	67	6-22-81	12.82	570
Gypsum Creek at Oliver Street at Wichita, KS (07144325)	Lat 37°38'49", long 97°16'49", in SE 1/4 NE1/4 NE1/4 sec.2, T.28 S., R.1 E., Sedgwick County, Hydrologic Unit 11030013, at downstream right side of Oliver Street bridge in Wichita. Gage height for 1968-77 and 1983-84 is unreliable and should not be used. Drainage area is 16.4 mi ² .	1968-77 1983-84 2004p	5-13-04	16.00	3,900	5-13-04	16.00	3,900

p Partial water year.

Annual maximum discharge at high-flow stations

Station name and number (fig. 3)	Location and drainage area	Period of record	Water year 2004 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Discharge (ft ³ /s)
Arkansas River Basin--Continued								
Dry Creek at Lincoln Street at Wichita, KS (07144330)	Lat 37°40'18", long 97°16'43", in SW 1/4 SW1/4 NW1/4 sec.25, T.27 S., R.1 E., Sedgwick County, Hydrologic Unit 11030013, at downstream right bank 28 ft downstream from Oliver Street bridge in Wichita. Gage height for 1964-77 is unreliable and should not be used. Drainage area is 2.94 mi ² .	1964-77 2004p	5-13-04	29.96	1,300	06-11-70 5-13-04		1,550 29.96
Whitewater River tributary near Towanda, KS(07147020)	Lat 37°51'03", long 97°03'37", in NE 1/4 NE1/4 sec.26, T.25 S., R.3 E., Butler County, Hydrologic Unit 11030017, at culvert on county highway, 5.0 mi northwest of Towanda. Drainage area is 0.17 mi ² .	1963-04	7-25-04	15.12	180	6-09-95	16.59	540
Cedar Creek tributary near Cambridge, KS (07147990)	Lat 37°19'19", long 96°37'33", in NE 1/4 NE1/4 SE1/4 sec.26, T.31 S., R.7 E., Cowley County, Hydrologic Unit 11060001, at downstream side of bridge on U.S. Highway 160, 0.5 mi upstream from Cedar Creek, and 2.1 mi northeast of Cambridge. Published as "Grouse Creek tributary" 1961-63. Drainage area is 2.41 mi ² .	1961-04	3-04-04	13.37	961	6-21-77	14.42	3,000
Cimarron River tributary near Satanta, KS (07156700)	Lat 37°16'15", long 100°55'36", in NW 1/4 NE1/4 sec.17, T.32 S., R.33 W., Seward County, Hydrologic Unit 11040006, 27 ft upstream from culvert under county highway, 12.0 mi southeast of Satanta. Prior to 1985, gage was located on the downstream side of culvert. Drainage area is 2.41 mi ² .	1957-04	7-22-04	10.82	+	5-16-03	17.66	2,700
Sandy Creek near Yates Center, KS (07166200)	Lat 37°50'47", long 95°50'07", in NE 1/4 SW1/4 NE1/4 sec.26, T.25 S., R.14 E., Woodson County, Hydrologic Unit 11070101, at downstream side of bridge on U.S. Highway 54, 6.0 mi southwest of Yates Center. Drainage area is 6.80 mi ² .	1957-04	7-09-04	18.53	2,090	7-12-72	19.80	3,000

+ Not determined.
p Partial water year.

GROUND-WATER LEVELS

HARVEY COUNTY

WELL 24S 02W 16BAA 01 SITE NUMBER 375810097324301

24-2W-16BAA. (886) F. H. HAIBER. DRILLED, UNUSED, WATER-TABLE WELL IN SAND AND GRAVEL OF PLEISTOCENE AGE. DEPTH 57 FEET, DIAMETER 1.25 INCHES. MEASURING POINT, TOP OF PIPE, 0.8 FOOT ABOVE LSD. MEASURED BY CITY OF WICHITA.

ALTITUDE OF LAND SURFACE 1,402.23 FEET

RECORDS AVAILABLE 1939 TO CURRENT YEAR.

HIGHEST WATER LEVEL 2.34 FEET BELOW LAND SURFACE DATUM AUG 21, 1939.

LOWEST WATER LEVEL 42.19 FEET BELOW LAND SURFACE DATUM OCT 01, 1992.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 07, 2003	24.62	APR 07, 2004	22.08	SEP 29, 2004	24.67		
JAN 05, 2004	22.89	JUL 02, 2004	23.98				
	HIGHEST 22.08	APR 07, 2004					
	LOWEST 24.67	SEP 29, 2004					

WELL 24S 02W 28DDD 01 SITE NUMBER 375540097320901

24-2W-28DDD. (M-49) CITY OF WICHITA. DRILLED, WATER-TABLE WELL IN SAND AND GRAVEL OF PLEISTOCENE AGE. DEPTH 246 FEET, DIAMETER 18 INCHES. MEASURING POINT, TOP OF CASING, 1.5 FEET ABOVE LSD. MEASURED BY CITY OF WICHITA.

ALTITUDE OF LAND SURFACE 1,403. FEET

RECORDS AVAILABLE 1958 TO CURRENT YEAR.

HIGHEST WATER LEVEL 22.48 FEET BELOW LAND SURFACE DATUM JUN 02, 1975.

LOWEST WATER LEVEL 87.01 FEET BELOW LAND SURFACE DATUM OCT 01, 1994.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 02, 2003	31.18	JAN 02, 2004	62.76	JUL 01, 2004	29.28		
OCT 30, 2003	32.14	APR 02, 2004	62.55				
	HIGHEST 29.28	JUL 01, 2004					
	LOWEST 32.14	OCT 30, 2003					

SEDGWICK COUNTY

WELL 26S 01W 19ABA 01 SITE NUMBER 374659097280201

26-1W-19ABA. (805) CITY OF WICHITA. DRIVEN, WATER-TABLE OBSERVATION WELL IN SAND AND GRAVEL OF PLEISTOCENE AGE. DEPTH 38 FEET, DIAMETER 1.25 INCHES. MEASURING POINT, TOP OF PIPE, 3.3 FEET ABOVE LSD.

ALTITUDE OF LAND SURFACE 1,351.7 FEET

RECORDS AVAILABLE 1938 TO CURRENT YEAR.

HIGHEST WATER LEVEL 1.57 FEET BELOW LAND SURFACE DATUM APR 01, 1980.

LOWEST WATER LEVEL 9.89 FEET BELOW LAND SURFACE DATUM SEP 30, 1968.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 08, 2003	7.15	JAN 05, 2004	5.81	APR 08, 2004	6.87	JUL 14, 2004	4.60
	HIGHEST 4.60	JUL 14, 2004					
	LOWEST 7.15	OCT 08, 2003					

GROUND-WATER LEVELS

THOMAS COUNTY

WELL 08S 34W 01BAC 01 SITE NUMBER 392329101040201

8-34W-1BA. KS. AGRICULTURAL EXPERIMENT STATION. DRILLED, UNUSED, WATER-TABLE WELL IN OGALLALA FORMATION.
DIAMETER 16 INCHES, DEPTH 160 FEET. MEASURING POINT, TOP OF 2-INCH PIPE, 2.72 FEET ABOVE LSD. MEASURED BY GMD 4.

ALTITUDE OF LAND SURFACE 3,177. FEET

RECORDS AVAILABLE 1947 TO CURRENT YEAR.

HIGHEST WATER LEVEL 112.31 FEET BELOW LAND SURFACE DATUM MAY 20, 1954.

LOWEST WATER LEVEL 138.94 FEET BELOW LAND SURFACE DATUM SEP 20, 2004.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 20, 2003	137.90	FEB 20, 2004	137.25	MAY 20, 2004	137.92	AUG 20, 2004	138.56
DEC 19, 2003	137.59	MAR 22, 2004	137.18	JUN 21, 2004	137.83	SEP 20, 2004	138.94
JAN 20, 2004	137.37	APR 20, 2004	137.65	JUL 21, 2004	138.21		
	HIGHEST 137.18	MAR 22, 2004					
	LOWEST 138.94	SEP 20, 2004					

GROUND-WATER LEVELS

DOUGLAS COUNTY

390006095132301. Local number 12S 20E 17CCB 01

LOCATION.--Lat 39°00'06", long 95°13'23", Hydrologic Unit 10270104, County Code 045, on east side of county road, 3.6 mi northeast of Lawrence. Owner: U.S. Geological Survey.

AQUIFER.--Unconsolidated aquifer in Newman terrace deposits of Pleistocene age. Aquifer code: 112NWMN.

WELL CHARACTERISTICS.--Drilled observation well, diameter 10 in., depth 50 ft.

INSTRUMENTATION.--Float gage interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point east side of hole in top of box, elevation 835.81 ft, measuring point is 3.6 ft above land surface.

REMARKS.--Water level fluctuates with Kansas River stage and nearby pumping.

PERIOD OF RECORD.--1952 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 821.72 ft above NGVD of 1929, July 25, 1993; lowest, 807.64 ft above NGVD of 1929, Aug. 28, 2003.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 812.42 ft, Sept. 2; minimum elevation, 807.67 ft, Nov. 2.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	807.79	807.69	807.81	808.13	808.03	808.17	808.64	808.49	809.46	809.83	811.25	812.38
2	807.80	807.67	807.83	808.13	808.02	808.17	808.64	808.51	809.50	809.84	811.26	812.41
3	807.78	807.67	807.84	808.13	808.00	808.17	808.64	e808.52	809.50	809.88	811.26	812.42
4	807.80	807.68	807.86	808.12	808.00	808.18	808.64	e808.53	809.50	809.94	811.25	812.41
5	807.80	807.69	807.86	808.11	808.00	808.30	808.65	e808.55	809.53	809.99	811.22	812.41
6	807.80	807.69	807.87	808.09	808.00	808.31	808.66	e808.56	809.53	810.13	811.20	812.40
7	807.80	807.70	807.89	808.10	807.99	808.32	808.67	e808.58	809.51	810.31	811.19	812.38
8	807.79	807.70	807.90	808.11	807.99	808.36	808.66	808.55	809.48	810.39	811.15	812.39
9	807.78	807.71	807.93	808.09	808.00	808.38	808.66	808.51	809.46	810.45	811.22	812.40
10	807.79	807.73	808.00	808.08	808.00	808.42	808.66	808.48	809.50	810.48	811.26	812.38
11	807.79	807.75	808.03	808.08	808.00	808.43	808.66	808.53	809.55	810.51	811.28	812.37
12	807.79	807.76	808.03	808.08	807.97	808.45	808.66	808.58	809.56	810.53	811.28	812.34
13	807.79	807.75	808.05	808.07	807.97	808.49	808.62	808.61	809.57	810.56	811.27	812.29
14	807.80	807.76	808.05	808.07	807.98	808.50	808.61	808.73	809.59	810.58	811.24	812.28
15	807.80	807.76	808.08	808.07	807.97	808.52	808.61	808.83	809.60	810.58	811.20	812.23
16	807.82	807.74	808.06	808.07	807.97	808.54	808.57	808.87	809.62	810.61	811.20	812.19
17	807.82	807.74	808.06	808.07	807.96	808.55	808.51	808.91	809.62	810.69	811.22	812.18
18	807.82	807.75	808.07	808.07	807.96	808.56	808.49	808.93	809.65	810.74	811.21	812.15
19	807.82	807.75	808.08	808.06	808.02	808.56	808.46	808.98	809.72	810.79	811.16	812.14
20	807.82	807.75	808.10	808.06	808.07	808.57	808.48	809.01	809.73	810.81	811.14	812.14
21	807.81	807.77	808.11	808.06	808.08	808.55	808.49	809.03	809.78	810.83	811.13	812.12
22	807.80	807.77	808.11	808.05	808.11	808.55	808.49	809.05	809.79	810.84	811.14	812.07
23	807.79	807.78	808.11	808.05	808.12	808.58	808.49	809.07	809.81	810.84	811.12	812.04
24	807.79	807.77	808.11	808.06	808.12	808.60	808.49	809.08	809.83	810.87	811.34	811.99
25	807.77	807.79	808.12	808.07	808.13	808.60	808.50	809.16	809.82	811.05	811.60	811.95
26	807.73	807.79	808.12	808.07	808.14	808.60	808.49	809.24	809.82	811.14	811.70	811.90
27	807.72	807.80	808.13	808.04	808.14	808.60	808.50	809.30	809.82	811.19	811.77	811.86
28	807.73	807.80	808.14	808.03	808.15	808.61	808.52	809.35	809.83	811.24	812.02	811.83
29	807.73	807.81	808.14	808.03	808.16	808.61	808.50	809.41	809.82	811.26	812.22	811.79
30	807.73	807.83	808.13	808.03	---	808.62	808.49	809.44	809.81	811.28	812.30	811.78
31	807.70	---	808.13	808.03	---	808.63	---	809.46	---	811.28	812.34	---
MEAN	807.78	807.75	808.02	808.07	808.04	808.47	808.57	808.87	809.64	810.63	811.39	812.19
MAX	807.82	807.83	808.14	808.13	808.16	808.63	808.67	809.46	809.83	811.28	812.34	812.42
MIN	807.70	807.67	807.81	808.03	807.96	808.17	808.46	808.48	809.46	809.83	811.12	811.78

e Estimated

GROUND-WATER LEVELS

ELLIS COUNTY

384243099202201. Local number 15S 18W 27DDDA01

LOCATION.--Lat 38°42'43", long 99°20'22", Hydrologic Unit 10260006, County Code 051, 1.5 mi east and 2 mi north of Schoenchen. Owner: City of Hays.

AQUIFER.--Smoky Formation. Aquifer code: 211SMKH.

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in., depth 49 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,901.37 ft, measuring point is 4.5 ft above land surface.

REMARKS.--Water level fluctuates with nearby pumping.

PERIOD OF RECORD.--August to September 2004.

EXTREMES FOR CURRENT YEAR.--Maximum elevation during September, 1,889.79 ft, Sept. 30; minimum elevation during September, 1,889.68 ft, Sept. 6.

ELEVATION ABOVE NGVD 1929, FEET
 WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
 DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	1,889.72
2	---	---	---	---	---	---	---	---	---	---	---	1,889.76
3	---	---	---	---	---	---	---	---	---	---	---	1,889.75
4	---	---	---	---	---	---	---	---	---	---	---	1,889.73
5	---	---	---	---	---	---	---	---	---	---	---	1,889.73
6	---	---	---	---	---	---	---	---	---	---	---	1,889.68
7	---	---	---	---	---	---	---	---	---	---	---	1,889.68
8	---	---	---	---	---	---	---	---	---	---	---	1,889.70
9	---	---	---	---	---	---	---	---	---	---	---	1,889.70
10	---	---	---	---	---	---	---	---	---	---	---	1,889.70
11	---	---	---	---	---	---	---	---	---	---	---	1,889.70
12	---	---	---	---	---	---	---	---	---	---	---	1,889.72
13	---	---	---	---	---	---	---	---	---	---	---	1,889.74
14	---	---	---	---	---	---	---	---	---	---	---	1,889.74
15	---	---	---	---	---	---	---	---	---	---	---	1,889.71
16	---	---	---	---	---	---	---	---	---	---	---	1,889.71
17	---	---	---	---	---	---	---	---	---	---	---	1,889.73
18	---	---	---	---	---	---	---	---	---	---	---	1,889.72
19	---	---	---	---	---	---	---	---	---	---	---	1,889.72
20	---	---	---	---	---	---	---	---	---	---	---	1,889.74
21	---	---	---	---	---	---	---	---	---	---	---	1,889.72
22	---	---	---	---	---	---	---	---	---	---	---	1,889.72
23	---	---	---	---	---	---	---	---	---	---	---	1,889.73
24	---	---	---	---	---	---	---	---	---	---	---	1,889.73
25	---	---	---	---	---	---	---	---	---	---	---	1,889.73
26	---	---	---	---	---	---	---	---	---	---	---	1,889.74
27	---	---	---	---	---	---	---	---	---	---	---	1,889.75
28	---	---	---	---	---	---	---	---	---	---	---	1,889.74
29	---	---	---	---	---	---	---	---	---	---	---	1,889.76
30	---	---	---	---	---	---	---	---	---	---	---	1,889.78
31	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	1,889.73
MAX	---	---	---	---	---	---	---	---	---	---	---	1,889.78
MIN	---	---	---	---	---	---	---	---	---	---	---	1,889.68

GROUND-WATER LEVELS

ELLIS COUNTY

384253099185201. Local number 15S 18W 27CDBA01

LOCATION.--Lat 38°42'53", long 99°18'52", Hydrologic Unit 10260006, County Code 051, 0.7 mi southeast of Schoenchen. Owner: City of Hays.

AQUIFER.--Smoky Formation. Aquifer code: 211SMKH.

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in., depth 56.5 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,910.88 ft, measuring point is 4.5 ft above land surface.

REMARKS.--Water level fluctuates with nearby pumping.

PERIOD OF RECORD.--August to September 2004.

EXTREMES FOR CURRENT YEAR.--Maximum elevation during September, 1,893.91 ft, Sept. 9; minimum elevation during September, 1,892.22 ft, Sept. 30.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	1,893.36
2	---	---	---	---	---	---	---	---	---	---	---	1,893.51
3	---	---	---	---	---	---	---	---	---	---	---	1,893.61
4	---	---	---	---	---	---	---	---	---	---	---	1,893.69
5	---	---	---	---	---	---	---	---	---	---	---	1,893.76
6	---	---	---	---	---	---	---	---	---	---	---	1,893.80
7	---	---	---	---	---	---	---	---	---	---	---	1,893.84
8	---	---	---	---	---	---	---	---	---	---	---	1,893.89
9	---	---	---	---	---	---	---	---	---	---	---	1,893.91
10	---	---	---	---	---	---	---	---	---	---	---	1,893.90
11	---	---	---	---	---	---	---	---	---	---	---	1,893.90
12	---	---	---	---	---	---	---	---	---	---	---	1,893.89
13	---	---	---	---	---	---	---	---	---	---	---	1,893.90
14	---	---	---	---	---	---	---	---	---	---	---	1,893.88
15	---	---	---	---	---	---	---	---	---	---	---	1,893.85
16	---	---	---	---	---	---	---	---	---	---	---	1,893.85
17	---	---	---	---	---	---	---	---	---	---	---	1,893.85
18	---	---	---	---	---	---	---	---	---	---	---	1,893.70
19	---	---	---	---	---	---	---	---	---	---	---	1,893.56
20	---	---	---	---	---	---	---	---	---	---	---	1,893.44
21	---	---	---	---	---	---	---	---	---	---	---	1,893.32
22	---	---	---	---	---	---	---	---	---	---	---	1,893.21
23	---	---	---	---	---	---	---	---	---	---	---	1,893.13
24	---	---	---	---	---	---	---	---	---	---	---	1,893.07
25	---	---	---	---	---	---	---	---	---	---	---	1,893.00
26	---	---	---	---	---	---	---	---	---	---	---	1,892.61
27	---	---	---	---	---	---	---	---	---	---	---	1,892.47
28	---	---	---	---	---	---	---	---	---	---	---	1,892.36
29	---	---	---	---	---	---	---	---	---	---	---	1,892.30
30	---	---	---	---	---	---	---	---	---	---	---	1,892.25
31	---	---	---	---	---	---	---	---	---	---	---	---
MEAN	---	---	---	---	---	---	---	---	---	---	---	1,893.43
MAX	---	---	---	---	---	---	---	---	---	---	---	1,893.91
MIN	---	---	---	---	---	---	---	---	---	---	---	1,892.25

GROUND-WATER LEVELS

HARVEY COUNTY

380028097311001. Local number EB-145-A1

LOCATION.-- Lat 38°00'28", long 97°30'52", Hydrologic Unit 11030012, County Code 079, Halstead quadrangle, on the upstream side of the bridge, north of the levee on Halstead Road in Halstead. Owner: Ground-Water Management District # 2.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 50.65 ft, screened 40.6-50.6 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.-- Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,392.87 ft, top of casing is 2.8 ft above land surface.

REMARKS.--Water level fluctuates with river stage and nearby pumping.

PERIOD OF RECORD.--October 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,382.63 ft above NGVD of 1929, Nov. 4, 1998; lowest, 1,366.10 ft above NGVD of 1929, July 22, 1996.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,381.91 ft, Mar. 7; minimum elevation, 1,373.46 ft, Oct. 1.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,373.52	1,374.97	1,374.56	1,374.87	1,375.07	1,375.27	1,376.91	1,376.15	1,375.49	1,376.00	1,377.24	1,375.07
2	1,373.57	1,375.05	1,374.79	1,374.97	1,374.96	1,375.05	1,376.78	1,376.17	1,375.28	1,376.04	1,376.95	1,375.18
3	1,373.68	1,375.08	1,374.81	1,374.85	1,374.91	1,375.20	1,376.73	1,376.15	1,375.17	1,376.43	1,376.54	1,375.12
4	1,373.62	1,374.98	1,374.75	1,374.78	1,375.02	1,375.97	1,376.69	1,376.25	1,375.13	1,376.45	1,376.19	1,375.09
5	1,373.61	1,374.87	1,374.67	1,374.63	1,375.09	1,379.66	1,376.72	1,376.19	1,375.23	e1,376.84	1,375.99	1,375.15
6	1,373.59	1,374.84	1,374.77	1,374.62	1,374.95	1,381.34	1,376.71	1,376.15	e1,375.25	1,376.78	1,376.00	1,375.05
7	1,373.60	1,374.87	1,374.98	1,374.87	1,374.88	1,381.90	1,376.70	1,376.06	1,375.11	1,376.62	1,376.01	1,375.03
8	1,373.59	1,374.87	1,374.97	1,374.90	1,375.08	1,380.83	1,376.56	1,376.03	1,374.99	1,376.61	1,375.87	1,375.05
9	1,376.71	1,374.88	1,374.90	1,374.72	1,374.96	1,379.79	1,376.58	1,376.01	1,374.86	1,376.41	1,375.75	1,375.03
10	1,379.46	1,375.04	1,374.74	1,374.78	1,374.98	1,379.27	1,376.50	1,375.92	1,375.16	e1,376.25	1,375.89	1,374.97
11	1,380.02	1,375.01	1,374.76	1,374.91	1,375.10	1,378.57	1,376.49	1,375.98	e1,375.34	e1,375.91	1,375.99	1,374.98
12	1,378.67	1,374.82	1,374.77	1,374.79	1,374.91	1,378.30	1,376.49	1,375.99	e1,375.31	1,375.78	1,376.08	1,374.94
13	1,377.56	1,374.73	1,374.85	1,374.76	1,375.07	1,378.12	1,376.41	1,376.24	1,375.34	1,375.61	1,376.06	1,374.96
14	1,376.84	1,375.00	1,374.90	1,374.87	1,375.14	1,377.77	1,376.46	1,376.41	e1,375.38	1,375.48	1,375.92	1,374.94
15	1,376.55	1,374.99	1,375.07	1,374.86	1,375.03	1,377.80	1,376.53	1,376.47	e1,375.39	e1,375.22	1,375.88	1,374.89
16	1,376.32	1,374.88	1,374.67	1,374.99	1,375.06	1,377.58	1,376.43	1,376.53	1,375.47	1,375.05	1,375.91	1,374.86
17	1,375.97	1,375.03	1,374.82	1,374.99	1,374.95	1,377.55	1,376.35	1,376.51	1,375.45	1,374.88	1,375.93	1,374.88
18	1,375.93	1,374.87	1,374.72	1,374.96	1,375.12	1,377.28	1,376.37	1,376.45	1,376.18	1,374.67	1,375.84	1,374.83
19	1,375.79	1,374.73	1,374.75	1,374.95	1,375.38	1,377.25	1,376.21	1,376.44	1,376.27	1,374.57	1,375.75	1,374.78
20	1,375.68	1,374.91	1,374.91	1,374.99	1,375.12	1,377.02	1,376.41	1,376.42	1,376.45	1,374.56	1,375.85	1,374.77
21	1,375.54	1,374.87	1,374.97	1,374.97	1,375.10	1,376.90	1,376.34	1,376.39	1,376.74	1,374.35	1,375.82	1,374.76
22	1,375.49	1,374.90	1,374.92	1,374.92	1,375.31	1,376.99	1,376.27	1,376.38	1,376.87	1,374.17	1,375.85	1,374.76
23	1,375.47	1,374.73	1,374.82	1,375.10	1,375.22	1,377.06	1,376.17	1,376.26	e1,376.82	1,375.47	1,375.85	1,374.83
24	1,375.41	1,374.71	1,374.85	1,375.10	1,375.17	1,376.96	1,376.38	e1,376.18	e1,376.67	1,377.23	1,375.81	1,374.81
25	1,375.14	1,374.93	1,374.94	1,375.22	1,375.15	1,376.88	1,376.26	1,376.01	1,376.43	1,378.52	1,375.70	1,374.82
26	1,375.19	1,374.92	1,374.94	1,375.00	1,375.15	1,376.78	1,376.20	1,376.07	1,376.33	1,380.36	1,375.48	1,374.83
27	1,375.30	1,374.64	1,374.98	1,374.88	1,375.19	1,376.85	1,376.28	1,375.83	e1,376.19	1,380.81	1,375.40	1,374.84
28	1,375.21	1,374.62	1,374.86	1,374.95	1,375.16	1,376.81	1,376.39	1,375.74	e1,376.13	1,379.06	1,375.37	1,374.75
29	1,375.29	1,374.90	1,374.81	1,375.02	1,375.39	1,376.83	1,376.27	1,375.89	1,376.22	1,378.28	1,375.37	1,374.81
30	1,375.13	1,374.82	1,374.91	1,375.02	---	1,376.98	1,376.17	1,375.80	1,376.04	1,377.85	1,375.14	1,374.83
31	1,374.89	---	1,374.79	1,375.12	---	1,376.92	---	1,375.63	---	1,377.50	1,374.99	---
MEAN	1,375.56	1,374.88	1,374.84	1,374.91	1,375.09	1,377.66	1,376.46	1,376.15	1,375.76	1,376.44	1,375.88	1,374.92
MAX	1,380.02	1,375.08	1,375.07	1,375.22	1,375.39	1,381.90	1,376.91	1,376.53	1,376.87	1,380.81	1,377.24	1,375.18
MIN	1,373.52	1,374.62	1,374.56	1,374.62	1,374.88	1,375.05	1,376.17	1,375.63	1,374.86	1,374.17	1,374.99	1,374.75

e Estimated

GROUND-WATER LEVELS

HARVEY COUNTY

380028097311002. Local number EB-145-PD5

LOCATION.--Lat 38°00'28", long 97°31'07", Hydrologic Unit 11030012, County Code 079, Halstead quadrangle, on the upstream side of the bridge, north of the levee on Halstead Road in Halstead. Owner: Ground-Water Management District # 2.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 117.70 ft, screened 112.6-117.7 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.-- Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,392.40 ft, top of casing is 2.00 ft above land surface.

REMARKS.--Water level fluctuates with river stage and nearby pumping.

PERIOD OF RECORD.--February 1996 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,381.35 ft above NGVD of 1929, Nov. 5, 1998; lowest, 1,356.52 ft above NGVD of 1929, July 22, 1996.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,380.66 ft, Mar. 7; minimum elevation, 1,373.06 ft, Oct. 1.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,373.10	1,374.85	1,374.42	1,374.72	1,374.94	1,375.15	e1,376.92	1,376.12	1,375.37	1,375.92	1,377.24	1,374.84
2	1,373.17	1,374.94	1,374.64	1,374.82	1,374.83	1,374.91	1,376.81	1,376.15	1,375.11	1,375.99	1,376.92	1,374.98
3	1,373.30	1,374.96	1,374.68	1,374.72	1,374.76	1,375.05	1,376.74	1,376.11	1,374.97	1,376.13	1,376.24	1,374.93
4	1,373.25	1,374.88	1,374.63	1,374.65	1,374.88	1,375.66	1,376.71	1,376.23	e1,374.94	1,376.13	1,375.83	1,374.91
5	1,373.25	1,374.76	1,374.52	1,374.48	1,374.95	1,378.28	1,376.75	1,376.16	1,375.03	1,376.35	1,375.81	1,374.97
6	1,373.23	1,374.71	1,374.61	1,374.47	1,374.82	1,379.84	1,376.73	1,376.12	1,375.06	1,376.47	1,375.87	1,374.87
7	1,373.23	1,374.75	1,374.83	1,374.71	1,374.74	1,380.54	1,376.72	1,376.03	1,374.92	1,376.44	1,375.88	1,374.84
8	1,373.24	1,374.75	1,374.83	1,374.76	1,374.93	1,380.38	1,376.57	1,376.02	1,374.82	1,376.46	1,375.59	1,374.86
9	1,375.04	1,374.75	1,374.75	1,374.58	1,374.82	1,379.69	1,376.59	1,375.98	1,374.66	1,376.29	1,375.49	1,374.84
10	1,377.19	1,374.92	1,374.59	1,374.63	1,374.83	1,379.32	1,376.52	1,375.92	e1,374.97	e1,376.14	1,375.68	1,374.77
11	1,378.05	1,374.90	1,374.60	1,374.77	1,374.94	1,378.65	1,376.49	1,375.97	1,375.22	1,375.59	1,375.84	1,374.78
12	1,377.70	1,374.72	1,374.62	1,374.65	1,374.76	1,378.41	1,376.50	1,375.96	1,375.19	1,375.61	1,375.94	1,374.74
13	1,377.18	1,374.60	1,374.69	1,374.62	1,374.92	1,378.25	1,376.40	1,376.24	1,375.23	1,375.38	1,375.91	1,374.76
14	1,376.60	1,374.87	1,374.74	1,374.73	1,375.01	1,377.89	1,376.45	1,376.48	e1,375.28	1,375.26	1,375.81	1,374.75
15	1,376.39	1,374.87	1,374.93	1,374.71	1,374.89	1,377.93	1,376.53	1,376.55	e1,375.31	e1,374.80	1,375.79	1,374.70
16	1,376.19	1,374.76	1,374.52	1,374.85	1,374.91	1,377.70	1,376.43	1,376.60	1,375.40	1,374.67	1,375.82	1,374.65
17	1,375.85	1,374.90	1,374.65	1,374.83	1,374.81	1,377.68	1,376.36	1,376.58	1,375.38	1,374.46	1,375.84	1,374.68
18	1,375.85	1,374.76	1,374.56	1,374.79	1,374.96	1,377.40	1,376.36	1,376.51	1,375.98	1,374.12	1,375.70	1,374.64
19	1,375.72	1,374.59	1,374.58	1,374.79	1,375.23	1,377.35	1,376.20	1,376.49	1,376.21	1,374.13	1,375.64	1,374.57
20	1,375.62	1,374.78	1,374.74	1,374.83	1,374.98	1,377.13	1,376.41	1,376.42	1,376.38	1,374.15	1,375.75	1,374.56
21	1,375.47	1,374.73	1,374.81	1,374.81	1,374.92	1,376.96	1,376.33	1,376.39	1,376.63	1,373.78	1,375.72	1,374.56
22	1,375.42	1,374.76	1,374.77	1,374.75	1,375.10	1,377.05	1,376.27	1,376.41	1,376.64	1,373.61	1,375.75	1,374.56
23	1,375.40	1,374.61	1,374.65	1,374.93	1,375.04	1,377.14	1,376.16	1,376.30	1,376.66	1,374.86	1,375.76	1,374.62
24	1,375.36	1,374.56	1,374.68	1,374.95	1,374.99	1,377.04	1,376.36	1,376.20	1,376.62	1,376.50	1,375.72	1,374.59
25	1,375.06	1,374.80	1,374.79	1,375.07	1,375.00	1,376.94	1,376.23	1,376.04	1,376.41	1,377.27	1,375.47	1,374.61
26	1,375.09	1,374.79	1,374.77	1,374.86	1,375.01	1,376.84	1,376.16	1,376.01	e1,376.34	1,378.68	1,375.09	1,374.62
27	1,375.19	1,374.52	1,374.82	1,374.72	1,375.05	1,376.90	1,376.23	1,375.59	e1,376.18	1,379.38	1,375.19	1,374.62
28	1,375.12	1,374.47	1,374.71	1,374.79	1,375.03	1,376.85	1,376.37	1,375.65	1,376.01	1,378.68	1,375.21	1,374.54
29	1,375.20	1,374.75	1,374.66	1,374.87	1,375.24	1,376.82	1,376.26	1,375.82	1,376.03	1,378.15	1,375.21	1,374.59
30	1,375.06	1,374.70	1,374.76	1,374.86	---	1,376.92	1,376.15	1,375.77	1,375.91	1,377.80	1,374.73	1,374.62
31	1,374.79	---	1,374.65	1,374.97	---	1,376.91	---	1,375.58	---	1,377.48	1,374.53	---
MEAN	1,375.17	1,374.76	1,374.68	1,374.76	1,374.94	1,377.54	1,376.46	1,376.14	1,375.63	1,376.02	1,375.71	1,374.72
MAX	1,378.05	1,374.96	1,374.93	1,375.07	1,375.24	1,380.54	1,376.92	1,376.60	1,376.66	1,379.38	1,377.24	1,374.98
MIN	1,373.10	1,374.47	1,374.42	1,374.47	1,374.74	1,374.91	1,376.15	1,375.58	1,374.66	1,373.61	1,374.53	1,374.54

e Estimated

GROUND-WATER LEVELS

HARVEY COUNTY

380643097353001. Local number 07143665

LOCATION.--Lat 38°06'43", long 97°35'30", Hydrologic Unit 11030012, County Code 079, Halstead quadrangle, at the downstream side of the county bridge, 0.4 mi south of Alta Mills, 0.8 mi downstream from Sand Creek, and at mile 50.1. Owner: U.S. Geological Survey.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 40.1 ft, screened 30.1-40.1 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of casing, elevation 1,416.97 ft, top of casing is 1.5 ft above land surface.

REMARKS.--Water level fluctuates with river stage.

PERIOD OF RECORD.--February 1994 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,415.93 ft above NGVD of 1929, June 11, 1995; lowest, 1,391.41 ft above NGVD of 1929, Aug. 20, 2003.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,410.53 ft, Mar. 6; minimum elevation, 1,393.05 ft, June 2.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,393.64	1,395.31	1,394.20	1,394.12	1,393.91	1,394.05	1,396.39	1,394.98	1,393.11	1,394.23	1,398.27	1,394.51
2	1,393.64	1,395.26	1,394.30	1,394.12	1,393.87	1,394.00	1,396.22	1,394.97	1,393.06	1,394.98	1,397.74	1,394.50
3	1,393.66	1,395.24	1,394.24	1,394.06	1,393.87	1,394.14	1,396.11	1,394.99	1,393.09	1,396.63	1,397.36	1,394.45
4	1,393.62	1,395.14	1,394.22	1,394.03	1,393.89	1,394.98	1,396.01	1,395.02	1,393.26	1,398.04	1,396.69	1,394.40
5	1,393.63	1,395.04	1,394.17	1,393.97	1,393.90	1,402.50	1,395.96	1,395.05	1,394.09	1,398.69	1,395.99	1,394.39
6	1,393.62	1,394.98	1,394.22	1,393.96	1,393.85	1,410.15	1,395.88	1,394.97	1,394.08	1,397.94	1,395.18	1,394.32
7	1,393.62	1,394.94	1,394.29	1,394.04	1,393.88	1,410.14	1,395.82	1,394.90	1,394.12	1,397.43	1,395.45	1,394.29
8	1,393.60	1,394.89	1,394.25	1,394.00	1,393.94	1,406.56	1,395.71	1,394.88	1,393.96	1,397.69	1,395.27	1,394.27
9	1,400.19	1,394.87	1,394.24	1,393.94	1,393.84	1,403.57	1,395.69	1,394.87	1,393.93	1,397.16	1,395.51	1,394.26
10	1,406.77	1,394.91	1,394.13	1,393.97	1,393.85	1,401.57	1,395.61	1,394.78	1,394.32	1,396.53	1,395.64	1,394.23
11	1,408.25	1,394.84	1,394.20	1,394.00	1,393.86	1,400.25	1,395.59	1,394.79	1,394.25	1,395.02	1,396.15	1,394.20
12	1,405.03	1,394.72	1,394.20	1,393.95	1,393.91	1,399.47	1,395.54	1,394.75	1,394.23	1,395.47	1,396.44	1,394.16
13	1,402.96	1,394.70	1,394.24	1,393.93	1,393.92	1,398.86	1,395.50	1,395.01	1,394.24	1,395.62	1,396.17	1,394.13
14	1,401.08	1,394.81	1,394.24	1,393.98	1,393.91	1,398.31	1,395.50	1,395.08	1,394.11	1,394.24	1,395.82	1,394.09
15	1,400.07	1,394.74	1,394.27	1,393.97	1,393.91	1,398.07	1,395.48	1,394.98	1,394.03	1,394.12	1,395.63	1,394.04
16	1,399.30	1,394.69	1,394.11	1,394.01	1,393.86	1,397.73	1,395.41	1,394.94	1,394.09	1,393.96	1,395.52	1,394.02
17	1,398.52	1,394.74	1,394.18	1,393.99	1,393.81	1,397.53	1,395.33	1,394.89	1,394.28	1,394.48	1,395.42	1,394.00
18	1,397.96	1,394.65	1,394.12	1,393.93	1,393.90	1,397.20	1,395.32	1,394.83	1,395.76	1,393.70	1,395.35	1,393.97
19	1,397.48	1,394.58	1,394.12	1,393.91	1,394.01	1,397.09	1,395.20	1,394.97	1,395.51	1,394.09	1,395.21	1,393.95
20	1,397.12	1,394.67	1,394.18	1,393.93	1,394.04	1,396.81	1,395.30	1,395.35	1,395.83	1,393.67	1,395.16	1,393.94
21	1,396.80	1,394.50	1,394.19	1,393.91	1,394.42	1,396.68	1,395.21	1,395.18	1,396.58	1,393.31	1,395.11	1,393.90
22	1,396.55	1,394.50	1,394.15	1,393.89	1,394.62	1,396.64	1,395.16	1,395.06	1,397.64	1,393.50	1,395.09	1,393.88
23	1,396.38	1,394.39	1,394.14	1,393.97	1,394.51	1,396.59	1,395.13	1,394.89	1,397.31	1,395.65	1,395.03	1,393.88
24	1,396.18	1,394.40	1,394.15	1,393.98	1,394.37	1,396.45	1,395.20	1,394.83	1,396.72	1,400.11	1,394.95	1,393.86
25	1,395.92	1,394.43	1,394.21	1,394.03	1,394.26	1,396.36	1,395.12	1,394.71	1,396.14	1,404.02	1,394.88	1,393.85
26	1,395.88	1,394.40	1,394.24	1,393.93	1,394.19	1,396.25	1,395.15	1,394.73	1,394.71	1,408.67	1,394.94	1,393.89
27	1,395.81	1,394.27	1,394.25	1,393.91	1,394.15	1,396.25	1,395.24	1,394.66	1,394.32	1,408.29	1,394.79	1,393.86
28	1,395.65	1,394.27	1,394.16	1,393.93	1,394.10	1,396.19	1,395.24	1,393.57	1,395.01	1,403.68	1,394.68	1,393.81
29	1,395.65	1,394.38	1,394.13	1,393.96	1,394.18	1,396.98	1,395.10	1,393.59	1,395.17	1,400.90	1,394.63	1,393.81
30	1,395.47	1,394.29	1,394.15	1,393.96	---	1,397.04	1,395.03	1,393.35	1,394.43	1,399.71	1,394.60	1,393.80
31	1,395.30	---	1,394.09	1,393.97	---	1,396.62	---	1,393.18	---	1,398.91	1,394.54	---
MEAN	1,397.40	1,394.72	1,394.19	1,393.98	1,394.03	1,398.55	1,395.51	1,394.73	1,394.71	1,397.43	1,395.59	1,394.09
MAX	1,408.25	1,395.31	1,394.30	1,394.12	1,394.62	1,410.15	1,396.39	1,395.35	1,397.64	1,408.67	1,398.27	1,394.51
MIN	1,393.60	1,394.27	1,394.09	1,393.89	1,393.81	1,394.00	1,395.03	1,393.18	1,393.06	1,393.31	1,394.54	1,393.80

e Estimated

GROUND-WATER LEVELS

RENO COUNTY

380842098063701. Local number 07142680

LOCATION.--Lat 38°08'42", long 98°06'37", Hydrologic Unit 11030011, County Code 155, Halstead quadrangle, on the upstream side of the bridge, north of Kansas Highway 96, west of Nickerson, and at mile 825.8. Owner: U.S. Geological Survey.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 47.0 ft, screened 37-47 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of casing, elevation 1,603.68 ft, top of casing is 2.0 ft above land surface.

REMARKS.--Water level fluctuates with river stage.

PERIOD OF RECORD.--July 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,596.70 ft above NGVD of 1929, June 12, 2001; lowest, 1,590.64 ft above NGVD of 1929, Aug. 23, 2003.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,591.69 ft, July 7; minimum elevation, 1,590.66 ft, June 14.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,590.72	1,590.76	1,590.69	1,590.69	1,591.00	1,590.71	1,590.96	1,590.91	1,590.74	1,591.10	1,591.37	1,591.03
2	1,590.71	1,590.76	1,590.69	1,590.69	1,591.03	1,590.70	1,590.96	1,590.90	1,590.74	1,591.12	1,591.40	1,591.01
3	1,590.72	1,590.76	1,590.69	1,590.69	1,590.96	1,590.71	1,590.95	1,590.90	1,590.74	1,591.09	1,591.37	1,591.01
4	1,590.71	1,590.76	1,590.69	1,590.68	1,590.77	1,590.78	1,590.95	1,590.89	1,590.73	1,591.09	1,591.33	1,590.99
5	1,590.71	1,590.74	1,590.69	1,590.68	1,590.73	1,591.06	1,590.95	1,590.88	1,590.73	1,591.08	1,591.31	1,590.99
6	1,590.71	1,590.74	1,590.69	1,590.73	1,590.71	1,591.16	1,590.94	1,590.88	1,590.73	1,591.28	1,591.28	1,590.98
7	1,590.71	1,590.74	1,590.69	1,590.95	1,590.70	1,591.23	1,590.94	1,590.88	1,590.71	1,591.69	1,591.27	1,590.98
8	1,590.72	1,590.73	1,590.69	1,591.02	1,590.69	1,591.27	1,590.94	1,590.86	1,590.71	1,591.58	1,591.25	1,590.96
9	1,591.02	1,590.73	1,590.70	1,590.76	1,590.69	1,591.19	1,590.94	1,590.86	1,590.71	1,591.49	1,591.24	1,590.96
10	1,590.98	1,590.73	1,590.69	1,590.72	1,590.69	1,591.13	1,590.94	1,590.86	1,590.71	1,591.44	1,591.24	1,590.94
11	1,590.92	1,590.73	1,590.70	1,590.71	1,590.69	1,591.09	1,590.94	1,590.86	1,590.69	1,591.39	1,591.23	1,590.94
12	1,590.88	1,590.72	1,590.69	1,590.70	1,590.69	1,591.07	1,590.93	1,590.85	1,590.69	1,591.33	1,591.24	1,590.93
13	1,590.87	1,590.72	1,590.70	1,590.70	1,590.69	1,591.06	1,590.93	1,590.86	1,590.68	1,591.29	1,591.24	1,590.91
14	1,590.85	1,590.72	1,590.69	1,590.70	1,590.69	1,591.04	1,590.93	1,590.85	1,590.67	1,591.26	1,591.22	1,590.91
15	1,590.84	1,590.72	1,590.69	1,590.69	1,590.69	1,591.03	1,590.93	1,590.84	1,590.68	1,591.24	1,591.20	1,590.90
16	1,590.84	1,590.71	1,590.70	1,590.69	1,590.69	1,591.02	1,590.93	1,590.83	1,590.68	1,591.21	1,591.21	1,590.89
17	1,590.82	1,590.72	1,590.69	1,590.69	1,590.69	1,591.01	1,590.93	1,590.84	1,590.68	1,591.20	1,591.22	1,590.88
18	1,590.82	1,590.71	1,590.70	1,590.69	1,590.69	1,591.01	1,590.92	1,590.85	1,590.72	1,591.18	1,591.24	1,590.87
19	1,590.82	1,590.71	1,590.70	1,590.69	1,590.70	1,591.00	1,590.92	1,590.85	1,590.74	1,591.17	1,591.27	1,590.86
20	1,590.81	1,590.70	1,590.70	1,590.68	1,590.70	1,590.99	1,590.94	1,590.85	1,590.76	1,591.15	1,591.24	1,590.86
21	1,590.81	1,590.70	1,590.70	1,590.69	1,590.70	1,590.98	1,590.93	1,590.84	1,590.79	1,591.15	1,591.19	1,590.85
22	1,590.81	1,590.70	1,590.70	1,590.68	1,590.70	1,590.98	1,590.92	1,590.82	1,590.81	1,591.14	1,591.18	1,590.85
23	1,590.80	1,590.69	1,590.70	1,590.69	1,590.69	1,590.97	1,590.93	1,590.82	1,590.82	1,591.25	1,591.16	1,590.90
24	1,590.79	1,590.69	1,590.71	1,590.68	1,590.69	1,590.97	1,590.94	1,590.81	1,590.94	1,591.44	1,591.14	1,590.89
25	1,590.78	1,590.69	1,590.70	1,590.69	1,590.69	1,590.97	1,590.93	1,590.79	1,591.29	1,591.45	1,591.12	1,590.87
26	1,590.78	1,590.70	1,590.70	1,590.69	1,590.69	1,590.97	1,590.93	1,590.79	1,591.29	1,591.46	1,591.11	1,590.86
27	1,590.78	1,590.69	1,590.70	1,590.68	1,590.69	1,590.97	1,590.92	1,590.79	1,591.23	1,591.41	1,591.09	1,590.84
28	1,590.77	1,590.69	1,590.70	1,590.68	1,590.69	1,590.98	1,590.92	1,590.77	1,591.20	1,591.39	1,591.08	1,590.83
29	1,590.77	1,590.69	1,590.69	1,590.68	1,590.71	1,590.97	1,590.91	1,590.77	1,591.17	1,591.39	1,591.06	1,590.82
30	1,590.77	1,590.69	1,590.69	1,590.78	---	1,590.96	1,590.91	1,590.77	1,591.12	1,591.38	1,591.05	1,590.82
31	1,590.77	---	1,590.69	1,590.88	---	1,590.96	---	1,590.75	---	1,591.36	1,591.04	---
MEAN	1,590.80	1,590.72	1,590.69	1,590.72	1,590.73	1,591.00	1,590.93	1,590.84	1,590.83	1,591.30	1,591.21	1,590.91
MAX	1,591.02	1,590.76	1,590.71	1,591.02	1,591.03	1,591.27	1,590.96	1,590.91	1,591.29	1,591.69	1,591.40	1,591.03
MIN	1,590.71	1,590.69	1,590.69	1,590.68	1,590.69	1,590.70	1,590.91	1,590.75	1,590.67	1,591.08	1,591.04	1,590.82

GROUND-WATER LEVELS

SEDGWICK COUNTY

374956097231601. Local number 07144200

LOCATION.--Lat 37°49'56", long 97°23'16", Hydrologic Unit 11030012, County Code 173, Maize quadrangle, on right bank at downstream side of county highway bridge, 0.5 mi west of Valley Center, and at mile 15.6 from mouth. Owner: U.S. Geological Survey.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC.

WELL CHARACTERISTICS.--Drilled, unused water-table well, diameter 2 in., depth 50.0 ft, screened 40.0-50.0 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of casing, elevation 1,349.63 ft, top of casing is 2.00 ft above land-surface datum.

REMARKS.--Water level fluctuates with river stage.

PERIOD OF RECORD.--October 1993 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level 1,334.68 ft above NGVD of 1929, June 13, 1995; lowest, 1,327.59 ft above NGVD of 1929, Oct. 2, 1994.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,332.71 ft, July 28; minimum elevation, 1,328.23 ft, Sept. 26.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,328.76	1,329.16	1,328.72	1,328.58	1,328.50	1,328.54	1,329.21	1,328.66	1,328.55	1,329.24	e1,330.30	1,328.62
2	1,328.72	1,329.13	1,328.72	1,328.58	1,328.50	1,328.53	1,328.95	1,328.66	1,328.53	1,329.17	1,330.00	1,328.61
3	1,328.72	1,329.12	1,328.71	1,328.57	1,328.56	1,328.54	1,328.87	1,328.63	1,328.49	1,329.36	1,329.81	1,328.58
4	1,328.72	1,329.09	1,328.71	1,328.56	1,328.50	1,328.83	1,328.80	1,328.63	1,328.49	1,329.93	1,329.66	1,328.55
5	1,328.68	e1,329.07	1,328.69	1,328.55	1,328.49	1,330.89	e1,328.74	1,328.62	1,328.47	1,331.18	1,329.53	1,328.52
6	1,328.66	e1,329.05	1,328.69	1,328.53	1,328.48	1,331.37	e1,328.69	1,328.62	1,328.47	1,331.34	1,329.45	1,328.52
7	1,328.64	1,329.03	1,328.69	1,328.56	1,328.46	1,331.43	e1,328.67	1,328.62	1,328.46	1,330.75	1,329.36	1,328.52
8	1,328.62	1,329.01	1,328.69	1,328.54	1,328.48	1,331.56	e1,328.65	1,328.59	1,328.43	1,330.34	1,329.29	1,328.50
9	1,331.11	1,328.99	1,328.70	1,328.50	1,328.45	1,331.43	e1,328.65	1,328.57	1,328.42	1,330.16	1,329.22	1,328.49
10	1,331.99	1,328.99	1,328.69	1,328.51	1,328.45	1,331.09	e1,328.65	1,328.55	1,328.46	1,329.83	1,329.20	1,328.47
11	1,332.20	1,328.98	1,328.68	1,328.51	1,328.45	1,330.66	e1,328.65	1,328.54	1,328.52	1,329.58	1,329.44	1,328.45
12	1,332.39	1,328.96	1,328.67	1,328.50	1,328.43	1,330.39	e1,328.65	1,328.52	1,328.45	1,329.40	1,329.46	1,328.43
13	1,332.02	1,328.93	1,328.68	1,328.50	1,328.46	1,330.14	e1,328.66	1,330.22	1,328.54	1,329.26	1,329.44	1,328.41
14	1,331.49	1,328.93	1,328.69	1,328.50	1,328.44	1,329.97	e1,328.66	1,330.60	1,328.47	1,329.18	1,329.30	e1,328.38
15	1,331.03	1,328.91	1,328.71	1,328.49	1,328.43	1,329.81	e1,328.65	1,329.72	1,328.46	1,329.08	1,329.18	e1,328.36
16	1,330.73	1,328.90	1,328.67	1,328.49	1,328.44	1,329.72	e1,328.65	1,329.41	1,328.48	1,329.01	1,329.12	e1,328.33
17	1,330.49	1,328.89	1,328.66	1,328.51	1,328.43	1,329.63	e1,328.65	1,329.20	1,328.46	1,328.95	1,329.08	1,328.30
18	1,330.29	1,328.88	1,328.65	1,328.66	1,328.48	1,329.52	e1,328.66	1,329.08	1,329.15	1,328.90	1,329.02	1,328.30
19	1,330.09	1,328.84	1,328.64	1,328.61	1,328.61	1,329.45	e1,328.66	1,328.99	1,329.85	1,328.85	1,328.99	1,328.26
20	1,329.94	1,328.85	1,328.65	1,328.57	1,328.65	1,329.37	e1,328.66	1,328.95	1,329.47	1,328.80	1,328.96	1,328.26
21	1,329.81	1,328.83	1,328.65	1,328.55	1,328.64	1,329.26	e1,328.67	1,329.03	1,329.42	1,328.75	1,328.93	1,328.24
22	1,329.70	1,328.83	1,328.65	1,328.52	1,328.74	1,329.12	e1,328.67	1,328.93	1,330.02	1,328.69	1,328.89	1,328.25
23	1,329.62	1,328.80	1,328.65	1,328.51	1,328.77	1,328.99	e1,328.66	1,328.85	1,330.14	1,328.80	1,328.88	1,328.27
24	1,329.55	1,328.79	1,328.65	1,328.50	1,328.72	1,328.95	e1,328.67	1,328.81	1,329.73	1,331.40	1,328.83	1,328.28
25	1,329.45	1,328.79	1,328.64	1,328.50	1,328.66	1,328.94	e1,328.68	1,328.76	1,329.39	1,332.05	1,328.82	1,328.28
26	1,329.41	1,328.78	1,328.63	1,328.52	1,328.59	1,328.90	e1,328.69	1,328.73	1,329.17	1,332.35	1,328.79	1,328.25
27	1,329.37	1,328.76	1,328.64	1,328.48	1,328.55	1,328.85	1,328.71	1,328.70	1,329.03	1,332.63	1,328.75	1,328.27
28	1,329.32	1,328.74	1,328.63	1,328.55	1,328.54	1,329.10	1,328.73	1,328.66	1,329.06	1,332.58	1,328.74	1,328.27
29	1,329.29	1,328.74	1,328.61	1,328.53	1,328.54	1,329.05	1,328.70	1,328.64	1,329.92	1,331.63	1,328.70	1,328.27
30	1,329.24	1,328.73	1,328.61	1,328.54	---	1,329.59	1,328.68	1,328.61	1,329.53	e1,331.00	1,328.67	1,328.26
31	1,329.19	---	1,328.60	1,328.53	---	1,329.49	---	1,328.57	---	e1,330.65	1,328.65	---
MEAN	1,329.91	1,328.92	1,328.67	1,328.53	1,328.53	1,329.71	1,328.71	1,328.89	1,328.93	1,330.09	1,329.18	1,328.38
MAX	1,332.39	1,329.16	1,328.72	1,328.66	1,328.77	1,331.56	1,329.21	1,330.60	1,330.14	1,332.63	1,330.30	1,328.62
MIN	1,328.62	1,328.73	1,328.60	1,328.48	1,328.43	1,328.53	1,328.65	1,328.52	1,328.42	1,328.69	1,328.65	1,328.24

e Estimated

GROUND-WATER LEVELS

SEDGWICK COUNTY

375259097252901. Local number EB-142

LOCATION.-- Lat 37°52'59", long 97°25'29", Hydrologic Unit 11030012, County Code 173, Sedgwick quadrangle, at the downstream side of the county bridge, 2.0 mi south of Sedgwick, 4.1 mi downstream from Sand Creek. Owner: U.S. Geological Survey.

AQUIFER.--Equus Beds. Aquifer code: 112PLSC.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 48.5 ft, screened 38.5-48.5 ft.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.-- Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,370.34 ft, top of casing is 1.5 ft above land surface.

REMARKS.--Water level fluctuates with river stage and nearby pumping.

PERIOD OF RECORD.--November 1993 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,359.52 ft above NGVD of 1929, Nov. 4, 1998; lowest, 1,344.40 ft above NGVD of 1929, Aug. 29, 2002.

EXTREMES FOR CURRENT YEAR.--Maximum elevation, 1,352.71 ft, Mar. 6; minimum elevation, 1,345.27 ft, Oct. 8.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,345.39	1,346.84	1,345.99	1,345.67	1,345.43	1,345.42	1,347.26	e1,346.28	1,346.29	1,346.79	1,348.32	1,346.13
2	1,345.36	1,346.80	1,346.00	1,345.66	1,345.42	1,345.38	1,347.18	e1,346.26	1,346.24	1,346.70	1,348.04	1,346.10
3	1,345.36	1,346.76	1,345.97	1,345.65	1,345.41	1,345.41	1,347.12	1,346.24	1,346.22	1,346.86	1,347.85	1,346.06
4	1,345.34	1,346.71	1,345.95	1,345.62	1,345.42	1,345.67	1,347.07	1,346.22	1,346.20	1,347.01	1,347.67	1,346.03
5	1,345.32	1,346.66	1,345.93	1,345.61	1,345.41	1,349.24	1,347.02	1,346.21	1,346.19	1,347.61	1,347.51	1,346.00
6	1,345.30	1,346.62	1,345.93	1,345.58	1,345.39	1,352.50	1,346.98	1,346.19	1,346.16	1,347.67	1,347.40	1,345.97
7	1,345.29	1,346.59	1,345.93	1,345.61	1,345.37	1,352.04	1,346.94	1,346.16	1,346.14	1,347.59	1,347.31	1,345.95
8	1,345.27	1,346.55	1,345.91	1,345.58	1,345.40	1,351.73	1,346.88	1,346.15	1,346.11	1,347.48	1,347.20	1,345.93
9	1,347.71	1,346.51	1,345.90	1,345.56	1,345.37	1,350.68	1,346.85	1,346.14	1,346.07	1,347.40	1,347.12	1,345.90
10	1,351.25	1,346.50	1,345.88	1,345.56	1,345.38	1,350.18	1,346.81	1,346.11	1,346.10	1,347.24	1,347.05	1,345.88
11	1,351.27	1,346.46	1,345.86	1,345.55	1,345.37	1,349.67	1,346.77	1,346.10	1,346.14	1,347.12	1,347.12	1,345.86
12	1,351.11	1,346.41	1,345.85	1,345.53	1,345.36	1,349.33	1,346.73	1,346.07	1,346.09	1,347.00	1,347.13	1,345.85
13	1,350.03	1,346.38	1,345.85	1,345.52	1,345.36	1,349.05	1,346.70	e1,346.55	1,346.17	1,346.87	1,347.09	1,345.82
14	1,349.48	1,346.39	1,345.85	1,345.52	1,345.36	1,348.78	1,346.67	e1,347.00	1,346.19	1,346.79	1,346.99	1,345.81
15	1,349.09	1,346.35	1,345.86	1,345.52	1,345.35	1,348.61	1,346.65	e1,346.90	1,346.17	1,346.67	1,346.90	1,345.77
16	1,348.78	1,346.32	1,345.80	1,345.52	1,345.35	1,348.43	1,346.61	e1,346.80	1,346.16	1,346.59	1,346.84	1,345.76
17	1,348.50	1,346.31	1,345.80	e1,345.52	1,345.33	1,348.30	1,346.58	e1,346.75	1,346.14	1,346.52	1,346.78	1,345.74
18	1,348.28	1,346.27	1,345.78	1,345.56	1,345.37	1,348.13	1,346.56	e1,346.63	1,346.53	1,346.47	1,346.72	1,345.73
19	1,348.07	1,346.24	1,345.77	1,345.53	1,345.42	1,348.02	1,346.51	e1,346.60	1,346.80	1,346.42	1,346.65	1,345.70
20	1,347.90	1,346.24	1,345.77	1,345.52	1,345.43	1,347.88	1,346.51	1,346.60	1,346.80	1,346.36	1,346.62	1,345.70
21	1,347.74	1,346.21	1,345.77	1,345.50	1,345.44	1,347.78	1,346.48	1,346.65	1,346.83	1,346.30	1,346.58	1,345.67
22	1,347.61	1,346.20	1,345.76	1,345.49	1,345.53	1,347.71	1,346.44	1,346.61	1,347.05	1,346.25	1,346.54	1,345.66
23	1,347.50	1,346.15	1,345.74	1,345.49	1,345.56	1,347.65	1,346.41	1,346.56	1,347.13	1,346.59	1,346.51	1,345.64
24	1,347.40	1,346.14	1,345.73	1,345.49	1,345.54	1,347.55	1,346.43	1,346.53	1,347.05	1,347.80	1,346.45	1,345.64
25	1,347.28	1,346.12	1,345.74	1,345.49	1,345.50	1,347.48	1,346.40	1,346.48	1,346.90	1,349.74	1,346.41	1,345.62
26	1,347.22	1,346.11	1,345.73	1,345.47	1,345.47	1,347.41	1,346.37	1,346.47	1,346.79	1,350.21	1,346.37	1,345.63
27	1,347.18	1,346.06	1,345.73	1,345.46	1,345.44	1,347.37	1,346.36	1,346.44	1,346.69	1,350.48	1,346.33	1,345.61
28	1,347.08	1,346.04	1,345.71	1,345.46	1,345.42	1,347.37	1,346.37	1,346.40	1,346.68	1,350.03	1,346.28	1,345.60
29	1,347.04	1,346.05	1,345.70	1,345.45	1,345.44	1,347.33	1,346.32	1,346.40	1,347.04	1,349.27	1,346.25	1,345.61
30	1,346.96	1,346.02	1,345.69	1,345.45	---	1,347.40	1,346.29	1,346.34	1,346.93	1,348.81	1,346.20	1,345.59
31	1,346.88	---	1,345.67	1,345.45	---	1,347.34	---	1,346.33	---	1,348.49	1,346.17	---
MEAN	1,347.55	1,346.37	1,345.82	1,345.54	1,345.41	1,348.29	1,346.68	1,346.42	1,346.47	1,347.52	1,346.92	1,345.80
MAX	1,351.27	1,346.84	1,346.00	1,345.67	1,345.56	1,352.50	1,347.26	1,347.00	1,347.13	1,350.48	1,348.32	1,346.13
MIN	1,345.27	1,346.02	1,345.67	1,345.45	1,345.33	1,345.38	1,346.29	1,346.07	1,346.07	1,346.25	1,346.17	1,345.59

e Estimated

GROUND-WATER LEVELS

STAFFORD COUNTY

381119098435301. Local number 21S 13W 27DDDC01

LOCATION.--Lat 38°11'19", long 98°43'53", Hydrologic Unit 11030004, County Code 185, 12 mi south and 0.75 mi east of Great Bend. Owner: U.S. Geological Survey.

AQUIFER.--Ogallala Formation. Aquifer code: 121OGLL.

WELL CHARACTERISTICS.--Drilled observation well, diameter 2 in., depth 44 ft. Prior to Mar. 27, 2000, well was located 200 ft from current site and published under station number 381120098434802.

INSTRUMENTATION.--Submersible transducer interfaced to a data-collection platform/data logger with a 1-hour update interval.

DATUM.--Datum of gage is NGVD of 1929. Measuring point is top of PVC casing, elevation 1,880.57 ft, measuring point is 4.7 ft above land surface.

REMARKS.--Water level fluctuates with nearby pumping.

PERIOD OF RECORD.--2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1,871.55 ft above NGVD of 1929, May 10, 2000; lowest, 1,861.43 ft above NGVD of 1929, Sept. 22, 2004.

EXTREMES FOR CURRENT YEAR.--Maximum, 1,862.13, Apr. 6; minimum, 1,861.43, Sept. 22.

ELEVATION ABOVE NGVD 1929, FEET
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY OBSERVATION AT 1200 HOURS

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,861.85	1,861.88	1,861.85	1,861.85	e1,861.86	1,861.83	1,862.11	1,862.00	1,861.63	1,861.64	1,861.96	1,861.91
2	1,861.85	1,861.89	1,861.86	1,861.86	1,861.85	1,861.82	1,862.11	1,861.99	1,861.62	1,861.64	1,861.98	1,861.90
3	1,861.85	1,861.90	1,861.84	1,861.85	1,861.85	1,861.83	1,862.09	1,861.99	1,861.60	1,861.64	1,862.00	1,861.87
4	1,861.84	1,861.90	1,861.83	1,861.84	1,861.86	1,861.86	1,862.11	1,861.99	1,861.59	1,861.64	1,862.00	1,861.84
5	1,861.83	1,861.90	1,861.82	1,861.84	1,861.86	1,861.91	1,862.12	1,861.98	1,861.59	1,861.64	1,862.00	1,861.82
6	1,861.82	1,861.90	1,861.83	1,861.84	1,861.85	1,861.95	1,862.12	1,861.97	1,861.59	1,861.66	1,861.99	1,861.78
7	1,861.82	1,861.90	1,861.83	1,861.86	1,861.85	1,861.95	1,862.11	1,861.94	1,861.58	1,861.71	1,861.98	1,861.76
8	1,861.82	1,861.91	1,861.83	1,861.86	1,861.87	1,861.97	1,862.09	1,861.92	1,861.57	1,861.73	1,861.97	1,861.74
9	1,861.84	1,861.91	1,861.82	1,861.85	1,861.85	1,861.99	1,862.10	1,861.88	1,861.57	1,861.74	1,861.95	1,861.72
10	1,861.85	1,861.93	1,861.82	1,861.85	1,861.85	1,862.01	1,862.07	1,861.86	1,861.57	1,861.74	1,861.94	1,861.68
11	1,861.85	1,861.93	1,861.82	1,861.86	1,861.85	1,862.00	1,862.08	1,861.85	1,861.56	1,861.74	1,861.94	1,861.65
12	1,861.86	1,861.91	1,861.81	1,861.85	1,861.84	1,862.02	1,862.08	1,861.83	1,861.55	1,861.73	1,861.94	1,861.63
13	1,861.88	1,861.91	1,861.82	1,861.84	1,861.86	1,862.03	1,862.08	1,861.81	1,861.53	1,861.71	1,861.93	1,861.61
14	1,861.87	1,861.94	1,861.82	1,861.85	1,861.86	1,862.02	1,862.09	1,861.80	1,861.51	1,861.69	1,861.93	1,861.59
15	1,861.88	1,861.93	1,861.83	1,861.85	1,861.85	1,862.03	1,862.09	1,861.80	1,861.51	1,861.67	1,861.93	1,861.57
16	1,861.88	1,861.93	1,861.81	1,861.84	1,861.84	1,862.04	1,862.09	1,861.80	1,861.50	1,861.63	1,861.93	1,861.55
17	1,861.87	1,861.95	1,861.82	1,861.82	1,861.83	1,862.04	1,862.09	1,861.80	1,861.49	1,861.59	1,861.93	1,861.53
18	1,861.88	1,861.93	1,861.81	1,861.82	1,861.84	1,862.02	1,862.08	1,861.79	1,861.49	1,861.56	1,861.94	1,861.50
19	1,861.88	1,861.92	1,861.82	1,861.83	1,861.84	1,862.03	1,862.06	1,861.79	1,861.49	1,861.53	1,861.93	1,861.48
20	1,861.87	1,861.94	1,861.83	1,861.83	1,861.80	1,862.01	1,862.08	1,861.78	1,861.50	1,861.50	1,861.94	1,861.46
21	1,861.85	1,861.93	1,861.84	1,861.83	1,861.81	1,862.02	1,862.07	1,861.78	1,861.54	1,861.48	1,861.94	1,861.45
22	1,861.85	1,861.93	1,861.83	1,861.83	1,861.82	1,862.05	1,862.06	1,861.77	1,861.59	1,861.45	1,861.95	1,861.43
23	1,861.82	1,861.90	1,861.83	1,861.85	1,861.81	1,862.05	1,862.04	1,861.76	1,861.62	1,861.47	1,861.95	1,861.44
24	1,861.86	1,861.90	1,861.84	1,861.86	1,861.82	1,862.06	1,862.05	1,861.75	1,861.64	1,861.59	1,861.96	1,861.45
25	1,861.85	1,861.91	1,861.85	1,861.87	1,861.82	1,862.06	1,862.04	1,861.73	1,861.64	1,861.66	1,861.96	1,861.45
26	1,861.87	1,861.91	1,861.85	1,861.85	1,861.82	1,862.05	1,862.02	1,861.72	1,861.65	1,861.69	1,861.96	1,861.46
27	1,861.88	1,861.88	1,861.86	1,861.85	1,861.82	1,862.07	1,862.03	1,861.70	1,861.66	1,861.72	1,861.96	1,861.46
28	1,861.88	1,861.87	1,861.84	1,861.85	1,861.83	1,862.07	1,862.04	1,861.69	1,861.67	1,861.73	1,861.95	1,861.47
29	1,861.90	1,861.89	1,861.85	1,861.86	1,861.85	1,862.10	1,862.03	1,861.68	1,861.66	1,861.80	1,861.95	1,861.49
30	1,861.89	1,861.88	1,861.85	1,861.86	---	1,862.10	1,862.02	1,861.66	1,861.65	1,861.88	1,861.94	1,861.50
31	1,861.87	---	1,861.84	1,861.88	---	1,862.11	---	1,861.66	---	1,861.92	1,861.93	---
MEAN	1,861.86	1,861.91	1,861.83	1,861.85	1,861.84	1,862.00	1,862.08	1,861.82	1,861.58	1,861.66	1,861.95	1,861.61
MAX	1,861.90	1,861.95	1,861.86	1,861.88	1,861.87	1,862.11	1,862.12	1,862.00	1,861.67	1,861.92	1,862.00	1,861.91
MIN	1,861.82	1,861.87	1,861.81	1,861.82	1,861.80	1,861.82	1,862.02	1,861.66	1,861.49	1,861.45	1,861.93	1,861.43

e Estimated

CHEMICAL QUALITY OF PRECIPITATION

623

KANSAS RIVER BASIN

384021100545400 SCOTT LAKE STATE PARK, KS

(National Atmospheric Deposition Program/National Trends Network station)

LOCATION.--Lat 38°40'21", long 100°54'54", in SW ¼ SW ¼ SE ¼ sec.12, T.16 S., R.33 W., Scott County, Hydrologic Unit 10260004, 14 mi north of Scott City, and 1 mi south of Scott Lake.

PERIOD OF RECORD.--March 1984 to current year.

INSTRUMENTATION.--The sample collector is an Aerochem Metrics Wet/Dry Precipitation Collector and a recording rain gage (with event recorder).

REMARKS.--Chemical analyses of rainfall collected in wet-dry automatic sampler. Data collected in cooperation with Kansas Department of Wildlife and Parks. Chemical analyses from National Atmospheric Deposition Program, National Trends Network Analytical Laboratory. If a sufficient volume of sample is collected, specific conductance and pH are measured in the field before the composite sample is sent in for analysis.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Date	Precipitation total, in/wk (00046)	pH, water, unfltrd field, std units (00400)	pH, water, unfltrd lab, std units (00403)	Specif. conductance, wat unfltrd, uS/cm 25 degC (90095)	Specif. conductance, wat unfltrd, uS/cm 25 degC (00095)	Hardness, water, mg/L as CaCO3 (00900)	Calcium, water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium adsorption ratio (00931)	Sodium, water, fltrd, mg/L (00930)	Sodium, percent (00932)	Chloride, water, fltrd, mg/L (00940)
OCT 07-14	.35	6.0	6.4	7	7		.18	.02	.04	.0	.01	4	.1
NOV 18-25	.05	--	7.2	45	--	13	5.06	.20	.31	.0	.24	4	.2
DEC 02-09	.29	6.6	7.0	19	17	4	1.51	.08	.20	.0	.04	2	.1
DEC 30 2003-													
JAN 06 2004	.03	--	6.7	22	--	4	1.56	.08	.16	.0	.15	7	.1
JAN 27-													
FEB 03	.15	5.0	5.1	8	8		.14	.01	.01	.0	.01	4	M
FEB 03-10	.29	4.9	5.0	12	13		.37	.02	.03	.0	.06	11	.1
FEB 17-24	.03	--	6.1	14	--		.33	.03	.08	.0	.07	13	.2
FEB 24-													
MAR 02	.45	5.9	6.3	4	4		.03	M	.01	.0	.01	10	M
MAR 02-09	.38	5.4	5.6	4	4	--	.04	<.003	M	--	.01	--	M
APR 06-13	1.13	5.4	6.2	10	11		.22	.02	.03	.0	.02	5	M
APR 13-20	.07	5.4	6.4	16	16	2	.62	.07	.10	.0	.15	14	.2
APR 20-27	2.00	5.8	6.3	11	15	1	.37	.03	.02	.0	.12	19	.1
APR 27-													
MAY 04	.17	5.9	6.8	23	22	4	1.42	.10	.07	.1	.24	11	.2
MAY 11-18	1.50	6.3	6.8	19	18	4	1.53	.12	.26	.0	.08	3	.1
MAY 18-25	.95	6.0	6.7	12	11	2	.55	.04	.05	.0	.09	11	.1
JUN 01-08	.70	6.1	7.1	20	18	3	1.08	.08	.12	.0	.06	4	.1
JUN 08-15	.72	5.8	7.0	12	13	2	.82	.06	.13	.0	.08	6	.1
JUN 15-22	5.29	--	6.5	5	--		.13	.01	.01	.0	.02	12	M
JUN 22-29	.28	6.1	6.6	13	15	2	.63	.04	.04	.0	.02	2	.1
JUN 29-													
JUL 06	1.43	6.2	6.5	8	8		.26	.02	.05	.0	.02	6	M
JUL 13-20	--	6.5	7.0	19	18	3	1.21	.07	.12	.0	.11	7	.1
JUL 20-27	--	5.4	5.6	7	7		.11	.01	.01	.0	.01	4	M
AUG 03-10	2.94	5.5	5.8	4	4		.03	M	M	.0	M	7	M
AUG 10-17	.31	5.8	6.8	9	22		.19	.02	.03	.0	.03	10	.1
AUG 17-24	.05	--	5.9	15	--	1	.49	.06	.18	.0	.06	7	.1
AUG 31-													
SEP 04	.08	5.8	6.6	10	13	1	.44	.04	.08	.0	.02	4	.1
SEP 14-21	.02	--	7.5	31	--	11	4.02	.31	1.05	.0	.28	5	.5

CHEMICAL QUALITY OF PRECIPITATION

KANSAS RIVER BASIN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Sulfate water, fltred, mg/L (00945)	Ammonia water, fltred, mg/L (71846)	Nitrate water, fltred, mg/L (71851)	Phos- phate, water, fltred, mg/L (00653)	Sample volume, mL (32002)
OCT 07-14	.5	.75	.855	<.01	580
NOV 18-25	3.1	1.99	5.68	<.01	38
DEC 02-09	1.7	1.12	1.94	<.01	180
DEC 30 2003- JAN 06 2004	2.5	1.26	3.54	<.01	44
JAN 27- FEB 03 FEB	.2	.39	2.09	<.01	250
FEB 03-10 FEB	.8	.49	2.46	<.01	260
FEB 17-24 FEB 24- MAR 02 MAR	.8	1.31	3.67	<.01	46
MAR 02-09 APR	.3	.48	.382	<.01	770
APR 06-13 APR	.2	.21	.437	<.01	640
APR 13-20 APR	.9	.93	1.64	<.01	1,900
APR 20-27 APR 27- MAY 04 MAY	2.1	1.16	1.86	<.01	120
MAY 11-18 MAY	1.2	.94	1.50	<.01	3,400
MAY 18-25 JUN	2.7	1.57	2.20	<.01	310
JUN 01-08 JUN	1.7	1.18	1.08	.12	2,500
JUN 08-15 JUN	1.0	1.03	1.12	<.01	1,600
JUN 15-22 JUN	1.5	1.63	2.52	<.01	1,200
JUN 22-29 JUN 29- JUL 06 JUL	.9	.81	1.31	<.01	1,200
JUL 13-20 JUL	.4	.49	.721	<.01	9,000
JUL 20-27 AUG	.9	1.01	2.38	<.01	440
AUG 03-10 AUG	.5	.77	.774	<.01	2,400
AUG 10-17 AUG	1.4	1.49	2.22	<.01	900
AUG 17-24 AUG 31- SEP 04 SEP	.6	.59	1.24	<.01	2,100
SEP 14-21	.3	.25	.441	<.01	5,000
	.8	.84	1.30	<.01	580
	.9	1.21	3.02	<.01	46
	1.2	.83	1.19	<.01	130
	1.9	<.02	1.82	<.01	35

CHEMICAL QUALITY OF PRECIPITATION

KANSAS RIVER BASIN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Precipitation total, in/wk (00046)	pH, water, unfltrd field, std units (00400)	pH, water, unfltrd lab, std units (00403)	Specif. conductance, wat unfltrd lab, uS/cm 25 degC (90095)	Specif. conductance, wat unfltrd lab, uS/cm 25 degC (00095)	Calcium water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium adsorption ratio (00931)	Sodium, water, fltrd, mg/L (00930)	Sodium, percent (00932)	Chloride, water, fltrd, mg/L (00940)	Sulfate water, fltrd, mg/L (00945)
SEP 21-28	2.30	5.3	5.5	5	6	.07	.01	.01	.0	.02	15	M	.5
SEP 28-OCT 05	.09	5.2	5.8	9	8	.22	.03	.05	.0	.01	4	.1	.9

Date	Ammonia water, fltrd, mg/L (71846)	Nitrate water, fltrd, mg/L (71851)	Phosphate, water, fltrd, mg/L (00653)	Sample volume, mL (32002)
SEP 21-28	.29	.533	<.01	4,100
SEP 28-OCT 05	.54	1.39	<.01	150

CHEMICAL QUALITY OF PRECIPITATION

OSAGE RIVER BASIN

373903094481300 FARLINGTON STATE FISH HATCHERY, KS

(National Atmospheric Deposition Program/National Trends Network station)

LOCATION.--Lat 37°39'03", long 94°48'13", in NW ¼ NW ¼ SE ¼ sec.32, T.27 S., R.24 E., Crawford County, Hydrologic Unit 10290104, 3 mi northwest of Farlington, and 0.5 mi northwest of Farlington Lake.

PERIOD OF RECORD.--March 1984 to current year.

INSTRUMENTATION.--The sample collector is an Aerochem Metrics Wet/Dry Precipitation Collector and a recording rain gage (with event recorder).

REMARKS.--Chemical analyses of rainfall collected in wet-dry automatic sampler. Data collected in cooperation with Kansas Department of Wildlife and Parks. Chemical analyses from National Atmospheric Deposition Program, National Trends Network Analytical Laboratory. If a sufficient volume of sample is collected, specific conductance and pH are measured in the field before the composite sample is sent in for analysis.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Date	Precipitation total, in/wk (00046)	pH, water, unfltrd field, std units (00400)	pH, water, unfltrd lab, std units (00403)	Specif. conductance, wat unfltrd, uS/cm 25 degC (90095)	Specif. conductance, wat unfltrd, uS/cm 25 degC (00095)	Hardness, water, mg/L as CaCO3 (00900)	Calcium, water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium adsorption ratio (00931)	Sodium, water, fltrd, mg/L (00930)	Sodium, percent (00932)	Chloride, water, fltrd, mg/L (00940)
OCT 07-14	.86	4.7	4.8	15	14		.26	.02	.02	.0	.01	3	M
OCT 14-21	.05	5.9	6.7	30	30	8	2.90	.12	.08	.0	.12	3	.2
OCT 21-28	.03	--	7.0	53	--	10	3.58	.25	.30	.1	.38	7	--
OCT 28-NOV 04	.03	--	5.3	36	--	5	1.65	.16	.06	.2	.82	27	1.3
NOV 04-11	.04	5.4	6.5	31	32	7	2.41	.16	.08	.1	.54	15	.7
NOV 11-18	2.45	4.9	5.1	6	6		.04	.01	.01	.1	.05	44	.1
NOV 18-25	.51	5.6	6.2	12	12	2	.58	.08	.05	.2	.51	37	.8
DEC 02-09	.72	4.6	4.8	11	12		.18	.02	.01	.0	.04	14	.1
DEC 09-16	2.61	5.1	5.4	6	7		.21	.01	.03	.0	.06	18	.1
DEC 16-23	1.21	4.8	4.9	10	10		.14	.01	.02	.1	.08	30	.1
DEC 23-30	.74	4.9	5.2	10	11		.22	.02	.03	.1	.13	30	.2
DEC 30 2003-2004													
JAN 06 2004	.09	5.7	6.5	24	25	4	1.56	.12	.17	.1	.58	21	.7
JAN 13-20	1.22	5.4	6.6	11	12	3	.14	.58	1.14	.0	.01	.0	M
JAN 20-27	.28	4.6	4.7	13	14		.14	.01	.01	.0	.03	13	.1
JAN 27-FEB 03	.10	4.2	4.3	34	35		.24	.02	.03	.1	.10	22	.1
FEB 03-10	.75	4.8	4.8	8	9		.08	.01	.01	.0	.01	12	M
FEB 17-24	.03	--	7.4	52	--	19	6.78	.42	.54	.1	1.16	12	.5
FEB 24-MAR 02	.24	5.6	6.4	9	9	2	.63	.04	.03	.1	.23	22	.4
MAR 02-09	3.26	4.9	5.1	6	6		.06	.01	.01	.1	.09	46	.2
MAR 09-16	.40	5.0	5.9	11	13		.12	.01	.01	.0	.01	8	M
MAR 23-30	1.98	5.3	5.7	7	7		.18	.03	.03	.1	.22	43	.3
APR 06-13	.85	5.9	6.4	13	13	2	.74	.06	.04	.0	.01	1	M
APR 13-20	.09	6.6	7.1	70	70	18	6.72	.36	.27	.2	1.87	18	2.6
APR 20-27	3.33	5.2	5.3	11	10		.27	.04	.04	.1	.17	30	.2
APR 27-MAY 04	.90	--	5.7	8	--	1	.39	.03	.03	.0	.10	16	.1
MAY 04-11	.03	--	6.8	30	--	10	3.74	.16	.10	.1	.78	14	1.0
MAY 11-18	2.43	5.0	5.0	10	9		.18	.02	.02	.1	.09	26	.1

CHEMICAL QUALITY OF PRECIPITATION

627

OSAGE RIVER BASIN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Sulfate water, fltred, mg/L (00945)	Ammonia water, fltred, mg/L (71846)	Nitrate water, fltred, mg/L (71851)	Phos- phate, water, fltred, mg/L (00653)	Sample volume, mL (32002)
OCT 07-14	1.7	.56	1.49	<.01	1,400
OCT 14-21	4.2	1.16	5.22	<.01	86
OCT 21-28	--	3.12	--	<.03	46
OCT 28- NOV 04	5.3	1.86	6.11	<.01	66
NOV 04-11	5.1	1.18	4.19	<.01	76
NOV 11-18	.6	.19	.341	<.01	4,200
NOV 18-25	1.5	.59	1.36	<.01	940
DEC 02-09	1.1	.24	1.02	<.01	1,300
DEC 09-16	.6	.08	.791	<.01	4,400
DEC 16-23	1.1	.26	.796	<.01	2,100
DEC 23-30	1.5	.40	.608	<.01	1,300
DEC 30 2003- 2004 JAN 06	3.3	1.11	3.58	<.01	150
JAN 13-20	.5	.04	.600	.04	2,000
JAN 20-27	1.1	.28	1.34	<.01	530
JAN 27- FEB 03	1.9	.83	4.67	<.01	170
FEB 03-10	.5	.13	.918	<.01	1,400
FEB 17-24	5.5	.80	2.62	<.01	59
FEB 24- MAR 02	1.0	.38	.524	<.01	410
MAR 02-09	.6	.15	.378	<.01	6,000
MAR 09-16	1.5	1.06	1.46	<.01	650
MAR 23-30	.9	.38	.775	<.01	3,400
APR 06-13	1.7	.90	1.67	<.01	1,400
APR 13-20	6.3	2.01	6.99	.01	160
APR 20-27	1.3	.44	1.15	<.01	5,700
APR 27- MAY 04	1.0	.35	1.15	<.01	1,600
MAY 04-11	3.2	.45	3.76	<.01	47
MAY 11-18	1.0	.29	.900	<.01	4,200

CHEMICAL QUALITY OF PRECIPITATION

OSAGE RIVER BASIN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Precipitation total, in/wk (00046)	pH, water, unfltrd field, std units (00400)	pH, water, unfltrd lab, std units (00403)	Specif. conductance, wat unfltrd lab, uS/cm 25 degC (90095)	Specif. conductance, wat unfltrd lab, uS/cm 25 degC (00095)	Hardness, water, mg/L as CaCO ₃ (00900)	Calcium water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium adsorption ratio (00931)	Sodium, water, fltrd, mg/L (00930)	Sodium, percent (00932)	Chloride, water, fltrd, mg/L (00940)
MAY 18-25	.06	5.7	5.7	28	28	6	2.16	.15	.12	.1	.56	17	.7
MAY 25-JUN 01	1.56	5.9	6.2	8	8	1	.40	.04	.07	.1	.16	21	.2
JUN 08-15	3.55	5.3	5.4	7	7		.22	.03	.03	.1	.15	32	.2
JUN 15-22	3.34	5.8	6.3	8	8	2	.69	.03	.03	.0	.03	4	.1
JUN 22-29	.41	5.1	5.9	11	11		.36	.02	.07	.0	.04	7	.1
JUN 29-JUL 06	2.95	5.0	5.0	8	8		.20	.01	.02	.0	.04	14	.1
JUL 06-13	.69	4.9	4.9	10	9		.20	.02	.02	.0	.08	22	.1
JUL 13-20	--	6.2	6.8	20	20	3	1.18	.09	.07	.1	.22	13	.3
JUL 20-27	--	5.4	5.6	11	11	2	.53	.04	.05	.0	.08	10	.1
JUL 27-AUG 03	--	4.7	4.8	10	10		.10	.01	.01	.0	.01	4	M
AUG 03-10	.20	5.4	5.7	11	12	1	.42	.03	.04	.0	.04	6	.1
AUG 10-17	.21	5.4	5.5	13	12	2	.86	.03	.02	.0	.01	1	.1
AUG 17-24	.88	5.0	5.0	11	11		.35	.03	.02	.0	.11	20	.2
AUG 24-31	1.17	5.2	5.2	8	7		.32	.03	.02	.0	.11	20	.2
AUG 31-SEP 07	1.12	5.3	5.5	4	4		.08	.01	.01	.0	.01	8	M
SEP 14-21	.73	5.8	6.8	9	9	2	.84	.04	.02	.0	.10	9	.1
SEP 24-OCT 05	.02	--	7.0	39	--	11	4.14	.15	.12	.0	.07	1	.2

CHEMICAL QUALITY OF PRECIPITATION

629

OSAGE RIVER BASIN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Sulfate water, fltred, mg/L (00945)	Ammonia water, fltred, mg/L (71846)	Nitrate water, fltred, mg/L (71851)	Phos- phate, water, fltred, mg/L (00653)	Sample volume, mL (32002)
MAY					
18-25	3.8	.96	4.95	<.01	120
MAY 25-					
JUN 01	1.1	.43	.840	<.01	2,600
JUN					
08-15	1.8	.24	1.44	<.01	6,100
JUN					
15-22	.9	.35	1.26	<.01	5,700
JUN					
22-29	1.4	.85	1.52	<.01	690
JUN 29-					
JUL 06	.9	.25	.886	<.01	5,100
JUL					
06-13	.9	.22	.978	<.01	1,200
JUL					
13-20	2.3	1.26	3.37	<.01	520
JUL					
20-27	1.4	.48	1.70	<.01	1,000
JUL 27-					
AUG 03	1.0	.24	.710	<.01	1,100
AUG					
03-10	1.2	.70	2.22	<.01	350
AUG					
10-17	2.1	.52	1.85	<.01	400
AUG					
17-24	1.3	.38	1.36	<.01	1,500
AUG					
24-31	.8	.18	1.01	<.01	2,000
AUG 31-					
SEP 07	.4	.15	.317	<.01	1,900
SEP					
14-21	1.3	.30	1.05	<.01	1,300
SEP 24-					
OCT 05	6.1	1.40	5.70	<.01	38

A	C
Abilene, Mud Creek at	607
Access to USGS water data	41
Accuracy of data	30
Achilles, South Fork Sappa Creek near	47-48
Ada, Salt Creek near	133-134
Albert, Walnut Creek at	441-442
Alexander, Walnut Creek near	433-434
Alta Mills, Little Arkansas River at	462-463
Altoona, Verdigris River near	570-571
Amazon Great Eastern Ditch near Lakin	411-412
Americus, Neosho River near	588-589
Annual mean streamflow	14
Arkansas City, Arkansas River at	9,554-555
Arkansas River, at Arkansas City	9,554-555
at Deerfield	413-414
at Derby	508-509
at Dodge City	417-418
at Garden City	12,415-416
at Great Bend	14,429-430
at Kendall	409-410
at Syracuse	407-408
at Wichita	502-503
near Coolidge	
surface-water record	9,399-400
water-quality record	401-406
near Hutchinson	458-459
near Kinsley	14,419-420
near Larned	427-428
near Maize	460-461
near Nickerson	454-455
tributary near Dodge City	609
Arkansas River Basin,	
high-flow partial-record stations in	609-610
surface-water stations in	398-605
Arnold, Smoky Hill River near	79-80
Ash Creek tributary near Stockton	607
Atchison, White Clay Creek at	606
B	D
Barnes, Little Blue River near	11,151-152
Base discharge	27
Bazine, Wet Walnut Watershed Structure	
No. 39 near	431-432
Beaver Creek, at Cedar Bluffs	10,55-56
at Ludell	53-54
Belvue, Kansas River near	179-180
Big Blue River, at Marysville	147-148
near Manhattan	157-158
Big Bull Creek, at Paola	608
near Edgerton	380-381
near Hillsdale	386-387
Big Creek, near Hays	89-90
tributary near Hays	42,607
tributary near Ogallah	607
Big Hill Creek near Cherryvale	580-581
Big Nemaha River Basin,	
surface-water station in	43-44
Black Vermillion River near Frankfort	153-154
Blue River Basin,	
surface-water stations in	330-361
Blue River, at Kenneth Road, Overland Park ..	
surface-water record	332-336
water-quality record	17,336-345
near Stanley	330-331
Bluff Creek near Buttermilk	568-569
Bow Creek near Stockton	119-120
Buckner Creek near Burdett	423-424
Bunker Hill, Smoky Hill River near	91-92
Burdett, Buckner Creek near	423-424
Pawnee River near	421-422
Burlingame, Dragoon Creek near	368-369
Burlington, Neosho River at	11,598-599
Burr Oak, White Rock Creek near	65-66
Buttermilk, Bluff Creek near	568-569
Buttermilk Creek near Willis	606
Cambridge, Cedar Creek tributary near	610
Caney River near Elgin	584-585
Cedar Bluff Reservoir near Ellis	81-82
Cedar Bluffs, Beaver Creek at	10,55-56
Cedar Creek, at Highway 56 at Olathe	
surface-water record	260-261
water-quality record	17,262-276
below Olathe Lake near Olathe	294-295
Cedar Creek near Cedar Point	594-595
Cedar Creek, near DeSoto	
surface-water record	296-297
water-quality record	17,298-312
near Manhattan	608
Cedar Creek tributary near Cambridge	610
Cedar Point, Cedar Creek near	594-595
Chapman, Chapman Creek near	14,139-140
Chapman Creek near Chapman	14,139-140
Chemical quality of precipitation	623-629
Cheney, Cheney Reservoir near	17,527-543
Cheney Dam, North Fork Ninescah	
River at	544-545
Cheney Reservoir, North Fork	
Ninescah River above	17,510-526
Cheney Reservoir near Cheney	
surface-water record	527-528
water-quality record	17,529-543
Cherryvale, Big Hill Creek near	580-581
Chikaskia River near Corbin	562-563
Cimarron River, near Elkhart	564-565
tributary near Satanta	610
Clafin, Little Cheyenne Creek tributary near ..	609
Clay Center, Republican River at	9,14,71-72
Climax, Otter Creek at	572-573
Clinton Lake near Lawrence	218-219
Clyde, Elk Creek at	607
Coffeyville, Verdigris River at	582-583
Colby, Prairie Dog Creek tributary at	606
Colorado-Kansas State line,	
South Fork Republican River near	45-46
Comparison of water year monthly and	
annual mean streamflow to long-	
term mean of monthly and annual	
mean streamflow at selected	
streamflow-gaging stations	10-11
Concordia, Republican River at	14,69-70
Coolidge, Arkansas River near	9,399-406
Frontier Ditch near	398
Coon Creek tributary near Luray	607
Cooperation	2
Corbin, Chikaskia River near	562-563
Cottonwood River, near Florence	592-593
near Plymouth	596-597
Council Grove, Neosho River at	586-587
Cow Creek near Lyons	456-457
Cowskin Creek, at Maple Street at Wichita ...	506-507
at 119th Street at Wichita	504-505
Crooked Creek near Englewood	10,566-567
D	D
Daily mean values	27-28
Deerfield, Arkansas River at	413-414
Definition of terms	41
Degrees, conversion of Celsius (°C)	
to Fahrenheit (°F)	16
Delaware River, at Perry	212-213
near Muscotah	12,14,208-209
Delia, Soldier Creek near	204-205
Derby, Arkansas River at	508-509
DeSoto, Cedar Creek near	17,296-312
Kansas River at	9,17-18,226-245
Kill Creek at 95th Street,	17,246-259
Discharge, at partial-record stations	606-610
Discontinued streamflow-gaging	
stations	XIII-XVI

- Discontinued water-quality streamflow-gaging stations XVII-XIX
- Dodge City, Arkansas River at 417-418
- Arkansas River tributary near 609
- Dorrance, Smoky Hill River tributary at 607
- Douglas County, ground-water levels in 19-20,613
- Dragoon Creek near Burlingame 11,368-369
- Dry Creek at Lincoln Street at Wichita 610
- E**
- Edgerton, Big Bull Creek near 380-381
- Elgin, Caney River near 584-585
- Elk Creek at Clyde 607
- Elk Falls, Elk River at 576-577
- Elk River, at Elk Falls 576-577
- Elkader, Smoky Hill River at 10,77-78
- Elkhart, Cimarron River near 564-565
- Ellis, Cedar Bluff Reservoir near 81-82
- Ellis county, ground-water levels in 19,614-615
- Ellsworth, Smoky Hill River at 14,93-94
- Englewood, Crooked Creek near 10,566-567
- Enterprise, Smoky Hill River at 9,137-138
- Example of site numbers for wells 23
- Explanation of, stage- and water-records 24-41
- elevation and water discharge 24-31
- accuracy of field data and computed results 30
- data collection and computation 24-26
- data presentation 26-30
- identifying estimated daily discharge 30
- other data records available 31
- ground-water-level records 38-40
- data collection and computation 38-39
- data presentation 39-40
- site identification numbers 38
- ground-water-quality data 40-41
- data collection and computation 40
- laboratory measurements 41
- station-identification numbers 22-23
- downstream order and station number 22
- numbering system for wells and miscellaneous sites 22-23
- precipitation records 31
- data collection and computation 31
- data presentation 31
- surface-water-quality 32-38
- accuracy of records 33
- arrangement of records 33
- blank samples 37
- classification of records 32-33
- data presentation 35-36
- laboratory measurements 34-35
- onsite measurements and sample collection 33-34
- reference samples 37
- remark codes 36
- replicate samples 37-38
- sediment 34
- spike samples 38
- water temperature 34
- water-quality control data 36-37
- water-quality records 32
- collection and examination of data 32
- water analysis 32
- F**
- Factors for conversion of chemical constituents in milligrams or micrograms per liter to milliequivalents per liter 16
- Fall River at Fredonia 574-575
- Farlington State Fish Hatchery 626-629
- Florence, Cottonwood River near 592-593
- Fort Riley, Kansas River at 143-144
- Fort Scott, Marmaton River tributary near 609
- Frankfort, Black Vermillion River near 153-154
- Fredonia, Fall River at 574-575
- Frontier Ditch near Coolidge 398
- Fulton, Little Osage River at 392-393
- G**
- Garden City, Arkansas River at 12,415-416
- Garnett, South Fork Pottawatomie Creek tributary near 608
- Glade, North Fork Solomon River at 12,14,117-118
- Glen Elder, Solomon River near 12,129-130
- Great Bend, Arkansas River at 14,429-430
- Walnut Creek below Cheyenne Bottoms Diversion near 443-444
- Ground-water levels by county 19,611-622
- Ground-water-level records, explanation of 38-40
- measured daily 613-622
- measured quarterly or annually 611-612
- Ground-water records 611-622
- Gypsum, Gypsum Creek near 115-116
- Gypsum Creek, at Oliver Street at Wichita 609
- near Gypsum 115-116
- H**
- Halstead, Little Arkansas River at Highway 50 near 17,464-481
- Hardy, NE, Republican River near 63-64
- Harvey County, ground-water levels in 19-20,611,616-618
- Hays, Big Creek near 89-90
- Big Creek tributary near 42,607
- High-flow stations, maximum gage height and discharge, made at partial-record stations in 606-610
- Hillsdale, Big Bull Creek near 386-387
- Hillsdale Lake near 384-385
- Hillsdale Lake near Hillsdale 384-385
- Holton, Soldier Creek near 202-203
- Hundred and Ten Mile Creek near Quenemo 372-373
- Hutchinson, Arkansas River near 458-459
- Hydrologic Benchmark Network, explanation of 23
- Hydrologic conditions, summary of 6-20
- ground water 19-20
- surface water 6-14
- surface-water quality 16-17
- I**
- Independence, Verdigris River at 578-579
- Independence Creek Basin, high-flow partial-record station in 606
- Indian Creek, at Overland Park 346-347
- at State Line Road, Leawood surface-water record 348-351
- water-quality record 17,352-361
- near Topeka 608
- Introduction 1-2
- Iola, Neosho River near 600-601
- J**
- Junction City, Lyon Creek near 141-142
- Milford Lake near 73-74
- K**
- Kanopolis, Kanopolis Lake near 95-96
- Kanopolis Lake near Kanopolis 95-96
- Kansas-Missouri State line, Marais des Cygnes River near 390-391
- Kansas River, at DeSoto surface-water record 9,226-227
- water-quality record 17-18,228-245
- at Fort Riley 143-144
- at Lecompton 214-215

near Tonganoxie	224-225	Vermillion Creek near	177-178
Summary statistics	28-30	Washington, Mill Creek at	149-150
Surface-water quality, explanation of	16-18	Mill Creek tributary near	608
Syracuse, Arkansas River at	407-408	Water-level trend at selected water-level observation wells	19-20
T			
Temperatures, conversion of Celsius (°C) to Fahrenheit (°F)	16	Water data, access to USGS	41
Tescott, Saline River at	109-110	Water-quality standards, days exceeded	17
Thomas County, ground-water levels in	19-20,612	Webster Reservoir, South Fork Solomon River above	123-124
Tonganoxie, Stranger Creek near	224-225	Wellington, Slate Creek at	552-553
Topeka, Indian Creek near	608	Wet Walnut Watershed Structure No. 2 near Otis	439-440
Kansas River at	17,183-201	Wet Walnut Watershed Structure No. 17 near Nekoma	435-436
Shunganunga Creek at	608	Wet Walnut Watershed Structure No. 39 near Bazine	431-432
Soldier Creek near	206-207	White Clay Creek at Atchison	606
Towanda, Whitewater River at	556-557	White Rock Creek near Burr Oak	65-66
Whitewater River tributary near	610	White Woman Creek tributary near Selkirk	609
Turkey Creek near Seneca	11,43-44	Whitewater River, at Towanda	556-557
Tuttle Creek Lake near Manhattan	155-156	tributary near Towanda	610
U			
Uniontown, Marmaton River at	394-395	Wichita, Arkansas River at	502-503
USGS National Streamflow Information Program (NSIP), explanation of	24	Cowskin Creek at Maple Street at	506-507
V			
Valley Center, Little Arkansas River at	11,500-501	Cowskin Creek at 119th Street at	504-505
Vermillion Creek near Wamego	177-178	Dry Creek at Lincoln Street	610
Verdigris River, at Coffeyville	582-583	Gypsum Creek at Oliver Street	609
at Independence	578-579	Willis, Buttermilk Creek near	606
near Altoona	570-571	Wilson, Wilson Lake near	105-106
W			
Wakarusa River, near Lawrence	220-221	Wilson Dam, Saline River at	107-108
near Richland	15,216-217	Wilson Lake near Wilson	105-106
WaKeeney, Saline River near	101-102	Winfield, Walnut River at	558-559
Walnut Creek, at Albert	441-442	Wolf River Basin, high-flow partial-record station in	606
at Nekoma	437-438	Woodruff, Prairie Dog Creek near	61-62
below Cheyenne Bottoms Diversion near Great Bend	443-444	Woodston, South Fork Solomon River at	12,125-126
near Alexander	433-434	Y	
North Fork, near Ness City	609	Yates Center, Sandy Creek near	610
Walnut River at Winfield	558-559	Z	
Wamego, Kansas River at	17,159-176	Zenith, Rattlesnake Creek near	17,447-453

Conversion Factors

Multiply	By	To obtain
Length		
inch (in.)	2.54×10^1	millimeter (mm)
	2.54×10^{-2}	meter
foot (ft)	3.048×10^{-1}	meter (m)
mile (mi)	1.609×10^0	kilometer (km)
Area		
acre	4.047×10^3	square meter (m ²)
	4.047×10^{-1}	square hectometer (hm ²)
	4.047×10^{-3}	square kilometer (km ²)
square mile (mi ²)	2.590×10^0	square kilometer (km ²)
Volume		
gallon (gal)	3.785×10^0	liter (L)
	3.785×10^{-3}	cubic meter (m ³)
	3.785×10^0	cubic decimeter (dm ³)
million gallons (Mgal)	3.785×10^3	cubic meter (m ³)
	3.785×10^{-3}	cubic hectometer (hm ³)
cubic foot (ft ³)	2.832×10^{-2}	cubic meter (m ³)
	2.832×10^1	cubic decimeter (dm ³)
cubic-foot-per-second-per-day [(ft ³ /s/d)]	2.447×10^3	cubic meter (m ³)
	2.447×10^{-3}	cubic hectometer (hm ³)
acre-foot (acre-ft)	1.223×10^3	cubic meter (m ³)
	1.223×10^{-3}	cubic hectometer (hm ³)
	1.223×10^{-6}	cubic kilometer (km ³)
Flow rate		
cubic foot per second (ft ³ /s)	2.832×10^1	liter (L/s)
	2.832×10^{-2}	cubic meter per second (m ³ /s)
	2.832×10^1	cubic decimeter per second (dm ³ /s)
gallon per minute (gal/min)	6.309×10^{-2}	liter per second (L/s)
	6.309×10^{-5}	cubic meter per second (m ³ /s)
	6.309×10^{-2}	cubic decimeter per second (dm ³ /s)
million gallons per day (Mgal/d)	4.381×10^{-2}	cubic meter per second
	4.381×10^1	cubic decimeter per second (dm ³ /s)
Mass		
ton, short (2,000 lb)	9.072×10^{-1}	megagram (Mg) or metric ton

Temperature in degrees Celsius (°C) may be converted to degrees Fahrenheit (°F) as follows:

$$^{\circ}\text{F} = (1.8 \times ^{\circ}\text{C}) + 32$$

