

SOUTH-CENTRAL ALASKA

15266300 KENAI RIVER AT SOLDOTNA—Continued

SUMMARY STATISTICS	FOR 2004 CALENDAR YEAR		FOR 2005 WATER YEAR		WATER YEARS 1965 - 2005#	
ANNUAL TOTAL	2437080		2308310			
ANNUAL MEAN	6659		6324			
HIGHEST ANNUAL MEAN					6017	
LOWEST ANNUAL MEAN					8810	1977
HIGHEST DAILY MEAN	17600	Jul 30	a14700	Jul 20	4002	1973
LOWEST DAILY MEAN	1100	Mar 30	1050	Mar 9	41400	Sep 24 1995
ANNUAL SEVEN-DAY MINIMUM	1140	Mar 24	1090	Mar 3	b770	Apr 1 1966
MAXIMUM PEAK FLOW			a15000	Jul 20	774	Apr 1 1966
MAXIMUM PEAK STAGE			9.71	Jul 22	42200	Sep 24 1995
INSTANTANEOUS LOW FLOW					14.50	Sep 24 1995
ANNUAL RUNOFF (AC-FT)	4834000		4579000		c22.62	Jan 18 1969
ANNUAL RUNOFF (CFSM)	3.41		3.24		770	Apr 1 1966
ANNUAL RUNOFF (INCHES)	46.47		44.01		4359000	
10 PERCENT EXCEEDS	15200		13100		3.08	
50 PERCENT EXCEEDS	4740		4300		41.91	
90 PERCENT EXCEEDS	1350		1330		14200	
					3320	
					1200	

See Period of Record; partial year was used in monthly statistics.

a July 20 and 22

b Apr. 1 to Apr. 4, 1966

c Backwater from ice