Station name	Station number	Date	Sample start time	Latitude (ddmmss)	Longitude (dddmmss)	00300 Dissolved oxygen, water, unfiltered, milligrams per liter
Intersection of Tupelo & Galvez Sts, New Orleans	295810090002300	10/6/2005	1315	295810	0900023	13.6
Intracoastal Waterway @ Hwy 47 @ New Orleans, LA	300018089562300	9/29/2005	1715	300018	0895623	7.5
Intracoastal Waterway @ Hwy 47 @ New Orleans, LA	300018089562300	10/2/2005	1200	300018	0895623	5.1
Intracoastal Waterway @ Hwy 47 @ New Orleans, LA	300018089562300	10/5/2005	1430	300018	0895623	7.5
Intracoastal Waterway @ Hwy 47 @ New Orleans, LA	300018089562300	10/20/2005	1300	300018	0895623	7.8
Inner Harbor Navigation Canal @ New Orleans, LA	300054090014600	9/21/2005	1700	300054	0900146	3
Inner Harbor Navigation Canal @ New Orleans, LA	300054090014600	10/1/2005	1400	300054	0900146	5.6
Inner Harbor Navigation Canal @ New Orleans, LA	300054090014600	10/5/2005	1300	300054	0900146	7.3
Lake Pontchartrain @Metairie Outfall Canal near Metairie, LA	300125090074400	9/21/2005	1100	300125	0900744	3.6
Lake Pontchartrain @Metairie Outfall Canal near Metairie, LA	300125090074400	9/29/2005	1215	300125	0900744	6.7
Lake Pontchartrain @Metairie Outfall Canal near Metairie, LA	300125090074400	10/3/2005	1215	300125	0900744	5.9
Lake Pontchartrain @ Byu St. John @ New Orleans	300142090045800	9/26/2005	1400	300142	0900458	7
Lake Pontchartrain @ Elmwood Canal at Metairie, LA	300214090130300	9/26/2005	1600	300214	0901303	6.9
Lake Pontchartrain @ Elmwood Canal at Metairie, LA	300214090130300	9/30/2005	1515	300214	0901303	7.4
Lake Pontchartrain @ Jahncke Canal@ New Orleans, L	300344089581000	9/27/2005	1400	300344	0895810	6.2
Lake Pontchartrain @ Jahncke Canal@ New Orleans, L	300344089581000	10/1/2005	1300	300344	0895810	4.8
Jahncke Canal @ New Orleans, LA	300329089575900	10/5/2005	1800	300329	0895759	7.2
Chef Menteur Pass at Chef Menteur	300403089481300	9/29/2005	1700	300403	0894813	7.7
Chef Menteur Pass at Chef Menteur	300403089481300	10/7/2005	1430	300403	0894813	6.8
Chef Menteur Pass at Chef Menteur	300403089481300	10/19/2005	1130	300403	0894813	7.4
Rigolets at Hwy 90 near Slidell, LA	301001089442600	9/27/2005	1830	301001	0894426	7.8
Rigolets at Hwy 90 near Slidell, LA	301001089442600	10/7/2005	1145	301001	0894426	7.1
Rigolets at Hwy 90 near Slidell, LA	301001089442600	10/19/2005	1000	301001	0894426	7.3
Lake Pontchartrain @ Mid Lake nr Causeway	301151090075700	9/22/2005	1430	301151	0900757	7.4
Lake Pontchartrain @ Mid Lake nr Causeway	301151090075700	9/28/2005	1200	301151	0900757	5
Lake Pontchartrain @ Mid Lake nr Causeway	301151090075700	10/4/2005	1400	301151	0900757	6.3
Lake Pontchartrain @ Mid Lake nr Causeway	301151090075700	10/20/2005	1100	301151	0900757	7.3
Lake Pontchartrain @ Bonnabel Canal @ Metairie, LA	301414090083900	9/21/2005	1200	301414	0900839	6.1
Lake Pontchartrain @ Bonnabel Canal @ Metairie, LA	301414090083900	9/29/2005	1315	301414	0900839	8.2
Lake Pontchartrain @ Bonnabel Canal @ Metairie, LA	301414090083900	10/3/2005	1445	301414	0900839	6

Station number	Date	00400 pH, water, unfiltered, field, standard units	90095 Specific conductance, water, unfiltered, laboratory, microsiemens per centimeter at 25 degrees Celsius	00095 Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius	00010 Temperature, water, degrees Celsius	00915 Calcium, water, filtered, milligrams per liter
295810090002300	10/6/2005	8.3	E13600	13800	30.8	339
300018089562300	9/29/2005	7.8	E16800	16900	29.4	116
300018089562300	10/2/2005	7.7	E20000	19800	29.1	139
300018089562300	10/5/2005	7.7	E17600	18200	28.3	120
300018089562300	10/20/2005	7.9	E25600	26100	25.3	185
300054090014600	9/21/2005	7.2	E13100	13800	29.8	103
300054090014600	10/1/2005	7.5	E15100	15000	28.9	104
300054090014600	10/5/2005	7.7	E15400	15800	28.2	119
300125090074400	9/21/2005	6.8	9170	9570	30.8	111
300125090074400	9/29/2005	7.7	10100	10300	28.9	101
300125090074400	10/3/2005	7.7	E10400	11000	28.1	81.6
300142090045800	9/26/2005	7.6	E15500	16200	29	127
300214090130300	9/26/2005	7.5	E13000	13200	29	89.9
300214090130300	9/30/2005	8	E12200	12400	29.6	87.9
300344089581000	9/27/2005	7.5	E13400	13900	29.6	148
300344089581000	10/1/2005	7.2	E12900	13900	28.3	129
300329089575900	10/5/2005	7.5	E10800	11200	29.6	207
300403089481300	9/29/2005	8	E16200	16300	29.7	107
300403089481300	10/7/2005	7.7	E14300	14500	26	102
300403089481300	10/19/2005	7.7	E15700	16100	25.6	111
301001089442600	9/27/2005	7.4	E14800	15400	29.3	110
301001089442600	10/7/2005	7.7	E12400	12600	25.8	87
301001089442600	10/19/2005	7.6	E12200	12600	24.8	78
301151090075700	9/22/2005	- -	11600	- -	29.4	79.5
301151090075700	9/28/2005	7.6	E14000	14300	28.1	107
301151090075700	10/4/2005	7.6	E14000	14500	27.7	95
301151090075700	10/20/2005	7.9	E13400	13900	24.7	90.4
301414090083900	9/21/2005	7.4	11100	11400	31.1	83.4
301414090083900	9/29/2005	7.8	12700	12900	29.9	94.3
301414090083900	10/3/2005	7.6	E11800	12500	28.2	92.8

Station number	Date	00925 Magnesium, water, filtered, milligrams per liter	00935 Potassium, water, filtered, milligrams per liter	00930 Sodium, water, filtered, milligrams per liter	39086 Alkalinity, water, filtered, incremental titration, field, milligrams per liter as calcium carbonate	00453 Bicarbonate, water, filtered, incremental titration, field, milligrams per liter	00940 Chloride, water, filtered, milligrams per liter	00950 Fluoride, water, filtered, milligrams per liter	00955 Silica, water, filtered, milligrams per liter
295810090002300	10/6/2005	301	85	2120	260	314	4400	0.5	11.6
300018089562300	9/29/2005	369	110	2680	60	73	5410	0.4	5.46
300018089562300	10/2/2005	449	136	3430	70	85	6540	0.5	5.27
300018089562300	10/5/2005	366	117	3020	62	76	5990	0.5	4.56
300018089562300	10/20/2005	601	183	4550	82	100	8790	0.6	3.38
300054090014600	9/21/2005	307	92.9	2300	38	46	4350	0.4	6.37
300054090014600	10/1/2005	320	90.5	2570	47	57	4840	0.4	9.18
300054090014600	10/5/2005	342	108	2640	55	67	5130	0.4	6
300125090074400	9/21/2005	199	62.5	1520	98	120	2920	0.4	10.5
300125090074400	9/29/2005	209	64.3	1540	70	86	3150	0.4	8.94
300125090074400	10/3/2005	228	70.6	1720	57	70	3400	0.4	7.2
300142090045800	9/26/2005	361	111	2720	58	71	5060	0.4	6.76
300214090130300	9/26/2005	286	86.2	2220	38	46	4110	0.4	6.25
300214090130300	9/30/2005	261	78.2	1910	35	43	3860	0.4	4.18
300344089581000	9/27/2005	319	90.1	2310	67	82	4440	0.4	9.02
300344089581000	10/1/2005	405	124	2230	64	78	4350	0.4	8.96
300329089575900	10/5/2005	246	69.6	1660	180	220	3500	0.4	14.8
300403089481300	9/29/2005	- -	- -	2830	43	52	5200	0.4	30
300403089481300	10/7/2005	326	98	2410	37	45	4710	0.4	5.75
300403089481300	10/19/2005	352	102	2720	55	67	5260	0.4	5.24
301001089442600	9/27/2005	346	102	2620	39	48	4930	0.4	5.76
301001089442600	10/7/2005	280	83.7	2070	33	40	4030	0.3	5.78
301001089442600	10/19/2005	258	77	2020	38	46	3990	0.3	5.79
301151090075700	9/22/2005	249	79.5	1960	28	34	3790	0.3	5.53
301151090075700	9/28/2005	325	97.5	2440	37	45	4590	0.4	5.72
301151090075700	10/4/2005	292	89.1	2280	36	44	4570	0.4	5.56
301151090075700	10/20/2005	297	91.8	2340	38	46	4450	0.4	5.27
301414090083900	9/21/2005	232	75	1880	39	48	3600	0.3	6.76
301414090083900	9/29/2005	273	85.1	2070	43	53	4020	0.4	6.48
301414090083900	10/3/2005	278	84.5	2040	48	59	3930	0.4	6.32

Station number	Date	00945 Sulfate, water, filtered, milligrams per liter	70301 Residue, water, filtered, sum of constituents, milligrams per liter	70300 Residue on evaporation, dried at 180 degrees Celsius, water, filtered, milligrams per liter	00623 Ammonia plus organic nitrogen, water, filtered, milligrams per liter as nitrogen	00625 Ammonia plus organic nitrogen, water, unfiltered, milligrams per liter as nitrogen	00608 Ammonia, water, filtered, milligrams per liter as nitrogen	00631 Nitrite plus nitrate, water, filtered, milligrams per liter as nitrogen	00613 Nitrite, water, filtered, milligrams per liter as nitrogen
295810090002300	10/6/2005	585	8000	8580	1.4	1.6	E.02	<.06	<.008
300018089562300	9/29/2005	741	9460	10600	0.38	0.62	<.04	0.18	0.149
300018089562300	10/2/2005	892	11600	12500	0.54	0.6	E.02	0.22	0.198
300018089562300	10/5/2005	813	10500	11200	0.51	0.6	<.04	0.15	0.126
300018089562300	10/20/2005	1140	15500	16900	0.54	0.74	0.08	E.06	0.049
300054090014600	9/21/2005	599	7790	8300	0.32	0.5	E.04	<.06	E.007
300054090014600	10/1/2005	666	8630	8970	0.32	0.49	E.03	0.12	0.087
300054090014600	10/5/2005	702	9090	9560	0.51	0.61	E.03	0.24	0.184
300125090074400	9/21/2005	416	5300	5700	0.89	1.5	0.36	E.04	E.007
300125090074400	9/29/2005	443	5560	6090	0.67	0.94	0.26	0.23	0.076
300125090074400	10/3/2005	468	6010	6470	0.7	0.77	0.14	0.12	0.053
300142090045800	9/26/2005	681	9100	9880	0.46	0.69	0.07	0.2	0.122
300214090130300	9/26/2005	555	7390	7980	0.31	0.41	<.04	0.13	0.075
300214090130300	9/30/2005	527	6750	7480	0.33	0.62	<.04	<.06	<.008
300344089581000	9/27/2005	607	7970	8600	1.7	2.2	0.74	0.09	0.059
300344089581000	10/1/2005	602	7900	8590	1.5	2	0.6	E.05	0.036
300329089575900	10/5/2005	466	6280	6760	4.1	5.2	1.87	<.060	0.012
300403089481300	9/29/2005	714	- -	10100	0.29	0.47	<.04	<.06	<.008
300403089481300	10/7/2005	646	8320	8920	0.47	0.76	<.04	<.06	0.021
300403089481300	10/19/2005	714	9300	10000	0.81	1.1	0.1	0.09	0.047
301001089442600	9/27/2005	666	8800	9510	0.28	0.48	<.04	E.06	0.032
301001089442600	10/7/2005	550	7130	7570	0.47	0.44	<.04	E.04	0.022
301001089442600	10/19/2005	540	6990	7600	0.24	0.4	<.04	<.06	<.008
301151090075700	9/22/2005	519	6710	7270	0.27	0.51	<.04	<.06	<.008
301151090075700	9/28/2005	631	8210	8650	0.27	0.47	<.04	0.07	0.045
301151090075700	10/4/2005	634	7990	8770	0.34	0.49	<.04	E.05	0.031
301151090075700	10/20/2005	612	7910	8440	0.33	0.36	<.04	<.06	<.008
301414090083900	9/21/2005	490	6390	6990	0.43	1.1	E.03	<.06	E.004
301414090083900	9/29/2005	549	7130	7800	0.31	0.72	<.04	0.07	0.051
301414090083900	10/3/2005	538	7000	7450	0.5	0.99	0.11	0.13	0.046

ation number	Date	00671 Orthophosphate, water, filtered, milligrams per liter as phosphorus	00666 Phosphorus, water, filtered, milligrams per liter	00665 Phosphorus, water, unfiltered, milligrams per liter	00680 Organic carbon, water, unfiltered, milligrams per liter	00310 Biochemical oxygen demand, water, unfiltered, 5 days at 20 degrees Celsius, milligrams per liter	00340 Chemical oxygen demand, high level, water, unfiltered, milligrams per liter	62360 Pheophytin a, phytoplankton, micrograms per liter	70953 Chlorophyll phytoplankton, chromatographic fluorometric meth micrograms per li
5810090002300	10/6/2005	0.04	0.096	0.39	23.6	32.2	110	<.1	118
0018089562300	9/29/2005	0.03	0.044	0.075	7.8	10.9	60	<.1	15.8
0018089562300	10/2/2005	0.03	0.052	0.081	8.1	9.1	100	<.1	E14.4
0018089562300	10/5/2005	0.02	0.042	0.063	7	3.2	120	<.1	E14.9
0018089562300	10/20/2005	0.02	0.028	E.033	10.5	16.1	120	<.1	4.9
0054090014600	9/21/2005	0.02	0.037	0.055	6.5	- -	100	- -	- -
0054090014600	10/1/2005	0.02	0.036	0.06	5.2	10.5	60	<.1	E10.9
0054090014600	10/5/2005	0.03	0.052	0.078	6.9	39.7	140	<.1	E12.6
0125090074400	9/21/2005	0.07	0.1	0.34	14.6	5	50	- -	- -
0125090074400	9/29/2005	0.03	0.042	0.118	8.7	8.9	50	<.1	E35.3
0125090074400	10/3/2005	0.03	0.05	0.119	7.6	20.4	60	E3.5	E9.1
0142090045800	9/26/2005	0.04	0.06	0.093	8.7	6.5	130	<.1	E33.7
0214090130300	9/26/2005	0.03	0.045	0.056	7	5.4	80	<.1	E10.6
0214090130300	9/30/2005	0.02	0.038	0.095	7.5	7.9	50	<.1	E22.8
0344089581000	9/27/2005	0.08	0.11	0.22	21.1	8.6	80	E.7	E30.5
0344089581000	10/1/2005	0.07	0.099	0.176	20.8	13.1	90	E11.6	E47.9
0329089575900	10/5/2005	0.22	- -	- -	50.9	35	100	E11.8	E140
0403089481300	9/29/2005	E.01	0.022	0.048	5.8	12.7	270	<.1	15
0403089481300	10/7/2005	E.01	0.029	0.073	8.7	3.9	70	0.4	12.4
0403089481300	10/19/2005	<.02	0.009	0.025	9.2	3.7	70	<.1	25.2
1001089442600	9/27/2005	E.01	0.025	0.047	7	9.6	40	<.1	9.4
1001089442600	10/7/2005	<.02	0.025	0.043	6.7	13.4	50	<.1	9.2
1001089442600	10/19/2005	E.01	0.018	0.016	6.6	2	40	<.1	7.3
1151090075700	9/22/2005	<.02	0.014	0.043	6.3	- -	50	- -	- -
1151090075700	9/28/2005	E.02	0.031	0.042	5.1	8.9	50	<.1	E13.4
1151090075700	10/4/2005	E.01	0.02	0.068	5.9	0.3	<10	<.1	E12.3
1151090075700	10/20/2005	<.02	0.012	0.004	7.2	5.5	60	<.1	0.9
1414090083900	9/21/2005	0.05	0.075	0.154	9.3	- -	60	- -	- -
1414090083900	9/29/2005	E.02	0.031	0.086	7.4	6.7	50	<.1	E25.4
1414090083900	10/3/2005	0.05	0.072	0.189	12.9	15.9	60	<.1	E22.9

ation number	Date	01106 Aluminum, water, filtered, micrograms per liter	01095 Antimony, water, filtered, micrograms per liter	01000 Arsenic, water, filtered, micrograms per liter	01005 Barium, water, filtered, micrograms per liter	01010 Beryllium, water, filtered, micrograms per liter	01020 Boron, water, filtered, micrograms per liter	01025 Cadmium, water, filtered, micrograms per liter	01030 Chromium water, filtered, micrograms per li
5810090002300	10/6/2005	<10	1.63	4.2	281	E.10	1130	<.24	<.08
0018089562300	9/29/2005	<11	<1.40	1.4	102	<.42	1580	<.28	E.06
0018089562300	10/2/2005	<13	<1.60	1.6	109	<.48	1540	<.32	E.06
0018089562300	10/5/2005	<13	<1.60	1.1	99	<.48	1230	<.32	<.12
0018089562300	10/20/2005	E15	<2.20	1.4	93	<.66	1690	1.14	E.12
0054090014600	9/21/2005	<10	E.70	<1.2	97	<.36	906	<.24	0.26
0054090014600	10/1/2005	<11	<1.40	1.5	94	<.42	1280	<.28	E.06
0054090014600	10/5/2005	<11	<1.40	1.4	100	<.42	1290	<.28	E.06
0125090074400	9/21/2005	9	E.75	E.5	136	<.24	734	<.16	0.34
0125090074400	9/29/2005	E6	E.65	1.3	116	<.30	530	<.20	0.12
0125090074400	10/3/2005	<8	E.66	1.4	117	<.30	810	<.20	E.06
0142090045800	9/26/2005	<21	0.69	1.8	93	<.06	410	E.07	E.07
0214090130300	9/26/2005	<16	0.55	1.1	89	<.06	494	E.06	E.06
0214090130300	9/30/2005	<8	E.69	1.3	111	<.30	1060	<.20	<.08
0344089581000	9/27/2005	25	E.65	2.4	217	<.36	906	<.24	0.62
0344089581000	10/1/2005	35	<1.20	1.9	203	<.36	828	<.24	0.56
0329089575900	10/5/2005	73	E.94	4.1	346	<.30	718	<.20	1.3
0403089481300	9/29/2005	<11	<1.40	1.2	94	<.42	1510	<.28	<.12
0403089481300	10/7/2005	<10	E.92	0.92	91	<.12	1310	<.24	<.08
0403089481300	10/19/2005	E4	E.35	0.84	104	<.18	1420	<.12	E.09
1001089442600	9/27/2005	<10	<1.20	0.98	91	<.36	1020	<.24	E.06
1001089442600	10/7/2005	<8	E.75	E.21	94	E.24	184	<.20	<.08
1001089442600	10/19/2005	<13	<1.60	0.86	89	<.48	967	<.32	0.08
1151090075700	9/22/2005	<8	E.62	<1.0	90	<.30	936	<.20	0.07
1151090075700	9/28/2005	<5	E.22	0.57	53	<.12	546	0.1	E.06
1151090075700	10/4/2005	<10	E.94	0.86	88	<.36	857	E.17	<.08
1151090075700	10/20/2005	<10	<1.20	0.86	91	<.36	733	<.24	<.08
1414090083900	9/21/2005	<8	E.77	<1.0	114	<.30	782	<.20	0.18
1414090083900	9/29/2005	14	<1.20	1.3	89	<.36	962	<.24	E.04
1414090083900	10/3/2005	<8	E.58	1.4	114	<.30	915	E.10	E.04

Station number	Date	01035 Cobalt, water, filtered, micrograms per liter	01040 Copper, water, filtered, micrograms per liter	01046 Iron, water, filtered, micrograms per liter	01049 Lead, water, filtered, micrograms per liter	01130 Lithium, water, filtered, micrograms per liter	01056 Manganese, water, filtered, micrograms per liter	01060 Molybdenum, water, filtered, micrograms per liter	01065 Nickel, water, filtered, micrograms per liter
295810090002300	10/6/2005	1.1	2.7	<90	<.48	50.2	1760	E.5	0.24
300018089562300	9/29/2005	0.332	6.5	<90	<.56	35.5	45.3	4.5	6.05
300018089562300	10/2/2005	0.376	6.7	<90	<.64	44.8	152	5.1	6.75
300018089562300	10/5/2005	0.408	18.3	E53	4.26	60.3	20.6	4.1	6.32
300018089562300	10/20/2005	0.65	11.8	E46	E.66	64.7	40	7.3	11.6
300054090014600	9/21/2005	0.35	3.8	<60	<.48	35.1	95.8	3.8	5.63
300054090014600	10/1/2005	E.273	4.9	<90	<.56	30.7	25.3	3.9	4.91
300054090014600	10/5/2005	0.42	5.5	<90	<.56	53	32.5	4	6.53
300125090074400	9/21/2005	1.32	3.8	<60	<.32	22.2	580	3.4	8.05
300125090074400	9/29/2005	0.68	1.2	<60	E.25	25.1	171	3.4	2.4
300125090074400	10/3/2005	0.525	4.9	<60	0.44	26.9	56.1	3.4	7.59
300142090045800	9/26/2005	0.997	4.9	<90	<.24	15.7	28.3	5	11.2
300214090130300	9/26/2005	0.616	4.3	E41	0.2	18.4	3.4	3.7	7.93
300214090130300	9/30/2005	0.17	4.4	<60	0.43	28	2.1	3.4	2.79
300344089581000	9/27/2005	- -	- -	330	<.48	34.4	747	3	- -
300344089581000	10/1/2005	0.99	4.1	<90	E.31	32.1	896	2.5	7.65
300329089575900	10/5/2005	2.6	8	1230	0.54	43.7	2310	E1.1	18.9
300403089481300	9/29/2005	0.238	5.2	132	<.56	34.7	1.7	3.9	6.15
300403089481300	10/7/2005	E.04	4.1	<90	<.16	39.4	2.5	<.8	<.12
300403089481300	10/19/2005	E.09	4.8	<90	E.19	45.8	4.3	4.5	1.4
301001089442600	9/27/2005	- -	- -	<60	<.48	33.8	32.2	3.8	- -
301001089442600	10/7/2005	0.28	5.2	<90	<.16	34.5	1.1	<.8	0.31
301001089442600	10/19/2005	E.06	5.1	E44	<.64	31.4	5.3	3.3	0.9
301151090075700	9/22/2005	0.25	3.4	<60	E.23	35.1	1.9	3.2	4.39
301151090075700	9/28/2005	0.06	1.1	<60	<.16	28	1.5	2.1	1.2
301151090075700	10/4/2005	0.318	9.6	E50	E.46	29.1	2.2	3.4	4.8
301151090075700	10/20/2005	E.04	8.1	E38	<.48	28.2	E1.1	3.5	7.25
301414090083900	9/21/2005	0.47	3.9	<60	E.24	29.9	439	3.3	5.13
301414090083900	9/29/2005	0.31	4.1	<60	<.16	38.4	5.7	3.5	4.68
301414090083900	10/3/2005	0.33	5.2	<60	<.40	28.6	32.8	3.4	6.55

Station number	Date	01145 Selenium, water, filtered, micrograms per liter	01075 Silver, water, filtered, micrograms per liter	01080 Strontium, water, filtered, micrograms per liter	01057 Thallium, water, filtered, micrograms per liter	01085 Vanadium, water, filtered, micrograms per liter	01090 Zinc, water, filtered, micrograms per liter	34572 1,4-Dichlorobenzene, water, filtered, recoverable, micrograms per liter	62054 1-Methylnaphthalene, water, filtered recoverable, micrograms per liter
295810090002300	10/6/2005	0.3	<1.2	2320	<.24	0.45	2.5	M	<.5
300018089562300	9/29/2005	0.81	<1.4	2170	<.28	2.2	6.3	<.5	<.5
300018089562300	10/2/2005	1.6	<1.6	2630	<.32	2.4	9.3	<.5	<.5
300018089562300	10/5/2005	0.9	<1.6	2070	<.32	2	19.5	<.5	<.5
300018089562300	10/20/2005	0.4	3.3	3500	<.44	2.1	13	<.5	M
300054090014600	9/21/2005	<2.4	<1.2	1730	<.24	<.8	10.2	<.5	M
300054090014600	10/1/2005	1	<1.4	1850	<.28	2.4	8.2	<.5	<.5
300054090014600	10/5/2005	1.2	<1.4	1900	<.28	2.3	7	<.5	<.5
300125090074400	9/21/2005	<1.6	<.8	1250	<.16	<.6	12.6	M	M
300125090074400	9/29/2005	4.9	E.8	1250	<.20	1.1	6.1	M	<.5
300125090074400	10/3/2005	0.78	E.8	1400	<.20	1.5	13.5	M	<.5
300142090045800	9/26/2005	<.4	E.1	2080	<.04	<.1	7.5	M	<12.5
300214090130300	9/26/2005	<.4	E.1	1580	<.04	<.1	3.7	<12.5	<12.5
300214090130300	9/30/2005	0.74	1	1420	<.20	1.8	4	<.5	<.5
300344089581000	9/27/2005	0.86	E.9	1980	<.24	1.9	- -	M	<.5
300344089581000	10/1/2005	1.1	E.7	1830	<.24	2	9.7	<.5	<.5
300329089575900	10/5/2005	1.2	<1.0	1860	<.20	2.1	5.6	M	<.5
300403089481300	9/29/2005	0.93	<1.4	2000	<.28	1.9	5.2	<.5	<.5
300403089481300	10/7/2005	<.16	<1.2	1710	<.24	<.20	<1.2	<.5	<.5
300403089481300	10/19/2005	1.6	3.9	2090	<.12	1.5	6.8	<.5	M
301001089442600	9/27/2005	0.9	1.3	1880	<.24	1.8	- -	<.5	<.5
301001089442600	10/7/2005	<.16	<1.0	1450	<.20	0.43	1.8	<.5	<.5
301001089442600	10/19/2005	0.48	E1.6	1520	<.32	1.3	6.4	<.5	<.5
301151090075700	9/22/2005	<2.0	<1.0	1480	<.20	<.7	3.6	<.5	<.5
301151090075700	9/28/2005	0.35	<.4	880	<.08	1.9	2	<.5	<.5
301151090075700	10/4/2005	0.88	E.9	1620	<.24	1.6	11.6	<.5	<.5
301151090075700	10/20/2005	1.9	<1.2	1610	<.08	1.6	4.7	<.5	M
301414090083900	9/21/2005	<2.0	<1.0	1420	<.20	<.7	6.6	<.5	M
301414090083900	9/29/2005	0.7	<1.2	1460	<.08	1.8	5.2	<.5	<.5
301414090083900	10/3/2005	0.66	E.9	1540	E.12	1.9	9.8	<.5	<.5

ation number	Date	49295 1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	99958 2,4,5-T, surrogate, Schedule 9060/2060, water, filtered, percent recovery	50470 2,4-D methyl ester, water, filtered, recoverable, micrograms per liter	39732 2,4-D, water, filtered, recoverable, micrograms per liter	38746 2,4-DB, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82660 2,6-Diethylaniline, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62055 2,6-Dimethylnaphthalene, water, filtered, recoverable, micrograms per liter	61618 2-Chloro 2',6'-diethylacetanilid water, filtered, recoverable, micrograms pe liter
5810090002300	10/6/2005	<.09	E104	<.079	E.97	<.02	<.006	<.5	<.005
0018089562300	9/29/2005	<.09	133	<.016	<.04	<.02	<.006	<.5	<.005
0018089562300	10/2/2005	<.09	128	<.016	<.04	<.02	<.006	<.5	<.005
0018089562300	10/5/2005	<.09	135	<.016	<.04	<.02	<.006	<.5	<.005
0018089562300	10/20/2005	<.09	100	<.016	<.04	<.02	<.006	<.5	<.005
0054090014600	9/21/2005	<.09	E103	<.016	<.04	<.02	<.006	<.5	<.005
0054090014600	10/1/2005	<.09	E133	<.016	<.04	<.02	<.006	<.5	<.005
0054090014600	10/5/2005	<.09	E172	<.016	<.04	<.02	<.006	<.5	<.005
0125090074400	9/21/2005	<.09	103	<.016	0.13	<.02	<.006	M	<.005
0125090074400	9/29/2005	<.09	E135	<.016	<.04	<.02	<.006	<.5	<.005
0125090074400	10/3/2005	<.09	E138	<.016	<.04	<.02	<.006	<.5	<.005
0142090045800	9/26/2005	<.09	99.3	<.016	<.05	<.02	<.006	<12.5	<.005
0214090130300	9/26/2005	<.09	106	<.016	<.04	<.02	<.006	<12.5	<.005
0214090130300	9/30/2005	<.09	E136	<.016	<.04	<.02	<.006	<.5	<.005
0344089581000	9/27/2005	<.09	107	<.016	<.04	<.02	<.006	<.5	<.005
0344089581000	10/1/2005	M	E118	<.016	<.04	<.02	<.006	<.5	<.005
0329089575900	10/5/2005	<.09	123	<.016	<.04	<.02	<.006	<.5	<.005
0403089481300	9/29/2005	<.09	135	<.016	<.04	<.02	<.006	<.5	<.005
0403089481300	10/7/2005	<.09	E172	<.016	<.04	<.02	<.006	<.5	<.005
0403089481300	10/19/2005	<.09	E136	<.016	<.04	<.02	<.006	<.5	<.005
1001089442600	9/27/2005	<.09	92.5	<.016	<.04	<.02	<.006	<.5	<.005
1001089442600	10/7/2005	<.09	E177	<.016	<.04	<.02	<.006	<.5	<.005
1001089442600	10/19/2005	<.09	155	<.016	<.04	<.02	<.006	<.5	<.005
1151090075700	9/22/2005	<.09	E93.7	<.016	<.04	<.02	<.006	<.5	<.005
1151090075700	9/28/2005	<.09	E147	<.016	<.04	<.02	<.006	<.5	<.005
1151090075700	10/4/2005	<.09	E178	<.016	<.04	<.02	<.006	<.5	<.005
1151090075700	10/20/2005	<.09	108	<.016	<.04	<.02	<.006	<.5	<.005
1414090083900	9/21/2005	<.09	78.1	<.016	0.1	<.02	<.006	<.5	<.005
1414090083900	9/29/2005	<.09	E131	<.016	<.04	<.02	<.006	<.5	<.005
1414090083900	10/3/2005	<.09	E144	<.016	<.04	<.02	<.006	<.5	<.005

ation number	Date	04040 2-Chloro-4-isopropylamino-6-amino-s-triazine, water, filtered, recoverable, micrograms per liter	04038 2-Chloro-6-ethylamino-4-amino-s-triazine, water, filtered, recoverable, micrograms per liter	61620 2-Ethyl-6-methylaniline, water, filtered, recoverable, micrograms per liter	50355 2-Hydroxy-4-isopropylamino-6-ethylamino-s-triazine, water, filtered, recoverable, micrograms per liter	62056 2-Methylnaphthalene, water, filtered, recoverable, micrograms per liter	61625 3,4-Dichloroaniline, water, filtered, recoverable, micrograms per liter	61627 3,5-Dichloroaniline, water, filtered, recoverable, micrograms per liter	62057 3-beta-Coprostanol, water, filtered, recoverable, micrograms pe liter
5810090002300	10/6/2005	E.010	<.08	<.004	E.173	<.5	E.013	<.004	M
0018089562300	9/29/2005	E.008	<.08	<.004	0.067	<.5	<.004	<.004	M
0018089562300	10/2/2005	E.008	<.08	<.004	0.056	<.5	<.004	<.004	<2
0018089562300	10/5/2005	E.008	<.08	<.004	0.057	<.5	<.004	<.004	<2
0018089562300	10/20/2005	E.018	<.08	<.004	0.05	M	E.007	<.004	<2
0054090014600	9/21/2005	E.012	<.08	<.004	0.071	M	<.004	<.004	<2
0054090014600	10/1/2005	E.010	<.08	<.004	0.064	<.5	<.004	<.004	<2
0054090014600	10/5/2005	E.008	<.08	<.004	0.062	<.5	<.004	<.004	<2
0125090074400	9/21/2005	E.017	<.08	<.004	0.097	M	<.004	<.004	<2
0125090074400	9/29/2005	E.013	<.08	<.004	<.032	<.5	<.004	<.004	<2
0125090074400	10/3/2005	E.013	<.08	<.004	0.082	<.5	<.004	<.004	<2
0142090045800	9/26/2005	E.012	<.08	<.004	0.053	<12.5	<.004	<.004	<50
0214090130300	9/26/2005	E.012	<.08	<.004	0.055	<12.5	<.004	<.004	M
0214090130300	9/30/2005	E.009	<.08	<.004	0.068	<.5	<.004	<.004	<2
0344089581000	9/27/2005	E.011	<.08	<.004	0.04	<.5	E.006	<.004	<2
0344089581000	10/1/2005	E.008	<.08	<.004	<.032	<.5	<.004	<.004	<2
0329089575900	10/5/2005	<.006	<.08	<.004	<.032	<.5	E.010	<.004	<2
0403089481300	9/29/2005	E.009	<.08	<.004	0.058	<.5	<.004	<.004	M
0403089481300	10/7/2005	E.008	<.08	<.004	0.057	<.5	<.004	<.004	<2
0403089481300	10/19/2005	E.009	<.08	<.004	0.064	M	<.004	<.004	<2
1001089442600	9/27/2005	E.013	<.08	<.004	0.048	<.5	<.004	<.004	<2
1001089442600	10/7/2005	E.009	<.08	<.004	0.064	<.5	<.004	<.004	M
1001089442600	10/19/2005	E.009	<.08	<.004	0.06	<.5	<.004	<.004	<2
1151090075700	9/22/2005	E.013	<.08	<.004	0.068	<.5	<.004	<.004	<2
1151090075700	9/28/2005	E.011	<.08	<.004	0.058	<.5	<.004	<.004	<2
1151090075700	10/4/2005	E.010	<.08	<.004	0.062	<.5	<.004	<.004	<2
1151090075700	10/20/2005	E.018	<.08	<.004	0.058	<.5	<.004	<.004	<2
1414090083900	9/21/2005	E.013	<.08	<.004	0.085	M	<.004	<.004	<2
1414090083900	9/29/2005	E.010	<.08	<.004	<.032	<.5	<.004	<.004	<2
1414090083900	10/3/2005	E.010	<.08	<.004	0.077	<.5	<.004	<.004	<2

tion number	Date	49308 3-Hydroxy carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	50295 3-Ketocarbofuran, water, filtered, recoverable, micrograms per liter	62058 3-Methyl-1H-indole, water, filtered, recoverable, micrograms per liter	62059 3-tert-Butyl 4-hydroxyanisole, water, filtered, recoverable, micrograms per liter	61633 4-Chloro-2-methylphenol, water, filtered, recoverable, micrograms per liter	62060 4-Cumylphenol, water, filtered, recoverable, micrograms per liter	62061 4-Octylphenol, water, filtered, recoverable, micrograms per liter	62085 4-Nonylphenol water, filtere recoverable, micrograms p liter
810090002300	10/6/2005	<.008	<.02	<1	<5	<.006	<1	<1	E2
018089562300	9/29/2005	<.008	<.02	<1	<5	<.006	<1	<1	E2
018089562300	10/2/2005	<.008	<.02	<1	<5	<.006	<1	<1	E3
018089562300	10/5/2005	<.008	<.02	<1	<5	<.006	<1	<1	E2
018089562300	10/20/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
054090014600	9/21/2005	<.008	<.02	M	<5	<.006	<1	<1	M
054090014600	10/1/2005	<.008	<.02	M	<5	<.006	<1	<1	E3
054090014600	10/5/2005	<.008	<.02	M	<5	<.006	<1	<1	<5
125090074400	9/21/2005	<.008	<.02	M	<5	<.006	<1	<1	E2
125090074400	9/29/2005	<.008	<.02	<1	<5	<.006	<1	<1	E1
125090074400	10/3/2005	<.008	<.02	<1	<5	<.006	<1	<1	M
142090045800	9/26/2005	<.008	<.02	M	<125	E.002	<25	<25	M
214090130300	9/26/2005	<.008	<.02	<25	<125	<.006	<25	<25	M
214090130300	9/30/2005	<.008	<.02	<1	<5	<.006	<1	<1	E2
344089581000	9/27/2005	<.008	<.02	M	<5	<.006	<1	<1	E2
344089581000	10/1/2005	<.008	<.02	M	<5	<.006	<1	<1	E3
329089575900	10/5/2005	<.008	<.02	M	<5	<.006	<1	<1	<5
403089481300	9/29/2005	<.008	<.02	<1	<5	<.006	<1	<1	E1
403089481300	10/7/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
403089481300	10/19/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
001089442600	9/27/2005	<.008	<.02	<1	<5	<.006	<1	<1	E1
001089442600	10/7/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
001089442600	10/19/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
151090075700	9/22/2005	<.008	<.02	<1	<5	<.006	<1	<1	M
151090075700	9/28/2005	<.008	<.02	<1	<5	<.006	<1	<1	M
151090075700	10/4/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
151090075700	10/20/2005	<.008	<.02	<1	<5	<.006	<1	<1	<5
414090083900	9/21/2005	<.008	<.02	<1	<5	<.006	<1	<1	M
414090083900	9/29/2005	<.008	<.02	<1	<5	<.006	<1	<1	E2
414090083900	10/3/2005	<.008	<.02	<1	<5	<.006	<1	<1	M

tion number	Date	62062 4-tert-Octylphenol, water, filtered, recoverable, micrograms per liter	62063 5-Methyl-1H-benzotriazole, water, filtered, recoverable, micrograms per liter	62066 9,10-Anthraquinone, water, filtered, recoverable, micrograms per liter	49260 Acetochlor, water, filtered, recoverable, micrograms per liter	62064 Acetophenone, water, filtered, recoverable, micrograms per liter	62065 Acetyl hexamethyl tetrahydro naphthalene, water, filtered, recoverable, micrograms per liter	49315 Acifluorfen, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	46342 Alachlo water, filtere recoverable, micrograms p liter
810090002300	10/6/2005	<1	<2	E.1	<.006	E.1	M	<.028	<.005
018089562300	9/29/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
018089562300	10/2/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
018089562300	10/5/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
018089562300	10/20/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
054090014600	9/21/2005	M	<2	<.5	<.006	<.5	<.5	<.028	<.005
054090014600	10/1/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005
054090014600	10/5/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005
125090074400	9/21/2005	M	<2	M	<.006	E.1	M	<.028	<.005
125090074400	9/29/2005	M	<2	M	<.006	<.5	M	<.028	<.005
125090074400	10/3/2005	M	<2	<.5	<.006	<.5	<.5	<.028	<.005
142090045800	9/26/2005	M	<50	M	<.006	<12.5	<12.5	<.028	<.005
214090130300	9/26/2005	<25	<50	<12.5	<.006	<12.5	M	<.028	<.005
214090130300	9/30/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005
344089581000	9/27/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005
344089581000	10/1/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
329089575900	10/5/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
403089481300	9/29/2005	M	<2	<.5	<.006	<.5	M	<.028	<.005
403089481300	10/7/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
403089481300	10/19/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
001089442600	9/27/2005	M	<2	<.5	<.006	<.5	E.1	<.028	<.005
001089442600	10/7/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
001089442600	10/19/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
151090075700	9/22/2005	<1	<2	<.5	<.006	<.5	E.1	<.028	<.005
151090075700	9/28/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
151090075700	10/4/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
151090075700	10/20/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005
414090083900	9/21/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
414090083900	9/29/2005	<1	<2	<.5	<.006	<.5	<.5	<.028	<.005
414090083900	10/3/2005	<1	<2	<.5	<.006	<.5	M	<.028	<.005

Station number	Date	49313 Aldicarb sulfone, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49314 Aldicarb sulfoxide, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49312 Aldicarb, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	34362 alpha-Endosulfan, water, filtered, recoverable, micrograms per liter	99995 alpha-HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery	34221 Anthracene, water, filtered, recoverable, micrograms per liter	39632 Atrazine, water, filtered, recoverable, micrograms per liter	61635 Azinphos-methyl oxygen analog, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.02	<.022	- -	<.005	94.7	<.5	0.292	<.07
300018089562300	9/29/2005	<.02	<.022	<.04	<.005	96.6	<.5	0.065	<.07
300018089562300	10/2/2005	<.02	<.022	<.04	<.005	94.7	<.5	0.062	<.07
300018089562300	10/5/2005	<.02	<.022	- -	<.005	100	<.5	0.065	<.07
300018089562300	10/20/2005	<.02	<.022	<.04	<.005	95.4	<.5	0.049	<.07
300054090014600	9/21/2005	<.02	<.022	<.04	<.005	98.1	<.5	0.091	<.07
300054090014600	10/1/2005	<.02	<.022	<.04	<.005	94.8	<.5	0.077	<.07
300054090014600	10/5/2005	<.02	<.022	- -	<.005	87.4	<.5	0.068	<.07
300125090074400	9/21/2005	<.02	<.022	<.04	<.005	94.8	<.5	0.106	<.07
300125090074400	9/29/2005	<.02	<.022	<.04	<.005	88.7	<.5	0.087	<.07
300125090074400	10/3/2005	<.02	<.022	<.04	<.005	86.6	<.5	0.089	<.07
300142090045800	9/26/2005	<.02	<.022	<.04	<.005	95	<12.5	0.081	<.07
300214090130300	9/26/2005	<.02	<.022	<.04	<.005	64.3	<12.5	0.086	<.07
300214090130300	9/30/2005	<.02	<.022	<.04	<.005	95	<.5	0.086	<.07
300344089581000	9/27/2005	<.02	<.022	<.04	<.005	84.3	<.5	0.066	<.07
300344089581000	10/1/2005	<.02	<.022	<.04	<.005	92.9	<.5	0.063	<.07
300329089575900	10/5/2005	<.02	<.022	- -	<.005	95.3	<.5	0.025	<.07
300403089481300	9/29/2005	<.02	<.022	<.04	<.005	92.2	<.5	0.077	<.07
300403089481300	10/7/2005	<.02	<.022	- -	<.005	100	<.5	0.08	<.07
300403089481300	10/19/2005	<.02	<.022	<.04	<.005	102	<.5	0.068	<.07
301001089442600	9/27/2005	<.02	<.022	<.04	<.005	86.1	<.5	0.084	<.07
301001089442600	10/7/2005	<.02	<.022	- -	<.005	93.8	<.5	0.086	<.07
301001089442600	10/19/2005	<.02	<.022	<.04	<.005	101	<.5	0.061	<.07
301151090075700	9/22/2005	<.02	<.022	<.04	<.005	100	<.5	0.097	<.07
301151090075700	9/28/2005	<.02	<.022	<.04	<.005	98.1	<.5	0.093	<.07
301151090075700	10/4/2005	<.02	<.022	- -	<.005	88.6	<.5	0.084	<.07
301151090075700	10/20/2005	<.02	<.022	<.04	<.005	89	<.5	0.083	<.07
301414090083900	9/21/2005	<.02	<.022	<.04	<.005	95.7	<.5	0.109	<.07
301414090083900	9/29/2005	<.02	<.022	<.04	<.005	92.8	<.5	0.08	<.07
301414090083900	10/3/2005	<.02	<.022	<.04	<.005	89.1	<.5	0.079	<.07

Station number	Date	82686 Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	90640 Barban, surrogate, Schedules 2060/9060, water, filtered, percent recovery	50299 Bendiocarb, water, filtered, recoverable, micrograms per liter	82673 Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	50300 Benomyl, water, filtered, recoverable, micrograms per liter	61693 Bensulfuron, water, filtered, recoverable, micrograms per liter	38711 Bentazon, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	34248 Benzo[a]pyrene, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.050	E130	<.02	<.010	<.022	<.02	<.01	<.5
300018089562300	9/29/2005	<.050	130	<.02	<.010	<.022	<.02	<.01	<.5
300018089562300	10/2/2005	<.050	118	<.02	<.010	<.022	<.02	<.01	<.5
300018089562300	10/5/2005	<.050	114	<.02	<.010	<.022	<.02	<.01	<.5
300018089562300	10/20/2005	<.050	128	<.02	<.010	<.022	<.02	<.01	<.5
300054090014600	9/21/2005	<.050	110	<.02	<.010	<.022	<.02	<.01	<.5
300054090014600	10/1/2005	<.050	113	<.02	<.010	<.022	<.02	<.01	<.5
300054090014600	10/5/2005	<.050	134	<.02	<.010	<.022	<.02	<.01	<.5
300125090074400	9/21/2005	<.050	67	<.02	<.010	<.022	<.02	<.01	<.5
300125090074400	9/29/2005	<.050	93.7	<.02	<.010	<.022	<.02	<.01	<.5
300125090074400	10/3/2005	<.050	136	<.02	<.010	<.022	<.02	<.01	<.5
300142090045800	9/26/2005	<.050	112	<.02	<.010	<.022	<.02	<.01	<12.5
300214090130300	9/26/2005	<.050	121	<.02	<.010	<.022	<.02	<.01	<12.5
300214090130300	9/30/2005	<.050	117	<.02	<.010	<.022	<.02	<.01	<.5
300344089581000	9/27/2005	<.050	112	<.02	<.010	<.022	<.02	<.01	<.5
300344089581000	10/1/2005	<.050	111	<.02	<.010	<.022	<.02	<.01	<.5
300329089575900	10/5/2005	<.050	E145	<.02	<.010	<.022	<.02	<.01	<.5
300403089481300	9/29/2005	<.050	112	<.02	<.010	<.022	<.02	<.01	<.5
300403089481300	10/7/2005	<.050	128	<.02	<.010	<.022	<.02	<.01	<.5
300403089481300	10/19/2005	<.050	E185	<.02	<.010	<.022	<.02	<.01	<.5
301001089442600	9/27/2005	<.050	137	<.02	<.010	<.022	<.02	<.01	<.5
301001089442600	10/7/2005	<.050	134	<.02	<.010	<.022	<.02	<.01	<.5
301001089442600	10/19/2005	<.050	E124	<.02	<.010	<.022	<.02	<.01	<.5
301151090075700	9/22/2005	<.050	101	<.02	<.010	<.022	<.02	<.01	<.5
301151090075700	9/28/2005	<.050	117	<.02	<.010	<.022	<.02	<.01	<.5
301151090075700	10/4/2005	<.050	120	<.02	<.010	<.022	<.02	<.01	<.5
301151090075700	10/20/2005	<.050	128	<.02	<.010	<.022	<.02	<.01	<.5
301414090083900	9/21/2005	<.050	93	<.02	<.010	<.022	<.02	<.01	<.5
301414090083900	9/29/2005	<.050	108	<.02	<.010	<.022	<.02	<.01	<.5
301414090083900	10/3/2005	<.050	120	<.02	<.010	<.022	<.02	<.01	<.5

Station number	Date	62067 Benzophenone, water, filtered, recoverable, micrograms per liter	62068 beta-Sitosterol, water, filtered, recoverable, micrograms per liter	62086 beta-Stigmastanol, water, filtered, recoverable, micrograms per liter	62069 Bisphenol A, water, filtered, recoverable, micrograms per liter	99583 Bisphenol A-d3, surrogate, Schedule/lab code 2033/8033, water, filtered, percent recovery	04029 Bromacil, water, filtered, recoverable, micrograms per liter	49311 Bromoxynil, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	50305 Caffeine, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	E.1	E1	M	M	116	<.02	<.03	E.146
300018089562300	9/29/2005	M	<2	M	M	97.3	<.02	<.03	0.162
300018089562300	10/2/2005	M	<2	<2	- -	0	<.02	<.03	0.16
300018089562300	10/5/2005	E.1	<2	<2	- -	87.1	<.02	<.03	0.081
300018089562300	10/20/2005	M	<2	<2	- -	0	<.02	<.03	0.062
300054090014600	9/21/2005	M	<2	<2	M	125	<.02	<.03	E.315
300054090014600	10/1/2005	M	<2	<2	- -	0	<.02	<.03	0.067
300054090014600	10/5/2005	E.1	<2	<2	- -	95.7	<.02	<.03	0.104
300125090074400	9/21/2005	E.1	<2	<2	M	124	<.06	<.03	1.15
300125090074400	9/29/2005	M	<2	<2	- -	0	0.03	<.03	0.221
300125090074400	10/3/2005	M	<2	<2	- -	0	0.03	<.03	0.165
300142090045800	9/26/2005	M	<50	M	M	136	<.02	<.03	0.124
300214090130300	9/26/2005	M	M	M	- -	123	<.02	<.03	0.066
300214090130300	9/30/2005	M	<2	<2	- -	0	<.02	<.03	0.059
300344089581000	9/27/2005	M	<2	<2	M	133	<.02	<.03	1.44
300344089581000	10/1/2005	M	<2	<2	- -	0	<.02	<.03	1.04
300329089575900	10/5/2005	E.1	<2	<2	- -	114	<.02	<.03	E1.45
300403089481300	9/29/2005	M	M	<2	- -	88.7	<.02	<.03	0.052
300403089481300	10/7/2005	<.5	<2	<2	- -	75	<.02	<.03	E.019
300403089481300	10/19/2005	M	<2	<2	- -	0	<.02	<.03	0.099
301001089442600	9/27/2005	E.1	<2	<2	- -	126	<.02	<.03	0.037
301001089442600	10/7/2005	E.1	<2	M	- -	94.1	<.02	<.03	E.028
301001089442600	10/19/2005	M	<2	<2	- -	0	<.02	<.03	0.023
301151090075700	9/22/2005	M	<2	<2	- -	127	<.02	<.03	E.090
301151090075700	9/28/2005	M	<2	<2	- -	0	<.02	<.03	0.047
301151090075700	10/4/2005	E.1	<2	<2	- -	75.9	<.02	<.03	0.021
301151090075700	10/20/2005	M	<2	<2	- -	0	<.02	<.03	0.038
301414090083900	9/21/2005	M	<2	<2	M	124	<.03	<.03	E.276
301414090083900	9/29/2005	<.5	<2	<2	- -	0	<.02	<.03	0.085
301414090083900	10/3/2005	<.5	<2	<2	- -	0	<.02	<.03	0.067

Station number	Date	99959 Caffeine-13C, surrogate, Schedule 9060/2060, water, filtered, percent recovery	99584 Caffeine-13C, surrogate, Schedule/lab code 2033/8033, water, filtered, percent recovery	62070 Camphor, water, filtered, recoverable, micrograms per liter	49310 Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82680 Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62071 Carbazole, water, filtered, recoverable, micrograms per liter	49309 Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82674 Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter
295810090002300	10/6/2005	E76.4	121	M	<.02	E.008	M	<.016	<.020
300018089562300	9/29/2005	89.5	100	M	<.02	<.041	<.5	<.016	<.020
300018089562300	10/2/2005	79.1	97.7	M	<.02	<.041	<.5	<.016	<.020
300018089562300	10/5/2005	57.7	116	<.5	<.02	<.041	<.5	<.016	<.020
300018089562300	10/20/2005	80.1	92.2	<.5	<.02	<.041	<.5	<.016	<.020
300054090014600	9/21/2005	E92.1	104	M	<.02	E.008	<.5	<.016	<.020
300054090014600	10/1/2005	85.8	96.6	<.5	<.02	<.041	<.5	<.016	<.020
300054090014600	10/5/2005	61.6	116	<.5	<.02	<.041	<.5	<.016	<.020
300125090074400	9/21/2005	E85.5	98	M	<.02	<.041	M	<.016	<.020
300125090074400	9/29/2005	88.6	99.3	M	<.02	<.041	<.5	<.016	<.020
300125090074400	10/3/2005	90.7	102	M	<.02	<.041	<.5	<.016	<.020
300142090045800	9/26/2005	76.8	113	M	<.02	E.006	<12.5	<.016	<.020
300214090130300	9/26/2005	85.6	108	M	<.02	<.041	<12.5	<.016	<.020
300214090130300	9/30/2005	86.7	98.3	M	<.02	<.041	<.5	<.016	<.020
300344089581000	9/27/2005	68.9	107	M	<.02	<.041	<.5	<.016	<.020
300344089581000	10/1/2005	76.2	112	E.1	<.02	E.004	<.5	<.016	<.020
300329089575900	10/5/2005	E62.3	134	M	<.02	E.004	<.5	<.016	<.020
300403089481300	9/29/2005	86.4	100	M	<.02	<.041	<.5	<.016	<.020
300403089481300	10/7/2005	49.4	119	M	<.02	<.041	<.5	<.016	<.020
300403089481300	10/19/2005	86.3	110	<.5	<.02	<.041	<.5	<.016	<.020
301001089442600	9/27/2005	76.4	101	M	<.02	<.041	<.5	<.016	<.020
301001089442600	10/7/2005	60.6	112	M	<.02	<.041	<.5	<.016	<.020
301001089442600	10/19/2005	84.6	92.4	<.5	<.02	<.041	<.5	<.016	<.020
301151090075700	9/22/2005	E88.5	104	<.5	<.02	<.041	<.5	<.016	<.020
301151090075700	9/28/2005	80.2	101	M	<.02	<.041	<.5	<.016	<.020
301151090075700	10/4/2005	60.2	117	M	<.02	<.041	<.5	<.016	<.020
301151090075700	10/20/2005	85.1	90.6	<.5	<.02	<.041	<.5	<.016	<.020
301414090083900	9/21/2005	E92.9	99.5	M	<.02	<.041	<.5	<.016	<.020
301414090083900	9/29/2005	86.1	97.3	M	<.02	<.041	<.5	<.016	<.020
301414090083900	10/3/2005	89.2	105	M	<.02	<.041	<.5	<.016	<.020

tation number	Date	61188 Chloramben methyl ester, water, filtered, recoverable, micrograms per liter	50306 Chlorimuron, water, filtered, recoverable, micrograms per liter	04039 Chlorodiamino-s-triazine, water, filtered, recoverable, micrograms per liter	49306 Chlorothalonil, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61636 Chlorpyrifos oxygen analog, water, filtered, recoverable, micrograms per liter	38933 Chlorpyrifos, water, filtered, recoverable, micrograms per liter	62072 Cholesterol, water, filtered, recoverable, micrograms per liter	82687 cis-Permethrin, water filtered (0.7 micro glass fiber filter), recoverable, micrograms per liter
95810090002300	10/6/2005	<.02	<.032	<.04	<.04	<.06	0.019	M	<.006
00018089562300	9/29/2005	<.02	<.032	<.04	<.04	<.06	<.005	M	<.006
00018089562300	10/2/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00018089562300	10/5/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00018089562300	10/20/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00054090014600	9/21/2005	<.02	<.032	<.04	<.04	<.06	E.005	<2	<.006
00054090014600	10/1/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00054090014600	10/5/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00125090074400	9/21/2005	<.02	<.032	<.04	<.04	<.06	<.015	<2	<.006
00125090074400	9/29/2005	<.02	<.032	<.04	<.04	<.06	E.004	<2	<.006
00125090074400	10/3/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00142090045800	9/26/2005	<.02	<.032	<.04	<.04	<.06	<.005	<50	<.006
00214090130300	9/26/2005	<.02	<.032	<.04	<.04	<.06	<.005	M	E.006
00214090130300	9/30/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00344089581000	9/27/2005	<.02	<.032	<.04	<.04	<.06	E.005	<2	<.006
00344089581000	10/1/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00329089575900	10/5/2005	<.02	<.032	<.04	<.04	<.06	0.01	<2	<.006
00403089481300	9/29/2005	<.02	<.032	<.04	<.04	<.06	<.005	M	<.006
00403089481300	10/7/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
00403089481300	10/19/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01001089442600	9/27/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	E.007
01001089442600	10/7/2005	<.02	<.032	<.04	<.04	<.06	<.005	M	<.006
01001089442600	10/19/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01151090075700	9/22/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01151090075700	9/28/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01151090075700	10/4/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01151090075700	10/20/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01414090083900	9/21/2005	<.02	<.032	<.04	<.04	<.06	<.008	<2	<.006
01414090083900	9/29/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006
01414090083900	10/3/2005	<.02	<.032	<.04	<.04	<.06	<.005	<2	<.006

tation number	Date	79846 cis-Propiconazole, water, filtered, recoverable, micrograms per liter	49305 Clopyralid, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62005 Cotinine, water, filtered, recoverable, micrograms per liter	04041 Cyanazine, water, filtered, recoverable, micrograms per liter	04031 Cycloate, water, filtered, recoverable, micrograms per liter	61585 Cyfluthrin, water, filtered, recoverable, micrograms per liter	61595 lambda-Cyhalothrin, water, filtered, recoverable, micrograms per liter	61586 Cypermethrin, water, filtered, recoverable, micrograms per liter
95810090002300	10/6/2005	<.008	<.02	E.330	<.018	<.01	<.027	<.009	<.009
00018089562300	9/29/2005	<.008	<.02	E.034	<.018	<.01	<.027	<.009	<.009
00018089562300	10/2/2005	<.008	<.02	E.030	<.018	<.01	<.027	<.009	<.009
00018089562300	10/5/2005	<.008	<.02	E.260	<.018	<.01	<.027	<.009	<.009
00018089562300	10/20/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00054090014600	9/21/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00054090014600	10/1/2005	<.008	<.02	E.028	<.018	<.01	<.027	<.009	<.009
00054090014600	10/5/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00125090074400	9/21/2005	<.008	<.02	E.100	<.018	<.01	<.027	<.009	<.009
00125090074400	9/29/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00125090074400	10/3/2005	<.008	<.02	E.034	<.018	<.01	<.027	<.009	<.009
00142090045800	9/26/2005	<.008	<.02	<25.0	<.018	<.01	<.027	<.009	<.009
00214090130300	9/26/2005	<.008	<.02	<25.0	<.018	<.01	<.027	<.009	<.009
00214090130300	9/30/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00344089581000	9/27/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00344089581000	10/1/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00329089575900	10/5/2005	<.008	<.02	E.260	<.018	<.01	<.027	<.009	<.009
00403089481300	9/29/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
00403089481300	10/7/2005	<.008	<.02	E.260	<.018	<.01	<.027	<.009	<.009
00403089481300	10/19/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01001089442600	9/27/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01001089442600	10/7/2005	<.008	<.02	E.260	<.018	<.01	<.027	<.009	<.009
01001089442600	10/19/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01151090075700	9/22/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01151090075700	9/28/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01151090075700	10/4/2005	<.008	<.02	E.260	<.018	<.01	<.027	<.009	<.009
01151090075700	10/20/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01414090083900	9/21/2005	<.008	<.02	E.071	<.018	<.01	<.027	<.009	<.009
01414090083900	9/29/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009
01414090083900	10/3/2005	<.008	<.02	<1.00	<.018	<.01	<.027	<.009	<.009

Station number	Date	49304 Dacthal monoacid, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82682 DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	99585 Decafluorobiphenyl, surrogate, Schedule/lab code 2033/8033, water, filtered, percent recovery	62082 DEET, water, filtered, recoverable, micrograms per liter	62170 Desulfinylfipronil, water, filtered, recoverable, micrograms per liter	39572 Diazinon, water, filtered, recoverable, micrograms per liter	99994 Diazinon-d10, surrogate, Schedule 2003, water, filtered, percent recovery	38442 Dicamba, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter
295810090002300	10/6/2005	<.03	<.003	54.6	E.4	0.013	0.009	145	<.04
300018089562300	9/29/2005	<.03	<.003	78.3	M	E.005	<.005	113	<.04
300018089562300	10/2/2005	<.03	<.003	48.7	M	E.004	<.005	111	<.04
300018089562300	10/5/2005	<.03	<.003	52.4	E.1	E.004	<.005	115	<.04
300018089562300	10/20/2005	<.03	<.003	51.5	E.1	E.008	<.005	103	<.04
300054090014600	9/21/2005	<.03	<.003	73.5	E.1	E.006	<.005	114	<.04
300054090014600	10/1/2005	<.03	<.003	55.6	M	E.004	<.005	108	<.04
300054090014600	10/5/2005	<.03	<.003	61	E.1	E.004	<.005	102	<.04
300125090074400	9/21/2005	<.03	<.003	69.7	E.2	E.011	<.005	129	<.04
300125090074400	9/29/2005	<.03	<.003	51.3	E.1	E.006	<.005	109	<.04
300125090074400	10/3/2005	<.03	<.003	57.5	E.1	E.005	<.005	99.9	<.04
300142090045800	9/26/2005	<.03	<.003	88.4	E.1	E.006	E.006	112	<.04
300214090130300	9/26/2005	<.03	<.003	65.2	M	E.005	<.005	76.6	<.04
300214090130300	9/30/2005	<.03	<.003	70.6	M	E.005	<.005	109	<.04
300344089581000	9/27/2005	<.03	<.003	57.6	E.1	E.005	<.005	114	<.04
300344089581000	10/1/2005	<.03	<.003	55.9	E.1	E.004	<.005	116	<.04
300329089575900	10/5/2005	<.03	<.003	50.3	E.2	E.004	<.005	125	<.04
300403089481300	9/29/2005	<.03	<.003	72	E.1	E.004	<.005	99.2	<.04
300403089481300	10/7/2005	<.03	<.003	52.1	E.1	E.004	<.005	107	<.04
300403089481300	10/19/2005	<.03	<.003	62.5	M	E.004	<.005	112	<.04
301001089442600	9/27/2005	<.03	<.003	69	E.2	E.004	<.005	101	<.04
301001089442600	10/7/2005	<.03	<.003	54.4	E.1	E.005	<.005	104	<.04
301001089442600	10/19/2005	<.03	<.003	60.9	M	E.004	<.005	101	<.04
301151090075700	9/22/2005	<.03	<.003	70.3	E.1	E.006	<.005	109	<.04
301151090075700	9/28/2005	<.03	<.003	54.3	M	E.005	<.005	115	<.04
301151090075700	10/4/2005	<.03	<.003	53.8	E.1	E.004	<.005	101	<.04
301151090075700	10/20/2005	<.03	<.003	53.7	M	E.008	<.005	96.8	<.04
301414090083900	9/21/2005	<.03	<.003	74.9	E.1	E.011	E.006	132	<.04
301414090083900	9/29/2005	<.03	<.003	50.5	M	E.005	<.005	105	<.04
301414090083900	10/3/2005	<.03	<.003	57.6	M	E.005	<.005	102	<.04

Station number	Date	49302 Dichlorprop, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	38454 Dicrotophos, water, filtered, recoverable, micrograms per liter	39381 Dieldrin, water, filtered, recoverable, micrograms per liter	62083 Diethoxynonylphenol, water, filtered, recoverable, micrograms per liter	61705 Diethoxyoctylphenol, water, filtered, recoverable, micrograms per liter	82662 Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49301 Dinoseb, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	04033 Diphenamid, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300018089562300	9/29/2005	<.03	<.08	<.009	M	<1	<.006	<.04	<.01
300018089562300	10/2/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300018089562300	10/5/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300018089562300	10/20/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300054090014600	9/21/2005	<.03	<.08	<.009	M	M	<.006	<.04	<.01
300054090014600	10/1/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300054090014600	10/5/2005	<.03	<.08	<.009	<5	M	<.006	<.04	<.01
300125090074400	9/21/2005	<.03	<.08	<.009	E2	M	<.006	<.04	<.01
300125090074400	9/29/2005	<.03	<.08	E.005	<5	M	<.006	<.04	<.01
300125090074400	10/3/2005	<.03	<.08	E.003	<5	<1	<.006	<.04	<.01
300142090045800	9/26/2005	<.03	<.08	<.009	M	<25	<.006	<.04	<.01
300214090130300	9/26/2005	<.03	<.08	<.009	M	<25	<.006	<.04	<.01
300214090130300	9/30/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300344089581000	9/27/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300344089581000	10/1/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300329089575900	10/5/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300403089481300	9/29/2005	<.03	<.08	<.009	M	<1	<.006	<.04	<.01
300403089481300	10/7/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
300403089481300	10/19/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301001089442600	9/27/2005	<.03	<.08	<.009	<5	M	<.006	<.04	<.01
301001089442600	10/7/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301001089442600	10/19/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301151090075700	9/22/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301151090075700	9/28/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301151090075700	10/4/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301151090075700	10/20/2005	<.03	<.08	<.009	<5	<1	<.006	<.04	<.01
301414090083900	9/21/2005	<.03	<.08	<.009	M	<1	<.006	<.04	<.01
301414090083900	9/29/2005	<.03	<.08	E.003	<5	<1	<.006	<.04	<.01
301414090083900	10/3/2005	<.03	<.08	E.003	<5	<1	<.006	<.04	<.01

Station number	Date	61640 Disulfoton sulfone, water, filtered, recoverable, micrograms per liter	82677 Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49300 Diuron, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62073 D-Limonene, water, filtered, recoverable, micrograms per liter	61590 Endosulfan sulfate, water, filtered, recoverable, micrograms per liter	82668 EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61644 Ethion monoxon, water, filtered, recoverable, micrograms per liter	82346 Ethion, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.01	<.02	E.04	<.5	<.014	<.004	<.002	<.004
300018089562300	9/29/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
300018089562300	10/2/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300018089562300	10/5/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
300018089562300	10/20/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300054090014600	9/21/2005	<.01	<.02	<.02	<.5	<.014	<.004	<.002	<.004
300054090014600	10/1/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300054090014600	10/5/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
300125090074400	9/21/2005	<.01	<.02	0.03	<.5	<.014	<.004	<.002	<.004
300125090074400	9/29/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
300125090074400	10/3/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
300142090045800	9/26/2005	<.01	<.02	0.02	<12.5	<.014	<.004	<.002	<.004
300214090130300	9/26/2005	<.01	<.02	0.02	<12.5	<.014	<.004	<.002	<.004
300214090130300	9/30/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300344089581000	9/27/2005	<.01	<.02	0.13	<.5	<.014	<.004	<.002	<.004
300344089581000	10/1/2005	<.01	<.02	0.06	<.5	<.014	<.004	<.002	<.004
300329089575900	10/5/2005	<.01	<.02	E.19	<.5	<.014	<.004	<.002	<.004
300403089481300	9/29/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300403089481300	10/7/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
300403089481300	10/19/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
301001089442600	9/27/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
301001089442600	10/7/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
301001089442600	10/19/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
301151090075700	9/22/2005	<.01	<.02	<.02	<.5	<.014	<.004	<.002	<.004
301151090075700	9/28/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
301151090075700	10/4/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
301151090075700	10/20/2005	<.01	<.02	<.01	<.5	<.014	<.004	<.002	<.004
301414090083900	9/21/2005	<.01	<.02	0.03	<.5	<.014	<.004	<.002	<.004
301414090083900	9/29/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004
301414090083900	10/3/2005	<.01	<.02	0.02	<.5	<.014	<.004	<.002	<.004

Station number	Date	82672 Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61706 Ethoxyoctylphenol, water, filtered, recoverable, micrograms per liter	61645 Fenamiphos sulfone, water, filtered, recoverable, micrograms per liter	61646 Fenamiphos sulfoxide, water, filtered, recoverable, micrograms per liter	61591 Fenamiphos, water, filtered, recoverable, micrograms per liter	49297 Fenuron, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62169 Desulfinylfipronil amide, water, filtered, recoverable, micrograms per liter	62167 Fipronil sulfide, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.005	<1	<.049	<.04	<.03	<.02	E.009	0.02
300018089562300	9/29/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300018089562300	10/2/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300018089562300	10/5/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300018089562300	10/20/2005	<.005	<1	<.049	<.04	<.03	<.02	<.029	0.015
300054090014600	9/21/2005	<.005	M	<.049	<.04	<.03	<.02	E.008	E.008
300054090014600	10/1/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300054090014600	10/5/2005	<.005	<1	<.049	<.04	<.03	<.02	E.004	E.005
300125090074400	9/21/2005	<.005	M	<.049	<.04	<.03	<.02	E.009	0.02
300125090074400	9/29/2005	<.005	M	<.049	<.04	E.03	<.02	E.005	E.011
300125090074400	10/3/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.007
300142090045800	9/26/2005	<.005	<25	<.049	<.04	E.01	<.02	E.004	E.008
300214090130300	9/26/2005	<.005	<25	<.049	<.04	<.03	<.02	<.029	E.005
300214090130300	9/30/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300344089581000	9/27/2005	<.005	<1	<.049	<.04	<.03	<.02	E.004	E.006
300344089581000	10/1/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
300329089575900	10/5/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.008
300403089481300	9/29/2005	<.005	M	<.049	<.04	<.03	<.02	E.005	E.005
300403089481300	10/7/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.004
300403089481300	10/19/2005	<.005	<1	<.049	<.07	<.03	<.02	E.005	E.004
301001089442600	9/27/2005	<.005	M	<.049	<.04	<.03	<.02	<.029	<.013
301001089442600	10/7/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.004
301001089442600	10/19/2005	<.005	<1	<.049	<.07	<.03	<.02	E.005	<.013
301151090075700	9/22/2005	<.005	<1	<.049	<.04	<.03	<.02	<.029	<.013
301151090075700	9/28/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.005
301151090075700	10/4/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.004
301151090075700	10/20/2005	<.005	M	<.049	<.04	<.03	<.02	<.029	0.014
301414090083900	9/21/2005	<.005	<1	<.049	<.04	<.03	<.02	E.009	E.010
301414090083900	9/29/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.006
301414090083900	10/3/2005	<.005	<1	<.049	<.04	<.03	<.02	E.005	E.006

Station number	Date	62168 Fipronil sulfone, water, filtered, recoverable, micrograms per liter	62166 Fipronil, water, filtered, recoverable, micrograms per liter	61694 Flumetsulam, water, filtered, recoverable, micrograms per liter	38811 Fluometuron, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	34377 Fluoranthene, water, filtered, recoverable, micrograms per liter	99586 Fluoranthene-d10, surrogate, water, filtered, percent recovery	04095 Fonofos, water, filtered, recoverable, micrograms per liter	62075 Hexahydrohexan ethyl cyclopentabenzop yran, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	E.020	E.040	<.49	<.02	M	96.2	<.003	<.5
300018089562300	9/29/2005	E.005	E.008	<.04	<.02	<.5	91.2	<.003	<.5
300018089562300	10/2/2005	E.005	E.007	<.04	<.02	<.5	89.9	<.003	<.5
300018089562300	10/5/2005	E.005	E.006	<.04	<.02	M	96.6	<.003	<.5
300018089562300	10/20/2005	<.024	E.021	<.04	<.02	<.5	77.3	<.003	<.5
300054090014600	9/21/2005	E.007	E.012	<.04	<.02	<.5	83.2	<.003	<.5
300054090014600	10/1/2005	E.005	E.007	<.04	<.02	M	86.3	<.003	<.5
300054090014600	10/5/2005	E.005	E.007	<.04	<.02	M	95	<.003	<.5
300125090074400	9/21/2005	E.017	E.050	<.39	<.02	M	78	<.003	M
300125090074400	9/29/2005	E.010	E.035	<.08	<.02	M	85.3	<.003	<.5
300125090074400	10/3/2005	E.006	E.012	<.04	<.02	M	88.6	<.003	<.5
300142090045800	9/26/2005	E.008	E.021	<.04	<.02	<12.5	96.6	<.003	<12.5
300214090130300	9/26/2005	E.006	E.006	<.04	<.02	<12.5	96.6	<.003	<12.5
300214090130300	9/30/2005	E.005	E.007	<.04	<.02	<.5	90	<.003	<.5
300344089581000	9/27/2005	E.007	E.009	<.04	<.02	M	87.5	<.003	<.5
300344089581000	10/1/2005	E.005	E.008	<.04	<.02	<.5	84.7	<.003	<.5
300329089575900	10/5/2005	E.007	E.010	<.04	<.02	M	93.2	<.003	<.5
300403089481300	9/29/2005	E.005	E.006	<.04	<.02	M	89	<.003	<.5
300403089481300	10/7/2005	E.005	E.006	<.04	<.02	<.5	99.1	<.003	<.5
300403089481300	10/19/2005	E.005	E.006	<.04	<.02	<.5	88.9	<.003	<.5
301001089442600	9/27/2005	E.006	E.006	<.04	<.02	<.5	86.9	<.003	M
301001089442600	10/7/2005	E.005	E.006	<.04	<.02	<.5	90.2	<.003	<.5
301001089442600	10/19/2005	E.005	<.016	<.04	<.02	M	75.1	<.003	<.5
301151090075700	9/22/2005	E.006	E.009	<.04	<.02	<.5	89.2	<.003	<.5
301151090075700	9/28/2005	E.005	E.008	<.04	<.02	<.5	88.5	<.003	<.5
301151090075700	10/4/2005	E.005	E.006	<.04	<.02	<.5	95.9	<.003	<.5
301151090075700	10/20/2005	E.009	E.020	<.04	<.02	<.5	81.6	<.003	M
301414090083900	9/21/2005	E.011	E.028	<.04	<.02	<.5	82.8	<.003	<.5
301414090083900	9/29/2005	E.006	E.011	<.04	<.02	M	83.9	<.003	<.5
301414090083900	10/3/2005	E.006	E.009	<.04	<.02	M	90.9	<.003	<.5

Station number	Date	04025 Hexazinone, water, filtered, recoverable, micrograms per liter	50356 Imazaquin, water, filtered, recoverable, micrograms per liter	50407 Imazethapyr, water, filtered, recoverable, micrograms per liter	61695 Imidacloprid, water, filtered, recoverable, micrograms per liter	62076 Indole, water, filtered, recoverable, micrograms per liter	61593 Iprodione, water, filtered, recoverable, micrograms per liter	62077 Isoborneol, water, filtered, recoverable, micrograms per liter	61594 Isofenphos water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.013	<.04	<.04	<.084	<.5	<.538	<.5	<.003
300018089562300	9/29/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300018089562300	10/2/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300018089562300	10/5/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300018089562300	10/20/2005	E.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300054090014600	9/21/2005	E.010	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300054090014600	10/1/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300054090014600	10/5/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300125090074400	9/21/2005	<.013	<.04	<.04	<.046	<.5	<.538	<.5	<.003
300125090074400	9/29/2005	<.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300125090074400	10/3/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300142090045800	9/26/2005	E.009	<.04	<.04	<.024	<12.5	<.538	<12.5	<.003
300214090130300	9/26/2005	E.009	<.04	<.04	<.020	<12.5	<.538	<12.5	<.003
300214090130300	9/30/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300344089581000	9/27/2005	<.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300344089581000	10/1/2005	<.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300329089575900	10/5/2005	<.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300403089481300	9/29/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300403089481300	10/7/2005	E.006	<.04	<.04	<.020	<.5	<.538	<.5	<.003
300403089481300	10/19/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301001089442600	9/27/2005	E.009	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301001089442600	10/7/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301001089442600	10/19/2005	E.006	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301151090075700	9/22/2005	E.010	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301151090075700	9/28/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301151090075700	10/4/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301151090075700	10/20/2005	E.013	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301414090083900	9/21/2005	E.010	<.04	<.04	<.023	<.5	<.538	<.5	<.003
301414090083900	9/29/2005	E.008	<.04	<.04	<.020	<.5	<.538	<.5	<.003
301414090083900	10/3/2005	E.007	<.04	<.04	<.020	<.5	<.538	<.5	<.003

Station number	Date	34409 Isophorone, water, filtered, recoverable, micrograms per liter	62078 Isopropylbenzene, water, filtered, recoverable, micrograms per liter	62079 Isoquinoline, water, filtered, recoverable, micrograms per liter	38478 Linuron, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61652 Malaoxon, water, filtered, recoverable, micrograms per liter	39532 Malathion, water, filtered, recoverable, micrograms per liter	38482 MCPA, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	38487 MCPB, water, filtered (0. micron glass fibe filter), recoverable, micrograms per liter
295810090002300	10/6/2005	M	<.5	M	<.01	<.030	<.027	<.03	<.01
300018089562300	9/29/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300018089562300	10/2/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300018089562300	10/5/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300018089562300	10/20/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300054090014600	9/21/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300054090014600	10/1/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300054090014600	10/5/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300125090074400	9/21/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300125090074400	9/29/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300125090074400	10/3/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300142090045800	9/26/2005	M	<12.5	<12.5	<.01	<.030	<.027	<.03	<.01
300214090130300	9/26/2005	M	<12.5	<12.5	<.01	<.030	<.027	<.03	<.01
300214090130300	9/30/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300344089581000	9/27/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300344089581000	10/1/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300329089575900	10/5/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300403089481300	9/29/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300403089481300	10/7/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
300403089481300	10/19/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301001089442600	9/27/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301001089442600	10/7/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301001089442600	10/19/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301151090075700	9/22/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301151090075700	9/28/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301151090075700	10/4/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301151090075700	10/20/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301414090083900	9/21/2005	M	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301414090083900	9/29/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01
301414090083900	10/3/2005	<.5	<.5	<.5	<.01	<.030	<.027	<.03	<.01

Station number	Date	62080 Menthol, water, filtered, recoverable, micrograms per liter	50359 Metalaxyl, water, filtered, recoverable, micrograms per liter	61596 Metalaxyl, water, filtered, recoverable, micrograms per liter	61598 Methidathion, water, filtered, recoverable, micrograms per liter	38501 Methiocarb, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49296 Methomyl, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61664 Methyl paraoxon, water, filtered, recoverable, micrograms per liter	82667 Methyl parathion, water filtered (0.7 micron glass fibe filter), recoverable, micrograms per liter
295810090002300	10/6/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300018089562300	9/29/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300018089562300	10/2/2005	<.5	<.01	<.009	<.006	<.010	<.020	<.03	<.015
300018089562300	10/5/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300018089562300	10/20/2005	M	<.01	<.010	<.006	<.010	<.020	<.03	<.015
300054090014600	9/21/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300054090014600	10/1/2005	M	<.01	<.007	<.006	<.010	<.020	<.03	<.015
300054090014600	10/5/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300125090074400	9/21/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300125090074400	9/29/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300125090074400	10/3/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300142090045800	9/26/2005	<12.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300214090130300	9/26/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300214090130300	9/30/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300344089581000	9/27/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300344089581000	10/1/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300329089575900	10/5/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300403089481300	9/29/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300403089481300	10/7/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
300403089481300	10/19/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301001089442600	9/27/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301001089442600	10/7/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301001089442600	10/19/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301151090075700	9/22/2005	E.1	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301151090075700	9/28/2005	M	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301151090075700	10/4/2005	<.5	<.01	<.008	<.006	<.010	<.020	<.03	<.015
301151090075700	10/20/2005	<.5	<.01	<.010	<.006	<.010	<.020	<.03	<.015
301414090083900	9/21/2005	E.2	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301414090083900	9/29/2005	<.5	<.01	<.005	<.006	<.010	<.020	<.03	<.015
301414090083900	10/3/2005	<.5	<.01	<.110	<.006	<.010	<.020	<.03	<.015

tation number	Date	62081 Methyl salicylate, water, filtered, recoverable, micrograms per liter	39415 Metolachlor, water, filtered, recoverable, micrograms per liter	82630 Metribuzin, water, filtered, recoverable, micrograms per liter	61697 Metsulfuron, water, filtered, recoverable, micrograms per liter	82671 Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61599 Myclobutanil, water, filtered, recoverable, micrograms per liter	61692 N-(4-Chlorophenyl)-N'-methylurea, water, filtered, recoverable, micrograms per liter	34443 Naphthalene, water, filtered, recoverable, micrograms per liter
95810090002300	10/6/2005	M	E.005	<.006	<.03	<.003	<.008	<.04	M
00018089562300	9/29/2005	<.5	E.005	<.006	<.03	<.003	<.008	<.04	<.5
00018089562300	10/2/2005	<.5	E.004	<.006	<.03	<.003	<.008	<.04	<.5
00018089562300	10/5/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	M
00018089562300	10/20/2005	<.5	<.010	<.006	<.03	<.003	<.008	<.04	<.5
00054090014600	9/21/2005	M	E.006	<.006	<.03	<.003	<.008	<.04	M
00054090014600	10/1/2005	<.5	E.005	<.006	<.03	<.003	<.008	<.04	M
00054090014600	10/5/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	M
00125090074400	9/21/2005	M	0.013	<.006	<.03	<.003	<.008	<.04	M
00125090074400	9/29/2005	<.5	0.009	<.006	<.03	<.003	<.008	<.04	<.5
00125090074400	10/3/2005	<.5	E.007	<.006	<.03	<.003	<.008	<.04	M
00142090045800	9/26/2005	M	E.017	<.006	<.03	<.003	<.008	<.04	M
00214090130300	9/26/2005	E.1	E.016	<.006	<.03	<.003	<.008	<.04	M
00214090130300	9/30/2005	<.5	E.004	<.006	<.03	<.003	<.008	<.04	M
00344089581000	9/27/2005	M	E.021	<.006	<.03	<.003	<.008	<.04	M
00344089581000	10/1/2005	<.5	E.006	<.006	<.03	<.003	<.008	<.04	M
00329089575900	10/5/2005	M	0.008	<.006	<.03	<.003	<.008	<.04	M
00403089481300	9/29/2005	<.5	E.004	<.006	<.03	<.003	<.008	<.04	<.5
00403089481300	10/7/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	<.5
00403089481300	10/19/2005	<.5	E.004	<.006	<.03	<.003	<.008	<.04	<.5
01001089442600	9/27/2005	M	E.017	<.006	<.03	<.003	<.008	<.04	M
01001089442600	10/7/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	<.5
01001089442600	10/19/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	<.5
01151090075700	9/22/2005	M	E.006	<.006	<.03	<.003	<.008	<.04	M
01151090075700	9/28/2005	<.5	E.004	<.006	<.03	<.003	<.008	<.04	<.5
01151090075700	10/4/2005	M	E.004	<.006	<.03	<.003	<.008	<.04	M
01151090075700	10/20/2005	M	<.010	<.006	<.03	<.003	<.008	<.04	<.5
01414090083900	9/21/2005	E.1	E.007	<.006	<.03	<.003	<.008	<.04	E.1
01414090083900	9/29/2005	<.5	E.005	<.006	<.03	<.003	<.008	<.04	M
01414090083900	10/3/2005	<.5	E.005	<.006	<.03	<.003	<.008	<.04	M

tation number	Date	49294 Neburon, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	50364 Nicosulfuron, water, filtered, recoverable, micrograms per liter	49293 Norflurazon, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49292 Oryzalin, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	38866 Oxamyl, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61600 Oxyfluorfen, water, filtered, recoverable, micrograms per liter	62084 p-Cresol, water, filtered, recoverable, micrograms per liter	82683 Pendimethalin, water, filtered (0. micron glass fibe filter), recoverable, micrograms per liter
95810090002300	10/6/2005	<.01	<.04	<.02	<.01	<.03	<.007	M	<.022
00018089562300	9/29/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00018089562300	10/2/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00018089562300	10/5/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00018089562300	10/20/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00054090014600	9/21/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00054090014600	10/1/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00054090014600	10/5/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00125090074400	9/21/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00125090074400	9/29/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00125090074400	10/3/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00142090045800	9/26/2005	<.01	<.04	<.02	<.01	<.03	<.007	<25	<.022
00214090130300	9/26/2005	<.01	<.04	<.02	<.01	<.03	<.007	<25	<.022
00214090130300	9/30/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00344089581000	9/27/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00344089581000	10/1/2005	<.01	<.04	<.02	<.01	<.03	<.007	M	<.022
00329089575900	10/5/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00403089481300	9/29/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00403089481300	10/7/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
00403089481300	10/19/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01001089442600	9/27/2005	<.01	<.04	<.02	<.01	<.03	<.007	M	<.022
01001089442600	10/7/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01001089442600	10/19/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01151090075700	9/22/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01151090075700	9/28/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01151090075700	10/4/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01151090075700	10/20/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01414090083900	9/21/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01414090083900	9/29/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022
01414090083900	10/3/2005	<.01	<.04	<.02	<.01	<.03	<.007	<1	<.022

tation number	Date	34459 Pentachlorophenol, water, filtered, recoverable, micrograms per liter	34462 Phenanthrene, water, filtered, recoverable, micrograms per liter	34466 Phenol, water, filtered, recoverable, micrograms per liter	61666 Phorate oxygen analog, water, filtered, recoverable, micrograms per liter	82664 Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61668 Phosmet oxygen analog, water, filtered, recoverable, micrograms per liter	61601 Phosmet, water, filtered, recoverable, micrograms per liter	49291 Picloram, water, filtered (0. micron glass fibe filter), recoverable, micrograms per liter
95810090002300	10/6/2005	M	M	<.5	<.10	<.011	- -	<.008	<.03
00018089562300	9/29/2005	- -	<.5	E.2	<.10	<.011	<.05	<.008	<.03
00018089562300	10/2/2005	- -	<.5	<.5	<.10	<.011	<.05	<.008	<.03
00018089562300	10/5/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
00018089562300	10/20/2005	- -	<.5	<.5	<.10	<.011	<.05	<.008	<.03
00054090014600	9/21/2005	M	M	E.1	<.10	<.011	- -	<.008	<.03
00054090014600	10/1/2005	- -	M	<.5	<.10	<.011	<.05	<.008	<.03
00054090014600	10/5/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
00125090074400	9/21/2005	M	M	E.3	<.10	<.011	- -	<.008	<.03
00125090074400	9/29/2005	- -	M	<.5	<.10	<.011	<.05	<.008	<.03
00125090074400	10/3/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
00142090045800	9/26/2005	M	M	<12.5	<.10	<.011	- -	- -	<.03
00214090130300	9/26/2005	- -	M	<12.5	<.10	<.011	- -	- -	<.03
00214090130300	9/30/2005	- -	M	<.5	<.10	<.011	<.05	<.008	<.03
00344089581000	9/27/2005	- -	M	<.5	<.10	<.011	- -	- -	<.03
00344089581000	10/1/2005	- -	<.5	E.1	<.10	<.011	<.05	<.008	<.03
00329089575900	10/5/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
00403089481300	9/29/2005	- -	M	E.2	<.10	<.011	<.05	<.008	<.03
00403089481300	10/7/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
00403089481300	10/19/2005	- -	<.5	E.1	<.10	<.011	- -	<.008	<.03
01001089442600	9/27/2005	- -	M	E.2	<.10	<.011	- -	- -	<.03
01001089442600	10/7/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03
01001089442600	10/19/2005	- -	<.5	<.5	<.10	<.011	- -	<.008	<.03
01151090075700	9/22/2005	- -	<.5	1.6	<.10	<.011	- -	<.008	<.03
01151090075700	9/28/2005	- -	<.5	<.5	<.10	<.011	<.05	<.008	<.03
01151090075700	10/4/2005	- -	<.5	<.5	<.10	<.011	- -	<.008	<.03
01151090075700	10/20/2005	- -	<.5	<.5	<.10	<.011	<.05	<.008	<.03
01414090083900	9/21/2005	M	M	E.1	<.10	<.011	- -	<.008	<.03
01414090083900	9/29/2005	- -	<.5	<.5	<.10	<.011	<.05	<.008	<.03
01414090083900	10/3/2005	- -	M	<.5	<.10	<.011	- -	<.008	<.03

tation number	Date	04037 Prometon, water, filtered, recoverable, micrograms per liter	04036 Prometryn, water, filtered, recoverable, micrograms per liter	82676 Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82679 Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	82685 Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	49236 Propham, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	50471 Propiconazole, water, filtered, recoverable, micrograms per liter	38538 Propoxur water, filtered (0. micron glass fibe filter), recoverable, micrograms per liter
95810090002300	10/6/2005	0.05	<.005	<.004	<.011	<.02	<.500	<.01	<.036
00018089562300	9/29/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00018089562300	10/2/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00018089562300	10/5/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
00018089562300	10/20/2005	0.01	<.010	<.004	<.011	<.02	<.030	<.01	<.008
00054090014600	9/21/2005	0.01	<.005	<.004	<.011	<.02	<.030	<.01	0.014
00054090014600	10/1/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00054090014600	10/5/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
00125090074400	9/21/2005	0.05	<.005	<.004	<.011	<.02	<.030	<.01	0.103
00125090074400	9/29/2005	0.02	<.005	<.004	<.011	<.02	<.030	<.01	0.016
00125090074400	10/3/2005	0.02	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00142090045800	9/26/2005	0.01	<.005	<.004	<.011	<.02	<.030	<.01	0.009
00214090130300	9/26/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	E.004
00214090130300	9/30/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00344089581000	9/27/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	0.01
00344089581000	10/1/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00329089575900	10/5/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
00403089481300	9/29/2005	M	<.005	<.004	<.011	<.02	<.030	<.01	<.008
00403089481300	10/7/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
00403089481300	10/19/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01001089442600	9/27/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01001089442600	10/7/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
01001089442600	10/19/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01151090075700	9/22/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01151090075700	9/28/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01151090075700	10/4/2005	E.01	<.005	<.004	<.011	<.02	<.500	<.01	<.008
01151090075700	10/20/2005	<.01	<.010	<.004	<.011	<.02	<.030	<.01	<.008
01414090083900	9/21/2005	0.02	<.005	<.004	<.011	<.02	<.030	<.01	0.036
01414090083900	9/29/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008
01414090083900	10/3/2005	E.01	<.005	<.004	<.011	<.02	<.030	<.01	<.008

tion number	Date	34470 Pyrene, water, filtered, recoverable, micrograms per liter	38548 Siduron, water, filtered, recoverable, micrograms per liter	04035 Simazine, water, filtered, recoverable, micrograms per liter	50337 Sulfometuron, water, filtered, recoverable, micrograms per liter	82670 Tebuthiuron, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	61606 Tefluthrin, water, filtered, recoverable, micrograms per liter	04032 Terbacil, water, filtered, recoverable, micrograms per liter	61674 Terbuf oxygen analo sulfone, wate filtered, recoverable, micrograms p liter
581090002300	10/6/2005	M	<.02	<.008	<.042	0.06	<.010	<.016	<.07
01808956230 0	9/29/2005	<.5	<.02	0.011	<.038	<.02	<.008	<.016	<.07
01808956230 0	10/2/2005	<.5	<.02	0.011	<.038	<.02	<.008	<.016	<.07
01808956230 0	10/5/2005	M	<.02	0.011	<.038	<.02	<.008	<.016	<.07
01808956230 0	10/20/2005	<.5	<.02	0.016	<.038	<.02	<.008	<.016	<.07
05409001460 0	9/21/2005	<.5	<.02	0.018	<.038	<.02	<.008	<.016	<.07
05409001460 0	10/1/2005	M	<.02	0.013	<.038	<.02	<.008	<.016	<.07
05409001460 0	10/5/2005	M	<.02	0.011	<.038	<.02	<.008	<.016	<.07
01250900744 00	9/21/2005	M	<.02	0.019	<.038	<.02	<.008	<.016	<.07
01250900744 00	9/29/2005	M	<.02	0.014	<.038	E.01	<.008	<.016	<.07
01250900744 00	10/3/2005	M	<.02	0.014	<.038	<.02	<.008	<.016	<.07
01420900458 00	9/26/2005	<12.5	<.02	0.016	<.038	<.02	<.008	<.016	<.07
02140901303 00	9/26/2005	<12.5	<.02	0.017	<.038	<.02	<.008	<.016	<.07
02140901303 00	9/30/2005	<.5	<.02	0.015	<.038	<.02	<.008	<.016	<.07
03440895810 00	9/27/2005	M	<.02	0.014	<.038	<.02	<.008	<.016	<.07
03440895810 00	10/1/2005	<.5	<.02	0.012	<.038	<.02	<.008	<.016	<.07
03290895759 00	10/5/2005	M	<.02	E.006	<.038	<.02	<.008	<.016	<.07
04030894813 00	9/29/2005	M	<.02	0.012	<.038	<.02	<.008	<.016	<.07
04030894813 00	10/7/2005	<.5	<.02	0.013	<.038	<.02	<.008	<.016	<.07
04030894813 00	10/19/2005	<.5	<.02	0.011	<.038	<.02	<.008	<.016	<.07
10010894426 00	9/27/2005	<.5	<.02	0.016	<.038	<.02	<.008	<.016	<.07
10010894426 00	10/7/2005	<.5	<.02	0.013	<.038	<.02	<.008	<.016	<.07
10010894426 00	10/19/2005	<.5	<.02	0.01	<.038	<.02	<.008	<.016	<.07
11510900757 00	9/22/2005	<.5	<.02	0.019	<.038	<.02	<.008	<.016	<.07
11510900757 00	9/28/2005	<.5	<.02	0.017	<.038	<.02	<.008	<.016	<.07
11510900757 00	10/4/2005	<.5	<.02	0.014	<.038	<.02	<.008	<.016	<.07
11510900757 00	10/20/2005	M	<.02	0.019	<.038	<.02	<.008	<.016	<.07
14140900839 00	9/21/2005	<.5	<.02	0.02	<.038	<.02	<.008	<.016	<.07
14140900839 00	9/29/2005	M	<.02	0.014	<.038	<.02	<.008	<.016	<.07
14140900839 00	10/3/2005	M	<.02	0.014	<.038	<.02	<.008	<.016	<.07

tion number	Date	82675 Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	04022 Terbuthylazine, water, filtered, recoverable, micrograms per liter	34476 Tetrachloroethene , water, filtered, recoverable, micrograms per liter	82681 Thiobencarb, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	79847 trans-Propiconazole, water, filtered, recoverable, micrograms per liter	34288 Tribromomethane , water, filtered, recoverable, micrograms per liter	61610 Tribuphos, water, filtered, recoverable, micrograms per liter	62089 Tributy phosphate, wat filtered, recoverable, micrograms p liter
581090002300	10/6/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	E.2
01808956230 0	9/29/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
01808956230 0	10/2/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
01808956230 0	10/5/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
01808956230 0	10/20/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
05409001460 0	9/21/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
05409001460 0	10/1/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
05409001460 0	10/5/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
01250900744 00	9/21/2005	<.02	<.01	<.5	<.010	<.01	M	<.004	E.1
01250900744 00	9/29/2005	<.02	<.01	<.5	<.010	<.01	M	<.004	M
01250900744 00	10/3/2005	<.02	<.01	<.5	<.010	<.01	M	<.004	M
01420900458 00	9/26/2005	<.02	<.01	<12.5	<.010	<.01	<12.5	<.004	M
02140901303 00	9/26/2005	<.02	<.01	<12.5	<.010	<.01	<12.5	<.004	<12.5
02140901303 00	9/30/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
03440895810 00	9/27/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
03440895810 00	10/1/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
03290895759 00	10/5/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	E.1
04030894813 00	9/29/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	E.1
04030894813 00	10/7/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
04030894813 00	10/19/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
10010894426 00	9/27/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	E.2
10010894426 00	10/7/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
10010894426 00	10/19/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
11510900757 00	9/22/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
11510900757 00	9/28/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
11510900757 00	10/4/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
11510900757 00	10/20/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	M
14140900839 00	9/21/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	E.1
14140900839 00	9/29/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5
14140900839 00	10/3/2005	<.02	<.01	<.5	<.010	<.01	<.5	<.004	<.5

Station number	Date	49235 Triclopyr, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62090 Triclosan, water, filtered, recoverable, micrograms per liter	62091 Triethyl citrate, water, filtered, recoverable, micrograms per liter	82661 Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter	62092 Triphenyl phosphate, water, filtered, recoverable, micrograms per liter	62093 Tris(2-butoxyethyl) phosphate, water, filtered, recoverable, micrograms per liter	62087 Tris(2-chloroethyl) phosphate, water, filtered, recoverable, micrograms per liter	62088 Tris(dichloroisopropyl) phosphate, water, filtered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.03	<1	<.5	<.009	E.1	0.8	1.8	0.7
300018089562300	9/29/2005	<.03	<1	<.5	<.009	<.5	<.5	E.3	E.1
300018089562300	10/2/2005	<.03	<1	<.5	<.009	<.5	<.5	E.3	E.1
300018089562300	10/5/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
300018089562300	10/20/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	M
300054090014600	9/21/2005	<.03	<1	<.5	<.009	<.5	E.2	E.2	E.1
300054090014600	10/1/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
300054090014600	10/5/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
300125090074400	9/21/2005	<.03	M	<.5	<.009	M	1.5	0.9	E.5
300125090074400	9/29/2005	<.03	<1	<.5	<.009	M	E.4	E.3	E.2
300125090074400	10/3/2005	<.03	<1	<.5	<.009	<.5	E.3	E.2	E.1
300142090045800	9/26/2005	<.03	<25	<12.5	<.009	M	E.1	E.3	E.2
300214090130300	9/26/2005	<.03	<25	<12.5	<.009	<12.5	<12.5	E.1	E.1
300214090130300	9/30/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
300344089581000	9/27/2005	<.03	<1	<.5	<.009	M	E.2	E.5	E.3
300344089581000	10/1/2005	<.03	<1	<.5	<.009	M	<.5	E.4	E.3
300329089575900	10/5/2005	<.03	<1	E.1	<.009	E.1	E.2	0.5	E.3
300403089481300	9/29/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	<.5
300403089481300	10/7/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
300403089481300	10/19/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	E.1
301001089442600	9/27/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
301001089442600	10/7/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
301001089442600	10/19/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	E.1
301151090075700	9/22/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	E.1
301151090075700	9/28/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
301151090075700	10/4/2005	<.03	<1	<.5	<.009	<.5	<.5	E.2	E.1
301151090075700	10/20/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	E.1
301414090083900	9/21/2005	<.03	<1	<.5	<.009	M	E.4	0.8	E.3
301414090083900	9/29/2005	<.03	<1	<.5	<.009	<.5	<.5	E.1	E.1
301414090083900	10/3/2005	<.03	M	<.5	<.009	<.5	<.5	E.2	E.1

Station number	Date	77562 1,1,1,2-Tetrachloroethane, water, unfiltered, recoverable, micrograms per liter	34506 1,1,1-Trichloroethane, water, unfiltered, recoverable, micrograms per liter	34516 1,1,2,2-Tetrachloroethane, water, unfiltered, recoverable, micrograms per liter	77652 1,1,2-Trichloro-1,2,2-trifluoroethane, water, unfiltered, recoverable, micrograms per liter	34511 1,1,2-Trichloroethane, water, unfiltered, recoverable, micrograms per liter	34496 1,1-Dichloroethane, water, unfiltered, recoverable, micrograms per liter	34501 1,1-Dichloroethene, water, unfiltered, recoverable, micrograms per liter	77168 1,1-Dichloropropene, water, unfiltered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300018089562300	9/29/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
300018089562300	10/5/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300018089562300	10/20/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300054090014600	9/21/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300054090014600	10/1/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300054090014600	10/5/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300125090074400	9/21/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300125090074400	9/29/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300125090074400	10/3/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300142090045800	9/26/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300214090130300	9/26/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300214090130300	9/30/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300344089581000	9/27/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300344089581000	10/1/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300329089575900	10/5/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300403089481300	9/29/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300403089481300	10/7/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
300403089481300	10/19/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301001089442600	9/27/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301001089442600	10/7/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301001089442600	10/19/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301151090075700	9/22/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301151090075700	9/28/2005	<.03	<.03	<.08	<.04	<.04	<.04	<.02	<.03
301151090075700	10/4/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301151090075700	10/20/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301414090083900	9/21/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301414090083900	9/29/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05
301414090083900	10/3/2005	<.06	<.06	<.16	<.08	<.08	<.07	<.05	<.05

Station number	Date	49999 1,2,3,4-Tetramethylbenzene, water, unfiltered, recoverable, micrograms per liter	50000 1,2,3,5-Tetramethylbenzene, water, unfiltered, recoverable, micrograms per liter	77613 1,2,3-Trichlorobenzene, water, unfiltered, recoverable, micrograms per liter	77443 1,2,3-Trichloropropane, water, unfiltered, recoverable, micrograms per liter	77221 1,2,3-Trimethylbenzene, water, unfiltered, recoverable, micrograms per liter	34551 1,2,4-Trichlorobenzene, water, unfiltered, recoverable, micrograms per liter	77222 1,2,4-Trimethylbenzene, water, unfiltered, recoverable, micrograms per liter	82625 1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300018089562300	9/29/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
300018089562300	10/5/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300018089562300	10/20/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300054090014600	9/21/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300054090014600	10/1/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300054090014600	10/5/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300125090074400	9/21/2005	<.3	<.3	<.4	<.36	<.1	<.2	E.11	<1.0
300125090074400	9/29/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300125090074400	10/3/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300142090045800	9/26/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300214090130300	9/26/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300214090130300	9/30/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300344089581000	9/27/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300344089581000	10/1/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300329089575900	10/5/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300403089481300	9/29/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300403089481300	10/7/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
300403089481300	10/19/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301001089442600	9/27/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301001089442600	10/7/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301001089442600	10/19/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301151090075700	9/22/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301151090075700	9/28/2005	<.1	<.1	<.2	<.18	<.1	<.1	<.06	<.5
301151090075700	10/4/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301151090075700	10/20/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301414090083900	9/21/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301414090083900	9/29/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0
301414090083900	10/3/2005	<.3	<.3	<.4	<.36	<.1	<.2	<.11	<1.0

Station number	Date	77651 1,2-Dibromoethane, water, unfiltered, recoverable, micrograms per liter	34536 1,2-Dichlorobenzene, water, unfiltered, recoverable, micrograms per liter	32103 1,2-Dichloroethane, water, unfiltered, recoverable, micrograms per liter	99832 1,2-Dichloroethane-d4, surrogate, Schedule 2090, water, unfiltered, percent recovery	34541 1,2-Dichloropropane, water, unfiltered, recoverable, micrograms per liter	77226 1,3,5-Trimethylbenzene, water, unfiltered, recoverable, micrograms per liter	34566 1,3-Dichlorobenzene, water, unfiltered, recoverable, micrograms per liter	77173 1,3-Dichloropropane, water, unfiltered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.07	<.10	<.3	98.2	<.06	<.09	<.06	<.1
300018089562300	9/29/2005	<.07	<.10	<.3	95.8	<.06	<.09	<.06	<.1
300018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
300018089562300	10/5/2005	<.07	<.10	<.3	100	<.06	<.09	<.06	<.1
300018089562300	10/20/2005	<.07	<.10	<.3	102	<.06	<.09	<.06	<.1
300054090014600	9/21/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
300054090014600	10/1/2005	<.07	<.10	<.3	99.6	<.06	<.09	<.06	<.1
300054090014600	10/5/2005	<.07	<.10	<.3	103	<.06	<.09	<.06	<.1
300125090074400	9/21/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
300125090074400	9/29/2005	<.07	<.10	<.3	98.3	<.06	<.09	<.06	<.1
300125090074400	10/3/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
300142090045800	9/26/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
300214090130300	9/26/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
300214090130300	9/30/2005	<.07	<.10	<.3	96.3	<.06	<.09	<.06	<.1
300344089581000	9/27/2005	<.07	<.10	<.3	99.4	<.06	<.09	<.06	<.1
300344089581000	10/1/2005	<.07	<.10	<.3	96.8	<.06	<.09	<.06	<.1
300329089575900	10/5/2005	<.07	<.10	<.3	102	<.06	<.09	<.06	<.1
300403089481300	9/29/2005	<.07	<.10	<.3	98.7	<.06	<.09	<.06	<.1
300403089481300	10/7/2005	<.07	<.10	<.3	102	<.06	<.09	<.06	<.1
300403089481300	10/19/2005	<.07	<.10	<.3	94.3	<.06	<.09	<.06	<.1
301001089442600	9/27/2005	<.07	<.10	<.3	98.6	<.06	<.09	<.06	<.1
301001089442600	10/7/2005	<.07	<.10	<.3	102	<.06	<.09	<.06	<.1
301001089442600	10/19/2005	<.07	<.10	<.3	98.5	<.06	<.09	<.06	<.1
301151090075700	9/22/2005	<.07	<.10	<.3	102	<.06	<.09	<.06	<.1
301151090075700	9/28/2005	<.04	<.05	<.1	103	<.03	<.04	<.03	<.1
301151090075700	10/4/2005	<.07	<.10	<.3	100	<.06	<.09	<.06	<.1
301151090075700	10/20/2005	<.07	<.10	<.3	99.2	<.06	<.09	<.06	<.1
301414090083900	9/21/2005	<.07	<.10	<.3	101	<.06	<.09	<.06	<.1
301414090083900	9/29/2005	<.07	<.10	<.3	99.2	<.06	<.09	<.06	<.1
301414090083900	10/3/2005	<.07	<.10	<.3	104	<.06	<.09	<.06	<.1

tation number	Date	34571 1,4-Dichlorobenzene, water, unfiltered, recoverable, micrograms per liter	99834 1-Bromo-4-fluorobenzene, surrogate, VOC schedules, water, unfiltered, percent recovery	77170 2,2-Dichloropropane, water, unfiltered, recoverable, micrograms per liter	77275 2-Chlorotoluene, water, unfiltered, recoverable, micrograms per liter	77220 2-Ethyltoluene, water, unfiltered, recoverable, micrograms per liter	78109 3-Chloropropene, water, unfiltered, recoverable, micrograms per liter	77277 4-Chlorotoluene, water, unfiltered, recoverable, micrograms per liter	77356 4-Isopropyltoluene water, unfiltered recoverable, micrograms per liter
95810090002300	10/6/2005	<.07	107	<.10	<.08	<.12	<1.00	<.10	E.03
00018089562300	9/29/2005	<.07	94.8	<.10	<.08	<.12	<1.00	<.10	<.16
00018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
00018089562300	10/5/2005	<.07	106	<.10	<.08	<.12	<1.00	<.10	<.16
00018089562300	10/20/2005	<.07	96.7	<.10	<.08	<.12	<1.00	<.10	<.16
00054090014600	9/21/2005	<.07	98	<.10	<.08	<.12	<1.00	<.10	<.16
00054090014600	10/1/2005	<.07	93.1	<.10	<.08	<.12	<1.00	<.10	<.16
00054090014600	10/5/2005	<.07	108	<.10	<.08	<.12	<1.00	<.10	<.16
00125090074400	9/21/2005	E.07	98.2	<.10	<.08	<.12	<1.00	<.10	0.26
00125090074400	9/29/2005	<.07	94.2	<.10	<.08	<.12	<1.00	<.10	<.16
00125090074400	10/3/2005	<.07	109	<.10	<.08	<.12	<1.00	<.10	<.16
00142090045800	9/26/2005	<.07	96.8	<.10	<.08	<.12	<1.00	<.10	<.16
00214090130300	9/26/2005	<.07	96.7	<.10	<.08	<.12	<1.00	<.10	<.16
00214090130300	9/30/2005	<.07	92.6	<.10	<.08	<.12	<1.00	<.10	<.16
00344089581000	9/27/2005	<.07	95.1	<.10	<.08	<.12	<1.00	<.10	<.16
00344089581000	10/1/2005	<.07	93	<.10	<.08	<.12	<1.00	<.10	<.16
00329089575900	10/5/2005	<.07	137	<.10	<.08	<.12	<1.00	<.10	<.16
00403089481300	9/29/2005	<.07	92	<.10	<.08	<.12	<1.00	<.10	<.16
00403089481300	10/7/2005	<.07	106	<.10	<.08	<.12	<1.00	<.10	<.16
00403089481300	10/19/2005	<.07	93	<.10	<.08	<.12	<1.00	<.10	<.16
01001089442600	9/27/2005	<.07	92.5	<.10	<.08	<.12	<1.00	<.10	<.16
01001089442600	10/7/2005	<.07	115	<.10	<.08	<.12	<1.00	<.10	<.16
01001089442600	10/19/2005	<.07	98	<.10	<.08	<.12	<1.00	<.10	<.16
01151090075700	9/22/2005	<.07	100	<.10	<.08	<.12	<1.00	<.10	<.16
01151090075700	9/28/2005	<.03	95.8	<.05	<.04	<.06	<.50	<.05	<.08
01151090075700	10/4/2005	<.07	108	<.10	<.08	<.12	<1.00	<.10	<.16
01151090075700	10/20/2005	<.07	95.8	<.10	<.08	<.12	<1.00	<.10	<.16
01414090083900	9/21/2005	<.07	97.8	<.10	<.08	<.12	<1.00	<.10	<.16
01414090083900	9/29/2005	<.07	93.3	<.10	<.08	<.12	<1.00	<.10	<.16
01414090083900	10/3/2005	<.07	112	<.10	<.08	<.12	<1.00	<.10	<.16

tation number	Date	81552 Acetone, water, unfiltered, recoverable, micrograms per liter	34215 Acrylonitrile, water, unfiltered, recoverable, micrograms per liter	34030 Benzene, water, unfiltered, recoverable, micrograms per liter	81555 Bromobenzene, water, unfiltered, recoverable, micrograms per liter	77297 Bromochloromethane, water, unfiltered, recoverable, micrograms per liter	32101 Bromodichloromethane, water, unfiltered, recoverable, micrograms per liter	50002 Bromoethene, water, unfiltered, recoverable, micrograms per liter	34413 Bromomethane, water, unfiltered recoverable, micrograms per liter
95810090002300	10/6/2005	E7	<2	<.04	<.06	<.24	<.06	<.2	<.5
00018089562300	9/29/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
00018089562300	10/5/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00018089562300	10/20/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00054090014600	9/21/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00054090014600	10/1/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00054090014600	10/5/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00125090074400	9/21/2005	E8	<2	E.07	<.06	E.21	0.45	<.2	<.5
00125090074400	9/29/2005	<12	<2	E.02	<.06	<.24	0.81	<.2	<.5
00125090074400	10/3/2005	<12	<2	<.04	<.06	<.24	1.29	<.2	<.5
00142090045800	9/26/2005	<12	<2	<.04	<.06	<.24	E.10	<.2	<.5
00214090130300	9/26/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00214090130300	9/30/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00344089581000	9/27/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00344089581000	10/1/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00329089575900	10/5/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00403089481300	9/29/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00403089481300	10/7/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
00403089481300	10/19/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01001089442600	9/27/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01001089442600	10/7/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01001089442600	10/19/2005	<12	<2	E.02	<.06	<.24	<.06	<.2	<.5
01151090075700	9/22/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01151090075700	9/28/2005	<6	<.8	<.02	<.03	<.12	<.03	<.1	<.3
01151090075700	10/4/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01151090075700	10/20/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01414090083900	9/21/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01414090083900	9/29/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5
01414090083900	10/3/2005	<12	<2	<.04	<.06	<.24	<.06	<.2	<.5

tation number	Date	77041 Carbon disulfide, water, unfiltered, micrograms per liter	34301 Chlorobenzene, water, unfiltered, recoverable, micrograms per liter	34311 Chloroethane, water, unfiltered, recoverable, micrograms per liter	34418 Chloromethane, water, unfiltered, recoverable, micrograms per liter	77093 cis-1,2-Dichloroethene, water, unfiltered, recoverable, micrograms per liter	34704 cis-1,3-Dichloropropene, water, unfiltered, recoverable, micrograms per liter	32105 Dibromochloromethane, water, unfiltered, recoverable, micrograms per liter	30217 Dibromomethan water, unfilterec recoverable, micrograms pei liter
95810090002300	10/6/2005	E.20	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00018089562300	9/29/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
00018089562300	10/5/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00018089562300	10/20/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00054090014600	9/21/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00054090014600	10/1/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00054090014600	10/5/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00125090074400	9/21/2005	0.2	<.06	<.2	<.3	E.04	<.10	E.2	<.10
00125090074400	9/29/2005	<.08	<.06	<.2	<.3	<.05	<.10	0.4	<.10
00125090074400	10/3/2005	<.08	<.06	<.2	<.3	<.05	<.10	0.7	<.10
00142090045800	9/26/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00214090130300	9/26/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00214090130300	9/30/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00344089581000	9/27/2005	E.09	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00344089581000	10/1/2005	0.23	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00329089575900	10/5/2005	E.11	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00403089481300	9/29/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00403089481300	10/7/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
00403089481300	10/19/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01001089442600	9/27/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01001089442600	10/7/2005	E.16	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01001089442600	10/19/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01151090075700	9/22/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01151090075700	9/28/2005	<.04	<.03	<.1	<.2	<.02	<.05	<.1	<.05
01151090075700	10/4/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01151090075700	10/20/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01414090083900	9/21/2005	E.04	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01414090083900	9/29/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10
01414090083900	10/3/2005	<.08	<.06	<.2	<.3	<.05	<.10	<.2	<.10

tation number	Date	34668 Dichlorodifluoromethane, water, unfiltered, recoverable, micrograms per liter	34423 Dichloromethane, water, unfiltered, recoverable, micrograms per liter	81576 Diethyl ether, water, unfiltered, recoverable, micrograms per liter	81577 Diisopropyl ether, water, unfiltered, recoverable, micrograms per liter	73570 Ethyl methacrylate, water, unfiltered, recoverable, micrograms per liter	81595 Ethyl methyl ketone, water, unfiltered, recoverable, micrograms per liter	34371 Ethylbenzene, water, unfiltered, recoverable, micrograms per liter	39702 Hexachlorobutad ene, water, unfiltered, recoverable, micrograms pei liter
95810090002300	10/6/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00018089562300	9/29/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
00018089562300	10/5/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00018089562300	10/20/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00054090014600	9/21/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00054090014600	10/1/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00054090014600	10/5/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00125090074400	9/21/2005	<.36	0.5	<.2	<.20	<.4	<4.0	E.06	<.3
00125090074400	9/29/2005	<.36	E.1	<.2	<.20	<.4	<4.0	<.06	<.3
00125090074400	10/3/2005	<.36	E.1	<.2	<.20	<.4	<4.0	<.06	<.3
00142090045800	9/26/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00214090130300	9/26/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00214090130300	9/30/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00344089581000	9/27/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00344089581000	10/1/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00329089575900	10/5/2005	<.36	E.1	<.2	<.20	<.4	<4.0	<.06	<.3
00403089481300	9/29/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00403089481300	10/7/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
00403089481300	10/19/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01001089442600	9/27/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01001089442600	10/7/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01001089442600	10/19/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01151090075700	9/22/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01151090075700	9/28/2005	<.18	<.1	<.1	<.10	<.2	<2.0	<.03	<.1
01151090075700	10/4/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01151090075700	10/20/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01414090083900	9/21/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01414090083900	9/29/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3
01414090083900	10/3/2005	<.36	<.1	<.2	<.20	<.4	<4.0	<.06	<.3

ation number	Date	34396 Hexachloroethane, water, unfiltered, recoverable, micrograms per liter	77424 Iodomethane, water, unfiltered, recoverable, micrograms per liter	78133 Isobutyl methyl ketone, water, unfiltered, recoverable, micrograms per liter	77223 Isopropylbenzene, water, unfiltered, recoverable, micrograms per liter	81593 Methyl acrylonitrile, water, unfiltered, recoverable, micrograms per liter	49991 Methyl acrylate, water, unfiltered, recoverable, micrograms per liter	81597 Methyl methacrylate, water, unfiltered, recoverable, micrograms per liter	50005 Methyl te pentyl ether, water, unfiltere recoverable, micrograms pe liter
5810090002300	10/6/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0018089562300	9/29/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
0018089562300	10/5/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0018089562300	10/20/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0054090014600	9/21/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0054090014600	10/1/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0054090014600	10/5/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0125090074400	9/21/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0125090074400	9/29/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0125090074400	10/3/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0142090045800	9/26/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0214090130300	9/26/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0214090130300	9/30/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0344089581000	9/27/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0344089581000	10/1/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0329089575900	10/5/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0403089481300	9/29/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0403089481300	10/7/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
0403089481300	10/19/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1001089442600	9/27/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1001089442600	10/7/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1001089442600	10/19/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1151090075700	9/22/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1151090075700	9/28/2005	<.1	<.50	<.4	<.04	<.4	<1.0	<.2	<.04
1151090075700	10/4/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1151090075700	10/20/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1414090083900	9/21/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1414090083900	9/29/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08
1414090083900	10/3/2005	<.3	<1.00	<.7	<.08	<.8	<2.0	<.4	<.08

ation number	Date	85795 m-Xylene plus p-xylene, water, unfiltered, recoverable, micrograms per liter	34696 Naphthalene, water, unfiltered, recoverable, micrograms per liter	77103 n-Butyl methyl ketone, water, unfiltered, recoverable, micrograms per liter	77342 n-Butylbenzene, water, unfiltered, recoverable, micrograms per liter	77224 n-Propylbenzene, water, unfiltered, recoverable, micrograms per liter	77135 o-Xylene, water, unfiltered, recoverable, micrograms per liter	77350 sec-Butylbenzene, water, unfiltered, recoverable, micrograms per liter	77128 Styrene water, unfiltere recoverable, micrograms pe liter
5810090002300	10/6/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0018089562300	9/29/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
0018089562300	10/5/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0018089562300	10/20/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0054090014600	9/21/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0054090014600	10/1/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0054090014600	10/5/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0125090074400	9/21/2005	E.22	<1.0	<.8	<.2	<.08	E.11	<.12	<.08
0125090074400	9/29/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0125090074400	10/3/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0142090045800	9/26/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0214090130300	9/26/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0214090130300	9/30/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0344089581000	9/27/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0344089581000	10/1/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0329089575900	10/5/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0403089481300	9/29/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0403089481300	10/7/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
0403089481300	10/19/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1001089442600	9/27/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1001089442600	10/7/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1001089442600	10/19/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1151090075700	9/22/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1151090075700	9/28/2005	<.06	<.5	<.4	<.1	<.04	<.04	<.06	<.04
1151090075700	10/4/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1151090075700	10/20/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1414090083900	9/21/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1414090083900	9/29/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08
1414090083900	10/3/2005	<.12	<1.0	<.8	<.2	<.08	<.08	<.12	<.08

Station number	Date	50004 tert-Butyl ethyl ether, water, unfiltered, recoverable, micrograms per liter	78032 Methyl tert-butyl ether, water, unfiltered, recoverable, micrograms per liter	77353 tert-Butylbenzene, water, unfiltered, recoverable, micrograms per liter	34475 Tetrachloroethene, water, unfiltered, recoverable, micrograms per liter	32102 Tetrachloromethane, water, unfiltered, recoverable, micrograms per liter	81607 Tetrahydrofuran, water, unfiltered, recoverable, micrograms per liter	34010 Toluene, water, unfiltered, recoverable, micrograms per liter	99833 Toluene-d8 surrogate, Schedule 2090, water, unfiltered percent recovery
295810090002300	10/6/2005	<.06	<.2	<.12	<.06	<.12	<2	E.04	105
300018089562300	9/29/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	98.3
300018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
300018089562300	10/5/2005	<.06	<.2	<.12	<.06	<.12	<2	E.04	104
300018089562300	10/20/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	101
300054090014600	9/21/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	97
300054090014600	10/1/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	99.2
300054090014600	10/5/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	105
300125090074400	9/21/2005	<.06	<.2	<.12	<.06	<.12	<2	0.21	97.2
300125090074400	9/29/2005	<.06	<.2	<.12	<.06	<.12	<2	E.14	99.4
300125090074400	10/3/2005	<.06	<.2	<.12	<.06	<.12	<2	E.07	104
300142090045800	9/26/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	99.4
300214090130300	9/26/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	99.8
300214090130300	9/30/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	98.1
300344089581000	9/27/2005	<.06	<.2	<.12	<.06	<.12	<2	E.03	98.4
300344089581000	10/1/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	97.5
300329089575900	10/5/2005	<.06	<.2	<.12	<.06	<.12	<2	E.04	110
300403089481300	9/29/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	96.9
300403089481300	10/7/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	104
300403089481300	10/19/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	101
301001089442600	9/27/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	97.6
301001089442600	10/7/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	108
301001089442600	10/19/2005	<.06	<.2	<.12	<.06	<.12	<2	E.05	104
301151090075700	9/22/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	98.3
301151090075700	9/28/2005	<.03	<.1	<.06	<.03	<.06	<1	<.02	98.5
301151090075700	10/4/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	105
301151090075700	10/20/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	103
301414090083900	9/21/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	97.6
301414090083900	9/29/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	98.2
301414090083900	10/3/2005	<.06	<.2	<.12	<.06	<.12	<2	<.04	106

Station number	Date	34546 trans-1,2-Dichloroethene, water, unfiltered, recoverable, micrograms per liter	34699 trans-1,3-Dichloropropene, water, unfiltered, recoverable, micrograms per liter	73547 trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, micrograms per liter	32104 Tribromomethane, water, unfiltered, recoverable, micrograms per liter	39180 Trichloroethene, water, unfiltered, recoverable, micrograms per liter	34488 Trichlorofluoromethane, water, unfiltered, recoverable, micrograms per liter	32106 Trichloromethane, water, unfiltered, recoverable, micrograms per liter	39175 Vinyl chloride, water, unfiltered, recoverable, micrograms per liter
295810090002300	10/6/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300018089562300	9/29/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.04	<.2
300018089562300	10/2/2005	- -	- -	- -	- -	- -	- -	- -	- -
300018089562300	10/5/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300018089562300	10/20/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.06	<.2
300054090014600	9/21/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300054090014600	10/1/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300054090014600	10/5/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.04	<.2
300125090074400	9/21/2005	<.06	<.18	<1.4	<.20	<.08	<.16	2.54	<.2
300125090074400	9/29/2005	<.06	<.18	<1.4	<.20	<.08	<.16	1.67	<.2
300125090074400	10/3/2005	<.06	<.18	<1.4	<.20	<.08	<.16	2.39	<.2
300142090045800	9/26/2005	<.06	<.18	<1.4	<.20	<.08	<.16	0.22	<.2
300214090130300	9/26/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300214090130300	9/30/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300344089581000	9/27/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.03	<.2
300344089581000	10/1/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300329089575900	10/5/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300403089481300	9/29/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300403089481300	10/7/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
300403089481300	10/19/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.03	<.2
301001089442600	9/27/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301001089442600	10/7/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301001089442600	10/19/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301151090075700	9/22/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301151090075700	9/28/2005	<.03	<.09	<.7	<.10	<.04	<.08	<.02	<.1
301151090075700	10/4/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301151090075700	10/20/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301414090083900	9/21/2005	<.06	<.18	<1.4	<.20	<.08	<.16	<.05	<.2
301414090083900	9/29/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.08	<.2
301414090083900	10/3/2005	<.06	<.18	<1.4	<.20	<.08	<.16	E.05	<.2

Station number	Date	38775 Dichlorvos, water, filtered, recoverable, micrograms per liter	22703 Uranium (natural), water, filtered, micrograms per liter
295810090002300	10/6/2005	<.01	2.69
300018089562300	9/29/2005	<.01	1.07
300018089562300	10/2/2005	<.01	1.23
300018089562300	10/5/2005	<.01	0.83
300018089562300	10/20/2005	<.01	1.74
300054090014600	9/21/2005	<.01	0.54
300054090014600	10/1/2005	<.01	0.81
300054090014600	10/5/2005	<.01	0.78
300125090074400	9/21/2005	E.04	0.48
300125090074400	9/29/2005	E.02	0.6
300125090074400	10/3/2005	<.01	0.46
300142090045800	9/26/2005	<.01	0.87
300214090130300	9/26/2005	<.01	0.37
300214090130300	9/30/2005	<.01	0.37
300344089581000	9/27/2005	<.01	0.64
300344089581000	10/1/2005	<.01	0.5
300329089575900	10/5/2005	<.01	0.35
300403089481300	9/29/2005	<.01	0.79
300403089481300	10/7/2005	<.01	0.43
300403089481300	10/19/2005	<.01	0.63
301001089442600	9/27/2005	<.01	0.71
301001089442600	10/7/2005	<.01	0.29
301001089442600	10/19/2005	<.01	0.33
301151090075700	9/22/2005	<.01	0.31
301151090075700	9/28/2005	<.01	0.31
301151090075700	10/4/2005	<.01	0.51
301151090075700	10/20/2005	<.01	0.47
301414090083900	9/21/2005	<.01	0.26
301414090083900	9/29/2005	M	0.47
301414090083900	10/3/2005	<.01	0.42

Remark codes used in this table:
< -- Less than.
E -- Estimated.
M -- Presence verified but not quantified.