

LOCATION.--Lat 35°15'42", long 80°43'08", Mecklenburg County, Hydrologic Unit 03040105, Reedy Creek Park Environmental Center, Rocky River Road, Charlotte, NC.

PERIOD OF RECORD.--March 1993 to current year. Records for period March 1993 to September 1998 published in USGS OFR 96-150, 98-67, and 99-273.

GAGE.--Tipping-bucket raingage and electronic datalogger. Radio telemetry at station.

REMARKS.--Gage is operated as part of Charlotte/Mecklenburg Rainfall Runoff Network. Collection of frozen precipitation during January 2005 is not reflected in daily or monthly totals.

PRECIPITATION, TOTAL, INCHES
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005
DAILY SUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.34	1.32	2.93	0.00	0.00
2	0.01	0.04	0.00	0.00	0.00	0.00	0.14	0.00	1.09	0.00	0.00	0.00
3	0.11	0.28	0.00	0.00	0.64	0.00	0.00	0.00	0.03	0.66	0.00	0.00
4	0.00	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00
6	0.00	0.00	0.50	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00
7	0.00	0.00	0.02	0.00	0.00	0.13	0.14	0.00	0.08	1.48	0.00	0.00
8	0.00	0.00	0.00	0.00	0.01	0.63	0.09	0.00	0.00	0.00	0.42	0.00
9	0.00	0.00	0.26	0.00	0.01	0.00	0.02	0.00	0.00	0.00	0.17	0.00
10	0.00	0.00	0.62	0.00	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.00
11	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00
12	0.00	0.51	0.00	0.00	0.00	0.00	1.07	0.72	0.00	0.00	0.00	0.00
13	0.87	0.01	0.00	0.00	0.07	0.00	0.90	0.01	0.00	0.03	0.07	0.00
14	0.00	0.00	0.00	1.36	0.37	0.18	0.12	0.00	0.00	0.00	0.00	0.00
15	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.10	0.92	0.00	0.00	0.00	0.00	0.02	0.20
17	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.68	0.00
18	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.03	0.00
19	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
20	0.00	0.01	0.00	0.00	0.18	0.00	0.00	0.65	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.02	0.00	0.02	0.01	0.55	0.20	0.00	0.00	2.00	0.00	0.00
23	0.00	0.21	0.49	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.07	0.00
24	0.10	0.42	0.00	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.02	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.99	0.00	0.00	0.02
27	0.01	0.57	0.00	0.00	0.42	0.47	0.08	0.00	0.02	0.00	0.00	0.00
28	0.12	0.01	0.00	0.00	0.64	0.73	0.00	0.00	0.66	0.40	0.00	0.00
29	0.04	0.00	0.00	---	---	0.00	0.01	0.00	0.01	0.88	0.00	0.06
30	0.00	0.00	0.00	---	---	0.00	0.24	0.19	0.47	1.25	0.11	0.00
31	0.00	---	0.00	0.00	---	0.48	---	0.00	---	0.67	0.00	---
TOTAL	1.38	3.10	1.97	---	3.17	4.56	3.02	2.37	4.70	11.28	1.57	0.28

