


## Discharge at Partial-Record Stations and Miscellaneous Sites

As the number of streams on which streamflow information is likely to be desired far exceeds the number of stream-gaging stations feasible to operate at one time, the USGS collects limited streamflow data at sites other than stream-gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or flood-flow analyses, depending on the type of data collected. In addition, discharge measurements are made at other sites not included in the partial-record program. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Records collected at crest-stage partial-record stations are presented in the following table. Discharge measurements made at low-flow partial-record sites and at miscellaneous sites for special studies are given in separate tables in Volume 2 of this report.



The following table contains annual maximum discharge for crest-stage stations. A crest-stage gage is a device that will register the peak stage occurring between inspections of the gage. A stage-discharge relation for each gage is developed from discharge measurements made by indirect measurements of peak flow or by current meter. The date of the maximum discharge is not always certain but is usually determined by comparison with nearby continuous-record stations, weather records, or local inquiry. Only the maximum discharge for each water year is given. Information on some lower floods may have been obtained, but is not published herein. The years given in the period of record represent water years for which the annual maximum has been determined.

## MEASUREMENTS OF DISCHARGE AT MISCELLANEOUS SITES

[mi<sup>2</sup>, square miles; ft, feet; ft<sup>3</sup>/s, cubic feet per second; ≠, operated as a continuous-record gaging station]

Location	Drainage area (mi <sup>2</sup> )	Period of record	Water year 2005 maximum			Period of record maximum		
			Date	Gage height (ft)	Discharge (ft <sup>3</sup> /s)	Date	Gage height (ft)	Discharge (ft <sup>3</sup> /s)
<b>Cuyahoga River Basin</b>								
<b>04206212—NORTH FORK AT BATH CENTER, OHIO</b>								
Latitude 41°10'08", longitude 81°38'04", Summit County, Hydrologic Unit 04110002, onleft upstream side of bridge on Bath Road, 750 ft east of Cleveland- Massillon Road at Bath Center, 3.1 mi northwest of Akron Corporate Boundary	5.58	1991-04≠ 2005	01/12/05	11.93	278	07/21/03	15.93	1,810
<b>04206220—YELLOW CREEK AT BOTZUM, OHIO</b>								
Latitude 41°09'47", longitude 81°35'03", Summit County, Hydrologic Unit 04110002, on right downstream bank near Bath Road concrete deck bridge over Yellow Creek, 0.5 mi upstream from confluence with Cuyahoga River, 0.7 mi west of Akron Sewage Treatment Plant.	30.7	1991-04≠ 2005	01/12/05	15.28	1,350	07/21/03	19.53	2,960

## Peak Discharge and Stage at Continuous-Record Surface Discharge Stations

For continuous-record surface-water-discharge stations meeting certain criteria, all peak discharges and stages occurring during the water year and greater than a selected base discharge are presented in this table. The peaks greater than the base discharge, excluding the highest one, are referred to as secondary peaks. The peaks are listed in chronological order. Peak discharges are not published for canals, ditches, drains, or streams for which the peaks are subject to substantial control by human intervention. The time of occurrence for peaks is expressed in 24-hour local standard time. For example, 12:30 a.m. is 0030 and 1:30 p.m. is 1330.

### PEAK DISCHARGES EQUAL TO OR GREATER THAN BASE DISCHARGES, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

[ft<sup>3</sup>/s, cubic feet per second; ft, feet; \*, maximum peak discharge and gage height; --, no data; e, estimated]

Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)	Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)
<b>OTTAWA RIVER BASIN</b>							
<b>04177000 Ottawa River at Toledo University, Toledo, Ohio</b> (Base discharge: 1,150 ft <sup>3</sup> /s)							
Jan. 14	0000	*2,370	*12.58	Feb. 15	1800	1,310	10.25
<b>MAUMEE RIVER BASIN</b>							
<b>04184500 Bean Creek at Powers, Ohio</b> (Base discharge: 1,200 ft <sup>3</sup> /s)							
Jan. 13	2315	*3,650	*18.65	Mar. 8	0300	1,270	14.04
Feb. 16	1745	2,180	16.16				
<b>04185000 Tiffin River at Stryker, Ohio</b> (Base discharge: 1,850 ft <sup>3</sup> /s)							
Jan. 15	0730	*4,150	*15.10	Feb. 17	0030	2,680	13.74
<b>04185440 Unnamed Tributary to Lost Creek near Farmer, Ohio</b> (Base discharge: 120 ft <sup>3</sup> /s)							
Dec. 7	1445	*216	*4.04	Feb. 14	1030	173	3.82
Jan. 12	1815	175	3.83				
<b>04186500 Auglaize River near Fort Jennings, Ohio</b> (Base discharge: 2,700 ft <sup>3</sup> /s)							
Nov. 26	0430	3,020	11.06	Feb. 9	1400	3,690	12.31
Jan. 6	1030	5,000	14.29	Apr. 25	0500	3,560	12.07
Jan. 13	0930	*8,450	*17.13				
<b>04189000 Blanchard River near Findlay, Ohio</b> (Base discharge: 2,800 ft <sup>3</sup> /s)							
Jan. 1	1330	5,800	11.13	Apr. 3	0900	3,190	7.67
Jan. 7	0030	6,350	11.77	Apr. 24	1500	5,710	11.34
Jan. 13	0000	*7,290	*12.79	Apr. 27	0530	3,570	8.96
Feb. 9	0600	3,140	7.60				
<b>PORTAGE RIVER BASIN</b>							
<b>04195500 Portage River at Woodville, Ohio</b> (Base discharge: 3,500 ft <sup>3</sup> /s)							
Jan. 5	0200	5,330	10.05	Apr. 3	1300	3,510	8.33
Jan. 13	2130	*12,300	*14.40	Apr. 25	1430	4,830	9.61
Feb. 9	0930	4,290	9.11				

## PEAK DISCHARGES EQUAL TO OR GREATER THAN BASE DISCHARGES, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005—Continued

[ft<sup>3</sup>/s, cubic feet per second; ft, feet; \*, maximum peak discharge and gage height; --, no data; e, estimated]

Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)	Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)
<b>PORTAGE RIVER BASIN—Continued</b>							
<b>04195820 Portage River at Elmore, Ohio</b>							
(Base discharge: 3,800 ft <sup>3</sup> /s)							
Dec. 8	1730	3,880	7.87	Feb. 8	2330	(Ice jam)	13.12
Jan. 1	1300	5,230	9.13	Feb. 15	1300	4,000	7.98
Jan. 5	0500	5,760	9.66	Apr. 3	1430	4,460	8.42
Jan. 14	0230	*13,100	*14.88	Apr. 25	1730	5,490	9.39
<b>SANDUSKY RIVER BASIN</b>							
<b>04196000 Sandusky River near Bucyrus, Ohio</b>							
(Base discharge: 1,200 ft <sup>3</sup> /s)							
Jan. 1	0030	*3,190	*8.99	Feb. 9	0100	1,820	7.39
Jan. 6	1700	2,020	7.83	Apr. 24	0530	1,760	7.26
Jan. 12	2300	2,420	8.32				
<b>04196500 Sandusky River near Upper Sandusky, Ohio</b>							
(Base discharge: 2,500 ft <sup>3</sup> /s)							
Jan. 2	0230	*5,930	*9.43	Feb. 9	2245	3,860	7.31
Jan. 6	2230	5,680	9.19	Apr. 3	1930	2,610	5.83
Jan. 14	0230	5,630	9.14	Apr. 25	0545	4,680	8.18
<b>04196800 Tymochtee Creek at Crawford, Ohio</b>							
(Base discharge: 1,800 ft <sup>3</sup> /s)							
Jan. 2	0745	4,210	8.13	Feb. 10	2115	2,440	6.62
Jan. 7	0830	4,790	8.55	Apr. 25	1315	2,990	7.14
Jan. 14	0330	*4,850	*8.65				
<b>04197100 Honey Creek at Melmore, Ohio</b>							
(Base discharge: 1,500 ft <sup>3</sup> /s)							
Jan. 1	0330	2,890	9.24	Feb. 9	1930	1,520	7.08
Jan. 6	0800	2,510	8.70	Apr. 3	1600	2,080	8.05
Jan. 12	2330	*3,400	*9.94	Apr. 24	1830	2,260	8.33
Jan. 19	0100	1,730	7.47				
<b>04198000 Sandusky River near Fremont, Ohio</b>							
(Base discharge: 10,000 ft <sup>3</sup> /s)							
Jan. 7	0730	16,700	8.19	Apr. 3	1230	11,400	6.54
Jan. 15	0030	*17,700	*8.50	Apr. 27	1530	14,000	7.31
Feb. 9	--	e11,600	(Ice jam)				
<b>HURON RIVER BASIN</b>							
<b>04199000 Huron River at Milan, Ohio</b>							
(Base discharge: 4,700 ft <sup>3</sup> /s)							
Dec. 31	2330	*9,260	*19.74	Feb. 8	1930	5,950	16.38
Jan. 4	0530	6,360	16.84	Apr. 3	0745	6,940	17.46
Jan. 6	1630	6,070	16.52	Apr. 25	2130	6,100	16.55
Jan. 12	1800	9,170	19.66				

PEAK DISCHARGES EQUAL TO OR GREATER THAN BASE DISCHARGES, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005—Continued

[ft<sup>3</sup>/s, cubic feet per second; ft, feet; \*, maximum peak discharge and gage height; --, no data; e, estimated]

Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)	Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)	
<b>OLD WOMAN CREEK BASIN</b>								
		<b>04199155</b>	<b>Old Woman Creek at Berlin Road near Huron, Ohio</b>					
		(Base discharge: 400 ft <sup>3</sup> /s)						
Dec. 31	1100	*1,340	*10.82	Apr. 3	0030	690	9.28	
Jan. 4	0115	610	8.94	Apr. 25	2030	981	10.08	
Jan. 12	1345	1,090	10.33	Sept. 26	1415	519	8.52	
Feb. 8	1015	460	8.22					
<b>VERMILION RIVER BASIN</b>								
		<b>04199500</b>	<b>Vermilion River near Vermilion, Ohio</b>					
		(Base discharge: 3,200 ft <sup>3</sup> /s)						
Jan. 1	0230	*9,260	8.60	Apr. 3	1030	4,760	6.53	
Jan. 6	2030	5,330	6.82	Apr. 25	2345	6,060	7.17	
Jan. 12	1545	8,400	8.24	Aug. 20	2030	3,800	6.00	
Feb. 8	1200	(Ice jam)	*12.44					
<b>BLACK RIVER BASIN</b>								
		<b>04200500</b>	<b>Black River at Elyria, Ohio</b>					
		(Base discharge: 3,200 ft <sup>3</sup> /s)						
Jan. 1	2100	*9,820	*14.63	Feb. 9	1530	4,460	9.49	
Jan. 7	0500	7,100	12.29	Apr. 3	2000	5,550	10.72	
Jan. 12	2000	8,340	13.45	Apr. 26	0600	5,620	10.79	
<b>ROCKY RIVER BASIN</b>								
		<b>04201500</b>	<b>Rocky River near Berea, Ohio</b>					
		(Base discharge: 4,000 ft <sup>3</sup> /s)						
Jan. 1	0100	*8,580	*6.95	Apr. 2	2100	4,220	4.77	
Jan. 6	---	Unknown	Unknown	Apr. 26	0030	5,680	5.62	
Jan. 12	---	Unknown	Unknown	Aug. 31	0630	4,100	4.69	
Feb. 8	1530	4,550	4.97					
<b>CUYAHOGA RIVER BASIN</b>								
		<b>04207200</b>	<b>Tinkers Creek at Bedford, Ohio</b>					
		(Base discharge: 1,500 ft <sup>3</sup> /s)						
Dec. 31	1115	2,300	6.74	June 28	2015	2,460	6.88	
Jan. 12	1215	3,150	7.41	Aug. 20	2015	2,390	6.82	
Feb. 8	0815	1,530	5.98	Aug. 31	0115	*3,170	*7.43	
Apr. 26	1815	2,570	6.97	Sept. 26	0845	2,300	6.74	

## PEAK DISCHARGES EQUAL TO OR GREATER THAN BASE DISCHARGES, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005—Continued

[ft<sup>3</sup>/s, cubic feet per second; ft, feet; \*, maximum peak discharge and gage height; --, no data; e, estimated]

Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)	Date	Time	Discharge (ft <sup>3</sup> /s)	Gage height (ft)
<b>CHAGRIN RIVER BASIN</b>							
		<b>04209000</b>		<b>Chagrin River at Willoughby, Ohio</b>			
		(Base discharge: 4,800 ft <sup>3</sup> /s)					
Dec. 31	1930	8,990	8.39	Mar. 7	2300	4,880	6.85
Jan. 3	2330	7,580	8.68	Apr. 2	2030	4,850	6.83
Jan. 6	1800	5,660	7.38	Apr. 26	2330	7,750	8.80
Jan. 12	1600	*13,400	*12.11	Aug. 31	0430	7,800	9.00
Feb. 7	2300	7,580	8.68				
<b>GRAND RIVER BASIN</b>							
		<b>04212100</b>		<b>Grand River near Painesville, Ohio</b>			
		(Base discharge: 6,500 ft <sup>3</sup> /s)					
Jan. 1	1430	12,300	10.18	Feb. 8	2300	7,350	7.75
Jan. 4	0100	12,600	10.35	Apr. 6	2200	11,300	9.71
Jan. 12	1730	*13,200	*10.60	Apr. 26	2230	9,280	8.75
<b>CONNEAUT CREEK BASIN</b>							
		<b>04213000</b>		<b>Conneaut Creek at Conneaut, Ohio</b>			
		(Base discharge: 2,900 ft <sup>3</sup> /s)					
Jan. 1	--	e5,200	--	Feb. 8	--	e4,200	--
Jan. 3	--	e5,200	--	Mar. 8	--	e3,100	--
Jan. 12	--	*e8,000	*e9.18	Apr. 6	2200	3,750	6.54

# Ground-Water Records—Crawford County

## 404838082563100. Local Number, CR-1

LOCATION.—Latitude 40°48'38", longitude 82°56'31", Crawford County, Hydrologic Unit 04100011, Timken Roller Bearing Company, U.S. 30 in Bucyrus.

Owner: Timken Roller Bearing Company.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled test water-table well, diameter 6 in., depth 54 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 1039.13 ft above sea level. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—January 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 37.64 ft below land-surface datum, Dec. 11, 1962; minimum daily low, 16.04 ft below land-surface datum, Apr. 29, 1993.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	19.91	20.39	19.77	19.04	17.85	17.50	18.00	17.16	18.74	19.87	20.70	20.91
2	19.98	20.33	19.98	18.85	17.84	17.61	17.67	17.20	18.91	19.87	20.68	20.91
3	19.98	20.33	19.81	18.75	17.89	17.66	17.50	17.29	19.30	19.76	20.66	20.94
4	20.46	20.11	19.68	18.35	17.95	17.60	17.39	17.37	19.19	19.73	21.35	21.12
5	20.27	20.12	19.78	18.05	18.00	17.69	17.35	17.37	18.71	19.69	21.28	21.06
6	20.14	20.02	19.63	17.61	17.98	18.12	17.37	17.34	18.68	19.72	20.86	21.47
7	20.14	20.15	19.67	17.55	17.94	17.92	17.37	17.37	18.81	19.72	20.79	21.38
8	20.07	20.58	19.78	17.60	17.75	17.81	17.47	17.42	18.74	19.71	20.76	21.08
9	20.09	20.43	19.63	17.57	17.45	17.83	17.48	17.43	18.76	19.74	20.74	21.08
10	20.13	20.25	19.43	17.49	17.39	17.75	17.54	17.47	19.14	19.77	21.32	21.09
11	20.12	20.26	19.50	17.35	17.37	17.68	17.58	17.64	19.41	19.74	21.54	21.11
12	20.06	20.30	19.50	17.13	17.38	17.82	17.53	17.69	19.13	19.74	21.35	21.07
13	19.95	20.38	19.61	16.63	17.44	17.94	17.70	17.65	18.93	20.98	21.10	21.43
14	20.44	20.41	19.68	16.68	17.44	17.99	17.77	17.54	18.97	21.33	21.04	21.34
15	20.24	20.35	19.67	16.69	17.44	18.02	17.86	17.60	19.21	20.56	21.24	21.20
16	20.13	20.28	19.54	16.70	17.41	18.02	18.45	17.68	19.13	20.78	21.19	21.12
17	20.22	20.25	19.58	16.85	17.39	17.95	18.09	17.71	19.06	21.05	21.02	21.04
18	20.23	20.20	19.43	16.94	17.46	17.98	17.95	18.13	19.13	21.11	21.42	21.11
19	20.11	20.15	19.57	16.82	17.50	17.97	17.96	17.97	19.16	21.10	21.24	21.11
20	20.17	20.08	19.54	16.94	17.48	18.04	18.00	17.86	19.21	21.19	21.09	21.08
21	20.20	20.12	19.51	17.07	17.35	18.08	17.97	17.88	19.16	20.68	21.05	21.09
22	20.78	20.04	19.56	17.15	17.40	18.07	17.88	17.84	19.21	20.50	21.02	21.06
23	20.60	19.94	19.61	17.30	17.44	17.94	17.68	18.32	19.22	20.47	21.04	21.07
24	20.26	19.92	19.63	17.26	17.39	18.02	17.40	18.12	19.23	20.43	21.06	21.02
25	20.29	19.91	19.59	17.22	17.40	17.98	17.17	18.48	19.59	21.63	21.05	20.96
26	20.31	19.89	19.70	17.53	17.55	17.93	17.03	18.37	19.56	21.92	21.32	20.83
27	20.32	19.79	19.77	17.67	17.54	17.86	16.99	18.36	20.41	21.53	21.28	21.26
28	20.32	19.92	19.65	17.68	17.28	17.71	17.05	18.27	20.87	21.03	21.10	21.09
29	20.53	19.92	19.58	17.57	---	17.81	17.05	18.24	20.18	20.86	21.07	20.90
30	20.34	19.80	19.58	17.67	---	18.24	17.13	18.87	19.93	20.81	21.03	20.84
31	20.39	---	19.37	17.74	---	17.99	---	18.79	---	20.76	20.91	---
MAX	20.78	20.58	19.98	19.04	18.00	18.24	18.45	18.87	20.87	21.92	21.54	21.47
CAL YR 2004		LOW	20.85									
WTR YR 2005		LOW	21.92									



## Ground-Water Records—Geauga County

### 412518081221500. Local Number, GE-3A

LOCATION.—Latitude 41°25'18", longitude 81°22'15", Geauga County, Hydrologic Unit 04110003, 1.2 miles southeast of Chagrin Falls, Ohio. Owner: City of Chagrin Falls.

AQUIFER.—Sandstone of Pennsylvanian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 6 in., depth drilled 120 ft, present depth 89 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 1,130 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter, 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR. Water level affected by pumping wells nearby.

PERIOD OF RECORD.—October 1951 to September 1991 continuous. Discontinued October 1991 to March 1996. Periodic measurements April 1996 to September 1997. Continuous September 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 52.85 ft below land-surface datum, Oct. 18, 1965; minimum daily low, 5.99 ft below land-surface datum, May 2, 1998.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.44	11.10	11.10	10.83	10.35	9.14	9.29	8.49	9.08	9.49	9.99	10.40
2	10.56	11.03	11.12	10.76	10.34	9.45	8.81	8.51	9.05	9.63	9.98	10.50
3	10.59	11.25	11.00	10.53	10.19	9.56	8.91	8.66	9.00	9.66	9.95	10.64
4	10.62	11.04	10.98	10.47	10.31	9.51	9.11	8.85	8.99	9.69	9.95	10.77
5	10.79	10.91	11.17	10.32	10.41	9.49	9.14	8.85	9.06	9.66	10.08	10.83
6	10.83	10.83	11.12	10.02	10.38	9.48	9.05	8.64	9.01	9.75	10.13	10.86
7	10.89	11.03	10.89	10.29	10.28	9.14	8.85	8.43	9.09	9.80	10.09	10.79
8	10.77	11.31	11.13	10.35	10.02	9.31	8.91	8.48	9.14	9.81	10.09	10.62
9	10.56	11.48	11.09	10.32	9.99	9.39	8.94	8.43	9.21	9.93	10.06	10.65
10	10.70	11.37	10.58	10.09	9.93	9.24	8.90	8.27	9.29	9.99	10.01	10.74
11	10.70	11.24	10.59	10.05	9.93	8.90	8.94	8.55	9.31	9.96	10.06	10.82
12	10.59	11.39	10.62	9.71	9.78	9.08	8.85	8.76	9.29	9.87	10.05	10.73
13	10.25	11.69	10.89	9.57	9.95	9.45	8.87	8.72	9.16	9.81	10.01	10.59
14	10.06	11.79	11.30	10.31	9.69	9.57	9.03	8.33	9.12	9.80	10.19	10.53
15	10.01	11.67	11.34	10.41	9.80	9.67	9.21	8.41	9.00	9.87	10.31	10.70
16	10.23	11.43	11.19	10.29	9.69	9.66	9.36	8.56	9.15	9.91	10.28	10.62
17	10.65	11.31	11.13	10.17	9.74	9.47	9.18	8.63	9.29	9.90	10.26	10.65
18	10.74	11.17	10.92	10.32	9.93	9.51	9.03	8.66	9.51	9.89	10.23	10.82
19	10.65	11.13	10.85	9.81	9.99	9.48	8.96	8.55	9.65	9.96	10.17	10.89
20	10.80	11.12	10.86	9.63	9.99	9.48	8.91	8.48	9.69	9.99	10.25	10.83
21	10.94	11.31	10.68	9.84	9.63	9.59	8.99	8.54	9.60	9.91	10.25	10.89
22	10.97	11.24	10.83	9.65	9.75	9.59	8.88	8.43	9.66	9.95	10.31	10.76
23	10.91	11.06	10.83	9.96	9.89	9.33	8.39	8.28	9.69	10.05	10.46	10.97
24	10.77	10.92	10.89	9.95	9.80	9.29	8.31	8.54	9.65	9.99	10.58	10.95
25	10.95	10.97	10.88	9.57	9.63	9.29	8.48	8.66	9.66	9.81	10.59	10.86
26	11.07	11.12	10.92	9.93	9.81	9.29	8.48	8.59	9.72	9.78	10.47	10.71
27	11.10	11.07	11.19	10.46	9.81	9.24	8.63	8.61	9.78	9.90	10.25	10.89
28	11.13	11.27	11.10	10.52	9.24	8.85	8.72	8.66	9.71	9.96	10.37	10.83
29	10.92	11.40	10.74	10.28	---	9.09	8.61	8.78	9.65	10.04	10.38	10.82
30	10.65	11.25	10.76	10.05	---	9.15	8.48	8.88	9.62	10.11	10.31	10.89
31	10.97	---	10.55	10.17	---	9.15	---	9.03	---	10.08	10.29	---
MAX	11.13	11.79	11.34	10.83	10.41	9.67	9.36	9.03	9.78	10.11	10.59	10.97
CAL YR 2004	LOW	12.45										
WTR YR 2005	LOW	11.79										





# Ground-Water Records—Hancock County

## 405940083275500. Local Number, HA-3

LOCATION.—Latitude 40°59'40", longitude 83°27'55", Hancock County, Hydrologic Unit 0410008, 2 miles north of Vanlue, Ohio. Owner: City of Findlay.  
 AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled artesian well, diameter 10 in., diameter 6 in. below 55 ft, depth 240 ft, cased to 55 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 815 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 1.40 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—May 1947 to September 1972 and August 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 20.67 ft below land-surface datum, Sept. 22, 1988; minimum daily low, 3.27 ft below land-surface datum, Jan. 13, 2005.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	5.88	6.06	5.55	5.38	4.46	4.02	4.33	3.77	4.24	5.45	5.78	6.32
2	5.89	6.08	6.60	4.88	4.43	4.08	4.11	3.80	4.18	5.81	5.96	6.68
3	5.87	6.09	5.73	4.89	4.32	4.10	3.91	3.84	4.61	5.80	6.35	6.62
4	5.88	6.00	6.90	4.16	4.44	4.02	3.93	3.87	4.25	5.87	6.37	6.25
5	5.91	6.03	5.95	4.12	4.48	4.09	4.00	3.86	4.24	5.99	6.10	6.85
6	6.40	5.96	5.61	3.69	4.46	3.92	4.18	3.82	4.68	6.24	6.41	6.35
7	5.91	6.11	5.66	3.81	4.43	3.90	4.35	3.83	4.57	6.27	5.80	5.42
8	5.84	6.15	5.73	4.10	4.12	4.01	4.42	3.84	4.58	6.43	5.73	6.56
9	5.86	6.13	5.51	4.10	3.82	4.03	4.43	3.82	4.33	6.47	6.13	5.46
10	5.89	6.03	5.29	4.22	3.81	3.98	4.28	3.82	5.23	6.53	5.87	6.29
11	6.01	6.09	5.32	4.07	3.81	3.95	4.29	4.02	4.72	6.23	5.26	5.53
12	6.42	6.13	5.28	3.73	3.83	4.15	4.25	4.00	4.79	5.98	6.47	6.77
13	5.91	6.16	5.49	3.27	3.87	4.20	4.37	3.93	4.35	5.96	6.36	5.52
14	5.77	6.16	5.58	3.57	3.77	4.21	4.41	3.82	4.35	5.76	6.20	6.54
15	5.83	6.12	5.57	3.67	3.78	4.24	4.46	3.91	4.71	5.69	6.67	5.55
16	5.91	5.83	6.86	3.78	3.74	4.21	4.48	4.12	4.43	5.79	6.05	5.47
17	5.97	5.82	6.79	3.97	3.81	4.16	4.41	3.99	4.87	5.17	6.71	5.46
18	5.97	5.87	5.76	4.07	3.91	4.17	4.39	4.41	4.53	5.01	6.83	6.81
19	5.90	5.80	5.74	3.96	3.99	4.20	4.43	4.52	4.17	5.29	6.93	5.66
20	5.94	5.92	5.71	4.07	3.98	4.25	4.48	4.79	4.49	5.44	6.37	5.53
21	5.95	5.98	6.24	4.19	3.85	4.25	4.40	4.84	4.36	5.54	6.63	5.53
22	5.95	5.91	5.79	4.24	3.86	4.24	4.26	4.80	4.54	4.73	6.20	5.51
23	5.89	7.34	5.85	4.39	3.87	4.18	4.11	4.36	5.41	5.78	6.23	5.39
24	5.94	7.71	5.84	4.27	3.83	4.20	3.73	4.14	4.72	5.58	5.56	5.28
25	5.98	6.14	5.81	4.16	3.85	4.11	3.58	4.15	5.22	5.65	6.19	5.23
26	6.00	5.82	6.11	4.50	3.98	4.08	3.61	4.37	5.54	4.81	6.68	5.16
27	6.00	6.66	5.99	4.61	3.96	4.03	3.70	4.13	5.23	4.69	6.78	5.03
28	6.52	5.88	5.84	4.59	3.77	4.08	3.76	4.64	5.31	4.71	6.63	4.96
29	5.93	5.86	6.23	4.35	---	4.10	3.82	4.21	4.73	6.06	5.64	5.08
30	5.97	5.72	6.13	4.36	---	4.10	3.85	4.16	4.84	5.89	5.46	5.09
31	6.07	---	5.68	4.41	---	4.80	---	4.50	---	5.92	5.01	---
MAX	6.52	7.71	6.90	5.38	4.48	4.80	4.48	4.84	5.54	6.53	6.93	6.85
CAL YR 2004		LOW	8.11									
WTR YR 2005		LOW	7.71									



## Ground-Water Records—Hardin County

### 404648083412600. Local Number, HN-2A

LOCATION.—Latitude 40°46'48", longitude 83°41'26", Hardin County, Hydrologic Unit 04100007, at southeast edge of Dola, Ohio. Owner: Kevin Eikenbary.  
AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 6 in., depth 51 ft, cased.

INSTRUMENTATION.—Electronic data logger, 60-minute log interval. Satellite telemeter at site.

DATUM.—Elevation of land-surface datum is 945 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 2.88 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—December 1954 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 15.86 ft below land-surface datum, Jan. 20, 21, 1965; minimum daily low, 5.16 ft below land-surface datum, July 10, 2003.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	7.40	7.95	6.70	6.65	6.34	5.70	6.17	5.65	6.29	6.69	7.45	8.34
2	7.55	7.96	6.68	6.44	6.30	5.92	5.82	5.68	6.21	6.81	7.45	8.46
3	7.56	8.08	6.55	6.33	6.23	6.01	5.95	5.83	6.17	6.81	7.42	8.55
4	7.63	7.68	6.43	6.17	6.31	5.87	6.04	5.96	6.19	6.83	7.44	8.65
5	7.75	7.74	6.63	5.97	6.40	5.96	6.01	5.94	6.26	6.87	7.54	8.72
6	7.77	7.56	6.41	5.70	6.35	5.92	6.00	5.78	6.26	6.95	7.58	8.73
7	7.80	7.75	6.30	5.82	6.25	5.56	5.88	5.65	6.30	6.97	7.56	8.67
8	7.64	7.95	6.63	5.89	6.07	5.89	5.98	5.71	6.32	7.00	7.55	8.53
9	7.61	8.02	6.42	5.87	6.01	5.93	5.99	5.65	6.38	7.09	7.57	8.58
10	7.71	7.79	6.02	5.76	6.07	5.82	6.00	5.61	6.44	7.16	7.55	8.67
11	7.70	7.69	6.22	5.59	6.05	5.54	6.05	5.92	6.46	7.11	7.64	8.75
12	7.56	7.78	6.22	5.28	5.95	5.81	5.92	6.07	6.39	7.03	7.58	8.67
13	7.26	7.99	6.58	5.37	6.05	6.08	6.10	5.94	6.28	6.99	7.63	8.55
14	7.23	8.06	6.82	5.90	5.98	6.18	6.21	5.60	6.26	7.03	7.83	8.59
15	7.22	7.93	6.83	5.97	6.01	6.28	6.34	5.82	6.27	7.09	7.93	8.71
16	7.47	7.68	6.59	5.83	5.96	6.27	6.42	5.93	6.37	7.12	7.89	8.67
17	7.78	7.54	6.62	5.90	6.02	6.07	6.26	5.98	6.46	7.14	7.89	8.73
18	7.78	7.42	6.35	5.96	6.13	6.07	6.14	6.01	6.66	7.13	7.83	8.85
19	7.73	7.32	6.55	5.41	6.14	6.04	6.11	5.89	6.77	7.24	7.90	8.90
20	7.87	7.29	6.50	5.45	6.08	6.22	6.07	5.94	6.79	7.26	7.95	8.90
21	7.96	7.40	6.38	5.65	5.85	6.28	6.12	6.00	6.67	7.22	8.03	8.93
22	7.97	7.26	6.51	5.66	5.99	6.28	5.93	5.89	6.77	7.28	8.09	8.80
23	7.81	6.99	6.64	5.96	6.06	6.03	5.67	5.81	6.79	7.36	8.21	8.93
24	7.78	6.83	6.67	5.84	5.89	6.16	5.57	5.99	6.74	7.30	8.31	8.91
25	7.91	6.88	6.59	5.58	5.86	6.12	5.51	6.09	6.76	7.23	8.32	8.75
26	7.98	6.88	6.84	6.03	6.04	6.16	5.49	6.03	6.82	7.18	8.20	8.59
27	8.00	6.75	7.02	6.37	6.02	6.10	5.66	5.99	6.84	7.33	8.13	8.67
28	8.02	6.98	6.81	6.38	5.49	5.80	5.73	6.05	6.81	7.37	8.23	8.50
29	7.74	7.01	6.61	6.11	---	5.98	5.63	6.12	6.75	7.46	8.24	8.48
30	7.55	6.82	6.63	6.10	---	5.93	5.61	6.19	6.71	7.54	8.19	8.43
31	7.90	---	6.47	6.19	---	6.12	---	6.28	---	7.51	8.25	---
MAX	8.02	8.08	7.02	6.65	6.40	6.28	6.42	6.28	6.84	7.54	8.32	8.93
CAL YR 2004		LOW	8.08									
WTR YR 2005		LOW	8.93									



# Ground-Water Records—Henry County

## 412123083574000. Local Number, HY-2

LOCATION.—Latitude 41°21'23", longitude 83°57'40", Henry County, Hydrologic Unit 04100009, 1.4 mi southwest of McClure, Ohio. Owner: State of Ohio.  
 AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 12 in., depth drilled 300 ft, cased to 43 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 680 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—June 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 26.38 ft below land-surface datum, Dec. 3, 1994; minimum daily low, 14.55 ft below land-surface datum, Mar. 22, 1978.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	20.93	21.05	20.96	21.08	20.72	20.57	20.73	20.88	21.10	22.45	23.10	23.32
2	20.94	21.00	21.00	21.02	20.69	20.69	20.59	20.90	21.10	23.04	23.05	23.33
3	20.98	21.13	20.95	20.93	20.66	20.73	20.73	20.96	21.04	23.26	22.97	23.39
4	21.01	21.00	20.91	20.88	20.72	20.70	20.78	21.01	21.07	23.19	22.96	23.38
5	21.11	20.95	21.01	20.84	20.81	20.68	20.79	21.04	21.02	22.86	22.99	23.44
6	21.12	20.91	20.97	20.67	20.85	20.66	20.80	20.99	21.14	22.95	22.96	23.40
7	21.15	21.10	20.89	20.72	20.85	20.49	20.72	20.92	21.17	22.93	23.16	23.34
8	21.10	21.20	20.96	20.77	20.71	20.66	20.84	20.97	21.09	22.99	23.37	23.20
9	20.97	21.28	20.95	20.78	20.71	20.66	20.86	20.91	21.12	23.05	23.41	23.59
10	21.05	21.22	20.78	20.68	20.75	20.61	20.83	20.88	21.24	23.15	23.32	23.66
11	21.07	21.20	20.79	20.69	20.77	20.41	20.87	20.98	21.17	23.15	23.23	23.56
12	21.04	21.27	20.80	20.54	20.71	20.46	20.82	21.10	21.16	23.21	23.13	23.44
13	20.89	21.37	20.92	20.09	20.74	20.63	20.87	21.03	21.11	23.15	23.12	23.32
14	20.76	21.40	21.10	20.55	20.64	20.69	20.98	20.76	21.09	23.08	23.21	23.18
15	20.68	21.43	21.17	20.67	20.70	20.75	21.04	20.96	21.11	23.22	23.20	23.19
16	20.73	21.27	21.01	20.63	20.74	20.81	21.10	20.98	21.26	23.38	23.17	23.08
17	20.96	21.17	20.95	20.73	20.78	20.71	21.03	20.98	21.24	23.37	23.31	22.99
18	20.99	21.12	20.89	20.74	20.83	20.66	20.94	21.01	21.33	23.26	23.42	22.98
19	20.97	21.03	20.94	20.53	20.91	20.62	20.90	20.98	21.45	23.26	23.48	22.99
20	20.94	21.00	20.93	20.48	20.89	20.73	20.88	20.93	21.47	23.27	23.57	22.89
21	21.01	21.11	20.86	20.50	20.77	20.80	20.92	21.03	21.47	23.16	23.59	22.91
22	21.03	21.10	20.93	20.47	20.84	20.79	20.89	20.94	21.62	23.11	23.49	22.85
23	20.94	21.01	20.93	20.64	20.85	20.72	20.62	20.80	21.69	23.15	23.46	22.71
24	20.98	20.94	21.02	20.64	20.82	20.68	20.56	20.89	21.75	23.26	23.37	22.73
25	21.07	20.93	21.03	20.44	20.78	20.73	20.57	21.00	21.89	23.52	23.36	22.68
26	21.08	20.99	21.17	20.57	20.92	20.76	20.56	20.97	22.08	23.43	23.58	22.53
27	21.10	20.99	21.24	20.79	20.91	20.73	20.69	20.93	22.32	23.23	23.59	22.59
28	21.10	21.05	21.22	20.82	20.68	20.56	20.77	20.95	22.36	23.19	23.53	22.57
29	21.00	21.10	20.97	20.68	---	20.67	20.74	20.99	22.34	23.14	23.46	22.54
30	20.83	21.08	21.03	20.61	---	20.65	20.73	21.02	22.29	23.18	23.36	22.57
31	21.02	---	20.89	20.65	---	20.68	---	21.08	---	23.11	23.24	---
MAX	21.15	21.43	21.24	21.08	20.92	20.81	21.10	21.10	22.36	23.52	23.59	23.66
CAL YR 2004	LOW		21.67									
WTR YR 2005	LOW		23.66									



## Ground-Water Records—Lucas County

### 413704083362200. Local Number, LU-1

LOCATION.—Latitude 41°37'04", longitude 83°36'22", Lucas County, Hydrologic Unit 04100001, at Toledo State Hospital, Toledo, Ohio. Owner: State of Ohio.  
AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 12 in., depth drilled 525 ft, present depth 523 ft, cased to 93 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 624 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 2.98 ft above land-surface datum (revised from 1978 and 1979).


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR. Prior to Aug. 23, 1978, measuring point was 3.10 ft above land-surface datum. Reported in 1979 as 3 ft above land-surface datum.

PERIOD OF RECORD.—June 1950 to July 1982 continuous, November 1982 to January 1985 periodic, continuous thereafter. This well replaced LU-1A, which has continuous record from March 1946 to June 1950.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 117.80 ft below land-surface datum, Nov. 5-7, 1957; minimum daily low, 56.87 ft below land-surface datum, Apr. 16, 1987.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	71.27	70.79	70.87	70.49	69.38	69.41	69.13	69.21	70.92	70.86	71.57
2	---	71.24	70.81	70.78	70.45	69.63	69.05	69.39	69.26	70.96	70.84	71.61
3	---	71.41	70.75	70.69	70.26	69.69	69.19	69.42	69.34	70.99	70.82	71.83
4	---	71.11	70.65	70.69	70.31	69.59	69.29	69.30	69.39	70.94	70.81	71.92
5	---	71.07	70.87	70.59	70.35	69.60	69.27	69.05	69.52	71.05	70.94	71.99
6	---	70.93	70.75	70.37	70.29	69.58	69.26	69.12	69.65	71.05	70.96	72.07
7	---	71.16	70.52	70.55	70.22	69.16	69.20	69.00	69.72	71.11	70.91	72.06
8	---	71.42	70.78	70.68	69.98	69.46	69.30	68.86	69.74	71.13	70.90	72.02
9	---	71.54	70.72	70.69	69.98	69.48	69.30	69.22	69.70	71.05	70.88	71.96
10	---	71.39	70.29	70.48	69.96	69.39	69.31	69.42	69.63	70.98	70.86	71.88
11	---	71.31	70.33	70.47	69.97	69.01	69.38	69.23	69.60	70.92	70.79	71.93
12	---	71.44	70.37	70.17	69.80	69.17	69.14	68.83	69.70	70.94	71.00	72.02
13	---	71.65	70.69	70.06	69.92	69.46	69.38	69.02	69.71	70.96	70.96	72.11
14	---	71.71	70.99	70.74	69.67	69.59	69.56	69.12	69.93	70.99	71.10	72.07
15	---	71.65	71.04	70.83	69.74	69.68	69.59	69.15	70.07	71.14	71.33	71.97
16	---	71.39	70.84	70.77	69.77	69.68	69.46	69.11	70.14	71.18	71.43	71.85
17	---	71.22	70.90	70.83	69.92	69.45	69.27	68.92	70.06	71.19	71.43	71.88
18	---	71.07	70.67	70.90	70.03	69.45	69.29	69.05	70.10	71.15	71.49	72.17
19	---	71.00	70.80	70.32	70.07	69.43	69.11	68.95	70.14	71.01	71.36	72.10
20	71.44	70.98	70.77	70.25	70.07	69.55	69.26	68.82	70.20	71.02	71.28	72.18
21	71.51	71.14	70.49	70.41	69.78	69.62	69.11	68.88	70.24	71.07	71.40	72.21
22	71.52	71.07	70.66	70.23	69.94	69.62	68.71	69.10	70.28	71.16	71.34	72.22
23	71.38	70.85	70.75	70.48	69.98	69.43	68.64	69.00	70.27	71.33	71.28	72.10
24	71.22	70.76	70.78	70.43	69.93	69.43	68.58	68.93	70.34	71.20	71.57	72.08
25	71.35	70.73	70.79	70.07	69.86	69.44	68.60	68.93	70.39	70.93	71.63	71.98
26	71.42	70.77	70.93	70.36	69.97	69.50	68.95	69.04	70.53	70.83	71.59	71.99
27	71.46	70.70	71.12	70.76	69.98	69.43	68.99	69.10	70.63	71.00	71.40	71.86
28	71.47	70.94	71.01	70.79	69.42	69.06	68.94	69.19	70.60	71.03	71.50	71.75
29	71.22	71.02	70.66	70.47	---	69.24	68.97	69.23	70.91	70.99	71.50	71.86
30	70.87	70.93	70.68	70.27	---	69.19	68.99	69.24	70.90	71.07	71.55	71.69
31	71.19	---	70.53	70.35	---	69.31	---	69.15	---	70.97	71.49	---
MAX	71.52	71.71	71.12	70.90	70.49	69.69	69.59	69.42	70.91	71.33	71.63	72.22
CAL YR 2004	LOW	71.90										
WTR YR 2005	LOW	72.22										



# Ground-Water Records—Medina County

## 410142082005700. Local Number, MD-1A

LOCATION.—Latitude 41°01'42", longitude 82°00'57", Medina County, Hydrologic Unit 04110001, at Lodi, Ohio. Owner: Village of Lodi.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused water-table well, diameter 6 in., depth 77 ft, cased to 71 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 910 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—December 2002 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 31.46 ft below land-surface datum, Sept. 19, 2003; minimum daily low, 19.66 ft below land-surface datum, Jan. 16, 2005.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	26.36	24.63	22.92	24.16	22.27	22.56	22.23	21.58	25.43	25.79	25.65	24.75
2	26.69	23.66	23.22	23.84	23.15	23.94	20.38	22.60	24.71	25.90	26.15	26.09
3	24.50	24.90	24.12	23.50	21.01	22.05	20.85	23.57	23.60	25.65	26.20	24.76
4	26.27	24.35	25.35	24.16	22.96	23.37	23.17	24.11	25.49	25.86	27.58	24.00
5	27.33	24.73	22.78	22.87	23.00	24.02	21.04	22.05	25.65	26.56	25.30	26.77
6	27.85	24.60	23.99	21.83	20.74	22.52	21.73	22.37	25.48	27.69	27.15	26.74
7	26.82	22.93	23.86	22.73	23.21	22.75	20.99	22.46	26.53	27.28	28.71	24.84
8	27.18	24.51	24.90	22.70	22.70	21.63	22.82	22.05	27.61	26.82	27.42	25.65
9	25.21	26.21	23.03	20.98	23.27	22.88	22.88	23.57	27.51	27.26	27.73	25.10
10	26.21	24.32	23.61	23.08	23.68	22.13	22.19	23.97	27.06	25.18	26.34	26.46
11	27.43	25.23	22.48	21.91	21.15	22.67	22.23	24.28	27.58	29.24	25.44	23.71
12	27.92	25.62	22.99	21.87	22.73	23.74	21.73	23.72	26.58	27.92	25.51	25.71
13	27.53	25.39	25.07	22.40	21.18	21.21	23.69	24.14	26.54	27.44	29.75	25.23
14	28.05	26.07	24.81	20.64	23.15	22.52	21.10	22.79	25.45	26.56	25.57	25.07
15	25.57	25.85	24.82	22.24	21.31	23.19	22.33	23.46	27.22	25.56	26.31	26.00
16	26.80	25.08	25.62	19.66	21.08	22.30	23.79	22.75	24.85	26.27	27.20	24.44
17	25.35	25.62	25.51	22.88	21.78	22.57	22.32	23.00	---	24.82	26.43	24.74
18	25.02	24.90	23.43	21.54	21.87	23.69	22.56	23.75	---	25.84	27.00	23.19
19	25.81	24.82	22.04	20.85	22.05	24.75	23.18	23.53	24.85	26.13	25.74	25.04
20	---	24.90	23.00	20.95	20.92	21.27	24.10	23.07	26.37	26.40	25.87	24.11
21	---	22.66	22.99	22.82	21.88	22.10	24.14	23.85	26.26	26.71	24.85	26.94
22	---	23.99	24.07	20.14	21.39	23.58	22.69	22.49	25.94	26.27	26.49	25.14
23	---	25.00	23.81	20.69	23.69	23.33	25.16	23.48	26.96	26.83	26.00	23.50
24	23.85	23.19	23.23	21.58	22.51	23.10	21.26	23.94	27.46	24.85	25.65	24.30
25	24.62	22.50	22.27	20.99	21.39	21.78	23.51	23.22	28.54	26.41	26.44	24.64
26	24.13	22.84	22.51	21.15	21.03	22.17	24.13	23.46	25.65	26.18	26.14	24.86
27	25.64	24.02	23.60	22.83	20.91	22.24	22.48	24.85	27.34	25.19	25.65	24.59
28	24.35	22.35	23.76	23.54	23.23	22.22	23.60	24.86	26.83	24.45	24.85	24.93
29	24.72	24.28	25.31	21.99	---	23.74	24.21	22.62	25.66	24.64	26.02	25.25
30	23.80	23.00	23.24	20.34	---	24.39	22.31	23.07	26.26	25.16	25.45	24.77
31	26.99	---	23.50	23.06	---	21.53	---	25.05	---	24.14	25.64	---
MAX	28.05	26.21	25.62	24.16	23.69	24.75	26.16	25.05	28.54	29.24	29.75	26.94
CAL YR 2004	LOW	29.17										
WTR YR 2005	LOW	29.75										



**411233081474200. Local Number, MD-6**

LOCATION.—Latitude 41°12'33", longitude 81°47'42", Medina County, Hydrologic Unit 04110001, south of Brunswick. Owner: State of Ohio.

AQUIFER.—Sandstone of Mississippian Age.

WELL CHARACTERISTICS.—Drilled unused water-table well, diameter 6 in., depth 170 ft, cased to 70 ft.

INSTRUMENTATION.—Electronic data logger, 60-minute log interval.

DATUM.—Elevation of land-surface datum is 1,090 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—May 2003 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 24.13 ft below land-surface datum, Oct. 11-12, 2004; minimum daily low, 22.64 ft below land-surface datum, May 2, 2004.

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005  
DAILY MAXIMUM VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	24.03	24.03	23.73	23.39	22.89	22.81	23.02	22.85	23.05	23.54	23.90	23.97
2	24.02	24.01	23.74	23.39	22.89	22.82	23.01	22.84	23.07	23.58	23.93	23.99
3	24.03	23.97	23.72	23.37	22.89	22.82	23.12	22.85	23.07	23.60	23.97	24.01
4	24.03	23.97	23.72	23.35	22.91	22.82	23.23	22.88	23.09	23.63	24.01	24.03
5	24.05	23.92	23.72	23.34	22.92	22.84	23.27	22.89	23.11	23.65	24.02	24.05
6	24.06	23.91	23.71	23.27	---	22.84	23.27	22.88	23.12	23.71	24.01	24.05
7	24.07	23.90	23.67	23.27	---	22.82	23.25	22.87	23.15	23.75	24.01	24.05
8	24.07	23.94	23.65	23.27	---	22.85	23.21	22.90	23.18	23.77	24.03	24.04
9	24.09	23.95	23.65	23.24	---	22.85	23.21	22.90	23.21	23.79	24.03	24.04
10	24.11	23.94	23.60	23.19	---	22.85	23.17	22.90	23.23	23.81	24.03	24.05
11	24.13	23.92	23.57	23.19	22.95	22.82	23.15	22.92	23.25	23.84	24.04	24.07
12	24.13	23.95	23.57	23.13	---	22.79	23.13	22.94	23.28	23.87	24.04	24.08
13	24.11	23.96	23.53	23.11	---	22.83	23.11	22.93	23.28	23.89	24.04	24.08
14	24.07	23.97	23.55	23.13	---	22.85	23.12	22.88	23.28	23.87	24.04	24.08
15	24.05	23.97	23.57	23.14	---	22.88	23.12	22.86	23.26	23.87	24.07	24.10
16	24.03	23.93	23.54	23.13	---	22.88	23.11	22.89	23.26	23.87	24.09	24.09
17	24.07	23.91	23.53	23.07	---	22.89	23.11	22.90	23.28	23.88	24.10	24.05
18	24.08	23.88	23.52	23.07	---	22.91	23.07	22.92	23.31	23.89	24.10	24.07
19	24.03	---	23.48	23.03	---	22.91	23.05	22.91	23.35	23.88	24.11	24.08
20	24.04	---	23.46	22.96	---	22.92	23.03	22.91	23.39	23.91	24.11	24.07
21	24.05	---	23.47	22.97	22.89	22.95	23.01	22.93	23.41	23.89	24.00	24.08
22	24.06	---	23.47	22.96	22.89	---	22.99	22.94	23.45	23.88	24.02	24.08
23	24.06	23.88	23.38	22.91	22.90	---	22.92	22.91	23.48	23.90	24.04	24.04
24	24.03	23.82	23.29	22.91	22.90	---	22.86	22.94	23.51	23.89	24.07	24.05
25	24.07	23.79	23.30	22.87	22.90	---	22.82	22.97	23.54	23.89	24.07	24.04
26	24.08	23.79	23.30	22.87	22.91	---	22.85	22.97	23.56	23.89	24.08	24.02
27	24.09	23.80	23.31	22.91	22.91	22.96	22.86	22.98	23.58	23.81	24.07	23.95
28	24.09	23.79	23.31	22.92	22.87	22.94	22.88	22.98	23.59	23.82	24.07	23.95
29	24.08	23.80	23.28	22.90	---	22.97	22.86	23.00	23.57	23.85	24.07	23.95
30	23.99	23.79	23.28	22.85	---	22.97	22.84	23.01	23.55	23.88	24.07	23.95
31	24.01	---	23.35	22.85	---	23.00	---	23.03	---	23.89	23.94	---
MAX	24.13	24.03	23.74	23.39	22.95	23.00	23.27	23.03	23.59	23.91	24.11	24.10
CAL YR 2004		LOW	24.13									
WTR YR 2005		LOW	24.13									



# Ground-Water Records—Ottawa County

## 413434082494000. Local Number, O-2

LOCATION.—Latitude 41°34'34", longitude 82°49'40", Ottawa County, Hydrologic Unit 04100010. Catawba Island near Port Clinton, Ohio. Owner: William Williams.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled water table well, diameter 6 in., depth 62 ft, cased to 26 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 591 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 1.60 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—March 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 19.34 ft below land-surface datum, Oct. 31, 1999, Feb. 9, and 10, 2000; minimum daily low, 1.12 ft below land-surface datum, Feb. 18, 1998.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	17.65	16.60	13.60	7.42	4.81	8.18	3.77	10.44	14.82	---	16.94
2	---	17.63	16.46	12.30	7.60	5.09	8.07	4.25	10.51	14.99	---	17.01
3	---	17.55	16.37	11.61	7.75	5.25	3.35	4.71	10.64	15.13	---	17.07
4	---	17.51	16.33	9.42	7.95	5.35	3.80	5.13	10.78	15.24	---	17.12
5	---	17.22	16.36	7.93	9.04	5.53	4.18	5.41	10.91	15.36	---	17.19
6	---	17.13	16.32	7.29	8.57	5.48	4.52	5.63	11.03	15.46	---	17.21
7	---	17.11	16.30	7.00	8.41	5.29	4.88	6.01	11.17	15.60	---	17.20
8	---	17.12	16.16	6.62	7.09	5.59	5.31	6.27	11.34	15.74	---	17.21
9	---	17.13	16.06	---	3.17	5.77	5.52	6.52	11.40	15.99	---	17.28
10	---	17.11	15.96	---	3.55	5.88	5.82	6.81	11.51	16.00	---	17.33
11	---	17.14	15.85	---	3.71	6.04	6.04	7.18	11.71	15.92	16.75	17.36
12	---	17.20	15.74	---	4.01	6.36	6.15	7.45	11.80	15.95	16.79	17.41
13	---	17.24	15.65	---	4.05	6.68	6.49	7.50	11.87	15.98	16.89	17.42
14	---	17.26	15.67	---	3.87	6.85	6.78	7.68	12.08	16.06	16.86	17.46
15	---	17.29	15.63	---	3.21	6.95	7.09	7.93	12.24	16.09	16.84	17.49
16	---	17.32	15.57	---	3.09	7.02	7.22	8.21	12.42	16.14	16.84	17.49
17	---	17.31	15.58	---	2.90	7.13	7.35	8.38	12.58	16.17	16.83	17.54
18	---	17.32	15.51	---	3.41	7.25	7.48	8.57	12.78	16.18	16.83	17.57
19	---	17.32	15.58	---	3.90	7.28	7.60	8.76	12.86	16.28	16.88	17.61
20	17.76	17.26	15.58	---	4.01	7.44	7.79	9.01	12.98	16.27	16.90	17.59
21	17.75	17.27	15.62	---	3.73	7.56	7.91	9.15	13.01	16.25	16.80	17.62
22	17.77	17.25	15.65	---	3.20	7.63	7.88	9.25	13.20	16.34	16.82	17.64
23	17.79	17.25	15.70	---	3.33	7.58	7.83	9.24	13.30	16.38	16.80	17.66
24	17.80	17.27	15.74	---	3.62	7.64	6.06	9.36	13.45	---	16.83	17.69
25	17.82	17.01	15.78	5.45	3.88	7.62	1.57	9.48	13.68	---	16.86	17.70
26	17.84	16.84	15.82	6.15	4.36	7.65	1.84	9.54	13.99	---	16.93	17.67
27	17.83	16.78	15.86	6.53	4.44	7.60	1.80	9.72	14.09	16.30	16.99	17.47
28	17.83	16.75	15.84	6.64	4.39	7.62	2.27	9.84	14.26	---	17.06	17.45
29	17.80	16.76	15.85	6.64	---	7.78	2.83	9.97	14.48	---	17.06	17.41
30	17.66	16.72	15.87	6.98	---	7.83	3.27	10.11	14.58	---	17.10	17.47
31	17.65	---	15.76	7.19	---	8.07	---	10.26	---	---	16.98	---
MAX	17.84	17.65	16.60	13.60	9.04	8.07	8.18	10.26	14.58	16.38	17.10	17.70
CAL YR 2004	LOW	17.84										
WTR YR 2005	LOW	17.84										



## Ground-Water Records—Portage County

### 410931081192900. Local Number, PO-123

LOCATION.—Latitude 41°09'31", longitude 81°19'29", Portage County, Hydrologic Unit 04110002, east of Kent, Ohio. Owner: City of Kent.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 6 in., cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 1,042 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.5 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—September 1995 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 33.97 ft below land-surface datum, Nov. 3, 1995; minimum daily low, 2.97 ft below land-surface datum, May 25, 2004.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	18.42	20.13	18.30	14.95	7.24	9.19	11.43	11.39	13.72	18.99	18.91	15.92
2	18.69	19.98	17.91	14.23	7.44	9.46	11.39	11.45	13.99	19.09	18.95	14.96
3	18.77	20.00	17.48	13.70	7.70	9.64	10.57	11.63	14.21	19.14	18.58	14.50
4	19.00	19.89	17.42	13.11	7.96	9.86	9.80	11.90	14.27	19.20	18.95	14.01
5	19.21	19.86	17.25	12.08	8.13	9.98	8.93	12.06	14.54	19.38	19.00	14.47
6	19.41	19.74	17.37	11.20	8.24	10.07	8.40	12.31	14.66	19.64	18.54	15.05
7	19.51	19.54	17.47	9.53	8.29	10.13	8.36	12.42	14.93	19.84	18.00	15.54
8	19.64	19.52	17.56	7.81	8.42	10.10	8.81	12.66	15.15	20.05	17.62	16.19
9	19.80	19.57	17.52	6.47	8.28	10.12	8.97	12.76	15.38	20.32	18.09	16.81
10	19.83	19.61	17.36	5.71	8.00	10.14	9.28	13.12	15.68	20.39	18.43	16.94
11	19.96	19.69	17.25	5.53	7.90	10.35	9.67	13.36	15.83	20.51	18.72	16.64
12	20.11	19.76	17.24	5.32	7.71	10.60	9.98	13.51	15.86	20.75	18.91	15.85
13	20.26	19.80	17.08	4.63	7.76	10.97	10.31	13.59	16.03	20.79	19.05	15.16
14	20.33	19.80	17.11	4.09	7.95	11.26	10.64	13.61	16.31	20.73	19.17	14.81
15	20.50	19.86	17.19	3.34	7.96	11.59	11.03	13.27	16.49	20.19	19.33	14.43
16	20.61	20.05	17.22	3.05	7.82	11.71	11.15	12.77	16.53	19.32	19.49	13.97
17	20.79	20.25	17.35	3.44	7.73	11.86	11.42	12.44	16.60	19.09	19.74	14.01
18	20.81	20.34	17.37	3.57	7.74	11.97	11.63	12.52	16.62	19.19	19.99	14.39
19	20.78	20.38	17.31	3.90	7.77	12.00	11.89	12.65	16.60	19.31	20.00	14.86
20	20.65	20.38	17.32	4.30	7.65	11.83	12.16	12.93	16.67	19.41	19.50	15.40
21	20.69	20.16	17.34	4.53	7.79	11.60	12.31	12.97	16.85	19.37	18.52	15.91
22	20.74	19.88	17.35	4.53	7.63	11.39	12.32	12.99	17.10	18.90	18.40	16.09
23	20.75	19.84	17.32	4.86	7.65	11.20	12.21	13.15	17.32	18.77	18.69	15.81
24	20.66	19.76	17.06	5.16	7.85	11.27	11.95	13.21	17.55	18.71	18.71	15.62
25	20.71	19.70	16.60	5.48	8.12	11.31	11.53	13.13	17.76	18.85	18.17	15.98
26	20.74	19.47	16.11	5.90	8.37	11.32	11.22	13.13	17.83	19.11	17.42	16.08
27	20.83	19.04	15.83	6.09	8.62	11.09	10.98	13.22	18.02	19.10	16.64	16.09
28	20.91	18.57	15.63	6.29	8.86	11.13	10.93	13.42	18.30	18.97	16.22	16.11
29	20.94	18.34	15.32	6.53	---	11.35	11.11	13.41	18.52	18.87	16.73	16.24
30	20.89	18.30	15.31	6.72	---	11.37	11.17	13.38	18.70	18.71	17.19	16.37
31	20.40	---	15.30	6.95	---	11.38	---	13.62	---	18.73	17.23	---
MAX	20.94	20.38	18.30	14.95	8.86	12.00	12.32	13.62	18.70	20.79	20.00	16.94
CAL YR 2004	LOW	20.94										
WTR YR 2005	LOW	20.94										





# Ground-Water Records—Putnam County

## 405505084032900. Local Number, PU-1

LOCATION.—Latitude 40°55'05", longitude 84°03'29", Putnam County, Hydrologic Unit 04100007, Center and Broadway Street, Columbus Grove, Ohio.  
 Owner: Village of Columbus Grove.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 6 in., depth 110 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 770 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—July 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 24.30 ft below land-surface datum, Aug. 24, 1962; minimum daily low, 8.80 ft below land-surface datum, Dec. 30, 1990.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.59	15.58	13.20	13.56	13.49	13.63	14.01	10.98	---	---	14.58	15.63
2	15.00	13.30	13.19	14.14	14.25	13.88	13.74	---	---	---	15.50	15.82
3	15.46	14.34	12.77	14.10	14.26	13.62	13.98	---	---	---	15.90	16.37
4	15.32	14.74	12.21	13.27	12.70	13.86	---	---	---	---	15.57	15.70
5	15.21	13.80	12.71	11.18	14.51	13.06	---	---	---	---	15.92	16.23
6	14.87	14.55	13.08	12.60	13.93	12.70	---	---	---	---	15.37	15.99
7	14.31	14.49	11.56	13.33	14.63	13.79	---	---	---	---	15.91	16.31
8	15.51	14.04	13.18	13.06	12.08	13.79	---	---	---	---	15.97	16.37
9	15.89	13.91	12.12	12.58	12.80	12.83	---	---	---	---	15.92	16.42
10	16.01	13.65	13.15	13.23	12.43	14.01	---	---	---	---	15.64	16.58
11	14.15	14.48	13.22	13.04	13.58	13.51	---	---	---	---	15.43	17.15
12	15.47	14.21	12.19	11.48	13.82	13.84	---	---	---	---	15.57	16.04
13	14.72	13.49	13.61	11.60	12.87	14.12	---	---	---	---	16.17	17.84
14	15.39	14.57	13.29	11.48	13.55	13.43	---	---	---	---	15.37	14.32
15	14.52	14.39	13.51	12.64	11.64	12.62	---	---	---	---	14.48	17.05
16	15.37	13.49	12.75	12.91	12.77	13.78	---	---	---	---	15.90	16.86
17	14.70	13.39	13.85	11.89	12.00	14.22	---	---	---	---	15.66	16.70
18	14.36	12.24	13.64	12.93	13.44	12.96	12.72	---	---	---	15.06	16.55
19	15.32	14.47	13.83	12.23	13.93	13.16	14.47	---	---	14.26	16.08	15.24
20	15.18	14.21	13.18	12.38	13.66	13.91	13.10	---	---	15.16	15.85	16.87
21	13.51	12.96	14.14	11.87	12.68	13.84	13.85	---	---	14.79	15.31	16.43
22	15.10	14.10	14.28	13.78	13.35	14.12	13.30	---	---	15.31	16.31	15.72
23	15.59	13.79	13.43	12.84	12.57	13.53	12.57	---	---	15.46	16.52	16.29
24	14.28	12.87	13.52	13.38	12.03	13.99	9.87	---	---	15.56	16.45	15.49
25	15.53	12.64	14.37	13.74	13.63	13.97	---	---	---	15.11	16.59	16.09
26	14.43	13.78	14.35	12.05	13.02	14.54	---	---	---	15.95	17.08	15.55
27	14.24	13.15	14.04	14.07	14.16	12.00	---	---	---	15.44	17.00	14.24
28	15.22	12.57	14.72	14.27	13.66	14.17	13.39	---	---	14.11	16.60	15.23
29	15.13	12.24	13.56	13.58	---	13.19	12.71	---	---	15.49	16.37	14.36
30	15.39	12.42	14.61	14.21	---	13.73	13.51	---	---	15.51	17.06	15.33
31	14.12	---	14.68	14.32	---	11.76	---	---	---	14.82	15.90	---
MAX	16.01	15.58	14.72	14.32	14.63	14.54	14.47	10.98	---	15.95	17.08	17.84
CAL YR 2004	LOW	16.71										
WTR YR 2005	LOW	17.84										



## Ground-Water Records—Sandusky County

### 411914083045300. Local Number, S-3

LOCATION.—Latitude 41°19'14", longitude 83°04'53", Sandusky County, Hydrologic Unit 04100011, 2.6 mi southeast of Fremont Post Office, Fremont, Ohio.

Owner: State of Ohio.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled test artesian well, diameter 12 in., depth 121 ft, cased to 93 ft.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 627 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—December 1974 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 28.53 ft below land-surface datum, July 20, 2001; minimum daily low, 14.02 ft below land-surface datum, Mar. 24, 1975.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	21.63	18.18	17.24	17.17	16.31	15.80	16.09	16.12	19.24	20.13	21.60	20.65
2	22.19	18.05	17.26	17.12	16.26	15.95	15.87	16.16	19.59	19.87	21.47	20.45
3	21.33	18.12	17.15	17.08	16.19	15.96	15.90	16.22	20.17	19.69	22.80	20.32
4	20.54	17.97	17.11	16.99	16.19	15.90	15.99	16.29	20.59	19.95	23.26	20.22
5	20.30	17.87	17.24	16.95	16.20	15.97	15.97	17.69	19.68	21.37	23.09	21.91
6	21.53	17.77	17.19	16.80	16.18	15.93	15.96	18.41	19.31	21.82	23.80	22.35
7	22.37	17.92	17.07	16.84	16.17	15.76	15.90	17.42	20.91	20.84	23.05	22.53
8	21.38	18.04	17.18	16.97	16.01	15.93	15.99	18.49	21.70	20.88	22.63	23.18
9	21.91	18.06	17.16	16.98	15.97	15.93	16.01	18.91	20.61	21.94	23.08	22.23
10	22.30	18.00	16.93	16.80	15.96	15.89	16.04	---	19.84	22.33	23.08	22.74
11	21.27	17.88	16.92	16.81	15.98	15.70	16.10	---	19.43	21.31	23.47	23.18
12	20.59	17.92	16.95	16.56	15.87	15.77	16.01	---	19.20	22.24	23.14	22.22
13	21.33	18.04	17.06	16.28	15.97	15.99	17.12	---	18.90	23.31	22.73	22.70
14	21.71	18.07	17.21	16.64	15.87	16.10	17.34	---	18.73	23.58	21.60	23.36
15	20.64	18.03	17.24	16.73	15.89	16.14	16.97	19.02	18.59	22.16	21.18	22.33
16	19.97	17.85	17.11	16.68	15.94	16.12	16.72	19.40	18.57	22.10	20.84	21.50
17	19.74	17.72	17.08	16.66	15.99	16.01	16.57	18.40	18.52	22.70	21.12	20.91
18	19.65	17.61	16.96	16.67	16.05	16.05	18.27	19.09	18.55	22.97	22.28	20.60
19	19.32	17.53	17.09	16.41	16.10	16.02	19.08	18.80	18.62	21.69	22.57	20.42
20	19.24	17.46	17.07	16.29	16.09	16.12	18.13	---	19.79	21.12	21.57	21.20
21	19.13	17.55	16.99	16.32	15.95	16.18	17.46	18.91	20.36	20.70	20.96	21.84
22	19.01	17.53	17.06	16.24	16.02	16.17	17.08	---	20.75	22.09	22.28	20.84
23	18.82	17.39	17.12	16.38	16.04	16.05	16.59	---	21.30	22.49	22.70	20.23
24	18.63	17.31	17.16	16.38	16.04	16.02	16.38	---	21.84	21.41	22.47	20.02
25	18.63	17.31	17.17	16.16	15.99	16.03	16.24	18.99	22.10	20.68	23.13	19.74
26	18.63	17.32	17.27	16.27	16.07	16.11	16.15	---	22.44	20.31	22.69	19.41
27	18.55	17.30	17.34	16.45	16.08	16.11	16.17	---	21.32	19.93	23.16	19.39
28	18.52	17.43	17.35	16.46	15.79	15.89	16.22	---	20.94	19.85	23.52	19.25
29	18.32	17.46	17.10	16.27	---	16.05	16.13	---	21.17	19.69	22.28	19.08
30	18.05	17.38	17.13	16.21	---	15.99	16.10	19.78	20.76	19.62	21.53	19.00
31	18.16	---	16.96	16.24	---	16.05	---	20.14	---	21.15	20.78	---
MAX	22.37	18.18	17.35	17.17	16.31	16.18	19.08	20.14	22.44	23.58	23.80	23.36
CAL YR 2004	LOW	22.53										
WTR YR 2005	LOW	23.80										



**412703083213600. Local Number, S-2**

LOCATION.—Latitude 41°27'03", longitude 83°21'36", Sandusky County, Hydrologic Unit 04100010, at Woodville, Ohio. Owner: Village of Woodville.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 8 in., depth 198 ft cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 635 ft above sea level (from topographic map). Measuring point: Top of casing at land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—June 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 100.97 ft below land-surface datum, Jan. 29, 1982; minimum daily low, 17.43 ft below land-surface datum, June 3, 1997.

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005  
DAILY MAXIMUM VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	59.89	62.20	59.27	46.95	25.89	27.23	43.29	25.72	42.05	56.07	45.12	63.96
2	59.95	62.92	56.51	37.16	26.49	28.79	32.97	25.93	38.43	57.35	41.27	63.23
3	52.06	62.47	51.64	32.56	26.63	35.57	39.02	26.73	39.37	53.56	44.61	57.35
4	63.55	58.82	47.96	28.80	27.82	35.51	38.21	27.38	34.84	60.48	46.16	59.64
5	64.75	62.93	52.87	27.58	28.43	35.73	33.99	27.23	39.36	52.79	48.77	53.89
6	64.68	66.24	54.47	27.31	29.91	40.09	32.36	27.71	41.32	58.85	53.31	62.40
7	64.42	59.28	41.53	26.80	30.69	35.07	33.20	27.41	38.54	60.69	52.61	66.98
8	61.00	59.81	44.31	26.80	28.00	34.82	36.57	28.96	38.50	65.54	49.93	65.30
9	60.84	64.48	43.30	27.17	28.41	35.95	30.95	33.48	44.87	58.33	51.53	59.16
10	63.41	63.62	39.99	27.83	27.63	37.41	33.30	34.66	39.30	59.05	57.81	62.44
11	64.57	62.84	37.47	28.61	27.54	34.61	31.05	34.48	45.83	65.17	51.78	62.56
12	65.11	59.96	28.90	27.68	27.87	38.33	31.54	40.26	47.04	61.95	55.99	61.33
13	62.75	59.64	34.04	26.14	26.73	38.99	35.95	40.28	47.32	62.22	54.46	63.99
14	65.41	56.67	36.36	23.57	26.82	41.36	38.13	29.92	45.56	60.78	50.50	58.55
15	63.61	46.68	35.44	22.47	27.61	45.09	39.67	30.12	42.31	51.07	41.49	63.73
16	64.53	58.03	37.29	22.57	27.06	46.61	35.15	34.20	41.04	60.32	54.02	62.96
17	67.54	58.90	36.33	23.64	26.79	40.14	36.60	35.20	40.85	51.06	51.33	58.90
18	68.75	62.30	28.73	23.36	27.05	37.98	38.07	36.42	40.39	56.29	51.37	63.33
19	68.20	63.65	33.99	23.50	26.92	41.59	39.89	42.41	39.09	57.30	52.99	65.35
20	65.29	52.53	36.83	23.88	26.58	40.03	42.56	42.27	44.84	53.89	55.83	65.27
21	61.86	61.86	38.66	24.12	26.91	44.38	41.72	34.29	47.72	53.78	53.67	55.32
22	60.38	62.81	30.06	23.32	27.22	38.95	36.22	40.27	49.09	55.67	50.64	58.21
23	61.28	61.82	36.72	24.60	27.64	42.44	31.43	44.07	52.52	57.29	52.53	59.31
24	60.24	61.25	40.00	24.63	26.84	43.01	30.21	45.28	47.55	57.79	50.99	63.41
25	62.56	63.43	41.54	25.06	27.10	42.64	27.03	40.43	49.88	60.17	56.20	65.11
26	50.31	61.52	44.18	25.87	27.47	42.83	26.13	43.55	55.81	56.96	62.90	65.34
27	61.48	62.03	50.84	26.28	26.87	38.66	26.07	45.42	57.24	53.77	57.17	66.29
28	63.06	60.39	46.16	26.16	27.59	38.22	25.77	37.47	52.37	52.76	58.81	60.23
29	61.07	62.82	48.76	25.80	---	39.05	24.80	38.76	57.62	48.67	66.03	55.61
30	50.79	47.46	53.54	26.51	---	42.76	25.37	40.22	58.56	42.91	67.23	61.21
31	59.28	---	50.26	25.93	---	42.13	---	40.90	---	40.05	68.71	---
MAX	68.75	66.24	59.27	46.95	30.69	46.61	43.29	45.42	58.56	65.54	68.71	66.98
CAL YR 2004		LOW	70.84									
WTR YR 2005		LOW	68.75									



## Ground-Water Records—Seneca County

### 410802083093900. Local Number, SE-2

LOCATION.—Latitude 41°08'02", longitude 83°09'39", Seneca County, Hydrologic Unit 04100011, Tiffin State Hospital, Tiffin, Ohio. Owner: State of Ohio.  
AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 12 in., depth 250 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 740 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 0.50 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—July 1962 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 23.76 ft below land-surface datum, Nov. 22, 1964; minimum daily low, 14.11 ft below land-surface datum, Jan. 2, 1991.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	20.42	20.74	18.95	18.29	18.04	17.23	17.76	16.20	18.90	19.95	19.76	20.42
2	20.51	20.69	18.96	17.56	17.99	17.47	17.37	16.46	18.86	20.16	19.79	20.35
3	20.58	20.79	18.63	17.04	18.07	17.53	17.15	16.74	18.88	20.12	19.81	20.40
4	20.54	20.43	18.58	16.51	18.23	17.40	16.62	16.98	18.95	20.09	19.87	20.43
5	20.68	20.30	18.83	16.09	18.30	17.59	16.30	17.04	19.03	20.12	20.04	20.44
6	20.65	20.06	18.70	15.58	18.27	17.49	16.28	16.99	19.08	20.24	20.07	20.43
7	20.68	20.23	18.66	15.58	18.20	17.19	16.38	17.02	19.15	20.27	20.08	20.40
8	20.51	20.43	19.00	15.66	17.96	17.59	16.60	17.24	19.17	20.32	20.11	20.31
9	20.51	20.47	18.88	15.66	17.64	17.58	16.71	17.25	19.26	20.42	20.11	20.37
10	20.65	20.30	18.48	15.71	17.14	17.53	16.82	17.31	19.36	20.40	20.08	20.49
11	20.62	20.24	18.64	15.72	17.09	17.34	16.98	17.67	19.41	20.32	20.17	20.57
12	20.53	20.42	18.65	15.44	16.86	17.68	16.89	17.96	19.34	20.31	20.13	20.51
13	20.30	20.60	18.82	14.86	16.98	17.90	17.18	17.81	19.20	20.34	20.20	20.45
14	20.29	20.63	19.00	15.04	16.95	17.99	17.39	17.56	19.19	20.40	20.33	20.51
15	20.33	20.50	19.03	15.06	16.97	18.05	17.59	17.85	19.23	20.43	20.47	20.71
16	20.54	20.26	18.76	15.03	16.90	18.04	17.66	17.97	19.39	20.42	20.42	20.59
17	20.77	20.17	18.76	15.42	16.92	17.88	17.58	18.02	19.48	20.19	20.41	20.56
18	20.85	20.10	18.56	15.64	17.01	17.93	17.56	18.08	19.66	20.02	20.33	20.53
19	20.61	20.06	18.86	15.64	17.10	17.89	17.61	18.03	19.81	20.05	20.37	20.52
20	20.66	19.96	18.80	15.94	17.06	18.11	17.77	18.18	19.82	20.06	20.44	20.42
21	20.73	20.04	18.76	16.20	17.05	18.19	17.85	18.32	19.71	19.99	20.52	20.50
22	20.71	19.85	18.88	16.46	17.14	18.16	17.69	18.24	19.82	20.00	20.53	20.36
23	20.51	19.67	19.06	16.93	17.14	17.94	17.33	18.21	19.89	20.12	20.60	20.49
24	20.54	19.64	19.06	16.93	17.01	18.04	17.12	18.44	19.85	19.99	20.67	20.51
25	20.67	19.48	19.06	16.77	17.04	17.92	16.53	18.58	19.88	19.98	20.71	20.23
26	20.71	19.47	19.21	17.49	17.32	17.87	16.23	18.46	19.96	19.90	20.56	19.95
27	20.75	19.12	19.28	17.83	17.32	17.71	15.94	18.47	19.99	19.96	20.46	19.90
28	20.75	19.26	19.19	17.84	16.85	17.37	15.89	18.52	19.99	19.93	20.65	19.60
29	20.53	19.29	18.97	17.55	---	17.60	15.82	18.67	20.03	19.83	20.64	19.58
30	20.37	19.13	19.00	17.69	---	17.52	15.98	18.73	20.01	19.85	20.54	19.57
31	20.70	---	18.76	17.83	---	17.68	---	18.84	---	19.78	20.45	---
MAX	20.85	20.79	19.28	18.29	18.30	18.19	17.85	18.84	20.03	20.43	20.71	20.71
CAL YR 2004	LOW	20.85										
WTR YR 2005	LOW	20.85										



# Ground-Water Records—Summit County

## 410330081282000. Local Number, SU-6

LOCATION.—Latitude 41°03'30", longitude 81°28'20", Summit County, Hydrologic Unit 04110002, Seiberling Street, Akron, Ohio. Owner: Goodyear Tire and Rubber Company.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 24 in., depth 89 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 1,000 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 2.63 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—July 1941 to February 1944 periodic, March 1944 to current year continuous. Records for May 14-Sept. 30, 1980, published in USGS-WDR-OH-80-1, are unreliable and should not be used.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 59.47 ft below land-surface datum, Oct. 18, 1946; minimum daily low, 8.82 ft below land-surface datum, June 26, 1998.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.35	12.45	12.33	11.59	11.75	11.63	16.63	17.49	---	---	17.67	17.01
2	12.39	12.45	12.21	11.58	11.76	11.65	16.66	17.52	---	12.23	17.69	17.08
3	12.40	12.44	12.23	11.56	11.77	11.67	13.16	17.53	---	14.78	17.71	17.17
4	12.43	12.43	12.23	11.22	11.79	11.66	12.38	17.55	---	15.79	17.73	17.23
5	12.45	12.41	12.27	11.11	11.80	11.68	15.05	15.09	12.17	16.22	17.73	17.25
6	12.46	12.39	12.26	10.95	11.81	11.67	15.75	13.77	12.16	16.48	17.50	17.30
7	12.48	12.33	12.24	10.84	11.80	11.63	16.04	13.34	12.15	16.70	17.54	17.33
8	12.46	12.32	12.24	10.88	11.78	11.66	16.27	13.08	12.17	16.83	17.59	17.35
9	12.45	12.31	12.23	10.93	11.67	11.68	16.42	12.93	---	16.96	17.63	17.38
10	12.45	12.30	12.18	11.04	11.65	11.68	16.54	12.78	---	17.04	17.65	17.42
11	12.46	12.26	12.18	11.07	11.65	11.66	16.63	12.63	---	17.14	17.68	17.43
12	12.46	12.24	12.18	11.04	11.67	11.71	16.69	12.59	12.16	17.21	17.70	17.44
13	12.45	12.34	12.19	10.77	11.71	11.73	16.78	12.57	---	17.25	17.71	17.43
14	12.45	12.40	12.22	10.73	11.69	11.74	16.83	12.48	12.17	17.33	17.70	17.42
15	12.45	12.42	12.23	10.86	11.66	14.46	16.89	12.25	12.15	17.38	17.70	17.43
16	12.47	12.43	12.22	11.00	11.64	15.18	16.96	12.22	12.16	17.37	17.71	17.41
17	12.49	12.44	12.23	11.12	11.62	15.53	17.07	12.22	12.18	17.42	17.72	17.35
18	12.50	12.43	12.22	11.20	11.64	15.75	17.17	12.21	12.20	17.46	17.73	17.36
19	12.42	12.43	12.21	11.25	11.66	15.91	17.24	12.21	12.21	17.46	17.73	17.37
20	12.44	12.38	12.21	11.37	11.66	16.02	17.29	12.19	---	17.53	17.73	17.37
21	12.46	12.39	12.19	11.43	11.60	16.14	17.34	12.19	---	17.57	17.70	17.38
22	12.47	12.38	12.21	11.45	11.58	16.23	17.37	12.17	---	17.60	17.72	17.38
23	12.47	12.39	12.20	11.53	11.60	16.25	17.37	12.16	---	17.63	17.73	17.39
24	12.45	12.39	11.91	11.53	11.60	16.27	17.32	12.17	---	17.65	17.74	17.37
25	12.46	12.35	11.90	11.54	11.61	16.31	17.36	12.18	---	17.67	17.75	17.38
26	12.47	12.36	11.90	11.60	11.64	16.34	17.39	12.17	---	17.69	17.76	17.37
27	12.49	12.36	11.93	11.64	11.64	16.35	17.39	---	---	17.59	17.77	17.03
28	12.49	12.37	11.93	11.66	11.61	16.24	17.42	---	---	17.52	17.77	17.07
29	12.48	12.39	11.93	11.66	---	16.27	17.43	---	---	17.59	17.77	17.07
30	12.39	12.38	11.93	11.70	---	16.28	17.46	12.16	---	17.63	17.77	17.06
31	12.43	---	11.90	11.74	---	16.21	---	12.17	---	17.65	17.55	---
MAX	12.50	12.45	12.33	11.74	11.81	16.35	17.46	17.55	12.21	17.69	17.77	17.44
CAL YR 2004		LOW	12.50									
WTR YR 2005		LOW	17.77									



**410846081271600. Local Number, SU-7**

LOCATION.—Latitude 41°08'46", longitude 81°27'16", Summit County, Hydrologic Unit 04110002, Monroe Falls Road, Cuyahoga Falls, Ohio. Owner: City of Cuyahoga Falls.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused water-table, diameter 6 in., depth 100 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 994 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 5.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—August 1968 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 46.90 ft below land-surface datum, Jan. 22, 1999; minimum daily low, 1.95 ft above land-surface datum, Jan. 6, 2005.

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005  
DAILY MAXIMUM VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.54	20.61	23.10	2.18	3.96	3.16	4.55	1.19	6.45	7.69	8.98	9.81
2	15.77	20.86	22.86	1.50	3.91	3.62	4.52	1.96	6.39	7.72	9.44	8.68
3	15.98	21.02	22.58	1.33	4.02	3.94	2.93	2.19	6.50	7.78	9.85	7.77
4	16.22	21.12	22.39	0.15	4.07	4.05	1.26	2.72	6.59	8.40	10.09	7.67
5	16.53	21.24	22.17	-1.71	4.11	3.95	0.96	3.70	7.07	8.44	10.10	7.75
6	16.64	21.27	22.06	-1.95	4.14	4.06	0.72	3.64	7.23	8.28	8.61	8.45
7	16.93	21.38	21.89	-1.45	4.12	3.92	0.69	3.61	7.04	8.35	8.26	9.00
8	17.20	21.52	21.75	-1.00	3.81	3.56	0.78	4.11	7.33	8.12	8.90	10.28
9	17.28	21.54	21.62	-0.72	2.57	3.06	1.16	5.24	7.53	8.36	9.31	10.17
10	17.57	21.60	21.45	0.38	1.97	3.06	1.96	5.59	7.72	8.97	10.02	10.04
11	17.81	21.64	21.36	0.54	2.19	2.95	2.40	5.36	7.96	9.26	10.28	10.39
12	18.61	21.72	21.28	0.56	2.02	3.29	3.11	5.41	7.96	9.31	10.51	10.74
13	18.13	21.92	21.20	-0.44	2.09	3.72	3.46	5.54	7.33	9.15	10.88	11.12
14	18.98	22.02	21.44	-1.08	2.35	3.87	3.90	5.50	7.34	8.97	10.99	11.35
15	19.18	21.42	21.37	-1.14	2.16	3.99	4.81	5.11	7.03	9.10	10.77	11.45
16	19.24	21.54	21.16	-0.80	1.97	4.18	5.55	4.82	6.86	8.94	10.94	11.05
17	19.49	21.61	19.80	0.31	1.59	4.43	5.99	4.99	6.73	8.18	11.18	10.80
18	19.59	21.79	10.08	0.68	1.59	4.40	6.20	5.23	6.80	8.23	11.39	11.02
19	19.78	21.78	7.70	1.24	2.21	4.13	6.33	5.38	6.74	8.25	11.50	11.15
20	19.89	21.87	6.63	1.85	2.37	3.47	6.18	5.53	6.90	8.25	11.60	11.62
21	19.99	21.97	6.28	2.30	2.43	2.99	6.05	5.68	7.36	8.20	11.68	12.00
22	19.36	22.08	6.11	2.65	2.27	3.10	5.62	5.75	7.53	9.09	11.76	12.42
23	19.50	22.13	5.72	3.00	2.34	3.10	5.26	5.73	7.68	8.21	11.76	12.41
24	19.71	22.91	4.73	3.12	2.26	3.17	4.70	5.73	7.80	8.21	11.36	11.69
25	20.53	22.21	3.99	3.19	2.53	3.36	3.78	5.73	7.94	8.22	11.88	11.67
26	20.53	22.94	3.85	3.30	2.99	3.68	2.76	5.81	7.87	7.98	12.21	11.64
27	20.01	22.16	3.82	3.06	3.29	3.77	1.72	5.97	8.29	8.60	11.76	11.19
28	20.80	22.28	3.87	3.25	3.27	3.96	1.24	6.11	8.30	8.66	11.38	10.78
29	20.47	23.04	3.70	3.55	---	4.06	0.72	6.18	7.72	8.59	11.75	10.34
30	20.72	22.71	3.51	3.71	---	4.20	0.62	6.23	7.74	8.35	11.49	10.06
31	20.74	---	3.78	3.85	---	4.48	---	6.51	---	8.68	11.01	---
MAX	20.80	23.04	23.10	3.85	4.14	4.48	6.33	6.51	8.30	9.31	12.21	12.42
CAL YR 2004	LOW	23.10										
WTR YR 2005	LOW	23.10										



# Ground-Water Records—Van Wert County

## 405215084335400. Local Number, VW-1

LOCATION.—Latitude 40°52'15", longitude 84°33'54", Van Wert County, Hydrologic Unit 04100007, Ridge Road near Van Wert, Ohio. Owner: Marsh Foundation.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 8 in., depth 340 ft, cased.

INSTRUMENTATION.—Type F continuous recorder.

DATUM.—Elevation of land-surface datum is 790.37 ft above sea level. Measuring point: Floor of instrument shelter 6.15 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—August 1957 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low 33.20 ft below land-surface datum, Dec. 20-21, 1991; minimum daily low, 18.85 ft below land-surface datum, Mar. 6, 1959.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	23.85	22.80	22.40	22.95	22.40	22.05	22.75	22.90	23.85	26.00	26.40	27.00
2	23.75	22.70	22.45	22.95	22.40	22.15	22.55	22.95	24.10	25.90	26.35	27.05
3	23.75	22.90	22.45	22.85	22.30	22.25	22.65	23.10	24.05	25.75	26.40	27.10
4	23.60	22.80	22.45	22.70	22.30	22.20	22.75	23.20	24.15	25.60	26.60	27.05
5	23.70	22.65	22.55	22.70	22.35	22.25	22.75	23.25	24.20	25.45	26.80	27.05
6	23.70	22.60	22.50	22.40	22.30	22.25	22.75	23.15	24.35	25.55	26.85	27.05
7	23.75	22.45	22.40	22.60	22.25	21.95	22.70	23.00	24.55	25.65	26.85	27.00
8	23.60	22.90	22.55	22.65	22.00	22.20	22.85	23.05	24.60	25.75	26.85	26.90
9	23.60	22.95	22.50	22.75	21.95	22.20	22.85	23.00	24.65	25.85	26.95	26.80
10	23.70	22.95	22.25	22.65	22.00	22.15	22.90	23.00	24.55	25.95	27.15	26.90
11	23.65	22.75	22.35	22.60	22.05	21.95	22.90	23.30	24.50	26.20	27.45	27.15
12	23.55	22.75	22.35	22.35	21.90	22.15	22.85	23.50	24.25	26.40	27.50	27.40
13	23.30	22.90	22.60	22.00	21.95	22.35	22.95	23.40	24.25	26.40	27.50	27.45
14	23.25	23.05	22.90	22.45	21.85	22.50	23.05	23.20	24.20	26.55	27.40	27.45
15	23.10	23.05	22.85	22.65	21.90	22.55	23.15	23.30	24.10	26.65	27.25	27.50
16	23.20	23.00	22.75	22.65	21.95	22.55	23.20	23.35	24.10	26.75	27.25	27.55
17	23.35	22.85	22.75	22.60	22.05	22.45	23.15	23.40	24.45	26.75	27.05	27.75
18	23.35	22.70	22.65	22.70	22.15	22.45	23.05	23.40	24.95	26.65	26.95	27.85
19	23.15	22.60	22.75	22.75	22.20	22.40	23.00	23.30	25.45	26.70	26.75	27.85
20	23.20	22.55	22.75	22.30	22.20	22.60	22.95	23.15	25.70	26.70	26.50	27.75
21	23.30	22.45	22.50	22.30	21.95	22.65	23.10	23.25	25.70	26.65	26.50	27.35
22	23.25	22.60	22.70	22.35	22.05	22.65	23.05	23.20	25.85	26.65	26.55	27.25
23	23.15	22.60	22.65	22.25	22.15	22.55	22.75	23.10	25.95	26.90	26.70	27.00
24	22.95	22.50	22.70	22.45	22.10	22.60	22.70	23.00	26.00	26.90	26.75	26.90
25	23.05	22.35	23.15	22.45	22.10	22.65	22.60	23.15	26.10	26.85	26.85	26.85
26	23.10	22.10	22.80	22.15	22.25	22.65	22.65	23.20	26.15	26.75	26.85	26.65
27	23.05	22.35	23.15	22.00	22.25	22.65	22.85	23.25	26.20	26.60	26.85	26.40
28	23.15	22.35	23.15	22.45	22.00	22.40	22.90	23.35	26.20	26.60	26.85	26.35
29	22.85	22.60	22.90	22.65	---	22.60	22.85	23.35	26.35	26.50	27.10	26.25
30	22.60	22.55	22.90	22.60	---	22.50	22.85	23.45	26.25	26.50	27.05	26.15
31	22.75	---	22.80	22.45	---	22.70	---	23.65	---	26.45	26.90	---
MAX	23.85	23.05	23.15	22.95	22.40	22.70	23.20	23.65	26.35	26.90	27.50	27.85
CAL YR 2004		LOW	24.75									
WTR YR 2005		LOW	27.85									



## Ground-Water Records—Williams County

### 412819084323800. Local Number, WM-1A

LOCATION.—Latitude 41°28'19", longitude 84°32'38", Williams County, Hydrologic Unit 04100006, at Bryan, Ohio. Owner: City of Bryan.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused production well, diameter 8 in., depth 143 ft, cased to 126 ft.

INSTRUMENTATION.—Electronic data logger. 60-minute log interval.

DATUM.—Elevation of land-surface datum is 745ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—April 2003 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 34.89 ft below land-surface datum, July 13, 2005; minimum daily low, 21.24 ft below land-surface datum, Jan. 4, 2004.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	32.02	28.73	28.42	24.03	28.16	27.30	25.90	28.47	28.90	33.36	31.28	31.24
2	31.61	29.04	28.93	24.01	28.05	27.55	26.08	29.07	28.98	33.05	31.92	31.23
3	31.19	29.43	29.23	24.12	28.00	27.68	25.95	29.35	28.87	32.24	32.22	30.94
4	31.24	29.11	29.43	24.01	28.00	28.00	25.80	29.64	28.94	31.70	32.12	29.98
5	31.13	29.10	28.99	24.65	27.78	27.70	26.25	29.93	28.73	32.28	32.45	29.96
6	31.12	29.16	28.25	24.64	27.15	26.91	26.24	30.23	29.63	32.78	32.65	30.28
7	31.14	28.24	28.18	25.07	26.27	26.92	26.19	29.61	30.68	33.27	32.22	30.60
8	30.92	28.69	28.86	25.23	26.87	27.10	26.61	29.08	30.91	33.61	32.22	30.85
9	30.58	29.08	29.09	24.60	27.40	27.30	26.16	29.45	30.96	33.08	32.48	31.01
10	30.32	28.94	29.17	24.90	27.55	27.25	25.75	29.67	31.22	33.06	32.72	31.10
11	30.19	29.23	28.79	25.33	27.78	26.82	26.76	30.23	31.18	33.73	33.00	30.95
12	30.45	29.70	28.19	25.60	27.80	26.48	27.13	30.20	30.38	33.94	32.95	31.00
13	31.33	29.60	28.15	25.77	27.40	26.53	27.60	30.19	30.83	34.89	32.47	31.23
14	30.84	29.36	28.44	26.35	26.94	26.42	27.97	29.43	30.75	33.75	31.37	31.41
15	30.70	28.76	28.57	26.47	27.40	26.51	28.31	28.52	30.46	33.48	32.09	31.04
16	30.32	29.24	28.54	25.68	27.68	26.60	28.20	29.49	30.40	33.29	31.94	30.81
17	29.73	29.39	28.51	25.72	28.14	26.60	27.65	29.60	30.97	32.28	32.29	30.21
18	30.08	29.36	28.00	25.81	28.12	26.70	27.64	29.60	30.26	33.65	32.08	29.52
19	30.10	29.16	27.80	25.70	28.59	26.58	27.94	29.41	29.84	34.78	32.32	29.86
20	29.91	29.18	28.03	26.08	27.66	25.91	28.68	29.59	30.13	34.04	32.17	29.96
21	29.89	28.86	27.51	26.38	26.75	26.42	28.95	29.14	31.20	33.60	31.05	30.09
22	30.22	28.69	27.74	26.27	27.48	26.42	28.86	28.48	32.42	33.07	31.54	29.73
23	29.98	29.29	27.60	26.02	27.90	26.41	28.73	28.76	33.36	32.78	31.52	29.71
24	29.23	29.50	27.29	25.76	27.96	26.33	28.09	29.19	33.50	32.10	31.51	29.22
25	29.27	29.19	26.83	26.40	28.16	26.23	28.25	29.18	33.17	31.97	31.49	28.97
26	29.48	28.28	25.90	27.16	28.15	25.85	28.49	28.96	32.46	32.16	31.52	28.82
27	29.76	27.60	26.18	28.43	28.25	25.52	28.91	28.99	33.96	32.13	31.37	28.90
28	29.93	26.99	25.88	28.85	27.57	25.11	29.19	28.70	33.38	32.07	30.65	28.85
29	29.74	27.43	25.40	28.71	---	25.59	29.33	27.82	34.50	32.02	30.93	28.96
30	29.35	27.88	25.26	27.87	---	25.70	29.02	27.24	34.24	31.82	30.98	28.85
31	28.60	---	24.50	27.96	---	26.07	---	28.17	---	31.36	30.91	---
MAX	32.02	29.70	29.43	28.85	28.59	28.00	29.33	30.23	34.50	34.89	33.00	31.41
CAL YR 2004	LOW	34.30										
WTR YR 2005	LOW	34.89										





**412930084320900. Local Number, WM-3**

LOCATION.—Latitude 41°29'30", longitude 84°32'09", Williams County, Hydrologic Unit 04100006, Union Street, Bryan, Ohio. Owner: City of Bryan.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled unused test well, diameter 8 in., depth 174 ft, cased.

INSTRUMENTATION.—Electronic data logger, 60-minute log interval.

DATUM.—Elevation of land-surface datum is 760 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 2.00 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water.

PERIOD OF RECORD.—October 1984 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 28.80 ft below land-surface datum, July 26, 2002; minimum daily low, 15.15 ft below land-surface datum, Jan. 4, 1987.

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005  
DAILY MAXIMUM VALUES**

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	22.85	---	---	---	21.00	19.26	19.08	20.01	21.09	24.93	22.05	22.94
2	22.55	---	---	---	21.08	19.35	19.14	19.98	21.32	24.59	22.46	22.95
3	22.05	---	---	---	21.11	19.44	18.90	20.25	21.36	24.12	22.70	22.94
4	21.55	---	---	---	21.11	19.67	19.02	20.45	21.33	23.60	22.74	22.43
5	21.70	---	---	17.80	21.11	19.68	19.36	20.66	21.18	23.58	23.03	22.02
6	21.70	---	---	17.70	20.82	19.59	19.40	20.73	21.45	23.91	23.09	22.25
7	21.70	---	---	18.00	20.22	19.58	19.44	20.64	22.20	24.29	22.91	22.58
8	21.65	---	---	18.35	20.43	19.86	19.55	20.13	22.55	24.65	23.13	22.82
9	21.45	---	---	18.35	20.58	20.09	19.55	20.33	22.76	24.60	23.46	22.97
10	21.65	---	---	18.75	20.67	20.11	19.20	20.75	22.95	24.22	23.69	23.00
11	20.70	---	---	19.15	20.78	20.09	19.53	21.29	22.95	24.71	23.88	22.88
12	20.85	---	---	19.45	20.79	19.98	19.83	21.38	22.50	24.87	23.90	22.88
13	21.55	---	---	19.55	20.42	19.71	20.07	21.54	22.38	25.22	23.81	23.00
14	21.55	---	---	19.65	20.09	19.71	20.47	21.42	22.47	25.14	23.10	23.12
15	21.50	---	---	19.60	20.28	19.71	20.58	20.88	22.46	24.97	22.94	23.09
16	21.45	---	---	19.15	20.45	19.65	20.60	20.90	22.34	24.87	23.13	22.92
17	21.20	---	---	18.90	20.58	19.55	20.30	21.09	22.38	24.29	23.30	22.70
18	21.05	---	---	18.90	20.61	19.47	20.25	21.14	22.34	24.38	23.33	22.11
19	21.20	21.60	---	18.90	20.60	19.38	20.57	21.14	21.96	25.11	23.34	21.95
20	21.25	---	---	18.95	20.31	18.99	21.00	21.27	22.05	25.23	23.36	22.07
21	21.50	---	---	19.10	19.64	18.93	21.12	21.24	22.67	25.08	22.83	22.11
22	---	---	---	19.10	19.80	18.99	21.17	20.81	23.43	24.95	22.79	22.11
23	---	---	---	18.75	19.95	19.00	21.08	20.72	24.12	23.93	22.88	21.78
24	---	---	---	18.50	19.98	18.93	20.55	21.05	24.62	23.75	22.91	21.74
25	---	---	---	18.90	19.98	18.93	20.51	21.20	24.60	23.07	22.98	21.35
26	---	---	---	19.60	20.00	18.45	20.69	21.21	24.35	23.06	23.00	21.06
27	---	---	---	20.67	19.83	18.15	20.81	21.26	24.83	22.92	22.88	21.20
28	---	---	---	21.17	19.36	18.03	20.82	21.21	24.80	22.88	22.53	21.20
29	---	---	---	21.22	---	18.40	20.78	20.60	25.11	22.79	22.61	21.29
30	---	---	---	20.91	---	18.66	20.58	20.03	25.08	22.74	22.71	21.29
31	---	---	---	20.76	---	19.11	---	20.55	---	22.32	22.68	---
MAX	22.85	21.60	---	21.22	21.11	20.11	21.17	21.54	25.11	25.23	23.90	23.12
CAL YR 2004		LOW	24.10									
WTR YR 2005		LOW	25.23									



### 413108084415300. Local Number, WM-12

LOCATION.—Latitude 41°31'08", longitude 84°41'53", Williams County, Hydrologic Unit 04100003, 1.7 mi east of Blakeslee, Ohio. Owner: State of Ohio.

AQUIFER.—Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.—Drilled test artesian well, diameter 10 in., depth 115 ft, cased to 85 ft, screened 85 ft to 115 ft.

INSTRUMENTATION.—Electronic data logger. 60-minute log interval.

DATUM.—Elevation of land-surface datum is 830 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 1.50 ft above land-surface datum.


REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—December 1974 to October 1982 continuous, periodic November 1982 to December 1984, continuous January 1985 to November 1986, periodic December 1986 to April 2003, continuous thereafter.

EXTREMES FOR PERIOD OF RECORD.—Maximum measured low, 10.75 ft below land-surface datum, Nov. 29, 1999, and Sept. 15, 2005; minimum daily low, 3.83 ft below land-surface datum, Mar. 17, 1982.

#### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.11	10.21	8.58	8.75	8.09	7.12	8.01	8.77	9.25	9.93	10.00	10.56
2	10.19	10.17	8.53	8.61	8.11	7.35	7.95	8.83	9.24	9.99	10.03	10.61
3	10.19	10.21	8.46	8.39	8.15	7.46	8.07	8.90	9.24	9.97	10.06	10.63
4	10.22	10.05	8.48	7.80	8.24	7.45	8.13	8.96	9.27	10.00	10.10	10.65
5	10.26	10.06	8.65	7.47	8.29	7.58	8.16	8.98	9.30	10.03	10.17	10.66
6	10.23	9.98	8.65	7.16	8.30	7.49	8.19	8.92	9.35	10.09	10.19	10.64
7	10.24	10.11	8.64	7.19	8.30	7.07	8.24	8.91	9.38	10.12	10.21	10.63
8	10.17	10.19	8.13	7.44	7.97	6.91	8.32	8.95	9.43	10.12	10.24	10.59
9	10.20	10.19	7.96	7.46	7.55	6.91	8.34	8.93	9.50	10.18	10.27	10.65
10	10.24	10.09	7.67	7.71	7.28	6.73	8.38	8.96	9.55	10.20	10.28	10.67
11	10.23	10.10	7.44	7.71	7.24	6.65	8.43	9.13	9.56	10.19	10.32	10.70
12	10.17	10.17	7.40	7.65	6.98	7.02	8.40	9.21	9.53	10.17	10.29	10.69
13	10.04	10.23	7.84	6.85	7.02	7.32	8.53	9.15	9.46	10.14	10.32	10.66
14	10.04	10.24	8.10	6.08	6.86	7.50	8.61	8.95	9.46	10.15	10.33	10.71
15	10.05	10.19	8.13	5.56	6.32	7.64	8.68	8.99	9.47	10.19	10.36	10.75
16	10.16	10.09	8.24	5.17	5.97	7.66	8.71	9.02	9.53	10.20	10.34	10.67
17	10.27	10.05	8.37	5.40	5.41	7.65	8.66	9.04	9.58	10.17	10.34	10.67
18	10.27	10.05	8.33	5.54	5.41	7.68	8.65	9.06	9.64	10.13	10.31	10.68
19	10.20	10.05	8.63	5.74	5.59	7.67	8.66	9.02	9.69	10.17	10.37	10.68
20	10.23	10.00	8.62	6.09	5.65	7.58	8.71	8.96	9.71	10.19	10.37	10.68
21	10.26	10.06	8.66	6.33	5.92	7.57	8.77	8.96	9.68	10.09	10.40	10.68
22	10.24	10.01	8.77	6.61	6.17	7.56	8.71	8.82	9.77	10.06	10.41	10.62
23	10.17	9.92	8.87	6.89	6.28	7.47	8.63	8.80	9.81	10.09	10.45	10.46
24	10.17	9.92	8.89	6.92	6.37	7.56	8.61	8.91	9.80	10.03	10.48	10.46
25	10.22	9.62	8.89	6.95	6.52	7.65	8.59	8.97	9.86	10.05	10.48	10.41
26	10.24	9.60	9.06	7.42	6.83	7.69	8.58	8.94	9.90	10.01	10.43	10.26
27	10.24	9.49	9.13	7.67	6.87	7.68	8.69	8.97	9.91	9.94	10.41	10.32
28	10.24	9.13	9.07	7.71	6.80	7.64	8.73	9.03	9.89	9.92	10.47	10.26
29	10.11	9.13	9.03	7.67	---	7.76	8.70	9.11	9.89	9.91	10.48	10.33
30	10.06	8.97	9.04	7.84	---	7.77	8.72	9.16	9.88	9.97	10.45	10.33
31	10.21	---	8.95	7.95	---	7.94	---	9.24	---	9.97	10.52	---
MAX	10.27	10.24	9.13	8.75	8.30	7.94	8.77	9.24	9.91	10.20	10.52	10.75
CAL YR 2004		LOW	10.27									
WTR YR 2005		LOW	10.75									



# Ground-Water Records—Wyandot County

## 405009083172600. Local Number, WY-1

LOCATION.—Latitude 40°50'09", longitude 83°17'26", Wyandot County, Hydrologic Unit 04100011, State Route 199, Upper Sandusky, Ohio. Owner: Karg Supply Company.

AQUIFER.—Limestone of Silurian Age.

WELL CHARACTERISTICS.—Drilled unused artesian well, diameter 5 in, depth 90 ft, cased.

INSTRUMENTATION.—Digital recorder, 60-minute punch.

DATUM.—Elevation of land-surface datum is 850 ft above sea level (from topographic map). Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.—Station operated by Ohio Department of Natural Resources (ODNR), Division of Water. Some historical records not published by the USGS are available from ODNR.

PERIOD OF RECORD.—September 1951 to current year.

EXTREMES FOR PERIOD OF RECORD.—Maximum daily low, 40.90 ft below land-surface datum, July 12, 15, 17, 21, Aug. 26, 1961; minimum daily low, 25.10 ft below land-surface datum, May 24, 2004.

### DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE, WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MAXIMUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	26.76	26.83	26.40	26.09	26.23	25.45	25.75	25.45	---	---	---	27.17
2	26.78	26.83	26.32	26.03	26.31	25.53	25.74	25.48	---	---	---	27.21
3	26.82	26.85	26.30	25.94	26.33	25.61	25.63	25.54	---	---	---	27.28
4	26.81	26.85	26.28	25.82	26.34	25.62	25.63	25.64	---	---	---	27.30
5	26.87	26.72	26.26	25.70	26.11	25.62	25.63	25.69	---	---	---	27.33
6	26.90	26.72	26.26	25.54	26.00	25.62	25.64	25.69	---	---	---	27.40
7	26.92	26.68	26.40	25.27	25.97	25.58	25.63	25.68	---	---	---	27.41
8	26.92	26.81	26.86	25.28	25.91	25.52	25.63	25.68	---	---	---	27.41
9	26.86	26.88	26.86	25.32	25.80	25.59	25.66	25.69	---	---	---	27.35
10	26.87	26.89	26.73	25.38	25.66	25.60	25.67	25.73	---	---	---	27.34
11	26.87	26.86	26.72	25.54	25.64	25.56	25.69	25.81	---	---	---	27.40
12	26.87	26.85	26.26	25.54	25.62	25.50	25.69	25.90	---	---	---	27.40
13	26.79	26.91	26.06	25.46	25.62	25.61	25.69	25.90	---	---	---	27.38
14	26.70	26.97	26.52	25.14	25.60	25.70	25.81	25.86	---	---	---	27.37
15	26.66	26.99	26.87	25.15	25.55	25.77	25.91	25.77	---	---	---	27.43
16	26.63	26.96	26.91	25.18	25.54	25.79	26.00	25.79	---	---	---	27.44
17	26.75	26.89	26.89	25.42	25.56	25.78	26.00	25.85	---	---	27.44	27.38
18	26.79	26.81	26.55	25.58	25.63	25.76	25.97	25.94	---	---	27.44	27.34
19	26.77	26.75	26.19	25.54	25.67	25.75	26.00	25.94	---	---	27.35	27.34
20	26.78	26.69	26.38	25.33	25.67	25.78	26.00	25.87	---	---	27.30	27.33
21	26.84	26.68	26.63	25.25	25.60	25.83	25.99	25.87	---	---	27.35	27.33
22	26.87	26.68	26.71	25.25	25.58	25.86	25.98	25.87	---	---	27.41	27.33
23	26.87	26.66	26.53	25.34	25.63	25.85	25.84	25.80	---	---	27.47	27.28
24	26.80	26.59	26.16	25.53	25.64	25.79	25.69	25.84	---	---	27.54	27.27
25	26.80	26.51	26.15	25.71	25.63	25.80	25.54	25.93	---	---	27.56	27.27
26	26.84	26.41	26.14	25.75	25.66	25.81	25.44	25.95	---	---	27.56	27.24
27	26.86	26.42	26.31	26.03	25.67	25.81	25.38	25.97	---	26.90	27.54	27.29
28	26.88	26.38	26.63	26.00	25.63	25.76	25.43	---	---	---	27.48	27.31
29	26.88	26.46	26.66	25.85	---	25.70	25.43	---	---	---	27.44	27.28
30	26.79	26.47	26.55	25.68	---	25.70	25.43	---	---	---	27.41	27.24
31	26.76	---	26.27	25.97	---	25.70	---	---	---	---	27.28	---
MAX	26.92	26.99	26.91	26.09	26.34	25.86	26.00	25.97	---	26.90	27.56	27.44
CAL YR 2004	LOW		26.99									
WTR YR 2005	LOW		27.56									

