

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1974 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1973 to current year.

pH: October 1973 to current year.

WATER TEMPERATURE: October 1973 to current year.

DISSOLVED OXYGEN: October 1973 to current year.

INSTRUMENTATION.--Water-quality multiprobe and data collection platform.

REMARKS.--Specific conductance records rated excellent except for Oct. 1 to Nov. 5, Aug. 23-31, which are good. pH records rated excellent except for Oct. 2 to Nov. 5, which are good and Oct. 1, which are poor. Temperature records rated excellent except for Nov. 1-5, which are good. Dissolved oxygen records rated excellent except for Feb. 18-23, which are good, and Oct. 7-10, 27-30, which are fair.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 216 microsiemens Aug. 17, 2002; minimum, 21 microsiemens, Feb. 28, 1984.

pH: Maximum, 8.7 units Aug. 11, 2002; minimum, 5.0 units Jul. 4, 1987.

WATER TEMPERATURE: Maximum, 32.5°C Jul. 19-21, 1986; minimum, <0.5°C many days, many years.

DISSOLVED OXYGEN: Maximum, 14.4 mg/L Jan. 20, 1976; minimum, 2.0 mg/L Sep. 6, 1981.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 126 microsiemens, Sep. 28, 29; minimum, 35 microsiemens, July 9.

pH: Maximum, 7.7 units, Sep. 22-24, 29, 30; minimum, 6.3 units, Oct. 17.

WATER TEMPERATURE: Maximum, 30.0°C, July 27; minimum, 2.2°C, Jan. 24.

DISSOLVED OXYGEN: Maximum, 13.5 mg/L, Jan. 24; minimum, 5.8 mg/L, July 10.

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	59	50	56	109	100	104	88	86	88	86	81	83
2	69	58	62	105	99	102	91	87	90	85	82	84
3	75	63	69	105	101	103	93	90	92	86	84	85
4	81	69	75	104	95	100	91	88	89	85	83	84
5	85	74	80	100	89	97	90	88	89	86	83	85
6	83	78	81	89	62	68	92	90	91	86	84	85
7	90	81	85	69	64	66	94	90	92	88	85	86
8	93	85	88	79	69	75	95	76	87	90	88	88
9	98	85	92	87	79	83	77	72	73	91	88	90
10	105	91	96	90	87	89	81	65	77	89	88	89
11	103	89	95	90	89	90	65	39	45	92	89	91
12	100	89	94	91	90	91	51	40	44	92	89	90
13	102	84	94	94	91	93	61	51	56	91	86	90
14	95	83	89	95	83	92	67	61	64	87	83	85
15	101	91	95	83	80	81	72	67	69	83	66	73
16	105	93	99	85	80	82	76	72	74	69	64	66
17	107	97	101	91	85	89	81	76	79	76	69	72
18	108	100	102	92	90	91	84	81	83	82	76	79
19	105	99	102	94	92	93	86	84	85	82	81	82
20	106	99	102	98	94	96	89	86	87	85	82	84
21	103	98	101	100	98	99	90	88	89	87	85	86
22	106	98	102	99	98	99	92	88	90	89	87	88
23	105	99	102	100	97	98	90	88	89	89	87	88
24	104	99	102	99	96	98	88	60	78	93	88	90
25	110	100	104	96	92	95	60	57	59	93	91	92
26	106	100	104	92	83	90	68	60	63	93	90	92
27	108	101	105	83	77	78	73	68	71	92	89	91
28	107	102	105	82	79	81	76	72	74	91	88	90
29	106	102	104	85	82	84	80	75	76	93	89	91
30	109	104	106	86	84	86	81	79	80	92	90	91
31	112	104	107	---	---	---	84	81	82	93	88	91
MONTH	112	50	94	109	62	90	95	39	78	93	64	86

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
				MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	21.2	20.7	20.9	20.9	19.0	19.8	11.5	9.9	10.7	8.4	6.7	7.5			
2	21.5	20.7	21.1	20.5	19.1	19.7	10.4	8.9	9.5	9.2	8.0	8.6			
3	21.7	20.9	21.2	20.8	19.7	20.3	9.1	8.1	8.6	10.2	8.9	9.5			
4	21.9	20.7	21.2	20.6	19.3	20.2	8.5	7.4	7.9	11.3	9.7	10.5			
5	21.1	19.9	20.5	19.3	17.2	18.1	7.9	6.7	7.4	12.1	10.7	11.3			
6	20.1	19.2	19.6	17.2	14.6	15.8	9.0	7.8	8.4	12.8	11.3	12.1			
7	20.1	19.0	19.4	14.6	13.7	14.1	11.0	9.0	9.9	12.8	12.0	12.5			
8	19.2	18.0	18.6	14.3	12.9	13.6	11.9	10.9	11.4	13.7	12.6	13.1			
9	19.4	18.1	18.7	13.5	12.0	12.8	11.5	11.2	11.3	13.2	11.6	12.5			
10	19.6	18.2	18.9	12.0	10.7	11.4	12.4	11.3	11.8	11.7	10.4	11.1			
11	20.2	18.6	19.3	11.6	11.2	11.4	11.8	11.0	11.3	11.5	10.4	11.0			
12	20.0	18.8	19.5	12.2	11.5	11.8	11.0	10.2	10.4	12.3	10.8	11.6			
13	20.6	19.5	19.9	13.5	12.2	12.8	10.3	9.6	10.0	14.7	12.3	13.4			
14	19.5	18.6	19.1	12.6	10.5	11.7	9.6	7.7	8.7	14.7	13.3	14.3			
15	18.8	17.0	18.1	10.5	9.2	9.8	7.7	5.9	6.8	13.3	11.0	12.0			
16	17.1	15.7	16.3	9.5	8.4	9.0	5.9	5.0	5.4	11.0	9.0	10.0			
17	16.4	14.8	15.6	9.7	8.1	8.9	5.4	4.4	4.9	9.0	6.4	7.8			
18	17.0	15.7	16.3	10.7	8.9	9.9	5.7	4.7	5.2	6.4	4.3	5.3			
19	17.6	16.5	17.1	12.6	10.7	11.7	6.0	5.0	5.5	4.3	3.0	3.5			
20	18.4	17.3	17.8	14.2	12.5	13.4	5.5	3.8	4.5	4.0	2.5	3.2			
21	17.9	17.6	17.7	14.8	13.7	14.3	4.2	3.0	3.6	5.8	4.0	4.9			
22	18.5	17.4	17.8	15.4	14.6	15.0	4.9	3.4	4.1	5.7	5.4	5.6			
23	18.0	17.1	17.6	15.7	15.3	15.5	7.5	4.9	6.5	5.4	3.6	4.5			
24	17.1	16.6	16.9	16.2	15.6	15.9	8.3	7.3	7.8	3.6	2.2	3.0			
25	18.4	16.8	17.4	15.9	14.0	15.4	8.2	6.6	7.5	4.3	2.4	3.3			
26	17.4	17.1	17.2	14.0	11.4	12.7	6.6	5.4	6.0	6.4	3.8	5.1			
27	18.0	16.9	17.3	11.4	9.6	10.2	5.4	4.4	4.9	7.5	5.8	6.5			
28	17.8	17.4	17.6	10.4	9.4	9.8	4.6	3.8	4.2	6.4	5.2	5.8			
29	17.7	17.4	17.5	10.2	9.2	9.7	4.9	3.5	4.2	5.2	3.6	4.3			
30	19.6	17.6	18.6	9.9	8.6	9.3	6.2	4.6	5.4	4.5	3.5	3.9			
31	20.4	18.5	19.3	---	---	---	6.9	5.8	6.4	5.9	4.5	5.2			
MONTH	21.9	14.8	18.5	20.9	8.1	13.5	12.4	3.0	7.4	14.7	2.2	8.2			

DAY	MAX	MIN	MEAN	Temperature, water, degrees Celsius			MAX	MIN	MEAN	MAX	MIN	MEAN
				MAX	MIN	MEAN						
FEBRUARY												
1	6.7	5.6	6.0	8.3	7.7	8.0	14.8	14.2	14.5	18.9	16.7	17.6
2	6.2	5.9	6.1	7.7	6.9	7.4	15.2	14.6	14.9	18.5	16.9	17.7
3	5.9	5.6	5.8	7.7	6.9	7.3	14.7	13.6	14.3	18.1	16.5	17.3
4	6.1	5.1	5.6	8.4	6.6	7.5	15.1	13.8	14.5	18.2	16.0	17.1
5	6.6	5.7	6.2	10.2	7.9	9.0	16.4	14.8	15.5	17.4	16.3	17.0
6	7.2	5.9	6.5	10.9	8.8	9.8	17.6	15.8	16.6	17.7	15.6	16.6
7	7.8	6.3	7.0	11.6	9.2	10.4	17.5	17.1	17.3	18.5	15.8	17.1
8	8.9	7.2	8.0	12.8	11.3	11.8	17.5	16.8	17.2	19.8	16.8	18.3
9	10.2	8.9	9.7	11.3	10.1	10.5	17.3	16.1	16.7	21.0	18.3	19.6
10	10.5	9.3	10.0	10.6	9.3	9.9	17.5	16.6	17.2	20.6	19.3	20.0
11	9.3	7.7	8.4	10.5	9.5	9.9	18.3	17.0	17.7	21.0	18.6	19.8
12	8.3	6.6	7.5	11.2	8.8	10.0	18.2	17.8	18.1	21.9	19.5	20.7
13	7.4	6.8	7.2	13.7	10.8	12.2	17.8	15.2	16.6	21.7	20.6	21.1
14	8.1	7.2	7.6	13.6	12.5	13.3	15.3	14.5	14.9	22.6	20.6	21.5
15	9.4	8.1	8.7	12.6	11.4	12.1	15.2	14.1	14.7	22.2	21.4	21.8
16	11.5	9.4	10.5	12.1	9.8	11.2	15.6	14.3	14.9	21.5	20.1	20.7
17	12.6	11.0	11.7	9.8	8.4	9.0	15.9	14.0	14.9	21.4	19.9	20.5
18	11.0	9.3	10.1	9.2	7.7	8.5	16.8	14.6	15.7	22.0	19.9	20.9
19	9.9	7.9	9.0	10.1	8.8	9.5	18.2	15.8	17.0	21.7	20.5	21.2
20	9.6	9.0	9.3	11.8	9.7	10.8	19.2	17.1	18.0	21.4	20.3	20.9
21	9.9	9.2	9.5	12.6	11.4	11.9	19.9	17.7	18.7	20.3	19.1	19.7
22	11.5	9.8	10.5	12.2	11.8	12.0	20.6	18.8	19.5	20.3	19.4	19.8
23	12.1	11.2	11.7	13.6	11.5	12.5	20.3	18.7	19.4	21.5	19.9	20.7
24	12.4	11.2	11.9	13.6	12.6	13.3	18.7	16.2	17.4	21.8	20.4	21.0
25	11.3	10.6	11.0	14.9	13.3	14.1	16.7	14.8	15.8	20.5	19.1	19.8
26	10.9	10.1	10.5	15.6	14.6	15.1	15.8	15.0	15.4	21.3	18.6	19.9
27	10.1	9.0	9.6	15.8	14.9	15.3	16.4	14.7	15.5	22.1	19.3	20.6
28	9.0	8.2	8.5	15.2	13.7	14.4	16.3	14.5	15.4	21.7	20.1	21.0
29	---	---	---	14.2	12.8	13.5	17.4	15.6	16.5	21.5	20.0	20.8
30	---	---	---	15.2	13.3	14.1	17.3	16.8	17.0	20.6	19.1	19.6
31	---	---	---	15.2	14.4	14.8	---	---	---	19.8	18.8	19.2
MONTH	12.6	5.1	8.7	15.8	6.6	11.3	20.6	13.6	16.4	22.6	15.6	19.7

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	---	---	---	---	---	---	10.4	10.0	10.2	11.8	11.3	11.6
2	---	---	---	---	---	---	10.6	10.1	10.4	11.3	11.1	11.2
3	---	---	---	---	---	---	10.7	10.5	10.6	11.1	10.8	11.0
4	---	---	---	---	---	---	10.9	10.6	10.8	10.8	10.6	10.7
5	---	---	---	---	---	---	11.2	10.9	11.1	10.6	10.3	10.5
6	---	---	---	8.8	8.0	8.4	11.1	10.8	10.9	10.3	10.1	10.2
7	8.5	8.2	8.3	9.1	8.8	9.0	10.8	10.3	10.6	10.3	10.1	10.2
8	8.6	8.3	8.4	9.3	9.1	9.2	10.3	10.0	10.1	10.2	10.0	10.1
9	8.6	8.2	8.4	9.8	9.3	9.6	10.1	10.0	10.0	10.4	10.0	10.2
10	8.4	8.0	8.2	10.2	9.8	10.0	10.1	9.8	9.9	10.7	10.4	10.6
11	---	---	---	10.1	10.0	10.1	9.8	9.7	9.8	10.7	10.5	10.6
12	---	---	---	10.0	9.8	9.9	9.9	9.4	9.8	10.7	10.3	10.6
13	---	---	---	9.8	9.7	9.7	10.5	9.6	10.2	10.3	9.8	10.1
14	---	---	---	10.3	9.7	10.0	11.2	10.5	10.8	9.8	9.5	9.6
15	---	---	---	10.6	10.3	10.5	11.9	11.2	11.6	10.6	9.8	10.2
16	---	---	---	10.9	10.6	10.8	12.3	11.9	12.2	11.1	10.6	10.8
17	---	---	---	11.0	10.7	10.8	12.4	12.3	12.4	12.0	11.1	11.5
18	---	---	---	10.7	10.3	10.6	12.3	12.2	12.3	12.8	12.0	12.5
19	---	---	---	10.3	9.8	10.1	12.2	11.9	12.1	13.2	12.8	13.1
20	---	---	---	9.8	9.3	9.5	12.6	12.0	12.3	13.3	13.0	13.2
21	---	---	---	9.4	9.2	9.3	12.9	12.6	12.8	13.0	12.4	12.7
22	---	---	---	9.2	9.0	9.1	12.9	12.6	12.8	12.4	12.2	12.3
23	---	---	---	9.0	8.8	8.9	12.6	11.6	12.1	12.9	12.2	12.6
24	---	---	---	8.8	8.6	8.8	11.6	11.2	11.5	13.5	12.9	13.3
25	---	---	---	9.1	8.6	8.8	11.8	11.3	11.5	13.4	13.0	13.3
26	---	---	---	9.8	9.1	9.5	12.3	11.8	12.1	13.0	12.1	12.7
27	8.1	7.8	8.0	10.4	9.8	10.2	12.8	12.3	12.6	12.2	12.1	12.1
28	7.8	7.7	7.8	10.4	10.3	10.4	13.1	12.8	13.0	12.5	12.1	12.4
29	7.8	7.6	7.7	10.5	10.3	10.5	13.1	12.6	12.9	13.0	12.5	12.8
30	7.8	7.2	7.5	10.7	10.4	10.6	12.6	12.0	12.3	13.0	12.8	13.0
31	---	---	---	---	---	---	12.0	11.8	11.9	12.8	12.4	12.6
MONTH	---	---	---	---	---	---	13.1	9.4	11.4	13.5	9.5	11.6

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	12.4	12.2	12.4	10.9	10.6	10.8	9.0	8.8	8.9	8.8	8.6	8.7
2	12.2	12.1	12.2	11.2	10.9	11.0	8.8	8.6	8.7	8.8	8.5	8.6
3	12.3	12.2	12.2	11.4	11.1	11.2	9.2	8.8	9.1	8.7	8.5	8.6
4	12.4	12.2	12.3	11.4	11.1	11.3	9.3	9.1	9.2	8.8	8.6	8.7
5	12.3	12.1	12.2	11.1	10.7	10.9	9.1	8.8	9.0	8.8	8.6	8.7
6	12.3	12.1	12.2	10.9	10.6	10.7	8.8	8.6	8.8	9.0	8.7	8.9
7	12.2	11.9	12.1	10.7	10.3	10.6	8.6	8.4	8.5	8.8	8.5	8.7
8	11.9	11.5	11.8	10.3	9.9	10.0	8.5	8.4	8.4	8.6	8.3	8.5
9	11.5	11.0	11.2	10.6	10.1	10.4	8.6	8.4	8.5	8.3	8.0	8.2
10	11.2	10.9	11.0	10.9	10.6	10.7	8.5	8.4	8.5	8.2	8.0	8.1
11	11.8	11.0	11.5	10.8	10.6	10.7	8.5	8.4	8.5	8.3	8.1	8.2
12	12.1	11.6	11.9	11.0	10.5	10.8	8.4	8.3	8.4	8.1	7.9	8.0
13	11.9	11.8	11.9	10.5	9.9	10.3	8.9	8.3	8.5	8.0	7.9	7.9
14	11.9	11.6	11.8	9.9	9.8	9.9	9.3	8.9	9.1	8.0	7.7	7.9
15	11.6	11.2	11.5	10.6	9.9	10.3	9.4	9.2	9.2	7.8	7.7	7.7
16	11.3	10.6	11.0	10.6	10.2	10.4	9.3	9.2	9.2	7.9	7.7	7.9
17	10.8	10.5	10.6	11.2	10.6	10.9	9.4	9.2	9.3	8.0	7.9	8.0
18	11.3	10.6	11.0	11.4	11.2	11.3	9.2	9.0	9.2	8.0	7.8	8.0
19	11.7	11.2	11.4	11.2	10.9	11.1	9.0	8.7	8.9	8.0	7.8	7.9
20	11.4	11.2	11.3	10.9	10.6	10.8	8.7	8.4	8.6	7.9	7.8	7.8
21	11.2	10.8	11.0	10.6	10.4	10.5	8.5	8.3	8.4	8.0	7.7	7.9
22	10.8	10.4	10.7	10.4	10.3	10.4	8.3	8.0	8.2	7.8	7.7	7.8
23	10.4	9.7	10.1	10.5	10.0	10.3	8.2	8.0	8.1	7.8	7.7	7.8
24	9.7	9.4	9.6	10.2	9.9	10.1	8.7	8.2	8.5	7.9	7.7	7.8
25	10.1	9.7	9.9	9.9	9.6	9.8	9.1	8.7	9.0	8.2	7.9	8.1
26	10.3	10.0	10.2	9.7	9.5	9.6	9.1	9.0	9.1	8.3	8.1	8.2
27	10.5	10.3	10.4	9.6	9.3	9.4	9.2	9.0	9.1	8.2	8.0	8.1
28	10.6	10.5	10.6	9.4	9.1	9.3	9.3	9.0	9.2	8.1	8.0	8.0
29	---	---	---	9.3	9.2	9.2	9.1	8.8	9.0	8.2	8.0	8.1
30	---	---	---	9.3	8.3	9.0	8.8	8.7	8.7	8.3	8.1	8.2
31	---	---	---	8.9	8.4	8.7	---	---	---	8.5	8.3	8.4
MONTH	12.4	9.4	11.3	11.4	8.3	10.3	9.4	8.0	8.8	9.0	7.7	8.2

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	8.5	8.3	8.4	7.3	6.8	7.1	7.4	7.3	7.4	7.1	6.8	7.0
2	8.6	8.5	8.5	7.2	7.0	7.1	7.5	7.3	7.4	7.3	7.0	7.2
3	8.6	8.3	8.5	7.2	7.1	7.1	7.4	7.0	7.2	7.4	7.1	7.2
4	8.5	8.1	8.4	7.3	7.1	7.3	7.1	6.9	7.0	7.5	7.2	7.4
5	8.1	7.8	8.0	7.3	7.2	7.3	7.0	6.9	7.0	7.7	7.3	7.6
6	7.8	7.3	7.6	7.2	7.1	7.1	7.1	6.9	7.0	7.9	7.6	7.8
7	7.3	7.2	7.2	7.2	7.1	7.2	7.1	6.9	7.0	8.1	7.8	7.9
8	7.2	7.2	7.2	7.3	6.9	7.2	7.2	7.1	7.2	8.0	7.6	7.8
9	7.2	7.1	7.2	6.9	6.5	6.7	7.2	7.1	7.2	8.1	7.7	7.9
10	7.3	7.1	7.2	6.9	5.8	6.4	7.1	7.0	7.1	8.2	7.7	7.9
11	7.3	7.2	7.2	7.1	6.8	6.9	7.0	6.8	6.9	8.1	7.7	7.9
12	7.3	7.2	7.3	6.8	6.8	6.8	7.0	6.9	7.0	8.2	7.8	8.0
13	7.2	7.1	7.2	6.8	6.8	6.8	7.0	6.8	7.0	8.1	7.6	7.8
14	7.2	7.0	7.1	7.0	6.8	6.9	7.0	6.9	6.9	7.8	7.4	7.6
15	7.0	6.9	7.0	7.0	6.9	6.9	7.0	6.9	7.0	7.9	7.4	7.6
16	7.1	6.9	7.0	6.9	6.9	6.9	7.0	6.9	7.0	7.8	7.3	7.5
17	7.2	7.0	7.2	6.9	6.8	6.9	7.0	6.8	7.0	7.7	7.2	7.4
18	7.4	7.2	7.3	6.9	6.7	6.8	7.1	6.8	7.0	7.8	7.2	7.4
19	7.5	7.3	7.4	6.8	6.7	6.8	7.1	6.9	7.1	8.0	7.3	7.6
20	7.8	7.5	7.7	6.8	6.7	6.8	7.1	6.9	7.0	7.9	7.3	7.6
21	7.9	7.8	7.8	6.8	6.7	6.7	7.0	6.8	6.9	8.0	7.2	7.6
22	7.9	7.6	7.8	6.8	6.7	6.7	7.1	6.8	7.0	8.1	7.3	7.6
23	7.7	7.6	7.6	6.9	6.7	6.8	7.3	7.1	7.2	8.2	7.5	7.8
24	7.7	7.5	7.6	6.9	6.7	6.8	7.4	7.2	7.3	8.3	7.6	7.8
25	7.7	7.5	7.6	7.0	6.8	6.9	7.5	7.3	7.4	8.2	7.5	7.8
26	7.7	7.4	7.6	6.9	6.6	6.8	7.7	7.4	7.6	8.2	7.5	7.8
27	7.4	7.3	7.4	6.8	6.6	6.7	7.8	7.4	7.6	8.2	7.6	7.8
28	7.4	7.0	7.2	6.8	6.6	6.7	7.6	7.3	7.5	8.5	7.7	8.1
29	7.1	6.9	7.0	7.4	6.7	6.9	7.5	7.3	7.4	8.5	7.7	8.1
30	7.2	6.9	7.1	7.2	7.0	7.2	7.4	7.2	7.3	8.7	7.8	8.2
31	---	---	---	7.3	7.2	7.3	7.4	6.8	7.1	---	---	---
MONTH	8.6	6.9	7.5	7.4	5.8	6.9	7.8	6.8	7.2	8.7	6.8	7.7