

02176635 BATTERY CREEK AT PORT ROYAL, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 1998 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1998 to current year.

WATER TEMPERATURE: October 1998 to current year.

DISSOLVED OXYGEN: October 1998 to current year.

INSTRUMENTATION.--Hydrolab and data collection platform.

REMARKS.--Specific conductance records rated excellent except for Oct. 7, Dec. 17 to Feb. 16, Mar. 27 to Apr. 14, which are good. Temperature records rated excellent. Dissolved oxygen records rated excellent except for Oct. 23-26, Oct. 31 to Nov. 3, Dec. 4-8, Jan. 16-24, Feb. 4-10, Mar. 3-9, Mar. 31 to Apr. 18, May 2-4, 29-31, June 18, 19, July 2, 3, 24, 25, Aug. 13, Sep. 7, 8, which are good Nov. 4-6, Dec. 6-8, Jan. 25, Feb. 11-16, Apr. 19-27, May 5-7, June 1, 2, 20, July 4, Aug. 14, 15, which are fair, and Nov. 7-9, May 8-26, July 5, Aug. 16, which are poor. Prior to October 1, 2003 dissolved oxygen concentrations are not corrected for salinity.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 54,800 microsiemens, May 22, 23, June 5-7, 9, 2002; minimum, 29,000 microsiemens Jun. 29, 1999.

WATER TEMPERATURE: Maximum, 34.5°C, Aug. 1, 1999; minimum, 5.0°C, Jan. 4, 5, 2001.

DISSOLVED OXYGEN: Maximum, 13.7 mg/L, Jan. 3, 4, 2001; minimum, 1.7 mg/L, Aug. 17, 1999.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 49,800 microsiemens, Dec. 5; minimum, 40,500 microsiemens Mar. 28.

WATER TEMPERATURE: Maximum, 33.5°C, July 27; minimum, 7.1°C, Jan. 29, 30.

DISSOLVED OXYGEN: Maximum, 10.1 mg/L, Feb. 4-6; minimum, 2.7 mg/L, Sep. 1.

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
				MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	48600	48000	48300	48300	47600	48000	49200	48900	49000	---	---	---			
2	48500	48100	48300	48200	47500	47800	49400	49000	49100	49100	48300	48700			
3	48500	48000	48300	48200	47400	47800	49400	49100	49200	49200	48300	48800			
4	48500	48000	48300	48000	46300	47100	49300	49200	49200	49300	48200	48800			
5	48500	47700	48300	48000	45600	47100	49800	48700	49300	49400	48500	49000			
6	48500	47600	48200	48100	47100	47500	49400	48700	49300	49400	48500	48900			
7	48600	47800	48300	48100	46600	47300	---	---	---	49500	48400	48900			
8	---	---	---	48100	46400	47200	---	---	---	49400	48300	48800			
9	---	---	---	48100	46500	47300	49500	48600	49000	49300	48200	48700			
10	---	---	---	48000	47500	47700	49200	48400	48800	49100	48300	48700			
11	---	---	---	48100	47600	47800	49000	48400	48700	49000	48200	48600			
12	---	---	---	48100	47700	47900	49000	48600	48800	49000	48100	48500			
13	---	---	---	48100	47700	47900	49000	48600	48800	48800	48000	48400			
14	48900	48400	48800	48200	47900	48100	48900	48500	48700	48500	47400	48000			
15	49000	48200	48700	48400	48000	48200	49000	48500	48800	48600	47600	48100			
16	48800	48000	48700	48600	48200	48400	49100	48500	48700	48600	48000	48300			
17	48900	48500	48700	48700	48300	48500	48800	48300	48500	48600	48200	48400			
18	48800	48200	48600	48800	48400	48600	48700	48100	48300	48700	48200	48500			
19	48700	48300	48500	48800	48500	48700	48400	47800	48100	48800	48500	48700			
20	48500	48200	48300	48900	48600	48700	48400	47700	48200	48900	48500	48700			
21	48500	48000	48300	49000	48700	48800	48300	47700	48100	48900	48400	48600			
22	48600	48200	48400	49100	48700	48800	48200	47500	47900	48900	48300	48600			
23	48800	48200	48500	49100	48700	48900	48000	47500	47800	49000	48300	48600			
24	48800	48200	48600	49200	48500	48800	48200	47700	47900	49100	48600	48800			
25	48800	47800	48400	49000	48400	48700	48500	48000	48300	49100	48500	48900			
26	48700	47700	48200	49300	48700	49000	48400	47500	48000	49300	48500	49000			
27	48400	48000	48200	49500	49000	49200	48400	47500	48000	49300	48900	49100			
28	48500	48100	48200	49200	48800	49000	48500	47800	48200	49300	49000	49100			
29	48500	48000	48200	49300	48900	49000	48600	47900	48300	49300	48900	49100			
30	48600	48200	48400	49300	48900	49100	48800	47900	48400	49200	48600	48800			
31	48500	47900	48300	---	---	---	---	---	---	49000	48500	48800			
MONTH	---	---	---	49500	45600	48200	---	---	---	---	---	---			

BROAD RIVER BASIN

02176635 BATTERY CREEK AT PORT ROYAL, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
				MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	27.1	25.6	26.3	24.4	22.7	23.3	16.7	16.3	16.4	---	---	---			
2	27.6	26.1	26.7	25.0	23.1	23.8	16.5	15.9	16.2	12.1	10.1	10.8			
3	28.2	26.5	27.1	25.2	23.5	24.2	16.2	15.6	15.9	13.1	10.6	11.7			
4	28.3	26.8	27.4	25.2	23.9	24.5	15.9	15.3	15.7	13.9	11.1	12.3			
5	27.8	26.9	27.3	24.4	23.3	23.9	15.7	14.9	15.4	14.3	11.6	12.8			
6	27.2	26.8	27.0	23.5	22.4	22.8	16.0	15.1	15.6	14.8	11.9	13.2			
7	26.9	25.7	26.3	22.7	21.4	22.1	16.8	15.8	16.1	15.0	12.2	13.6			
8	25.9	24.1	25.1	22.0	20.7	21.5	17.4	16.2	16.7	15.6	12.5	14.0			
9	24.9	23.7	24.5	21.5	18.8	20.5	18.1	16.5	17.2	15.7	13.0	14.5			
10	24.6	23.8	24.3	19.8	17.8	19.0	18.6	17.1	17.8	16.0	12.9	14.7			
11	24.5	24.0	24.2	19.1	17.7	18.5	18.1	15.8	16.9	15.9	13.3	14.8			
12	24.6	24.1	24.3	19.3	18.2	18.9	15.8	15.0	15.4	16.2	13.7	15.0			
13	25.2	24.2	24.6	19.4	18.2	18.9	15.1	14.3	14.7	16.6	14.4	15.5			
14	24.2	23.6	23.8	18.2	17.1	17.5	14.6	13.5	13.9	17.0	15.1	16.1			
15	23.6	22.5	23.1	17.3	15.7	16.4	13.6	11.8	12.4	15.1	13.8	14.4			
16	22.5	21.7	22.1	16.6	15.2	16.0	12.4	10.9	11.7	13.8	12.3	12.9			
17	23.0	21.6	22.3	16.5	15.4	16.1	12.1	11.0	11.7	12.8	11.1	11.8			
18	23.3	22.4	22.8	16.7	15.5	16.3	12.2	11.2	11.9	11.9	9.7	10.6			
19	24.1	22.8	23.3	17.1	16.0	16.6	12.2	11.3	11.8	10.6	8.6	9.7			
20	24.5	23.3	23.8	17.9	16.9	17.3	11.4	9.6	10.5	10.0	8.3	9.3			
21	23.8	23.4	23.6	18.2	17.4	17.7	10.5	9.0	10.0	10.1	9.0	9.6			
22	23.5	22.6	23.0	18.5	17.6	18.0	10.7	9.5	10.2	10.2	9.5	9.9			
23	22.8	21.7	22.3	18.8	17.9	18.3	12.3	10.6	11.4	10.2	8.2	9.4			
24	22.1	21.4	21.8	19.1	18.1	18.6	12.3	10.8	11.5	8.8	7.7	8.3			
25	22.0	21.4	21.7	19.1	17.8	18.6	11.0	9.6	10.4	8.5	7.4	8.0			
26	21.7	21.4	21.6	17.8	16.4	17.2	9.8	8.2	9.1	9.3	7.9	8.6			
27	22.0	21.2	21.5	16.5	15.4	16.0	8.9	7.7	8.3	10.3	9.0	9.4			
28	21.8	21.5	21.6	16.3	15.5	16.0	8.6	7.5	8.1	9.4	8.2	8.7			
29	22.1	21.4	21.7	16.1	15.6	15.9	9.0	7.8	8.5	8.2	7.1	7.5			
30	22.9	21.6	22.1	16.5	15.5	16.0	9.7	8.6	9.1	7.9	7.1	7.6			
31	23.8	22.1	22.7	---	---	---	---	---	---	8.7	7.3	7.9			
MONTH	28.3	21.2	23.9	25.2	15.2	19.0	---	---	---	---	---	---			

DAY	MAX	MIN	MEAN	Temperature, water, degrees Celsius			MAX	MIN	MEAN	MAX	MIN	MEAN
				MAX	MIN	MEAN						
FEBRUARY												
1	8.4	8.0	8.2	13.4	12.4	12.9	19.4	17.4	18.5	22.1	19.8	20.7
2	8.1	7.8	8.0	12.6	11.6	12.1	18.8	17.5	18.3	22.5	20.1	21.1
3	8.1	7.8	7.9	12.0	11.4	11.7	17.9	16.8	17.2	22.2	20.6	21.3
4	8.5	7.5	7.9	12.4	11.0	11.7	17.9	16.5	17.2	22.0	20.7	21.4
5	8.8	7.8	8.2	12.8	11.4	12.0	18.5	16.8	17.6	22.0	20.0	21.0
6	9.2	8.0	8.5	13.1	11.7	12.2	19.1	17.3	18.2	20.4	19.7	20.0
7	9.5	8.3	8.9	13.5	11.9	12.6	19.4	18.0	18.6	21.2	19.8	20.4
8	10.5	8.5	9.4	13.9	12.5	13.1	19.4	18.0	18.6	22.5	20.3	21.1
9	11.0	9.2	10.1	13.2	12.0	12.4	19.5	18.1	18.8	23.6	21.0	22.0
10	12.0	9.9	10.8	12.7	11.5	12.1	20.4	18.4	19.1	24.5	21.8	22.7
11	11.1	9.5	10.3	13.1	11.9	12.4	21.2	18.8	19.7	25.2	22.5	23.4
12	11.3	9.5	10.2	13.4	11.8	12.4	20.7	19.4	19.9	26.3	22.8	24.3
13	11.3	9.9	10.5	15.0	12.4	13.3	21.9	19.4	20.4	27.0	23.6	25.0
14	11.5	10.1	10.8	16.2	13.2	14.3	20.4	19.1	19.7	27.0	24.2	25.3
15	11.9	10.7	11.2	16.0	13.5	14.6	19.4	18.2	18.8	26.9	24.4	25.5
16	13.0	10.8	11.6	15.0	13.7	14.3	18.8	17.1	18.0	26.9	24.7	25.8
17	13.4	11.2	12.2	13.7	12.8	13.3	18.7	17.0	17.8	26.4	24.9	25.6
18	12.7	11.4	12.0	12.9	11.8	12.3	19.1	17.5	18.1	26.1	24.8	25.3
19	12.4	11.2	11.7	13.2	11.5	12.4	19.6	18.0	18.7	26.2	24.8	25.5
20	12.7	11.3	11.9	14.2	12.5	13.0	20.2	18.5	19.3	26.2	25.2	25.6
21	13.6	11.6	12.5	14.7	13.2	13.8	20.6	19.0	19.8	25.7	23.7	24.7
22	14.9	12.2	13.4	15.5	13.5	14.3	21.1	19.5	20.3	24.3	23.4	23.8
23	15.5	12.8	14.1	16.3	14.2	15.1	21.2	19.8	20.4	25.1	23.6	24.2
24	16.3	13.3	14.8	17.2	14.7	15.8	19.9	18.4	19.2	26.1	24.2	24.9
25	15.8	13.5	14.5	16.9	15.1	16.0	19.0	17.9	18.4	24.8	23.7	24.2
26	14.5	13.0	13.7	17.2	15.3	16.2	18.7	18.2	18.4	25.6	23.6	24.2
27	13.8	12.6	13.4	17.3	16.0	16.6	20.2	18.3	18.9	25.9	23.7	24.5
28	13.3	12.6	12.9	17.8	16.3	17.0	20.8	18.4	19.3	26.9	24.2	25.1
29	---	---	---	17.8	15.9	16.6	21.7	18.8	19.9	26.9	24.8	25.7
30	---	---	---	19.2	16.2	17.5	21.6	19.4	20.5	26.7	25.1	25.9
31	---	---	---	19.3	17.0	18.2	---	---	---	---	---	---
MONTH	16.3	7.5	11.1	19.3	11.0	13.9	21.9	16.5	18.9	---	---	---

BROAD RIVER BASIN

02176635 BATTERY CREEK AT PORT ROYAL, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	---	---	---	30.0	28.4	29.0	31.3	29.8	30.7	30.2	29.6	29.9
2	---	---	---	30.3	29.0	29.6	30.6	29.7	30.2	30.3	29.8	30.0
3	25.5	24.9	25.2	30.7	29.4	29.9	---	---	---	30.3	29.6	29.8
4	26.2	25.2	25.6	30.6	29.5	30.0	---	---	---	30.0	29.4	29.7
5	27.2	25.6	26.2	30.9	29.7	30.1	---	---	---	29.4	28.7	28.9
6	27.7	26.1	26.7	31.2	29.7	30.2	---	---	---	28.7	27.8	28.0
7	28.5	26.5	27.3	31.4	29.8	30.4	---	---	---	27.9	26.7	27.1
8	28.9	27.2	27.9	31.8	29.9	30.5	---	---	---	27.4	26.2	26.9
9	29.9	27.7	28.4	31.0	29.7	30.4	---	---	---	27.4	26.5	27.0
10	29.6	28.0	28.7	30.4	29.5	29.9	---	---	---	27.5	26.0	26.7
11	28.5	27.7	28.1	30.6	29.3	29.7	30.8	29.8	30.2	27.1	26.0	26.6
12	28.3	27.5	27.8	32.0	29.5	30.3	31.3	30.0	30.4	26.6	25.7	26.1
13	29.3	27.5	28.0	31.3	30.1	30.7	31.5	30.4	30.8	25.9	25.0	25.7
14	30.3	27.9	28.7	31.3	30.1	30.5	31.8	30.6	31.0	26.3	25.4	25.8
15	30.8	28.4	29.3	---	---	---	31.8	30.8	31.3	27.0	25.9	26.3
16	30.7	28.9	29.7	---	---	---	32.0	31.0	31.4	27.6	26.4	26.9
17	30.3	29.1	29.7	31.9	30.7	31.2	32.4	31.2	31.6	29.1	26.8	27.5
18	30.2	28.9	29.4	32.3	30.9	31.3	32.1	31.0	31.4	29.4	27.3	28.2
19	29.0	27.3	28.4	32.4	30.9	31.4	32.7	31.0	31.6	29.9	27.8	28.6
20	27.8	26.9	27.4	32.4	30.9	31.4	32.8	31.0	31.7	30.1	28.0	29.0
21	27.9	27.1	27.4	32.5	30.8	31.4	33.3	31.3	32.1	29.8	28.4	29.1
22	28.6	27.2	27.7	32.4	30.8	31.5	33.0	31.7	32.3	30.1	28.5	29.2
23	29.3	27.5	28.2	32.4	30.8	31.5	32.9	31.5	32.0	30.2	28.9	29.4
24	29.2	27.9	28.4	32.6	31.0	31.7	32.6	31.6	32.0	30.1	29.2	29.5
25	28.2	27.2	27.8	32.7	31.0	31.6	31.8	30.6	31.1	29.8	29.2	29.5
26	29.2	26.9	27.7	33.1	31.1	31.8	30.6	29.1	29.7	29.6	29.0	29.3
27	28.9	27.8	28.4	33.5	31.5	32.1	29.9	28.5	29.4	29.5	28.8	29.1
28	28.4	27.9	28.1	33.0	31.8	32.3	30.3	29.2	29.9	28.9	28.2	28.6
29	28.4	27.5	27.9	32.6	31.8	32.1	30.4	29.8	30.2	28.6	27.9	28.3
30	29.3	27.9	28.4	32.5	31.8	32.1	30.4	30.0	30.2	28.4	27.6	28.1
31	---	---	---	32.3	31.2	31.7	30.2	29.7	29.9	---	---	---
MONTH	---	---	---	---	---	---	---	---	---	30.3	25.0	28.2

02176635 BATTERY CREEK AT PORT ROYAL, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	5.3	4.1	4.8	6.4	5.0	5.4	7.2	6.5	6.8	---	---	---
2	5.5	4.0	4.7	6.7	5.0	5.7	7.8	6.6	7.0	9.5	8.5	9.0
3	5.9	3.9	4.8	6.8	5.1	5.9	7.8	6.8	7.2	9.5	8.6	9.1
4	6.1	4.1	4.9	6.2	4.6	5.8	8.1	7.0	7.4	9.4	8.5	9.0
5	6.2	4.0	4.9	6.6	5.2	5.9	8.0	7.0	7.4	9.4	8.2	8.8
6	5.9	4.0	4.9	6.5	4.8	6.0	7.8	7.2	7.4	9.3	8.2	8.8
7	5.9	4.1	5.0	6.4	5.5	6.0	7.6	6.9	7.2	9.1	7.7	8.5
8	5.5	3.9	4.9	6.6	5.3	6.0	7.3	6.2	6.8	8.8	7.5	8.3
9	5.8	3.8	4.7	6.6	5.7	6.2	7.1	6.1	6.5	8.6	7.2	8.0
10	4.9	3.1	4.0	6.8	5.5	6.3	7.0	5.9	6.4	8.0	6.7	7.6
11	4.9	3.1	4.0	6.8	6.0	6.4	6.8	5.8	6.3	7.8	6.7	7.3
12	5.0	3.1	4.0	6.6	5.7	6.2	7.0	6.2	6.7	7.7	6.6	7.3
13	4.9	3.6	4.3	6.4	5.6	6.0	7.3	6.6	6.9	7.6	6.6	7.1
14	5.2	3.9	4.7	7.2	6.0	6.7	7.7	6.8	7.3	7.5	6.4	7.0
15	5.4	4.1	4.9	7.6	6.7	7.1	8.1	7.2	7.6	7.6	6.3	7.1
16	5.8	4.5	5.1	7.7	6.8	7.2	8.3	7.5	7.8	8.2	6.7	7.5
17	6.2	4.7	5.3	7.8	6.8	7.2	8.3	7.5	7.9	8.4	7.1	7.8
18	5.8	4.1	4.8	7.6	6.8	7.2	8.3	7.6	7.9	8.6	7.3	8.0
19	5.9	3.7	4.6	7.5	6.7	7.1	8.2	7.6	7.9	8.5	7.4	8.1
20	5.6	3.8	4.5	7.2	6.5	6.8	8.3	7.7	8.0	8.6	7.5	8.2
21	5.0	3.4	4.3	6.8	6.2	6.5	8.3	7.8	8.0	8.5	7.6	8.2
22	5.2	3.4	4.3	6.6	5.8	6.2	8.2	7.9	8.1	8.6	7.6	8.2
23	5.4	3.7	4.6	6.4	5.5	6.0	8.2	7.7	7.9	8.7	7.7	8.3
24	5.2	3.9	4.6	6.2	5.3	5.7	8.3	7.5	7.8	9.0	7.6	8.5
25	5.0	3.8	4.5	6.3	5.2	5.9	8.1	7.5	7.9	---	---	---
26	5.1	3.7	4.6	6.6	5.6	6.1	8.4	7.8	8.1	9.0	8.5	8.7
27	5.4	4.2	4.9	6.7	5.9	6.3	8.7	8.1	8.4	9.0	8.5	8.7
28	5.1	4.4	4.8	6.8	5.8	6.4	9.0	8.3	8.7	9.3	8.5	8.9
29	5.1	3.9	4.8	7.0	6.3	6.6	9.1	8.6	8.8	9.4	8.8	9.1
30	5.6	4.3	5.0	7.3	6.4	6.8	9.2	8.7	8.9	9.6	8.9	9.3
31	6.2	4.6	5.2	---	---	---	---	---	---	10.0	9.0	9.4
MONTH	6.2	3.1	4.7	7.8	4.6	6.3	---	---	---	---	---	---

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	9.9	9.2	9.5	8.7	6.9	7.7	7.5	6.7	7.2	7.4	6.3	7.0
2	9.9	9.2	9.5	9.1	6.3	7.7	7.7	6.4	7.2	7.4	6.3	7.0
3	9.7	9.2	9.5	9.2	6.3	7.9	8.0	7.0	7.5	7.4	6.5	7.1
4	10.1	9.2	9.6	9.3	6.9	8.1	8.0	6.9	7.7	7.5	6.6	7.1
5	10.1	9.3	9.7	9.0	6.4	8.1	8.0	7.0	7.6	7.8	6.6	7.3
6	10.1	9.5	9.8	8.9	6.6	8.1	7.8	6.9	7.4	8.0	6.8	7.6
7	10.0	9.3	9.7	8.8	6.3	8.0	7.4	6.0	7.0	8.1	6.9	7.7
8	9.9	9.2	9.6	8.6	6.2	7.9	7.0	5.7	6.7	8.3	6.8	7.7
9	9.7	9.1	9.3	8.5	6.4	7.6	6.9	5.3	6.5	8.2	6.4	7.6
10	9.6	8.7	9.2	8.0	5.8	7.3	7.2	5.3	6.6	8.2	6.2	7.3
11	9.7	8.6	9.2	8.1	6.1	7.3	7.4	5.8	6.6	---	---	---
12	9.8	8.8	9.3	8.2	6.2	7.4	7.1	5.6	6.5	---	---	---
13	9.8	9.0	9.3	8.4	6.1	7.5	7.1	5.1	6.5	---	---	---
14	9.6	8.9	9.2	8.2	6.0	7.5	7.1	5.5	6.5	---	---	---
15	9.5	8.6	9.1	8.3	5.4	7.3	7.5	5.5	6.7	---	---	---
16	9.2	8.4	8.9	8.1	5.8	7.2	6.6	4.4	5.6	---	---	---
17	9.0	8.3	8.7	8.1	5.3	7.1	6.3	4.2	5.5	---	---	---
18	9.1	8.5	8.8	8.0	5.8	7.2	5.9	4.1	5.2	---	---	---
19	9.1	8.5	8.8	8.5	6.4	7.5	5.4	3.7	4.7	---	---	---
20	9.0	8.3	8.7	8.5	6.2	7.7	5.6	3.5	4.5	---	---	---
21	9.0	8.2	8.6	8.5	6.2	7.7	5.3	3.0	4.4	---	---	---
22	8.9	7.9	8.5	8.3	6.3	7.6	6.9	2.9	5.0	---	---	---
23	8.8	7.6	8.4	8.1	6.5	7.5	7.1	4.7	6.4	---	---	---
24	8.7	7.5	8.1	8.0	6.3	7.5	7.3	5.5	6.7	---	---	---
25	8.4	7.1	7.9	7.9	6.7	7.4	7.3	5.3	6.8	---	---	---
26	8.4	7.3	8.1	7.7	5.9	7.0	7.1	5.5	6.7	---	---	---
27	8.6	7.7	8.1	7.7	6.3	7.1	7.2	5.1	6.6	6.5	4.2	5.4
28	8.6	7.8	8.3	7.6	6.4	7.2	7.5	6.3	6.8	6.8	4.3	5.5
29	---	---	---	7.9	6.7	7.5	7.6	6.5	7.0	---	---	---
30	---	---	---	8.0	6.6	7.4	7.4	6.6	7.1	---	---	---
31	---	---	---	7.8	6.3	7.3	---	---	---	---	---	---
MONTH	10.1	7.1	9.0	9.3	5.3	7.5	8.0	2.9	6.4	---	---	---

