

SANTÉE RIVER BASIN

341256082092000 USGS RAINGAGE AT SAMPLE BRANCH AT GREENWOOD, SC

LOCATION.--Lat 34°12'56'', long 82°09'20'', Greenwood County, Hydrologic Unit 03050109, gage is located on the upstream side of the US Highway 25/178 by-pass bridge crossing Sample Branch.

PERIOD OF RECORD.--February 2003 to current year.

INSTRUMENTATION.--Tipping bucket raingage and data collection platform.

REMARKS.--Precipitation data collected during freezing periods may not be accurately reflected in daily record; consequently, winter record is poor.

DAY	Precipitation, total, inches											
	WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005											
	DAILY SUM VALUES											
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	0.00	0.31	0.00	0.00	0.00	0.19	0.01	2.47	0.01	0.00	0.00
2	---	0.00	0.00	0.00	0.18	0.00	0.04	0.00	1.13	0.02	0.00	0.00
3	---	0.06	0.00	0.00	0.96	0.00	0.00	0.00	0.03	0.00	0.00	0.00
4	---	0.92	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	---	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	---	0.01	0.37	0.08	0.00	0.00	0.00	0.03	0.33	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.35	0.73	0.00	0.01	0.00	0.02	0.00
8	0.00	0.00	0.00	0.00	0.03	0.32	0.92	0.00	0.36	0.00	0.76	0.00
9	0.00	0.00	0.10	0.00	0.26	0.00	0.00	0.00	0.00	0.00	0.37	0.00
10	0.00	0.00	1.10	0.00	0.00	0.00	0.01	0.11	0.14	0.03	0.19	0.00
11	0.00	0.12	0.01	0.00	0.00	0.00	0.00	0.01	0.09	0.17	0.01	0.00
12	0.02	0.40	0.00	0.00	0.00	0.00	0.28	0.00	0.46	0.00	0.00	0.00
13	0.62	0.00	0.00	0.92	0.00	0.00	0.72	0.48	0.05	0.33	0.01	0.00
14	0.00	0.00	0.00	0.32	0.65	0.28	0.00	0.00	0.00	0.40	0.00	0.00
15	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.57	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	1.44	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	1.22	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.21	0.00	0.28	0.00
19	0.01	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.39	0.00	0.01	0.00
20	0.00	0.01	0.00	0.00	0.36	0.00	0.00	1.61	1.32	0.00	0.00	0.00
21	0.03	0.09	0.00	0.00	2.15	0.00	0.00	0.00	0.01	0.00	0.75	0.00
22	0.00	1.62	0.00	0.03	0.01	0.58	1.63	0.00	0.00	0.00	1.19	0.00
23	0.00	0.37	0.40	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.01	0.00
24	0.27	0.83	0.00	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
26	0.01	0.01	0.00	0.00	0.01	0.00	0.21	0.00	1.05	0.00	0.00	0.00
27	0.00	0.27	0.00	0.00	0.96	1.56	0.01	0.00	0.28	0.00	0.00	0.00
28	0.02	0.00	0.00	0.00	0.38	0.39	0.00	0.00	0.77	0.00	0.00	0.00
29	0.05	0.00	0.00	0.14	---	0.00	0.00	0.09	0.00	1.80	0.00	0.00
30	0.01	0.00	0.00	0.53	---	0.00	0.60	1.43	0.00	0.05	0.29	0.00
31	0.00	---	0.00	0.18	---	1.00	---	0.11	---	0.46	0.00	---
TOTAL	---	4.73	2.31	2.20	6.90	6.16	5.34	3.88	11.11	3.84	5.11	0.00