

SANTEE RIVER BASIN

569

343714082285600 USGS RAINGAGE AT WILLIAMSTON, SC

LOCATION.--Lat 34°37'14'', long 82°28'56'', Anderson County, Hydrologic Unit 03050109, gage is located at the Williamston City Water Treatment Plant at College and Minor Street.

PERIOD OF RECORD.--August 1998 to current year.

INSTRUMENTATION.--Tipping bucket raingage and data collection platform.

REMARKS.--Precipitation data collected during freezing periods may not be accurately reflected in daily record; consequently, winter record is poor.

Precipitation, total, inches												
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005												
DAILY SUM VALUES												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.00	0.01	0.29	0.00	0.00	0.00	0.15	0.04	1.48	0.02	0.01	0.00
2	0.00	0.20	0.00	0.00	0.19	0.00	0.09	0.00	0.31	0.00	0.00	0.00
3	0.10	0.36	0.00	0.00	0.67	0.00	0.00	0.00	0.04	0.40	0.00	0.00
4	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
5	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00
6	0.00	0.00	0.71	0.08	0.00	0.00	0.09	0.00	0.10	0.00	0.00	0.00
7	0.00	0.00	0.06	0.01	0.00	0.58	---	0.00	0.00	2.69	0.50	0.00
8	0.00	0.00	0.00	0.06	0.00	0.17	---	0.00	0.48	0.00	0.06	0.00
9	0.00	0.00	2.65	0.00	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.24	0.01	0.01	0.12	0.00
11	0.00	0.16	0.00	0.00	0.00	0.00	---	0.01	0.03	0.34	0.03	0.00
12	0.10	0.99	0.00	0.00	0.00	0.00	---	0.00	0.34	0.27	0.00	0.00
13	0.01	0.01	0.00	0.86	0.00	0.00	0.17	0.00	0.00	0.29	0.06	0.00
14	0.03	0.00	0.00	0.09	0.32	0.48	0.03	0.28	0.00	0.00	0.01	0.00
15	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.15	0.00	0.00
16	0.01	0.00	0.00	0.00	0.00	0.74	0.00	0.00	0.00	0.01	0.01	0.00
17	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.25	0.00
19	0.25	0.01	0.00	0.00	0.00	0.00	0.00	0.06	0.15	0.00	0.20	0.00
20	0.00	0.06	0.00	0.00	0.31	0.00	0.00	2.33	0.90	0.00	0.00	0.00
21	0.00	0.20	0.00	0.00	1.42	0.00	0.00	0.00	0.01	0.35	0.00	0.00
22	0.00	0.48	0.15	0.02	0.01	0.61	0.62	0.00	0.00	0.09	0.01	0.00
23	0.00	0.26	1.35	0.00	0.00	0.29	0.01	0.00	0.00	0.01	0.04	0.00
24	0.19	0.60	0.00	0.00	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	1.15	0.00	0.00	0.00
27	0.00	0.23	0.00	0.00	0.30	1.68	0.01	0.00	0.52	0.00	0.00	0.00
28	0.01	0.01	0.00	0.00	0.35	0.52	0.00	0.00	0.27	1.00	0.00	0.00
29	0.02	0.00	0.00	0.00	---	0.00	0.00	0.08	0.00	0.72	0.00	0.13
30	0.00	0.00	0.00	0.26	---	0.00	0.27	0.33	0.00	0.20	0.00	0.00
31	0.33	---	0.00	0.00	---	0.87	---	0.00	---	1.56	0.00	---
TOTAL	1.09	4.35	5.28	1.38	4.17	5.97	---	4.03	6.09	8.12	1.32	0.13