

GROUND-WATER UNITS AND WITHDRAWAL,
BASIN AND RANGE PROVINCE, ARIZONA

by

M.S. Bedinger, T.W. Anderson, and William H. Langer

INTRODUCTION

This report on ground-water units and withdrawal in the Basin and Range province of Arizona (see index map) was prepared as part of a program of the U.S. Geological Survey to identify prospective regions for further study relative to isolation of high-level nuclear waste (Bedinger, Sargent, and Reed, 1984), utilizing program guidelines defined in Sargent and Bedinger (1984). Also included in this report are selected references on pertinent geologic and hydrologic studies of the region. Other map reports in this series contain detailed data on ground-water quality, surface distribution of selected rock types, tectonic conditions, areal geophysics, Pleistocene lakes and marshes, and mineral and energy resources.

ACKNOWLEDGMENTS

The authors gratefully acknowledge the review of this report by Terry Turner of the Arizona Department of Water Resources, Wesley E. Steiner, Director.

GROUND-WATER UNITS

This map shows boundaries of ground-water units, generalized directions of ground-water flow at the water table, areas of natural discharge to streams and lakes, areas of natural discharge by evapotranspiration in areas underlain by ground water at shallow depths, areas of discharge by wells where large withdrawals have caused depressions in the water table, and the distribution of consolidated rock outcrops and areas underlain by basin fill.

Ground-water unit boundaries are based primarily on ground-water divides or surface streams. The water table is used to delineate ground-water units in a manner analogous to the way land-surface topography is used to delineate drainage areas. Where information is available, water-level contour maps were used to define the boundaries. Where water levels were lacking, ground-water boundaries were drawn on topographic drainage divides that were assumed to overlie water-table divides.

Ground-water units shown on the map may contain one or more areas of natural recharge and natural discharge or ground-water withdrawal by wells. Some ground-water units comprise closed flow systems at the water table; that is, no ground-water flow occurs across the ground-water unit boundaries. However, between other units, ground-water flow may occur across some unit boundaries in basin-fill or consolidated-rock aquifers.

In the Basin and Range province, ground water occurs in basin-fill deposits and consolidated rocks. The basin fill consists mostly of unconsolidated to semi-indurated sedimentary deposits. The material ranges from poorly sorted to moderately sorted mixtures of gravel, sand, silt, and clay that were derived from the consolidated rocks in the nearby mountains. Evaporite deposits, limestone, conglomerate, and volcanic rocks are present in places in the unit. Some of the basins may contain as much as 9,000 feet of basin fill, but the most permeable rocks and most of the recoverable ground water is in the upper 1,000 feet of the unit.

The consolidated rocks consist mostly of sedimentary and volcanic rocks, with lesser amounts of metamorphic and intrusive rocks. The consolidated rocks make up the mountain ranges that border the basins and are the principal source of sedimentary material to the basin fill.

Few wells exist in the consolidated rocks compared to the number of wells in the basin fill. The yield of wells tapping many consolidated rock units is due to interception of water in fracture zones. In some areas in the Basin and Range province, carbonate rock is extensive in the subsurface and provides interconnection between alluvial basins through fractures and solution channels. Although the consolidated rock commonly has very low permeability and very low rates of ground-water flow, the entire ground-water system, including basin fill and bedrock, must be treated as one integral system.

Depressions in the water table have been created in many areas of large concentrated ground-water withdrawal. Major areas are approximately located on the map and may be the principal discharge mechanism for many of the ground-water units. The water table in these areas fluctuates seasonally in response to changes in withdrawal rates and distribution of ground water. In addition, within areas where ground-water withdrawal has increased, predevelopment of ground-water flow patterns commonly have been altered.

GROUND-WATER WITHDRAWAL

The accompanying map shows boundaries of ground-water withdrawal areas and estimated ground-water withdrawal for 1981.

SELECTED REFERENCES

- Babcock, H. M., 1975, Annual report on ground water in Arizona with emphasis on Gila Bend Basin, McMullen Valley, and the southeast part of the Harquahala Plains-Spring 1973 and Spring 1974: Phoenix, Arizona Water Commission Bulletin 9, 44 p.
- Bedinger, M. S., Sargent, K. A., and Reed, J. E., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, [in press].
- Bentley, C. B., 1979, Geohydrologic reconnaissance of Lake Mead National Recreation area-Hoover Dam to Mount Davis, Arizona: U.S. Geological Survey Open-File Report 79-690, 37 p.
- _____, 1979, Geohydrologic reconnaissance of Lake Mead National Recreation area-Mount Davis to Davis Dam, Arizona: U.S. Geological Survey Open-File Report 79-691, 34 p.
- City of Tucson, 1979, Maps showing depth to water and water-level contours in Avra Valley, Pima County, Arizona: City of Tucson, Unpublished Report, unpagued.
- _____, 1980, Maps showing water, table elevation and depth to water in the Tucson Basin, Pima County, Arizona: City of Tucson, Unpublished Report, unpagued.
- Davidson, E. S., 1973, Water-resources appraisal of the Big Sandy area, Mohave County, Arizona: Arizona Water Commission Bulletin no. 6, 40 p.
- Denis, E. E., 1975, Maps showing groundwater conditions in the Waterman Wash area, Maricopa and Pinal Counties, Arizona--1975: Arizona Water Commission, Hydrologic Map Series, Map H-1, scale 1:125,000, 3 sheets.
- _____, 1984, Maps showing ground-water conditions in the Tonto Basin area, Gila County, Arizona: Unpublished data on file in Phoenix office of U.S. Geological Survey Water Resources Division.
- Feth, J. H., and Hem, J. D., 1963, Reconnaissance of headwater springs in the Gila River drainage basin, Arizona: U.S. Geological Survey Water-Supply Paper 1619-H, 54 p.
- Gillespie, J. B., Bentley, C. B., and Kam, William, 1966, Basic hydrologic data of the Hualapai, Sacramento, and Big Sandy Valleys, Mohave County, Arizona: Arizona State Land Department Water Resources, no. 26, 39 p.
- Gould, J. A., and Wilson, R. P., 1976, Map showing ground-water conditions in the Aravaipa Valley area, Graham and Pinal Counties, Arizona - 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-107, scale 1:250,000.
- Harper, R. W., and Anderson, T. W., 1976, Maps showing ground-water conditions in the Concho, St. Johns, and White Mountain areas, Apache and Navajo Counties, Arizona - 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-104, 4 sheets, scale 1:250,000, 52 p.

- Hollett, K. J., 1984, Maps showing ground-water conditions in the San Simon Wash area, Pima and Maricopa Counties, Arizona: Unpublished data on file in Phoenix office of U.S. Geological Survey Water Resources Division.
- Jones, S. C., 1980, Maps showing ground-water conditions in the lower San Pedro Basin area, Pinal, Cochise, Pima and Graham Counties, Arizona - 1979: U.S. Geological Survey Open-File Report 80-954, scale 1:250,000, 2 sheets.
- Konieczki, A. D., 1980, Maps showing ground-water conditons in the upper San Pedro Basin area, Pima, Santa Cruz, and Cochise Counties, Arizona, 1978: U.S. Geological Survey Open-File Report 80-1192, 2 sheets.
- Konieczki, A. D., and English, C. S., 1979, Maps showing ground-water conditions in the lower Santa Cruz area, Pinal, Pima, and Maricopa Counties, Arizona - 1977: U.S. Geological Survey Water Resources Investigations Open File Report 79-56, scale 1:250,000, 4 sheets.
- Laney, R. L., 1979, Geohydrologic reconnaissance of Lake Mead National Recreation area-Hoover Dam to Temple Bar, Arizona: U.S. Geological Survey Open-File Report 79-689, 42 p.
- 1979, Geohydrologic reconnaissance of Lake Mead National Recreation area-Temple Bar to Grand Wash Cliffs, Arizona: U.S. Geological Survey Open-File Report 79-688, 72 p.
- Laney, R. L., Ross, C. P., and Littin, G. R., 1978, Maps showing ground-water conditions in the eastern part of the Salt River Valley area, Maricopa and Pinal Counties, Arizona-1976: U.S. Geological Survey Water-Resources Investigations Open-File Report 78-61, scale 1:250,000, 2 sheets.
- Leake, S. A., and Clay, D. M., 1979, Maps showing ground-water conditions in the Gila River drainage from Texas Hill to Dome area and in the western Mexican drainage area, Maricopa, Pima, and Yuma Counties, Arizona-1977: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1540, 2 sheets.
- Levings, G. W., and Mann, L. J., 1980, Maps showing ground-water conditions in the upper Verde River area, Yavapai and Coconino Counties, Arizona - 1978: U.S. Geological Survey Water Resources Open-File Report 80-726, scale 1:250,000, 2 sheets.
- Littin, G. R., 1979, Maps showing ground-water conditions in the New River-Cave Creek area, Maricopa and Yavapai Counties, Arizona - 1977: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1068, scale 1:250,000, 2 sheets.
- 1984, Maps showing gound-water conditions in the Agua Fria River area, Yavapai and Maricopa Counties, Arizona-1978-79: Unpublished data on file in Phoenix office of U.S. Geological Survey Water-Resources Division.
- Mann, L. J., 1980, Maps showing hydrologic conditions in the San Francisco River area, Greenlee County, Arizona - 1978--A reconnaissance study: U.S. Geological Survey Open-File Report 80-441, scale 1:250,000, 2 sheets.

- Mann, L. J., and English, C. S., 1980, Maps showing groundwater conditions in the Douglas Basin area, Cochise County, Arizona, 1978: U.S. Geological Survey Water-Resources Investigations Open-File Report 80-700, scale 1:250,000, 3 sheets.
- Mann, L. J., White, N. D., and Wilson, R. P., 1978, Maps showing ground-water conditions in the Wilcox area, Cochise and Graham Counties, Arizona, 1975: U.S. Geological Survey Water-Resources Investigations 78-60, maps.
- Matlock, W. G., Davis, P. R., and Roth, R. L., 1973, Ground-water in Little Chino Valley, Arizona: Tucson, University of Arizona, College of Agriculture, Technical Bulletin 201, 19 p.
- Matlock, W. G., and Morin, G. C. A., 1975, Groundwater in the Avra and Altar Valleys, Arizona, 1974: Tucson, University of Arizona, College of Agriculture, Technical Bulletin 232, 59 p.
- Ross, P. P., 1978, Maps showing ground-water conditions in the western part of the Salt River Valley area, Maricopa County, Arizona, 1977: U.S. Geological Survey Water-Resources Investigations Open-File Report 78-40, 2 sheets.
- Sanger, H. W., 1981, Maps showing ground-water conditions in the Bill Williams area, Mohave, Yuma and Yavapai Counties, Arizona: U.S. Geological Survey Water-Resources Investigations Open-File Report 82-87, scale 1,250,000, 2 sheets.
- Sanger, H. W., and Appel, C. L., 1980, Maps showing ground-water conditions in the Hassayampa area, Maricopa and Yavapai Counties, Arizona, 1978: U.S. Geological Survey Water-Resources Investigations Open-File Report 80-584, scale 1:250,000, 2 sheets.
- Sargent, K. A., and Bedinger, M. S., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part II, Geologic and hydrologic characterization: U.S. Geological Survey Circular 904-B, [in press].
- Stulik, R. S., and Laney, R. L., 1976, Maps showing ground-water conditions in the lower Hassayampa area, Maricopa County, Arizona - 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-35, 3 sheets.
- Wallace, B. L., and Laney, R. L., 1976, Maps showing ground-water conditions in the lower Big Chino Valley and Williamson Valley areas, Yavapai and Coconino Counties, Arizona 1975 - 1976: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-78, 3 sheets.
- White, N. D., Leake, S. A., and Clay, D. M., 1979, Maps showing ground-water conditions in the northern part of the Gila River drainage from Painted Rock Dam to Texas Hill area, Maricopa, Pima, and Yuma Counties, Arizona 1978: U.S. Geological Survey Water Resources Investigations Open-File Report 79-1537, 3 sheets.
- White, N. D., and Stulik, R. S., 1962, Annual report on ground water in Arizona, Spring 1961 to Spring 1962: Arizona State Land Department Water-Resources Report no. 11, 116 p.

- Wilkins, D. W., 1978, Maps showing ground-water conditions in the Yuma area, Yuma County, Arizona, 1975: U.S. Geological Survey Water-Resources Investigations 78-62, 3 sheets.
- Wilkins, D. W., and Webb, W. C., 1976, Maps showing ground-water conditions in the Ranegras Plain and Butler Valley areas, Yuma County, Arizona, 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-34, scale 1:250,000, 2 sheets.
- Wilson, R. P., 1976, Maps showing ground-water conditions in the San Bernardino Valley area: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-81, 2 sheets.
- Wilson, R. P., and White, N. D., 1976, Maps showing ground-water conditions in the San Simon area, Cochise and Graham Counties Arizona, and in Hidalgo County, New Mexico-1975: U.S. Geological Survey Water-Resources Investigations Open-File Report 76-89, 2 sheets.