

MAPS SHOWING GROUND-WATER UNITS AND WITHDRAWAL,
BASIN AND RANGE PROVINCE, SOUTHERN CALIFORNIA

by

M. S. Bedinger, William H. Langer, and W. R. Moyle

INTRODUCTION

This report on ground-water units and withdrawal in the Basin and Range province of southern California (see index map) was prepared as part of a program of the U.S. Geological Survey to identify prospective regions for further study relative to isolation of high-level nuclear waste (Bedinger, Sargent, and Reed, 1984), utilizing program guidelines defined in Sargent and Bedinger (1984). Also included in this report are selected references on pertinent geologic and hydrologic studies of the region. Other map reports in this series contain detailed data on ground-water quality, surface distribution of selected rock types, tectonic conditions, areal geophysics, Pleistocene lakes and marshes, and mineral and energy resources.

In the Basin and Range province, ground water occurs in basin-fill deposits and consolidated rocks. The basin fill consists mostly of unconsolidated to semi-indurated sedimentary deposits. The material ranges from poorly sorted to moderately sorted mixtures of gravel, sand, silt, and clay that were derived from the consolidated rocks in the nearby mountains. Evaporite deposits, limestone, conglomerate, and volcanic rocks are present in places in the unit. Some of the basins may contain as much as 9,000 feet of basin fill, but the most permeable rocks and most of the recoverable ground water is in the upper 1,000 feet of the unit.

The consolidated rocks consist mostly of sedimentary and volcanic rocks, with lesser amounts of metamorphic and intrusive rocks. The consolidated rocks make up the mountain ranges that border the basins and are the principal source of sedimentary material to the basin fill.

Few wells exist in the consolidated rocks compared to the greater number of wells in the basin fill. The yield of wells tapping many consolidated rock units is due to interception of water in fracture zones. In some areas in the Basin and Range, carbonate rock is extensive in the subsurface and provides interconnection between alluvial basins through fractures and solution channels. Although the consolidated rock commonly has very low permeability, and very low rates of ground-water flow, the entire ground-water system, including basin fill and bedrock, must be treated as one integral system.

GROUND-WATER UNITS

This map shows boundaries of ground-water units, generalized directions of ground-water flow at the water table, areas of natural discharge to streams and lakes, areas of natural discharge by evapotranspiration in areas underlain by ground water at shallow depths, areas of discharge by wells where large withdrawals have caused depressions in the water table, and the distribution of consolidated rock outcrops and areas underlain by basin fill.

Ground-water unit boundaries are based primarily on ground-water divides or surface streams. The ground-water table is used to delineate ground-water units in a manner analogous to the way land-surface topography is used to delineate drainage areas. Where information is available, water-level contour maps were used to define the boundaries. Where data on ground-water levels were lacking, ground-water unit boundaries were drawn on topographic divides that were assumed to overlie water-table divides.

Ground-water units shown on the map may contain one or more areas of natural recharge and natural discharge or ground-water withdrawal by wells. Some ground-water units comprise closed flow systems at the water table; that is, no ground-water flow occurs across the ground-water unit boundaries. However, ground-water flow may occur across some unit boundaries in basin-fill or consolidated-rock aquifers.

GROUND-WATER WITHDRAWAL

The accompanying map shows boundaries of ground-water units, ground-water withdrawal areas, and approximate ground-water withdrawal in thousands of acre-feet per year, for each water-use area.

SELECTED REFERENCES

- Bader, J. S., and Dutcher, L. C., 1958, Data on water wells in the upper Mojave Valley area, San Bernardino County, California: U.S. Geological Survey Open-File Report, 238 p.
- Bader, J. S., and Moyle, W. R., Jr., 1958, Data on water wells and springs in Morongo Valley and vicinity, San Bernardino and Riverside Counties, California: U.S. Geological Survey Open-File Report, 31 p.
- _____, 1960, Data on water wells and springs in the Yucca Valley-Twenty-nine Palms area, San Bernardino and Riverside Counties, California: California Department of Water Resources Bulletin 91-2, 163 p.
- Bedinger, M. S., Sargent, K. A., and Reed, J. E., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, [in press].
- Bloyd, R. M., Jr., 1971, Underground storage of imported water in the San Geronio Pass area, southern California: U.S. Geological Survey Water-Supply Paper 1999-D, 37 p.
- Burnham, W. L., 1955, Data on water wells in Coyote, Cronice, Soda, and Silver Lake Valleys, California: U.S. Geological Survey Open-File Report, 48 p.
- California Department of Public Works, Division of Water Resources, 1956, Office report on water well and ground water data in Pahrump, Mesquite, Ivanpah, Lanfair, Fenner, Chuckwalla, and Jacumba Valleys: California Department of Public Works, Division of Water Resources, Mimeographed Report, 58 p.
- Durbin, T. J., 1978, Calibration of a mathematical model of the Antelope Valley ground-water basin, California: U.S. Geological Survey Water-Supply Paper 2046, 51 p.
- Dutcher, L. C., Bader, J. S., and Hiltgen, W. J., 1962, Data on wells in the Edwards Air Force Base area, California: California Department of Water Resources Bulletin 91-6, 209 p.
- Dutcher, L. C., and Moyle, W. R., Jr., 1973, Geologic and hydrologic features of Indian Wells Valley, California: U.S. Geological Survey Water-Supply Paper 2007, 30 p.
- Dyer, H. B., Bader, J. S., and Giessner, F. W., 1963, Wells and springs in the lower Mojave Valley area, San Bernardino County, California: California Department of Water Resources Bulletin 91-10, 19 p.
- Eakin, T. E., 1950, Preliminary report on groundwater in Fish Lake Valley, Nevada and California: Nevada State Engineer Water Resources Bulletin 11, 33 p.
- Hardt, W. F., and French, J. J., 1976, Selected data on water wells, geothermal wells and oil tests in Imperial Valley, California: U.S. Geological Survey Open-File Report, 251 p.
- Jones, B. F., 1965, Hydrology and mineralogy of Deep Springs Lake, Inyo County, California: U.S. Geological Survey Professional Paper 502-A, p. A1-A56.

- Koehler, J. H., 1966, Data on water wells in the eastern part of Antelope Valley area, Los Angeles County, California: California Department of Water Resources Bulletin 91-12, 17 p.
- Kunkel, Fred, 1956, Brief hydrologic and geologic reconnaissance of Pinto Basin, Joshua Tree National Monument, Riverside County, California: U.S. Geological Survey Open-File Report, 35 p.
- Kunkel, Fred, and Dutcher, L. C., 1980, Data on water wells in the Willow Springs, Gloster, and Chaffee areas, Kern County, California: California Department of Water Resources Bulletin 91-4, 85 p.
- Kunkel, Fred, and Riley, F. S., 1959, Geologic reconnaissance and test-well drilling, Camp Irwin, California: U.S. Geological Survey Water-Supply Paper 1460-F, 38 p.
- Lamb, C. E., and Downing, D. J., 1978, Ground-water data, 1974-76, Indian Wells Valley, Kern, Inyo, and San Bernardino Counties, California: U.S. Geological Survey Open-File Report 78-335, 42 p.
- Lewis, R. E., 1974, Data on wells, springs, and thermal springs in Long Valley, Mono County, California: U.S. Geological Survey Open-File Report, 52 p.
- Moyle, W. R., 1963, Data on water wells in Indian Wells Valley area, Inyo, Kern, and San Bernardino Counties, California: California Department of Water Resources Bulletin 91-9, 243 p.
- _____, 1965, Water wells in the western part of the Antelope Valley area, Los Angeles and Kern Counties, California: California Department of Water Resources Bulletin 91-11, 16 p.
- _____, 1967, Water wells and springs in Bristol, Broadwell, Cadiz, Danby, and Lavic Valleys and vicinity, San Bernardino and Riverside Counties, California: California Department of Water Resources Bulletin 91-14, 17 p.
- _____, 1967, Water wells and springs in Soda, Silver, and Cronese Valleys, San Bernardino County, California: California Department of Water Resources Bulletin 91-13, 16 p.
- _____, 1968, Water wells and springs in Borrego, Carrizo, and San Felipe Valley areas, San Diego and Imperial Counties, California: California Department of Water Resources Bulletin 91-15, 15 p.
- _____, 1969a, Water wells and springs in Panamint, Searles, and Knob Valleys, San Bernardino and Inyo Counties, California: California Department of Water Resources Bulletin 91-17, 110 p.
- _____, 1969b, Water wells and springs in the Fremont Valley area, Kern County, California: California Department of Water Resources Bulletin 91-16, 157 p.
- Moyle, W. R., Jr., 1971, Water wells in the Harper, Superior, and Cuddeback Valley areas, San Bernardino County, California: California Department of Water Resources Bulletin 91-19, 99 p.
- _____, 1972, Water wells and springs in Ivanpah Valley, San Bernardino County, California: California Department of Water Resources Bulletin 91-21, 56 p.

- ____ 1974, Geohydrologic map of southern California: U.S. Geological Survey Water Resources Investigations 48-73, Open-File Report, scale 1:500,000, 1 sheet.
- ____ 1977, Summary of basic hydrologic data collected at Coso Hot Springs, Inyo County, California: U.S. Geological Survey Open-File Report 77-485, 93 p.
- Moyle, W. R., Jr., and Mermod, M. J., 1978, Water wells and springs in Palo Verde Valley, Riverside and Imperial Counties, California: California Department of Water Resources Bulletin 91-23, 261 p.
- Olmsted, F. H., Loeltz, O. J., and Ireland, Burdge, 1973, Geohydrology of the Yuma area, Arizona and California: U.S. Geological Survey Professional Paper 486-H, 227 p.
- Page, R. W., and Moyle, W. R., Jr., 1960, Data on water wells in the eastern part of the middle Mojave Valley area, San Bernardino County, California: California Department of Water Resources Bulletin 91-3, 223 p.
- Riley, F. S., 1956, Data on water wells in Lucerne, Johnson, Fry, and Means Valleys, San Bernardino County, California: U.S. Geological Survey Mimeographed Report 1950, 150 p.
- Riley, F. S., and Bader, J. S., 1961, Data on water wells on Marine Corps Base, Twentynine Palms, California: U.S. Geological Survey Open-File Report, 72 p.
- Rush, F. E., and Huxel, C. J. Jr., 1966, Groundwater appraisal at the Eldorado-Piute Valley area, Nevada and California: Nevada Department of Conservation and Natural Resources, Ground-water Resources Reconnaissance Report 36, 29 p.
- Rush, F. E., and Katzer, T. L., 1973, Water-resources appraisal of Fish Lake Valley, Nevada and California: Carson City, Nevada, Nevada Department of Conservation and Natural Resources, Water Resources Reconnaissance Series Report 58, 70 p.
- Sargent, K. A., and Bedinger, M. S., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part II, Geologic and hydrologic characterization: U.S. Geological Survey Circular 904-B, [in press].
- Schaefer, D. H., 1977, Ground-water resources of the Marine Corps Base, Twentynine Palms, San Bernardino County, California: U.S. Geological Survey Water-Resources Investigations 77-37, 29 p.