

DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY

TO ACCOMPANY  
WRI REPORT 83-4121-B

MAP SHOWING GROUND-WATER LEVELS, SPRINGS, AND  
DEPTH TO GROUND WATER,  
BASIN AND RANGE PROVINCE, TEXAS

by

B. T. Brady, M. S. Bedinger, John Mikels,  
William H. Langer, and Deborah A. Mulvihill

INTRODUCTION

This report on ground-water levels, springs, and depth to ground water in the Basin and Range province of Texas (see index map) was prepared as part of a program of the U.S. Geological Survey to identify prospective regions for further study relative to isolation of high-level nuclear waste (Bedinger, Sargent, and Reed, 1984), utilizing program guidelines defined in Sargent and Bedinger (1984). Also included in this report are selected references on pertinent geologic and hydrologic studies of the region. Other map reports in this series contain detailed data on ground-water quality, surface distribution of selected rock types, tectonic conditions, areal geophysics, Pleistocene lakes and marshes, and mineral and energy resources.

In the Basin and Range province, ground water occurs in basin-fill deposits and consolidated rocks. The basin fill consists mostly of unconsolidated to semi-indurated sedimentary deposits. The material ranges from poorly sorted to moderately sorted mixtures of gravel, sand, silt, and clay that were derived from the consolidated rocks in the nearby mountains. Evaporite deposits, limestone, conglomerate, and volcanic rocks are present in places in the unit. Some of the basins may contain as much as 9,000 feet of basin fill, but the most permeable rocks and most of the recoverable ground water is in the upper 1,000 feet of the unit.

The consolidated rocks consist mostly of sedimentary and volcanic rocks, with lesser amounts of metamorphic and intrusive rocks. The consolidated rocks make up the mountain ranges that border the basins and are the principal source of sedimentary material to the basin fill.

Few wells exist in the consolidated rocks compared to the greater number of wells in the basin fill. The yield of wells tapping many consolidated rock units is due to interception of water in fracture zones. In some areas in the Basin and Range, carbonate rock is extensive in the subsurface and provides interconnection between alluvial basins through fractures and solution channels. Although the consolidated rock commonly has very low permeability, and very low rates of ground-water flow, the entire ground-water system, basin fill and bedrock, must be treated as one integral system.

## GROUND-WATER LEVELS AND SPRINGS

The accompanying map shows the altitude of the ground-water level and the discharge and temperature of selected springs. This information was obtained primarily from reports listed in the "Selected references" and from files of the U.S. Geological Survey. The altitude of the ground-water level is shown by contours in those areas where sufficient data exist. In other areas, where regional data are inadequate to contour, data from selected wells are shown.

Ground-water-level changes occur daily, seasonally, and yearly in response to natural and man-induced hydrologic conditions. The ground-water-level map is a compilation of water-level measurements taken over a number of years. However, for any one ground-water basin the measurements generally were made during a relatively short time period. Collectively, the ground-water levels show the regional configuration of the ground-water surface.

Similarly, water temperatures and discharges of springs may vary with time. The reported values for individual springs were taken at one time; however, collectively the springs were measured over a number of years. Springs may issue from perched water tables or may be under artesian pressure; under these conditions the altitude of springs do not correspond to the altitude of the regional water table.

Depressions in the water table have been created in many areas of large concentrated ground-water withdrawal. Major withdrawal areas are approximately located on the map and may be the principal discharge mechanism for many of the ground-water flow units. The water table in these areas fluctuates seasonally in response to changes in rates and distribution of ground-water withdrawal. In addition, within areas where ground-water withdrawal has increased, predevelopment of ground-water flow patterns commonly have been altered.

## DEPTH TO GROUND WATER

The accompanying map shows the approximate depth to ground water below the land surface. In the basin fill, ground water moves in a continuous system, although perched ground water may occur in places. In areas with good topographic control, the depth to ground water can be predicted with reasonable accuracy between widely-spaced water-level data points, except where geologic discontinuities, such as faults, may alter the flow pattern. Where data are sufficiently closely spaced, lines of equal depth to water are shown; where data are inadequate to draw lines, data from selected wells are shown. In consolidated rocks, indicated by shaded patterns on the map, ground water occurs in poorly interconnected joints and fractures; water levels in wells may vary in depth within short distances, and numerous zones of perched water may exist.

Line patterns approximately delineate zones within which the depth to ground water is inferred to be greater than 500 feet. These are highly generalized areas based on very limited data on depth to ground water in wells tapping consolidated rock and basin fill and mine shafts; and on information gained from the location and discharge rates of springs, locations of gaining and losing reaches of streams; and estimates of geohydrologic conditions in areas. The areas delineated as possibly having depths to ground water of greater than 500 feet are recognized as having potential for evaluating prospective environments for isolation of high-level nuclear waste in the unsaturated zone.

## SELECTED REFERENCES

- Alvarez, H. J., and Buckner, A. W., 1980, Ground-water development in the El Paso region with emphasis on the resources of the lower El Paso Valley, Texas: Texas Department of Water Resources Report 246, 346 p.
- Bedinger, M. S., Sargent, K. S., and Reed, J. E., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, [in press].
- Brune, Gunnar, 1975, Major and historical springs of Texas: Texas Department of Water Resources Report R189, 95 p.
- Davis, M. E., 1961, Ground-water reconnaissance of the Marfa area, Presidio County, Texas: Texas Board of Water Engineers Bulletin 6110, 44 p.
- \_\_\_\_\_, 1965, Development of ground-water in the El Paso district, Texas, 1960-63, Progress Report 9: Texas Department of Water Resources Bulletin 6514, 34 p.
- Davis, M. E., and Gordon, J. D., 1970, Records of water levels and chemical analyses from selected wells in parts of the Trans-Pecos region, Texas, 1965-68: Texas Water Development Board Report 114, 49 p.
- Davis, M. E., and Leggat, E. R., 1965, Reconnaissance investigation of the ground-water resources of the upper Rio Grande basin, Texas, in Reconnaissance investigations of the ground-water resources of the Rio Grande basin, Texas: Texas Water Commission Bulletin 6502, p. U1-U99.
- DeCook, K. J., 1961, Reconnaissance of the ground water resources of the Marathon area, Brewster County, Texas: Texas Department of Water Resources Bulletin 6111, 48 p.
- Dillard, J. W., and Muse, W. R., 1964, Water levels and chemical analyses from observation wells in the Dell City area, Hudspeth and Culberson Counties, Texas--1948 through January 1964: Texas Department of Water Resources Circular 64-01, 23 p.
- Follett, C. R., 1954a, Records of water level measurements in the Culberson, Hudspeth and Jeff Davis Counties, Texas: Texas Department of Water Resources Bulletin 5415, 31 p.
- \_\_\_\_\_, 1954b, Records of water level measurements in El Paso County, Texas: Texas Water Resources Bulletin 5417, 49 p.
- \_\_\_\_\_, 1954c, Records of water level measurements in Reeves County, Texas: Texas Department of Water Resources Bulletin 5414, 30 p.
- Gates, J. S., and Stanley, W. D., 1976, Hydrologic investigations of geophysical data from the southeastern Hueco Bolson, El Paso and Hudspeth Counties, Texas: U.S. Geological Survey Open-File Report 76-650, 37 p.
- Gates, J. W., and White, D. E., 1976, Test drilling for ground-water in Hudspeth, Culberson, and Presidio Counties in westernmost Texas: U.S. Geological Survey Open-File Report 76-338, 76 p.

- Gates, J. S., White, D. E., Stanley, W. D., and Ackerman, H. D., 1978, Availability of fresh and slightly saline ground-water in the basins of westernmost Texas: U.S. Geological Survey Open-File Report 78-663, 118 p.
- \_\_\_\_\_, 1980, Availability of fresh and slightly saline ground water in the basins of westernmost Texas: Texas Department of Water Resources Report 256, September 1980, 108 p.
- Grozt, C. G., 1972, Presidio Bolson, Trans-Pecos Texas and adjacent Mexico--Geology of a desert basin aquifer system: Austin, University of Texas Bureau of Economic Geology Report of Investigation no. 76, 46 p.
- Henry, C. D., 1979a, Crustal structure deduced from geothermal studies, Trans-Pecos, Texas, in Walton, A. W., and Henry, C. D., eds., Cenozoic geology of the Trans-Pecos volcanic field of Texas: Austin, University of Texas, Bureau of Economic Geology Guidebook 19, p. 39-47.
- \_\_\_\_\_, 1979b, Geologic setting and geochemistry of thermal water and geothermal assessment, Trans-Pecos Texas and adjacent New Mexico, with tectonic map of the Rio Grande area: Austin University of Texas Bureau of Economic Geology Report of Investigation no. 96, 48 p.
- Henry, C. D., and Gluck, J. J., 1981, A preliminary assessment to the geologic setting, hydrology and geochemistry of the Hueco Tanks Geothermal area, Texas and New Mexico: Austin, University of Texas, Bureau of Economic Geology, Geological Circular 81-1, 48 p.
- Hoffer, J. M., 1979, Geothermal exploration of western Trans-Pecos Texas: El Paso, University of Texas, Science Series no. 6, 78 p.
- Hood, J. W., and Scalapino, R. A., 1951, Summary of the development of ground-water for irrigation in the Lobo Flats area, Culberson and Jeff Davis Counties, Texas: Texas Board of Water Engineers Bulletin 5102, 29 p.
- International Boundary and Water Commission, United States and Mexico, 1973, Flow of the Rio Grande and related data from Elephant Butte Dam, New Mexico to Gulf of Mexico: International Boundary and Water Commission, United States and Mexico, Water Bulletin no. 43, 154 p.
- Kelley, T. E., 1974, Reconnaissance investigation of ground water in the Rio Grande drainage basin--With special emphasis on saline ground water resources: U.S. Geological Survey Hydrologic Investigations Atlas HA-510, scale 1:2,500,000.
- Kelley, T. E., and others, 1970, Saline ground water resources of the Rio Grande drainage basin--A pilot study: U.S. Department of the Interior Office of Saline Water Research and Development Progress Report 560, 71 p.
- Knowles, D. B., and Kennedy, R. A., 1958, Ground-water resources of the Hueco bolson northeast of El Paso, Texas: U.S. Geological Survey Water-Supply Paper 1426, 186 p.
- Leggat, E. R., 1962, Development of ground water in the El Paso district, Texas, 1955-60: Texas Water Commission Bulletin 6204, Progress Report, 65 p.

- Littleton, R. T., and Audsley, G. L., 1957, Ground-water geology of the Alpine area, Brewster, Jeff Davis and Presidio Counties, Texas: Texas Board of Water Engineers Bulletin 5712, 16 p.
- Meyer, W. R., and Gordon, J. D., 1971, Development of ground-water in the El Paso district, Texas, 1963-70: Texas Water Development Board Report, Progress Report no. 10, 82 p.
- Muse, W. R., 1966, Water level data from observation wells in Culberson, Jeff Davis, Presidio, and Brewster Counties, Texas: Texas Department of Water Resources Report 016, 61 p.
- Peckham, R. C., 1963, Summary of the ground water aquifers in the Rio Grande Basin: Texas Department of Water Resources Circular 63-05, 18 p.
- Sargent, K. A., and Bedinger, M. S., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part II, Geologic and hydrologic evaluation: U.S. Geological Survey Circular 904-B, [in press].
- Scalapino, R. A., 1950, Development of ground water for irrigation in the Dell City area, Hudspeth County, Texas: Texas Board of Water Engineers Bulletin 5004, 41 p.
- Sperka, Roger, 1980, Ground-water data for the eastern Hueco Bolson, El Paso County, Texas: El Paso Water Utilities, 80 p.
- Stearman, Jack, 1960, Water-level measurements in Culberson, Hudspeth and Jeff Davis Counties, Texas: Texas Department of Water Resources Bulletin 6005, 7 p.
- Texas Department of Water Resources, 1975, Inventories of irrigation in Texas--1958, 1964, 1969, and 1974: Texas Department of Water Resources Report 196, 265 p.
- West, S. W., and Broadhurst, W. L., 1973, Summary appraisals of nation's ground-water resources-Rio Grande Region: U.S. Geological Survey Open-File Report, 131 p.
- White, D. E., Gates, J. S., Smith, J. T., and Fry, B. J., 1977, Ground water data for the Salt Basin, Eagle Flat, Red Light Draw, Green River Valley, and Presidio Bolson in westernmost Texas: U.S. Geological Survey Open-File Report 77-575, 124 p.