

DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY

TO ACCOMPANY  
WRI REPORT 83-4122-B

MAP SHOWING GROUND-WATER LEVELS, SPRINGS, AND  
DEPTH TO GROUND WATER,  
BASIN AND RANGE PROVINCE, UTAH

by

M.S. Bedinger, J.L. Mason, William H. Langer,  
J.S. Gates, J.R. Stark, and Deborah A. Mulvihill

INTRODUCTION

This report on ground-water levels, springs, and depth to ground water in the Basin and Range province of Utah (see index map) was prepared as part of a program of the U.S. Geological Survey to identify prospective regions for further study relative to isolation of high-level nuclear waste (Bedinger, Sargent, and Reed, 1984), utilizing program guidelines defined in Sargent and Bedinger (1984). Also included in this report are selected references on pertinent geologic and hydrologic studies of the region. Other map reports in this series contain detailed data on ground-water quality, surface distribution of selected rock types, tectonic conditions, areal geophysics, Pleistocene lakes and marshes, and mineral and energy resources.

In the Basin and Range province, ground water occurs in basin-fill deposits and consolidated rocks. The basin fill consists mostly of unconsolidated to semi-indurated sedimentary deposits. The material ranges from poorly sorted to moderately sorted mixtures of gravel, sand, silt, and clay that were derived from the consolidated rocks in the nearby mountains. Evaporite deposits, limestone, conglomerate, and volcanic rocks are present in places in the unit. Some of the basins may contain as much as 9,000 feet of basin fill, but the most permeable rocks and most of the recoverable ground water is in the upper 1,000 feet of the unit.

The consolidated rocks consist mostly of sedimentary and volcanic rocks, with lesser amounts of metamorphic and intrusive rocks. The consolidated rocks make up the mountain ranges that border the basins and are the principal source of sedimentary material to the basin fill.

Few wells exist in the consolidated rocks compared to the greater number of wells in the basin fill. The yield of wells tapping many consolidated rock units is due to interception of water in fracture zones. In some areas in the Basin and Range, carbonate rock is extensive in the subsurface and provides interconnection between alluvial basins through fractures and solution channels. Although the consolidated rock commonly has very low permeability, and very low rates of ground-water flow, the entire ground-water system, basin fill and bedrock, must be treated as one integral system.

## GROUND-WATER LEVELS AND SPRINGS

The accompanying map shows the altitude of the ground-water level and the discharge and temperature of selected springs. This information was obtained primarily from reports listed in the "Selected references" and from files of the U.S. Geological Survey. The altitude of the ground-water level is shown by contours in those areas where sufficient data exist. In other areas, where regional data are inadequate to contour, data from selected wells are shown.

Ground-water-level changes occur daily, seasonally, and yearly in response to natural and man-induced hydrologic conditions. The ground-water-level map is a compilation of water-level measurements taken over a number of years. However, for any one ground-water basin the measurements generally were made during a relatively short time period. Collectively, the ground-water levels show the regional configuration of the ground-water surface.

Similarly, water temperatures and discharges of springs may vary with time. The reported values for individual springs were taken at one time; however, collectively the springs were measured over a number of years. Springs may issue from perched water tables or may be under artesian pressure; under these conditions the altitude of springs do not correspond to the altitude of the regional water table.

Depressions in the water table have been created in many areas of large concentrated ground-water withdrawal. Major withdrawal areas are approximately located on the map and may be the principal discharge mechanism for many of the ground-water flow units. The water table in these areas fluctuates seasonally in response to changes in rates and distribution of ground-water withdrawal. In addition, within areas where ground-water withdrawal has increased, predevelopment of ground-water flow patterns commonly have been altered.

## DEPTH TO GROUND WATER

The accompanying map shows the approximate depth to ground water below the land surface. In the basin fill, ground water moves in a continuous system, although perched ground water may occur in places. In areas with good topographic control, the depth to ground water can be predicted with reasonable accuracy between widely-spaced water-level data points, except where geologic discontinuities, such as faults, may alter the flow pattern. Where data are sufficiently closely spaced, lines of equal depth to water are shown; where data are inadequate to draw lines, data from selected wells are shown. In consolidated rocks, indicated by shaded patterns on the map, ground water occurs in poorly interconnected joints and fractures; water levels in wells may vary in depth within short distances, and numerous zones of perched water may exist.

Line patterns approximately delineate zones within which the depth to ground water is inferred to be greater than 500 feet. These are highly generalized areas based on very limited data on depth to ground water in wells tapping consolidated rock and basin fill and mine shafts; and on information gained from the location and discharge rates of springs, locations of gaining and losing reaches of streams; and estimates of geohydrologic conditions in areas. The areas delineated as possibly having depths to ground water of greater than 500 feet are recognized as having potential for evaluating prospective environments for isolation of high-level nuclear waste in the unsaturated zone.

## SELECTED REFERENCES

- Arnow, Ted, 1965, Ground water in the Jordan Valley, Salt Lake County, Utah: Utah State Engineer Water Circular no. 1, 11 p.
- Arnow, Ted, and others, 1964, Groundwater conditions in Utah, Spring of 1964: Utah Department of Natural Resources, Cooperative Investigations Report 2, 104 p.
- \_\_\_\_\_ 1965, Ground-water conditions in Utah, Spring of 1965: Utah Department of Natural Resources, Cooperative Investigations Report 3, 99 p.
- Arnow, Ted, Feth, J. H., and Mower, R. W., 1969, Ground water in deltas of the Bonneville basin of the Great Basin, U.S.A.: Association Internationale d'Hydrologie Scientifique, p. 396-407.
- Baker, C. H., Jr., and others, 1969, Ground-water conditions in Utah, Spring of 1969: Utah Department of Natural Resources, Division of Water Resources Cooperative Investigations Report no. 7, 61 p.
- \_\_\_\_\_ 1970, Water resources of the Heber-Kamas-Park City area, north-central Utah: Utah Department of Natural Resources, Technical Publication no. 27, 79 p.
- \_\_\_\_\_ 1974, Water resources of the Curlew Valley drainage basin, Utah and Idaho: Utah Department of Natural Resources, Technical Publication no. 45, 91 p.
- Baker, C. H., Jr., Price, Don, and others, 1967, Ground-water conditions in Utah, Spring of 1967: Utah Department of Natural Resources, Cooperative Investigations Report 5, 89 p.
- Bedinger, M. S., Sargent, K. A., and Reed, J. E., 1984, Geologic and hydrologic characterization and evaluation of the Basin Range province relative to the disposal of high-level radioactive waste--Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, [in press].
- Bjorklund, L. J., 1967, Ground-water resources of northern Juab Valley, Utah: Utah Department of Natural Resources Technical Publication 17, 66 p.
- Bjorklund, L. J., Sumsion, C. T., and Sandberg, G. W., 1977, Selected hydrologic data, Parowan Valley and Cedar Valley Drainage basins, Iron County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 28, 55 p.
- \_\_\_\_\_ 1978, Ground-water resources of the Parowan - Cedar City drainage basin, Iron County, Utah: Utah Department of Natural Resources, Technical Publication no. 60, 93 p.
- Bjorklund, L. J., and McGreevy, L. J., 1971, Ground-water resources of Cache Valley, Utah and Idaho: Utah Department of Natural Resources, Technical Publication no. 36, 72 p.
- \_\_\_\_\_ 1973, Selected hydrologic data, lower Bear River drainage basin, Box Elder County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 23, 22 p.
- \_\_\_\_\_ 1974, Ground-water resources of the lower Bear River drainage basin, Box Elder County, Utah: Utah Department of Natural Resources, Technical Publication no. 44, 65 p.

- Bjorklund, L. J., and Robinson, G. B., Jr., 1968, Ground-water resources of the Sevier River basin between Yuba Dam and Leamington Canyon, Utah: U.S. Geological Survey Water-Supply Paper 1848, 79 p.
- Bolke, E. L., and others, 1973, Ground-water conditions in Utah, Spring of 1973: Utah Department of Natural Resources, Division of Water Resources, Cooperative Investigations Report no. 12, 101 p.
- \_\_\_\_\_ 1977, Ground-water conditions in Utah, Spring of 1977: Utah Department of Natural Resources, Division of Water Resources, Cooperative Investigations Report no. 16, 64 p.
- Bolke, E. L., and Price, Don, 1969, Hydrologic reconnaissance of Curlew Valley, Utah and Idaho: Utah Department of Natural Resources, Technical Publication no. 25, 40 p.
- \_\_\_\_\_ 1972, Hydrologic reconnaissance of the Blue Creek Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 37, 38 p.
- Bolke, E. L., and Waddell, K. M., 1972, Ground-water conditions in the East Shore area, Box Elder, Davis, and Weber Counties, Utah, 1960-69: Utah Department of Natural Resources Technical Publication 35, 59 p.
- Carpenter, C. H., Robinson, G. B., Jr., and Bjorklund, L. J., 1967, Ground-water conditions and geologic reconnaissance of the upper Sevier River Basin, Utah: U.S. Geological Survey Water-Supply Paper 1836, 91 p.
- Carpenter, Everett, 1913, Ground water in Box Elder and Tooele Counties, Utah: U.S. Geological Survey Water-Supply Paper 333, 90 p.
- Cordova, R. M., 1969, Selected hydrologic data southern Utah and Goshen Valleys, Utah: Utah Department of Natural Resources Utah Basic-Data Release no. 16, 35 p.
- \_\_\_\_\_ 1970, Ground-water conditions in southern Utah Valley and Goshen Valley, Utah: Utah Department of Natural Resources Technical Publication 28, 79 p.
- \_\_\_\_\_ 1971, Ground-water conditions in Utah, Spring of 1971: Utah Department of Natural Resources, Division of Water Resources, Cooperative Investigations Report no. 9, 72 p.
- Cordova, R. M., Sandberg, G. W., and McConkie, Wilson, 1972, Ground-water conditions in the central Virgin River Basin, Utah: U.S. Geological Survey Open-File Report, scale 1:125,000.
- Cordova, R. M., and others, 1968, Ground-water conditions in Utah, Spring of 1968: Utah Department of Natural Resources Cooperative Investigations Report 6, 105 p.
- Cordova, R. M., and Subitzky, Seymour, 1965, Groundwater in northern Utah Valley, Utah--A progress report for the period 1948-1963: Utah State Engineer Technical Report 11, 41 p.
- Crosthwaite, E. G., 1969, Water resources in the Goose Creek - Rock Creek Basins, Idaho, Nevada, and Utah: Idaho Department of Reclamation, State Reclamation Engineer, Water Information Bulletin, no. 8, 73 p.
- Dennis, P. E., and Maxey, G. B., and Thomas, H. E., 1946, Ground water in the Pavant Valley, Millard County, Utah: Utah State Engineer Technical Publication 3, 96 p.

- Dustin, J. D., and Merritt, L. B., 1980, Hydrogeology of Utah Lake with emphasis on Goshen Bay: Utah Geological and Mineral Survey Water Resources Bulletin 23, 50 p.
- Eakin, T. E., Price, Don, and Harrill, J. R., 1976, Summary appraisal of the nation's ground-water resources - Great Basin region: U.S. Geological Survey Professional Paper 813-G, 37 p.
- Eychaner, J. H., and others, 1975, Ground-water conditions in Utah, Spring of 1975: Utah Department of Natural Resources, Division of Water Resources Cooperative Investigations Report no. 14, 64 p.
- Feltis, R. D., 1967, Ground-water conditions in Cedar Valley, Utah County, Utah: Utah State Engineer, Technical Publication 16, 34 p.
- Feth, J. H., Barker, D. A., Moore, L. G., Brown, R. J., and Veirs, C. E., 1966, Lake Bonneville -- Geology and hydrology of the Weber Delta District, including Ogden, Utah: U.S. Geological Survey Professional Paper 518, 76 p.
- Fix, P. F., and others, 1950, Ground water in the Escalante Valley, Beaver, Iron, and Washington Counties, Utah: Utah State Engineer Twenty-seventh Biennial Report Technical Publication 6, p. 109-210.
- Gates, J. S., 1963a, Hydrogeology of Middle Canyon, Oquirrh Mountains, Tooele County, Utah: U.S. Geological Survey Water-Supply Paper 1619-K, 40 p.
- \_\_\_\_\_, 1963b, Selected hydrologic data, Tooele Valley, Tooele County, Utah: Utah Department of Natural Resources Basic-Data Release 7, 23 p.
- \_\_\_\_\_, 1965, Reevaluation of the ground-water resources of Tooele Valley, Utah: Utah State Engineer, Technical Publication 12, 68 p.
- Gates, J. S., and Keller, O. A., 1970, Ground water in Tooele Valley, Utah: Utah Department of Natural Resources, Division of Water Rights, Water Circular no. 2, 15 p.
- Gates, J. S., and Kruer, S. A., 1981, Hydrologic reconnaissance of the southern Great Salt Lake Desert and summary of the hydrology of west-central Utah: Utah Department of Natural Resources Technical Publication 71, 55 p.
- Gates, J. S., and others, 1978, Ground-water conditions in Utah, Spring 1978: Utah Department of Water Resources, Division of Water Resources, Cooperative Investigations Report no. 17, 63 p.
- Glancy, P. A., and Van Denburgh, A. S., 1969, Water-resources appraisal of the lower Virgin River Valley area, Nevada, Arizona and Utah: Nevada Department of Conservation and Natural Resources, Reconnaissance Series Report 51, 87 p.
- Goode, H. D., 1979, Hot waters of western Utah, in Newman, G.W., and Goode, H.D., eds., 1979 Basin and Range Symposium: Rocky Mountain Association of Geologists and Utah Geologic Association, p. 371-380.
- Hely, A. G., Mower, R. W., and Harr, C. A., 1968, Hydrologic and climatological data, 1967, Salt Lake County, Utah: U.S. Geological Survey Utah Basic-Data Release, no. 15, 74 p.

- \_\_\_\_\_ 1971a, Water resources of Salt Lake County, Utah: Utah Department of Natural Resources, Technical Publication 31, 244 p.
- \_\_\_\_\_ 1971b, Summary of water resources of Salt Lake County, Utah: Utah Department of Natural Resources, Technical Publication 34, 31 p.
- Herbert, L. R., and others, 1980, Ground-water conditions in Utah, Spring of 1980: Utah Department of Natural Resources Cooperative Investigations Report 19, 72 p.
- Heylman, E. B., 1966, Geothermal power potential in Utah: Utah Geological and Mineralogical Survey, affiliated with the University of Utah, College of Mines and Mineral Industries, Special Studies 14, 28 p.
- Holmes, W. F., and others, 1982, Ground-water conditions in Utah, Spring of 1982: Utah Department of Natural Resources and Energy, Cooperative Investigations Report no. 22, 85 p.
- Hood, J. W., 1971a, Hydrologic reconnaissance of the Park Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 30, 51 p.
- \_\_\_\_\_ 1971b, Hydrologic reconnaissance of Hansel Valley and northern Rozel Flat, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 33, 41 p.
- \_\_\_\_\_ 1972, Hydrologic reconnaissance of the Promontory Mountains area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 38, 42 p.
- Hood, J. W., and others, 1966, Ground-water conditions in Utah, Spring of 1966: Utah Department of Natural Resources, Cooperative Investigations Report 4, 95 p.
- Hood, J. W., and Price, Don, 1970, Hydrologic reconnaissance of Grouse Creek Valley, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 23, 63 p.
- Hood, J. W., Price, Don, and Waddell, K. M., 1969, Hydrologic reconnaissance of Rush Valley, Tooele County, Utah: Utah Department of Natural Resources Technical Publication 23, 63 p.
- Hood, J. W., and Waddell, K. M., 1968, Hydrologic reconnaissance of Skull Valley, Tooele County, Utah: Utah Department of Natural Resources Technical publication no. 18, 57 p.
- \_\_\_\_\_ 1969, Hydrologic reconnaissance of Deep Creek Valley, Tooele and Juab Counties, Elko and White Pine Counties, Nevada: Utah Department of Natural Resources Technical Publication 24, 54 p.
- Hunt, C. B., Varnes, H. D., and Thomas, H. E., 1953, Lake Bonneville--Geology of northern Utah Valley, Utah: U.S. Geological Survey Professional Paper 257-A, 99 p.
- Iorns, W. V., Mower, R. W., and Horr, C. A., 1966a, Hydrologic and climatologic data collected through 1964, Salt Lake County, Utah: Utah Department of Natural Resources Basic-Data Release 11, 91 p.
- Iorns, W. V., Mower, R. W., and Horr, C. A., 1966b, Hydrologic and climatologic data, 1965, Salt Lake County, Utah: Utah Department of Natural Resources Basic-Data Release 12, 84 p.
- Lee, W. T., 1908, Water resources of Beaver Valley, Utah: U.S. Geological Survey Water-Supply Paper 217, 57 p.

- Lines, G. C., 1978, Selected ground-water data, Bonneville Salt Flats and Pilot Valley, western Utah: U.S. Geological Survey, Utah Basic-Data Release no. 30, 14 p.
- \_\_\_\_\_ 1979, Hydrology and surface morphology of the Bonneville Salt Flats and Pilot Valley, Playa, Utah: U.S. Geological Survey Water-Supply Paper 2057, 107 p.
- Marine, I. W., and Price, Don, 1963, Selected hydrologic data Jordan Valley, Salt Lake County, Utah: U.S. Geological Survey Basic-Data Report no. 4, 30 p.
- \_\_\_\_\_ 1964, Geology and ground-water resources of the Jordan Valley, Utah: Utah Geological and Mineralogical Survey Water-Resources Bulletin 7, 68 p.
- Marsell, R. E., 1960, Utah's ground-water reservoirs, in Utah Water Power Board, 7th Biennial Report, 1960, Appendix B: 14 p.
- Marsell, R. E., 1962, Utah's ground-water reservoirs, in Utah Water Power Board, 8th Biennial Report, 1962, Appendix C, 12 p.
- McGreevy, L. J., and Bjorklund, L. J., 1970, Selected hydrologic data, Cache Valley, Utah and Idaho: U.S. Geological Survey, Utah Basic-Data Release no. 21, 51 p.
- \_\_\_\_\_ 1971, Geohydrology sections, Cache Valley, Utah and Idaho: U.S. Geological Survey Open-File Report, unknown.
- Meinzer, O. E., 1911, Ground water in Juab, Millard, and Iron Counties, Utah: U.S. Geological Survey Water-Supply Paper 277, 162 p.
- Mower, R. W., 1963a, Effects on the shallow artesian aquifer of withdrawing water from the deep artesian aquifer near Sugarville, Millard County, Utah: Utah State Engineer Information Bulletin 10, 9 p.
- \_\_\_\_\_ 1963b, Selected hydrologic data, Pavant Valley, Millard County, Utah: Utah Department of Natural Resources Basic-Data Report, no. 5, 20 p.
- \_\_\_\_\_ 1965, Ground-water resources of Pavant Valley, Utah: U.S. Geological Survey Water-Supply Paper 1794, 78 p.
- \_\_\_\_\_ 1967, Causes of fluctuation in the rate of discharge of Clear Lake Springs, Millard County, Utah: U.S. Geological Survey Water-Supply Paper 1839-E, 31 p.
- \_\_\_\_\_ 1968, Ground-water discharge toward Great Salt Lake through valley fill in Jordan Valley, Utah: U.S. Geological Survey Professional Paper 600-D, p. 71-74.
- \_\_\_\_\_ 1969a, Ground-water hydrology of the Jordan Valley, Utah: Utah Geological and Mineralogical Survey Bulletin no. 82, p. 158-173.
- \_\_\_\_\_ 1969b, Ground-water inflow toward Jordan Valley through through channel fill in seven canyons in the Wasatch in the Wasatch Range near Salt Lake City, Utah: U.S. Geological Survey Professional Paper 650-C, p. 174-176.
- \_\_\_\_\_ 1970, Ground-water inflow toward Jordan Valley through valley fill near the Jordan Narrows, Utah: U.S. Geological Survey Professional Paper 700-B, p. B199-B202.

- \_\_\_\_\_ 1973, Map showing configuration of the potentiometric surface of the principal aquifer and its approximate position relative to land surface, Sugar House Quadrangle, Salt Lake County, Utah, February 1972: U.S. Geological Survey Miscellaneous Investigations Map I-766-L, scale 1:24,000.
- \_\_\_\_\_ 1978, Hydrology of the Beaver Valley area, Beaver County, Utah, with an emphasis on ground water: Utah Department of Natural Resources, Technical Publication no. 63, 90 p.
- \_\_\_\_\_ 1982, Hydrology of the Beryl-Enterprise area, Escalante Desert, Utah, with emphasis on ground water: Utah Department of Natural Resources, Technical Publication no. 73, 66 p.
- Mower, R. W., and Cordova, R. M., 1973, Ground-water in the Milford area, Utah: Utah Geological and Mineralogical Survey, Utah Geology, v. 2, no. 1, p. 83-88.
- \_\_\_\_\_ 1974, Water resources of the Milford area, Utah, with an emphasis on ground water: Utah Department of Natural Resources, Technical Publication, no. 43, 106 p.
- Mower, R. W., and Feltis, R. D., 1964, Ground-water data, Sevier Desert, Utah: Utah Department of Natural Resources Basic-Data Release 9, 34 p.
- \_\_\_\_\_ 1968, Ground-water hydrology of the Sevier Desert, Utah: U.S. Geological Survey Water-Supply Paper 1854, 75 p.
- Mower, R. W., and Van Horn, Richard, 1973, Map showing minimum depth to water in shallow aquifers (1963-1972) in the Sugar House Quadrangle, Salt Lake County, Utah: U.S. Geological Miscellaneous Investigations Map I-766-I, scale 1:24,000.
- Mundorff, J. C., 1970, Major thermal springs of Utah: Utah Geological and Mineralogical Survey Water-Resources Bulletin no. 13, 60 p.
- \_\_\_\_\_ 1971, Nonthermal springs of Utah: Utah Geological and Mineralogical Survey, Water-Resources Bulletin no. 16, 70 p.
- Price, Don, 1972, Map showing general chemical quality of ground water in the Salina Quadrangle, Utah: U.S. Geological Survey Miscellaneous Investigations Map I-591-K, scale 1:250,000.
- Price, Don, and others, 1979, Ground-water conditions in Utah, spring of 1979: Utah Department of Natural Resources, Division of Water Resources, Cooperative Investigations Report no. 18, 68 p.
- Price, Don, and Bolke, E. L., 1970, Hydrologic reconnaissance of the Sink Valley Area, Tooele and Box Elder Counties, Utah: Utah Department of Natural Resources, Technical Publication no. 26, 34 p.
- Price, Don, and Eakin, T. E., 1974, Water in the Great Basin region, Idaho, Nevada, Utah, and Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-487, scale 1:2,000,000.
- Razem, A. C., and Bartholoma, S. D., 1980, Digital computer model of ground-water flow in Tooele Valley, Utah: U.S. Geological Survey Open-File Report 80-446, 58p.
- Razem, A. C., and Steiger, J. I., 1981, Ground-water conditions in Tooele Valley, 1976-78: Utah Department of Natural Resources Technical Publication 69, 95 p.

- Richardson, G. B., 1906, Underground water in the valleys of Utah Lake and Jordan River, Utah: U.S. Geological Survey Water-Supply Paper 157, 81 p.
- Rush, F. E., 1977, Subsurface-temperature data for some wells in western Utah: U.S. Geological Survey Open-File Report 77-132, 36 p.
- Sandberg, G. W., 1962, Ground-water conditions in the Milford and Beryl-Enterprise districts and in Cedar City and Parowan Valleys, Utah, 1954-60: U.S. Geological Survey Open-File Report, 84 p.
- \_\_\_\_\_ 1963, Ground-water data, Beaver, Escalante, Cedar City, and Parowan Valleys, parts of Washington, Iron, Beaver, and Millard Counties, Utah: Utah Department of Natural Resources Basic-Data Release 6, 16 p.
- Sargent, K. A., and Bedinger, M. S., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range province relative to the disposal of high-level radioactive waste--Part II, Geologic and hydrologic characterization: U.S. Geological Survey Circular 904-B, [in press].
- Smith, R. E., 1961, Records and water-level measurements of selected wells and chemical analyses of ground water, East Shore area, Davis, Weber, and Box Elder Counties: Utah Department of Natural Resources Basic-Data Release 1, 35 p.
- Smith, R. E., and Gates, J. S., 1963, Ground-water conditions in the southern and central parts of the East Shore area, Utah, 1953-1961: Utah Geological and Mineralogical Survey Water-Resources Bulletin 2, 48 p.
- Snyder, C. T., 1963, Hydrology of Stock-water development on the public domain of western Utah: U.S. Geological Survey Water-Supply Paper 1475-N, p. 487-536.
- Stephens, J. C., 1974a, Ground-water conditions in Utah, spring of 1974: Utah Department of Natural Resources, Division of Water Resources, Cooperative Investigations Report no. 13, 72 p.
- \_\_\_\_\_ 1974b, Hydrologic reconnaissance of the northern Great Salt Lake Desert and summary hydrologic reconnaissance of northwestern Utah: Utah Department of Natural Resources, Technical Publication no. 42, 55 p.
- \_\_\_\_\_ 1974c, Hydrologic reconnaissance of the Wah Wah Valley drainage basin, Millard and Beaver Counties, Utah: Utah Department of Natural Resources, Technical Publication no. 47, 53 p.
- \_\_\_\_\_ 1976, Hydrologic reconnaissance of the Pine Valley drainage basin, Millard, Beaver, and Iron Counties, Utah: Utah Department of Natural Resources, Technical Publication no. 51, 38 p.
- \_\_\_\_\_ 1977, Hydrologic reconnaissance of Tule Valley drainage basin, Juab and Millard Counties, Utah: Utah Department of Natural Resources, Technical Publication no. 56, 37 p.
- Stephens, J. C., and Hood, J. W., 1973, Hydrologic reconnaissance of Pilot Valley, Utah and Nevada: Utah Department of Natural Resources Technical Publication no. 41, 38 p.

- Stephens, J. C., and Sumsion, C. T., 1978, Hydrologic reconnaissance of the Dugway Valley Government Creek area, west-central Utah: Utah Department of Natural Resources Technical Publication no. 59, 42 p.
- Subitzky, Seymour, 1962, Records of selected wells and springs, selected drillers' logs of wells, and chemical analysis of groundwater and surface waters, northern Utah Valley, Utah County, Utah: Utah Department of Natural Resources Basic-Data Release 2, 14 p.
- Sumsion, C. T., and others, 1970, Ground-water conditions in Utah, Spring of 1970: Utah Department of Natural Resources, Division of Water Resources Cooperative Investigations Report no. 8, 71 p.
- \_\_\_\_\_, 1976, Ground-water conditions in Utah, Spring of 1976: Utah Department of Natural Resources, Division of Water Resources Cooperative Investigations Report no. 15, 69 p.
- Taylor, G. H., and Leggette, R. M., 1949, Groundwater in the Jordan Valley--Utah: U.S. Geological Survey Water-Supply Paper 1029, 356 p.
- Taylor, G. H., and Thomas, H. E., 1939, Artesian-water levels and interference between artesian wells in the vicinity of Lchi, Utah: U.S. Geological Survey Water-Supply Paper 836-C, p. C107-C156.
- Thomas, H. E., 1946, Ground water in Tooele Valley, Tooele County, Utah: Utah State Engineer 25th Biennial Report Technical Publication 4, p. 91-238.
- Thomas, H. E., and Taylor, G. H., 1947, Geology and ground-water resources of Cedar City and Parowan Valleys, Iron County, Utah: U.S. Geological Survey Water-Supply Paper 993, 210 p.
- Thomas, H. E., and others, 1952, Status of development of selected ground-water basins in Utah: Utah State Engineer Technical Publication 7, 96 p.
- Turk, L. J., 1973, Hydrology of the Bonneville Salt Flats, Utah: Utah Geological and Mineral Survey Water-Resources Bulletin 19, 81 p.
- Waite, H. A., and others, 1954, Status of ground-water development in four irrigation districts in southwestern Utah: Utah State Engineer Technical Publication 9, p. 5-93.
- White, W. N., 1932, A method of estimating ground-water supplies based on discharge by plants and evaporation from soil--Results of investigations in Escalante Valley, Utah: U.S. Geological Survey Water-Supply Paper 659-A, 105 p.
- Young, R. H., and Carpenter, C. H., 1965, Ground-water conditions and storage in the central Sevier Valley, Utah: U.S. Geological Survey Water-Supply Paper 1787, 95 p.