

Maps showing distribution of dissolved solids
and dominant chemical type in ground water,
Basin and Range province, Utah

by

Thomas H. Thompson and J. A. Nuter

Introduction

This map report is one of a series of geologic and hydrologic maps of States in the Basin and Range Province. These map reports contain information on ground-water hydrology, ground-water quality, surface distribution of selected rock types, data on tectonic conditions, areal geophysical data, Pleistocene lakes and marshes and natural resources. This information is the basis for a summary report that characterizes the Basin and Range Province. The geologic and hydrologic characterization will be used to evaluate the Province for prospective regions for further study relative to isolation of high-level radioactive waste. (Bedinger, Sargent and Reed, 1984).

Chemical quality of ground water

Ground-water quality in the Basin and Range Province of Utah was characterized by dissolved-solids concentration and dominant anions and cations in solution. Water-quality information was compiled from the U.S. Geological Survey water-quality files (WATSTORE), published reports of the U.S. Geological Survey, and the Utah State agencies.

The data on dissolved-solids concentration and water-quality type were plotted and their distributions mapped in the basin-fill deposits from the data compiled for samples collected from non-geothermal springs and wells of less than 501 feet in depth. In areas for which data were not compiled, other data sources and published reports were consulted where available. In lieu of data, the parameters in the basin-fill were estimated from the position in the ground-water flow system and the lithology of the adjacent bedrock. Data from wells greater than 500 feet in depth are included as supplemental data, but are not used in mapping dissolved-solids concentration or water-quality type. Data from wells greater than 500 feet in depth are not reflected in the mapped areas where the data are not believed to be representative of a significantly large area.

Distribution of dissolved solids

Dissolved-solids concentration of major anions and cations was calculated from analyses using the following equation:

Dissolved solids =

$$\text{Ca} + \text{Mg} + \text{Na} + (0.4917)(\text{HCO}_3) + \text{SO}_4 + \text{Cl} + \text{K} + \text{Sr},$$

where the concentration of each component, calcium, Ca;

magnesium, Mg; sodium, Na; bicarbonate, HCO_3 ; sulfate, SO_4 ;

chloride, Cl; potassium, K; and strontium, Sr; is in milligrams per liter (mg/L).

Water-quality type

The dissolved-solids composition of a water consists primarily of six major ions: the three cations - calcium, magnesium, and sodium; and the three anions - bicarbonate, sulfate, and chloride. Relative proportions of these cations and anions can be displayed on trilinear diagrams: Waters of similar ionic proportions, and thus of similar chemical character, plot near one another. Therefore, areas of chemically similar waters can be delineated on the trilinear diagrams. For the purposes of this study, each trilinear diagram is divided into seven areas as shown in the accompanying illustration.

Water quality in basin fill is characterized by dominant cations and anions in solution and is shown in the accompanying map. The explanation lists dominant cation(s) and anion(s) combinations mapped in each area.

Selected References

- Baker, C. H., Jr., 1974, Water resources of the Curlew Valley drainage basin, Utah and Idaho: Utah Department of Natural Resources Technical Publication no. 45, 91 p.
- Bedinger, M. S., Sargent, K. A., and Reed, J. E., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range Province relative to the disposal of high-level radioactive waste--Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, [in press].
- Bjorklund, L. J., Sumsion, C. T., and Sandberg, G. W., 1977, Selected hydrologic data, Parowan Valley and Cedar City Valley drainage basins, Iron County, Utah: U.S. Geological Survey Utah Basic-Data Release no. 28, 55 p.
- Bjorklund, L. J., and McGreevy, L. J., 1971, Ground-water resources of Cache Valley, Utah and Idaho: Utah Department of Natural Resources Technical Publication no. 36, 72 p.
- 1973, Selected hydrologic data, lower Bear River drainage basin, Box Elder County, Utah: U.S. Geological Survey Utah Basic-Data Release no. 23, 22 p.
- 1974, Ground-water resources of the lower Bear River drainage basin, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 44, 65 p.
- Bolke, E. L., and Price, Don, 1972, Hydrologic reconnaissance of the Blue Creek Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 37, 38 p.

- Bolke, E. L., and Waddell, K. M., 1972, Ground-water conditions in the East Shore area, Box Elder, Davis, and Weber Counties, Utah, 1960-69: Utah Department of Natural Resources Technical Publication no. 35, 59 p.
- Cordova, R. M., 1970, Ground-water conditions in southern Utah Valley and Goshen Valley, Utah: Utah Department of Natural Resources Technical Publication no. 28, 79 p.
- Feltis, R. D., 1967, Ground-water conditions in Cedar Valley, Utah County, Utah: Utah State Engineer Technical Publication no. 16, 34 p.
- Gates, J. S., 1965, Reevaluation of the ground-water resources of Tooele Valley, Utah: Utah State Engineer Technical Publication no. 12, 68 p.
- Hely, A. G., Mower, R. W., and Harr, C. A., 1971, Water resources of Salt Lake County, Utah, with a section on Geologic setting, by Ted Arnow: Utah Department of Natural Resources Technical Publication no. 31, 244 p.
- Hood, J. W., 1971a, Hydrologic reconnaissance of the Park Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 30, 51 p.
- 1971, Hydrologic reconnaissance of Hansel Valley and northern Rozel Flat, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 33, 41 p.
- 1972, Hydrologic reconnaissance of the Promontory Mountains area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 38, 42 p.

- Hood, J. W., Price, Don, and Waddell, K. M., 1969, Hydrologic reconnaissance of Rush Valley, Tooele County, Utah: Utah Department of Natural Resources Technical Publication no. 23, 63 p.
- Hood, J. W., and Price, Don, 1970, Hydrologic reconnaissance of Grouse Creek Valley, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 29, 54 p.
- Hood, J. W., and Waddell, K. M., 1968, Hydrologic reconnaissance of Skull Valley, Tooele County, Utah: Utah Department of Natural Resources Technical Publication no. 18, 57 p.
- Mower, R. W., 1965, Ground-water resources of Pavant Valley, Utah: U.S. Geological Survey Water-Supply Paper 1794, 78 p.
- 1967, Causes of fluctuation in the rate of discharge of Clear Lake Springs, Millard County, Utah: U.S. Geological Survey Water-Supply Paper 1839-E, 31 p.
- 1978, Hydrology of the Beaver Valley area, Beaver County, Utah, with emphasis on ground water: Utah Department of Natural Resources Technical Publication no. 63, 90 p.
- Mower, R. W., and Cordova, R. M., 1974, Water resources of the Milford area, Utah, with emphasis on ground water: Utah Department of Natural Resources Technical Publication no. 43, 106 p.
- Mower, R. W., and Feltis, R. D., 1968, Groundwater hydrology of the Sevier Desert, Utah: U.S. Geological Survey Water-Supply Paper 1854, 75 p.

- Price, Don, and Bolke, E. L., 1970, Hydrologic reconnaissance of the Sink Valley Area, Tooele and Box Elder Counties, Utah: Utah Department of Natural Resources Technical Publication no. 26, 34 p.
- Stephens, J. C., 1974, Hydrologic reconnaissance of the Wah Wah Valley drainage basin, Millard and Beaver Counties, Utah: Utah Department of Natural Resources Technical Publication no. 47, 53 p.
- 1976, Hydrologic reconnaissance of the Pine Valley drainage basin, Millard, Beaver, and Iron Counties, Utah: Utah Department of Natural Resources Technical Publication no. 51, 38 p.
- 1977, Hydrologic reconnaissance of Tule Valley drainage basin, Juab and Millard Counties, Utah: Utah Department of Natural Resources Technical Publication no. 56, 37 p.
- Waddell, K. M., and Price, Don, 1972, Quality of surface water in the Bear River basin, Utah, Wyoming, and Idaho: U.S. Geological Survey Hydrologic Investigations Atlas HA-417, scale 1:500,000, 2 sheets.