


U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY

PREPARED IN COOPERATION WITH THE
U.S. ARMY CORPS OF ENGINEERS and the
U.S. ARMY PUEBLO DEPOT ACTIVITY

WATER-RESOURCES INVESTIGATIONS REPORT 95-4137
Specific conductance of ground water—PLATE 4

Specific conductance of ground water—PLATE 4

Chatin, D. T., 1996, Hydrogeology of the alluvial aquifers at the Pueblo Depot Activity near Pueblo, Colorado



Base from U.S. Geological Survey
North Avondale 1:24,000, 1974 and
Devine 1:24,000, 1974

— 500 — SPECIFIC CONDUCTANCE CONTOUR—Shows generalized specific conductance of alluvial ground water, in microsiemens per centimeter at 25 degrees Celsius. Dashed where inferred. Contour interval is variable.

● 640 DATA POINT—Number is specific conductance, in microsiemens centimeter at 25 degrees Celsius

COLORADO

MAP SHOWING SPECIFIC CONDUCTANCE OF GROUND WATER IN THE ALLUVIAL AQUIFERS AT THE PUEBLO DEPOT ACTIVITY NEAR PUEBLO, COLORADO, JUNE AND JULY 1993