
## Sampling Design for Assessing Water Quality of the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1993-1995

By D.L. Lorenz and J.D. Stoner

U.S. Geological Survey

Water-Resources Investigations Report 96-4129



Contribution from the National Water Quality Assessment Program



## Sampling Design for Assessing Water Quality of the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1993-1995 WRIR 96-4129

## **Selected References**

- Alexander, R.B., and Smith, R.A., 1990, County-level estimates of nitrogen and phosphorus fertilizer use in the United States, 1945 to 1985: U.S. Geological Survey Open-File Report 90-130, 12 p.
- Armstrong, C.A., 1980, Ground-water resources of Dickey and LaMoure Counties North Dakota: North Dakota State Water Commission County Ground-Water Studies 28, Part III, 61 p.
- \_\_\_\_\_1981, Supplement to predictive modeling of effects of the planned Kindred Lake on groundwater levels and discharge, southeastern North Dakota: U.S. Geological Survey Open-File Report 81-646, 15 p., 5 pl.
- \_\_\_\_\_1982, Ground water resources of Ransom and Sargent Counties, North Dakota, Part III: North Dakota Geological Survey Bulletin 69 and North Dakota Water Commission County Ground-Water Studies 31, 51 p.
- Baker, C.H., Jr., 1966, The Milnor Channel, an icemarginal course of the Sheyenne River, North Dakota: U.S. Geological Survey Professional Paper 550-B, p. B77-B79.
- \_\_\_\_\_1967, New observations on the Sheyenne Delta of glacial Lake Agassiz: U.S. Geological Survey Professional Paper 575-B, p. B62-B68.
- Baker, C.H. Jr., and Paulson, Q.F., 1967, Geology and ground water resources Richland County, North Dakota, Part III: North Dakota Geological Survey Bulletin 46 and North Dakota Water Commission County Ground-Water Studies 7, 45 p.
- Bidwell, L.E., Winter, T.C., and Maclay, R.W., 1970, Water resources of the Red Lake River watershed, northwestern Minnesota: U. S. Geological Survey Hydrologic Investigations Atlas HA-346, 4 sheets.
- Bluemle, J.P., 1977, Geologic highway map of North Dakota, North Dakota Geological Survey, Educational Series 11, Miscellaneous Map 19, 1 sheet.
- \_\_\_\_\_1982, Bedrock geologic map of North Dakota: North Dakota Geological Survey Miscellaneous Map No. 21, 1 sheet.

- Brigham, M.E., 1994, Pesticides detected in surface waters and fish of the Red River of the North drainage basin: North Dakota Water Quality Symposium Proceedings, March 30-31, 1994, Fargo, North Dakota, North Dakota State University Extension Service, p. 256-269.
- Brigham, M.E., Tornes, L.H., and Lorenz, D.L., 1994, Load estimates for pesticides in the Red River of the North drainage basin: American Geophysical Union, EOS Transactions, Abstracts for Fall Meeting --December 5-9, 1994, San Francisco, California, p. 230.
- Charron, J.E., 1969, Hydrochemical interpretation of groundwater movement in the Red River Valley, Manitoba: Canadian Department of Energy, Mines, and Resources, Inland Water Branch Scientific Series No. 2, 31 p., 13 pl.
- Clayton, L., Moran, S.R., Bluemle, J.P., and Carlson, C.G., 1980, Geologic map of North Dakota: North Dakota Geological Survey. 1 sheet.
- Cowdery, T.K., 1994, Nutrient concentrations near the water table of the Sheyenne Delta aquifer beneath cropland areas--Preliminary results from a Red River of the North Basin land-use study [abs] in S.K. Sorenson, ed., Proceedings Abstracts--American Water Resources Association's Symposium on National Water Quality Assessment (NAWQA) Program--November 7-9, 1994, Chicago, Illinois, U.S. Geological Survey Open-File Report 94-397, p. 7.
- \_\_\_\_\_1995, Similar agricultural, different groundwater quality: Red River of the North Basin, 1993-95: U.S. Geological Survey Open-File Report 95-441, 4 p.
- Cowdery, T.K., and Brigham, M.E., 1992, Baseflow dissolved-solids loads to streams of the Red River of the North basin, South Dakota, North Dakota, and Minnesota: 37th Annual Midwest Ground Water Conference Program with Abstracts, October 14-16, 1992, Sioux Falls, South Dakota, p. 38.
- Cowdery, T.K., and Goff, K.L., 1994, Nitrogen concentrations near the water table of the Sheyenne Delta aquifer beneath cropland areas, Ransom and Richland Counties, North Dakota: North Dakota Water Quality Symposium Proceedings, March 30-31, 1994, Fargo, North Dakota, North Dakota State University Extension Service, p. 89-102.

- Doolittle, J.A., Heidt, C.J., Larson, S.J., Ryterske, T.P., Ulmer, M.G., and Wellman, P.E., 1981, Soil survey of Grand Forks County, North Dakota: U.S. Department of Agriculture, Soil Conservation Service, and North Dakota Agricultural Experiment Station, 191 p.
- Downey, J.S. and Paulson Q.F., 1974, Predictive modeling of effects of the planned Kindred Lake on ground-water levels and discharge, southeastern North Dakota: U.S. Geological Survey Water-Resources Investigations Report 30-74, 22 p.
- Downey, J.S., 1969, *in* Pederson, D.T., and Reid, J.R., eds., Geology of northeastern North Dakota: North Dakota Geological Survey Miscellaneous Series 39, 12 p.
- \_\_\_\_\_1973, Ground-water resources, Nelson and Walsh Counties, North Dakota: Part III of North Dakota Geological Survey Bulletin 57 and Part III of North Dakota State Water Commission County Ground-Water Studies 17, 67 p.
- \_\_\_\_\_1986, Geohydrology of the bedrock aquifers in the northern Great Plains in parts of Montana, Wyoming, North Dakota and South Dakota: U.S. Geological Survey Professional Paper 1402-E, 87 p., 3 sheets.
- Downey, J.S., and Armstrong, C.A., 1977, Ground water resources of Griggs and Steele Counties, North Dakota: North Dakota State Water Commission County Ground-Water Studies 21, Part III, 33 p.
- Fandrei, G.S., Heiskary, S., and McCollar, S., 1988, Descriptive characteristics of the seven ecoregions in Minnesota: Minnesota Pollution Control Agency, Division of Water Quality, 140 p.
- Froelich, L.L., 1974, Geohydrology of the Wahpeton area Richland County, North Dakota: North Dakota State Water Commission, North Dakota Ground-Water Studies, no. 76, 91 p., 6 pl.
- Gilliom, R.J., Alley, W.M., and Gurtz, M.E., 1995, Design of the National Water-Quality Assessment Program: Occurrence and distribution of waterquality conditions: U.S. Geological Survey Circular 1112, 33 p.
- Goldstein, R.M., 1995, Aquatic communities and contaminants in fish from streams of the Red River of the North Basin, Minnesota and North Dakota: U.S. Geological Survey Water-Resources Investigation Report 95-4047, 34 p.

- Goldstein, R.M., Simon, T.P., Bailey, P.A., Ell, Michael,
  Pearson, Eric, Schmidt, Konrad, and Enblom, J.W.,
  1994, Concepts for an index of biotic integrity for
  streams of the Red River of the North Basin: North
  Dakota Water Quality Symposium Proceedings,
  March 30-31, 1994, Fargo, North Dakota, North
  Dakota State University Extension Service, p. 169-180.
- Harkness, R.E., Haffield, N.D., and Ryan, G.L., 1986, Water-resources data - North Dakota, water year 1986: U.S. Geological Survey Water-Data Report ND-86-1, 399 p.
- Harris, K.L., 1991, Surface geology of the Sheyenne River Map Area, North Dakota Geological Survey Atlas Series Map 15, 1 sheet.
- Harris, K.L., and Luther, M.R., 1991, Surface geology of the Goose River Map Area, North Dakota Geological Survey Atlas Series Map 14, 1 sheet.
- Hetzler, R.L., Dahl, R.H., Thompson, K.W., Larson,
  K.E., Baker, B.C., and Erickson, C.J.,1972, Soil
  survey of Walsh County, North Dakota: U.S.
  Department of Agriculture, Soil Conservation
  Service, and North Dakota Agricultural Experiment
  Station, 126 p.
- Hirsch, R.M., Alley, W.M., and Wilber, W.G., 1988, Concepts for a national water-quality assessment program: U.S. Geological Survey Circular 1021, 42 p.
- Hobbs, H.C., and Goebel, J.E., 1982, Geologic map of Minnesota, Quaternary geology: Minnesota Geological Survey State Map Series S-1, 1 sheet.
- Jirsa, M.A., Runkel, A.C., and Chandler, V.M., 1994,Bedrock geologic map of northwestern Minnesota:Minnesota Geological Survey Miscellaneous Map M-80, 1 sheet.
- Koch, N.C., 1975, Geology and water resources of Marshall County, South Dakota-Part I: Geology and water resources: South Dakota Geological Survey Bulletin 23, 76 p.
- Kuchler, A.W., 1964, Potential natural vegetation of the conterminous United States: American Geographical Society Special Publication 36, 116 p., 1 pl.
- LaBaugh, J.W., Winter, T.C., Adomaitis, V., and Swanson, G.A., 1987, Hydrology and chemistry of selected prairie wetlands in the Cottonwood Lake area, North Dakota: U.S. Geological Survey Professional Paper 1431, 26 p.
- Laird, W.M., 1944, The geology and ground-water resources of the Emerado quadrangle: North Dakota Geological Survey Bulletin 17, 35 p.

- Lawrence, S.J., 1989, Water resources appraisal of the Traverse Indian Reservation in South Dakota: U.S. Geological Survey Water-Resources Investigations Report 88-4031, 42 p.
- Lindgren, R.J., 1996, Availability and quality of water from drift aquifers in Marshall, Pennington, Polk, and Red Lake Counties, Northwestern Minnesota, Water-Resources Investigations Report 95-4201, 144 p.
- Maclay, R.W., Bidwell, L.E., and Winter, T.C., 1969, Water resources of the Buffalo River watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-307, 3 sheets.
- Maclay, R.W., and Schiner, G.R., 1962, Aquifers in buried shore and glaciofluvial deposits along the gladstone beach of Glacial Lake Agassiz near Stephen, Minnesota: U.S. Geological Survey Professional Paper 450-D, p.170-172.
- Maclay, R.W., Winter, T.C., and Bidwell, L.E., 1969, Water resources of the Mustinka and Bois de Sioux Rivers watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-272, 4 sheets.
- \_\_\_\_\_1972, Water resources of the Red River of the North drainage basin in Minnesota, U.S. Geological Survey Water-Resources Investigations Report 1-72, 129 p.
- Maclay, R.W., Winter, T.C., and Pike, G.M., 1965, Water resources of the Middle River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-201, 3 sheets.
- \_\_\_\_\_1967, Water resources of the Two Rivers watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-237, 4 sheets.
- Minnesota Agricultural Statistics Service, 1993, Minnesota Agricultural Statistics 1993, 99 p.
- Moody, D.W., Carr, J., Chase, E.B., and Paulson, R.W., 1986, National water summary 1986--Hydrologic events and ground-water quality: U.S. Geological Survey Water Supply Paper 2325, p. 313-320 and 401-406.
- Moore, W.L., 1979, A preliminary report on the uranium geology of the Red River Valley drilling project, eastern North Dakota and northwestern Minnesota: U.S. Department of Energy Report No. GJBX-3(79), Grand Junction, Colorado, 292 p.
- North Dakota Agricultural Statistics Service, 1992, North Dakota Agricultural Statistics 1992, 112 p.
- Omernik, J.M., 1987, Ecoregions of the United States: Annals of the Association of American Geographers, vol. 77, p. 118-125.

- Omernik, J.M., and Gallant, A.L., 1988, Ecoregions of the upper midwest states: U.S. Environmental Protection Agency EPA/600/3-88/037, 56 p.
- Paulson, Q.F., 1964, Geological factors affecting discharge of the Sheyenne River in southeastern
  North Dakota, in Geological Survey Research 1964:
  U.S. Geological Survey Professional Paper 501-D,
  p. D177-D181.
- Poff, N.L., and Allen, J.D. 1995, Function organization of stream fish assemblages in relation to hydrological variability: Ecology vol. 76, no. 2, p. 606-627.
- Pusc, S.W., 1993, The interaction between ground water and a large terminal lake, Devil's Lake, North Dakota: Hydrogeology of the Devil's Lake area: North Dakota State Water Commission Water Resources Investigation 13, 95 p.
- Randich, P.G., 1977, Ground-water resources of Benson and Pierce Counties, North Dakota: North Dakota State Water Commission, County Ground-Water Studies 18, Part III, 76 p.
- Reeder, H.O., 1972, Availability of ground water for irrigation from glacial outwash in the Perham area, Otter Tail County, Minnesota: U.S. Geological Survey Water Supply Paper 2003, 45 p., 3 pl.
- Ruhl, J.F., 1987, Hydrogeologic and water-quality characteristics of glacial-drift aquifers in Minnesota: U.S. Geological Survey Water-Resources Investigations Report 87-4224, 3 pl.
- Ruhl, J.F., and Adolphson, D.G., 1986, Hydrogeologic and water-quality characteristics of the Red River-Winnipeg aquifer, northwestern Minnesota: U.S. Geological Survey Water-Resources Investigations Report 84-4111, 2 pl.
- Schiner, G.R., 1963, Ground-water exploration and test pumping in the Halma-Lake Bronson area, Kittson County, Minnesota: U.S. Geological Survey Water-Supply Paper 1619-BB, 38 p.
- Scott, J.C., 1990, Computerized stratified random siteselection approaches for design of a ground-waterquality sampling network: U.S. Geological Survey Water-Resources Investigations Report 90-4101, 109 p.
- Stoner, J. D., 1991, National Water-Quality Assessment Program - Red River of the North: U.S. Geological Survey Open-File Report 91-151, 2 p.
- Stoner, J.D., Brigham, M.E., and Cowdery, T.K, 1994, Water quality in surficial glacial-deposit aquifers in the Red River of the North drainage basin, Minnesota, North Dakota, and South Dakota: 39th Annual Midwest Ground Water Conference Program and Abstracts, October 16-18, 1994, Bismarck, North Dakota, p. 14.

- Stoner, J.D., and Lorenz, D.L., 1995, National Water-Quality Assessment Program: Data collection in the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1992-95: U.S. Geological Survey Fact Sheet FS-172-95, 4 p.
- Stoner, J.D., Lorenz, D.L., Wiche, G.J., and Goldstein,
  R.M., 1993, Red River of the North Basin,
  Minnesota, North Dakota, and South Dakota:
  American Water Resources Association Monograph
  Series No. 19 and Water Resources Bulletin, vol. 29,
  no. 4, p. 575-615.
- Strobel, M.L. and Gerla, P.J., 1992, Effects of saline ground-water discharge on water quality of the Red River of the North, northeastern North Dakota: Proceedings, North Dakota Water-Quality Symposium, March 25-26, 1992, Bismarck, N. Dak., p. 60-82.
- Strobel, M.L. and Haffield, N., 1995, Salinity in Surface Water in the Red River of the North Basin, Northeastern North Dakota, U.S. Geological Survey Water-Resources Investigations 95-4082, 14 p.
- Strobel, M.L., Kelly, J.B., Carlson, S.T., and Salender, H.A., 1994, Flowing wells in northeastern North Dakota and their possible effect on water quality in the Red River of the North Basin: North Dakota Water Quality Symposium Proceedings, March 30-31, 1994, Fargo, North Dakota, North Dakota State University Extension Service, p. 247-255.
- Tornes, L.H., and Brigham. M.E., 1994, Nutrients, suspended sediment, and pesticides in waters of the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1970-1990: U.S. Geological Survey Water-Resources Investigations Report 93-4231, 62 p.
- \_\_\_\_\_1995, Pesticides amounts are small in streams in the Red River of the North Basin, 1993-94: U.S. Geological Survey Open-File Report 95-283, 2 p.
- Tornes, L.H., Puckett, L.J., and Stoner, J.D., 1994, The effect of riparian wetlands in reducing nitratenitrogen from a sand and gravel aquifer to a stream: American Geophysical Union, EOS Transactions, Abstracts for Fall Meeting -- December 5-9, 1994, San Francisco, California, p. 261.
- U.S. Bureau of Census, 1991, Census of population and housing, 1990: Public Law (P.L.) 94-171, data from compact disk ROM (Minnesota, North Dakota, and South Dakota), Washington D.C.
- U.S. Department of Agriculture, 1975, Soil survey of Marshall County, South Dakota, 116 p.
- \_\_\_\_\_1977, Soil survey of Roberts County, South Dakota, 116 p.
- \_\_\_\_\_1991, State Soil Geographic Data Base (STATSGO) Data Users Guide, Soil Conservation Service Miscellaneous Publication Number 1492, 88 p.

- U.S. Geological Survey, 1986, Land use and land cover digital data from 1:250,000- and 1:100,000-scale maps, National Mapping Program Technical Instructions Data User's Guide 4, 36 p.
- University of Minnesota, 1969, Minnesota soil atlas Brainerd sheet, Agricultural Experiment Station, University of Minnesota Miscellaneous Report 90-1969, 36 p., 1 sheet.
- \_\_\_\_\_1979, Minnesota soil atlas St. Cloud sheet, Agricultural Experiment Station, University of Minnesota Miscellaneous Report 159-1979, 62 p., 1 sheet.
- \_\_\_\_\_1980a, Minnesota soil atlas Bemidji sheet, Agricultural Experiment Station, University of Minnesota Miscellaneous Report 168-1980, 74 p., 1 sheet.
- \_\_\_\_\_1980b, Minnesota soil atlas Roseau sheet, Agricultural Experiment Station, University of Minnesota Miscellaneous Report 173-1980, 38 p., 1 sheet.
- Upham, Warren, 1895, The Glacial Lake Agassiz: U.S. Geological Survey Monograph, vol. XXV, 658 p.
- Wall, D.B., and Montgomery, B.R., 1991, Nitrogen in Minnesota ground water: Minnesota Pollution Control Agency and Minnesota Department of Agriculture, St. Paul, Minn., 280 p.
- Winter, T.C., Benson, R.D., Engberg, R.A., Wiche, G.J., Emerson, D.G., Crosby, O.A., Miller, J.E., 1984, Synopsis of ground-water and surface-water resources of North Dakota: U.S. Geological Survey Open-File Report 84-732, 127 p.
- Winter, T.C., Bidwell, L.E., and Maclay, R.W., 1969, Water resources of the Otter Tail River watershed, west-central Minnesota: U.S. Geological Hydrologic Investigations Atlas HA-296, 4 sheets.
- \_\_\_\_\_1970, Water resources of the Wild Rice River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-339, 4 sheets.
- Winter, T.C., Maclay, R.W., and Pike, G.M., 1967, Water resources of the Roseau River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-241, 3 sheets.
- Wolf, R.J., 1981, Hydrology of the Buffalo aquifer, Clay and Wilkin Counties, west-central Minnesota: U.S. Geological Survey Water-Resources Investigations Report 81-4, 83 p.
- Woodward, D.G., and Anderson, H.W. Jr., 1986, Hydrogeologic and water-quality characteristics of the Cretaceous aquifer, southeastern Minnesota: U.S. Geological Survey Water-Resources Investigations Report 84-4153, 2 pl.