

Table 10. Summary of organic compound concentrations in water samples collected during baseline, 1995–98, and artificial recharge, 1996–98, conditions—Continued

Data-collection site (figs. 1, 2, 3, or 5)	Water-quality conditions (dates of collection)	2,4-D (µg/L)	2,6-Diethyl-aniline (µg/L)	Acetochlor (µg/L)	Alachlor (µg/L)	Ametryne (µg/L)	Atrazine (determined by GC/MS) (µg/L)	Atrazine (determined by ELISA) (µg/L)	Benfluralin (µg/L)
Ground-water or diverted-water monitoring sites—Continued									
Balslead recharge site—deep monitoring wells									
	Baseline (May 13, 1997)	<0.035 (2) —	<0.003 (2) —	<0.002 (2) —	<0.002 (2) —	—	<0.001–0.0099 (2) —	<0.1 (2) —	<0.002 (2) —
	Recharge (May 29, 1997 through July 1998)	<0.035–<0.15 (7) —	<0.0029–<0.0032 (17) —	<0.002–<0.05 (36) —	<0.002–<0.05 (36) —	<0.05 (19) —	<0.001–0.084 (36) 0.01*	<0.1–<0.19 (30) —	<0.002 (17) —
Sedgwick recharge site—leaked diverted source water									
	Recharge (April 1998 through July 1998—only sampled during recharge activities)	<0.05, <0.15 (2) —	<0.003 (3) —	<0.002–<0.05 (24) —	<0.017–0.72 (24) 0.029*	<0.05 (24) —	<0.05–6.7 (24) 0.25*	<0.1–6.8 (62) 0.21*	<0.002 (3) —
Sedgwick recharge site—a shallow monitoring wells									
	Baseline (June 1997 through February 1998)	<0.035 (2) —	<0.003 (4) —	<0.002–<0.05 (12) —	<0.002–<0.05 (12) —	<0.05 (8) —	<0.05–0.10 (12) 0.014*	<0.1–0.21 (11) —	<0.002 (4) —
	Recharge (April 1998 through July 1998)	<0.035, <0.15 (2) —	<0.003 (4) —	<0.002–<0.05 (9) —	<0.002–<0.05 (9) —	<0.05 (6) —	<0.016–0.36 (9) 0.037*	<0.1–0.81 (10) —	<0.002 (4) —
Sedgwick recharge site—deep monitoring wells									
	Baseline (June 1997 through April 1998)	<0.035 (3) —	<0.003 (3) —	<0.002–<0.05 (9) —	<0.002–<0.05 (9) —	<0.05 (4) —	<0.001–<0.05 (9) —	<0.1 (9) —	<0.002 (3) —
	Recharge (April 1998 through July 1998)	<0.015 (2) —	<0.003 (4) —	<0.002–<0.05 (6) —	<0.002–<0.05 (6) —	<0.05 (3) —	<0.004–<0.05 (6) —	<0.1 (3) —	<0.002 (4) —