U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY

Prepared in cooperation with the
NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION

WATER-RESOURCES INVESTIGATIONS REPORT 02-4280
Ground water in the Rancocas Creek study area--SHEET 2 OF 5

Watt, M.K., Kane, A.C., Charles, E.G., and Storck, D.A., 2002, Hydrology of the unconfined aquifer system, Rancocas Creek area: Rancocas, Crosswicks, Assunpink, Assiscunk, Blacks, and Crafts Creek Basins, New Jersey, 1996

GROUND WATER

This sheet describes water levels in the unconfined aquifer system of the Rancocas Creek study area. A water-level map prepared from water levels measured in May, June, and July 1996 is presented. Hydrographs of water levels in two water-table observation wells are shown.

Water Table

Under natural conditions, water in unconfined aquifers generally flows from topographic highs (recharge areas) toward topographic lows (discharge areas), such as wetlands, rivers, streams, and springs. The overall shape of the water table tends to be a subdued replica of the land surface. Where a water-table contour crosses a stream channel, it is shaped like a "v." For a gaining stream (a stream into which ground water flows along most of its length), the "v" points upstream, indicating that nearby ground water is at a higher elevation than the water in the stream channel; therefore, ground water is flowing into the stream. Most of the streams in the study area are gaining streams.

Water-Level Map

The water-table contour map (fig. 2-1) is based on water-level measurements from 234 wells (table 2-1) and 357 stream sites (table 2-2) made in May, June, and July 1996. The most accurate measurements are those made in wells. The well and stream-site locations are shown in figure 2-1. Construction details for the wells shown are in table 2-1 and are from the Ground Water Site Inventory (GWSI) database, which is maintained by the USGS. Wells deeper than about 150 ft and wells with a significant thickness of silt or clay above the screen were not used in order to avoid water levels that could represent confined or semi-confined conditions. Water levels were measured with respect to land surface at each measuring site; then the elevation of the land surface was used to determine the water-level altitude with respect to sea level. Where measurements were not made, elevations of streams, lakes, and wetlands (which represent the water table above land surface) estimated from USGS 7-1/2-minute topographic maps provided supplementary water-table altitude data.

The water-table map shows that water levels ranged from 15 ft below sea level in Burlington Township, along the Delaware River, to 214 ft above sea level in Hopewell Township in the northern part of the study area and 216 ft above sea level in Millstone Township in the northwestern part of the study area. The wide range in water-table gradients (slope of the water table) shown on the water-level map, particularly near discharge areas, is primarily the result of the wide range in permeabilities of the geologic materials and of how deeply the surface-drainage system is incised into the landscape. Relatively steep water-table gradients predominate where the geologic materials are of low-to-moderate permeability and the surface-drainage system is incised deeply into the landscape. Steep water-table gradients predominate in the Piedmont Physiographic Province in the northwestern part of the study area and near Blacks and Crosswicks Creeks, except in the upper reaches, where they are underlain by the Cohansey Sand. In many areas, the shape of the water table that results from local ground-water withdrawals and local variations in the permeability of geologic materials cannot be shown clearly at the 1:100,000 scale of the water-table contour map (fig. 2-1).

Water-Level Monitoring

Hydrographs of water levels in two water-table observation wells are shown in figures 2-2 and 2-3. The Lebanon State Forest well (5-689) is in the extreme southwestern corner of the study area, near the headwaters of the North Branch Rancocas Creek in Woodland Township. The Fort Dix well (29-1059) is just outside the southwestern border of the study area in Plumsted Township. Both of these wells tap the Kirkwood-Cohansey aquifer system. Water levels in these wells are recorded hourly by automatic recorders, and data obtained were reduced to, and reported as, the lowest value of the month. When recorders are not in use, manual measurements are made from 1 to 12 times per year. Construction data for these wells are included in table 2-1. Water levels fluctuate seasonally about 3 to 8 ft in the Lebanon State Forest Well and 2 to 4 ft in the Fort Dix well. Water levels typically are highest during late winter and spring and lowest during fall. The water table declines from spring to fall because most of the precipitation is lost through evapotranspiration; therefore, little water remains to percolate down to the water table. From fall to spring, water levels rise because evapotranspiration is low; therefore, most of the water remains to percolate down to the water table and recharge the aquifer.

Table 2-1. Well-construction data for, and water levels measured in, wells in unconfined aquifers in the Rancocas Creek study area, New Jersey, May-July 1996

[Well locations shown in fig. 2-1; --, missing data; altitudes of water levels are rounded to the nearest whole number]

U.S. Geological Survey well number	Latitude[1]	Longitude[1]	New Jersey permit number	Aquifer code[2]	Altitude of land surface (feet above sea level)[3]	Depth of well (feet below land surface)	Screened interval (feet below land surface) Top	Bottom	Date water level measured	Water level (feet below land surface)	Altitude of water level (feet above sea level)
[4]- 689	395152	0742848	--	CKKD	152.0	53	--	--	--	--	--
5- 719	400514	0745306	27-03590	MRPAU	40	90	51	61	6-06-96	16.20	24
5- 902	395306	0743009	--	CKKD	138.67	29	24	29	6-25-96	16.94	122
5-1084	395838	0744254	32-09556	HRRS	35.95	20	5	20	5-07-96	5.65	30
5-1120	395048	0744223	32-07839	CKKD	101.16	23	17	27	6-26-96	11.64	90
5-1121	395059	0744121	32-13309	CKKD	100	76	71	76	6-26-96	13.58	86
5-1136	395030	0743254	32-12712	CKKD	120	80	70	80	6-26-96	15.66	104
5-1168	395310	0743458	32-08580	CKKD	120	86	50	60	6-19-96	19.05	101
							66	86			
5-1169	395256	0743521	32-00429	CKKD	105	84	46	64	6-18-96	9.08	96
5-1171	400353	0745340	27-10874	MRPAM	22	132	76	127	6-05-96	37.47	-15
5-1173	395315	0743451	32-06083	CKKD	130	97	77	97	6-19-96	22.10	103
5-1255	400754	0744328	--	WBMV	100	19	--	--	6-06-96	15.58	84
5-1256	400805	0743851	--	EGLS	89	12	--	--	6-06-96	7.25	82
5-1257	400819	0743948	--	EGLS	112	23.5	--	--	6-06-96	16.60	95
5-1258	400910	0744113	--	WBMV	103	17.25	--	--	6-12-96	11.75	91
5-1259	400334	0745128	27-08669-1	MRPAU	24.9	28	8	28	6-19-96	7.78	17
5-1260	400336	0745130	27-08668-2	MRPAU	20.89	27	7	27	6-19-96	12.61	8
5-1261	400342	0745130	27-08667-4	MRPAU	23.05	35	15	35	6-19-96	10.96	12
5-1262	400404	0745245	27-07304	MRPAM	14.28	25	14.5	25	6-19-96	16.76	-2
5-1263	400410	0745245	27-07302	MRPAM	9.15	22.5	12	22.5	6-19-96	11.43	-2
5-1264	400413	0745300	27-07608-3	MRPAM	8.88	30	20	30	6-19-96	18.95	-10
5-1265	400547	0743847	--	MLRW	93	13.8	--	--	6-28-96	4.70	88
5-1266	400640	0743748	--	MLRW	100	35.7	--	--	6-28-96	5.54	94
5-1267	400916	0743918	28-17303-1	WBMV	84.48	17	2	17	6-13-96	7.44	77
5-1268	400917	0743923	28-17304-0	WBMV	41.21	17	2	17	6-13-96	10.51	31
5-1269	400919	0743923	28-17305-8	WBMV	34.10	17	2	17	6-13-96	11.39	23
5-1270	400952	0745544	--	WBMV	75	13.4	--	--	6-21-96	3.98	71
5-1271	395859	0745550	32-01083	MLRW	42.13	13	13	13	7-02-96	8.80	33
5-1272	400315	0745519	27-09307	MRPAM	27.19	26.5	11.5	26.5	6-20-96	19.60	8
5-1273	400327	0745525	27-09310	MRPAM	29.4	25.8	13.8	25.8	6-20-96	20.45	9
5-1274	400329	0745516	27-09311	MRPAM	26.52	29.5	16.5	29.5	6-20-96	18.13	8
5-1275	395009	0745444	31-22976-0	CKKD	108.88	23	3	23	5-20-96	6.13	103
5-1277	395024	0745443	31-20963	CKKD	103.74	32.5	7.5	32.5	5-20-96	10.04	94
5-1278	395434	0745604	--	MLRW	106	34.75	--	--	6-03-96	31.49	75
5-1279	400559	0745741	--	WBMV	65	15.1	--	--	6-18-96	7.10	58
5-1279	395738	0744705	--	NVSK	44	18.1	--	--	6-04-96	8.39	36
5-1280	395755	0744818	31-47752	MLRW	27.15	49	34	49	7-29-96	20.70	6
5-1281	395800	0744808	31-47755	MLRW	23.59	37	22	37	7-29-96	13.00	11
5-1282	395807	0744812	31-18801	MLRW	26.93	30	10	30	7-29-96	10.73	18
5-1283	395843	0744649	32-13565	MLRW	49.91	18	8	18	7-02-96	11.13	39
5-1284	400348	0744422	--	EGLS	74	12.2	--	--	6-27-96	7.25	67
5-1285	400729	0744702	48-00048-5	WBMV	83.02	53.5	--	--	7-08-96	47.44	36
5-1286	400731	0744259	48-00049-3	WBMV	60.28	40.5	--	--	7-08-96	47.41	46
5-1287	400739	0744258	48-00052-3	WBMV	92.96	62	--	--	7-08-96	47.54	67
5-1288	400749	0744252	48-00051-5	WBMV	95.00	44.8	--	--	7-08-96	37.57	57
5-1289	400407	0745022	27-09004	MRPAM	21.8	40	--	--	6-18-96	19.26	3
5-1290	400414	0745030	27-10951-8	MRPAM	33.4	39	29	39	6-18-96	30.82	3
5-1291	400516	0745017	27-10915	MRPAM	10.85	24	4	24	6-13-96	5.49	5
5-1292	400633	0743707	--	MLRW	100	15	--	--	6-26-96	7.08	92
5-1293	395303	0745420	31-30616-	CKKD	75	15	2	15	5-07-96	3.85	71
5-1294	400700	0744844	27-12173	MRPAM	30	40	30	40	6-27-96	15.22	15
5-1295	395834	0744552	32-17856	NVSK	61.84	35	20	35	7-02-96	13.14	49
5-1296	395854	0744754	31-40340	MLRW	52	31	10.5	31	6-24-96	21.16	31
5-1297	400404	0744157	--	MRSL	63	22.2	--	--	6-26-96	8.49	55
5-1298	400639	0744420	--	WBMV	75	14.4	--	--	6-27-96	4.30	71
5-1299	395021	0744903	31-29073-6	CKKD	126.8	28	18	28	6-20-96	15.55	111
5-1300	395022	0744722	31-32258	CKKD	130	65	59	64	6-05-96	19.44	111
5-1301	395027	0744902	31-29030-1	CKKD	128.71	33	23	33	6-20-96	17.37	111
5-1302	395039	0744938	31-18768	CKKD	134.05	57	47	57	6-13-96	29.09	105
5-1303	395041	0744926	31-29037-5	CKKD	147.30	65	55	65	6-13-96	40.15	107
5-1304	395547	0744037	31-39981	CKKD	130.32	42	27	42	6-13-96	26.47	104
5-1305	395120	0744657	31-37471	CKKD	96	13.5	3.5	13.5	6-04-96	5.20	91
5-1306	395126	0744659	31-37473	CKKD	94.53	12.5	2.5	12.5	6-04-96	1.57	93
5-1307	395358	0745136	--	VNCN	65	11	--	--	6-04-96	5.22	60
5-1308	395413	0744921	31-46476	MNSQ	50.8	12	2	12	6-24-96	3.79	47
5-1309	395515	0745115	31-39983	HRRS	84	25	15	25	6-04-96	14.57	69
5-1310	395516	0744941	--	VNCN	67	18.3	--	--	6-04-96	10.56	56
5-1311	395557	0744759	--	VNCN	40	12.9	--	--	6-05-96	5.19	35
5-1312	395913	0744645	32-13568	MLRW	40.18	25	15	25	7-11-96	21.23	19
5-1313	395619	0745208	--	MLRW	69	13.5	--	--	6-04-96	4.95	64
5-1314	395654	0745230	31-47272	MLRW	40	14.08	4.08	14.08	6-04-96	2.58	37
5-1315	395713	0745241	--	MLRW	45	14.75	--	--	6-03-96	3.75	41
5-1316	395800	0745219	--	MLRW	72	31.6	--	--	6-04-96	12.65	59
5-1317	400048	0743630	28-16560	CKKD	122.11	25	15	25	6-25-96	3.52	117
5-1318	400050	0743624	28-37291	CKKD	121.28	18.5	8	18	6-25-96	7.69	114
5-1319	400051	0743623	28-26160	CKKD	120.57	35	25	35	6-25-96	12.83	114
5-1320	400102	0743534	28-17789	CKKD	117.47	19	4	19	6-21-96	4.37	113
5-1321	400120	0743715	28-16721	CKKD	144.08	35	15	35	6-25-96	13.34	132
5-1322	394826	0745338	31-46506	CKKD	140	74	64	74	6-05-96	14.70	125
5-1323	400133	0743342	28-27016	CKKD	98.16	15	5	15	6-21-96	10.23	88
5-1324	400151	0743634	28-27426-1	CKKD	126.52	13	3	13	6-21-96	5.52	121
5-1325	400217	0743526	28-17769	CKKD	128.56	27	12	27	6-21-96	13.35	113
5-1326	400406	0743808	28-26158-5	CKKD	111.36	35	25	35	6-25-96	2.15	109
5-1327	400408	0743536	--	CKKD	160	--	--	--	7-01-96	3.79	156
5-1328	400422	0743333	28-15455-0	VNCN	120.77	17.5	7.5	17.5	6-27-96	3.02	118
5-1329	400425	0743338	28-15452-5	VNCN	122.44	15.4	5.4	15.4	6-27-96	3.41	119
5-1330	400427	0743332	28-15453-3	VNCN	121.05	18.75	8.75	18.75	6-27-96	4.26	117
5-1331	400457	0743459	--	HRRS	140	21.3	--	--	6-28-96	6.53	133
5-1332	400529	0743539	--	RDBK	131	4	--	--	6-28-96	2.25	129
5-1333	395437	0743500	32-14363	CKKD	115	100	85	95	6-18-96	27.88	87
5-1334	395449	0743409	32-13114	CKKD	109	108	95	100	6-18-96	25.41	84
5-1335	395515	0743234	32-14492	CKKD	120	90	75	90	6-18-96	27.50	93
5-1336	395603	0742848	32-10914-8	CKKD	128	20.5	5.5	20.5	7-01-96	4.21	124
5-1337	395624	0743234	32-20726	CKKD	82	67	62	67	6-19-96	10.45	72
5-1338	395651	0744131	--	CKKD	84	22	--	--	6-20-96	15.50	69
5-1339	395659	0743546	--	CKKD	75	23.7	--	--	6-26-96	17.92	57
5-1340	395757	0743946	--	CKKD	68	15.15	--	--	6-19-96	11.35	57
5-1341	395834	0744246	32-12399-0	VNCN	36.85	19	2.5	19	5-07-96	4.88	32
5-1342	395837	0744303	32-12396-5	HRRS	28.31	20	3	20	5-07-96	3.39	25
5-1343	395839	0743906	--	CKKD	62	11.05	--	--	6-19-96	5.50	57
5-1344	395847	0744240	52-00011-7	HRRS	38.59	15	10	15	5-07-96	8.46	30
5-1345	395848	0744257	32-03219-6	HRRS	31.76	17	7	17	5-07-96	4.42	27
5-1346	395904	0743953	--	MNSQ	62	18	--	--	6-26-96	3.25	59
5-1347	395906	0743303	32-20964	CKKD	98	60	50	60	6-26-96	5.16	93
5-1348	395914	0744305	--	HRRS	60	14.7	--	--	6-18-96	6.83	53
5-1349	395920	0744032	32-08117-1	VNCN	70.64	14	9	14	6-20-96	5.06	66
5-1350	395929	0743727	32-19331	CKKD	173.17	62	52	62	6-25-96	49.90	123
5-1351	395939	0744342	--	NVSK	60	24	--	--	6-18-96	7.14	53
5-1352	395948	0744402	32-11028-6	NVSK	53	21	6	21	6-18-96	6.90	46
5-1353	395955	0744329	32-11030-8	NVSK	54.68	20	5	20	6-18-96	0.13	55
5-1354	394858	0744550	31-36390-3	CKKD	103.20	28	8	28	6-04-96	9.85	93
5-1355	394901	0744550	31-36392-0	CKKD	107.70	26	6	26	6-04-96	14.05	94
5-1356	395326	0744146	32-16441-5	CKKD	100.54	45	25	45	6-25-96	30.70	70
5-1357	395334	0744203	32-18203	CKKD	95.50	55	45	55	6-25-96	31.00	64
5-1358	395338	0744211	32-18188	CKKD	57.50	15	5	15	6-25-96	5.01	54
5-1359	395342	0744146	32-18214	CKKD	117.81	60	50	60	6-25-96	50.13	68
5-1360	395347	0744439	32-14191-2	CKKD	53.81	19.54	4.54	19.54	6-24-96	2.00	52
5-1361	395349	0744439	32-14193-9	CKKD	56.17	13.6	3.6	13.6	6-24-96	5.07	51
5-1362	395647	0744508	--	VNCN	60	22	--	--	6-04-96	16.15	44
5-1363	400037	0744206	--	HRRS	113	29.6	--	--	6-27-96	16.47	96
5-1364	400052	0744417	--	MLRW	70	21.2	--	--	6-25-96	14.27	56
5-1365	400154	0743819	28-37542	CKKD	188.61	64	53.5	63.5	6-25-96	53.58	135
5-1366	400211	0744142	--	MLRW	70	14.2	--	--	6-25-96	5.07	65
5-1367	400217	0744318	--	MLRW	65	17.5	--	--	6-25-96	7.89	57
5-1368	400321	0744628	27-09682-3	EGLS	95.20	27	17	27	6-11-96	17.42	78
5-1369	400329	0744627	27-09685-8	EGLS	68.09	17	9	17	6-11-96	7.23	61
5-1370	395106	0744569	31-23879	CKKD	130	80	71	76	6-05-96	17.44	113
5-1371	395116	0744426	32-11732-9	CKKD	120.42	52	32	52	6-26-96	21.63	99
5-1372	395124	0744417	32-11724-5	CKKD	139.39	56	36	56	6-26-96	42.34	97
5-1373	400004	0745042	27-09141-4	EGLS	35.40	28	8	28	6-12-96	14.73	21
5-1374	400013	0745025	27-09140-6	EGLS	35.59	18	8	18	6-12-96	6.85	29
5-1375	400026	0745028	27-09581-9	EGLS	59.66	18	8	18	6-12-96	9.33	50
5-1376	400035	0745025	27-07934	EGLS	66.73	28	8	28	6-12-96	10.89	56
5-1377	400056	0745001	27-07936	EGLS	80	33	18	33	6-12-96	21.38	59
5-1378	400102	0745139	--	EGLS	88	21.8	--	--	6-12-96	18.86	69
5-1379	400112	0745010	27-07902	EGLS	53.70	25	5	25	6-12-96	1.93	54
5-1380	400123	0745004	27-08460-4	EGLS	70.92	30	15	30	6-12-96	16.07	55
5-1381	400127	0744841	--	EGLS	63	37.1	--	--	6-21-96	12.32	51
5-1382	400153	0745452	27-11499	MRPAU	19.20	10	5	10	6-05-96	4.61	15
5-1383	394908	0743520	32-08151	CKKD	100	14.5	--	--	6-26-96	3.40	97
5-1384	395234	0743309	32-19191	CKKD	140	80	70	80	6-18-96	33.31	107
5-1385	395307	0743413	32-19550	CKKD	148	105	95	105	6-26-96	39.99	108
5-1386	400137	0743790	28-35830	CKKD	167.17	37	22	37	6-25-96	27.02	140
7- 849	394819	0745456	31-32690-1	CKKD	164.01	40	2	40	6-03-96	16.57	147
8- 850	395606	0744531	31-24364-9	CKKD	154.60	84	64	84	6-04-96	36.84	118
21- 239	401525	0744244	28-13256	WSCK	58	150	39	150	6-17-96	8.17	50
21- 284	401734	0743703	--	SCKN	200	63	16	63	6-07-96	16.88	183
21- 417	401609	0743849	27-12427	LCKG	160	100	80	100	6-07-96	6.65	153
21- 433	401604	0744844	27-12413	SCKN	148.20	91	76	91	6-07-96	7.61	141
21- 443	400831	0743527	--	EGLS	72	17.05	--	--	6-17-96	11.96	60
21- 444	400847	0743559	--	EGLS	70	18.2	--	--	6-24-96	15.07	55
21- 445	400918	0743727	--	EGLS	91	11.6	--	--	6-06-96	4.55	86
21- 446	400652	0743707	--	WBMV	102	16	--	--	6-07-96	7.90	94
21- 447	400853	0743810	--	WBMV	74	30.6	--	--	6-06-96	6.47	68
21- 448	401137	0743636	--	EGLS	112	10.6	--	--	6-07-96	6.15	106
21- 449	401224	0743536	--	WBMV	138	27.65	--	--	6-07-96	23.90	114
21- 450	401248	0743802	--	EGLS	111	16.65	--	--	6-18-96	9.13	102
21- 451	401326	0743728	--	WBMV	115	9.85	--	--	6-12-96	4.43	111
21- 452	401359	0743737	--	EGLS	120	16	--	--	6-20-96	5.07	115
21- 453	401408	0743844	--	WBMV	115	11.9	--	--	6-07-96	4.73	110
21- 454	401435	0743703	--	MRPAU	102	35	--	--	6-19-96	28.78	73
21- 455	401506	0743843	--	MRPAM	108	38	--	--	6-17-96	34.80	73
21- 456	401557	0743513	--	MRPAU	103	19.2	--	--	6-19-96	6.53	96
21- 457	401629	0744220	--	SCKN	105	22.2	--	--	6-07-96	21.15	84
21- 458	401852	0744359	--	LCKG	180	18	--	--	6-07-96	7.40	173
21- 459	401929	0744429	--	LCKG	236	15.5	--	--	6-07-96	6.05	230
21- 460	401954	0744332	--	LCKG	195	15.2	--	--	6-17-96	6.62	188
21- 461	402127	0743554	--	WBMV	104	12.1	--	--	6-19-96	2.00	102
21- 462	401423	0743536	28-17795-9	SCKN	100.06	20	5	20	6-12-96	5.04	95
21- 463	401423	0743541	28-17794-1	SCKN	99.40	25	10	25	6-12-96	7.81	92
21- 464	401428	0744539	28-17797-5	SCKN	95.80	22	7	22	6-12-96	13.54	82
21- 466	400445	0744600	27-11917	HPPM	84.90	17	2	17	6-21-96	2.08	83
21- 467	401500	0744033	27-10759-1	HPPM	87	10	1	10	6-26-96	5.26	82
21- 468	401528	0744543	28-25018-4	SCKN	112	12.5	2.5	12.5	6-26-96	6.95	105
21- 469	401640	0744857	21-13579	LCKG	193.93	36.63	11.63	36.63	6-07-96	4.79	189
21- 470	401658	0744843	27-13573	LCKG	201.80	22.17	2.17	22.17	6-07-96	9.61	192
21- 471	401800	0744848	27-13580	LCKG	205.82	33.71	8.71	33.71	6-07-96	11.17	195
21- 472	401057	0744034	28-31853	WBMV	56	15	2	15	6-12-96	3.36	53
21- 473	401114	0744456	28-17481-0	MRPAM	20	28	18	28	6-07-96	17.23	3
21- 474	401246	0744241	28-16766-0	MRPA	61.90	30	10	30	7-08-96	.41	61
21- 475	401247	0744257	28-16767-8	MRPA	64.60	30	10	30	7-08-96	7.44	57
21- 476	401329	0744116	28-27157-2	MRPA	88	15	2	15	5-15-96	1.72	86
21- 477	401355	0744302	28-37989	MRPAM	53.04	17	7	17	5-03-96	7.10	46
21- 478	401355	0744300	28-37990	MRPAM	53.97	17	7	17	5-03-96	7.61	46
21- 479	401400	0744117	28-23053-1	MRPA	81	18	3	18	6-26-96	5.17	76
21- 480	401900	0744530	--	LCKG	220	50	--	--	6-07-96	6.14	214
21- 481	401141	0744404	28-13359-5	HPPM	57.32	12	2	12	6-13-96	0.62	57
21- 482	401539	0744328	28-20129-9	HPPM	76.06	18	3	18	6-27-96	6.90	69
21- 483	401120	0744514	28-17480-1	MRPAM	17	21	10	21	6-07-96	11.63	5
21- 484	401132	0744513	28-17477-1	MRPAM	20	25	5	25	6-07-96	18.00	2
21- 485	401434	0744416	28-23905-9	HPPM	65.83	14	4	14	6-13-96	3.78	62
21- 486	401253	0743559	28-30244	WBMV	118.29	40	5	40	6-20-96	6.44	112
21- 487	401253	0743600	28-30245	WBMV	116.93	30	5	30	6-20-96	5.99	111
21- 488	401427	0743439	28-20321-6	WBMV	90	13	3	13	6-20-96	3.39	87
21- 489	401708	0743734	28-17627	MRPAM	106	60	50	60	6-06-96	19.58	86
21- 490	401715	0743954	28-18908-6	HPPM	92.37	20	10	20	5-21-96	11.71	81
21- 491	401747	0744008	28-18906-0	HPPM	68.68	13	3	13	5-21-96	3.64	65
21- 752	400742	0743229	--	NVSK	107	31	--	--	6-25-96	26.47	81
21- 753	400811	0743031	--	RDBK	140	17.55	--	--	6-26-96	4.15	136
21- 754	400841	0743423	--	MLRW	83	21	--	--	6-17-96	10.57	72
25- 755	400844	0742843	--	RDBK	192	27.9	--	--	6-26-96	15.04	177
25- 756	400939	0743528	--	EGLS	115	37.5	--	--	6-17-96	27.27	88
25- 757	400957	0742357	--	CKKD	165	9.75	--	--	6-26-96	4.69	160
25- 758	401010	0742904	--	RDBK	182	29.1	--	--	6-26-96	27.46	155
25- 759	401021	0743546	--	EGLS	88	11.75	--	--	6-18-96	3.05	85
25- 760	401622	0743304	--	MLRW	102	19.85	--	--	6-20-96	2.70	99
25- 761	401055	0743135	--	MLRW	130	14.5	--	--	6-25-96	8.27	122
25- 762	401103	0743415	--	EGLS	110	14.2	--	--	6-18-96	8.42	102
25- 763	401126	0742549	--	CKKD	232	23	--	--	6-26-96	16.36