

Gen. Lash
DEPARTMENT OF THE INTERIOR *James C. New*

WATER-SUPPLY

AND

IRRIGATION PAPERS

OF THE

UNITED STATES GEOLOGICAL SURVEY

No. 52

OPERATIONS AT RIVER STATIONS, 1900.—PART VI

WASHINGTON
GOVERNMENT PRINTING OFFICE
1901

DOCUMENT

IRRIGATION REPORTS.

The following list contains titles and brief descriptions of the principal reports relating to water supply and irrigation, prepared by the United States Geological Survey since 1890:

1890.

First Annual Report of the United States Irrigation Survey, 1890; octavo, 123 pp.

Printed as Part II, Irrigation, of the Tenth Annual Report of the United States Geological Survey, 1888-89. Contains a statement of the origin of the Irrigation Survey, a preliminary report on the organization and prosecution of the survey of the arid lands for purposes of irrigation, and report of work done during 1890.

1891.

Second Annual Report of the United States Irrigation Survey, 1891; octavo, 395 pp.

Published as Part II, Irrigation, of the Eleventh Annual Report of the United States Geological Survey, 1889-90. Contains a description of the hydrography of the arid region and of the engineering operations carried on by the Irrigation Survey during 1890; also the statement of the Director of the Survey to the House Committee on Irrigation, and other papers, including a Bibliography of irrigation literature. Illustrated by 29 plates and 4 figures.

Third Annual Report of the United States Irrigation Survey, 1891; octavo, 576 pp.

Printed as Part II of the Twelfth Annual Report of the United States Geological Survey, 1890-91. Contains "Report upon the location and survey of reservoir sites during the fiscal year ended June 30, 1891," by A. H. Thompson; "Hydrography of the arid regions," by F. H. Newell; "Irrigation in India," by Herbert M. Wilson. Illustrated by 96 plates and 190 figures.

Bulletins of the Eleventh Census of the United States upon irrigation, prepared by F. H. Newell; quarto.

No. 35, Irrigation in Arizona; No. 60, Irrigation in New Mexico; No. 85, Irrigation in Utah; No. 107, Irrigation in Wyoming; No. 153, Irrigation in Montana; No. 157, Irrigation in Idaho; No. 163, Irrigation in Nevada; No. 178, Irrigation in Oregon; No. 193, Artesian wells for irrigation; No. 198, Irrigation in Washington.

1892.

Irrigation of western United States, by F. H. Newell; extra census bulletin No. 23, September 9, 1892; quarto, 22 pp.

Contains tabulations showing the total number, average size, etc., of irrigated holdings, the total area and average size of irrigated farms in the subhumid regions, the percentage of number of farms irrigated, character of crops, value of irrigated lands, the average cost of irrigation, the investment and profits, together with a résumé of the water supply and a description of irrigation by artesian wells. Illustrated by colored maps showing the location and relative extent of the irrigated areas.

1893.

Thirteenth Annual Report of the United States Geological Survey, 1891-93, Part III, Irrigation, 1893; octavo, 486 pp.

Consists of three papers: "Water supply for irrigation," by F. H. Newell; "American irrigation engineering" and "Engineering results of the Irrigation Survey," by Herbert M. Wilson; "Construction of topographic maps and selection and survey of reservoir sites," by A. H. Thompson. Illustrated by 77 plates and 119 figures.

A geological reconnaissance in central Washington, by Israel Cook Russell, 1893; octavo, 108 pp., 15 plates. Bulletin No. 108 of the United States Geological Survey; price, 15 cents.

Contains a description of the examination of the geologic structure in and adjacent to the drainage basin of Yakima River and the great plains of the Columbia to the east of this area, with special reference to the occurrence of artesian waters.

1894.

Report on agriculture by irrigation in the western part of the United States at the Eleventh Census, 1890, by F. H. Newell, 1894; quarto, 283 pp.

Consists of a general description of the condition of irrigation in the United States, the area irrigated, cost of works, their value and profits; also describes the water supply, the value of water, of artesian wells, reservoirs, and other details; then takes up each State and Territory in order, giving a general description of the condition of agriculture by irrigation, and discusses the physical conditions and local peculiarities in each county.

Fourteenth Annual Report of the United States Geological Survey, 1892-93, in two parts; Part II, Accompanying papers, 1894; octavo, 597 pp.

Contains papers on "Potable waters of the eastern United States," by W. J. McGee; "Natural mineral waters of the United States," by A. C. Peale; "Results of stream measurements," by F. H. Newell. Illustrated by maps and diagrams.

(Continued on third page of cover.)

DEPARTMENT OF THE INTERIOR

WATER-SUPPLY


AND

IRRIGATION PAPERS

OF THE

UNITED STATES GEOLOGICAL SURVEY

No. 52



WASHINGTON

GOVERNMENT PRINTING OFFICE

1901

R

628.71

458

10

no. 52



F. 30

347
RECORDED 200000
SERIAL 31804

UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

OPERATIONS AT RIVER STATIONS, 1900


A REPORT OF THE

DIVISION OF HYDROGRAPHY

OF THE

UNITED STATES GEOLOGICAL SURVEY

PART VI



WASHINGTON

GOVERNMENT PRINTING OFFICE

1901

122943B

CRT



CONTENTS.

	Page.
Precipitation on mountains in southern California	495
Construction of wells in southern California	497
Irrigation in Utah Valley, Utah	498
Rating tables	510
Drainage areas	524
Index to Papers Nos. 47 to 52	549

OPERATIONS AT RIVER STATIONS, 1900.¹

PART VI.

PRECIPITATION ON MOUNTAINS IN SOUTHERN CALIFORNIA.

In order to obtain rainfall data bearing upon river discharge, a number of rainfall gages have been established at various points in the mountainous regions of California. Results obtained at these localities during 1900, together with a few figures from other sources, are given in the following tables. The first table gives the location of the rainfall stations; the second table gives the depth of rainfall, in inches, for each month of the year. Similar figures for 1896 are given on page 418 of the Eighteenth Annual Report, Part IV; for 1897, on page 539 of the Nineteenth Annual Report, Part IV; for 1898, on page 560 of the Twentieth Annual Report, Part IV; and for 1899, on page 437 of Water-Supply Paper No. 39.

Rainfall stations in southern California.

Station.	County.	Post-office.	Latitude.	Longitude.	Elevation.
			° /	° /	<i>Feet.</i>
Sisson	Siskiyou	Sisson	41 27	122 25	3,555
Dunsmuir	do				
Delta	Shasta				
Redding	do				
Redbluff	Tehama	Redbluff	40 12	122 20	324
Jacinto	Glenn				
Upper Lake	Lake				
Sonora	Tuolumne	Sonora	38 00	120 16	1,824
Second Garrotte	do	Groveland	37 49	120 12	2,900
Crocker	do	Sequoia	37 48	119 53	4,453
Yosemite	Mariposa	Yosemite	37 45	119 35	4,063
Millwood	Fresno	Millwood			
Milo	Tulare	Milo	36 15	118 50	3,200
Kernville	Kern	Kernville	35 45	118 25	2,600
Isabella	do	Isabella	35 48	118 25	2,600
Taylor's ranch	do	Weldon	36 20	118 17	2,640
Mount Breckenridge	do	Bakersfield	35 25	118 35	6,750
Bear Valley	do	Tehachapi			4,000
Tejon ranch	do	Bakersfield	35 00	118 45	1,450
Fort Tejon	do	Lebec	34 53	118 53	3,245
Frazier mine	Ventura	Neenach	34 49	118 58	3,000
La Liebre	Los Angeles	do	34 46	118 40	3,170
Sneddens	Ventura	Griffin	34 41	119 03	4,900
Smith's ranch	do	Gorman	34 44	118 47	4,850
Palmdale headworks	Los Angeles	Palmdale	34 25	118 03	3,299
Mutah Flat	Ventura	Griffin	34 38	119 03	4,850
Magic Hill	Los Angeles	Burbank	34 23	118 22	2,820

¹ Continued from Water-Supply and Irrigation Paper No. 51.

Rainfall stations in southern California—Continued.

Station.	County.	Post-office.	Latitude.	Longitude.	Elevation.
			° /	° /	Feet.
Colby's camp	Los Angeles	Pasadena			3,875
Mount Sister Elsie	do	Monte Vista	34 17	118 14	5,021
Mount Lowe	do	Echo Mountain	34 15	118 07	3,200
Follows's camp	do	Azusa	34 14	117 49	1,800
Glenn ranch	San Bernardino	Cajon	34 50	117 30	3,112
Upper Holcomb	do	San Bernardino	34 18	116 50	7,200
Little Bear Valley	do	do	34 15	117 10	3,150
Morse's house	do	do	34 12	117 12	5,350
Deep Creek	do	do	34 17	117 05	5,200
Holcomb Creek	do	do	34 18	116 58	5,220
Squirrel Inn	do	do	34 12	117 12	5,300
Santa Ana River power house	do	do			5,000
Mill Creek (a)	do	Redlands			2,915
Mill Creek (b)	do	do			3,500
Descanso	San Diego	Descanso	32 50	116 40	2,660
Campo	do	Campo			5,760
Laguna	do	do			4,800
Cuyamaca	do	San Diego	32 58	115 35	250
Sweetwater dam	do	National City	32 43	117 00	
La Mesa	do	do			

Precipitation at rainfall stations in southern California, 1900.

Station.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.
Sisson	8.64	1.04	9.92	3.49	2.05	1.24	0.00	0.16	0.67	10.76	4.52	3.80	46.29
Dunsmuir	9.93	3.32	6.27	4.85	3.18	.90	0.00	T.	1.20	6.13	7.16	8.29	51.23
Delta	12.25	4.60	9.45	8.59	4.10	1.56	.17	.20	.67	15.68	10.51	8.04	76.12
Redding	6.45	2.62	3.68	2.59	3.12	1.38	T.	.16	2.48	6.47	3.03	3.14	33.36
Redbluff	4.15	1.67	2.38	2.69	1.18	.94	0.00	.05	.21	3.25	3.23	2.07	21.77
Jacinto	3.06	.17	1.27	1.63	.72	0.00	0.00	0.00	0.00	2.42	5.00		
Upper Lake	3.58	1.31	3.53	2.13	.81	.35	T.	0.00	.03	3.96	5.08	3.63	24.81
Sonora	3.20	1.37	2.75	4.28	2.01	.20	0.00	.03	.14	5.10	10.29	2.05	31.42
Second Garrotte	5.25	1.25	3.75	4.00	1.50	0.00	0.00	0.00	.25	5.00	14.00	1.50	36.50
Crocker's	5.98	1.18	4.28	5.56	1.80	.47	0.00	0.00	.62	9.71	17.43	1.39	46.42
Millwood	.80	.53	.58	.32	.90	0.00	0.00	0.00	1.50	6.70	10.37	(a)	
Kernville	1.10	.65	.65	.73	1.06	0.00	0.00	.02	.30	.24	5.53	.05	10.33
Isabella	.71	.47	.50	.39	.82	.02	0.00	.03	.62	.02	4.29	0.00	7.87
Taylor's ranch	2.77	1.34	1.00	5.05	2.47	0.00	0.00	0.00	0.00	1.76	2.71	.32	17.42
Bear Valley	1.17	.35	.41	1.97	1.57	.02	0.00	0.00	.06	.67	1.06	.34	7.62
Tejon ranch	2.12	.66	.85	1.82	1.57	0.00	0.00	0.00	1.06	0.00	1.71	.50	10.29
Fort Tejon	1.40	T.	1.45	.50	1.40	0.00	0.00	0.00	0.00	0.00	4.52	0.00	9.27
Sneddens	1.20	0.00	1.12	.12	.75	0.00	0.00	0.00	.15	0.00	3.10	0.00	6.44
Smith's ranch													
Palmdale head-works	.65	0.00	.80	.57	.76	0.00	0.00	0.00	0.00	.20	1.79	0.00	4.77
Mutah Flat	2.80	0.00	1.95	.40	1.80	0.00	0.00	0.00	0.00	0.00	5.10	0.00	12.05
Magic Hill	1.34	0.00	1.67	2.05	4.40	.06	.04	0.00	.54	.71	6.53	0.00	17.34
Colby's camp	1.15	0.00	2.00	1.38	3.25	0.00	0.00	0.00	.25	.45	8.15	0.00	16.63
Mount Sister													
Elsie	.85	0.00	1.87	1.30	3.02	0.00	0.00	T.	.09	.31	6.70	0.00	14.64
Mount Lowe			2.90	2.15	4.05	.40	T.	0.00	.25	1.66	11.71	0.00	
Follows's camp		T.	2.40	1.77	2.98								
Glenn ranch	2.15	.10	3.84	1.35	1.69	.02	.01	0.00	.31	.46	9.39	0.00	19.32
Little Bear Valley	1.39	.43	3.42	3.11	4.63								
Morse's house	2.20	.44	3.83	5.81	8.64								
Deep Creek	1.40	.28	3.07	2.70	4.75								
Holcomb Creek	.38	.21	1.14	1.25	1.20								
Squirrel Inn	1.73	.26	3.04	4.81	6.37								
Santa Ana River power house	.10	0.00	2.38	5.49	3.70	0.00	0.00	0.00	.98	.74	8.26	0.00	21.65
Mill Creek (a)	2.52	.43	2.28	4.49							9.05		
Mill Creek (b)	1.41	.07	1.43	3.74	3.31	0.00	0.00	0.00	1.14	1.15	4.96	0.00	17.21
Descanso	4.00	.75	1.25	4.25	2.69	.06	0.00	T.	.25	.63	6.50	.15	20.53
Campo	2.65	.10	.55	2.07	1.04	.10	0.00	0.00	.05	.28	4.47	0.00	11.31
Laguna	5.30	.37	1.00	3.80	2.19	.30	0.00	0.00	.20	.40	6.20	0.00	17.76
Cuyamaca	3.62	.26	2.51	6.69	2.81	.10	.28	0.00	.92	.74	11.97	.04	29.94
Sweetwater dam	.57	0.00	.37	1.06	1.66	0.00	0.00	0.00	0.00	.25	1.63	0.00	5.54
La Mesa	.97	.03	.72	1.73	1.53	T.	0.00	0.00	.01	.37	2.38	0.00	7.74

a Gage destroyed.

T indicates trace of rainfall.

CONSTRUCTION OF WELLS IN SOUTHERN CALIFORNIA.

Mr. H. N. Savage, of National City, California, states that in constructing wells in sand and small gravel he puts down a tube 3 inches in diameter, open at the bottom, the lower portion being perforated and wound with wire spaced 1 inch between coils. Around this wire is wrapped a wire gauze with 50 meshes to the lineal inch, and outside of this the wire is again wound, strips placed longitudinally to the pipe being soldered to each turn of the wire. The pipe with this perforated tube on the lower end is sunk by forcing muddy water down it, lengths being added as the pipe descends. It has been found that clear water can not be used successfully, but that a considerable amount of silt must be kept in suspension in the wash water. Presumably the sediment serves to coat the sand and prevent its adhering to the outside of the pipe.

In adding new joints to the top of the pipe, the change is made with great rapidity, so as not to shut off the wash water for more than a few seconds. If the water is stopped for a longer period the sand will settle against the pipe and prevent further progress. When the pipe has been settled into position, gravel is immediately shoveled around it, while the water is still rising on the outside. About one-half cubic yard of gravel is thus shoveled in. As soon as this is done pumping is started, to clean out the well. A centrifugal pump is used for the purpose. At first it is necessary to prime the pump often, sometimes every few minutes. Pumping is continued until the sand is exhausted—sometimes several days or a week is required to accomplish this. The top of the pipe is then connected to the permanent pump, no inside tubing being used.

Several hundred wells, most of them about 50 feet deep, have been driven by Mr. Savage by the common sand-pumping process, 5-inch pipe in 10-foot lengths being used for casing, the sand being pumped out as the casing is forced down to good water-bearing material. A strainer, usually made of 3-inch pipe covered with punched brass or with wire gauze, is put down inside of the casing, with a 2-inch pipe extending to the surface of the ground. The annular space between the interior of the casing and the exterior of the strainer and suction pipe, extending to the surface of the ground, is filled with coarse sand, and the casing is withdrawn.

Usually the supply is from a gang of 30 or 40 wells. Centrifugal pumps are used exclusively, generally horizontal compound, discharging with good efficiency into the main pipe line against a head of 50 to 60 pounds pressure per square inch.

Ten of these pumping plants have been installed by Mr. Savage for the San Diego Land and Town Company, and he makes the following statements in regard to them and to the wells which they serve:

The wells are in a valley of recent sedimentary deposits, consisting of uneven and irregular (a few inches to a few feet thick) strata of water-bearing, sandy silt, separated by similar strata of impervious, clayey silt. The best results—

economy of installation, yield of water, and duration of supply—have been obtained from wells about 50 feet apart, connected to main suction lines having a pronounced grade away from the pump. The wells were put down by first sand pumping through 5-inch standard screw pipe, cut into lengths of about 10 feet, a sand pump or bucket with jar and rods being used. The bucket is made of 4-inch (outside diameter) casing pipe about 6 feet long. The first section of 5-inch pipe being started, a lever is clamped to it. This serves also as a platform upon which the men stand while working the sand pump, and when the pipe is being turned with the lever their weight assists in forcing it into the ground. Additional lengths of pipe are put on as required, and the operation is continued until water-bearing sand of sufficient coarseness and thickness of strata is found, when the strainer, with sufficient pipe to reach from the bottom of the well to the top of the ground, is inserted within the 5-inch pipe. The annular space between the 5-inch pipe and the outside of the strainer with its pipe extension is filled with coarse sand or gravel, after which the outer or 5-inch pipe is withdrawn.

The strainer is made of a piece of 3-inch pipe from 2 feet to 4 feet long (depending upon the fineness of the sand-bearing stratum), perforated with $\frac{1}{4}$ -inch holes spaced from 1 inch to $1\frac{1}{2}$ inches between centers. No. 12 B. W. G. wire is wound spirally over the perforated section (the spirals being spaced about 1 inch apart), which then is covered with a sheet of thin brass punched full of holes about $\frac{3}{32}$ inch in diameter. The punch was specially designed for this work. It has 24 points (four rows of six in a row), and one blow of the hammer is sufficient, the sheet being placed on a wood block. The punch makes either a cone or pyramidal truncated indenture through the sheet, which, when wrapped and soldered around the perforated pipe, gives a first-class strainer. The diameter of the holes punched in the brass sheet is reduced, of course, with the fineness of the water-bearing material. The holes presented to the water-bearing sand are very small, and since they increase in diameter toward the pipe, any material fine enough to enter does so without obstructing the opening. We use a 2-inch pipe extending from the strainer to the top of the ground.

As each well is completed a No. 6 Douglas hand pump is connected to the top, and it is thoroughly pumped, to free it from clayey matter and fine sand. Formerly we tested each well with a gasoline-actuated centrifugal pump, and left the bottom of the strainer pipe open. We have found it desirable, however, to plug the bottom of the strainer before putting it into the well, which of course decreases its capacity somewhat, but is imperative in quicksand formations. These wells yield 8 or 10 miners' inches each.

We are obtaining remarkably satisfactory results from horizontal centrifugal pumps, either single or compound, actuated by gasoline engines. I have just completed a plant, the supply of which is from a small gang of wells, which is operated by a No. 3 horizontal compound centrifugal pump actuated by a 22-horsepower gasoline engine, the water being discharged into the Sweetwater distributing system against 60 pounds pressure. When last measured the plant was developing a fraction more than 29 miners' inches.

There are numerous "tricks" connected with the installation and operation of these plants, both in sinking the wells and in operating the machinery, any one of which, we have found to our annoyance, would either make or break the success of the undertaking.

IRRIGATION IN UTAH VALLEY, UTAH.¹

INTRODUCTION.

During the latter half of the month of August, 1899, data were obtained for a brief report on the irrigation systems of Utah Valley.

¹ Report of J. S. Baker.

Information regarding the history, the area irrigated, etc., was given by the presidents and directors of canal companies, by water masters, and by those most closely connected with irrigation along the various streams. In many cases the statements were from memory, although in most cases they were from records. Frequently it was necessary, owing to lack of time in which to make observations, to accept approximate estimates from those who contributed the information. In view of these facts the data are necessarily incomplete and in some cases are inaccurate, but they give, in a general way, the facts as they existed.

Utah Valley is in the north-central portion of the State, between the high Wasatch Range on the east and the low Lake Mountains on the west. There are about 150,000 acres of irrigable land in Utah County, most of it in Utah Valley. In 1890 there were 40,195 acres cultivated, and 36,586 acres irrigated; in 1899 there were about 65,000 acres irrigated. Utah Lake occupies, when at a mean elevation or "compromise line," about 84,000 acres in the northwestern part of the valley. The agricultural land lies along the eastern and southern sides. The upper lands consist of gravel, sand, and loam, while the lower lands bordering the lake are sandy loams and in many places adjacent to the lake are marshy.

Water for irrigation is supplied by Provo River, Spanish Fork, American Fork, Hobble Creek, Peteetnetr Creek, Current Creek, Summit Creek, Rock Canyon Creek, Goshen Warm Springs Creek, Salem Pond, Smith Brothers' spring, Mapleton Union or North reservoir, South Mapleton reservoir, and Mount Nebo reservoir. The principal facts in regard to these sources of supply are given in the following table and on succeeding pages:

Streams irrigating lands in Utah Valley in 1899.

Name of stream.	Drainage area.	Length.	Measurement.		Number of canals diverting water.	Area irrigated.
			Date.	Discharge.		
	<i>Sq. mi.</i>	<i>Miles.</i>	1899.	<i>Sec.-ft.</i>		<i>Acres.</i>
Provo River	1,000	90	June 29	1,745	16	a 20,000
Do			July 13	535		
Do			Aug. 16	340		
Spanish Fork	670	45	Aug. 22	139	5	17,708
American Fork	66	18	May 9	131	3	a 15,000
Hobble Creek	160	25	Aug. 25	57		
Peteetnetr Creek	30	10	Aug. 21	47	7	5,250
Do			May 1	21.3	17	1,400
Do			May 15	121.8		
Do			June 1	65.2		
Do			June 15	29.7		
Do			July 1	23.3		
Do			July 15	21.3		
Do			Aug. 1	17.0		
Do			Aug. 15	15.6		
Current Creek	12	12			7	2,500
Summit Creek		8	Aug. 23	14.6	b 8 to 14	1,200
Rock Canyon Creek			do	a 1.0		400
Goshen Warm Springs Creek			do	5.5	3	825
Spring Lake Creek			do	2.9		150
Salem Pond			Aug. 22	5.0	1	600
Smith Brothers' spring			Aug. —	.9		c 40

a Approximate.

b Some canals discontinue in low-water season.

c Orchard and vineyard.

The methods of irrigation throughout the entire valley are flooding for small grains and grasses and the furrow method for orchards and vegetables. The water is distributed on a time basis.

PROVO RIVER.

Provo River is the largest stream entering Utah Valley. It has its source in the summit of the Uinta Mountains, on the boundary line between Summit and Wasatch counties, and very near the sources of Bear, Weber, and Duchesne rivers. For about 18 miles it flows through a precipitous canyon, which in cases of heavy rainfall yields a large run-off. The river is therefore subject to great fluctuation. At the upper end of Provo Canyon is a large valley of the same name. This valley is useful to the lower irrigators as an underground storage reservoir. A part of the water of the river is applied to the land of the valley during the early part of the season, and reaches the river again by seepage shortly after the commencement of the low-water period, thus increasing the flow during that season. Indeed, it has been suggested by the people of Provo that the irrigators of the upper valley be paid to irrigate the uncultivated lands of that valley so as to still further increase, by seepage, the flow of the river below at a time when water is most needed. Since 1883 there have been but four years in which Provo River has carried a sufficient quantity of water to supply the needs of the irrigators below.

The water of the river is allotted as follows: Blue Cliff canal, Timpanogas canal, Provo Bench canal, one-eighth; Roberts's ditch, Park & Nuttall's ditch, Bomb & Richardson's ditch, Richmond & Penrod's ditch, Stubbs & Furgeson's ditch, West Union canal, two-fifteenths; Upper East Union canal, one-twelfth; Lake Bottom canal, one-fifteenth; East Union canal, Factory race, City race, and Tanner's, forty-three hundredths; and Little Dry Creek canal, one-fifteenth.

Blue Cliff canal.—This is the first canal diverting water from Provo River. It heads about $2\frac{1}{2}$ miles above the mouth of Provo Canyon, on the north side of the stream. The greater part of it was built by the labor of the owners, but small portions were built under contract. In connection with this canal there is contemplated a reservoir on Provo Bench, three-fourths of a mile northwest from the mouth of Provo Canyon, with an area of 20 acres, a depth of 10 feet, and a capacity of 200 acre-feet.

Timpanogas canal.—This is the second canal diverting water from the river. It was built entirely by the labor of the appropriators. Measurements made July 9, 1897, by the water commissioner, Mr. A. L. Booth, of Provo, show a discharge of 7.27 second-feet. An annual tax of 50 cents per share, to pay the water master and general expenses of operating, is levied on the stock of the company. Considerable trouble has been experienced by frequent breaks in the embankment, which have deprived the irrigators of the use of water for a considerable length of time. Measurements for seepage loss were made August 16, 1899, one near the head and one 9,500 feet below. At the upper point the discharge was 10.40 second-feet; at the lower point it was 7.83 second-feet, showing a loss of 2.57 second-feet,

or 24.6 per cent of the discharge at the head. This is equal to a loss of 2.6 per cent per 1,000 feet.

Provo Bench canal.—This is the third canal diverting water from the river. It heads near the mouth of the canyon, on the west side of the stream. The diverting dam is made of two large logs buried to their tops, horizontally, in the bed of the stream, at right angles to the current. The lower log, which is 10 feet farther downstream, is the higher. On top of the logs planks are spiked transversely. An apron of 2-inch plank extends from the crest of the dam 20 feet downstream. On top of the crest and extending along it is a plank 10 inches high, placed on edge. The gates are two in number, each 7 feet high, 6 feet wide, and of 2-inch plank. They are operated by a rack and pinion and hand lever. The original water rights were acquired by appropriation, but later the canal was enlarged and water to fill it was purchased. Measurements for seepage on this canal were made August 17, 1899. The loss from that source and from evaporation was 4.31 second-feet (equal to 7.4 per cent of the amount at the head) in a distance of 1.5 miles. There are five small ditches diverting water from the river and from what is known as City Creek. Two of them—Roberts's ditch and Park & Nuttall's ditch—are on the west side of the river, and three of them—Bomb & Richardson's, Richmond & Penrod's, and Stubbs & Furgeson's—are on the east side of the river. Measurements of these ditches were made August 17 and 18, 1899, the results of which are given in the table on page 503.

West Union canal.—This canal is the fourth one diverting water from Provo River. It heads 1 mile below the mouth of Provo Canyon, on the west side of the stream. It was constructed in 1875-76 by day labor. In 1897 the West Union Canal Company consolidated with the Enterprise Canal Company under the name of the East Union Canal Company, and the canal was enlarged so as to carry the supply of both companies. The water has a rental value of \$2 per share per annum. Measurements made on July 9, 1897, showed a discharge of 29.3 second-feet, and those made on August 4, 1897, a discharge of 30.6 second-feet. The interest in the canal is separate from that in the land; water rights do not go with the land, but are bought and sold as other property. Each owner can sell or rent his proportion of the water if he does not care to use it, but if he does not sell or rent it the company can do so and the revenue goes into the treasury of the company.

Upper East Union canal.—This is the fifth canal diverting water from the river, and the uppermost from City Creek, an old river channel through which irrigation water for the city of Provo is taken to the four canals serving it. The construction of the Upper East Union canal was begun in 1871 and was completed in 1874. It was built by day labor of the appropriators and by contract. The water rights were acquired by original appropriation. One share of stock in the company covers the right to the use of enough water to irrigate 1 acre of land. The canal was designed to carry 30 second-feet of water. On July 9, 1897, there were 32.35 second-feet flowing in it, and on August 4, 1897, 21.45 second-feet. Measurements made in 1899 will be found in the table on page 503. The loss in seepage on August 17, 1899, in a distance of 1 mile, was 0.75 second-foot, or 2.65 per cent of the amount at the head of the canal.

Lake Bottom canal.—This is the sixth canal diverting water from the river, and the lowest from the west side. It is taken out about 4 miles below the mouth of Provo Canyon. It was constructed in 1861, by the labor of the appropriators. Measurements were made July 9, 1897, near the head of the canal, and showed a discharge of 15.78 second-feet; those made August 4, 1897, showed a discharge of 12 second-feet. A large amount of water seeps into this canal from the irrigated land above, which consists of a deep gravel deposit. Being supplemented by seepage water it is not so subject to shortage as are the canals above.

East Union canal.—This is the seventh canal diverting water from Provo River. It is supplied through City Creek. It is nearly parallel to the Upper East Union canal, at an average distance of five-eighths of a mile. It was constructed in 1857, by the labor of the appropriators. The capacity was designed to be 27 second-feet. In 1874, upon the petition of the owners, the canal was placed under the control of the city of Provo, for the reason that most of the land under it was within the city. The water rights are valued at from \$60 to \$70 per acre for farms and \$125 per acre for city lots.

Factory race.—This race is the eighth canal diverting water from the river. It is supplied through City Creek. It was enlarged in 1872, when an additional amount of water was appropriated. Its capacity is about 67 second-feet. Like the East Union canal, it was placed under municipal control in 1874. About three-fifths of the water of this canal is used by the Provo mills for power purposes; the remainder is used for irrigation.

Tanner's race.—This is the tenth canal diverting water from the river. Some of the water is used for power purposes, but after having passed the mills it is again used for irrigation. The capacity of the canal is about 27 second-feet. It was taken under the control of the city of Provo in 1874.

Little Dry Creek canal.—This is the last and the oldest canal diverting water from Provo River. Its headworks are near the northwestern part of the city of Provo. It was constructed in 1852, by the labor of the appropriators. On July 9, 1897, a measurement was made which showed a discharge of 12.5 second-feet; on August 4, 1897, another measurement was made which showed a discharge of 8.8 second-feet. Measurement made in 1899 will be found in the table on page 503.

Data regarding Provo River canals.

Name of canal.	Year of appropriation.	Capital stock.	Number of shares.	Value of shares.	Dimensions of canal.		
					Length.	Width.	Depth.
					<i>Miles.</i>	<i>Feet.</i>	<i>Feet.</i>
Blue Cliff canal <i>a</i>	1884	\$50,000	2,000	\$25	7	6	2
Timpanogas canal.....	1878	4,125	165	25	6		
Provo Bench canal.....	1866				9.5		
Roberts's ditch <i>b</i>							
Park & Nuttall's ditch <i>b</i>							
Bomb & Richardson's ditch <i>b</i>							
Richmond & Penrod's ditch <i>b</i>							
Stubbs & Fergusson's ditch <i>b</i>							
West Union canal.....	1876	24,000	1,200	20	10		
Upper East Union canal.....	1872	17,220	1,722	10	7.5		
Lake Bottom canal.....	1858				7		
East Union canal <i>c</i>	1857				5.5		
Factory race.....	(<i>d</i>)				4.5	12	3.5
City race <i>c</i>					5		
Tanner's race <i>c</i>	1856				6		
Little Dry Creek canal.....	1852	4,000	400	10	4		

a In course of construction.

b Data not ascertained.

c Under control of city of Provo.

d Time of first appropriation not learned; second appropriation in 1872.

Duty of water of Provo River canals in 1899.

Name of canal.	Measurements.		Length of irrigation period.	Duty of water.			
	Date.	Discharge.		Area irrigated.	Amount used.		Depth.
	1899.	<i>Sec.-feet.</i>		<i>Acres.</i>	<i>Sec.-ft.</i>	<i>Acre-ft.</i>	<i>Feet.</i>
Bluff Cliff canal <i>a</i>		41.66	Apr. 1 to Sept. 1	b 2,700	b 41.66	b 12,643	b 4.68
Timpanogas canal.....	Aug. 16	{ <i>c</i> 10.40 <i>d</i> 7.84	Apr. 15 to Sept. 15	650	7.84	2,379	3.66
Provo Bench canal.....	Aug. 17	{ 53.65 <i>e</i> 57.96	Apr. 1 to Sept. 1	4,000	53.65	16,281	4.07
Roberts's ditch.....	do	2.80	Apr. 15 to Sept. 15				
Park & Nuttall's ditch.....	do	11.84	do				
Bomb & Richardson's ditch.....	Aug. 18	<i>f</i> 1.00	do				
Richmond & Penrod's ditch.....	do	<i>f</i> 4.00	do	<i>g</i> 1,200	10.00	3,035	2.52
Stubbs & Furgeson's ditch.....	do	<i>f</i> 5.00	do				
West Union canal.....	Aug. 17	55.98	do	3,500	55.98	16,988	4.85
Upper East Union canal.....	do	{ <i>c</i> 28.27 <i>d</i> 27.52					
Do	May 8	29.28	Apr. 15 to Sept. 15	680			
Lake Bottom canal.....	Aug. 17	7.14	do				
East Union canal.....	Aug. 18	18.22	do				
Factory race.....	do	51.44	do	<i>h</i> 300			
City race.....	do	12.40	do	380			
Tanner's race <i>i</i>	Aug. 17	16.94	do	490			
Little Dry Creek canal.....	do	4.64	do	400	4.64	1,408	3.52

a Not yet completed.*b* Calculated.*c* Near head.*d* Near laterals.*e* One-half mile above first measurement.*f* Float measurement.*g* These three canals irrigate low land.*h* Acreage reported by Walter Scott. of Provo; three-fifths of the stream used for power.*i* Irrigates city property almost exclusively.

SPANISH FORK.

Spanish Fork is the second river of importance in Utah Valley. It rises near Soldiers Summit, in the tops of the Wasatch Mountains, near the eastern rim of the Great Basin. Throughout the greater part of its course it passes through a deep and narrow canyon about 30 miles in length, enters Utah Valley in the southeast corner, and thence flows in a northwesterly direction into Utah Lake. The following canals divert water from it for irrigation purposes:

East Bench canal.—This canal heads a short distance above the mouth of Spanish Fork Canyon, on the north side of the river. It irrigates the high bench east of the city of Spanish Fork.

Salem Irrigation Company's canal.—This canal heads a short distance below the East Bench canal, but on the south side of the river. It was planned in 1868, and was constructed in 1869–70, by the labor of the appropriators. Measurements are made every year at the head gate, which is 4 feet wide, and the depth varies from 17 inches down. This is all that is known by the irrigators of the amount of water flowing in the canal. As a means of keeping the canal free from sediment and aquatic vegetation, it is dredged twice each week during the irrigation season. The dredge is made of a railroad rail bent in a V shape, the distance between the two ends of the rail being equal to the width of the canal. The dredge is fastened by the apex, with the flange down, to the rear end of a cart, and is drawn down the entire length of the canal. This keeps the canal free from vegetation, prevents the accumulation of silt, and eliminates the necessity of an annual clean-up.

South Field Irrigation Company's canal.—This canal is taken out of the river

on the south side, below the Salem canal. It irrigates what is known as the Spanish Fork south field. It was constructed in 1867, partly by labor of the appropriators and partly by contract. Measurements are made every week, by the water master, over a weir board. Measurement made in 1899 is given in the last table on this page.

City canal.—This canal heads on the north side of the river, and conducts the water northwesterly about 3 miles, to the city of Spanish Fork. The water is used for power and for irrigation purposes. After leaving the mills the water used for power purposes is again used for irrigation. The water is owned by three companies—Spanish Fork Municipal Corporation, Southeast Field Irrigation Company, and Spanish Fork West Field Irrigation Company. The canal was built in 1850, by day labor of the appropriators; in 1865 it was enlarged to its present size. To the division gates, where the water is divided into the three canals by weir gates, as they are called, it is controlled by the city of Spanish Fork.

Lake Shore canal.—This canal is the last one diverting water from Spanish Fork. It heads on the south side of the river, about 3 miles west of the city of Spanish Fork. The channel of the river at that point is cut deep into the sandy soil, and consequently the canal is very deep.

Data regarding Spanish Fork canals.

Name of canal.	Year of appropriation.	Capital stock.	Number of shares.	Value of shares.	Dimensions.		
					Length.	Width.	Depth.
					<i>Miles.</i>	<i>Feet.</i>	<i>Feet.</i>
East Bench canal.....							
Salem Irrigation Company's canal.....		\$44,160	2,208	\$20.00	6		
South Field Irrigation Company's canal.....	1867	39,600	3,300	12.00	7		
City canal.....					<i>a</i> 3		
Spanish Fork Municipal Corporation canal.....	1850						
Southeast Field Irrigation Company's canal.....	1865						
Spanish Fork West Field Irrigation Company's canal.....	1865						
Lake Shore canal.....							

a Length of main canal, exclusive of laterals.

Duty of water of Spanish Fork canals in 1899.

Name of canal.	Measurements.		Length of irrigation period.	Duty of water.			
	Date.	Dis-charge.		Area irrigated.	Amount used.		Depth.
		<i>Sec.-ft.</i>		<i>Acres.</i>	<i>Sec.-ft.</i>	<i>Acre-ft.</i>	<i>Feet.</i>
East Bench canal.....	1899. May 11	80.47					
Do.....	Aug. 22	28.19	May 1 to Sept. 15	5,000	54.30	15,940	3.19
Salem Irrigation Company's canal.....	do	22.05	do	2,208	22.05	6,473	2.93
South Field Irrigation Company's canal.....	do	37.39	do	4,000	37.39	10,976	2.74
City canal.....	do	38.51	do	6,500	38.51	11,807	1.74

AMERICAN FORK.

Beginning at the north end, the first river entering Utah Valley is the American Fork. This stream is probably the third in importance. It rises in the northeastern part of Utah County, on the western slope

of the Wasatch Mountains, and flows in a southwesterly direction into Utah Lake. The water is used for power and for irrigation purposes. It is very cold and is perfectly transparent as it emerges from the deep canyon into the valley. The power plant is above the headworks of the canals, and all of the water reenters the river before any is diverted for irrigation purposes. All of the water in the river is diverted at the mouth of the canyon into three canals, namely, the Lehi canal, the American Fork canal, and the Pleasant Grove canal. A crib weir is placed across and at right angles to the river bed, being held in place by rock filling. The upper side of the weir is made impervious by planking and earth filling. Near the top of the weir are four rectangular openings, which allow the water to flow into the respective canals, two of the openings being for the American Fork canal. The admission of water is regulated by means of flashboards. The waters of the American Fork are divided as follows: Lehi canal, one-third from July 1 to September 20, one-sixth from September 20 to July 1; American Fork canal, eight twenty-firsts during the irrigation period; Pleasant Grove canal, two-sevenths from April 15 to September 20, and from September 20 to April 15 only sufficient for culinary purposes.

Lehi canal.—This canal is on the north side of the canyon, and has a westerly course to Lehi, a distance of 5 miles. A shortage of water occurs each year, due to an insufficient amount in the river.

American Fork canal.—This canal receives its water through the middle portion of the river weir. The direction of the canal is southwest, following the old river bed the greater part of the distance to the city of American Fork. The water is under the control of that city. The rights were acquired by appropriation. They belong to the land for which the water was appropriated and can not be transferred. There has always been a shortage of water, not more than half the necessary quantity being available, but there has been no litigation on that account, probably because the distribution is under municipal control.

Pleasant Grove canal.—This canal receives its water from the south opening in the American Fork weir. The direction of the canal is southeasterly to Pleasant Grove. It irrigates the city lots of Pleasant Grove and the fields in that vicinity.

Duty of water of American Fork canals in 1899.

Name of canal.	Measurements.		Length of irrigation period.	Duty of water.			
	Date.	Discharge.		Area irrigated.	Amount used.		Depth.
	1899.	<i>Sec.-ft.</i>		<i>Acres.</i>	<i>Sec.-ft.</i>	<i>Acre-ft.</i>	<i>Feet.</i>
Lehi canal.....	Aug. 25	17.82	Apr. 1 to Sept. 20				
American Fork canal	May 9	73.91do.....	7,000			
Do.....	Aug. 25	28.85		51.38	17,631	2.52
Pleasant Grove canal	May 9	39.40					
Do.....	Aug. 25	10.71	Apr. 1 to Sept. 20	5,000	25.05	8,596	1.72

HOBBLE CREEK.

Hobble Creek enters Utah Valley at about the center of its eastern side, and irrigates the land in Springville and the immediate vicinity.

All of the canals diverting water from the creek are under the control of the city of Springville. A water privilege consists of the right to use a certain amount of water, apportioned by the water master, for three hours per acre each three weeks. These rights were acquired by appropriation, and can not be transferred from one party to another except by a transfer of the land. The chief water master is appointed by the city council for the term of one year. He in turn appoints sub water masters, who divide the water among the irrigators of their respective districts.

There is an annual tax of 6 cents per acre watered, to meet the expenses of the system. Usually there are six applications of the water to the land each year, some crops requiring more and some less than that number.

Nearly every year prior to 1899 there has been a shortage in the canals diverting water from Hobble Creek, but there has never been any litigation in consequence of the shortage. When the water becomes low in the latter part of the season the irrigators having the titles of most recent dates are deprived of the use of the water, all of which is reserved for those having prior rights.

Mapleton Reservoir canal.—This is the uppermost canal diverting water from Hobble Creek. It heads a short distance above the mouth of the canyon. It was constructed in 1878, by the appropriators. In the spring of 1899 it was bought by the city of Springville for \$750, under an agreement which gave the former owners an equal right with the remainder of the Springville irrigators.

Mapleton Union canal.—This is the second canal diverting water from Hobble Creek. It takes its water from the south side of the stream. It was built in 1853 and went under the control of the city in 1877.

North Bench canal.—This is the third canal diverting water from the creek, and the uppermost on the north side. It was built in 1852. The seepage into it from the hillside was found to be 0.04 second-foot in a distance of three-fourths of a mile.

Island canal.—This is the fourth canal diverting water from the creek. It is taken out on the north side, and was constructed in 1851.

Sage Creek canal.—This is the fifth canal diverting water from the creek. It is on the south side of the stream. It was constructed in 1860, by the labor of the appropriators.

South Big Field ditch.—This canal diverts water from the north side of the creek. It was constructed in 1861.

City ditch.—This is the lowest ditch diverting water from Hobble Creek. It was constructed in 1850, by the labor of the owners.

Data regarding Hobble Creek canals.

Name of canal.	Year of appropriation.	Length of canal.
		<i>Miles.</i>
Mapleton Reservoir canal.....	1878	0.75
Mapleton Union canal.....	1868	3.0
North Bench canal.....	1852	3.0
Island canal.....	1851	1.0
Sage Creek canal.....	1860	1.5
South Big Field ditch.....	1861	2.0
City ditch.....	1850	1.0

Duty of water of Hobbie Creek canals in 1899.

Name of canal.	Measurements.		Length of irrigation period.	Duty of water.			
	Date.	Dis-charge.		Area irrigated.	Amount used.		Depth.
	1899.	<i>Sec.-feet.</i>		<i>Acres.</i>	<i>Sec.-ft.</i>	<i>Acre-ft.</i>	<i>Feet.</i>
Mapleton Reservoir canal.....	May 10	7.87	May 1 to Sept. 15	100	-----	-----	-----
Do.....	Aug. 21	3.09	-----	-----	-----	-----	-----
Mapleton Union canal.....	May 10	26.14	-----	-----	-----	-----	-----
Do.....	Aug. 21	17.95	May 1 to Sept. 15	2,400	22.12	6,055	2.52
Do.....	Aug. 21	19.11					
North Bench canal.....	May 10	11.65	-----	-----	-----	-----	-----
Do.....	Aug. 21	8.39	May 1 to Sept. 15	800	10.00	2,737	2.72
Island canal.....	do	4.02	do	250	4.02	1,101	4.40
Sage Creek canal.....	do	5.96	do	500	5.96	1,631	3.26
South Big Field ditch.....	do	5.52	do	800	5.52	1,511	1.89
City ditch.....	do	2.21	do	400	2.21	605	1.51

PETEETNETR CREEK.

Perhaps the best and most complete irrigation system in Utah Valley is that of Peteetnetr Creek. This stream has its source near the top of the high mountains north of Mount Nebo, about 10 miles southeast of Payson. At the head of the creek and its branches are five reservoirs. The largest covers 30 acres and has a mean depth of 10 feet; the next largest covers 25 acres and has a mean depth of 10 feet; the others cover from 7 to 10 acres each, with mean depths of from 5 to 7 feet. The dams are all of earth. The construction of the largest reservoir is under the charge of Mr. R. C. Gemmel, State engineer of Utah. The reservoirs were begun in 1887, but no benefits were derived from them until 1891. They are fed principally by the flood waters that occur during the spring, the springs flowing to them being small. The reservoirs and the creek are under the control of the city of Payson. There is an annual tax, for the maintenance of the system and the payment of the water master, of 25 cents per acre for farms and 65 cents per acre for city lots. The water of the creek and the reservoirs is divided into seventeen streams, through seventeen Cippoletti weirs, and the water of the streams is distributed on a time basis. The area irrigated is 1,400 acres. The flow of the creek is measured above all diversions over a rectangular weir with 12 feet length of crest.

Measurements over weir on Peteetnetr Creek in 1899.

Date.	Depth of water.	Dis-charge.	Dis-charge for month.	Depth for month.
1899.	<i>Feet.</i>	<i>Sec.-ft.</i>	<i>Acre-ft.</i>	<i>Feet.</i>
May 1.....	0.6667	21.3	4,396	3.14
May 15.....	2.1667	121.8	-----	-----
June 1.....	1.4167	65.2	-----	-----
June 15.....	.8333	29.7	2,826	2.02
July 1.....	.7083	23.3	-----	-----
July 15.....	.6667	21.3	1,371	.98
August 1.....	.5729	17.0	-----	-----
August 15.....	.5417	15.6	1,002	.71

NOTE.—The number of acre-feet and the depth are greater than those actually used, the measurements being made a great distance from the land to which the water was applied, and there being considerable loss by seepage and evaporation.

The water of the creek was appropriated in 1851. The water master, appointed by the city council, attends to the general division of the water at the weirs. When necessary he appoints sub water masters to attend to the subdivision. At the beginning of each irrigation season the water master issues to each irrigator a schedule stating the time at which he is to take the water for each turn during the entire season. There has not been a shortage of water on this stream since 1888, and there has been no litigation on account of shortage.

The principal crops raised are wheat, oats, potatoes, fruit, and sugar beets. Of the last, 160 acres were raised in 1898, the average yield being 18 tons per acre. This would make a total of 2,880 tons, the value of which, at \$3.75 per ton, would be \$10,800, or \$67.50 per acre.

CURRENT CREEK.

This creek heads near the western base of Mount Nebo. Its general course is north. It is about 12 miles long, and empties into Utah Lake at the extreme southern end.

Its waters are impounded by a dam placed across the channel about 1 mile west of Goshen. This reservoir is used as a distribution basin, from which seven canals receive their supply of water. The creek irrigates about 2,500 acres. The irrigation period extends from April 1 to October 1.

On the west side of Mount Nebo, in the south end of Utah County, in what is known as Mona Valley, is the Mount Nebo Land and Irrigation Company's reservoir, which when full covers about 2,000 acres to a mean depth of 12 feet, and is supplied by the winter flow of Current Creek. The dam is built of selected and graded earth. The top length is 215 feet, the bottom length 125 feet. The bottom width is 101 feet, the top width 10 feet, the height 25 feet. About 25 feet down the lower slope there is a 3-foot berm. The entire dam is covered with riprap. The outlet tunnel is cut through the solid rock, about 37 feet below the surface. The valves are of the kind known as the butterfly valve—fastened to vertical shafts and operated from the valve house by a worm gear. The spillway is cut through the solid rock around the northern end of the dam. It is 25 feet wide, 5 feet deep, 200 feet long, and its crest is 5 feet below the top of the dam. The water is drawn off and emptied into the old creek bed below the dam, and is carried down the canyon about 2 miles to the division gates, where the reservoir water is diverted into the canal of the Mount Nebo Irrigation Company, and the natural flow of the stream is allowed to pass down the old channel. The water of the Mount Nebo Irrigation Company is conducted by a semicircular stave flume the greater part of the distance down the canyon. One crossing of the canyon is made on a trestle and another by means of an inverted siphon. At each end of the siphon the flume is gradually

contracted into the pipe. In 1899 the water from this reservoir irrigated about 2,100 acres, but there was only about five-sixths of the quantity necessary to mature the crops. There are about 10,000 acres of land tributary to the canal.

SUMMIT CREEK.

Summit Creek rises in the tops of the mountains on the south-central side of Utah Valley. Its course is northwest, and its length about 8 miles. The first and only measurement of the stream made by the writer was on August 23, 1899. The discharge at that time was 14.64 second-feet. The stream is owned and controlled by the Santaquin Irrigation and Canal Company, which was incorporated in 1875. The irrigation season is from April 1 to October 25.

GOSHEN WARMSPRINGS CREEK.

This creek rises in the level of Goshen Valley—adjacent to Utah Valley at the extreme southern end—near the base of the Nebo Range, and irrigates land on the east side of Goshen Valley. On August 23, 1899, the aggregate discharge of the streams, three in number, was estimated to be 5.5 second-feet, which was an average of the flow for the season. The number of acres irrigated is 825. The irrigation season extends from April 1 to October 1, or 183 days. The total discharge during that time would be 2,006 acre-feet, which would cover the 825 acres to a depth of 2.42 feet. The crops raised are meadow hay, alfalfa, and grain.

ROCK CANYON CREEK.

This stream flows from a deep canyon northeast of the city of Provo, and irrigates land lying between the foot of the mountains and the Timpanogas canal. The irrigation season extends from April 1 to September 1. The mean discharge during the irrigation season is nearly 4 second-feet, or a total of 1,214 acre-feet. The area irrigated is 400 acres, which would be covered to a depth of 3.04 feet. The soil consists of a gravel and sand wash. The crops raised are grain and alfalfa.

SPRING LAKE CREEK.

This creek has its source in a small lake or pond which covers 20 acres to a mean depth of 4 feet. It is used as a storage reservoir and also as a means of raising the water sufficiently to irrigate the higher land. A measurement of the stream was made on August 23, 1899, the discharge being 2.89 second-feet. The number of acres irrigated is 150.

RATING TABLES.

The following pages contain the rating tables for the various river stations described in Water-Supply Papers Nos. 47 to 51, inclusive. In each case the table shows the relation which has been found to exist during the year 1900 between the height of water on the gage and the discharge in cubic feet per second. The tables have been prepared from measurements made during 1900 or previous years, and are used in computing the daily flow, the results of which will be published in the Twenty-second Annual Report, Part IV.

Referring to the tables, the numbers in parentheses in the box heads are the pages in the Water-Supply Papers of the series for 1900 (Nos. 47 to 51, inclusive) on which the various gaging stations are described. At the end of the descriptions are given the results of discharge measurements made during 1900 and the daily gage heights. From these and earlier data the relation of gage height to discharge has been deduced. Take, for example, the first table—Delaware River at Lambertville, New Jersey. On page 80 of Water-Supply Paper No. 47 is given the daily gage height, in feet, at that station during the year 1900. On March 1 the gage height was 5.40 feet. The flow equivalent to that gage height is shown in the following table to be 20,300 second-feet. With the gage heights and the rating tables at hand, the daily and monthly flow of any stream can easily be determined. The latter (the monthly discharge) has been worked up for most of the stations maintained by the Survey, and will, as already stated, be published in the Twenty-second Annual Report, Part IV.

Rating tables for stations in New Jersey, Pennsylvania, Maryland, and West Virginia.

[Numbers in box heads refer to pages in Water-Supply Papers Nos. 47 and 48.]

Gage height, in feet.	Discharge, in second-feet.									
	Delaware River at Lambertville, N. J. (80).	North Branch of Susquehanna River at Wilkesbarre, Pa. (110).	North Branch of Susquehanna River at Danville, Pa. (111).	West Branch of Susquehanna River at Allentown, Pa. (111).	Junata River at Newport, Pa. (112).	Susquehanna River at Harrisburg, Pa. (113).	Potomac River at Woodstock, Md. (115).	North Branch of Potomac River at Piedmont, W. Va. (115).	Antietam Creek near Sharpsburg, Md. (117).	North Branch of Shenandoah River near Riverton, Va. (118).
0.0						2,500				
0.2						2,230				
0.4						4,020				
0.6						4,820				
0.8						5,720				
1.0						6,880				
1.2						8,150			38	1,140
1.4						9,450			60	1,370
1.6						10,750			95	1,650
1.8						12,300			154	1,950
2.0						13,900			217	2,260
2.2						15,500			281	2,600
2.4						17,300			348	2,960
2.6						19,300			416	3,340
2.8						21,300			485	3,740
3.0						23,400			560	4,160
3.2						25,625			635	4,600
3.4						27,925			715	5,060
3.6						30,300			887	5,540
3.8						32,800			1,001	6,050
4.0						35,400			1,215	6,600
4.2						38,100			1,329	7,190
4.4						41,100			1,443	7,790
4.6						44,590			1,557	8,410
4.8						48,170			1,671	9,040
5.0						51,750			1,785	9,680
5.2						55,330			2,875	10,320
5.4						58,910			3,105	10,960
5.6						62,490			3,335	11,600
5.8						66,070			3,565	12,240
6.0						69,650			3,795	12,880
6.2						73,230			4,025	13,520
6.4						76,810			4,255	14,160
6.6						80,390			4,485	14,800
6.8						83,970			4,715	15,440
7.0						87,550			4,945	16,080
7.2						91,130			5,175	16,720
7.4						94,710				
7.6						98,290				
7.8						101,870				
8.0						105,450				
8.2						109,030				
8.4						112,610				
8.6						116,190				
8.8						119,770				
9.0						123,350				
9.2						126,930				
9.4						130,510				
9.6						134,090				
9.8						137,670				
10.0						141,250				
10.2						144,830				
10.4						148,410				
10.6						151,990				
10.8						155,570				
11.0						159,150				
11.2						162,730				
11.4						166,310				
11.6						169,890				
11.8						173,470				
12.0						177,050				
12.2						180,630				
12.4						184,210				
12.6						187,790				
12.8						191,370				
13.0						194,950				
13.2						198,530				
13.4						202,110				
13.6						205,690				
13.8						209,270				
14.0						212,850				
14.2						216,430				
14.4						220,010				
14.6						223,590				
14.8						227,170				
15.0						230,750				
15.2						234,330				
15.4						237,910				
15.6						241,490				
15.8						245,070				
16.0						248,650				
16.2						252,230				
16.4						255,810				
16.6						259,390				
16.8						262,970				
17.0						266,550				

Rating tables for stations in Maryland, Virginia, North Carolina, and South Carolina.

[Numbers in box heads refer to pages in Water-Supply Paper No. 48.]

Discharge, in second-feet.												
Gage height, in feet.	Monocacy River near Frederick, Md. (125).	North (of James) River at Glasgow, Va. (127).	James River at Buchanan, Va. (128).	James River at Cartersville, Va. (128).	Roanoke River at Roanoke, Va. (130).	Roanoke River at Neal, N. C. (131).	Tar River at Tarboro, N. C. (134).	Neuse River at Selma, N. C. (135).	Cape Fear River at Fayetteville, N. C. (137).	Yadkin River at Salisbury, N. C. (139).	Catawba River at Rockhill, S. C. (144).	Broad River (of the Carolinas) near Alston, S. C. (146).
0.2				720	55	1,440	a 290	b 150				
.4				910	85	1,560	350	184	330			
.6				1,150	120	1,680	410	218	375			
.8		280		1,420	170	1,800	480	252	429			
1.0		350		1,730	240	1,920	550	290	489			
1.2		450		2,060	325	2,050	620	330	550	1,040		
1.4		580		2,420	420	2,180	690	370	612	1,300	1,550	
1.6		720	310	2,800	540	2,310	760	413	678	1,560	1,750	
1.8		890	360	3,200	670	2,440	840	459	744	1,870	2,030	1,210
2.0	1,090	430	430	3,600	820	2,580	920	505	810	2,250	2,390	1,470
2.2	1,300	540	540	4,000	1,010	2,720	1,000	555	876	2,750	2,830	1,735
2.4	1,520	670	670	4,410	1,240	2,860	1,080	605	946	3,250	3,380	2,010
2.6	1,750	840	840	4,830	1,540	3,000	1,160	658	1,022	3,790	4,060	2,300
2.8	1,990	1,050	1,050	5,260	1,920	3,140	1,240	714	1,103	4,370	4,880	2,720
3.0	2,240	1,330	1,330	5,700	2,325	3,280	1,320	770	1,187	4,950	5,750	3,160
3.2	2,500	1,650	1,650	6,140	2,735	3,420	1,400	830	1,273	5,610	6,632	3,620
3.4	2,760	1,980	1,980	6,580	3,145	3,560	1,480	890	1,367	6,285	7,516	4,080
3.6	45	2,300	2,300	7,040	3,555	3,700	1,565	951	1,467	6,990	8,400	4,540
3.8	90	2,690	2,690	7,520	3,965	3,840	1,655	1,013	1,567	7,720	9,284	5,000
4.0	150	3,090	3,050	8,010	4,375	3,980	1,745	1,075	1,674	8,450	10,168	5,460
4.2	210	3,490	3,440	8,520	4,785	4,120	1,845	1,141	1,782	9,270	11,052	5,920
4.4	270	4,190	3,840	9,040	5,195	4,260	1,945	1,207	1,890	10,100	11,936	6,410
4.6	340	4,490	4,240	9,560	5,605	4,400	2,045	1,274	1,994	10,960	12,820	6,910
4.8	420	4,810	4,640	10,080	6,015	4,540	2,155	1,342	2,102	11,880	13,704	7,410
5.0	500	5,130	5,060	10,580	6,425	4,680	2,265	1,410	2,210	12,800	14,588	7,910
5.5	750	6,010	6,060	11,380	7,040	5,055	2,565	1,590	2,470	15,250	16,798	9,200
6.0	1,020	6,910	7,210	12,680	8,065	5,430	2,865	1,780	2,740	18,000	19,008	11,000
6.5	1,450	7,870	8,410	14,030	9,090	5,830	3,205	1,980	3,010	21,000	21,218	13,135
7.0	1,880	8,900	9,660	15,380	10,115	6,230	3,580	2,190	3,280	24,060	23,428	15,270
7.5	2,310	9,970	10,910	16,730	11,140	6,705	3,955	2,415	3,550	27,130	25,638	17,420
8.0	2,740	11,070	12,190	18,080	12,165	7,200	4,330	2,645	3,822	30,425	27,848	19,570
8.5	3,170		13,490			7,700	4,745	2,895	4,102	33,750	30,058	21,745
9.0	3,600		14,790			8,200	5,160	3,160	4,382	37,125	32,268	23,920
9.5	4,030		16,090			8,730	5,575	3,435	4,672	40,500	34,478	26,095
10.0	4,460		17,420			9,280	5,990	3,710	4,955	43,950	36,688	28,270
10.5	4,890		18,770			9,830	6,405	4,000	5,245	47,560	38,898	30,520
11.0	5,320		20,120			10,380	6,820	4,305	5,535	51,250	41,108	32,770
11.5	5,750		21,520			10,955	7,235	4,630	5,833	55,000	43,318	35,020
12.0	6,180		22,920			11,530	7,650	4,965	6,133	58,750	45,528	37,270
12.5	6,610		24,320			12,105	8,070	5,325	6,433	62,625		39,520
13.0	7,040		25,720			12,680	8,490	5,700	6,733	66,525		41,770
13.5	7,470		27,120			13,255	8,925	6,075	7,033	70,425		44,020
14.0	7,900		28,530			13,830	9,370	6,465	7,333	74,325		46,270
14.5	8,330		29,930			14,405	9,820	6,855	7,633	78,275		48,520
15.0	8,760		31,330			15,000	10,270	7,250	7,933	82,500		50,770
16.0	9,620		34,130			16,200	11,170	8,050	8,541	91,000		55,270
17.0	10,480					17,430	12,070	8,880	9,161	99,600		59,770
18.0	11,340					18,680	12,970	9,710	9,781	108,200		64,270
19.0						20,080	13,870	10,540	10,401	116,800		68,770
20.0						22,000	14,850	11,370	11,569			73,270
25.0						40,400			18,364			
30.0									25,159			
35.0									33,600			
40.0									44,000			
45.0									54,500			
50.0									65,000			

a Continued: Gage height —0.2, discharge 134; gage height 0.0, discharge 230.

b Continued: Gage height —0.2, discharge 113; gage height 0.0, discharge 120.

Rating tables for stations in South Carolina and Georgia.

[Numbers in box heads refer to pages in Water-Supply Paper No. 48.]

Discharge, in second-feet.												
Gage height, in feet.	Saluda River at Waterloo, S. C. (147).	Tallulah River at Tallulah Falls, Ga. (148).	Tugaloo River near Madison, S. C. (149).	Savannah River near Callhoun Falls, S. C. (149).	Savannah River at Augusta, Ga. (150).	Broad River (of Georgia) near Carlton, Ga. (151).	Oconee River near Dublin, Ga. (152).	Yellow River at Almon, Ga. (153).	Towaliga River near Juliette, Ga. (154).	Ocmulgee River at Macon, Ga. (155).	Flint River at Woodbury, Ga. (157).	Chattahoochee River at Oakdale, Ga. (158).
—0.8							1,015					
—0.6							1,095					
—0.4							1,185					
—0.2							1,300					
—0.0							1,425					
0.2							1,552					
0.4							1,681					
0.6							1,812					
0.8							1,945					
1.0							2,080		120			
1.2							2,218		135			
1.4							2,358	200	154	940	1,000	
1.6						380	2,500	230	177	1,140	1,245	1,630
1.8						450	2,644	260	204	1,250	1,500	1,780
2.0	300	700	1,000	1,760		540	2,790	290	237	1,360	1,780	2,100
2.2	320	840	1,090	1,990		660	2,938	330	273	1,480	2,060	2,270
2.4	340	980	1,180	2,280		800	3,089	370	309	1,600	2,340	2,450
2.6	360	1,120	1,275	2,690		940	3,243	410	345	1,720	2,600	2,690
2.8	380	1,260	1,375	3,150		1,080	3,400	455	381	1,840	2,900	2,810
3.0	405	1,400	1,475	3,900		1,220	3,560	505	417	1,960	3,460	3,000
3.2	450	1,540	1,580	4,770		1,370	3,720	555	453	2,080	3,740	3,200
3.4	510	1,680	1,690	5,640		1,520	3,890	605	489	2,200	4,020	3,405
3.6	600	1,820	1,800	6,510		1,680	4,070	660	525	2,320	4,300	3,615
3.8	720	1,960	1,920	7,380		1,840	4,260	720	561	2,440	4,580	3,825
4.0	850	2,100	2,060	8,250	2,350	2,000	4,460	780	597	2,560	4,860	4,035
4.2	980		2,220	9,120	2,470	2,180	4,672	850	633	2,680	5,140	4,250
4.4	1,110		2,380	9,990	2,695	2,360	4,888	920	669	2,800	5,420	4,470
4.6	1,240		2,540	10,860	2,725	2,550	5,108	990	705	2,920	5,700	4,700
4.8	1,375		2,700	11,735	2,860	2,750	5,332	1,080	741	3,040	5,980	4,930
5.0	1,515		2,860	12,600	3,009	2,950	5,560	1,175	777	3,160	6,260	5,160
5.2	1,660		3,020	13,470	3,160	3,160	5,788	1,275	813	3,280	6,540	5,420
5.4	1,820		3,180	14,340	3,340	3,390	6,016	1,375	849	3,400	6,820	5,700
5.6	1,980		3,340	15,210	3,540	3,640	6,244	1,480	885	3,520	7,100	6,000
5.8	2,140		3,500	16,080	3,760	3,900	6,472	1,585	921	3,640	7,380	6,300
6.0	2,300		3,660	16,950	4,000	4,160	6,700	1,690	957	3,760	7,660	6,600
6.2	2,460		3,820	17,820	4,230	4,420	6,927	1,795	993	3,880	7,940	6,900
6.4	2,620		3,980	18,690	4,480	4,680	7,155	1,899	1,029	3,960	8,220	7,200
6.6	2,780		4,140	19,560	4,740	4,940	7,383	2,004	1,065	4,080	8,500	7,500
6.8	2,940		4,300	20,430	5,000	5,200	7,611	2,109	1,101	4,160	8,780	7,800
7.0	3,100		4,460	21,300	5,260	5,460	7,839	2,214	1,137	4,240	9,060	8,100
7.2	3,260		4,620	22,170	5,530	5,720	8,067	2,319	1,173	4,320	9,340	8,400
7.4	3,420		4,780	23,040	5,800	6,000	8,295	2,424	1,209	4,400	9,620	8,700
7.6	3,580		4,940	23,910	6,070	6,260	8,523	2,529	1,245	4,480	9,900	9,000
7.8	3,740		5,100	24,780	6,340	6,540	8,751	2,634	1,281	4,560	10,180	9,300
8.0	3,900		5,260	25,650	6,620	6,820	8,979	2,739	1,317	4,640	10,460	9,600
8.2	4,060		5,420	26,520	6,900	7,100	9,207	2,844	1,353	4,720	10,740	9,900
8.4	4,220		5,580	27,390	7,180	7,380	9,435	2,949	1,389	4,800	11,020	10,200
8.6	4,380		5,740	28,260	7,460	7,660	9,663	3,054	1,425	4,880	11,300	10,500
8.8	4,540		5,900	29,130	7,740	7,940	9,891	3,159	1,461	4,960	11,580	10,800
9.0	4,700		6,060	30,000	8,020	8,220	10,119	3,264	1,497	5,040	11,860	11,100
9.2	4,860		6,220	30,870	8,300	8,500	10,347	3,369	1,533	5,120		11,400
9.4	5,020		6,380	31,740	8,580	8,780	10,575	3,474	1,569	5,200		11,700
9.6	5,180		6,540	32,610	8,860	9,060	10,803	3,579	1,605	5,280		12,000
9.8	5,340		6,700	33,480	9,140	9,340	11,031	3,684	1,641	5,360		12,300
10.0	5,500		6,860	34,350	9,420	9,620	11,259	3,789	1,677	5,440		12,600
10.2	5,660		7,020	35,220	9,700	9,900	11,487	3,894	1,713	5,520		12,900
10.4	5,820		7,180	36,090	9,980	10,180	11,715	3,999	1,749	5,600		13,200
10.6	5,980		7,340	36,960	10,260	10,460	11,943	4,104	1,785	5,680		13,500
10.8	6,140		7,500	37,830	10,540	10,740	12,171	4,209	1,821	5,760		13,800
11.0	6,300		7,660	38,700	10,820	11,020	12,399	4,314	1,857	5,840		14,100
11.2	6,460		7,820	39,570	11,100	11,300	12,627	4,419	1,893	5,920		14,400
11.4	6,620		7,980	40,440	11,380	11,580	12,855	4,524	1,929	6,000		14,700
11.6	6,780		8,140	41,310	11,660	11,860	13,083	4,629	1,965	6,080		15,000
11.8	6,940		8,300	42,180	11,940	12,140	13,311	4,734	1,999	6,160		15,300
12.0	7,100		8,460	43,050	12,220	12,420	13,539	4,839	2,035	6,240		15,600
12.2	7,260		8,620	43,920	12,500	12,700	13,767	4,944	2,071	6,320		15,900
12.4	7,420		8,780	44,790	12,780	12,980	13,995	5,049	2,107	6,400		16,200
12.6	7,580		8,940	45,660	13,060	13,260	14,223	5,154	2,143	6,480		16,500
12.8	7,740		9,100	46,530	13,340	13,540	14,451	5,259	2,179	6,560		16,800
13.0	7,900		9,260	47,400	13,620	13,820	14,679	5,364	2,215	6,640		17,100
13.2	8,060		9,420	48,270	13,900	14,100	14,907	5,469	2,251	6,720		17,400
13.4	8,220		9,580	49,140	14,180	14,380	15,135	5,574	2,287	6,800		17,700
13.6	8,380		9,740	50,010	14,460	14,660	15,363	5,679	2,323	6,880		18,000
13.8	8,540		9,900	50,880	14,740	14,940	15,591	5,784	2,359	6,960		18,300
14.0	8,700		10,060	51,750	15,020	15,220	15,819	5,889	2,395	7,040		18,600
14.2	8,860		10,220	52,620	15,300	15,500	16,047	5,994	2,431	7,120		18,900
14.4	9,020		10,380	53,490	15,580	15,780	16,275	6,099	2,467	7,200		19,200
14.6	9,180		10,540	54,360	15,860	16,060	16,503	6,204	2,503	7,280		19,500
14.8	9,340		10,700	55,230	16,140	16,340	16,731	6,309	2,539	7,360		19,800
15.0	9,500		10,860	56,100	16,420	16,620	16,959	6,414	2,575	7,440		20,100
15.2	9,660		11,020	56,970	16,700	16,900	17,187	6,519	2,611	7,520		20,400
15.4	9,820		11,180	57,840	16,980	17,180	17,415	6,624	2,647	7,600		20,700
15.6	9,980		11,340	58,710	17,260	17,460	17,643	6,729	2,683	7,680		21,000
15.8	10,140		11,500	59,580	17,540	17,740	17,871	6,834	2,719	7,760		21,300
16.0	10,300		11,660	60,450	17,820	18,020	18,099	6,939	2,755	7,840		21,600
16.2	10,460		11,820	61,320	18,100	18,300	18,327	7,044	2,791	7,920		21,900
16.4	10,620		11,980	62,190	18,380	18,580	18,555	7,149	2,827	8,000		22,200
16.6	10,780		12,140	63,060	18,660	18,860	18,783	7,254	2,863	8,080		22,500
16.8	10,940		12,300	63,930	18,940	19,140	19,011	7,359	2,899	8,160		22,800
17.0	11,100		12,460	64,800	19,220	19,420	19,239	7,464	2,935	8,240		23,100
17.2	11,260		12,620	65,670	19,500	19,700	19,467	7,569	2,971	8,320		23,400
17.4	11,420		12,780	66,540	19,780	19,980	19,695	7,674	3,007	8,400		23,700
17.6	11,580		12,940	67,410	20,060	20,260	19,923	7,779	3,043	8,480		24,000
17.8	11,740		13,100	68,280	20,340	20,540	20,151	7,884	3,079	8,560		24,300
18.0	11,900		13,260	69,150	20,620	20,820	20,37					

Rating tables for stations in Georgia, Alabama, Maryland, and Virginia.

[Numbers in box heads refer to pages in Water-Supply Paper No. 48.]

Discharge, in second-feet.												
Gage height, in feet.	Chattahoochee River at West Point, Ga. (159).	Etowah River at Canton, Ga. (160).	Coosawattee River at Carters, Ga. (161).	Oostanaula River at Resaca, Ga. (162).	Coosa River at Rome, Ga. (163).	Coosa River near River-side, Ala. (164).	Tallapoosa River near Susanna, Ala. (166).	Tallapoosa River near Milledge, Ala. (168).	Black Warrior River at Tuscaloosa, Ala. (170).	Big Sandy Creek near Dadeville, Ala. (174).	Youghiogheny River at Friendsville, Md. (176).	New River at Radford, Va. (178).
1.0		275										
1.2		385										
1.4		515										
1.6		665										
1.8		820										
2.0		988										
2.2		1,154			1,930							
2.4	935	1,320			2,110	2,460						1,400
2.6	1,000	1,486			2,350	2,760						1,800
2.8	1,180	1,652	425		2,600	3,100	1,680					2,220
3.0	1,380	1,818	495		2,850	3,500	1,960	1,450				2,700
3.2	1,600	1,984	575		3,120	3,940	2,320	1,675				3,250
3.4	1,840	2,150	670		3,400	4,400	2,740	1,900				3,860
3.6	2,100	2,316	765		3,700	4,900	3,230	2,125				4,500
3.8	2,380	2,482	865		4,000	5,430	3,850	2,350				5,175
4.0	2,680	2,648	970		4,300	5,970	4,730	2,575				5,915
4.2	3,000	2,814	1,075		4,600	6,530	5,630	2,800	1,000			6,665
4.4	3,340	2,980	1,180		4,900	7,100	6,530	3,025	1,090			7,415
4.6	3,700	3,146	1,290		5,230	7,700	7,430	3,250	1,180	1,110		8,185
4.8	4,080	3,312	1,400		5,580	8,330	8,330	3,475	1,270	1,500		9,060
5.0	4,480	3,478	1,510		5,930	8,970	9,230	3,700	1,370	1,830		10,060
5.2	4,920	3,644	1,625		6,300	9,620	10,130	3,925	1,470	2,070		11,190
5.4	5,370	3,810	1,750		6,700	10,300	11,090	4,150	1,570	2,310		12,320
5.6	5,880	3,976	1,875		7,100	11,000	11,990	4,375	1,670	2,550		13,480
5.8	6,400	4,142	2,010		7,504	11,700	12,830	4,600	1,780	2,790		14,680
6.0	6,940	4,308	2,145		7,906	12,400	13,730	4,825	1,890	3,030		15,910
6.2	7,490	4,474	2,280		8,308	13,100	14,630	5,050	2,000	3,270		17,140
6.4	8,040	4,640	2,415		8,710	13,800	15,530	5,275	2,111	3,510		18,400
6.6	8,600	4,806	2,550		9,115	14,550	16,430	5,500	2,222	3,750		19,690
6.8	9,170	4,972	2,690		9,520	15,300	17,330	5,730	2,333			20,990
7.0	9,750	5,138	2,830		9,930	16,050	18,230	5,950	2,444			22,300
7.2	10,340	5,304	2,970		10,340	16,800	19,130	6,175	2,555			23,620
7.4	10,940	5,470	3,110		10,750	17,550	20,030	6,400	2,666			24,950
7.6	11,550	5,636	3,250		11,160	18,300	20,930	6,625	2,777			26,290
7.8	12,170	5,802	3,390		11,570	19,050	21,830	6,850	2,888			27,640
8.0	12,800	5,968	3,530		11,980	19,800	22,730	7,075	2,999			29,000
8.2	13,430	6,134	3,670		12,390	20,550	23,630	7,300	3,110			30,370
8.4	14,070	6,300	3,810		12,800	21,300	24,530	7,525	3,221			31,750
8.6	14,710	6,466	3,950		13,210	22,050	25,430	7,750	3,332			33,140
8.8	15,360	6,632	4,090		13,620	22,800	26,330	7,975	3,443			34,540
9.0	16,010	6,798	4,230		14,030	23,550	27,230	8,200	3,554			35,950
9.2	16,660	6,964	4,370		14,440	24,300	28,130	8,425	3,665			37,370
9.4	17,310	7,130	4,510		14,850	25,050	29,030	8,650	3,776			38,800
9.6	17,960	7,296	4,650		15,260	25,800	30,000	8,875	3,887			40,240
9.8	18,610	7,462	4,790		15,670	26,550	30,900	9,100	3,998			41,690
10.0	19,260	7,628	4,930		16,080	27,300	31,800	9,325	4,109			43,150
10.2	19,910	7,794	5,070		16,490	28,050	32,700	9,550	4,220			44,620
10.4	20,560	7,960	5,210		16,900	28,800	33,600	9,775	4,331			46,100
10.6	21,210	8,126	5,350		17,310	29,550	34,500	9,999	4,442			47,590
10.8	21,860	8,292	5,490		17,720	30,300	35,400	10,225	4,553			49,090
11.0	22,510	8,458	5,630		18,130	31,050	36,300	10,450	4,664			50,600
11.2	23,160	8,624	5,770		18,540	31,800	37,200	10,675	4,775			52,120
11.4	23,810	8,790	5,910		18,950	32,550	38,100	10,900	4,886			53,650
11.6	24,460	8,956	6,050		19,360	33,300	39,000	11,125	4,997			55,190
11.8	25,110	9,122	6,190		19,770	34,050	40,000	11,350	5,108			56,740
12.0	25,760	9,288	6,330		20,180	34,800	41,000	11,575	5,219			58,300
12.2	26,410	9,454	6,470		20,590	35,550	42,000	11,800	5,330			59,870
12.4	27,060	9,620	6,610		21,000	36,300	43,000	12,025	5,441			61,450
12.6	27,710	9,786	6,750		21,410	37,050	44,000	12,250	5,552			63,040
12.8	28,360	9,952	6,890		21,820	37,800	45,000	12,475	5,663			64,640
13.0	29,010	10,118	7,030		22,230	38,550	46,000	12,700	5,774			66,250
13.2	29,660	10,284	7,170		22,640	39,300	47,000	12,925	5,885			67,870
13.4	30,310	10,450	7,310		23,050	40,050	48,000	13,150	5,996			69,500
13.6	30,960	10,616	7,450		23,460	40,800	49,000	13,375	6,107			71,140
13.8	31,610	10,782	7,590		23,870	41,550	50,000	13,600	6,218			72,790
14.0	32,260	10,948	7,730		24,280	42,300	51,000	13,825	6,329			74,450
14.2	32,910	11,114	7,870		24,690	43,050	52,000	14,050	6,440			76,120
14.4	33,560	11,280	8,010		25,100	43,800	53,000	14,275	6,551			77,800
14.6	34,210	11,446	8,150		25,510	44,550	54,000	14,500	6,662			79,490
14.8	34,860	11,612	8,290		25,920	45,300	55,000	14,725	6,773			81,190
15.0	35,510	11,778	8,430		26,330	46,050	56,000	14,950	6,884			82,900
15.2	36,160	11,944	8,570		26,740	46,800	57,000	15,175	6,995			84,620
15.4	36,810	12,110	8,710		27,150	47,550	58,000	15,400	7,106			86,350
15.6	37,460	12,276	8,850		27,560	48,300	59,000	15,625	7,217			88,090
15.8	38,110	12,442	8,990		27,970	49,050	60,000	15,850	7,328			89,840
16.0	38,760	12,608	9,130		28,380	49,800	61,000	16,075	7,439			91,600
16.2	39,410	12,774	9,270		28,790	50,550	62,000	16,300	7,550			93,370
16.4	40,060	12,940	9,410		29,200	51,300	63,000	16,525	7,661			95,150
16.6	40,710	13,106	9,550		29,610	52,050	64,000	16,750	7,772			96,940
16.8	41,360	13,272	9,690		30,020	52,800	65,000	16,975	7,883			98,740
17.0	42,010	13,438	9,830		30,430	53,550	66,000	17,200	7,994			100,550
17.2	42,660	13,604	9,970		30,840	54,300	67,000	17,425	8,105			102,370
17.4	43,310	13,770	10,110		31,250	55,050	68,000	17,650	8,216			104,200
17.6	43,960	13,936	10,250		31,660	55,800	69,000	17,875	8,327			106,040
17.8	44,610	14,102	10,390		32,070	56,550	70,000	18,100	8,438			107,890
18.0	45,260	14,268	10,530		32,480	57,300	71,000	18,325	8,549			109,750
18.2	45,910	14,434	10,670		32,890	58,050	72,000	18,550	8,660			111,620
18.4	46,560	14,600	10,810		33,300	58,800	73,000	18,775	8,771			113,500
18.6	47,210	14,766	10,950		33,710	59,550	74,000	19,000	8,882			115,390
18.8	47,860	14,932	11,090		34,120	60,300	75,000	19,225	8,993			117,290
19.0	48,510	15,098	11,230		34,530	61,050	76,000	19,450	9,104			119,200
19.2	49,160	15,264	11,370		34,940	61,800	77,000	19,675	9,215			121,120
19.4	49,810	15,430	11,510		35,350	62,550	78,000	19,900	9,326			123,050
19.6	50,460	15,596	11,650		35,760	63,300	79,000	20,125	9,437			125,000
19.8	51,110	15,762	11,790		36,170	64,050	80,000	20,350	9,548			126,960
20.0	51,760	15,928	11,930		36,580	64,800	81,000	20,575	9,659			128,930
20.2	52,410	16,094	12,070		36,990							

Rating tables for stations in West Virginia, North Carolina, Tennessee, Georgia, and Ohio.

[Numbers in box heads refer to pages in Water-Supply Papers Nos. 48 and 49.]

Discharge, in second-feet.												
Gage height, in feet.	Greenbrier River at Alderson, W. Va. (178).	New River at Fayette, W. Va. (181).	French Broad River near Asheville, N. C. (186).	Tuckasegee River at Bryson, N. C. (188).	Little Tennessee River at Judson, N. C. (189).	Hiwassee River at Murphy, N. C. (190).	Hiwassee River at Reliance, Tenn. (191).	Hiwassee River at Charleston, Tenn. (192).	Toccoa River near Blue-ridge, Ga. (193).	Tennessee River at Chattanooga, Tenn. (195).	Olenangy River at Columbus, Ohio (218).	Scioto River at Columbus, Ohio (219).
0.0		1,840										
0.2		1,960						1,200				
0.4		2,080						1,380				
0.6		2,240						1,580				
0.8		2,400						1,820				
1.0		2,560		300			1,030	2,100		6,600	8	
1.2	60	2,750		500			1,180	2,400		8,040	55	
1.4	120	2,950		700			1,415	2,710		8,820	145	
1.6	220	3,160		950			1,750	3,040		9,620	247	
1.8	350	3,380		1,200			2,100	3,370		10,430	365	
2.0	505	3,610	800	1,510			2,450	3,700	255	11,250	494	
2.2	685	3,850	890	1,850	325		2,800	4,030	318	12,080	635	
2.4	920	4,100	1,020	2,190	427		3,150	4,360	387	12,930	795	
2.6	1,205	4,380	1,190	2,540	596		3,500	4,690	460	13,800	978	
2.8	1,535	4,690	1,380	2,900	828		3,850	5,020	550	14,680	1,185	
3.0	1,900	5,030	1,610	3,260	1,060		4,200	5,350	675	15,600	1,415	
3.2	2,330	5,290	1,880	3,650	1,310		4,550	5,680	837	16,550	1,535	
3.4	2,770	5,650	2,190	4,075	1,595		4,900	6,010	1,035	17,550	1,850	
3.6	3,240	6,010	2,530	4,550	1,935		5,250	6,340	1,235	18,550	2,090	
3.8	3,720	6,370	2,900	5,125	2,315		5,600	6,670	1,435	19,600	2,330	
4.0	4,200	6,730	3,290	5,750	2,695		5,950	7,000	1,635	20,800	2,580	
4.2	4,680	7,090	3,710	6,400	3,075		6,300	7,330	1,835	22,040	2,850	
4.4	5,160	7,460	4,210	7,050	3,455		6,650	7,660	2,035	23,280	3,135	
4.6	5,660	7,860	4,730	7,700	3,850	240		7,990		24,520	3,445	
4.8	6,180	8,260	5,350	8,350	4,250	310		8,320		25,760	3,789	
5.0	6,700	8,660	6,000	9,000	4,650	415		8,650		27,000	4,135	
5.5	8,000	9,730	7,750	10,950	5,650	745		9,475		30,100	5,015	
6.0	9,500	10,880	9,500	13,450	6,720	1,325		10,300		33,200	5,905	
6.5	11,000	12,060	11,250	16,300	7,845	2,200		11,125		36,300	6,795	
7.0	12,500	13,250	13,000	19,175	9,030	3,075		11,950		39,400	7,685	
7.5	14,000	14,530	14,750	22,050	10,420	3,950		12,775		42,500		
8.0	15,600	15,830	16,500	24,925	12,200	4,825		13,600		45,600		
8.5	17,300	17,130	18,250	27,800	14,200	5,700		14,425		48,700		
9.0	19,000	18,480	20,000	30,675	16,200	6,600		15,250		51,800		9
9.5	20,700	19,870		33,550	18,450	7,500		16,075		54,900		91
10.0	22,500	21,310		36,425	20,700	8,400		16,900		58,000		275
11.0	26,500	24,480		42,300	27,400	10,200		18,550		64,200		778
12.0	31,200	27,900			37,400	12,000		20,200		70,400		1,440
13.0	36,200	31,500			48,000	13,800				76,600		2,240
14.0	41,200	35,160				15,600				82,800		3,300
15.0	46,200	38,960				17,400				89,000		4,580
16.0						19,200				95,200		6,130
17.0						21,000				101,400		8,000
18.0						22,800				107,600		
19.0						24,600				113,800		
20.0										120,000		
22.0										132,400		
24.0										144,800		
26.0										157,200		
28.0										169,600		
30.0										182,000		
32.0										194,400		
34.0										206,800		
36.0										219,200		
38.0										231,600		
40.0										244,000		

Rating tables for stations in Montana and Wyoming.

[Numbers in box heads refer to pages in Water-Supply Paper No. 49.]

Gage height, in feet.	Discharge, in second-feet.									
	West Gallatin River near Salesville, Mont. (260).	Middle Creek near Bozeman, Mont. (261).	Gallatin River at Logan, Mont. (262).	Madison River near Redbluff, Mont. (263).	Jefferson River at Sappington, Mont. (264).	Missouri River at Townsend, Mont. (265).	Milk River at Havre, Mont. (267).	Yellowstone River near Livingston, Mont. (268).	Bighorn River near Thermopolis, Wyo. (269).	Grand Encampment Creek at Peryam's ranch, Wyo. (273).
0.0		48				a 1,620		b 2,150	c 210	d 1,060
.2		88				1,825		2,375	400	1,340
.4		153	240			2,090		2,605	620	1,620
.6		232	345			2,415		2,855	940	1,920
.8		321	460			2,810		3,130	1,340	2,220
1.0		417	605	860		3,255		3,420	1,770	2,520
1.2			765	1,230	305	3,825		3,730	2,210	2,820
1.4			940	1,640	435	4,450	12	4,075	2,650	3,120
1.6			1,130	2,075	600	5,140	30	4,440	3,090	3,430
1.8			1,345	2,530	775	5,880	50	4,830	3,530	3,770
2.0			1,575	3,005	980	6,650	76	5,275	3,970	4,150
2.2			1,800	3,515	1,205	7,440	109	5,740	4,410	4,570
2.4			2,075	4,040	1,455	8,265	149	6,220	4,850	5,020
2.6			2,350	4,570	1,725	9,140	189	6,730	5,290	5,485
2.8	330		2,665	5,110	2,020	10,010	248	7,270	5,730	5,955
3.0	440		2,995	5,655	2,325	10,955	315	7,840	6,170	6,430
3.2	560		3,335	6,220	2,645	11,825	396	8,470	6,610	6,910
3.4	700		3,685	6,810	2,980	12,730	485	9,140	7,050	7,390
3.6	850		4,055		3,330	13,690	587	9,860	7,490	7,870
3.8	1,020		4,425		3,690	14,600	700	10,660	7,930	8,350
4.0	1,200		4,805		4,050	15,525	820	11,540	8,370	8,830
4.2	1,405				4,410	16,460	940	12,485	8,810	9,310
4.4	1,630				4,780	17,340	1,070	13,475	9,250	9,790
4.6	1,870				5,150		1,205	14,530	9,690	
4.8	2,125				5,520		1,350	15,645	10,130	
5.0	2,395				5,890		1,500	16,875	10,570	
5.2	2,685				6,270		1,650		11,010	
5.4	2,990				6,655				11,450	
5.6	3,300				7,045					
5.8	3,610				7,445					
6.0	3,925				7,845					
6.2	4,245				8,255					
6.4	4,570				8,665					
6.6	4,900				9,075					
6.8	5,240				9,485					
7.0	5,580				9,905					

a Eighty-eight feet should be added to the gage heights for this station, making the first gage height read 88.0 instead of 0.0; the second 88.2 instead of 0.2, and so on.

b Continued: Gage height — 1.4, discharge 1,000; gage height — 1.20, discharge 1,120; gage height — 1.0, discharge 1,355; gage height — 0.8, discharge 1,420; gage height — 0.6, discharge 1,585; gage height — 0.4, discharge 1,760; gage height — 0.2, discharge 1,950.

c Continued: Gage height — 0.2, discharge 60.

d Continued: Gage height — 1.0, discharge 250; gage height — 0.8, discharge 370; gage height — 0.6, discharge 490; gage height — 0.4, discharge 610; gage height — 0.2, discharge 780.

Rating tables for stations in Colorado and Kansas.

[Numbers in box heads refer to pages in Water-Supply Papers Nos. 49 and 50.]

Discharge, in second-feet.												
Gage height, in feet.	South Platte River near Platte Canyon, Colo. (280).	South Platte River at Denver, Colo. (281).	South Platte River at Orchard, Colo. (282).	Bear Creek near Mor- rison, Colo. (284).	Clear Creek at Forks- creek, Colo. (285).	Boulder Creek near Boulder, Colo. (287).	St. Vrain Creek near Lyons, Colo. (288).	Big Thompson Creek near Arkins, Colo. (290).	Republican River at Junction, Kans. (313).	Solomon River near Niles, Kans (314).	Saline River near Sa- lina, Kans. (315).	Smoky Hill River at Ellsworth, Kans. (316).
-0.2	a 109											
0	133											
0.2	160											
0.4	190											
0.6	225					32						
0.8	267					47						
1.0	317		105	9		77						
1.2	374		121	11		115						
1.4	436		139	15	32	161						
1.6	505		157	19	58	220						
1.8	581		175	23	93	292						
2.0	665		196	27	133	367						
2.2	754		224	31	179	444						
2.4	850		260	36	235	522						
2.6	954		340	42	299	603						
2.8	1,066		614	48	367	688						
3.0	1,185		984	55	441	778						
3.2	1,305		1,354	63	522	870						
3.4	1,425		1,724	71	614							
3.6	1,545		2,094	80	719							
3.8	1,665		2,464	91	832							
4.0	1,785		2,834	103	946							
4.2	1,905		3,204	116	1,060							
4.4	2,025		3,574	131	1,174							
4.6	2,145		3,944	148	1,288							
4.8	2,265		4,314	169	1,402							
5.0	2,385	70	4,684	197								
5.2	2,505	113	5,054	232								
5.4	2,625	160	5,424	271								
5.6	2,745	213	5,794	316								
5.8		273	6,164	367								
6.0		341	6,534	421								
6.2		422	6,904	475								
6.4		551	7,274	529								
6.6		727	7,644	583								
6.8		903	8,014	637								
7.0		1,079	8,384	691								
7.2		1,255	8,754									
7.4		1,433	9,124									
7.6		1,755	9,494									
7.8		2,077	9,864									
8.0		2,399	10,234									
8.5		2,723										
9.0		3,533										
9.5		4,348										
10.0		5,163										
11.0												
12.0												
13.0												
14.0												
15.0												
16.0												
17.0												
18.0												
19.0												

a Continued: Gage height -1.0, discharge 33; gage height -0.8, discharge 50; gage height -0.6, discharge 68; gage height -0.4, discharge 87.

Rating tables for stations in Colorado, Wyoming, and Utah.

[Numbers in box heads refer to pages in Water-Supply Paper No. 50.]

Gage height, in feet.	Discharge, in second-feet.							
	Rio Grande near Del Norte, Colo. (347).	Conejos River near Los Mogotes, Colo. (348).	Rio Grande at Canicero, Colo. (348).	Black Fork of Green River near Granger, Wyo. (367).	Ashley Creek near Ver- nal, Utah (368).	Uinta River near White- rocks, Utah (369).	Whiterocks River near Whiterocks, Utah (369).	Duchesne River at Price road bridge, Utah (370).
-0.2				27			(a)	28
0.0				55				40
0.2				100				56
0.4				190	32			92
0.6				310	43			134
0.8			22	430	72	115		179
1.0			43	550	112	155		221
1.2	140		79	670	152	260		263
1.4	258		142	810	200	370		309
1.6	384		236	970	260	515		375
1.8	518	251	414	1,130	322	695		463
2.0	660	331	594	1,290	387	875		551
2.2	812	419	774	1,450	452	1,055	8	639
2.4	978	522	954	1,610	517	1,235	85	727
2.6	1,149	638	1,134	1,770	582		128	815
2.8	1,329		1,314	1,930	647		175	903
3.0	1,522		1,494	2,090	712		265	991
3.2	1,734		1,674		777		375	1,079
3.4	1,968		1,854		842	1,014	485	1,167
3.6	2,216		2,034		907	1,105	680	1,255
3.8	2,478		2,214		972	1,196	940	1,343
4.0	2,754		2,394				1,270	1,431
4.2	3,054		2,574				1,660	
4.4	3,354		2,754				2,050	
4.6	3,654		2,934				2,440	
4.8	3,954		3,114				2,830	
5.0	4,254		3,294					255
5.2	4,554							300
5.4	4,854							370
5.6	5,154							480
5.8	5,454							600
6.0	5,754							740
6.2								900
6.4								1,070
6.6								1,280
6.8								1,520
7.0								1,770
7.2								2,050
7.4								2,370
7.6								2,730
7.8								3,090
8.0								3,450
8.2								3,810
8.4								4,170
8.6								4,530
8.8								4,890
9.0								5,250
9.2								5,610
9.4								5,970
9.6								6,330
9.8								6,690

a Applicable from September 1, 1899, to May 31, 1900.

b Applicable from June 1, 1900, to December 31, 1900.

Rating tables for stations in Colorado, Arizona, Nevada, and California.

[Numbers in box heads refer to pages in Water-Supply Papers Nos. 50 and 51.]

[illegible]

Rating tables for stations in California, Nevada, Idaho, and Utah.

[Numbers in box heads refer to pages in Water-Supply Paper No. 51.]

Gage height, in feet.	Discharge, in second-feet.									
	Truckee River at Nevada-California State line (403).	Truckee River at Vista, Nev. (404).	Steamboat Creek at Steamboat Springs, Nev. (406).	Bear River at Battle-creek, Idaho (409).	Cub River at Franklin, Idaho (410).	Logan River near Logan, Utah (411).	Blacksmith Fork at Hyrum, Utah (412).	Bear River near Collins-ton, Utah (413).	Weber River near Uinta, Utah (414).	Provo River near Provo, Utah (416).
0.0										
0.2										
0.4										
0.6										
0.8										
1.0										
1.2										
1.4										
1.6	205	16						470		
1.8	264	48						580		
2.0	328	105						690		
2.2	401	188						815	135	
2.4	486	283						950	255	
2.6	582	380						1,105	375	
2.8	683	479						1,275	495	
3.0	788	580						1,450	615	
3.2	897	683						1,650	735	
3.4	1,010	789						1,850	855	
3.6	1,131	898						2,055	975	
3.8	1,264	1,009						2,280		
4.0	1,409	1,123						2,520		
4.2	1,566	1,239						2,760		
4.4	1,725	1,357						3,000		
4.6	1,885	1,477						3,250		
4.8								3,510		
5.0								3,770		
5.2								4,050		
5.4								4,350		
5.6								4,650		
5.8										
6.0										
6.2										
6.4										
6.6										

Rating tables for stations in Washington and California.

[Numbers in box heads refer to pages in Water-Supply Paper No. 51.]

Discharge, in second-feet.

Gage height, in feet.	Elwha River at McDon- ald, Wash. (447).	Calooya River near Forks, Wash. (448).	Soleduck River near Quillayute, Wash. (449).	Sacramento River at Jellys Ferry, Cal. (450).	Salinas River near Sali- nas, Cal. (451).	Stanislaus River near Oakdale, Cal. (455).	Tuolumne River at La- grange, Cal. (456).	San Joaquin River at Herrndon, Cal. (458).	San Joaquin River at Herrndon, Cal. (458).	King River near Red Mountain, Cal. (459).	Santa Ana River near Warm Springs, Cal. (475).
1.0		a 330	192					(b)	(c)		
1.2		400	230								
1.4		485	270								
1.6	510	575	310								
1.8	550	665	360								10
2.0	610	755	410								14
2.2	690	850	470					60	160		20
2.4	780	950	530					100	200		26
2.6	900	1,050	590					170	300		37
2.8	1,025	1,160	660					280	430		52
3.0	1,175	1,270	730					445	630		71
3.2	1,360	1,380	800					640	870		92
3.4	1,647	1,500	880					850	1,110		114
3.6	1,973	1,630	960		6		25	1,060	1,350	180	138
3.8	2,299	1,765	1,045		10		45	1,285	1,590	250	163
4.0	2,625	1,910	1,135	2,400	15		85	1,520	1,830	320	190
4.2	2,951	2,070	1,225	2,670	25		140	1,765	2,070	400	219
4.4	3,277	2,250	1,325	2,970	40	30	250	2,030	2,310	480	250
4.6	3,603	2,430	1,425	3,290	65	150	410	2,315	2,550	572	
4.8	3,929	2,615	1,535	3,630	105	230	570	2,620	2,790	676	
5.0	4,255	2,805	1,650	3,980	173	310	750	2,940	3,090	780	
5.2	4,581	3,000	1,775	4,360	285	420	950	3,275	3,290	908	
5.4	4,907	3,200	1,905	4,760	455	540	1,180	3,620	3,620	1,036	
5.6	5,233	3,400	2,050	5,170	650	680	1,440	3,985	3,985	1,170	
5.8	5,559	3,600	2,215	5,590	850	820	1,740	4,370	4,370	1,310	
6.0	5,885	3,800	2,390	6,030	1,050	960	2,080	4,775		1,450	
6.2	6,211	4,000	2,575	6,485	1,350	1,350	2,410	5,150		1,590	
6.4	6,537	4,200	2,765	6,955	1,650	1,650	2,740	5,550		1,730	
6.6	6,863	4,400	2,960	7,440	1,950	1,950	3,080	5,950		1,870	
6.8	7,189	4,600	3,155	7,935	2,250	2,250	3,420	6,350		2,010	
7.0	7,515	4,800	3,355	8,440	2,550	2,550	3,760	6,750		2,150	
7.2	7,841	5,000	3,545	8,950	2,850	2,850	4,100	7,150		2,290	
7.4	8,167	5,200	3,740	9,465	3,150	3,150	4,440	7,550		2,430	
7.6	8,493	5,400	3,935	9,985	3,450	3,450	4,780	7,950		2,570	
7.8	8,819	5,600	4,130	10,505	3,750	3,750	5,120	8,350		2,710	
8.0	9,145	5,800	4,325	11,030	4,050	4,050	5,460	8,750		2,850	
8.2	9,471	6,000	4,520	11,555	4,350	4,350	5,800	9,150		2,990	
8.4	9,797	6,200	4,715	12,080	4,650	4,650	6,140	9,550		3,130	
8.6	10,123	6,400	4,910	12,605	4,950	4,950	6,480	9,950		3,270	
8.8	10,449	6,600	5,105	13,130	5,250	5,250	6,820	10,350		3,410	
9.0	10,775	6,800	5,300	13,655	5,550	5,550	7,160	10,750		3,550	
9.2	11,101	7,000	5,495	14,180	5,850	5,850	7,500	11,150		3,690	
9.4	11,427	7,200	5,690	14,705	6,150	6,150	7,840	11,550		3,830	
9.6	11,753	7,400	5,885	15,230	6,450	6,450	8,180	11,950		3,970	
9.8	12,079	7,600	6,080	15,755	6,750	6,750	8,520	12,350		4,110	
10.0	12,405	7,800	6,275	16,280	7,050	7,050	8,860	12,750		4,250	
10.2	12,731	8,000	6,470	16,805	7,350	7,350	9,200	13,150		4,390	
10.4	13,057	8,200	6,665	17,330	7,650	7,650	9,540	13,550		4,530	
10.6	13,383	8,400	6,860	17,855	7,950	7,950	9,880	13,950		4,670	
10.8	13,709	8,600	7,055	18,380	8,250	8,250	10,220	14,350		4,810	
11.0	14,035	8,800	7,250	18,905	8,550	8,550	10,560	14,750		4,950	
11.2		9,000	7,445	19,430	8,850	8,850	10,900	15,150		5,090	
11.4		9,200	7,640	19,955	9,150	9,150	11,240	15,550		5,230	
11.6		9,400	7,835	20,480	9,450	9,450	11,580	15,950		5,370	
11.8		9,600	8,030	21,005	9,750	9,750	11,920	16,350		5,510	
12.0		9,800	8,225	21,530	10,050	10,050	12,260	16,750		5,650	
12.2		10,000	8,420	22,055	10,350	10,350	12,600	17,150		5,790	
12.4		10,200	8,615	22,580	10,650	10,650	12,940	17,550		5,930	
12.6		10,400	8,810	23,105	10,950	10,950	13,280	17,950		6,070	
12.8		10,600	9,005	23,630	11,250	11,250	13,620	18,350		6,210	
13.0		10,800	9,200	24,155	11,550	11,550	13,960	18,750		6,350	
13.2			9,395	24,680	11,850	11,850	14,300	19,150		6,490	
13.4			9,590	25,205	12,150	12,150	14,640	19,550		6,630	
13.6			9,785	25,730	12,450	12,450	14,980	19,950		6,770	
13.8			9,980	26,255	12,750	12,750	15,320	20,350		6,910	
14.0			10,175	26,780	13,050	13,050	15,660	20,750		7,050	
14.2			10,370	27,305	13,350	13,350	16,000			7,190	
14.4			10,565	27,830	13,650	13,650	16,340			7,330	
14.6			10,760	28,355	13,950	13,950	16,680			7,470	
14.8			10,955	28,880	14,250	14,250	17,020			7,610	
15.0			11,150	29,405	14,550	14,550	17,360			7,750	
15.2			11,345	29,930	14,850	14,850	17,700			7,890	
15.4			11,540	30,455	15,150	15,150	18,040			8,030	
15.6			11,735	30,980	15,450	15,450	18,380			8,170	
15.8			11,930	31,505	15,750	15,750	18,720			8,310	
16.0			12,125	32,030	16,050	16,050	19,060			8,450	
16.2			12,320	32,555	16,350	16,350	19,400			8,590	
16.4			12,515	33,080	16,650	16,650	19,740			8,730	
16.6			12,710	33,605	16,950	16,950	20,080			8,870	
16.8			12,905	34,130	17,250	17,250	20,420			9,010	
17.0			13,100	34,655	17,550	17,550	20,760			9,150	
17.2			13,295	35,180	17,850	17,850	21,100			9,290	
17.4			13,490	35,705	18,150	18,150	21,440			9,430	
17.6			13,685	36,230	18,450	18,450	21,780			9,570	
17.8			13,880	36,755	18,750	18,750	22,120			9,710	
18.0			14,075	37,280	19,050	19,050	22,460			9,850	
18.2			14,270	37,805	19,350	19,350	22,800			9,990	
18.4			14,465	38,330	19,650	19,650	23,140			10,130	
18.6			14,660	38,855	19,950	19,950	23,480			10,270	
18.8			14,855	39,380	20,250	20,250	23,820			10,410	
19.0			15,050	39,905	20,550	20,550	24,160			10,550	
19.2			15,245	40,430	20,850	20,850	24,500			10,690	
19.4			15,440	40,955	21,150	21,150	24,840			10,830	
19.6			15,635	41,480	21,450	21,450	25,180			10,970	
19.8			15,830	42,005	21,750	21,750	25,520			11,110	
20.0			16,025	42,530	22,050	22,050	25,860			11,250	
20.2			16,220	43,055	22,350	22,350	26,200			11,390	
20.4			16,415	43,580	22,650	22,650	26,540			11,530	
20.6			16,610	44,105	22,950	22,950	26,880			11,670	
20.8			16,805	44,630	23,250	23,250	27,220			11,810	
21.0			17,000	45,155	23,550	23,550	27,560			11,950	
21.2			17,195	45,680	23,850	23,850	27,900			12,090	
21.4			17,390	46,205	24,150	24,150	28,240			12,230	
21.6			17,585	46,730	24,450	24,450	28,580			12,370	
21.8			17,780	47,255	24,750	24,750	28,920			12,510	
22.0			17,975	47,780	25,050	25,050	29,260			12,650	
22.2			18,170	48,305	25,350	25,350	29,600			12,790	
22.4			18,365	48,830	25,650	25,650	29,940			12,930	
22.6			18,560	49,355	25,950	25,950	30,280			13,070	
22.8			18,755	49,880	26,250	26,250	30,620			13,210	
23.0			18,950	50,405	26,550	26,550	30,960			13,350	
23.2			19,145	50,930	26,850	26,850	31,300			13,490	
23.4			19,340	51,455	27,150	27,150	31,640			13,630	
23.6			19,535	51,980	27,450	27,450	31,980			13,770	
23.8			19,730	52,505	27,750	27,750	32,320			13,910	
24.0											

DRAINAGE AREAS.

The following table gives the areas of the drainage basins of rivers mentioned in this and other reports of the Division of Hydrography. A similar table was printed in Water-Supply Paper No. 11, pages 95 to 100. Most of the areas have been obtained by planimeter measurement of the best maps available, the topographic atlas sheets of the United States Geological Survey being used for such drainage basins as have been mapped.

Drainage areas of streams in the United States.

	Square miles.
Alabama River at Montgomery, Alabama.....	13,500
Alabama River at Selma, Alabama.....	15,400
Allegheny River at Warren, Pennsylvania.....	3,057
Allegheny River at Oil City, Pennsylvania.....	4,526
Allegheny River at Parkers Landing, Pennsylvania.....	6,019
Allegheny River at Mahoning, Pennsylvania.....	6,964
Allegheny River at Freeport, Pennsylvania.....	9,219
Allegheny River at Pittsburg, Pennsylvania.....	16,992
Allegheny River at mouth, Pennsylvania.....	11,400
Allens Creek (tributary of Genesee River) at mouth, New York.....	198
American Fork near American Fork, Utah.....	66
Androscoggin River below junction of Umbagog Outlet and Magalloway River, Maine.....	1,180
Androscoggin River at Berlin Falls, Maine.....	1,480
Androscoggin River at Rumford Falls, Maine.....	2,320
Androscoggin River at Livermore Falls, Maine.....	2,690
Androscoggin River at Lewiston, Maine.....	3,120
Androscoggin River at Brunswick, Maine.....	3,700
Angelica Creek (tributary of Genesee River) at mouth, New York.....	82
Animas River at Durango, Colorado.....	812
Antietam Creek at Sharpsburg, Maryland.....	293
Arkansas River, East Fork, near Leadville, Colorado.....	44
Arkansas River, Lake Fork, near Leadville, Colorado.....	21
Arkansas River, Tennessee Fork, near Leadville, Colorado.....	44
Arkansas River at Granite, Colorado.....	425
Arkansas River at Salida, Colorado, above South Fork.....	1,160
Arkansas River at Canyon, Colorado.....	3,060
Arkansas River at Swallows, Colorado.....	4,300
Arkansas River at Rock Canyon, Colorado.....	4,560
Arkansas River at Pueblo, Colorado.....	4,600
Arkansas River at Nepesta, Colorado.....	9,130
Arkansas River at Rockyford, Colorado.....	11,440
Arkansas River at La Junta, Colorado, including Fountain Creek drainage (1,011).....	12,200
Arkansas River at Lamar, Colorado.....	19,367
Arkansas River at Granada, Colorado.....	23,478
Arkansas River at railroad bridge above Holly, Colorado, including Animas River drainage (3,337).....	23,500
Arkansas River at Colorado-Kansas State line.....	24,600
Arkansas River at Hutchinson, Kansas.....	34,000
Arkansas River in Colorado.....	30,720
Arkansas River in Kansas.....	7,040
	<hr/> 37,760

Square miles.

Ashley Creek (tributary of Green River) at the canyon, Utah.....	250
Avery Creek (tributary of French Broad River) at bridge on road from Mills River to Asheville, North Carolina	8
Bald Creek (tributary of Nolichucky River) at mouth, North Carolina.....	15
Bald Mountain Creek 1 mile above mouth, North Carolina.....	16
Basin Creek (tributary of Caliente Creek), California	96
Battenkill River at mouth, New York.....	438
Battle Creek at Battlecreek, Michigan.....	180
Battle Creek at mouth, Michigan	244
Bear Creek at Morrison, Colorado	170
Bear Creek (tributary of Nolichucky River) at Flat Rock, North Carolina.....	10
Bear Creek (tributary of Holston River) at mouth, Virginia.....	17
Bear River at Soda Springs, Idaho	3,940
Bear River at Battlecreek, Idaho.....	4,500
Bear River at Collinston, Utah	6,000
Beards Creek (tributary of Genesee River) at mouth, New York	41
Beaver Creek (tributary of New River) at mouth, North Carolina	16
Beaver Creek (tributary of Nolichucky River) at mouth, near Sprucepine, North Carolina	6
Beaver Dam Creek (tributary of French Broad River) 50 yards above mouth, North Carolina	14
Beaver Dam Creek (tributary of Watauga River) at Leander, North Caro- lina	21
Beaver Dam Creek (tributary of Holston River) at Damascus, Virginia.....	57
Beaverkill Creek (tributary of Delaware River) at mouth, New York.....	322
Beaver River above Beaver, New York	153
Beaver River below Beaver, New York.....	169
Beaver River at mouth, New York.....	322
Beech Creek (tributary of Watauga River) above mouth of Fogey Creek, North Carolina.....	16
Big Bugaboo Creek (tributary of Yadkin River) at ford on road from Roar- ing River to Elkin, North Carolina	17
Big Elkin Creek (tributary of Yadkin River) at railroad trestle at Elkin, North Carolina	35
Big Goose Creek at Sheridan, Wyoming, below mouth of Little Goose Creek	320
Bighorn River at Thermopolis, Wyoming.....	8,184
Big Ivy Creek (tributary of French Broad River) one-eighth mile below mouth of Bull Creek, North Carolina	158
Big Laurel Creek (tributary of New River) at mouth, North Carolina.....	29
Big Pine Creek (tributary of French Broad River) above mouth, North Carolina	16
Big Rock Creek (tributary of Nolichucky River) at ford on Hunt Dale- Bakersville road, North Carolina.....	60
Big Sandy Creek at Dadeville, Alabama	195
Big Thompson Creek at Arkins, Colorado	305
Bitterroot River at Missoula, Montana.....	3,260
Black Creek, Upper (tributary of Genesee River), at mouth, New York.....	39
Black Creek, Lower (tributary of Genesee River), at mouth, New York.....	212
Black River at Forestport, New York	268
Black River at Lyons Falls, below Moore River, New York.....	810
Black River at Carthage, New York	1,741
Black River at Watertown, New York, gaging station.....	1,889
Black River at mouth, New York	1,930

	Square miles.
Blackfoot River foot marshes in sec. 12, T. 5 S., R. 40 E., Idaho.....	666
Blackfoot River at Bonner, Montana.....	2,465
Black Fork of Green River 3 miles west of Granger, Wyoming.....	1,747
Black Fork of Green River at Granger, Wyoming, including Hams Fork.....	2,400
Blacksmith Fork at Hyrum, Utah.....	286
Black Warrior River at Tuscaloosa, Alabama.....	4,900
Blue River at Manhattan, Kansas.....	9,490
Blue River in Kansas.....	2,450
Blue River in Nebraska.....	7,040
	<hr/>
	9,490
Boardman River at Traverse, Michigan.....	295
Boise River at Boise, Idaho.....	2,450
Boise River at Caldwell, Idaho.....	3,360
Boone Fork of Watauga River at Shull's mill, North Carolina.....	9
Boulder Creek at Boulder, Colorado.....	179
Bowlen Creek (tributary of Nolichucky River) near Burnsville, North Carolina.....	6
Boylston Creek (tributary of French Broad River) at bridge near mouth, North Carolina.....	17
Broad River, South Fork, at mouth, Georgia.....	215
Broad River, North Fork, at Carlton, Georgia.....	762
Broad River at bridge above mouth of Buffalo Creek, North Carolina.....	72
Broad River at Gaffney, South Carolina.....	1,435
Broad River at Alston, South Carolina.....	4,609
Brown Creek (tributary of Nolichucky River) at ford on Marion-Micaville road, North Carolina.....	2
Bruneau River at Grandview, Idaho.....	1,800
Brush Creek (tributary of Watauga River) near Carter, Tennessee.....	15
Buck Creek (tributary of Catawba River) near mouth, North Carolina.....	33
Buffalo Creek (tributary of Broad River) at main ford, North Carolina.....	11
Buffalo Creek (tributary of New River) one-eighth mile above mouth, North Carolina.....	24
Buffalo Creek (tributary of Watauga River) at mouth, Tennessee.....	39
Butternut Creek (tributary of Susquehanna River) at mouth, New York.....	123
Byars Creek (tributary of Holston River) at mouth, Virginia.....	8
Cache la Poudre River at Fort Collins, Colorado.....	1,060
Caliente Creek, California:	
Tehachapi Creek.....	108
Caliente Creek proper.....	219
Basin Creek.....	96
	<hr/>
	423
Calowa River at Forks, Washington.....	213
Canadaway Creek, West Branch, above Fredonia, New York.....	4
Canadian River in Kansas.....	5,110
Canadian River in New Mexico.....	16,900
Canadian River in Texas.....	18,620
	<hr/>
	40,630
Canandaigua Outlet at inlet, head of Canandaigua Lake, New York.....	85
Canandaigua Outlet at foot of Canandaigua Lake, New York.....	175
Canandaigua Outlet at Phelps, New York.....	390
Canandaigua Outlet at junction with Mud Creek, New York.....	431
Canaseraga Creek (tributary of Genesee River) at mouth, New York.....	259
Cancomgomoc River at entrance into Chesuncook Lake, Maine.....	230
Caneadea Creek (tributary of Genesee River) at mouth, New York.....	63

Square miles.

Cane Creek (tributary of Nolichucky River) one-half mile above mouth, North Carolina.....	30
Cane Creek (tributary of Catawba River) near mouth, North Carolina ..	16
Caney Creek (tributary of French Broad River) at bridge near Westfall's place, North Carolina.....	88
Caney River (tributary of Nolichucky River) near Big Tom Wilson's, North Carolina.....	21
Caney River (tributary of Nolichucky River) 1½ miles above mouth, North Carolina.....	148
Caney River (tributary of Nolichucky River) at mouth near Huntedale, North Carolina.....	158
Canisteo River (tributary of Chemung River) at mouth, New York	780
Cape Fear River at Fayetteville, North Carolina	4,493
Carson River near Empire, Nevada.....	894
Carson River, East Fork, at Rodenbahs, Nevada.....	414
Carson River, West Fork, at Woodfords, California.....	70
Catawba River, North Fork, near mouth, North Carolina.....	84
Catawba River near Oldfort, North Carolina.....	12
Catawba River at Morganton, North Carolina.....	758
Catawba River at Lookout Shoals, North Carolina	1,424
Catawba River at Catawba, North Carolina.....	1,514
Catawba River at Fort Mill, South Carolina	2,987
Catherines Creek (tributary of Seneca River) at mouth, New York.....	94
Cathey Creek (tributary of French Broad River) at ford of Brevard-Jeptha road, North Carolina.....	11
Cattail Branch (tributary of Nolichucky River) near Burnsville, North Carolina.....	7
Cayadutta Creek below Johnstown, New York, gaging station	40
Cayadutta Creek at mouth, New York.....	62
Cayuga Inlet (tributary of Cayuga Lake, New York), including Cascadilla Creek.....	173
Cayuga Lake at outlet, New York.....	1,593
Cayuta Creek (tributary of Susquehanna River) at mouth, New York...	148
Cazenovia Lake at outlet, New York.....	9
Cedar Creek (tributary of Holston River) at mouth, Virginia.....	6
Chama River at Abiquiu, New Mexico.....	2,300
Champlain Lake in New York.....	2,950
Champlain Lake in Vermont	4,270
Champlain Lake in Quebec	740
Champlain Lake, area of water surface	400
Chattahoochee River at Oakdale, Georgia.....	8,360
Chattahoochee River at West Point, Georgia.....	1,560
Charlotte River (tributary of Susquehanna River) at mouth, New York...	3,300
Chautauqua Outlet at Chautauqua Lake, New York	178
Chautauqua Outlet below Cassadaga Creek, New York.....	178
Cheat River at Uneva, West Virginia.....	343
Cheat River at Rowlesburg, West Virginia.....	1,375
Chemung River at junction of Canisteo and Cohocton rivers, New York..	886
Chemung River at Elmira, New York.....	1,941
Chemung River at mouth, New York	2,055
Chenango River (tributary of Susquehanna River) above Canasawacta Creek, New York.....	2,518
	297

	Square miles.
Chenango River (tributary of Susquehanna River) above Tioughnioga, New York.....	685
Chenango River (tributary of Susquehanna River) at mouth, New York.....	1,540
Chenevas Creek (tributary of Susquehanna River) at mouth, New York.....	127
Chenunda Creek (tributary of Genesee River) at mouth, New York.....	30
Cherry Valley Creek (tributary of Susquehanna River) at mouth, New York.....	121
Cheyenne River in Montana.....	3,750
Cheyenne River in Nebraska.....	17,910
Cheyenne River in North Dakota.....	39,770
Cheyenne River in South Dakota.....	40,840
Cheyenne River in Wyoming.....	12,030
	114,300
Chittenango Creek at Bridgeport, New York, gaging station, including Cazenovia Lake.....	307
Chittenango Creek at mouth, New York.....	309
Chowchilla Creek above sec. 1, T. 9 S., R. 18 E., California.....	268
Cimarron River at Arkalon, Kansas.....	5,200
Clam Lakes at outlet, Michigan (water surface 6.7 square miles).....	67
Clam River at mouth, Michigan.....	307
Clarion River (tributary of Allegheny River) at Clarion, Pennsylvania.....	865
Clear Creek 4 miles west of Buffalo, Wyoming.....	118
Clear Creek at Forkscreek, Colorado, gaging station.....	345
Clear Creek near Granite, Colorado.....	72
Clear Creek (tributary of Catawba River) near mouth, North Carolina.....	3
Clyde River at Lyons, New York, junction of Canandaigua Outlet and Mud Creek.....	729
Clyde River at Clyde, New York.....	807
Clyde River at mouth, New York.....	869
Cobbosseecontee River near Augusta, Maine.....	230
Cohocton River (tributary of Chemung River) at mouth, New York.....	425
Cohocton River (tributary of Susquehanna River) at mouth, New York.....	425
Colbert Creek (tributary of Nolichucky River) at ford on Micaville-Marion road, North Carolina.....	2
Cold Creek (tributary of Genesee River) at mouth, New York.....	41
Colorado River at Austin, Texas.....	37,000
Colorado River in Arizona ¹	56,182
Colorado River in California ¹	8,610
Colorado River in Colorado ¹	5,490
Colorado River in Nevada ¹	3,200
Colorado River in New Mexico ¹	19,000
Colorado River in Utah ¹	21,633
	114,115
Colorado River at Yuma, Arizona.....	225,049
Columbia River in Idaho.....	7,880
Columbia River in Oregon.....	24,093
Columbia River in Montana.....	25,000
Columbia River in Washington.....	26,160
	81,133
Conasauga River at mouth, New York.....	723
Conejos River at Los Mogotes, Colorado.....	282
Conejos River at Conejos, Colorado.....	333

¹ Not including Grand, Green, nor Gila basins.

	Square miles.
Conesus Lake (tributary of Genesee River) at mouth, New York.....	89
Connecticut River at Holyoke, Massachusetts.....	8,660
Connecticut River at Hartford, Connecticut.....	10,234
Conemaugh River (tributary of Allegheny River) at Saltsburg, Pennsylvania.....	1,403
Conemaugh River (tributary of Allegheny River) at Johnstown, Pennsylvania.....	711
Coosa River at Rome, Georgia.....	4,006
Coosa River at Lock No. 4, Alabama.....	7,053
Coosa River at Riverside, Alabama.....	7,065
Coosa River at Lock No. 5, Alabama.....	7,648
Coosawattee River at Carters, Georgia.....	531
Coosawattee River at mouth, Georgia.....	885
Coquago Creek (tributary of Delaware River) at mouth, New York.....	82
Coshaqua Creek (tributary of Genesee River) at mouth, New York.....	82
Cottonwood Creek, South Fork, near Buena Vista, Colorado.....	28
Cottonwood Creek, Middle Fork, near Buena Vista, Colorado.....	37
Cove Creek (tributary of Green River) near mouth, North Carolina.....	7
Cove Creek (tributary of Watauga River) at mouth, North Carolina.....	39
Cove Creek (tributary of Broad River) at bridge on Rutherfordton road, North Carolina.....	78
Crabtree Creek (tributary of Nolichucky River) at ford on Burnsville-Sprucepine road, North Carolina.....	20
Crawford Creek (tributary of Genesee River) at mouth, New York.....	12
Crib Creek (tributary of Catawba River) near mouth, North Carolina.....	10
Croton River at old Croton Dam, New York.....	338
Croton River at new Croton Dam, New York.....	360
Cryder Creek (tributary of Genesee River) at mouth, New York.....	43
Cub River at Franklin, Idaho.....	53
Curtis Creek (tributary of Catawba River) near mouth, North Carolina.....	11
Dan River at South Boston, Virginia.....	2,750
Dan River at Clarksville, Virginia.....	3,798
Davidson River (tributary of French Broad River) at county bridge near mouth, North Carolina.....	48
Dead River at mouth, Maine.....	1,000
Deep River at Cumnock, North Carolina.....	1,110
Deep River at Moncure, North Carolina.....	1,400
Deer River (tributary of Black River) at mouth, New York.....	107
Delaware River, West Branch, at Deposit, below Coquago (Oquago) Creek, New York.....	519
Delaware River, West Branch, at mouth, New York.....	685
Delaware River above the mouth of Beaver Kill, New York.....	520
Delaware River below junction of East and West branches, New York.....	1,604
Delaware River below Port Jervis, New York.....	3,252
Delaware River below mouth of Neversink River, New York.....	3,600
Delaware River at Pennsylvania State line.....	2,580
Delaware River at Delaware Water Gap, Pennsylvania.....	4,176
Delaware River at Lambertville, New Jersey.....	6,855
Delaware River at mouth, Wilmington, Delaware.....	11,895
Denton Valley Creek (tributary of Holston River) at mouth, Virginia.....	12
Deschutes River at Moro, Oregon.....	9,900
Desplaines River at Riverside, Illinois.....	633
Doe Creek (tributary of Watauga River) one-half mile above mouth, Tennessee.....	43

Square miles.

Doe River (tributary of Watauga River) 1 mile above Elizabethton, Tennessee.....	140
Doe River (tributary of Watauga River) at Allentown, Tennessee.....	72
Dolores River, West Fork, Colorado.....	160
Dolores River at Dolores, Colorado, gaging station.....	524
Dolores River at Dolores, Colorado, including Lost Canyon Creek (59)....	583
Dolores River at intake of ditch system, Colorado.....	586
Dowagiac River (tributary of St. Joseph River) at mouth, Michigan.....	281
Dry Gulch Creek (tributary of Duchesne River) at mouth, Utah.....	260
Duchesne River above Strawberry Creek, Utah.....	703
Duchesne River at Lake Fork, Utah.....	2,247
Duchesne River at Price road bridge, Utah.....	2,746
Duchesne River at mouth, Utah.....	3,985
Dungeness River at Sequim, Washington, gaging station.....	145
Dutch Creek (tributary of Watauga River) at Valle Cruces, North Carolina.....	11
Dykes Creek at mouth, New York.....	68
East branch or fork of any river, <i>see</i> the river.....	
East Canada Creek at Dolgeville, New York.....	256
East Canada Creek at mouth, New York.....	283
Eaton Brook (tributary of Chenango River) at mouth, New York.....	11
Elk Creek (tributary of New River) at Elk crossroads, North Carolina.....	10
Elk Creek (tributary of New River) 200 yards above mouth, Virginia.....	82
Elk Creek, North Fork, at Banners Elk, North Carolina.....	4
Elk Creek, South Fork, at Banners Elk, North Carolina.....	7
Elk Creek (tributary of Watauga River) at Lineback, Tennessee.....	80
Elk Creek (tributary of Yadkin River) one-fourth mile above ford, North Carolina.....	52
Elk Fork Creek (tributary of Nolichucky River) near Big Tom Wilson's, North Carolina.....	3
Elkhart River at mouth, Indiana.....	500
Elkhorn River at Norfolk, Nebraska.....	2,474
Elkhorn River at Arlington, Nebraska.....	5,980
Elwha River at McDonald, Washington.....	188
Etowah River at Canton, Georgia.....	604
Etowah River at mouth, Rome, Georgia.....	1,854
Fall Creek, New York (tributary of Cayuga Lake), not including Cascadilla Creek.....	152
Fall River 5 miles above mouth, Idaho.....	594
Farm Creek (tributary of Duchesne River) at canyon, Utah.....	47
Fifteenmile Creek (tributary of Holston River) at mouth, Virginia.....	13
Fish Creek, East Branch, above Point Rock, New York.....	104
Fish Creek, West Branch, at McConnellsville, New York.....	187
Fish Creek (tributary of Oneida River) at junction with Hudson River, New York.....	253
Fish Creek (tributary of Oneida River) at mouth, New York.....	480
Fisher River (tributary of Yadkin River) at railroad trestle, North Carolina.....	155
Flannery Fork (tributary of New River) at ford on Boone River-Blowing Rock road, North Carolina.....	6
Flat Creek (tributary of Swannanoa River) 2 miles below Black Mountain Station, North Carolina.....	18
Flat Creek (tributary of French Broad River) at mouth, North Carolina.....	25
Flat River (tributary of Grand River) at mouth, Michigan.....	602

	Square miles.
Flint River at Molena, Georgia	592
Flint River at Woodbury, Georgia	988
Flint River at Albany, Georgia	5,000
Florida River at Stewart's ranch, 9 miles from Durango, Colorado	136
Fogey Creek (tributary of Watauga River) at mouth, North Carolina	3
Forge Creek (tributary of Watauga River) near mouth, Tennessee	18
Fort Tejon Creek, California, including Cuddy Creek and Castac Lake (upper basin, 56)	93
Fox Creek (tributary of New River) one-fourth mile above mouth, Vir- ginia	60
French Broad River, North Fork, above mouth of West Fork, North Carolina	36
French Broad River at crossing of Brevard-Webster road, North Carolina ..	26
French Broad River at ford on road between Tucker and Shoal creeks, North Carolina	19
French Broad River, East Fork, near mouth, North Carolina	26
French Broad River, Middle Fork, at bridge above ford, North Carolina ..	5
French Broad River, West Fork, at bridge near mouth, North Carolina ..	30
French Broad River at Eastatoe Bridge, North Carolina	67
French Broad River at bridge near Carson Creek, North Carolina	133
French Broad River at Penrose, North Carolina	294
French Broad River at Fanning Bridge, North Carolina	644
French Broad River at Asheville, North Carolina	987
French Broad River at Oldtown, Tennessee	1,737
French Broad River at mouth, Tennessee	5,133
Frenchman River at Wauneta, Nebraska	989
Frenchman River at Palisade, Nebraska	1,032
Fulton Chain above Old Forge, New York	41
Gallatin River at Logan, Montana	1,620
Gap Creek (tributary of New River) at mouth, North Carolina	11
Gap Creek (tributary of Watauga River) at mouth, Tennessee	10
Garoga Creek 3 miles above Mohawk River, New York	81
Genesee River below Cryder Creek, New York	143
Genesee River below Chenunda Creek, New York	211
Genesee River below Dykes Creek, New York	282
Genesee River below Vandemarck Creek, New York	323
Genesee River below Knights Creek, New York	346
Genesee River below Phillips Creek, New York	405
Genesee River below Van Campens Creek, New York	466
Genesee River below Angelica Creek, New York	563
Genesee River below White Creek, New York	585
Genesee River below Upper Black Creek, New York	627
Genesee River below Crawford Creek, New York	649
Genesee River below Caneadea Creek, New York	714
Genesee River below Cold Creek, New York	786
Genesee River below Rush Creek, New York	822
Genesee River below Wiscoy Creek, New York	942
Genesee River below Wolf Creek, New York	994
Genesee River below Silver Lake Creek, New York	1,060
Genesee River at Mount Morris, New York	1,070
Genesee River below Coshagua Creek, New York	1,142
Genesee River below Canaseraga Creek, New York	1,407
Genesee River below Beards Creek, New York	1,464
Genesee River below Conesus Lake, New York	1,644

	Square miles.
Genesee River below Honeoye Creek, New York	1,939
Genesee River below Allens Creek, New York	2,145
Genesee River at Rochester, New York	2,365
Genesee River at mouth, New York	2,446
Genesee River below Black Creek, New York	2,380
Gila River at San Carlos, Arizona	13,455
Gila River at Buttes, Arizona	17,834
Gila River in Arizona, including small lost basins	56,838
Gila River in New Mexico, including small lost basins	14,300
	<hr/>
	71,138
Goose Creek at Lake Cheesman, Colorado, gaging station	86
Grand River at Glenwood Springs, Colorado	5,838
Grand River at Grand Junction, Colorado, above Gunnison River	8,644
Grand River at Grand Junction, Colorado, below Gunnison River, including Uncompahgre (497) and Gunnison at mouth (7,935)	16,579
Grand River in Colorado	22,294
Grand River in Utah	3,873
	<hr/>
	26,167
Grand River above Lansing, Michigan	756
Grand River at North Lansing dam, Michigan	1,168
Grand River below mouth of Red Cedar River, Michigan	1,229
Grand River at North Lansing, Michigan	1,238
Grand River above Portland, Michigan	1,404
Grand River below mouth of Lookingglass River, Michigan	1,710
Grand River above Lyons, Michigan	1,748
Grand River below mouth of Maple River, Michigan	2,667
Grand River at Ionia, Michigan	2,818
Grand River above Lovell, Michigan	2,971
Grand River below mouth of Flat River, Michigan	3,573
Grand River above Grand Rapids, Michigan	4,883
Grand River at C. and W. M. R. R. bridge, Grand Rapids, Michigan	4,900
Grand River at Brick House, Michigan, gaging station	4,961
Grand River at Lamont, Michigan	5,179
Grand River above mouth, Michigan	5,572
Grand Encampment Creek at Peryam's ranch, near Encampment, Wyoming	252
Grassy Creek (tributary of Nolichucky River) near Sprucepine, North Carolina	12
Great Basin in California	47,240
Great Basin in Idaho	3,420
Great Basin in Nevada	102,220
Great Basin in Oregon	18,950
Great Basin in Utah	43,548
Great Basin in Wyoming	1,494
	<hr/>
	216,872
Great Lakes:	
Superior	80,400
Michigan	68,100
Huron	75,300
St. Clair	6,815
Erie	34,480
Ontario	32,980
	<hr/>
	298,075
Great Salt Lake, Utah	2,280
Green River (tributary of Broad River) at Cox's bridge, North Carolina	200

	Square miles.
Green River (tributary of Broad River) near Saluda, North Carolina.....	51
Green River at Greenriver, Wyoming	7,450
Green River at Blake, Utah	38,200
Green River in Colorado.....	10,332
Green River in Utah	15,916
Green River in Wyoming.....	20,977
	<hr/> 47,225
Green River, Black Fork, at Granger, Wyoming.....	2,400
Greenbrier River at Alderson, West Virginia.....	1,344
Greenbrier River at mouth, West Virginia	1,575
Grey Bull River at Meteetse, Wyoming.....	870
Grose Creek (tributary of Holston River) at mouth, Virginia.....	3
Gunnison River at Iola, Colorado.....	2,298
Gunnison River at Grand Junction, Colorado.....	7,935
Gunpowder River at Baltimore conduit, Maryland.....	294
Halls Creek (tributary of Holston River) at mouth, Virginia.....	14
Haw River at Moncure, North Carolina	1,800
Hemlock Lake (tributary of Genesee River) at outlet, New York.....	43
Henry Fork 1 mile above mouth of Fall River, Idaho.....	931
Henson Creek (tributary of Nolichucky River) at mouth, North Carolina.....	7
Hickorynut Creek (tributary of Broad River) at mouth, North Carolina.....	8
Higgins Lake, Michigan (water surface 15 square miles)	67
Hillabee Creek at Alexander City, Alabama.....	214
Hiwassee River at Murphy, North Carolina.....	410
Hiwassee River at Reliance, Tennessee.....	1,180
Hiwassee River at Charleston, Tennessee.....	2,297
Hiwassee River at mouth, Tennessee.....	2,698
Hogthief Creek (tributary of Holston River) at mouth, Virginia.....	6
Hogtrough Creek (tributary of Holston River) at mouth, Virginia.....	6
Hollow Poplar Creek (tributary of Nolichucky River) at ford on Erwin-Bakersville road, North Carolina.....	9
Holston River, South Fork, below mouth of Middle Fork, Virginia.....	582
Holston River, South Fork, at Bluff City, Tennessee.....	828
Holston River, South Fork, below mouth of Laurel Fork, Virginia.....	336
Holston River, South Fork, above mouth of Laurel Fork, Virginia.....	160
Holston River, South Fork, at Rye Valley, Virginia.....	37
Holston River, Middle Fork, 5 miles above mouth at Shallow Ford, Virginia.....	227
Holston River, Middle Fork, above mouth of Bear Creek, Virginia, near Marion, Virginia	33
Holston River at mouth, Tennessee	3,790
Hominy Creek (tributary of French Broad River) at Asheville, North Carolina.....	104
Honeoye Creek (tributary of Genesee River) at mouth, New York.....	263
Hood River at Tucker, Oregon	350
Hood River at mouth, Oregon	418
Hoosic River (tributary of Hudson River) at mouth, New York.....	730
Horse Creek (tributary of New River) one-fourth mile above mouth, North Carolina.....	56
Horse Creek (tributary of Nolichucky River) at mouth, North Carolina.....	6
Houghton Lake, Michigan (water surface 31 square miles)	185
Hubbard Lake, Michigan (water surface 134 square miles).....	148
Hudson River at Glens Falls, New York.....	2,800
Hudson River at Mechanicsville, New York.....	4,500

	Square miles.
Hudson River at Troy, New York	8,000
Hudson River at Hadley, New York	1,092
Humboldt River at Elko, Nevada	2,840
Humboldt River at Battle Mountain, Nevada	7,800
Humboldt River at Golconda, Nevada	10,780
Humboldt River at Oreana, Nevada	13,800
Humboldt River at Oreana, Nevada, including Grassy Valley	14,967
Humboldt River, North Fork, at Peko, Nevada	1,020
Humboldt River, South Fork, at Mason's ranch, Nevada	1,150
Hungry Mother Creek (tributary of Holston River) at ford near Marion, Virginia	16
Huron River at mouth, Michigan	950
Huttons Branch (tributary of Holston River) at mouth, Virginia	14
Independence Creek (tributary of Black River) at mouth, New York	90
Indian Lake at gaging station, New York	146
Jack Creek (tributary of Nolichucky River) at mouth, North Carolina	22
James River at Buchanan, Virginia	2,058
James River at Balcony Falls, Virginia	3,027
James River at Cartersville, Virginia	6,232
Jarrett Creek (tributary of Catawba River) near mouth, North Carolina	6
Jefferson River at Sappington, Montana	8,984
Jefferson River at Threeforks, Montana	9,400
Jim Scott Branch (tributary of Holston River) at mouth, Virginia	2
Johns River (tributary of Catawba River) on highway bridge near Morganton, North Carolina	213
Johns River (tributary of Catawba River) at Collettsville, North Carolina	70
Jones Falls at Baltimore conduit, Maryland	38
Juniata River at Newport, Pennsylvania	3,476
Juniata River at mouth, Pennsylvania	3,530
Kalamazoo River, North Branch, at Albion, Michigan	138
Kalamazoo River, South Branch, at Albion, Michigan	136
Kalamazoo River at Marengo dam, Michigan	261
Kalamazoo River below junction of North and South branches	274
Kalamazoo River at Marshall, Michigan	443
Kalamazoo River above Battlecreek, Michigan	603
Kalamazoo River below Battlecreek, Michigan	847
Kalamazoo River at Plainville, Michigan	1,307
Kalamazoo River at Allegan, Michigan	1,508
Kalamazoo River at mouth, Michigan	2,064
Kalawa River. <i>See</i> Calowa River.	
Kansas River at Lecompton, Kansas	58,550
Kansas River at Lawrence, Kansas	59,841
Kansas River in Kansas	34,526
Kansas River in Nebraska	17,455
Kansas River in Colorado	9,459
	61,440
Kaweah River above sec. 3, T. 18 S., R. 27 E., California	619
Kennebec River at outlet of Moosehead Lake, Maine	1,250
Kennebec River below mouth of Dead River, Maine	2,570
Kennebec River at Carritunk Falls, Maine	2,900
Kennebec River at Madison, Maine	3,330
Kennebec River at Norridgewock, Maine	4,030
Kennebec River at Somerset Mills, Maine	4,330
Kennebec River at Waterville, Maine, above mouth of Sebasticook River	4,410

	Square miles.
Kennebec River at Waterville, Maine, below mouth of Sebasticook River.	5,470
Kennebec River at Augusta, Maine	5,770
Kennebec River at mouth, Maine	6,330
Kentucky Fork of North Toe River at mouth, North Carolina	4
Kern River at First Point of Measurement, above Bakersfield, California, including North Fork (1,115), South Fork (1,050), and Lower Basin (180)	2,345
Keuka Lake Outlet at foot of Keuka Lake, New York	187
Keuka Lake at outlet, New York	213
King Creek (tributary of French Broad River) on Brevard road, North Carolina	3
King River at Red Mountain, California	1,775
Knights Creek (tributary of Genesee River) at mouth, New York	22
Lake Creek at Twin Lakes, Colorado	109
Lake Creek at Interlaken station (between Twin Lakes), Colorado	104
Lake Erie	34,480
Lake Fork (tributary of Duchesne River) at mouth, Utah	475
Lake George at outlet, New York, including area of water surface (50)	238
Lake Huron	80,400
Lake Michigan	68,100
Lake Ontario	32,980
Lake St. Clair	6,815
Lake Superior	75,300
Laramie River above Woods Landing, Wyoming (in Colorado, 343)	435
Laramie River at Uva, Wyoming, including 428 square miles in Colorado	3,179
Laramie River at mouth, Fort Laramie, Wyoming, not including 500 square miles of lost drainage of James Lake, Cooper Lake, etc.	4,076
Laurel Creek (tributary of French Broad River) above mouth, North Carolina	136
Laurel Creek, Upper (tributary to Watauga River), at mouth, North Carolina	7
Laurel Creek, Lower (tributary of Watauga River), at mouth, North Carolina	7
Laurel Fork of Doe River at Allentown, Tennessee	26
Laurel Fork of Holston River 1 mile below Damascus, Virginia	172
Lees Creek (tributary of French Broad River) at Olivette, North Carolina	5
Linville River at Linville Falls, North Carolina	46
Linville River at mouth, North Carolina	87
Little River (tributary of French Broad River) at bridge three-fourths mile above mouth, North Carolina	59
Little River (tributary of New River) at ford on Independence-Oldtown road, Virginia	134
Little Androscoggin River at mouth, Maine	380
Little Bald Mountain Creek at mouth, North Carolina	3
Little Crabtree Creek (tributary of Nolichucky River) above lower ford on Micaville-Sprucepine road, North Carolina	19
Little Delaware Creek (tributary of Delaware River) near mouth, New York	53
Little Doe River (tributary of Watauga River) at Allentown, Tennessee.	31
Little Goose Creek at Sheridan, Wyoming	128
Little Patuxent River at mouth, Maryland	139

Square miles.

Little Pine Creek (tributary of French Broad River) above mouth, North Carolina	15
Littlerock Creek at head of South Antelope Valley Irrigation Company's canal, near Palmdale, California	78
Little Tennessee River at Judson, North Carolina	682
Little Truckee River at Boca, California	171
Little Wood River at Toponis, Idaho	1,270
Locust Creek (tributary of Nolichucky River) at mouth, North Carolina	6
Logan River at Logan, Utah	218
Lookingglass River (tributary of Grand River) at mouth, Michigan	306
Los Angeles River above Devils Gate reservoir site, California	28
Los Angeles River above Narrows at Burbank, California, including Tujunga Canyon (116), Arroyo Seco Canyon (18.1), Millard Canyon (3.1), Eaton Canyon (6.5), Little Santa Anita Canyon (2.5), and Santa Anita Canyon (11.1)	470
Los Pinos River at north line of Southern Ute Indian Reservation, Colorado	321
Los Pinos River at Ignacio Agency, Colorado	450
Los Pinos River at mouth, Colorado	650
Loup River at Columbus, Nebraska	13,542
Lovell Creek (tributary of Black River) at mouth, New York	34
Lower Creek (tributary of Catawba River) near Morganton, North Carolina	87
Lower Black Creek (tributary of Genesee River) at mouth, New York	212
Lower Laurel Creek (tributary of Watauga River) at mouth, North Carolina	7
Madison Brook (tributary of Chenango River) at mouth, New York	9
Madison River at Redbluff, Montana	2,085
Madison River at Threeforks, Montana	2,420
Magalloway River at mouth, Maine	420
Malade River at Toponis, Idaho	2,190
Malade River at Bliss, Idaho	3,550
Malheur River at Vale, Oregon	9,900
Mancos River at Mancos, Colorado	117
Mancos River at mouth, Colorado	855
Manti Creek at Manti, Utah	31
Maple Creek (tributary of Broad River) on bridge near mouth, North Carolina	13
Maple River above Maple Rapids, Michigan	459
Maple River at mouth, Michigan	919
Martin Creek (tributary of Nolichucky River) near Erwin, Tennessee	6
Martins Creek (tributary of Black River) at mouth, New York	29
Mattawamkeag River below outlet of Baskahegan Lake, Maine	190
Mattawamkeag River at mouth, Maine	1,530
Meat Camp Creek (tributary of New River) one-fourth mile below Moretz, North Carolina	19
Medicine River at Kiowa, Kansas	1,300
Merced River at Merced Falls, California	1,076
Merrimac River at Lawrence, Massachusetts	4,553
Messalonskee River at mouth, Maine	205
Middle Branch of any river, <i>see the river</i> .	
Middle Creek near Bozeman, Montana	55
Middle Creek (tributary of Nolichucky River) at ford on Micaville-Marion road, North Carolina	2

Square miles.

Middle Fork of any river, *see* the river.

Middle Loup River at St. Paul, Nebraska	6,849
Middle Saluda Creek 1 mile above mouth, North Carolina	54
Milk River at Havre, Montana, including Bad Water Lake	7,300
Mill Creek at Crafton, California	47
Mill Creek (tributary of Holston River) 1 mile above mouth, Virginia	7
Mill Creek (tributary of Catawba River) near mouth, North Carolina	16
Mills River (tributary of French Broad River) on Old Haywood road, North Carolina	73
Mississippi River at St. Paul, Minnesota, including Minnesota River (16,350)	36,085
Missoula River at Missoula, Montana	5,960
Missouri River at Townsend, Montana	14,500
Missouri River at Canyon Ferry, Montana	15,036
Missouri River at Craig, Montana	17,615
Missouri River in Montana	81,018
Missouri River in Wyoming	760
	<hr/> 81,778
Mitchell River (tributary of Yadkin River) at railroad trestle, North Carolina	113
Mohave River at Victorville, California	400
Mohawk River at Ridge Mills, New York	153
Mohawk River at Rome, New York	184
Mohawk River at Utica, New York	524
Mohawk River at Little Falls, New York	1,306
Mohawk River below mouth of Schoharie Creek, New York	3,100
Mohawk River at Freeman's bridge, Schenectady, New York	3,212
Mohawk River at State dam, Rexford Flats, New York	3,385
Mohawk River at mouth, New York	3,468
Monocacy River at Frederick, Maryland	665
Monocacy River at mouth, Maryland	941
Monongahela River at Weston, West Virginia	140
Monongahela River at Fairmont, West Virginia	2,324
Monongahela River at Morgantown, West Virginia	2,749
Monongahela River at Greensboro, Pennsylvania	4,574
Monongahela River at Lock No. 4, Pennsylvania	5,427
Moody Mill Creek (tributary of Watauga River) at mouth, North Carolina	3
Moose River at outlet into Moosehead Lake, Maine	1,250
Moose River (tributary of Black River) at cable station, New York	346
Moose River (tributary of Black River) at mouth, New York	406
Mud Creek (tributary of French Broad River) at road crossing near mouth, North Carolina	116
Mud Creek (tributary of Clyde River) at Lyons, New York	298
Muddy Creek (tributary of Catawba River) near mouth, North Carolina	67
Mulberry Creek (tributary of Johns River) at Collettsville, North Carolina	32
Mulberry Creek (tributary of New River) at mouth, North Carolina	35
Mulberry River (tributary of Yadkin River) at railroad trestle, North Carolina	44
Muskegon River above Clam River, Michigan	787
Muskegon River below Clam River, Michigan	1,094
Muskegon River above Big Rapids, Michigan	1,764

	miles.
Muskegon River above Newaygo, Michigan	2, 352
Muskegon River above mouth, Michigan	2, 663
Muskingum River at Zanesville, Ohio	5, 828
Muskrat Lake and group, Michigan (water surface 8 square miles)	57
Nantahala River at mouth, North Carolina	193
Naches River at North Yakima, Washington	1, 000
Neatahwanta Lake at outlet, New York	23
Neosho River at Iola, Kansas	3, 670
Neshaminy Creek below the forks, Pennsylvania	139
Neuse River at Selma, North Carolina	1, 175
Neversink River (tributary of Delaware River) near mouth, New York ..	346
Newfound Creek (tributary of French Broad River) three-fourths mile above mouth, North Carolina	33
Newfound Creek (tributary of French Broad River) at mouth, North Carolina	34
New River, North Fork, at Weaversford, North Carolina	278
New River, North Fork, 1 mile below Creston, North Carolina	65
New River, South Fork, at New River, North Carolina	327
New River, South Fork, at Riverside, North Carolina	102
New River, East Fork, at ford on Boone-Aho road, North Carolina	6
New River, Middle Fork, at ford on Boone-Aho road, North Carolina ...	14
New River at Oldtown, Virginia	1, 100
New River at Radford, Virginia	2, 725
New River above Greenbrier River, West Virginia	4, 523
New River at Hinton, West Virginia	5, 600
New River at Fayette, West Virginia	6, 200
Ninemile Creek 1 mile below Stittville, New York, gaging station	63
Ninemile Creek at mouth, New York	74
Niobrara River at Fort Niobrara, Nebraska	6, 300
Nolichucky River above Tennessee State line	640
Nolichucky River at Chucky Valley, Tennessee	817
North (of James) River at East Glasgow, Virginia	831
North Boulder Creek near Boulder, Colorado	102
North Branch of any river, <i>see</i> the river.	
North Broad River at Carlton, Georgia	763
North Fork of any river, <i>see</i> the river.	
North Indian Creek (tributary of Nolichucky River) at Erwin, Ten- nessee	61
North Loup River at St. Paul, Nebraska	4, 024
North Platte River above Sweetwater River, including 1,696 in Colorado ..	7, 668
North Platte River above Douglas, Wyoming	14, 255
North Platte River above Orin Junction, Wyoming	14, 828
North Platte River at Guernsey, Wyoming	16, 243
North Platte River above Fort Laramie, Wyoming	16, 416
North Platte River below Laramie River, Wyoming	20, 492
North Platte River in Wyoming and Colorado	23, 643
North Platte River at Gering, Nebraska	24, 340
North Platte River at Camp Clarke, Nebraska	24, 830
North Platte River at North Platte, Nebraska	28, 517
North Saluda Creek 2 miles below Humphrey's store, North Carolina	18
North Saluda Creek at ford on Lima-Cleveland Mills road, North Carolina ..	42
North Saluda Creek at iron bridge at Marietta, North Carolina	59
North Toe River (tributary of Nolichucky River) at Sprucepine, North Carolina	128

Square miles.

North Toe River (tributary of Nolichucky River) at ford on Linnville-Cranberry road, North Carolina	9
North Toe River, Kentucky Fork of, at mouth, North Carolina	4
Nottely River at Ranger, North Carolina	272
Oak Creek (tributary of Susquehanna River) at mouth, New York	115
Oalhout Creek (tributary of Susquehanna River) at mouth, New York	115
Oatka Creek at Warsaw, New York	28
Ocmulgee River at Macon, Georgia	2,425
Oconee River at Carey, Georgia	1,346
Oconee River at Dublin, Georgia	4,182
Octoraro Creek at mouth, Rowlandsville, Maryland	217
Ogden River at Powder Mills, near Ogden, Utah	360
Oldfield Creek (tributary of New River) near mouth, North Carolina	13
Olentangy River at Galion, Ohio	29
Olentangy River at mouth, Columbus, Ohio	532
Oneida Creek (tributary of Oneida River) at Kenwood, New York	59
Oneida Creek (tributary of Oneida River) at mouth, New York	149
Oneida Lake at outlet, New York	1,300
Oneida River at mouth, New York	1,402
Oostanaula River at Resaca, Georgia	1,614
Oostanaula River at mouth, Rome, Georgia	2,152
Oriskany Creek at State dam, Oriskany, New York	144
Oriskany Creek at Coleman, New York	141
Oriskany Creek at mouth, New York	146
Oswego River below Three River Point, New York	167
Oswego River below junction of Seneca and Oneida rivers, New York	4,868
Oswego River at Fulton, New York	4,916
Oswego River at gaging station, New York	4,990
Oswego River at high dam near Oswego, New York	5,000
Oswego River at mouth, New York	5,002
Otego Creek (tributary of Susquehanna River) at mouth, New York	106
Otisco Lake at outlet, New York	41
Otselic River (tributary of Susquehanna River) at mouth, New York	259
Otter Creek (tributary of Black River) at mouth, New York	60
Onondaga Lake at outlet, New York	267
Oquago Creek, New York. See Coquago Creek.	
Owasco Outlet at Owasco Inlet, New York	120
Owasco Outlet at foot of Owasco Lake, New York	208
Owasco Outlet at Auburn, New York	212
Owasco Outlet at mouth, New York	230
Owego Creek (tributary of Susquehanna River) at mouth, New York	391
Owyhee River at Owyhee, near Ontario, Oregon	9,875
Paddys Creek (tributary of Catawba River) near mouth, North Carolina	13
Palouse River at Hooper, Washington	2,210
Palouse River below mouth of Cow Creek, Washington	2,460
Passadumkeag River at mouth, Maine	400
Patapsco River, South Branch, Maryland	84
Patapsco River, North Branch, Maryland	166
Patapsco River at Woodstock, Maryland	251
Patapsco River above Patapsco Station, Maryland	361
Patuxent River above mouth of Little Patuxent River, Maryland	194
Patuxent River at Laurel, Maryland	137
Patuxent River below junction of West Branch	515

Square miles.

Pawpaw Creek (tributary of French Broad River) 1 mile above mouth, North Carolina	4
Pawpaw River (tributary of St. Joseph River) at mouth, Michigan	429
Payette River at Payette, Idaho	3,565
Peach Bottom Creek (tributary of New River) above mouth, Virginia	28
Penobscot River opposite extremity of Moosehead Lake, below mouth of Nulhedus Creek, Maine	600
Penobscot River at entrance to Chesuncook Lake, Maine	870
Penobscot River at outlet of Chesuncook Lake, Maine	1,440
Penobscot River at outlet of Twin Lakes, Maine	1,990
Penobscot River below mouth of East Branch, Maine	3,160
Penobscot River below mouth of Piscataquis River, Maine	6,590
Penobscot River at Oldtown, Maine	7,240
Penobscot River at Bangor, Maine	7,910
Penobscot River at mouth, Maine	8,550
Penobscot River, East Branch, at mouth, Maine	1,170
Pepacton River (tributary of Delaware River) at mouth, New York	919
Perkiomen Creek at Frederick, Pennsylvania	152
Phillips Creek (tributary of Genesee River) at mouth, New York	32
Piedra River at Arboles, Colorado	670
Pigeon Creek (tributary of Nolichucky River) at mouth, North Carolina	5
Pigeon Roost Creek (tributary of Nolichucky River) at mouth, North Carolina	11
Pigeon River at Newport, Tennessee	655
Piscataquis River at Dover, Maine	380
Piscataquis River below outlet of Sebec Lake, Maine	750
Piscataquis River at mouth, Maine	1,500
Platte River at North Platte, Nebraska:	
North Platte River	28,517
South Platte River	23,294
	51,811
Platte River at Columbus, Nebraska	56,867
Platte River, North and South, in Colorado	22,230
Platte River, North and South, in Nebraska	10,850
Platte River, North and South, in Wyoming	24,240
	57,320
Platte River, South Fork, at Lake Cheesman, Colorado	1,677
Plum Tree Creek (tributary of Nolichucky River) at mouth, North Carolina	6
Pomer Creek (tributary of Holston River) at mouth, Virginia	13
Portage River (tributary of St. Joseph River) at mouth, Michigan	178
Portneuf River at McCammon, Idaho	500
Portneuf River at Pocatello, Idaho	1,130
Potomac River, North Branch, above Bloomington, Maryland	293
Potomac River, North Branch, at Piedmont, West Virginia, including Savage Creek (111)	409
Potomac River, North Branch, at Cumberland, Maryland, including New Creek at mouth, Keyser, West Virginia (56)	891
Potomac River, North Branch, at junction with South Branch, including Patterson Creek at Burlington, below Mill Creek (155), and at mouth (279)	1,365
Potomac River, South Branch, at junction with North Fork, including 188 square miles at Franklin	318

Square miles.

Potomac River, South Branch, including North Fork below Seneca Creek (240) and at mouth (322)	640
Potomac River, South Branch, at Moorefield, West Virginia, including Mill Creek at mouth (101)	897
Potomac River, South Branch, below Moorefield, including South Fork at Fort Seybert, West Virginia (155), and at mouth, at Moorefield (301)	1,198
Potomac River, South Branch, at Romney, West Virginia	1,407
Potomac River, South Branch, at U. S. G. S. gaging station at railway bridge between Romney and Springfield, West Virginia	1,443
Potomac River, South Branch, at mouth, West Virginia	1,487
Potomac River at new gaging station, West Virginia	1,440
Potomac River at junction of North and South branches, West Virginia	2,852
Potomac River above Great Cacapon River, including Little Cacapon River, West Virginia (117)	3,388
Potomac River below Great Cacapon River, including Great Cacapon above North River (404) and at mouth, West Virginia (671)	4,059
Potomac River at Hancock, West Virginia	4,099
Potomac River at Williamsport, Maryland, including Warmspring Creek at mouth (16), Conoloway Creek (125), Sleepy Creek (146), Licking Creek (195), Back Creek (288), and Conocockeague Creek (579)	5,556
Potomac River at Harpers Ferry, West Virginia, including Opequan Creek (335) and Antietam Creek (305)	6,354
Potomac River below Harpers Ferry, West Virginia, including Shenandoah River (3,009)	9,363
Potomac River at Weverton, Maryland	9,397
Potomac River at Point of Rocks, Maryland	9,654
Potomac River at Edwards Ferry below Goose Creek, including Monocacy River at mouth (941) and Goose Creek (384)	11,100
Potomac River at Great Falls, Maryland, including Seneca Creek (132)	11,427
Potomac River at Chain Bridge, District of Columbia	11,545
Prairie River (tributary of St. Joseph River) at mouth, Michigan	164
Prather Creek (tributary of New River) at ford one-half mile below Scottville, North Carolina	9
Price Creek (tributary of Nolichucky River) at mouth, North Carolina	18
Prosser Creek at Boca, California	55
Provo River at Provo, Utah	640
Purgatory Creek at Trinidad, Colorado	742
Purgatory Creek at Las Animas, Colorado	3,040
Queen Creek at Whitlow's ranch, Arizona	143
Rack River at mouth, Michigan	213
Reedy Patch Creek (tributary of Broad River) at mouth, North Carolina	12
Reams Creek (tributary of French Broad River) at mouth, North Carolina	36
Red Bank Creek (tributary of Allegheny River) at Brookville, Pennsylvania	400
Red Cedar River at Agricultural College, Michigan	358
Red Cedar River at mouth, Michigan	472
Reddie Creek (tributary of Yadkin River) at North Wilkesboro, North Carolina	95
Red River in Texas	15,800
Red Rock Creek at Redrock, Montana	1,330
Republican River, North Fork, at Haigler, Nebraska	1,390
Republican River at Superior, Nebraska	22,347

	Square miles.
Republican River at Junction, Kansas	25, 837
Republican River in Colorado	7, 926
Republican River in Nebraska	10, 415
Republican River in Kansas	7, 496
	— 25, 837
Rice Creek at Marshall, Michigan, 1 mile above mouth	99
Rio Grande at Del Norte, Colorado	1, 400
Rio Grande at Cenicero, Colorado	7, 695
Rio Grande at Embudo, New Mexico	10, 090
Rio Grande at Rio Grande, New Mexico	14, 050
Rio Grande at San Marcial, New Mexico	28, 067
Rio Grande at El Paso, Texas	30, 000
Rio Grande in Colorado	7, 493
Rio Grande in New Mexico	72, 380
Rio Grande in Texas	80, 550
	— 160, 423
Roan Creek (tributary of Watauga River) at Butler, Tennessee	164
Roanoke River at Roanoke, Virginia	388
Roanoke River at Clarksville, Virginia	7, 344
Roanoke River at Neal, North Carolina	8, 717
Roaring Creek (tributary of Nolichucky River) at mouth, North Carolina	10
Roaring River (tributary of Yadkin River) at Roaring River, North Carolina	137
Rock Creek (tributary of Nolichucky River) at ford on Micaville-Marion road, North Carolina	2
Rock Creek at Battle Mountain, Nevada	725
Rock Creek at Zoological Park, District of Columbia	83
Rush Creek (tributary of Genesee River) at mouth, New York	35
Rush Creek (tributary of Holston River) at mouth, Virginia	8
Rockhouse Creek (tributary of Watauga River) at mouth, North Carolina	2
Saco River at Fryeburg, Maine	439
Saco River at Great Falls at Hiram, Maine	856
Saco River at Highland Rips, Maine	1, 366
Saco River at Bonny Eagle Falls, Maine	1, 578
Sacramento River at Jellys Ferry, California	9, 134
Sacramento River above Redbluff, California	9, 356
Sacramento and San Joaquin rivers in California	63, 020
Sacramento River in Oregon	655
	— 63, 675
Sacandaga River, South Branch, at mouth, New York	240
Sacandaga River, East Branch, at mouth, New York	124
Sacandaga River, Middle Branch, at mouth, New York	115
Sacandaga River below Stony Creek, New York	223
Sacandaga River at mouth, New York	1, 056
St. Clair Creek (tributary of Holston River) at mouth, Virginia	8
St. Croix River, West Branch, at Princeton dam, Maine	540
St. Croix River, West Branch, at confluence with main river, Maine	750
St. Croix River at Grand (Schoodic) Lake, Maine	420
St. Croix River at Little Falls, Maine	500
St. Croix River above mouth of West Branch, Maine	650
St. Croix River below mouth of West Branch, Maine	1, 400
St. Croix River at Spragues Falls, Maine	1, 450
St. Croix River at lower dam at Calais, Maine	1, 530
St. Croix River at mouth, eastern border of Calais, Maine	1, 630

	Square miles.
St. Joseph River above Three Rivers, Michigan	863
St. Joseph River below Three Rivers, Michigan	1,417
St. Joseph River above Niles, Michigan	3,616
St. Joseph River below mouth of Dowagiac River, Michigan	3,898
St. Joseph River above mouth of Pawpaw River, Michigan	4,157
St. Joseph River below mouth of Pawpaw River, Michigan	4,586
St. Louis River above Cloquet, Minnesota	3,272
St. Vrain Creek near Lyons, Colorado	209
Salina Creek at Salina, Utah	255
Salinas River at Salinas, California	4,940
Saline River at Beverly, Kansas	2,730
Saline River at mouth, Kansas	3,311
Salmon Creek (tributary of Cayuga Lake) at mouth, New York	90
Salmon River 1 mile above falls, New York	191
Salmon River at bridge station, New York	264
Salt Lake, Utah. <i>See</i> Great Salt Lake.	
Salt River below Tonto Creek, Arizona	5,756
Salt River in canyon 20 miles above Verde River, Arizona	5,880
Salt River at Arizona dam, Arizona	12,260
Salt River at McDowell, Arizona, above Verde River	6,260
Saluda River at Waterloo, South Carolina	1,056
Sandy Mush Creek (tributary of French Broad River) at mouth, North Carolina	81
San Emidio Creek, California	54
San Gabriel River at canyon above Azusa, California	220
San Gabriel River above narrows at Paso de Bartolo Rancho, California	567
San Joaquin River at Herndon, California	1,637
San Juan River at Arboles, Colorado	1,320
San Miguel River at Falls Creek, Colorado	327
San Pedro River at Dudleyville, Arizona	2,870
San Pedro River in Arizona	3,336
San Pedro River in Mexico	120
	3,456
San Pitch River at Gunnison, Utah	836
Sandy River at Farmington, Maine	340
Sandy River at mouth, Maine	650
Santa Ana River at Warm Springs, California	188
Saquoit Creek at New York Mills, New York	52
Saquoit Creek at mouth, New York	67
Savannah River at Calhoun Falls, Georgia	2,712
Savannah River at Augusta, Georgia	7,294
Schoharie Creek at Gilboa, New York	308
Schoharie Creek at Central Bridge, New York	684
Schoharie Creek at State dam at Fort Hunter, New York	947
Schoharie Creek at Schoharie Falls, New York	930
Schoharie Creek at Mill Point, New York	934
Schroon River at foot of Schroon Lake, New York	479
Schroon River at Tumblehead Falls, New York	502
Schroon River at Warrensburg, New York, gaging station	563
Schroon River at mouth, New York	550
Scioto River at Kenton, Ohio	153
Scioto River at Columbus, Ohio	1,070
Scioto River at Shadeville, Ohio, including Olentangy River (523)	1,670
Scioto River at mouth, Ohio	6,432

	Square miles.
Sebago Lake near outlet, Maine	470
Sebasticook River at mouth, Maine	1,060
Seneca Lake at outlet, New York	707
Seneca River at foot of Seneca Lake, New York	707
Seneca River at Waterloo, New York	745
Seneca River at Seneca Falls, New York	771
Seneca River at entrance to Cayuga Lake, New York	780
Seneca River below Cayuga Lake, New York	1,593
Seneca River at Montezuma, New York	2,472
Seneca River at Baldwinsville, New York	3,103
Seneca River at junction with Oneida River, New York	3,433
Sevier River at Gunnison, Utah	3,986
Sevier River at Leamington, Utah	5,595
Shenandoah River, North Fork, at Brocks Gap, Virginia	215
Shenandoah River, North Fork, at Mount Jackson, Virginia	511
Shenandoah River, North Fork, at Riverton, Virginia	1,037
Shenandoah River, South Fork, at Port Republic, Virginia, including Middle River at junction with North River (363), North River at junction with Middle River (418), North River at junction with South River (804), South River at junction with North River (246)	1,050
Shenandoah River, South Branch, at Shenandoah, Virginia	1,288
Shenandoah River, South Branch, at Overall, Virginia	1,491
Shenandoah River, South Branch, at mouth at Riverton, Virginia	1,587
Shenandoah River, South Branch, at Front Royal, Virginia, gaging station	1,569
Shenandoah River at Riverton, Virginia, including North Fork (1,037) and South Fork (1,587)	2,624
Shenandoah River at Millville, West Virginia	2,995
Shenandoah River at mouth, Harpers Ferry, West Virginia	3,009
Shoshone River, South Fork, at Marquette, Wyoming	500
Shoshone River at Corbett, Wyoming	1,718
Shoshone River at Lovell, Wyoming	2,720
Shut-in Creek (tributary of French Broad River) at ford on Hot Springs-Point Rock road, North Carolina	9
Silver Creek (tributary of Catawba River) near mouth, North Carolina	62
Silver Lake (tributary of Genesee River) at mouth, New York	30
Sinking Creek, or Beidleman's Creek (tributary of Holston River) at mouth, Tennessee	25
Sinking Creek (tributary of Watauga River) at lower ford, Tennessee	12
Skaneateles Lake at outlet, New York	73
Smoky Hill River at Ellsworth, Kansas, including drainage in Colorado (1,533) and Kansas (6,447)	7,980
Smoky Hill River below Ellsworth, Kansas, exclusive of Saline and Solomon rivers	2,255
Smoky Hill River at mouth, Junction, Kansas	20,428
Snake River, North Fork, at Ferry, Idaho	931
Snake River at Idaho Falls, Idaho	10,100
Snake River at Montgomery Ferry, Idaho	22,600
Snake River in Idaho	73,500
Snake River in Nevada	5,280
Snake River in Oregon	17,950
Snake River in Washington	6,682
Snake River in Wyoming	5,268

 108,680

	Square miles.
Soleduck River at Quillayute, Washington.....	272
Solomon River at Beloit, Kansas.....	5,539
Solomon River at Niles, Kansas.....	6,815
Solomon River at mouth, Kansas.....	6,882
South River at Port Republic, Virginia.....	1,050
South (of James) River at mouth, Virginia.....	116
South Boulder Creek at South Boulder Canyon, near Marshall, Colorado.....	125
South Branch or Fork of any river, <i>see</i> the river.	
South Indian Creek (tributary of Nolichucky River) at mouth, near Erwin, Tennessee.....	85
South Platte River at Lake Cheesman, Colorado, gaging station.....	1,677
South Platte River at Deansbury, Colorado.....	2,600
South Platte River at Platte Canyon, Colorado.....	2,620
South Platte River at Denver, Colorado, including Bear Creek at Morrison (170).....	3,840
South Platte River at Greeley, Colorado, above mouth of Cache la Poudre River.....	7,110
South Platte River below Greeley, Colorado.....	9,575
South Platte River at Orchard, Colorado.....	12,260
South Platte River at mouth, North Platte, Nebraska.....	23,294
South Toe River (tributary of Nolichucky River) at ford on Micaville- Sprucepine road, North Carolina.....	59
South Toe River (tributary of Nolichucky River) 1 mile above mouth of Three Fork Creek, North Carolina.....	19
Spanish Fork in canyon near Spanish Fork, Utah.....	670
Spokane River at Spokane, Washington.....	4,005
Spring Creek (tributary of French Broad River) at Hot Springs, North Carolina.....	73
Spring Creek (tributary of Holston River) at mouth, Virginia.....	16
Squirrel Creek (tributary of Nolichucky River) at mouth, North Carolina.....	5
Staley Creek (tributary of Holston River) at Marion, Virginia.....	12
Stanislaus River at Oakdale, California.....	1,051
Staunton River at Clarksville, Virginia.....	3,546
Steamboat Creek at Steamboat Springs, Nevada.....	40
Stony Creek (tributary of Sacandaga River) at mouth, New York.....	212
Stony Creek (tributary of Watauga River) one-half mile above mouth, Tennessee.....	49
Strawberry Creek (tributary of Duchesne River) at mouth, Utah.....	1,166
Sugar River (tributary of Black River) at mouth, New York.....	66
Sun River at Augusta, Montana.....	1,175
Susquehanna River, West Branch, at Allenwood, Pennsylvania.....	6,538
Susquehanna River, West Branch, at mouth, Pennsylvania.....	7,027
Susquehanna River above mouth of Oak Creek, New York.....	97
Susquehanna River below mouth of Oak Creek, New York.....	212
Susquehanna River below mouth of Unadilla River, New York.....	1,638
Susquehanna River at Nineveh, New York.....	1,789
Susquehanna River at Susquehanna, New York.....	2,024
Susquehanna River at Birmingham, New York.....	2,279
Susquehanna River above mouth of Chemung River, New York.....	4,945
Susquehanna River at Pennsylvania-New York State line.....	6,267
Susquehanna River below mouth of Chemung River, Pennsylvania.....	7,463
Susquehanna River at Wilkesbarre, Pennsylvania.....	9,810
Susquehanna River at Danville, Pennsylvania.....	11,070
Susquehanna River above confluence with West Branch, Pennsylvania.....	11,142

	Square miles.
Susquehanna River at Harrisburg, Pennsylvania.....	24,030
Susquehanna River at mouth, Pennsylvania.....	27,405
Swannanoa River, North Fork, at bridge 3 miles above Swannanoa post-office, North Carolina.....	30
Swannanoa River (tributary of French Broad River) at Biltmore, North Carolina.....	124
Sweetwater River at mouth, Wyoming.....	2,929
Sweetwater River at Sweetwater dam, California.....	186
Tahoe Lake at outlet, California (water surface 193 square miles).....	502
Talladega Creek at Nottingham, Alabama.....	156
Tallapoosa River at Sturdevant, Alabama.....	2,500
Tallapoosa River at Susanna, Alabama.....	2,610
Tallapoosa River at Milstead, Alabama.....	3,840
Tallulah River at Tallulah Falls, Georgia.....	191
Tar River at Tarboro, North Carolina.....	2,290
Tanghanic Creek (tributary of Cayuga Lake) at mouth, New York.....	60
Tehachapi Creek (tributary of Caliente Creek), California.....	108
Tejon House Creek at Tejon ranch, California.....	17
Tennessee Fork of Arkansas River near Leadville, Colorado.....	44
Tennessee River at Chattanooga, Tennessee.....	21,418
Tennessee River at confluence of Broad and Holston rivers, at Knoxville, Tennessee.....	8,924
Tennessee River at Knoxville, Tennessee.....	8,990
Teton River at Wilford, Idaho.....	967
Thomas Creek (tributary of Holston River) at mouth, Tennessee.....	11
Thornapple River (tributary of Grand River) at mouth, Michigan.....	824
Threetop Creek (tributary of New River) on footbridge at Creston, North Carolina.....	24
Thunder Bay River, North Branch, above mouth, Michigan.....	199
Thunder Bay River, South Branch, above mouth, Michigan.....	454
Thunder Bay River above mouth of North Branch, Michigan.....	580
Thunder Bay River above mouth of South Branch, Michigan.....	789
Thunder Bay River at Alpena, Michigan.....	1,267
Tioga River above mouth of Canisteo River, New York.....	750
Tioga River (tributary of Susquehanna River) at mouth, New York.....	1,530
Tioughnioga River, West Branch, at mouth, New York.....	103
Tioughnioga River, East Branch, at mouth, New York.....	164
Tioughnioga River (tributary of Susquehanna River) above mouth of Atselic River, New York.....	428
Tioughnioga River (tributary of Susquehanna River) at mouth, New York.....	735
Tongue River at Miles City, Montana.....	3,875
Town Creek (tributary of Watauga River) at Shoun crossroads, Tennessee.....	19
Three Fork Creek (tributary of Nolichucky River) $\frac{1}{4}$ mile above mouth, North Carolina.....	5
Thompson Creek near Loveland, Colorado.....	305
Toccoa River at Blairidge, Georgia.....	231
Toe River (tributary of Nolichucky River) at Hunt Dale, North Carolina.....	438
Tohickon Creek at Point Pleasant, Pennsylvania.....	1,022
Towaliga River at mouth, Juliette, Georgia.....	350
Truckee River, Upper, at inlet to Lake Tahoe, California.....	59
Truckee River at Tahoe, California.....	502
Truckee River at California-Nevada State line.....	955
Truckee River at mouth of Little Truckee River at Boca, California.....	869

	Square miles.
Truckee River near Essex, Nevada	991
Truckee River near Laughtons, Nevada	1,014
Truckee River at Vista, Nevada	1,435
Tuckasegee River 3 miles above Bryson, North Carolina	609
Tuckasegee River at Bryson, North Carolina	662
Tucker Creek (tributary of French Broad River) 200 yards above mouth, North Carolina	6
Tugaloo River at Madison, South Carolina	593
Tule River above Portersville, California	437
Turkey Creek (tributary of French Broad River) at Blackwell Springs, North Carolina	28
Turkey Cove Creek (tributary of Catawba River) $\frac{1}{2}$ mile above mouth, North Carolina	31
Tuscarora Creek (tributary of Susquehanna River) at mouth, New York ..	120
Tuolumne River at Lagrange, California	1,501
Tuolumne River at Modesto, California	1,635
Uinta River at the canyon, Utah	218
Uinta River at Fort Duchesne, Utah	672
Uinta River at Ouray School, Utah	967
Umatilla River at Gibbon, Oregon	353
Umatilla River at Pendleton, Oregon	640
Umbagog Outlet immediately above junction with Magalloway River, Maine	760
Unadilla River (tributary of Susquehanna River) at mouth, New York ..	561
Uncompahgre River at Fort Crawford, Colorado	497
Uncompahgre River at Montrose, Colorado	565
Upper Creek (tributary of Catawba River) near mouth, North Carolina ..	85
Upper Black Creek (tributary of Genesee River) at mouth, New York ...	39
Upper Laurel Creek (tributary of Watauga River) at mouth, North Carolina	7
Upper Truckee River at inlet to Lake Tahoe, California	59
Valley River at Philippi, West Virginia	620
Van Campens Creek (tributary of Genesee River) at mouth, New York ..	56
Vandemarck Creek (tributary of Genesee River) at mouth, New York ...	22
Verde River near Fort McDowell, Arizona	6,000
Verde River 1 mile above Salt River, Arizona	6,000
Verdigris River at McTaggart's mills, Kansas	3,067
Walker Creek (tributary of Holston River) at mouth, Virginia	13
Wallawalla River at Whitman, Washington	310
Wallkill River at New Jersey-New York State line	210
Walnut Creek (tributary of French Broad River) at mouth, North Caro- lina	17
Watauga River at Elizabethton, Tennessee	408
Watauga River at Butler, Tennessee	261
Watauga River at Watauga Falls, North Carolina	96
Watauga River 1 mile above Shull's mill, North Carolina	12
Watauga River, Boone Fork, at Shull's mill, North Carolina	9
Weber River at Uinta, Utah	1,600
Weiser River at Weiser, Idaho	1,670
Wenache River 7 miles above Wenache, Washington	1,527
West Branch of any river, <i>see</i> the river.	
West Canada Creek at Twin Rock Bridge, New York	252
West Canada Creek at Trenton Falls, New York	375
West Canada Creek at Middleville, New York, gaging station	518

	Square miles.
West Canada Creek at Herkimer, New York	548
West Canada Creek at mouth, New York	569
West Fork of any river, <i>see</i> the river.	
West Gallatin River at Williams's ranch, Montana	860
White Creek (tributary of Genesee River) at mouth, New York	16
Whiteoak Creek (tributary of South Fork of Toe River) at mouth, North Carolina	3
Whiteoak Creek (tributary of North Fork of Toe River) at mouth, North Carolina	4
Whiterocks River (tributary of Duchesne River) at canyon, Utah	114
White River at city of Whiteriver, Colorado	1, 773
White River at Crawford, Nebraska	270
White River at Buckley, Washington	450
Whitetop Creek (tributary of Holston River) at mouth, Virginia	66
Wilsons Creek (tributary of Catawba River) at mouth, North Carolina ..	70
Wilsons Creek (tributary of New River) 2 miles above mouth, Virginia ..	37
Wiscoy Creek (tributary of Genesee River) at mouth, New York	109
Wissahickon Creek near Philadelphia, Pennsylvania	65
Wolf Creek (tributary of Holston River) at mouth, Virginia	28
Wolf Creek (tributary of Genesee River) at mouth, New York	19
Wood River at Hailey, Idaho	906
Wood River at Toponis, Idaho	2, 190
Yadkin River at second ford below Patterson's mill, North Carolina	86
Yadkin River at Wilkesboro, North Carolina	272
Yadkin River at Siloam, North Carolina	1, 219
Yadkin River at Salisbury, or Holtsburg, North Carolina	3, 399
Yadkin River at Norwood, North Carolina	4, 614
Yakima River at Union Gap, Washington	3, 300
Yakima River at Selah, Washington	1, 960
Yakima River at Kiona, Washington	5, 230
Yellow River at Almon, Georgia	379
Yellowstone River at Horr, Montana	2, 635
Yellowstone River at Livingston, Montana	3, 580
Yellowstone River in Montana	36, 312
Yellowstone River in North Dakota	250
Yellowstone River in Wyoming	33, 121
	<hr/> 69, 683
Youghiogheny River at Friendsville, Maryland	295
Youghiogheny River at Confluence, Pennsylvania	782
Youghiogheny River at West Newton, Pennsylvania	1, 552
Yuba River, Middle Fork, at Freeman's bridge, North San Juan, California	205
Yuba River, North Fork, at Yuba Power Company's dam, North San Juan, California	483
Yuba River at Parks Bar bridge, Smartville, California	1, 211
Yukon River in Canada	150, 768
Yukon River in United States	180, 144
	<hr/> 330, 912

INDEX TO PAPERS NOS. 47 TO 52.

[The Water-Supply and Irrigation Papers are limited by law to 100 pages each. It was therefore necessary to divide the report on the operations at river stations for 1900 into six parts. Paper No. 47 contains pages 1 to 100; Paper No. 48, pages 101 to 196; Paper No. 49, pages 197 to 292; Paper No. 50, pages 293 to 388; Paper No. 51, pages 389 to 488; Paper No. 52, pages 489 to 575.]

A.	Page.		Page.
Abbe, C., jr., gaging stations established by	138, 179, 180, 181	Ant Creek, Cal., measurement of	461
stream measurements by	180, 181	Antietam Creek near Sharpsburg, Md., measurements and gage heights of	117-118
Abrams Creek, Tenn., measurements of ..	217	rating table for	511
Adams, W. M., aid by	131	Appalachee River, Ga., measurement of ..	207
Alabama, hydrographic work in	164-174, 175-176	Appomattox River at Mattoax, Va., measurements and gage heights of ..	126-127
rating tables for streams in	514	Ararat River, N. C., measurements of ..	204
stream measurements in, miscellaneous	210	Arizona, hydrographic work in	385-387
Alabama River at Montgomery, Ala., measurements and gage heights of	168-169	rating tables for streams in	520
Alabama River at Selma, Ala., measurements and gage heights of	169-170	sediment in streams in, methods of measuring	15-18
Albany, Ga., hydrographic work at	156-157	Arkansas River, features of	319-320
Alcovy River, Ga., measurements of	207	Arkansas River at Amity canal head gates, Colo., measurement of	329
Alder Creek, Cal., measurements of	405	Arkansas River near Canyon, Colo., measurements and gage heights of ..	323-324
Alderson, W. Va., hydrographic work at	178-179	rating table for	518
rating table for	515	Arkansas River near Granada, Colo., gage heights of	329
Alexander City, Ala., hydrographic work near	172-173	Arkansas River at Hutchinson, Kans., measurements and gage heights of	330
Allenwood, Pa., hydrographic work at ..	111-112	rating table for	518
rating table for	511	Arkansas River near Nepesta, Colo., measurements and gage heights of ..	326-327
Almon, Ga., hydrographic work at	153-154	rating table for	518
rating table for	513	Arkansas River at Prowers, Colo., measurements and gage heights of ..	325-326
Alston, S. C., hydrographic work near ..	146-147	rating table for	518
rating table for	512	Arkansas River at Pueblo, Colo., measurements and gage heights of ..	325-326
American Fork, Utah, discharge measurements of	499	rating table for	518
division of waters of	417-418	Arkansas River near Rockyford, Colo., gage heights of	327
features of, and irrigation from ..	499, 504-505	Arkansas River at Salida, Colo., measurements and gage heights of ..	322-323
American Fork near American Fork, Utah, measurements and gage heights of	417-419	rating table for	518
American River, Cal., measurements of, miscellaneous	480	Arkins, Colo., hydrographic work near ..	290-291
Amicalola River, Ga., measurement of ..	208	rating table for	517
Amity canal head gates, Colo., stream measurements at	329	Arlington, Nebr., hydrographic work at	309-310
Anderson, L. W., stream gagings proposed by	246	Arnold, S., acknowledgments to	10
Anderson Creek, Ga., measurement of ..	209	stream measurements by	440, 441, 442, 443, 444, 446
Androscoggin River at Rumford Falls, Me., discharge of (daily), 1900	31-32	Arququah Creek, Ga., measurement of ..	217
Animas River at Durango, Colo., measurements and gage heights of ..	383-384	Arroyo Seco, Cal., measurements of ..	454, 471, 487
rating table for	520	Ash Creek, East, Nebr., measurements of ..	310
		Ash Creek, West, Nebr., measurements of ..	310

	Page.		Page.
Asheville, N. C., hydrographic work near	186	Bear Creek, N. C., measurements of	213
rating table for	515	Bear Creek, Va., measurements of	215
Ashley Creek near Vernal, Utah, canals		Bear River, Cal., measurement of	480
diverting water from, measurements of	368	Bear River at Battlecreek, Idaho, measurements and gage heights of	400-410
measurements and gage heights of	368-369	rating table for	521
rating table for	519	Bear River near Collinston, Utah, measurements and gage heights of	413-414
Astronga Bridge, N. Y., stream measurements at	39, 52	rating table for	521
Atcheson Creek, Tenn., measurement of	214	Beaver Creek, Nebr., measurements of	310
Augusta, Ga., hydrographic work at	150-151	Beaver Creek, N. C., measurements of	210, 212
rating table for	513	Beaver Creek, Wyo., measurements of	272
Augusta, Me., hydrographic work near	31	Beaver River, N. Y., features of	235-236
Augusta Creek, Mich., water power on	258	Beaver Dam Creek, N. C., measurements of	212, 216
Austin, J., aid by	181	Beaver Dam Creek, Va., measurements of	214
Austin, Tex., dam at, features of	336-337	Beech Creek, N. C., measurements of	216
hydrographic work at	336-338	Beggs, G., aid by	271
Avery Creek, N. C., measurement of	211	Bell Creek, Ga., measurement of	217
Axial River, Colo., measurements of	375	Bennett, S. G., stream measurements by	484
Azusa, Cal., hydrographic work at and near	472-475	Betts, H. R., aid by	38
B.		Big Creek, Ga., measurements of	207, 218
Babb, C. C., gaging stations established by	116, 127, 128	Big Creek, Mont., measurement of	435
178, 186, 267, 369, 373, 385, 415, 417, 419, 438		Big Creek, N. C., measurements of	214
stream measurements by	338, 340, 342, 343, 344, 368, 415, 416, 418	Big Amicalola Creek, Ga., measurement of	208
Badger Creek, Mont., measurement of	269	Big Blue River, Nebr., measurements of	310
Bailey Creek, Mich., water of, analysis of	241	Big Bugaboo Creek, N. C., measurements of	204
Baker, F., aid by	38	Big Cottonwood Creek near Salt Lake, Utah, discharge of (daily)	422-423
Baker, J. S., report by, on irrigation in Utah Valley, Utah	498-509	Big Dry Run, N. C., measurement of	216
Bakers Creek, Tenn., measurement of	218	Big Elkin River, N. C., measurements of	204
Bakersfield, Cal., hydrographic work near	462-463	Bighorn River near Thermopolis, Wyo., measurements and gage heights of	269
Bald Creek, N. C., measurements of	214	rating table for	516
Bald Mountain, Cal., creek south of, measurement of	461	Big Ivy River, N. C., measurements of	212
Bald Mountain Creek, N. C., measurements of	214	Big Laurel Creek, N. C., measurements of	210
Baldwinsville, N. Y., gaging station at, data regarding	38	Big Oil Creek, Wyo., measurements of	272
hydrographic work at	222-223	Big Pigeon River, Tenn., measurement of	217
stream measurement at	39	Big Pine Creek, N. C., measurements of	212
Ball Play Creek, Tenn., measurement of	217	Big Rock Creek, N. C., measurements of	213
Bannister, E. R., acknowledgments to	329	Big Sandy Creek near Dadeville, Ala., measurements and gage heights of	174
Barber, Miss B., aid by	287	rating table for	514
Bartlett Creek, Cal., measurement of	453	Big Sioux River near Sioux Falls, S. Dak., measurement and gage heights of	271
Barton Springs, Tex., measurements of	338	Big Sioux River near Watertown, S. Dak., gaging station on, description of	270
Basin Creek, Cal., measurement of	462	measurements and gage heights of	270-271
Battlecreek, Idaho, hydrographic work at	400-410	Big Spring Creek, Tenn., measurement of	217
rating table for	521	Big Thompson Creek, Colo., measurements of, miscellaneous	305
Battle Creek, Mich., water powers on	258	seepage on	305
Battle Creek, S. Dak., measurements of	272	Big Thompson Creek near Arkins, Colo., measurements and gage heights of	290-291
Bayless, B., aid by	185	rating table for	517
Beach, C. W., stream measurements by	320, 321, 325, 326, 328	Big Turniptown Creek, Ga., measurement of	209
Bear Creek, Cal., measurement of	453		
Bear Creek, Colo., measurements of	304		
seepage on	304		
Bear Creek near Morrison, Colo., measurements and gage heights of	284-285		
rating table for	517		

	Page.		Page.
Bijou Irrigation Co., reservoir projects of.....	279	Boonville, N. Y., measurements on Erie Canal at.....	21-23
Birch Creek, Mont., measurements of....	269	Booth, A. L., stream measurements by...	500
Bird Creek, Tenn., measurement of.....	217	Boright, W. P., work of, in connection with investigations to determine flow, seepage, and evaporation of New York State canals and feeders	18
Birge, D. L., aid by.....	328	Boulder, Colo., hydrographic work near.....	287-288
Bitterroot River at Missoula, Mont., measurements and gage heights of.....	433-434	rating table for.....	517
rating table for.....	522	Boulder Creek, Colo., measurements of...	304
Black River, N. Y., measurements of, miscellaneous.....	39	seepage on.....	304
water powers of.....	237	Boulder Creek near Boulder, Colo., measurements and gage heights of...	287-288
Black River at Huntingtonville dam, N. Y., discharge of (daily), 1897-1900.....	236-239	rating table for.....	517
gaging station on, data regarding....	38	Bowlen Creek, N. C., measurements of...	214
measurement of.....	236	Boyer, H. M., aid by.....	188
volume of, maximum.....	237	Boylston Creek, N. C., measurement of...	211
Blackfoot River near Bonner, Mont., measurements and gage heights of.....	430-431	Bozeman, Mont., hydrographic work near.....	261-262
rating table for.....	522	rating table for.....	516
Black Fork of Green River near Granger, Wyo., measurements and gage heights of.....	367	Brady, T. M., aid by.....	178
rating table for.....	519	Branch, L. V., stream measurements by... 182, 183, 184, 185, 187, 188, 205, 211, 212, 213, 214, 215, 216	
Blacksmith Fork at Hyrum, Utah, measurements and gage heights of... 412-413		Brannock, C., aid by.....	38
rating table for.....	521	Brasstown Creek, Ga., measurement of...	217
Black Warrior River near Cordova, Ala., measurement and gage heights of.....	171-172	Braun, J. A., aid by.....	326
Black Warrior River at Tuscaloosa, Ala., gage heights of.....	170-171	Brazos River at Waco, Tex., measurements and gage heights of.....	333-334
rating table for.....	514	Briar Creek, Ga., and tributary, measurements of.....	209
Blanco River, Tex., measurement of... 338-339		Bridgeport, N. Y., gaging station at, data regarding.....	38
Blevins Creek, N. C., measurement of... 216		hydrographic work at.....	223-225
Bloss, R. P., acknowledgments to.....	77	stream measurement at.....	39
Blue Creek, Ala., measurement of.....	210	Bridges, W. N., aid by.....	184
Blue Creek, Nebr., measurement of.....	310	Bridgewater, N. C., hydrographic work near.....	142
Blue River near Manhattan, Kans., measurements and gage heights of... 317-318		Broad River, N. C., drainage area, horsepower, and fall of, relation between.....	14
rating table for.....	518	flood of, maximum, in 1897.....	15
Blueridge, Ga., hydrographic work near.....	193	Broad River near Alston, S. C., measurements and gage heights of.....	146-147
rating table for.....	515	rating table for.....	512
Bluff City, Tenn., hydrographic work at. 182-183		volume of, maximum and minimum...	146
Board of public works, Grand Rapids, Mich., cited.....	241	Broad River near Carlton, Ga., measurements and gage heights of.....	151-152
Boardtown Creek, Ga., measurement of... 209		rating table for.....	513
Board Tree Creek, Ga., measurement of... 208		Broad River at Dellinger, S. C., measurement and gage heights of.....	145-146
Boise, Idaho, hydrographic work near... 427-428		Broad River at Gaffney, S. C., gaging station on, description of.....	145
rating table for.....	522	Broad River (of the Carolinas) and tributaries, measurements of, miscellaneous.....	205-206
Boise River, Idaho, measurements of, miscellaneous.....	429	Broad River (of Georgia) and tributaries, measurements of, miscellaneous...	207
Boise River near Boise, Idaho, measurements and gage heights of.....	427-428	Brodheads Bridge, N. Y., stream measurement at.....	36
rating table for.....	522	Brown, C. N., acknowledgments to..... 218, 219	
Boise Valley, Idaho, discharge measurements in, miscellaneous.....	428-429	Brown, D., aid by.....	38
Bond, E. A., acknowledgments to.....	37	Brown Creek, N. C., measurements of....	213
reference to.....	42	Bruneau River near Grandview, Idaho, gage heights of.....	426-427
Bonner, Mont., hydrographic work near.....	430-431		
rating table for.....	522		
Boone Fork of Watauga River, N. C., measurements of.....	215		

	Page.		Page.
Brush Creek, Cal., measurement of.....	461	Caney Creek, N. C., measurement of.....	211
Brush Creek, N. C., measurements of.....	213	Caney River, N. C., measurements of.....	213
Brush Creek, Tenn., measurements of.....	216	Canton, Ga., hydrographic work at.....	160-161
Brushy Fork of Cove Creek, N. C., measurement of.....	216	rating table for.....	514
Bryson, N. C., hydrographic work at.....	188-189	Canyon, Colo., hydrographic work near.....	323-324
rating table for.....	515	rating tables for.....	517, 518
Buchanan, Va., hydrographic work at.....	128	Canyon City ditch, Colo., measurements of.....	324
rating table for.....	512	Cape Fear River, N. C., drainage area, horsepower, and fall of, relation between.....	14
Buck Creek, Mich., water powers on.....	247, 249	floods of, maximum.....	15
Buck Creek, N. C., measurements of.....	204	Cape Fear River at Fayetteville, N. C., measurements and gage heights of.....	137-138
Buckley, Wash., hydrographic work near.....	445-446	rating table for.....	512
Buffalo, Wyo., hydrographic work near.....	270	volume of, maximum and minimum.....	137
Buffalo Creek, Nebr., measurement of.....	310	Carder Creek, Ga., measurements of.....	208
Buffalo Creek, N. C., measurements of.....	205, 210	Carlton, Ga., hydrographic work near.....	151-152
Buffalo Creek, Tenn., measurements of.....	216	rating table for.....	513
Bull Run Creek, Cal., measurement of.....	461	Carpenter, G. W., acknowledgments to.....	270
Bunker, G. W., acknowledgments to.....	242	Carpenter, L. G., acknowledgments to.....	291
stream measurements by.....	245, 245	seepage investigations by.....	320, 346
Burrows, T. J., aid by.....	325	Carr, B. A., aid by.....	38
Butler, Tenn., hydrographic work at.....	183, 184	Carson River near Empire, Nev., gage heights of.....	401
Butternut Creek, Ga., measurement of.....	217	Cartecay River, Ga., and tributary, measurements of.....	209
Buzzard Flopper Creek, Ga., measurement of.....	208	Carter, J. C., aid by.....	126
Byars Creek, Va., measurements of.....	215	Carters, Ga., hydrographic work at.....	161-162
		rating table for.....	514
C.		Cartersville, Va., hydrographic work at.....	128-129
Cache Creek, Cal., measurements of.....	453, 480	rating table for.....	512
Cache la Poudre River, Colo., measurements of, miscellaneous.....	305	Cascade Creek, Wyo., measurements of.....	272
seepage along.....	300, 305	Catawba, N. C., hydrographic work at.....	143-144
Cache la Poudre River near Fort Collins, Colo., discharge of (daily).....	291-292	Catawba River, N. C., drainage area, horsepower, and fall of, relation between.....	14
Calaveras Creek, Cal., measurements of.....	480	efficiency of, 1897.....	14
Calhoun Falls, S. C., hydrographic work near.....	149-150	flood of, maximum, 1897.....	15
rating table for.....	513	Catawba River at Catawba, N. C., measurements and gage heights of.....	143-144
California, hydrographic work in.....	400-401, 402-403, 405, 407-409, 450-487	Catawba River near Morganton, N. C., gaging station on, description of.....	140-141
precipitation on mountains in southern part of.....	495-496	measurements and gage heights of.....	141
pumping plants in southern part of.....	487, 497-498	Catawba River at Rockhill, S. C., measurements and gage heights of.....	144-145
rating tables for streams in.....	520, 521, 523	rating table for.....	512
stream measurements in, miscellaneous.....	405, 453, 461-462, 480-485	Catawba River, N. C., and tributaries, measurements of, miscellaneous.....	204-205
wells in southern part of, construction of.....	497-498	Cathey Creek, N. C., measurements of.....	206, 211
Calowa River near Forks, Wash., measurements and gage heights of.....	448-449	Cattail Branch, N. C., measurements of.....	213
rating table for.....	523	Cayadutta Creek near Johnstown, N. Y., discharge of (daily), 1898-1900.....	58-60
Camp Clarke, Nebr., hydrographic work at.....	276-277	gaging station on, data regarding.....	38
Camp Creek, Ga., measurement of.....	217	Cedar Creek, Ga., measurement of.....	207
Canal dredge, description of.....	503	Cedar Creek, Va., measurement of.....	215
Canals and feeders, passage of water in.....	19	Cenicero, Colo., hydrographic work at.....	348-349
Canals and feeders of New York State, discharge measurements of, tests to determine accuracy of.....	18-29	rating table for.....	519
Cane Branch, N. C., measurements of.....	213	Centers Creek, Ga., measurement of.....	217
Cane Creek, Ga., measurements of.....	208	Chandler, A. E., cited.....	453
Cane Creek, N. C., measurements of.....	205, 206, 213	stream measurements by.....	453
Cane Creek, Tenn., measurement of.....	217	Channel, W. A., stream measurements by.....	310, 311
		Charles Creek, Ga., measurement of.....	208

	Page.
Charleston, Tenn., hydrographic work at	192
rating table for	515
Chattahoochee River at Oakdale, Ga., measurements and gage heights of	158-159
rating table for	513
Chattahoochee River at West Point, Ga., measurements and gage heights of	159-160
rating table for	514
Chattahoochee River, Ga., and tributaries, measurements of, miscellaneous	208
Chattanooga, Tenn., hydrographic work at	195
rating table for	515
Chattasafkee Creek, Ala., measurement of	210
Chattooga River, Ga., measurement of	206
Cheat River near Uneva, W. Va., measurement and gage heights of	177
Cherry Log Creek, Ga., measurement of	209
Chestatee River, Ga., measurements of	208
Cheyenne River, S. Dak., Wyo., and tributaries, measurements of, miscellaneous	271-272
Childers Creek, Tenn., measurement of	218
Chino Creek at Rincon, Cal., measurements of	478
Chisholm, J. H., aid by	172
Chittenango Creek, N. Y., State dams on	223-224
Chittenango Creek at Bridgeport, N. Y., discharge of (daily), 1898-1900	224-225
gaging station on, data regarding	38
measurements of	39, 223
Choestoe Creek, Ga., measurement of	217
Christiana Creek, Mich., water powers on	255
Chucky Valley, Tenn., hydrographic work near	185
Citico Creek, Tenn., measurements of	217
City Creek near Salt Lake, Utah, discharge of (daily)	420
Clallam River, Wash., measurement of	450
Clam Lakes, Mich., drainage area and water surface of	251
Clapp, W. B., stream measurements by	471
Clark, W. B., acknowledgments to	9
Clark Creek, Cal., measurement of	461
Clear Creek, Colo., seepage along	304
Clear Creek at Forkscreek, Colo., measurements and gage heights of	285-286
rating table for	517
Clear Creek, Ga., measurements of	209
Clear Creek, N. C., measurements of	204
Clear Creek near Buffalo, Wyo., gage heights of	270
Clinton, Mass., hydrographic work at	33
Clonegar Creek, Ga., measurement of	209
Clontz, W. A., aid by	142
Clontz Creek, Ga., measurement of	209
Clover and Middle creeks, Cal., measurement of	453
Cobbosseecontee River near Augusta, Me., discharge of (daily)	31
Codman, J. E., acknowledgments to	81, 98, 109

	Page.
Cogburns Creek, Ga., measurement of	208
Colbert Creek, N. C., measurements of	213
Cold Creek, Cal., measurement of	405
Coldwater River, Mich., water powers on	255
Collins, T. S., gaging station established by	155
Collinston, Utah, hydrographic work near	413-414
rating table for	521
Colorado, hydrographic work in	278-279, 280-292, 319-329, 346-349, 375-385
rating tables for streams in	517, 518, 519, 520
seepage in	299-306
stream measurements in, miscellaneous	300-306
Colorado River at Austin, Tex., dam on	336-337
measurements and gage heights of	337-338
volume of	336, 337
Colorado River at Yuma, Ariz., gage heights of	387
Columbus, Miss., hydrographic work at	174-175
Columbus, Nebr., hydrographic work near	306-308
Columbus, Ohio, hydrographic work at	218-220
rating tables for	515
Comal River, Tex., measurements of	339, 340
Comstock Creek, Mich., water power on	258
Conasauga Creek, Tenn., measurements of	218
Conasauga River, Ga., and tributaries, measurements of	209
Conejos River, Colo., measurements of	306
seepage along	306
Conejos River near Los Mogotes, Colo., measurements and gage heights of	348
rating table for	519
Conn, J. C., stream measurements by	148, 206, 207, 208, 210
Connecticut, hydrographic work in	35-36
Connecticut River near Hartford, Conn., gage heights of	35
Connecticut River at Holyoke, Mass., reference to	35
Connecticut River near Orford, N. H., gaging station on, description of	34
measurements and gage heights of	34
Connick, H. D. H., stream measurements by	451, 452, 480
Consumne River, Cal., measurements of	480
Cooper, J. A., aid by	142
Coopers Creek, Ga., measurement of	218
Coosa Creek, Ga., measurement of	217
Coosa River at Lock No. 4, Ala., gage heights of	165-166
Coosa River at Lock No. 5, Ala., reference to	165
Coosa River near Riverside, Ala., measurements and gage heights of	164-165
rating table for	514
Coosa River at Rome, Ga., measurements and gage heights of	163-164
rating table for	514
Coosa River, Ala., tributaries of, measurements of	210
Coosawattee River at Carters, Ga., measurements and gage heights of	161-162
rating table for	514

	Page.		Page.
Coosawattee River, Ga., and tributaries, measurements of, miscellaneous ..	209	Davis Creek, Ga., measurement of	207
Cordova, Ala., hydrographic work near ..	171-172	Davidson River, N. C., measurements of ..	211
Cornell University, laboratory tests at ..	21-29	Dayton Creek, Mont., measurement of ..	435
Corps of Engineers, United States Army, acknowledgments to	10	Dead River, Mich., water power on	260
Corral Creek, Cal., measurement of	462	Deadman Creek, Nebr., measurements of	310
Cosby Creek, Tenn., measurements of ..	217	Deep River, N. C., drainage area, horsepower, and fall of, relation between	14
Coughlin, T. H., cited	251	Deep River at Cumnock, N. C., measurements and gage heights of	136-137
Courchesne, T. N., stream measurements by	353	Deep River at Moncure, N. C., gage heights of, 1899	11
Cone Creek, N. C., measurements of	205, 206, 215, 216	horsepower of, available during 1899 ..	12-14
Cowiche Creek, Wash., measurement of ..	443	measurement of	137
Cox, O. V., aid by	182	Deer Creek, Cal., measurement of	405
Cox Creek, Ga., measurement of	209	Delaware River at Lambertville, N. J., measurements and gage heights of	80
Crabtree Creek, N. C., measurements of ..	213	rating table for	511
Cranberry Creek, N. C., measurement of ..	216	Dellinger, S. C., hydrographic work at ..	145-146
Crane Creek, Ga., measurement of	208	Del Norte, Colo., hydrographic work near	347
Crawfords Creek, Ga., measurement of ..	209	rating table for	519
Cressy, S. W., gaging station established by	327	Dennis, W. H., aid by	358
Crib Creek, N. C., measurements of	204	Denton Valley Creek, Va., measurements of	214
Croton River, N. Y., discharge of (monthly), 1900	79-80	Denver, Colo., hydrographic work at ..	281-282
rainfall and run-off in basin of	80	rating table for	517
Crow Creek, Mont., measurements of ..	266-267, 436	Deschutes River at Moro, Oreg., gaging station on, reference to	445
Cub River at Franklin, Idaho, measurements and gage heights of	410-411	Devils Gate, Cal., stream measurements near	487
rating table for	521	Devils River at Devilsriver, Tex., measurements and gage heights of ..	363-365
Cumnock, N. C., hydrographic work at ..	136-137	Dewey, E. P., stream measurements by ..	471
Cunningham, P. D., acknowledgments to ..	352	Diamond Fork of Klickitat River, Wash., measurement of	443
Current Creek, Utah, features of, and irrigation along	499, 508-509	Dickson, L. H., aid by	289
measurement of	499	Diggins, L., aid by	38
Current meter, comparison of float rods and	20-29	Dils, N. S., acknowledgments to	9
description and use of	20-21	stream measurements by ..	426, 427, 428, 430
measurements made by, on Erie Canal, N. Y.	22, 24	Discharge measurements in New York State canals and feeders, methods of making, and tests to determine accuracy of	18-29
Curtis, N. C., gaging stations established by	138, 145, 179, 180, 181	District of Columbia, hydrographic work in	125-126
stream measurements by	139, 145, 180, 181, 203, 204, 205, 206, 210, 211, 212	Dobson, A., acknowledgments to	9
Curtis Creek, N. C., measurements of ..	204	stream measurements by	277, 284, 307, 310, 311, 312
Cutbank River, Mont., measurement of ..	269	Doe Creek, Tenn., measurements of	216
D.		Doe River, Tenn., measurements of	216
Dadeville, Ala., hydrographic work near ..	174	Dog Creek, Nev., measurements of	405
rating table for	514	Dolgeville, N. Y., gaging station at, data regarding	38
Dams, failures of, causes of	14-15	hydrographic work at	55-58
Dan River at South Boston, Va., gage heights and measurements of ..	132-133	stream measurements at	39
Danley, R. J. M., stream measurements by ..	246	Dolores River at Dolores, Colo., measurements and gage heights of	380-381
Danville, Pa., hydrographic work at	111	rating table for	520
rating table for	511	Donner Creek, Cal., measurements of ..	405
Dark Ridge Creek, Tenn., measurement of	216	Dowagiac Creek, Mich., water power on	254-255
Davis, A. P., gaging stations established by	117, 118, 119, 264	Dowagiac River, Mich., volume of, maximum	257
paper by, on measurement of sediment	15-18		
Davis, C. N., aid by	286		
Davis, J. B., gaging station supervised by ..	251		
stream measurement by	251		

	Page.
Downing Creek, Ga., measurement of....	209
Downs, J., aid by.....	38
Drainage area, horsepower, and fall of streams, relation between.....	14
Drainage areas of streams in United States, alphabetical list of.....	524-548
Drake, E., aid by.....	317
Dredge for canals, description of.....	503
Dressor, A., aid by.....	38
Dublin, Ga., hydrographic work near..	152-153
rating table for.....	513
Duchesne River at Price road bridge, Utah, measurements and gage heights of.....	373-374
rating table for.....	519
Dukes Creek, Ga., measurement of.....	208
Duncan Company, aid by.....	38
Dungeness River at Dungeness, Wash., measurements and gage heights of.....	446-447
rating table for.....	522
Dunsbach Ferry, N. Y., gaging station near, data regarding.....	38
hydrographic work near.....	69-71
Durango, Colo., hydrographic work at.	383-384
rating table for.....	520
Du Shane, J., cited.....	254
Dutch Creek, N. C., measurements of....	215

E.

Eagle Pass, Tex., hydrographic work near.....	365-366
East Ash Creek, Nebr., measurements of.	310
East Branch of Fish Creek at Point Rock, N. Y., measurement of.....	39
East Canada Creek at Dolgeville, N. Y., discharge of (daily), 1898-1900....	57-58
diversions from, measurements of....	56
gaging of, methods employed in.....	55-57
gaging station on, data regarding.....	38
measurements of.....	39, 56-57
East Fork, N. C., measurements of.....	210
East Fork of Carson River near Gardnerville, Nev., gage heights of.....	399-400
East Fork of French Broad River, N. C., measurement of.....	211
East Fork of Lake Creek, Utah, measurements of.....	373
East Fork of Little Pigeon River, Tenn., measurements of.....	217
East Tassantee Creek, Ga., measurement of.....	208
Easton, Pa., stream measurement at....	114
Efficiency of streams.....	14
Elk Creek, N. C., measurements of.....	203, 210
Elk Creek, Tenn., measurement of.....	216
Elk Creek at Lineback, Tenn., measurements and gage heights of.....	184-185
Elk Creek, Va., measurement of.....	211
Elk Fork Creek, N. C., measurements of..	213
Elkhart River, Mich., water powers on..	255
Elkhatchee Creek, Ala., measurement of.	210
Elkhorn River near Arlington, Nebr., discharge measurements and gage heights of.....	309-310

	Page.
Elkhorn River near Norfolk, Nebr., measurements and gage heights of..	308-309
Elko, Nev., hydrographic work near....	395-396
rating table for.....	520
Elk Shoal Creek, N. C., measurement of.	214
Ellijay River, Ga., and tributary of, measurements of.....	209
Ellis Creek, Tenn., measurement of.....	218
Ellsworth, Kans., hydrographic work at.....	316-317
rating table for.....	517
El Paso, Tex., hydrographic work near.	352-353
Elwha River at McDonald, Wash., measurements and gage heights of..	447-448
rating table for.....	523
Embudo, N. Mex., hydrographic work at.	350
Empire, Nev., hydrographic work near..	401
Empire State Power Company, aid by...	38
Engineering News, cited.....	71
Engineering Record, cited.....	257
Epes, Ala., hydrographic work near....	175-176
Erie Canal aqueduct, N. Y., gaging station on, data regarding.....	38
hydrographic work at.....	63-64
stream measurement at.....	39
Esopus Creek, N. Y., measurement of....	36
Etowah River at Canton, Ga., measurements and gage heights of.....	160-161
rating table for.....	514
Etowah River, Ga., and tributaries, measurements of, miscellaneous.....	208
Evaporation in canals along Provo River, Utah.....	501
Executive board of city of Rochester, N. Y., cited.....	67

F.

Fall Creek, N. C., measurement of.....	206
Fall River, S. Dak., measurements of....	272
Fall of streams, drainage area, and horsepower, relation between, on North Carolina rivers.....	14
Fayette, W. Va., hydrographic work at.	181-182
rating table for.....	515
Fayetteville, N. C., hydrographic work at.....	137-138
rating table for.....	512
Feather River, Cal., measurement of....	480
Fellows, A. L., acknowledgments to.....	9
stream measurements by....	280, 281, 283, 284, 286, 287, 288, 289, 290, 321, 323, 324, 325, 328, 347, 348, 349, 368, 375, 376, 377, 378, 380, 382, 383, 385
Field, J., aid by.....	133
Fifteenmile Creek, Va., measurements of.	214
Finch, L. H., aid by.....	174
Finkle, F. C., acknowledgments to.....	462
First Broad River, N. C., measurement of.....	206
Fishdam Creek, Tenn., measurements of.	215
Fisher River, N. C., measurements of....	204
Fitz Gerald, D., acknowledgments to....	33
Flannery Fork, N. C., measurements of..	210
Flat Creek, Ga., measurement of.....	209
Flat Creek, N. C., measurements of.....	212

	Page.
Goodfellow, J., aid by	38
Goshen Warm Springs Creek, Utah, meas- urement of	499
features of	509
irrigation from	499
Graden, C. G., aid by	383
Graff ditch, Nebr., measurement of	311
Gramling, J. S., aid by	145
Granada, Colo., hydrographic work near	329
Grand River, Mich., features of	239-249
gauge heights of	242, 243-244
gaging stations on	241-242, 246
measurements of	245
water powers on	247-249
volume of	242
Grand River at Glenwood Springs, Colo., measurements and gage heights of	375-376
rating table for	520
Grand River at Grand Junction, Colo., measurements and gage heights of	376-377
Grand Encampment Creek at Peryam's ranch, Wyo., measurements and gage heights of	273
rating table for	516
Grand Junction, Colo., hydrographic work at	376-377
Grand Rapids, Mich., water power avail- able at	248
Grandview, Idaho, hydrographic work near	426-427
Granger, Wyo., hydrographic work near	367
rating table for	519
Grassy Creek, N. C., measurements of	212, 213
Graves, E. D., acknowledgments to	35
stream measurements by	212, 215, 216
Greasy Creek, Tenn., measurements of	218
Great Plains Water Co., reservoirs of	320
Greater New York, stream meas- urements near	36
Green River, Colo., stream meas- urements in basin of	375
Green River, N. C., measurements of	206
Green River at Greenriver, Wyo., gage heights of	366-367
Greenbrier River at Alderson, W. Va., measurements and gage heights of	178-179
rating table for	515
Greenleaf, J. T., cited	251
Greenriver, Wyo., hydrographic work at	366-367
Grose Creek, Va., measurements of	214
Grove Creek, Ga., measurements of	207
Guadalupe River, Tex., measurement of	340
Guernsey, Wyo., hydrographic work near	275
rating table for	516
Gull Lake outlet, Mich., water powers on	258
Gunnison, Utah, hydrographic work near	425-426
rating table for	521
Gunnison River at Grand Junction, Colo., measurements of	378

	Page.
Gunnison River at Iola, Colo., meas- urements and gage heights of	378-379
rating table for	520

H.

Hall, B. M., acknowledgments to	9
gaging station established by	193
stream measurements by	150,
152, 153, 154, 155, 158, 159, 160, 193, 207, 208, 209	
Hall, J. R., gaging stations established by	166,
167, 172, 174	
stream measurements by	166,
167, 172, 173, 174, 210	
Hall, M., stream measurements by	148, 149, 150,
151, 161, 163, 164, 168, 171, 192, 194, 195, 207, 208	
Hall, O. P., gaging station established by	191
stream measurements by	161,
162, 191, 208, 209, 217, 218	
Hall, W. E., stream measurements by	207
	208, 217, 218
Halls Creek, Va., measurement of	215
Hancock Spring, Tex., measurement of	335
Handy ditch, Colo., gage heights of	291
Hanna Spring, Tex., measurement of	335
Harden, F. S., aid by	38
Hardesty, W. P., stream measurements by	415, 416, 418
Harris Creek, Cal., measurement of	461
Harris Creek, Ga., measurement of	209
Harrisburg, Pa., hydrographic work at	113-114
rating table for	511
Harrison, C. L., acknowledgments to	280
Harroun, P. E., acknowledgments to	9
stream measurements by	350, 351, 352
Hartford, Conn., hydrographic work near	35
Hat Creek, Wyo., measurement of	272
Hatcher Creek, Tenn., measurement of	215
Hatchett Creek, Ala., measurement of	210
Havre, Mont., hydrographic work at	267
rating table for	516
Haw River, N. C., drainage area, horse- power, and fall of, relation be- tween	14
Haw River at Moncure, N. C., meas- urement of	137
Hawley, R. W., stream measurements by	281,
283, 324, 325, 326	
Haynes Creek, Ga., measurement of	207
Hays, J. W., cited	10, 11, 14
Hazel Creek, Ga., measurement of	208
Hazen, A., quoted on sediment in streams	17
Hebrew, S., aid by	284
Hellgate River, Mont., measurement of	432
Helton Creek, N. C., measurements of	210
Henson Creek, N. C., measurement of	212
Herndon, Cal., hydrographic work at	458-459
rating table for	523
Heron, G. M., aid by	146
Hesse Creek, Tenn., measurement of	217
Hickman, W. M., aid by	313
Hickory Level Creek, Ga., measurements of	207
Hickory Nut Creek, N. C., measurement of	205
Higdon, C. V., aid by	191

	Page.		Page.
Higgins Lake, Mich., drainage area and water surface of	251	Hudson River at Fort Edward, N. Y., gaging station on, data regarding	38
High Line canal, Colo., volume of	300	measurements of	39, 75
High Shoals Creek, Ga., measurement of	217	Hudson River at Mechanicsville, N. Y., discharge of (daily), 1898-1900	78-79
Highspire, Pa., stream measurements at	114	gaging station on, data regarding	38
Hightower Creek, Ga., measurement of	217	measurements of	39, 72, 77
Hill, W. R., acknowledgments to	79	Hughes, R., aid by	38
Hillabee Creek near Alexander City, Ala., measurements and gage heights of	172-173	Humboldt River near Elko, Nev., measurements and gage heights of	395-396
Hiwassee River at Charleston, Tenn., measurements and gage heights of	192	rating table for	520
rating table for	515	Humboldt River near Golconda, Nev., measurements and gage heights of	397-398
Hiwassee River at Murphy N. C., measurements and gage heights of	190-191	rating table for	520
rating table for	515	Humboldt River near Lovelocks, Nev., canals diverting water from, measurements of	399
Hiwassee River at Reliance, Tenn., measurements and gage heights of	191-192	Humboldt River near Oreana, Nev., measurements and gage heights of	398-399
rating table for	515	rating table for	520
Hiwassee River, Ga., and tributaries, measurements of, miscellaneous	217-218	Humphreys, D. C., acknowledgments to	10
Hobble Creek, Utah, features of, and irrigation from	505-507	gaging stations established by	127, 128, 130, 178
Hoffman, W., aid by	38	stream measurements by	127, 128, 129, 130, 178-179, 181
Hog Creek, Ga., measurement of	217	Hungry Mother Creek, Va., measurements of	215
Hogthief Creek, Va., measurements of	215	Hunter Creek, Nev., measurements of	405
Hogtrough Creek, Va., measurements of	214	Huntington, D. L., stream measurements by	438-439
Holcomb Rock, Va., hydrographic work at	129-130	Huntingtonville dam, N. Y., gaging station at, data regarding	38
Hollins Creek, N. C., measurement of	206	stream measurements at	236-239
Hollow Creek, S. C., measurement of	207	Huron River, Mich., features of	251
Hollow Poplar Creek, N. C., measurements of	213	gaging station established on	251
Holly Creek, Ga., measurements of	209	measurement of	251-252
Holmes, J. A., acknowledgments to	9	Hurricane Creek, Ga., measurements of	207
Holt, Mont., hydrographic work near	436-437	Hutchinson, Kans., hydrographic work at	390
Holyoke, Mass., hydrographic work at	35	rating table for	518
Hominy Creek, N. C., measurements of	211	Huttons Branch, Va., measurements of	215
Hood River at Tucker, Oreg., gaging station on, reference to	445	Hyrum, Utah, hydrographic work at	412-413
Hooper, Wash., hydrographic work near	443-444	rating table for	521
rating table for	522		
Horse Creek, Nebr., measurement of	311		I.
Horse Creek, N. C., measurements of	210, 212	Idaho, hydrographic work in	409-411, 426-430
Horsepower, drainage area, and fall of streams, relation between, on North Carolina rivers	14	rating tables for streams in	521, 522
Horton, R. E., cited	257	stream measurements in, miscellaneous	429
report by, on Grand River, Mich	239-249	Ignacio, Colo., hydrographic work at	382-383
report by, on methods employed in gaging New York streams during 1900	37-42	rating table for	520
stream measurements by	39, 46, 52, 61	Indian Creek, Nebr., measurement of	311
Houghton Lake, Mich., drainage area and water surface of	251	Indian Lake reservoir, N. Y., data regarding	71-72
Housatonic River at Gaylordsville, Conn., measurements and gage heights of	36	Indian River at Indian Lake dam, N. Y., gaging station on, description of	38, 71-72
Howell, D. J., acknowledgments to	38, 42, 70	measurements of	39, 72
Hubbard Lake, Mich., drainage area of	253	regimen of	71-72
water surface of, and water storage in	252, 253	Integrating method of making meter measurements, comparison of six-tenths method and	24
Hudson River at Fort Edward, N. Y., discharge of (daily), 1899, 1900	76	description and application of	20, 24-29

	Page.
International (Water) Boundary Commission, hydrographic work of.....	352-357, 362-366
Iola, Colo., hydrographic work at.....	378-379
rating table for.....	520
Iola, Kans., hydrographic work near.....	331-332
rating table for.....	518
Iron Creek, S. Dak., measurements of.....	272
Irrigation in Utah Valley, Utah, features of.....	498-509
Ivy Log Creek, Ga., measurement of.....	217

J.

Jack Creek, N. C., measurements of.....	213
Jacks River, Ga., measurements of.....	209
Jackson, D. D., and Whipple, G. C., cited..	17
Jackson, W. L., aid by.....	154
Jackson Creek, Cal., measurement of.....	461
Jacobs Creek, Tenn., measurements of.....	215
James River at Buchanan, Va., measurements and gage heights of.....	128
rating table for.....	512
James River at Cartersville, Va., measurements and gage heights of.....	128-129
rating table for.....	512
James River at Holcomb Rock, Va., gage heights of.....	130
gaging station on, description of.....	129
Janus, S., stream measurements by.....	386
Jarrett Creek, N. C., measurement of.....	204
Jefferson River at Sappington, Mont., measurements and gage heights of.....	264-265
rating table for.....	516
Jellys Ferry, Cal., hydrographic work at.....	450-451
rating table for.....	523
Jennies Creek, Ga., measurement of.....	208
Jim Scott Branch, Va., measurements of.....	214
Jocko River, Mont., measurement of.....	436
Jo Gray Creek, Cal., measurements of.....	405
John River near Morganton, N. C., measurements and gage heights of.....	142-143
Johns River, N. C., measurements of.....	205
Johnson, C., gaging station established by.....	439
Johnson, E. D., stream measurements by.....	310, 311
Johnstown, N. Y., gaging station at, data regarding.....	38
river flow near.....	58-60
Jonah Creek, Tenn., measurements of.....	215
Jones, W., gaging station established by.....	462
Judson, N. C., hydrographic work at.....	189-190
rating table for.....	515
Judson, W. P., acknowledgments to.....	37
Julesburg, Colo., hydrographic work at.....	283
Juliette, Ga., hydrographic work near.....	154-155
rating table for.....	513
Junction, Kans., hydrographic work at.....	313-314
rating table for.....	517
Juniata River at Newport, Pa., measurements and gage heights of.....	112-113
rating table for.....	511
Juniper Creek, Cal., measurements of.....	405

K.

	Page.
Kalamazoo River, Mich., gage heights of, 1900, 1901.....	259
gaging station established on.....	258
water powers on.....	257-258
Kansas, hydrographic work in.....	313-320, 330-332
rating tables for streams in.....	517, 518
Kansas River at Lecompton, Kans., measurements and gage heights of.....	318-319
rating table for.....	518
Kaweah River, Cal., measurements of.....	482
Kelley, Mrs. W. H., aid by.....	384
Kells Creek, Ga., and tributary of, measurements of.....	209
Kelsey, F. C., acknowledgments to.....	419,
420, 421, 422, 423	
Kelsey Creek, Cal., measurement of.....	453
Kennebec River at Waterville, Me., discharge of (daily), 1899, 1900.....	29-30
Kentucky Fork of North Toe River, N. C., measurement of.....	212
Kenwood, N. Y., gaging station at, data regarding.....	38
hydrographic work at.....	225-226
stream measurement at.....	39
Kern River, Cal., measurements of, miscellaneous.....	482
Kern River near Bakersfield, Cal., discharge of (daily).....	462-463
Kern River Basin, Cal., stream measurements in, miscellaneous.....	461-462
Kincaid, J. W., aid by.....	141
Kinchafoonee Creek near Albany, Ga., reference to proposed measurement of.....	157
King Creek, N. C., measurement of.....	211
King River, Cal., measurements of, miscellaneous.....	481, 482
King River near Kingsburg, Cal., gage heights of.....	460-461
King River near Red Mountain, Cal., measurements and gage heights of.....	459-460
rating table for.....	523
Kingsburg, Cal., hydrographic work near.....	460-461
Kiona, Wash., hydrographic work at.....	442-443
rating table at.....	522
Klickitat River, Diamond Fork. See Diamond Fork of Klickitat River.	
Klickitat River, Gold Fork. See Gold Fork of Klickitat River.	
Knoxville, Tenn., hydrographic work at.....	193-194
Kuichling, E., work of, in connection with investigations to determine flow, seepage, and evaporation of New York State canals and feeders.....	18

L.

Lagrange, Cal., hydrographic work at.....	456-458
rating table for.....	523
Lake Cheesman, Colo., water storage project at.....	279

	Page.		Page.
Lake Chelan at Lakeside, Wash., gaging station at, reference to	439	Lippincott, J. B., work of	450, 456, 457, 459, 460, 463, 464, 476, 478, 479
Lake Cochituate, Mass., hydrographic work on	33	Little River, Ga., measurement of	208
run-off in basin of	34	Little River, N. C., measurements of	211
Lake Creek, Utah, measurements of	372-373	Little River, Tenn., measurements of	217
Lake Creek at Twin Lakes, Colo., gaging stations on	320-321	Little River, Va., measurements of	211
measurements and gage heights of	321-322	Little River, Wash., measurements of	450
rating tables for	518	Little Amicalola Creek, Ga., measurement of	208
water storage in	320-321	Little Bald Mountain Creek, N. C., measurements of	214
Lake Poinsett, S. Dak., inlet of, stream measurement of	271	Little Bear River, Utah, measurements of	413
Lakeside, Wash., gaging station at	439	Little Blue River, Nebr., measurements of	310
Lambertville, N. J., hydrographic work at	80	Little Cove Creek, Tenn., measurement of	217
rating table for	511	Little Crabtree Creek, N. C., measurements of	213
Lame Johnny Creek, S. Dak., measurements of	272	Little Doe River, Tenn., measurements of	216
Lampasas River, Tex., features of	335-336	Little Elk Creek, N. C., measurement of	216
Landreth, O. H., weirs erected by	58	Little Falls, N. Y., gaging station at, data regarding	38
Langtry, Tex., hydrographic work near	357-358	hydrographic work at	52-55
Laramie River near Uva, Wyo., gage heights of	274	stream measurements at	39
Laramie River at Woods, Wyo., measurement and gage heights of	273-274	Little Hudson Creek, Ga., measurement of	207
rating table for	516	Little Hudson River, Ga., measurement of	207
Laurel Creek, N. C., measurements of	212, 215, 216	Little Kern River, Cal., measurement of	461
Laurel Fork of Doe River, Tenn., measurements of	216	Little Leatherwood Creek, Ga., measurement of	207
Laurel Fork of Holston River, Tenn.-Va., measurements of	214	Little Nails Creek, Ga., measurement of	207
Lawrence, Mass., discharge of Merrimac River at	32-33	Little Oil Creek, Wyo., measurements of	272
Leatherwood Creek, Ga., measurement of	207	Little Pine Creek, N. C., measurements of	212
Lecompton, Kans., hydrographic work at	318-319	Little River Creek, Ga., measurement of	208
rating table for	518	Little Tennessee River, Tenn., measurements of, miscellaneous	217
Leepers Bridge, Mich., stream measurements at	257	Little Tennessee River at Judson, N. C., measurements and gage heights of	189-190
Lees Creek, N. C., measurements of	212	rating table for	515
Left Hand Creek, Colo., measurements of	304	Little Thompson Creek, Colo., measurements of	305
seepage along	304	seepage along	305
Lehigh River, Pa., measurement of	114	Little Truckee River, Cal., measurements of	405
Leon River, Tex., features of	334-335	Little Turniptown Creek, Ga., measurement of	209
measurement of	335	Livingston, Mont., hydrographic work near	268
Leona River, Tex., springs along, measurements of	342-343	rating table for	516
Level Land Creek, Ga., measurement of	217	Lockport, N. Y., measurements on Erie Canal at	21-23
Leverett, F., cited	254	Locks Nos. 4 and 5, Ala., hydrographic work at	165-166
Liberty, Kans., hydrographic work near	330-331	Lockwood, W. D., stream measurements by	46, 52
rating table for	518	Locust Creek, N. C., measurements of	213
Lick Log Creek, Ga., measurement of	209	Lodgepole Creek, Nebr., measurements of	311
Lineback, Tenn., hydrographic work at	184-185	Logan, A. B., aid by	171
Ling, C. W., stream measurements by	267	Logan, Mont., hydrographic work at	262-263
Linville River near Bridgewater, N. C., measurements and gage heights of	142	rating table for	516
Linville River at Linville, N. C., measurements of	205		
Lippincott, J. B., acknowledgments to	9		
cited	385		

	Page.
Logan, Utah, hydrographic work near	411-412
rating table for	521
Logan River near Logan, Utah, measurements and gage heights of	411-412
rating table for	521
Lolo Creek, Mont., measurement of	433
Longahatchee Creek, Ala., measurement of	210
Long Bullet Creek, N. C., measurement of	217
Long Valley Creek, Cal., measurement of	453
Lookingglass River, Mich., water powers on	247
Los Angeles River, Cal., measurements of, miscellaneous	482, 483
Los Angeles River at The Narrows, Cal., measurements over weirs on	464-471
Los Mogotes, Colo., hydrographic work near	348
rating table for	519
Los Moras Creek, Tex., discharge measurements of	344-345
Los Pinos River at Ignacio, Colo., measurements and gage heights of	382-383
rating table for	520
Lost Creek, Tenn., measurements of	218
Loud ditch, Ga., measurement of	208
Louis Fork of Yadkin River, N. C., measurements of	203
Loup River near Columbus, Nebr., measurements and gage heights of	306-307
Lovelocks, Nev., canals near, measurements of	399
Lower Creek, N. C., measurements of	205
Lower Rio Grande, gaging stations on	354
Lyons, Colo., hydrographic work near	288-289
rating table for	517

M.

McCalla, R. C., jr., acknowledgments to	170
McConnellsville, N. Y., hydrographic work at	227-229
McCoskey, A. B., stream measurements by	310, 311
McClatchy, R. M., aid by	173
McConnellsville, N. Y., gaging station at, data regarding	38
McDonald, Wash., hydrographic work at	447-448
rating table for	523
McDowell, Ariz., gaging stations at, reference to	386-387
Macon, Ga., hydrographic work at	155-156
rating table for	513
McReynolds, O. O., work of	320, 321
Madison, S. C., hydrographic work near	149
rating table for	513
Madison River near Redbluff, Mont., measurements and gage heights of	263-264
rating table for	516
Main Prong of Little River, Tenn., measurements of	217
Maine, hydrographic work in	29-32
Malade River, Idaho, gaging stations on, reference to	426

	Page.
Mancos River at Mancos, Colo., measurements and gage heights of	384-385
Manhattan, Kans., hydrographic work near	317-318
rating table for	518
Manti Creek near Manti, Utah, measurements and gage heights of	424
Maple Creek, N. C., measurement of	205
Maple River, Mich., water powers on	249
Mapleton, Utah, hydrographic work near	415-416
Marett, E., aid by	368
Margueretta flume, Tex., measurements and gage heights of	360-361
Marshall, Colo., hydrographic work at	286-287
Martin Creek, N. C., measurements of	213
Martis Creek, Cal., measurements of	405
Marx, C. D., reference to	454
Maryland, hydrographic work in	115,
117-118, 121-125, 176-177	
rating tables for streams in	511, 512, 514
Mason's ranch, Nev., hydrographic work at	396-397
rating table for	520
Massachusetts, hydrographic work in	32-34, 35
Masten ditch, Cal., measurement and gage heights of	408-409
Mather, E., reference to	113
Matlock, S. M., acknowledgments to	281
Matthes, F. E., stream measurements by	269
Matthes, G. H., stream measurements by	269,
	270
Mattoax, Va., hydrographic work at	126-127
Maumee River near Waterville, Ohio, measurements and gage heights of	220
Meat Camp Creek, N. C., measurements of	210
Mechanicsville, N. Y., gaging station at, data regarding	38
hydrographic work at	77-79
stream measurements at	39, 72
Medicine Creek, Nebr., measurement of	311
Meighan, J. F., stream measurements by	256-257
Melton, C. E., aid by	159
Merced River, Cal., measurements of	481
Merrimac River at Lawrence, Mass., discharge of (daily)	32-33
Mexico, Ohio, hydrographic work near	221
Meyer, H., aid by	38
Michigan, hydrographic work in	239-260
Middle Creek near Bozeman, Mont., measurements and gage heights of	261-262
rating table for	516
Middle Creek, N. C., measurements of	213
Middle Creek, Tenn., measurement of	217
Middle and Clover creeks, Cal., measurement of	453
Middle Broad River, Ga., measurement of	207
Middle Fork of French Broad River, N. C., measurement of	211
Middle Fork of Holston River, Va., measurements of	215
Middle Fork of Little Pigeon River, Tenn., measurements of	217

	Page.		Page.
Middle Fork of Milk River, Mont., measurement of	269	Mohawk River, N. Y., regimen of	42-43
Middle Fork of New River, N. C., measurements of	210	Mohawk River near Dunsbach Ferry, N. Y., gage heights of, 1898-1900	69-71
Middle Fork of Yuba River, Cal., measurement of	480	gaging station on, data regarding	38
Middle Holston River, Va., measurements of	215	Mohawk River at Little Falls, N. Y., discharge of (daily), 1898-1900	54-55
Middle Oconee River, Ga., measurements of	207	diversions from, measurements of	53
Middle Prong of Mountaintown Creek, Ga., measurement of	209	gaging station on, data regarding	38
Middle Saluda Creek, N. C., measurements of	206	measurements of	39, 52-54
Middleville, N. Y., gaging station at, data regarding	38	Mohawk River at Rexford Flats, N. Y., discharge of (daily), 1898-1900	68-69
river discharge at	50-52	diversions from, measurements of	68-67
stream measurement at	39	gaging station on, data regarding	38
Middle Yuba River near North San Juan, Cal., measurements and gage heights of	452	measurements of	68
Milk River at Havre, Mont., measurements and gage heights of	267	Mohawk River at Ridge Mills, N. Y., discharge of (daily), 1898-1900	43-45
rating table for	516	gaging station on, data regarding	38
Mill Creek, Cal., in canyon, discharge of (daily)	476-477	measurements of	39
Mill Creek, Ga., measurements of	208,	Mohawk River at Riverside Bridge, N. Y., measurement of	39
	209, 217, 218	measurements of	39
Mill Creek, N. C., measurements of	204	Mohawk River near Schenectady, N. Y., gaging station on, data regarding	38
Mill Creek near Salt Lake, Utah, discharge of (daily)	422	measurements and gage heights of	39, 65-66
Mill Creek, Tenn., measurement of	216	Mokelumne River, Cal., measurements of	480
Mill Creek, Va., measurements of	214	Molina, Ga., hydrographic work at, reference to	157
Miller, C. A., stream measurements by	464	Moncure, N. C., gage heights of Deep River at, for 1899	11
Mill Point, N. Y., gaging station at, data regarding	38	horsepower of Deep River available at, during 1899	12-14
hydrographic work at	64	stream measurements at	137
stream measurements at	39	Mondragon, R., aid by	349
Mills, Gen. A., acknowledgments to	354	Monocacy River near Frederick, Md., measurements and gage heights of	125
Mills, W. M., stream measurements by	245	rating table for	512
Mills River, N. C., measurements of	211	Monroe, G. H., aid by	35-36
Millville, W. Va., hydrographic work at	120-121	Monroe Creek, Nebr., measurement of	311
rating table for	511	Montana, hydrographic work in	260-269,
Milstead, Ala., hydrographic work near	168		430-438
rating table for	514	rating tables for streams in	516, 522
Minetto, N. Y., gaging station near, data regarding	38	stream measurements in, miscellaneous	268-269
hydrographic work near	229-230	Montgomery, Ala., hydrographic work at	168-169
stream measurement near	39	Montgomery Creek, Ga., measurement of	208
Minnesota, hydrographic work in	260	Montgomery Ferry, Idaho, hydrographic work at	426
Mingus, W., aid by	190	Montrose, Colo., hydrographic work at	379-380
Mission Creek, Mont., measurement of	436	rating table for	520
Mississippi, hydrographic work in	174-175	Moody Mill Creek, N. C., measurement of	215
Mississippi River at St. Paul, Minn., gage heights of	260	Moorhead, Tex., hydrographic work near	362-363
Missoula River at Missoula, Mont., measurements and gage heights of	432-433	Mooseriver, N. Y., gaging station at, data regarding	38
rating table for	522	hydrographic work at	234-235
Missouri River at Townsend, Mont., measurements and gage heights of	265-266	Moose River at Mooseriver, N. Y., gage heights of	235
rating table for	516	gaging station on, description of	38, 234-235
Mitchell River, N. C., measurements of	204	water powers of	235
Mixer, C. A., acknowledgments to	32	Morganton, N. C., hydrographic work near	140-143
Moccasin Creek, Ga., measurement of	217		
Mohave River at Victorville, Cal., measurements and gage heights of	463-464		

	Page.
Morley F., cited	240
stream measurements by	242, 245
Moro, Oreg., gaging station at, reference to	445
Morrison, Colo., hydrographic work at	284-285
rating table for	517
Morse River, Wash., measurement of	450
Mount Wilson, Colo., elevation of	380
Mountain Creek, N. C., measurements of	205
Mountaintown Creek, Ga., measurement of	209
Muckalee Creek near Albany, Ga., measurements proposed on	157
Mud Creek, N. C., measurement of	211
Mud Creek, Tex., features of	345
Muddy Creek, Nebr., measurement of	311
Muddy Creek, N. C., measurements of	205
Mulberry Creek, N. C., measurements of	205
Mulberry Creek, Tenn., measurement of	217
Mulberry River, N. C., measurements of	204
Mulberry Spring, Tex., measurements of	343
Murphy, E. C., paper by, on tests to determine accuracy of discharge measurements of New York State canals and feeders	18-29
stream measurements by	237
Murphy, N. C., hydrographic work at	190-191
rating table for	515
Muskegon River, Mich., analysis of water of	241
features of	249-251
gaging station on, description of	249-250
measurement of	250
Muskrat Lake, Mich., drainage area and water surface of	251
Myers, E. W., acknowledgments to	9
gaging stations established by	132,
133, 136, 142	
stream measurements by	126,
132, 133, 134, 135, 136, 137, 140, 143, 144,	
146, 147, 182, 183, 184, 185, 186, 187, 188,	
189, 190, 205, 211, 212, 213, 214, 215, 216	
Mystic Lake, Mass., reference to	34
N.	
Naches River at North Yakima, Wash., measurements and gage heights of	440
rating table for	522
Nanticoke, Pa., stream measurement at	114
Nashua River, Mass., hydrographic work on	33
Neal, N. C., hydrographic work at	131-132
rating table for	512
Near Prong of Little River, Tenn., measurement of	217
Nebraska, hydrographic work in	276-279,
306-313	
stream measurements in, miscellaneous	300-306, 310-311
Neighbors, B. F., aid by	167
Nelson, C. L., aid by	180
Nelson, E. J., aid by	38
Neosho River near Iola, Kans., measurements and gage heights of	332
rating table for	518
Nepesta, Colo., hydrographic work near	326-327

	Page.
Nepesta, Colo., rating table for	518
Neshaminy Creek, Pa., discharge of (daily), 1884-1900	90-98
Neuse River, N. C., drainage area, horsepower, and fall of, relation between	14
efficiency of, 1897	14
flood of, maximum, 1897	15
Neuse River at Selma, N. C., gage heights of	136
measurements of	135
rating table for	512
volume of, maximum and minimum	135
Nevada, hydrographic work in	395-400,
401, 403-406	
rating tables for streams in	520, 521
Newell, F. H., letter of transmittal by	7
Newfound Creek, N. C., measurements of	212
New Hampshire, hydrographic work in	34
New Jersey, hydrographic work in	80
rating table for Delaware River in	511
New Mexico, hydrographic work in	350-352
Newport, Pa., hydrographic work at	112-113
rating table for	511
Newport, Tenn., hydrographic work at	188
New River, N. C., hydrographic work at	180
New River at Fayette, W. Va., measurements and gage heights of	181-182
rating table for	515
New River near Oldtown, Va., measurements and gage heights of	181
New River at Radford, Va., measurements and gage heights of	178
rating table for	514
New River, N. C., and tributaries, measurements of, miscellaneous	210-211
New York, canals and streams in, relation between	40
drainage areas of streams in	40-41
gaging of streams in, methods employed in	37-42
gaging stations in, table of	38
gaging stations on Mohawk River in	42-45,
52-55, 65-71	
hydrographic work in	36-80, 222-239
State canals and feeders in, tests to determine accuracy of measurements of	18-29
State dams and feeders in, location of	42, 223-224, 226
stream measurements in, miscellaneous	36-39
New York City, stream measurements near	36
New York Mills, N. Y., gaging station at, data regarding	38
river discharge at	48-49
Nicaragua, opacity of water of streams in	16-17
Niles, Kans., hydrographic work near	314-315
rating table for	517
Nimblewill Creek, Ga., measurement of	208
of	131
Niobrara River, Nebr., measurements of	
Nolichucky River near Chucky Valley, Tenn., measurements and gage heights of	185

	Page.		Page.
Nolichucky River, N. C.-Tenn., and tributaries, measurements of, miscellaneous	212-214	North Fork of Republican River, Nebr., measurement of	311
Noontootly River, Ga., measurement of ..	218	North Fork of Swannanoa River, N. C., measurement of	212
Norfolk, Nebr., hydrographic work near	308-309	North Fork of Yuba River, Cal., measurement of	480
North (of James) River at Glasgow, Va., measurements and gage heights of ..	127	North Indian Creek, N. C., measurements of	213
rating table for	512	North Needles Creek, Cal., measurement of	461
North River at Port Republic, Va., gaging station at, reference to	118	North Oconee River, Ga., measurements of	207
North Branch of Kalamazoo River, Mich., features of	257-259	North Platte, Nebr., hydrographic work at	277-278
North Branch of Potomac River at Piedmont, W. Va., measurements and gage heights of	115-116	North Platte River, Colo.-Wyo., measurements of, miscellaneous	272-273
rating table for	511	North Platte River, Nebr., measurements of, miscellaneous	311
North Branch of Shenandoah River near Riverton, Va., measurements and gage heights of	118-119	North Platte River at Camp Clarke, Nebr., measurements and gage heights of	276-277
rating table for	511	North Platte River at Gering, Nebr., measurements and gage heights of ..	276
North Branch of Susquehanna River at Danville, Pa., measurements and gage heights of	111	North Platte River near Guernsey, Wyo., measurements and gage heights of ..	275
rating table for	511	rating table for	516
North Branch of Susquehanna River at Wilkesbarre, Pa., gage heights and measurements of	110	North Platte River at North Platte, Nebr., measurements and gage heights of	277-278
rating table for	511	North Platte River at Orin Junction, Wyo., gage heights of	274-275
North Broad River, Ga., measurement of ..	207	North Saluda Creek, N. C., measurements of	206
North Carolina, efficiency of streams in ..	14	North San Juan, Cal., hydrographic work near	451-452
flood volume of streams in	14-15	North Toe River, N. C., measurements of ..	212
hydrographic work in	131-132, 134-144, 179-180, 186, 188-191	North Yakima, Wash., hydrographic work at	440
rating tables for streams in	512, 515	rating table for	522
stream measurements in, miscellaneous ..	203-206	North Yuba River near North San Juan, Cal., measurements and gage heights of	451
water power on Deep River in	10-15	Nottawa Creek, Mich., water power on ..	255
Northern Peninsula of Michigan, water powers in	259-260	Nottely River, Ga.-N. C., measurements of	217
North Fork of Atanum River, Wash., measurements of	443	Nottingham, Ala., hydrographic work at ..	173
North Fork of Brush Creek, Cal., measurement of	461	Norwood, N. C., gaging station at, description of	140
North Fork of Cache Creek, Cal., measurements of	453	Nueces River, Tex., measurement of	343
North Fork of Catawba River, N. C., measurements of	204		
North Fork of Elk Creek, N. C., measurements of	216		
North Fork of Elkhorn River, Nebr., measurements of	310		
North Fork of French Broad River, N. C., measurements of	211		
North Fork of Humboldt River near Peko, Nev., gage heights of	395		
North Fork of Kern River, Cal., discharge of (daily)	462		
measurements of	461, 462		
North Fork of Milk River, Mont., measurement of	269		
North Fork of New River, N. C., measurements of, miscellaneous	210		
North Fork of New River at Weaversford, N. C., gaging station on, description of	179-180		
measurements of	180		

O.

Oakdale, Cal., hydrographic work near ..	455-456
rating table for	523
Oakdale, Ga., hydrographic work at	153-159
rating table for	513
Obert, W. E., aid by	379
Ocmulgee River at Macon, Ga., measurements and gage heights of	155-156
rating table for	513
Ocmulgee River, Ga., and tributaries, measurements of, miscellaneous ..	207
Oconee River near Dublin, Ga., measurements and gage heights of	152-153
rating table for	513
Oconee River, Ga., and tributaries, measurements of, miscellaneous	207

	Page.
Odell, J., aid by	187
Ohio, hydrographic work in	218-222
rating tables for streams in	515
Ohio River water, turbidity of, methods of determining amount of	17-18
O'Keefe, T. J., stream measurements by	310-311
Okoe River, Tenn., and tributaries of, measurements of	218
Olberg, C. R., stream measurements by ..	176
Old Field Creek, N. C., measurement of ..	210
Oldtown, Tenn., hydrographic work at ..	187
Oldtown, Va., hydrographic work near ..	181
Olentangy River at Columbus, Ohio, measurements and gage heights of	218-219
rating table for	515
Olmsted, F. H., reference to	461
stream measurements by	464
Oneida Castle, N. Y., stream measure- ment at	39
Oneida Creek, N. Y., measurements of, miscellaneous	39
Oneida Creek at Kenwood, N. Y., dis- charge of (daily), 1898-1900	226-227
gaging station on, data regarding	38
measurements of	39, 225
Onemile Creek, Cal., measurement of	461
Ontonagon River, Mich., water power on	259
Oostanaula River at Resaca, Ga., meas- urements and gage heights of ..	162-163
rating table for	514
Opacity of water, effect of tropical vege- tation on	16-17, 18
Orchard, Colo., hydrographic work at ..	282-283
rating table for	517
Oreana, Nev., hydrographic work near ..	398-399
rating table for	520
Orford, N. H., hydrographic work at	34
Oregon, hydrographic work in	444-445
rating tables for streams in	522
Orin Junction, Wyo., hydrographic work at	274-275
Oriskany Creek at Oriskany, N. Y., dis- charge of (daily), 1898-1900	46-47
diversion from, measurements of	46
gaging station on, data regarding	38
measurement of	39
measurement of, features of	45-46
Osgood, Mrs. C., aid by	288
Oswego, N. Y., hydrographic work near ..	231-233
Oswego River above Minetto, N. Y., gag- ing station on, data regarding	38
measurements and gage heights of ..	39,
229-231	
Oswego River near Oswego, N. Y., dis- charge of (daily), 1897-1900	232-233
gaging station on, data regarding	38
power diversions from	231
Oswego Waterworks Co., aid by	38
Ouray School, Utah, hydrographic work at	371-372
rating table for	519
Owl Creek, Ga., measurement of	217
Owltown Creek, Ga., measurement of	209

P.	Page.
Paddy Creek, N. C., measurements of	205
Padgham, W., aid by	38
Palouse River near Hooper, Wash., meas- urement and gage heights of	443-444
rating table for	522
Panther Creek, Ga., measurement of	206
Parks Creek, Ga., measurements of	208, 209
Parleys Creek near Salt Lake, Utah, dis- charge of (daily)	421
Parshall, A. J., acknowledgments to	10
gaging stations established by ..	269, 273, 275
stream measurements by	269,
272-273, 275, 367	
Pasadena, Cal., stream measurements near	471
Patapsco River at Woodstock, Md., meas- urements and gage heights of	115
rating table for	511
Paul, E. G., gaging stations established by	34,
80, 110, 111, 112, 115, 116, 125, 176	
stream measurements by	36, 80,
110, 111, 112, 113, 114, 115, 116,	
117, 118, 119, 120, 125, 176, 177	
Pawpaw Creek, N. C., measurement of ...	212
Pawpaw River, Mich., water powers on ..	255
Peach Bottom Creek, Va., measurements of	211
Pecos, Tex., hydrographic work near ..	358-361
Pecos River near Moorhead, Tex., meas- urements and gage heights of ..	362-363
Pecos River near Pecos, Tex., measure- ments and gage heights of	358-360
Peko, Nev., hydrographic work near	395
Pelon, F., aid by	38
Pennsylvania, hydrographic work in ..	81-99,
107-114	
rating tables for streams in	511
Pennsylvania Canal, Pa., measurements of	114
Perkiomen Creek at Frederick, Pa., dis- charge of (daily)	98-99
Persimmon Creek, Ga., measurement of ..	218
Peryam, W. T., aid by	273
Peryam's ranch, Wyo., hydrographic work at	273
rating table for	516
Peteetnetr Creek, Utah, features of, and irrigation from	499, 507-508
measurements of	499, 507
Peters, H., aid by	38
Petits Creek, Ga., measurement of	208
Philadelphia, Pa., hydrographic work near	81-99, 107-110
Piciance Creek, Colo., measurement of ...	375
Piciance River, Colo., measurement of ...	375
Piedmont, W. Va., hydrographic work at	115-116
rating table for	511
Pigeon Creek, Ga., measurements of ..	208, 213
Pigeon River at Newport, Tenn., meas- urements and gage heights of	188
Pigeon Roost Creek, N. C., measurements of	213
Pinto Creek, Tex., measurement of	345
Plain Creek, Nebr., measurement of	311

	Page.
Republican River near Superior, Nebr., measurements and gage heights of.....	312-313
Resaca, Ga., hydrographic work at.....	162-163
rating table for.....	514
Retreat, Pa., stream measurement at.....	110
Rexford Flats, N. Y., gaging station at, data regarding.....	38
hydrographic work at.....	66-69
Rice Creek, Mich., water power on.....	258
Riddle Creek, Tenn., measurements of.....	215
Ridge Mills, N. Y., gaging station at, data regarding.....	38
river discharge at.....	43-45
stream measurements at.....	39
Riley, B., aid by.....	329
Rincon, Cal., hydrographic work at and near.....	478-479
Rio Grande, gaging stations on Lower.....	354
physiography of.....	346
Rio Grande, N. Mex., hydrographic work at.....	350-351
Rio Grande at Cenicero, Colo., measurements and gage heights of.....	348-349
rating table for.....	519
Rio Grande in Colorado, measurements of, miscellaneous.....	306
seepage on.....	306
Rio Grande near Del Norte, Colo., measurements and gage heights of.....	347
rating table for.....	519
Rio Grande near Devilsriver, Tex., measurements and gage heights of.....	364-365
Rio Grande near Eagle Pass, Tex., measurements and gage heights of.....	365-366
Rio Grande near El Paso, Tex., measurements and gage heights of.....	352-353
Rio Grande at Embudo, N. Mex., measurements and gage heights of.....	350
Rio Grande near Fort Hancock, Tex., measurements and gage heights of.....	354
Rio Grande near Langtry, Tex., measurements and gage heights of.....	357-358
Rio Grande above Presidio, Tex., measurements and gage heights of.....	355
Rio Grande below Presidio, Tex., measurements and gage heights of.....	355-356
Rio Grande at Rio Grande, N. Mex., measurements and gage heights of.....	350-351
Rio Grande near San Marcial, N. Mex., measurements and gage heights of.....	351-352
Riverside, Ala., hydrographic work near.....	164-165
rating table for.....	514
Riverside Bridge, N. Y., stream measurement at.....	39
Riverton, Va., hydrographic work near.....	118-119
rating table for.....	511
Roan Creek, Tenn., measurements of, miscellaneous.....	216
Roan Creek at Butler, Tenn., measurements and gage heights of.....	184

	Page.
Roanoke, Va., hydrographic work at.....	130-131
rating table for.....	512
Roanoke River, drainage area, horse-power, and fall of, relation between.....	14
flood of, maximum, 1897.....	15
Roanoke River at Neal, N. C., measurements and gage heights of.....	132
rating table for.....	512
volume of, maximum and minimum.....	131
Roanoke River at Roanoke, Va., measurements and gage heights of.....	130-131
rating table for.....	512
Roaring Creek, N. C., measurement of.....	212
Roaring Fork, Colo., measurement of.....	376
Roaring River, N. C., measurements of.....	204
Robersons Creek, N. C., measurement of.....	206
Robinson, T. A., aid by.....	148
Rochester, N. Y., measurements of Erie Canal at.....	21-23, 24-25
Rock Creek at Zoological Park, D. C., measurement and gage heights of.....	125-126
Rock Creek, Ga., measurements of.....	209, 218
Rock Creek, Mont., measurement of.....	432
Rock Creek, Nebr., measurement of.....	311
Rock Creek, N. C., measurements of.....	213
Rock Canyon Creek, Utah, measurement of.....	499
features of.....	509
irrigation from.....	499
Rockford Bridge, N. Y., stream measurement at.....	36
Rockhill, S. C., hydrographic work at.....	144-145
rating table for.....	512
Rockhouse Creek, N. C., measurements of.....	216
Rockyford, Colo., hydrographic work near.....	327
Rocky River, Mich., water power on.....	255
Rogue River, Mich., water powers on.....	247, 249
Rollins, J. A., aid by.....	136
Rome, Ga., hydrographic work at.....	163-164
rating table for.....	514
Rome, N. Y., stream measurements at.....	39
Rumford Falls, Me., discharge of Androscoggin River at.....	31-32
Rush Creek, Va., measurements of.....	214
Russell, W. G., acknowledgments to.....	9
stream measurements by.....	314,
	315, 316, 318, 330, 331, 332
S.	
Sabael, N. Y., stream measurement at.....	39
Sacramento River, Cal., measurements of, miscellaneous.....	480
Sacramento River at Jellys Ferry, Cal., measurements and gage heights of.....	450-451, 480
rating table for.....	523
Sacramento Valley, Cal., stream measurements in, miscellaneous.....	480-482
St. Clair Creek, Va., measurements of.....	214
St. Joseph River, Mich., features of.....	253-256
gaging station established on.....	256

	Page.		Page.
St. Joseph River, Mich., measurement of.....	257	San Felipe Springs, Tex., measurement of.....	345-346
volume of, maximum.....	257	San Gabriel canals, Cal., discharge of (daily).....	475
St. Mary River, Mont., measurements of.....	269	San Gabriel River, Cal., measurements of, miscellaneous.....	483-484
St. Paul, Minn., hydrographic work at.....	260	San Gabriel River above Azusa, Cal., and forks of, discharge of (daily).....	472-475
St. Vrain Creek, Colo., measurements of, miscellaneous.....	304	San Gabriel River at Azusa, Cal., measurements of.....	475
seepage along.....	304	San Joaquin River, Cal., measurements of, miscellaneous.....	481
St. Vrain Creek near Lyons, Colo., measurements and gage heights of.....	288-289	San Joaquin River at Herndon, Cal., measurements and gage heights of.....	458-459
rating table for.....	517	rating table for.....	523
Salem Pond, Utah, discharge measurement of.....	499	San Joaquin Valley, Cal., stream measurements in, miscellaneous.....	480-482
irrigation from.....	499	San Juan River, Colo., features of.....	381-382
Salesville, Mont., hydrographic work at.....	260-261	gaging stations in basin of.....	381-382
rating table for.....	516	San Luis Rey River, Cal., gaging records of, reference to.....	479
Salida, Colo., hydrographic work at.....	322-323	San Marcial, N. Mex., hydrographic work near.....	351-352
rating table for.....	518	San Marcos River, Tex., measurement of.....	339
Salina, Kans., hydrographic work near.....	315-316	San Pedro Creek, Tex., measurement of.....	341-342
rating table for.....	517	San Pedro ditch, Tex., measurement of.....	341-342
Salina, Utah, hydrographic work near.....	423-424	San Pedro Springs, Tex., measurements of.....	340, 341
Salina Creek near Salina, Utah, measurements and gage heights of.....	423-424	San Pitch River near Gunnison, Utah, measurements and gage heights of.....	425
Salinas, Cal., hydrographic work near.....	454-455	rating table for.....	521
rating table for.....	523	Santa Ana River, Cal., measurements of, miscellaneous.....	484-487
Salinas River, Cal., measurements of, miscellaneous.....	481	Santa Ana River at Rincon, Cal., measurements of.....	478
Salinas River near Salinas, Cal., measurements and gage heights of.....	454-455	Santa Ana River near Rincon, Cal., canals diverting water from, measurements of.....	479
rating table for.....	523	Santa Ana River below Warm Springs, Cal., measurements and gage heights of.....	475-476
Saline River near Salina, Kans., measurements and gage heights of.....	315-316	rating table for.....	523
rating table for.....	517	Santa Clara River, Cal., measurements of.....	482
Salisbury, N. C., hydrographic work at.....	139-140	Santee Creek, Ga., measurement of.....	208
rating table for.....	512	Sappington, Mont., hydrographic work at.....	264-265
Salmon Creek, Cal., measurements of.....	461	rating table for.....	516
Salmon River above Pulaski, N. Y., gage heights of.....	234	Sauquoit Creek at New York Mills, N. Y., discharge of (daily), 1898-1900.....	48-49
gaging station on, data regarding.....	38	gaging station on, data regarding.....	38
measurement of.....	39	Savage, H. N., well-construction methods of.....	497-498
Salt Creek, Nebr., measurement of.....	311	Savannah River at Augusta, Ga., measurement and gage heights of.....	150-151
Salt Creek, Wyo., measurements of.....	272	rating table for.....	513
Salt Lake, Utah, hydrographic work near.....	420-423	Savannah River near Calhoun Falls, S. C., measurement and gage heights of.....	149-150
Salt River at McDowell, Ariz., gaging station on, reference to.....	386-387	rating table for.....	513
Saluda River at Waterloo, S. C., measurements and gage heights of.....	147	Savannah River, Ga., tributaries of, measurements of.....	207
rating table for.....	513	Scataway Creek, Ga., measurement of.....	217
San Antonio River, Colo., measurements of.....	348		
San Antonio River, Tex., measurements of.....	340-341		
underground waters of.....	341		
San Carlos, Ariz., hydrographic work at.....	385-386		
rating table for.....	520		
San Diego Land and Town Company, Cal., wells and pumping plants of.....	497-498		
Sandusky River at Fremont, Ohio, measurements and gage heights of.....	221-222		
Sandusky River near Mexico, Ohio, measurements and gage heights of.....	221		
Sandy Creek, Ala., measurement of.....	210		
Sandy Mush Creek, N. C., measurements of.....	212		

	Page.		Page.
Schenectady, N. Y., hydrographic work at.....	65-66	Shenandoah River at Millville, W. Va., measurements and gage heights of.....	120-121
gaging station at, data regarding.....	38	rating table for.....	511
stream measurements at.....	39	Shoal Creek, Ga., measurements of.....	207, 208
Schoharie Creek at Erie Canal aqueduct, N. Y., gage heights and measurement of.....	63-64	Shuford, R. E., stream measurements by.....	186, 188, 189, 190
gaging station on, data regarding.....	38	Shull, E. L., aid by.....	183
Schoharie Creek at Fort Hunter, N. Y., canal feeder on, measurements of.....	61	Shutin Creek, N. C., measurement of.....	212
dam on, leakage of.....	61	Shutts, J., aid by.....	38
discharge of (daily), 1898-1900.....	62-63	Sickman, A. F., acknowledgments to.....	35
gaging of, methods employed in.....	60-61	Siloam, N. C., hydrographic work at.....	138-139
gaging station on, data regarding.....	38	Silver Creek, N. C., measurements of.....	205
measurements of.....	39, 60-61	Singleton ditch, Ga., measurement of.....	208
Schoharie Creek at Mill Point, N. Y., gaging station on, data regarding.....	38	Sinking Creek, Tenn., measurements of.....	215, 216
measurements and gage heights of.....	39, 64	Sioux Falls, S. Dak., hydrographic work near.....	271
Schoharie Creek at Schoharie Falls, N. Y., dam and power plant on, description of.....	64-65	Sittingdown Creek, Ga., measurement of.....	208
gaging station on, data regarding.....	38	Six-tenths method of making meter measurements, description and application of.....	20, 24-29
measurements of.....	65	Six-tenths and integrating methods, comparison of results by.....	24
volume of.....	43	Sliter, E. L., aid by.....	437
Schoharie Falls, N. Y., gaging station at, data regarding.....	38	Smartville, Cal., hydrographic work near.....	452-453
stream measurements at.....	43, 64-65	Smith, E. A., acknowledgments to.....	9
Schroon River near Warrensburg, N. Y., discharge of (daily), 1899, 1900.....	74	Smith, F. D., acknowledgments to.....	9
gaging station on, data regarding.....	38	gaging stations established by.....	437, 438
measurements of.....	39, 73	stream measurements by.....	430, 431, 432, 433, 436, 437
Schuylkill River above Philadelphia, Pa., discharge of (daily).....	109	Smith, F. W., aid by.....	38
yield of, total monthly.....	110	Smith, G. E., acknowledgments to.....	9
Scioto River at Columbus, Ohio, measurements and gage heights of.....	219-220	gaging station established by.....	309
rating table for.....	515	Smith, H. V., aid by.....	416
Scott, C. E., aid by.....	139	Smith, Mrs. M. D., aid by.....	380
Scott Creek, Ga., measurement of.....	206	Smith, W. H., aid by.....	377
Scotts Creek, Cal., measurement of.....	453	Smithwick Creek, Ga., measurement of.....	208
Scrongetown Creek, Ga., measurement of.....	209	Smoky Hill River at Ellsworth, Kans., measurements and gage heights of.....	316-317
Second Broad River, N. C., measurements of.....	206	rating table for.....	517
Sediment, measurement of.....	15-18	Snake River, Colo., measurements of.....	375
Seepage from canals along Provo River, Utah.....	500-501	Snake River at Montgomery Ferry, Idaho, measurement of.....	426
in Colorado, computation and features of.....	299-306	Snow Creek, N. C., measurement of.....	213
Selma, N. C., hydrographic work at.....	135-136	Soldier Creek, Nebr., measurements of.....	311
rating table for.....	512	Soleduck River near Quillayute, Wash., measurements and gage heights of.....	449-450
Seneca River, N. Y., features of.....	222-223	rating table for.....	522
Seneca River at Baldwinsville, N. Y., gaging station on, data regarding.....	38	Solomon River near Niles, Kans., measurements and gage heights of.....	314-315
measurements of.....	39, 223	rating table for.....	517
Sevier River near Gunnison, Utah, measurements and gage heights of.....	425-426	Soque River, Ga., measurement of.....	208
rating table for.....	521	South River at Port Republic, Va., gaging station at, reference to.....	118
Sharp Creek, Tenn., measurements of.....	215	South Boston, Va., hydrographic work at.....	132-133
Sharpsburg, Md., hydrographic work near.....	117-118	South Boulder Creek, Colo., measurements of, miscellaneous.....	304
rating table for.....	511	seepage along.....	304
Sheets Creek, Ga., measurements of.....	209	South Boulder Creek near Marshall, Colo., measurements and gage heights of.....	286-287
Sheinah Creek, Ga., measurement of.....	218		
Shell Creek, Tenn., measurement of.....	216		

	Page.		Page.
South Branch of Dowagiac Creek, Mich., water powers on	255	South Platte River, Colo.-Nebr., measurements of, miscellaneous	284, 300-303, 311
South Branch of Kalamazoo River, Mich., features of	257-259	seepage along	300-303
South Branch of Pawpaw River, Mich., water powers on	255	South Platte River at Denver, Colo., measurements and gage heights of	281-282
South Branch of Potomac River near Springfield, W. Va., measurements and gage heights of	116-117	rating table for	517
South Branch of Shenandoah River at Front Royal, Va., measurements and gage heights of	119-120	South Platte River at Julesburg, Colo., measurements of	283
South Broad River, Ga., measurement of	207	South Platte River at Orchard, Colo., measurements and gage heights of	282-283
South Canyon ditch, Colo., measurements of	324	rating table for	517
South Carolina, hydrographic work in	144-148, 149-150	South Platte River near Platte Canyon, Colo., measurements and gage heights of	280-281
rating tables for streams in	512, 513	rating table for	517
South Dakota, hydrographic work in	270-272	South Platte River, Colo., and tributaries, measurements of, miscellaneous	284, 300-303
stream measurements in, miscellaneous	272	South Prong of Panther Creek, Ga., measurement of	206
Southern Appalachian region, gaging stations established in	138, 140-141, 179, 182, 185, 187	South Saluda Creek, N. C., and tributaries, measurements of	206
stream measurements in, miscellaneous	203-218	South Toe Creek, N. C., measurements of	213
South Fork of American River, Cal., measurements of	480	Sowbelly Creek, Nebr., measurement of	311
South Fork of Atanum River, Wash., measurement of	443	Spanish Fork, Utah, measurement of	499
South Fork of Elk Creek, N. C., measurements of	216	features of, and irrigation from	499, 503-504
South Fork of French Broad River, N. C., measurement of	211	Spanish Fork near Mapleton, Utah, measurements and gage height of	415-416
South Fork of Holston River at Bluff City, Tenn., measurements and gage heights of	182-183	Spicer, L. E., aid by	270
South Fork of Holston River, Va.-Tenn., and tributaries, measurements of, miscellaneous	214-215	Spokane River at Spokane, Wash., measurements and gage heights of	458-459
South Fork of Humboldt River at Mason's ranch, Nev., measurements and gage heights of	396-397	rating table for	522
rating table for	520	Spriggs Creek, Ga., measurements of	208
South Fork of Kern River, Cal., measurements of	462	Spring Brook, Mich., water power on	255
South Fork of Milk River, Mont., measurement of	269	Spring Creek, N. C., measurements of	212
South Fork of New River, N. C., measurements of, miscellaneous	210	Spring Creek, S. Dak., measurements of	272
South Fork of New River at New River, N. C., measurements and gage heights of	180	Spring Creek, Tenn., measurements of	218
South Fork of Republican River, Nebr., measurement of	311	Spring Creek, Va., measurements of	214
South Fork of South Platte River, Colo., hydrographic work along	280	Springfield, W. Va., hydrographic work near	116-117
South Indian Creek, N. C., measurements of	213	Spring Lake Creek, Utah, measurements and features of	499, 509
Southland, W. J., acknowledgments to	281	irrigation from	499
South Needles Creek, Cal., measurement of	461	Squaw Creek, Cal., measurements of	405
South Platte River, Colo.-Nebr., features of	278-279	Squaw Creek, S. Dak., measurements of	272
		Squirrel Creek, N. C., measurement of	212
		Staleys Creek, Va., measurement of	215
		Standard silica solution for determining turbidity of water, value of	17-18
		Standish, Cal., hydrographic work near	407
		Stanislaus River, Cal., measurements of, miscellaneous	480, 481
		Stanislaus River near Oakdale, Cal., measurements and gage heights of	455-456
		rating table for	523
		Starr Creek, Ga., measurement of	218
		Stanton Creek, Cal., measurement of	453
		Staunton River at Randolph, Va., measurements and gage heights of	133-134
		Steamboat Creek at Steamboat Springs, Nev., measurements and gage heights of	406
		rating table for	521

	Page.		Page.
Stearns, F. P., stream measurement by	250	Talladega Creek, Ala., measurement of,	
Steel Creek, N. C., measurement of	205	at Kymulga, Ala.	210
Steelton, Pa., stream measurements at	114	Talladega Creek at Nottingham, Ala.,	
Stekoa Creek, Ga., measurement of	206	measurements and gage heights	
Stewart, J. T., stream measurements by	272	of	173
Stink Creek, Ga., measurement of	217	Tallapoosa Creek, Ala., measurement	
Stockade Beaver Creek, Wyo., measure-		of	210
ments of	272	Tallapoosa River near Milstead, Ala.,	
Stokes, H. G., stream measurements		measurements and gage heights	
by	208, 217, 218	of	168
Stone Mountain Creek, Ga., measurement		rating table for	514
of	207	Tallapoosa River near Sturdevant, Ala.,	
Stoney Creek, Cal., measurement of	480	measurements and gage heights	
Stony Creek, N. C., measurements of	203	of	167
Stony Creek, Tenn., measurements of	216	Tallapoosa River near Susanna, Ala.,	
Stout, O. V. P., acknowledgments to	9	measurements and gage heights	
gaging stations established by	270, 271	of	166-167
stream measurements by	270,	rating table for	514
271, 308, 309, 310, 311, 312		Tallapoosa River, Ala., and tributaries,	
Strawberry Creek, Utah, measurements		measurements of, miscellaneous	210
of	374	Tallesschatchee Creek, Ala., measure-	
Stream gagings, method of using, for		ment of	210
computation of water power	10-15	Tallulah Falls, Ga., hydrographic work	
Sturdevant, Ala., hydrographic work		at	148
near	167	rating table for	513
Suches Creek, Ga., measurement of	218	Tallulah River, Ga., measurement of, at	
Sudbury River, Mass., hydrographic		Burton, Ga.	206
work on	33	Tallulah River at Tallulah Falls, Ga.,	
run-off in basin of	34	measurements and gage heights	
Sugar Creek, Ga., measurement of	209	of	148
Sumach Creek, Ga., measurements of	209	rating table for	513
Summit Creek, Utah, measurements of	499, 509	Tanner, C., gaging stations established	
irrigation from	499	by	423, 424, 425
Superior, Nebr., hydrographic work		stream measurements by	423, 424, 425
near	312-313	Tar River, N. C., drainage area, horse-	
Susan River near Susanville, Cal., meas-		power, and fall of, relation be-	
urements and gage heights of	408	tween	14
Susanna, Ala., hydrographic work near	166-167	flood of, maximum, 1897	15
rating table for	514	Tar River at Tarboro, N. C., gage heights	
Susanville, Cal., hydrographic work near	408	and measurements of	134-135
Susquehanna River at Harrisburg, Pa.,		rating table for	512
measurements and gage heights		volume of, maximum and minimum	134
of	113-114	Tarboro, N. C., hydrographic work at	134-135
rating table for	511	rating table for	512
Swan Creek, Mich., water powers on	255, 258	Tates Creek, Ga., measurement of	208
Swan River, Mont., features of	434	Taylor, C. V., stream measurements by	405
Swan River near Holt, Mont., gage		Taylor, L. H., acknowledgments to	9
heights and measurement of	436-437	gaging stations established by	395,
Swannanoa River, N. C., measurement of	211	400, 407, 408	
Sweetwater River at Sweetwater dam,		stream measurements by	395,
Cal., records of, reference to	479	396, 397, 398, 403, 404, 405, 407, 408	
Swendsen, G. L., acknowledgments to	9	Taylor, T. U., acknowledgments to	9
gaging stations established by	412	stream measurements by	335,
stream measurements by	409,	337, 338, 339, 340, 341, 343, 344, 345, 361	
410, 411, 412, 413		Tellico River, Tenn., measurement of	217
Sylco Creek, Tenn., measurement of	218	Tennile River, N. Y., measurements of	36
		Tennessee, hydrographic work in	182-185,
		187-188, 191-192, 193-195	
		rating tables for streams in	515
		stream measurements in, miscellane-	
		ous	212, 213, 214, 215, 216-217, 218
		Tennessee River at Chattanooga, Tenn.,	
		gaging station on, description of	195
		measurements and gage heights of	195
		rating table for	515

T.

	Page.		Page.
Tennessee River at Knoxville, Tenn., measurements and gage heights of	193-194	Truckee Basin, Nev.-Cal., stream measurements in	405
Tennessee River, tributaries of, measurements of, miscellaneous	217	Truckee River, Cal., measurements of, miscellaneous	405
Terry, A. N., aid by	38	Truckee River at Nevada-California State line, measurements and gage heights of	403-404
Tessantee River, Ga., measurement of	208	rating table for	521
Texas, hydrographic work in	332-346, 352-366	Truckee River at Tahoe, Cal., measurements and gage heights of	402-403
rivers in, volume of, increase in	332-333	rating table for	520
The Duncan Company, aid by	38	Truckee River at Vista, Nev., measurements and gage heights of	404-405
The Great Plains Water Co., reservoirs of	320	rating table for	521
The Narrows, Cal., hydrographic work at	464-471	Tuckasegee River at Bryson, N. C., measurements and gage heights of	188-189
Thermopolis, Wyo., hydrographic work near	269	rating table for	515
rating table for	516	Tucker, Oreg., gaging station at, reference to	445
Therriault, H., aid by	438	Tucker Creek, N. C., measurement of	211
Thomas Creek, Tenn., measurement of	215	Tugaloo River, Ga., tributaries of, measurements of	206
Thornapple River, Mich., measurement of	246	Tugaloo River near Madison, S. C., measurements and gage heights of	149
water of, analysis of	241	rating table for	513
water powers on	247, 249	Tule canal, Cal., measurement of	453
Thorpe, L., aid by	415	Tule River, Cal., measurements of	482
Three Fork Creek, N. C., measurement of	213	Tuolumne River, Cal., measurements of, miscellaneous	481
Threemile Creek, N. C., measurements of	212	Tuolumne River at Lagrange, Cal., measurements and gage heights of	456-458
Three Top Creek, N. C., measurement of	210	rating table for	523
Thunder Bay River, Mich., features of	252-253	Turbidity of water, methods of determining amount of	15-18
gaging station established on	253	Turkey Creek, Ga., measurement of	209
Tibbetts Creek, Cal., measurements of	461	Turkey Creek, Nebr., measurement of	311
Tickanetley River, Ga., measurement of	209	Turkey Creek, N. C., measurements of	212
Tiger Creek, Ga., measurements of	206	Turkey Cove Creek, N. C., measurements of	205
Timber Cut Creek, Ala., measurement of	210	Turlock canal, Cal., measurements of	457, 458
Timm, G., aid by	348	Turner Creek, Ga., measurement of	208
Timpson Creek, Ga., measurement of	206	Tuscaloosa, Ala., hydrographic work at	170-171
Tobias Creek, Cal., measurement of	461	rating table for	514
Toccoa River, Ga.-Tenn., and tributaries, measurements of, miscellaneous	218	Twin Lakes, Colo., hydrographic work at	320-322
Toccoa River near Blairidge, Ga., measurements and gage heights of	193	rating table for	518
rating table for	515	Twin Lakes Land and Water Co., reservoirs of	320-321
Toe River, N. C., measurements of	212	Twin Rock Bridge, N. Y., gaging station at, data regarding	38
Tohickon Creek at Point Pleasant, Pa., discharge of (daily), 1883-1889	81-89	hydrographic work at	49-50
Tombigbee River at Columbus, Miss., gage heights of	174-175	stream measurement at	39
height of, maximum and minimum	175	Twombly, A. H., acknowledgments to	31
Tombigbee River near Epes, Ala., gage heights of	175-176	Two Medicine River, Mont., measurements of	269
Towaliga River near Juliette, Ga., measurements and gage heights of	154-155		
rating table for	513		
Town Creek, Ga., measurements of	208, 217		
Town Creek, Tenn., measurements of	216		
Townsend, Mont., hydrographic work at	265-266		
rating table for	516		
Toyah Creek, Tex., features and measurement of	361-362		
Tropical vegetation, effect of, on opacity of water	16-17, 18		
Trowbridge, Mich., power plant at	258		

U.

Uinta, Utah, hydrographic work near ..	414-415
rating table for ..	521
Uinta River at Fort Duchesne, Utah, canals from, measurements of ..	371
measurements and gage heights of ..	370-371
rating tables for ..	519

	Page.
Uinta River at Ouray School, Utah, measurements and gage heights of . . .	371-372
rating table for	519
Uinta River near Whiterocks, Utah, measurements of	369
rating table for	519
Umatilla River at Gibbon, Oreg., gage heights of	444-445
rating table for	522
Uncompahgre River, Colo., measurements of, miscellaneous	306
seepage along	306
Uncompahgre River at Fort Crawford, Colo., gaging station on, reference to	379
Uncompahgre River at Montrose, Colo., measurements and gage heights of	379-380
rating table for	520
Uneva, W. Va., hydrographic work near	177
Union Gap, Wash., hydrographic work at	441-442
rating table for	522
United States Weather Bureau, acknowledgments to	10
Upper Creek, N. C., measurements of	205
Utah, hydrographic work in	368-374, 411-426
irrigation in Utah Valley in	498-509
rating tables for streams in	519, 521
Utah Lake, Utah, area of	499
gage heights of	419-420
Utah Valley, Utah, features of	499
irrigation in	498-509
seepage and evaporation in	500-501
Utica Electric Light and Power Co., aid by	38
Uva, Wyo., hydrographic work near	274
V.	
Vedder, H. K., gaging stations supervised by	246
Vegetation, tropical, effect of, on opacity of water	16-17, 18
Verde River at McDowell, Ariz., gaging station at, reference to	387
Verdigris River near Liberty, Kans., measurements and gage heights of	331
rating table for	518
Vernal, Utah, hydrographic work near	368-369
rating table for	519
Victor, Cal. See Victorville.	
Victorville, Cal., hydrographic work at	463-464
Virginia, hydrographic work in	118-120, 126-131, 132-134, 178, 181
rating tables for streams in	512, 514
stream measurements in, miscellaneous	211, 214, 215
Vista, Nev., hydrographic work at	404-405
rating table for	521
W.	
Wabasacon Creek, Mich., waterpower on	258
Waco, Tex., hydrographic work at	333-334
Wade Creek, Cal., measurement of	461

	Page.
Walden Creek, Tenn., measurements of	217
Walker, E. D., gaging station established by	63, 64, 65
stream measurements by	39, 61, 63, 64, 66, 68
Walker, H. A., aid by	38
Walker Creek, Va., measurements of	215
Walkkill River, N. Y., measurement of	36
Walls, T. A., aid by	166
Walnut Creek, N. C., measurements of	212
Walnut River, Ga., measurement of	207
Warbonnet Creek, Nebr., measurement of	311
Ward Creek, Cal., measurement of	405
Warden, F. R., aid by	180
Wards Creek, Ga., measurement of	208
Ware, W. J., acknowledgments to	10
stream measurements by	446, 447, 448, 449, 450
Warm Springs, Cal., hydrographic work near	475-476
rating table for	523
Warren, A. K., acknowledgments to	462
Warrensburg, N. Y., gaging station near, data regarding	38
stream measurements at	39, 73-74
Washington, hydrographic work in	438-444, 445-450
rating tables for streams in	522, 523
stream measurements in, miscellaneous	443, 450
Water, analyses of, Grand River, Mich., and tributaries	241
movement of, in canals and feeders	19
opacity of, effect of tropical vegetation on	16-17, 18
sediment in, methods of determining amount of	15-18
Waterloo, S. C., hydrographic work at	147-148
rating table for	513
Water power, method of using stream gagings for computation of	10-15
Watertown, N. Y., hydrographic work near	39, 236-239
Watertown, S. Dak., hydrographic work near	270-271
Waterville, Me., hydrographic work at	29-30
Waterville, Ohio, hydrographic work at	220
Watauga River at Butler, Tenn., measurements and gage heights of	183
Watauga River, N. C.-Tenn., and tributaries, measurements of, miscellaneous	215-216
Weather Bureau, acknowledgments to	10
Weavers Creek, Ga., measurement of	218
Webatuck, N. Y., stream measurements at	36
Weber River near Uinta, Utah, measurements and gage heights of	414-415
rating table for	521
Weiser, Idaho, hydrographic work near	430
rating table for	522
Weiser River near Weiser, Idaho, measurements and gage heights of	430
rating table for	522
Wells in southern California, construction of	497-498
Wenas Creek, Wash., measurements of	443

	Page.		Page.
West Amicalola Creek, Ga., measurement of	208	Williams, G. S., work of, in connection with investigations to determine flow, seepage, and evaporation of New York State canals and feed-ers	18
West Ash Creek, Nebr., measurements of	310	Williams, R. H., aid by	134
West Branch of Fish Creek at McConnellsville, N. Y., discharge of (daily), 1898-1900	228-229	Williams River, Colo., measurement of ..	375
gaging station on, data regarding	38	Willis, R. H., stream measurements by ..	276, 277
measurements of	227	Willow Creek near Standish, Cal., measurements and gage heights of	407
West Branch of Susquehanna River at Allenwood, Pa., measurements and gage heights of	111-112	Wilscots Creek, Ga., measurement of	218
rating table for	511	Wilson, J. M., stream measurements by ..	453
Westby, G., stream measurements by	430,	Wilson Creek, N. C., measurement of	205
432, 433		Wilson Creek, Tenn., measurement of	216
West Canada Creek at Middleville, N. Y., discharge of (daily), 1898-1900	51-52	Wilson Creek, Va., measurements of	210
gaging station on, data regarding	38	Wissahickon Creek near Philadelphia, Pa., discharge of (daily), 1897-1900	107-109
measurement of	39, 50-51	Wittemeier, H. J., aid by	38
West Canada Creek at Twin Rock Bridge, N. Y., gage heights of	50	Wolaver, J. M., aid by	290
gaging station on, data regarding	38	Wolf Creek, Cal., measurement of	453
measurements of	39	Wolf Creek, Ga., measurement of	217
West Fork of Carson River at Woodfords, Cal., gage heights of	400-401	Wolf Creek, Va., measurements of	214
West Fork of French Broad River, N. C., measurements of	211	Woodbury, Ga., hydrographic work at ..	157-158
West Fork of Lake Creek, Utah, measurements of	373	rating table for	513
West Fork of Little Pigeon River, Tenn., measurements of	217	Woodcock, H. L., aid by	38
West Gallatin River near Salesville, Mont., measurements and gage heights of	260-261	Woodfords, Cal., hydrographic work at ..	400-401
rating table for	516	Woodstock, Md., hydrographic work at ..	115
West Point, Ga., hydrographic work at ..	159-160	rating table for	511
rating table for	514	Woods, Wyo., hydrographic work at	273-274
West Valley ditch., Tex., measurements of	359	rating table for	516
West Virginia, hydrographic work in	115-117, 120-121, 177, 178-179, 181-182	Worley Creek, Ga., measurement of	209
rating tables for streams in	511, 515	Wright, E. T., stream measurements by ..	485
Whipple, G. C., and Jackson, D. D., cited ..	17	Wyoming, hydrographic work in	269-270, 272-275, 366-367
White River, Colo., measurements of	375	rating tables for streams in	516, 519
White River, Nebr., measurements of	311	stream measurements in, miscellaneous	272
White River near Buckley, Wash., measurements and gage heights of ..	445-446		
White Clay Creek, Nebr., measurement of	311		
White Oak Creek, N. C., measurements of	206, 212, 213		
White Path Creek, Ga., measurement of ..	209		
Whiterocks, Utah, hydrographic work near	369-370		
rating table for	369-370		
Whiterocks River near Whiterocks, Utah, measurements of	369-370		
rating table for	519		
White Top Creek, Va., measurements of ..	214		
Whitney Creek, Cal., measurements of ..	461		
Wilder Creek, Mich., water power on	258		
Wiley, A. J., gaging station established by	426		
Wilkesbarre, Pa., hydrographic work at ..	110		
rating table for	511		

Y.

Yadkin River, N. C., features of	14-15
Yadkin River at Norwood, N. C., gaging station on, description of	140
Yadkin River at Salisbury, N. C., measurements and gage heights of ..	139-140
rating table for	512
volume of, maximum and minimum	139-140
Yadkin River at Siloam, N. C., flood discharge of	138
measurements and gage heights of ..	138-139
Yadkin River, N. C., and tributaries, measurements of, miscellaneous ..	203-204
Yahoola Creek, Ga., measurements of	208
Yahoola ditch, Ga., measurement of	208
Yakima County, Wash., stream measurements in, miscellaneous	443
Yakima River at Kiona, Wash., measurements and gage heights of	442-443
rating table for	522
Yakima River at Union Gap, Wash., measurements and gage heights of ..	441-442

	Page.		Page.
Yakima River at Union Gap, Wash., rating table for	522	Youghiogheny River at Friendsville, Md., measurements and gage heights of	176-177
Yampa River, Colo., measurements of	375	rating table for	514
Yarbrough, J. T., aid by	139	Young Cone Creek, Ga., measurement of	217
Yeates, W. S., acknowledgments to	9	Yuba River, Cal., measurements of, miscellaneous	480
Yellow Creek, Ga., measurement of	208	Yuba River near Smartville, Cal., measurements and gage heights of	452-453
Yellow River, Ga., measurements of, miscellaneous	207	Yuma, Ariz., hydrographic work at	387
Yellow River at Almon, Ga., measurements and gage heights of	153-154		
rating table for	513		
Yellowstone River near Livingston, Mont., measurements and gage heights of	268		
rating table for	516		

Z.

Zoological Park, D. C., hydrographic work at	125-126
--	---------

doc

1895.

Sixteenth Annual Report of the United States Geological Survey, 1894-95, Part II, Papers of an economic character, 1895; octavo, 598 pp.

Contains a paper on the public lands and their water supply, by F. H. Newell, illustrated by a large map showing the relative extent and location of the vacant public lands; also a report on the water resources of a portion of the Great Plains, by Robert Hay.

A geological reconnaissance of northwestern Wyoming, by George H. Eldridge, 1894; octavo, 72 pp. Bulletin No. 119 of the United States Geological Survey; price, 10 cents.

Contains a description of the geologic structure of portions of the Big Horn Range and Big Horn Basin, especially with reference to the coal fields, and remarks upon the water supply and agricultural possibilities.

Report of progress of the division of hydrography for the calendar years 1893 and 1894, by F. H. Newell, 1895; octavo, 176 pp. Bulletin No. 131 of the United States Geological Survey; price, 15 cents.

Contains results of stream measurements at various points, mainly within the arid region, and records of wells in western Nebraska, western Kansas, and eastern Colorado.

1896.

Seventeenth Annual Report of the United States Geological Survey, 1895-96, Part II, Economic geology and hydrography, 1896; octavo, 864 pp.

Contains papers on "The underground water of the Arkansas Valley in eastern Colorado," by G. K. Gilbert; "The water resources of Illinois," by Frank Leverett; and "Preliminary report on the artesian waters of a portion of the Dakotas," by N. H. Darton.

Artesian-well prospects in the Atlantic Coastal Plain region, by N. H. Darton, 1896; octavo, 230 pp., 19 plates. Bulletin No. 138 of the United States Geological Survey; price, 20 cents.

Gives a description of the geologic conditions of the coastal region from Long Island, New York, to Georgia, and contains data relating to many of the deep wells.

Report of progress of the division of hydrography for the calendar year 1895, by F. H. Newell, hydrographer in charge, 1896; octavo, 356 pp. Bulletin No. 140 of the United States Geological Survey; price, 25 cents.

Contains a description of the instruments and methods employed in measuring streams and the results of hydrographic investigations in various parts of the United States.

1897.

Eighteenth Annual Report of the United States Geological Survey, 1896-97, Part IV, Hydrography, 1897; octavo, 756 pp.

Contains a "Report of progress of stream measurements for the calendar year 1896," by Arthur P. Davis; "The water resources of Indiana and Ohio," by Frank Leverett; "New developments in well boring and irrigation in South Dakota," by N. H. Darton; and "Reservoirs for irrigation," by J. D. Schuyler.

1899.

Nineteenth Annual Report of the United States Geological Survey, 1897-98, Part IV, Hydrography, 1899; octavo, 814 pp.

Contains a "Report of progress of stream measurements for the calendar year 1898," by F. H. Newell and others; "The rock waters of Ohio," by Edward Orton; and "A preliminary report on the geology and water resources of Nebraska west of the one hundred and third meridian," by N. H. Darton.

Part II of the Nineteenth Annual contains a paper on "Principles and conditions of the movements of ground water," by F. H. King, and one on "Theoretical investigation of the motion of ground waters," by C. S. Slichter.

1900.

Twentieth Annual Report of the United States Geological Survey, 1898-99, Part IV, Hydrography, 1900; octavo, 660 pp.

Contains a "Report of progress of stream measurements for the calendar year 1898," by F. H. Newell, and "Hydrography of Nicaragua," by A. P. Davis.

1901.

Twenty-first Annual Report of the United States Geological Survey, 1899-1900, Part IV, Hydrography, 1901; octavo, 766 pp.

Contains a "Report of progress of stream measurements for the calendar year 1899," by F. H. Newell; "Preliminary description of the geology and water resources of the southern half of the Black Hills and adjoining regions in South Dakota and Wyoming," by N. H. Darton; and "The High Plains and their utilization," by W. D. Johnson.

Bulletins can be obtained only by prepayment of cost, as noted above. Money should be transmitted by postal money order or express order, payable to the Director of the United States Geological Survey. Postage stamps, checks, and drafts can not be accepted. Correspondence should be addressed to

The Director, United States Geological Survey, Washington, D. C.

WATER-SUPPLY AND IRRIGATION PAPERS.

1. Pumping water for irrigation, by Herbert M. Wilson, 1896.
2. Irrigation near Phoenix, Arizona, by Arthur P. Davis, 1897.
3. Sewage irrigation, by George W. Rafter, 1897.
4. A reconnoissance in southeastern Washington, by Israel C. Russell, 1897.
5. Irrigation practice on the Great Plains, by E. B. Cowgill, 1897.
6. Underground waters of southwestern Kansas, by Erasmus Haworth, 1897.
7. Seepage waters of northern Utah, by Samuel Fortier, 1897.
8. Windmills for irrigation, by E. C. Murphy, 1897.
9. Irrigation near Greeley, Colorado, by David Boyd, 1897.
10. Irrigation in Mesilla Valley, New Mexico, by F. C. Barker, 1898.
11. River heights for 1896, by Arthur P. Davis, 1897.
12. Underground waters of southeastern Nebraska, by N. H. Darton, 1898.
13. Irrigation systems in Texas, by W. F. Hutson, 1898.
14. New tests of pumps and water lifts used in irrigation, by O. P. Hood, 1898.
- 15, 16. Operations at river stations, 1897, Parts I, II, 1898.
17. Irrigation near Bakersfield, California, by C. E. Grunsky, 1898.
18. Irrigation near Fresno, California, by C. E. Grunsky, 1898.
19. Irrigation near Merced, California, by C. E. Grunsky, 1899.
20. Experiments with windmills, by Thomas O. Perry, 1899.
21. Wells of northern Indiana, by Frank Leverett, 1899.
22. Sewage irrigation, Part II, by George W. Rafter, 1899.
23. Water-right problems of Big Horn Mountains, by Elwood Mead, 1899.
- 24, 25. Water resources of the State of New York, Parts I, II, by G. W. Rafter, 1899.
26. Wells of southern Indiana (continuation of No. 21), by Frank Leverett, 1899.
- 27, 28. Operations at river stations, 1898, Part I, II, 1899.
29. Wells and windmills in Nebraska, by Erwin Hinckley Barbour, 1899.
30. Water resources of the Lower Peninsula of Michigan, by Alfred C. Lane, 1899.
31. Lower Michigan mineral waters, by Alfred C. Lane, 1899.
32. Water resources of Porto Rico, by H. M. Wilson, 1900.
33. Storage of water on Gila River, Arizona, by J. B. Lippincott, 1900.
34. Geology and water resources of southeastern S. Dak., by J. E. Todd, 1900.
- 35-39. Operations at river stations, 1899, Parts I-V, 1900.
40. The Austin dam, by Thomas U. Taylor, 1900.
- 41, 42. The windmill: its efficiency and use, Parts I, II, by E. C. Murphy, 1901.
43. Conveyance of water in irrigation canals, etc., by Samuel Fortier, 1901.
44. Profiles of rivers, by Henry Gannett, 1901.
45. Water storage on Cache Creek, California, by Albert E. Chandler, 1901.
46. Recon. of Kern and Yuba rivers, Cal., by F. H. Olmsted and M. Manson.
- 47-52. Operations at river stations, 1900, Part I-VI, 1901.

Other papers are in various stages of preparation. Provision has been made for printing these by the following clause in the sundry civil act making appropriations for the year 1896-97:

Provided, That hereafter the reports of the Geological Survey in relation to the gaging of streams and to the methods of utilizing the water resources may be printed for the use of the Senate and House of Representatives in number: 1, of which shall be for the official use of the Geological Survey, 1,500 copies shall be delivered to the Senate, and 2,500 copies shall be delivered to the House of Representatives, for distribution. [Stat. L., vol. 29, p. 453.]

The endeavor is made to send these pamphlets to persons who have rendered assistance in their preparation through replies to schedules or who have furnished data. Requests made for a certain paper and stating a reason for asking for it are granted whenever practicable, but it is impossible to comply with general demands, such as to have all of the series sent.

Application for these papers should be made either to members of Congress or to

THE DIRECTOR, UNITED STATES GEOLOGICAL SURVEY, WASHINGTON, D. C.