

DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY
GEORGE OTIS SMITH, DIRECTOR

WATER-SUPPLY PAPER 252

SURFACE WATER SUPPLY OF THE
UNITED STATES

1907-8

PART XII. NORTH PACIFIC COAST

PREPARED UNDER THE DIRECTION OF M. O. LEIGHTON

BY

J. C. STEVENS AND F. F. HENSHAW



WASHINGTON
GOVERNMENT PRINTING OFFICE
1910




A. CURRENT-METER STATION AT LOS ANGELES, CAL.




B. BRIDGE STATION AND CROSS SECTION OF STREAM.

Illustrating 0.2 and 0.8 depth method.



PRICE PENTA-RECORDING CURRENT METERS.




A. DAM AND POWER PLANT ON ROGUE RIVER NEAR TOLO, OREG.



B. CULTIVATED LAND UNDER KENNEWICK CANAL, 2 MILES SOUTH OF KENNEWICK, WASH.



GLACIERS (IN AUGUST) AT THE HEADWATERS OF SOUTH FORK OF TETON RIVER, WASHINGTON.



SUNNYSIDE CANAL HEAD, YAKIMA PROJECT, WASHINGTON.



A. FURNAS RANCH, NEAR HERMISTON, OREG., UMATILLA PROJECT.




B. MINIDOKA DAM AND REGULATING DEVICES.



A. TWIN FALLS ON NORTH FORK OF SANTIAM RIVER, JUST BELOW
OUTLET OF MARION LAKE, OREGON.



B. GATCH FALLS ON NORTH FORK OF SANTIAM RIVER, 3 MILES BELOW
TWIN FALLS.



HYDRO-ELECTRIC PLANT ON PUYALLUP RIVER NEAR ELECTRON, WASH.

Developing 25,600 horsepower.

