


PLAN  
PENOBSCOT RIVER DRAINAGE BASIN, MAINE  
BASKAHEGAN, FIRST AND SECOND GRAND AND ALLAGASH LAKES



FIRST AND SECOND GRAND LAKES  
IN T.6.R.8. AND T.6.R.9.

NOTE: THE ELEVATION OF WATER SURFACE AT THE TIME OF SURVEY WAS ABOUT 10 FEET ABOVE ORDINARY LOW WATER LEVEL WITH ABOUT 14 FEET HEAD ON THE DAM. THE ORDINARY LOW WATER SHORE LINE IS SHOWN APPROXIMATELY BY DOTTED LINES INSIDE THE SHORE LINE AT THE TIME OF SURVEY. AN ADDITIONAL SHORE CONTOUR 10 FEET ABOVE THE LATTER IS ALSO GIVEN. ELEVATIONS REFER TO MEAN SEA DATUM.

NOTE: ELEVATIONS OF BENCH MARKS ARE AS ADJUSTED DURING 1909, AND DIFFER SLIGHTLY FROM THOSE OF THE ORIGINAL LEVELS. OTHER ELEVATIONS ARE AS OBTAINED AT THE TIME OF SURVEY.

BASKAHEGAN LAKE  
IN BROOKTON AND TOPSFIELD

NOTE: DURING SURVEY WATER SURFACE WAS 4 FEET BELOW CREST OF DAM AT OUTLET, OR AT ELEVATION OF SILL OF LOWEST GATE; CONTOURS ON SHORE ARE 10 AND 20 FEET ABOVE THIS LEVEL. SOUNDINGS IN FEET SHOWN THUS 12 SURVEY MADE BY F.E. PRESSEY, ASST. ENGINEER, OCT. 1907

ALLAGASH LAKE  
IN T.7.R.14. AND T.8.R.14

NOTE: THE SHORE LINE IS THAT OF ORDINARY LOW WATER, AND SHORE CONTOURS ARE 10 FEET AND 20 FEET ABOVE THIS DATUM. ELEVATIONS GIVEN REFER TO MEAN SEA LEVEL.

Surveyed in 1907  
in cooperation with the State of Maine  
under the direction of  
H. K. Barrows, District Engineer  
H. S. Boardman, Chief of Party

