

Some Chemical Characteristics of Mine Drainage in Illinois

By L. G. TOLER

GEOLOGICAL SURVEY WATER-SUPPLY PAPER 2078

*Prepared in cooperation with the
U.S. Environmental Protection Agency*



UNITED STATES DEPARTMENT OF THE INTERIOR

JAMES G. WATT, *Secretary*

GEOLOGICAL SURVEY

Dallas L. Peck, *Director*

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

CONTENTS

	Page
Abstract	1
Introduction	1
Approach	2
Reconnaissance	4
Monitoring program	4
Results	6
Sulfate as an indicator	6
Sulfate loads	9
Data needs	14
Summary	16
References cited	16

ILLUSTRATIONS

	Page
FIGURE 1. Map showing location of Eastern Interior Coal Field	2
2. Map showing acreage distribution of strip-mined land in Illinois, by county, as of June 1974	3
3. Map showing location of reconnaissance sampling sites in Illinois	5
4. Map showing location of and number identifying sampling sites in Big Muddy and Saline River basins, Illinois	7
5. Graph of field and laboratory alkalinity measurements	8
6. Generalized flow-duration curve for sites less than 100 mi ² in the Big Muddy and Saline River basins, Illinois	11
7. Generalized flow-duration curve for sites greater than 100 mi ² in the Big Muddy and Saline River basins, Illinois	12
8. Graph showing relationship of annual sulfate load to area of surface-mined land	14
9. Graph showing relationship of annual sulfate load per square mile of drainage area to percentage of surface-mined land	15
10. Graph showing relationship of specific conductance to dissolved solids and sulfate concentrations for Big Muddy River at Murphysboro, Illinois	15

	Page
TABLE 1. Station data for sulfate concentration and sulfate load computations --	9
2. Tabulation of average annual sulfate load for site 21 by use of the flow-duration curve technique -----	13
3. Drainage areas, mined areas, and sulfate loads -----	13
4. Chemical analyses of samples collected at reconnaissance sites -----	19
5. Chemical analyses of samples from Saline and Big Muddy River basins-----	32

FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM (SI) UNITS

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI):

<i>Multiply inch-pound unit</i>	<i>By</i>	<i>To obtain SI unit</i>
acre	0.4047	square hectometer (hm ²)
cubic foot per second (ft ³ /s)	0.02832	cubic meter per second (m ³ /s)
mile (mi)	1.609	kilometer (km)
square mile (mi ²)	2.590	square kilometer (km ²)
ton (short)	0.9072	megagram (Mg)
tons per day (ton/d)	0.9072	megagrams per day (Mg/d)
tons per square mile (ton/mi ²)	0.3503	megagrams per square kilometer (Mg/km ²)

SOME CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

By L. G. TOLER

ABSTRACT

Surface mining for coal in Illinois has affected runoff from the mined areas and altered water quality in the streams. Average annual sulfate loads in streams are 3,000–4,000 tons per square mile of mined land in the Big Muddy and Saline River basins in southern Illinois. Relatively high concentrations of dissolved aluminum, arsenic, chromium, copper, iron, manganese, and zinc are commonly associated with concentrations of sulfate greater than about 2,000 milligrams per liter.

INTRODUCTION

Illinois is one of the major coal producing States in the United States. In 1976, Illinois ranked fourth among the States, with a production of approximately 58 million tons. It has the largest reserves of bituminous coal and in 1974 was the State with the second highest total reserves (Smith and Stall, 1975, p. 12).

The coal areas in Illinois are part of the Eastern Interior Coal Field (fig. 1), which includes most of Illinois and parts of Indiana and Kentucky. The coal beds are included in a large structural basin, and in Illinois, their maximum depth is about 1,200 feet near the center of the basin (Smith and Stall, 1975). Near the periphery of the basin, coal is at or near the surface and is amenable to surface mining. About 47 percent of the 1976 production was by surface mining.

As of 1974, approximately 181,000 acres of land in Illinois had been surface mined for coal (Haynes and Klimstra, 1975, p. 2). Figure 2 shows the acreage of surface-mined land in Illinois by county.

Surface mining involves stripping the overburden from the coal, removing the coal, and filing the newly mined pit with overburden from adjacent areas. Surface-mining methods are commonly used to recover coal from depths of up to about 100 feet. Enormous amounts of earth materials are thus disturbed and made more vulnerable to weathering.




FIGURE 1.—Location of Eastern Interior Coal Field (shaded area).

An apparent increasing demand on our own energy sources has created a high priority for assessments of the effects of surface mining on water quality. In 1974, the U.S. Geological Survey began a program of sampling and evaluating the water quality of streams in the strip-mined areas in Illinois. The U.S. Environmental Protection Agency (EPA) provided funds for the project.

APPROACH

The first phase of the sampling program was to provide broad geographical coverage of much of the surface-mined area in Illinois. Fifty sites were selected and sampled twice in 1975.




FIGURE 2.—Acreage distribution of strip-mined land in Illinois, by county, as of June 1974.

The results of the reconnaissance sampling were then used to design the second phase of the sampling program. This phase included a wider range of hydrologic conditions. The discharge and constituent concentrations obtained during the more intensive sampling were analyzed by regression techniques and extrapolated by use of flow duration curves of discharge to estimate the average quantities of material dissolved in surface-mine drainage. The loads carried by the streams were then related to the mined area within each basin.

RECONNAISSANCE

The 50 sites selected for the reconnaissance phase are shown in figure 3. These sites were sampled twice, once in May and once in June 1975. All samples were collected during periods of average to low flow, at about the 30 percent flow duration in May and at the 30-65 percent flow duration in June.

Discharge, water temperature, specific conductance, dissolved oxygen, and pH were measured in the field. Water samples were collected for laboratory analyses of alkalinity, total organic carbon, chloride, phenols, sulfate, sulfide, and the metals aluminum, arsenic, chromium, copper, iron, manganese, mercury, and zinc. The data were then scrutinized for consistency between the two sampling dates and for constituent characteristics common to all or part of the State. Field and laboratory data collected during the reconnaissance sampling are included in table 4.

Sulfate was a major constituent in samples from all sites. Sulfate concentrations ranged from 25 to 4,100 mg/L (milligrams per liter). On the basis of comparisons with streams having little or no upstream mining activity, it is probable that concentrations of sulfate of more than about 100 mg/L in base flow are attributable to drainage from mined areas.

The acidic waters contained significant concentrations of aluminum, arsenic, chromium, copper, mercury, and zinc and high concentrations of the more common metals, iron and manganese.

MONITORING PROGRAM

The heavily mined area that extends west to east across the Big Muddy and Saline River basins in southern Illinois was selected for more intensive sampling because the reconnaissance samples in these basins had the highest concentrations of sulfate and many of the metals and because of concurrent studies in that area by the Greater Egypt Regional Planning and Development Commission (GERPDC) and the Southeastern Illinois Regional Planning and Development Commission (SIRPDC).




FIGURE 3.—Location of reconnaissance sampling sites in Illinois.

The selection of 20 sites (fig. 4) was coordinated with the above agencies and the Illinois Environmental Protection Agency (IEPA). Survey personnel collected water-quality samples and made concurrent discharge measurements at these sites about three to four times per year. Where feasible, reference points were located from which water-surface elevations were determined concurrently with discharge measurements and rating curves were prepared from which estimates of discharge could be made. IEPA personnel also collected and analyzed samples and measured water-surface elevation at selected sites about twice per month from March to September 1976. All available analyses are reported in table 5.

The laboratory analyses of reconnaissance samples did not always show the carbonate-ion and bicarbonate-ion distribution expected from the field pH. Often no carbonate was reported, even though the field pH was above 8.3, a condition under which it should occur (Brown, Skougstad, and Fishman, 1970, p. 42). The absence of carbonate indicated that the pH was changing between the time of sampling and the time of analysis. Because the determination of the carbonate-ion and bicarbonate-ion distribution is a part of the determination of alkalinity, the alkalinity values reported by the laboratory were also suspected of being erroneous. Therefore, alkalinity was determined both in the field and in the laboratory.

The relationship shown in figure 5 dispelled any suspicion of erroneous laboratory alkalinity values even though the pH changed enroute to the laboratory. However, the exercise indicated that the carbonate-ion and bicarbonate-ion distribution as it existed in the stream must be determined in the field for all samples having the carbonate-ion in solution (pH greater than 8.3). This was done in addition to the other field analyses for all samples collected by the Survey in the 1976 and 1977 water years.

Drainage areas for all sites, including the reconnaissance sites, were outlined and planimetered on Survey topographic maps. Boundaries of strip-mined areas for the 20 sites sampled during the 1976 and 1977 water years were transferred from GERPDC and SIRPDC (1977) maps to topographic maps, and the area of strip-mined land above the sampling site was planimetered for each of the 20 basins.

RESULTS

SULFATE AS AN INDICATOR

The formation of acidic mine water has been documented many times, and an extensive bibliography on the subject is available (Office of Water Resources Research, 1975). Generally, surface mining exposes many earth materials to weathering, and the physical-chemical breakdown of some materials are thereby accelerated. All




FIGURE 4.—Location of and number identifying sampling sites in Big Muddy and Saline River basins, Illinois.

the reactions are not fully understood (Doyle, 1976, p. 142), but it is generally accepted that water and oxygen act upon iron sulfide to produce ferrous sulfate and sulfuric acid in solution. The ferrous sulfate may react further to produce ferric sulfate and more sulfuric acid. The result is acidic water with high concentrations of sulfate.

Secondary reactions of the acidic water bring many other constituents into solution. These include many metals, such as aluminum, iron, manganese, arsenic, cadmium, mercury, and zinc. These metals are then subject to other reactions such as the formation of precipitates or sorption on sediments.

If the natural water is sufficiently alkaline, the acidic water may persist only for a short time before neutralization. However, neutralization does not change the concentration of sulfate, and sulfate persists as an indicator of mine drainage. Metals are usually not a reliable indicator of the amount of acidic mine drainage because they may not remain in solution.

The concentration of sulfate in streams depends on the amount produced at some source and the subsequent dilution in the streams. Dilution depends on the discharge of a stream, which varies with several factors such as the amount of precipitation and the drainage area. Concentrations cannot always be compared from stream to stream as an index of mining effect because of these variables. However, the amount of sulfate in acidic mine drainage and the resultant sulfate load in the stream would be expected to vary with the area of the mined land. This assumption was tested with data from the intensive sampling sites.




FIGURE 5.—Field and laboratory alkalinity measurements.

SULFATE LOADS

Continuous records of both sulfate concentration and stream discharge are needed to compute sulfate loads for any period. Continuous records of both were not available for any sampling site; however, enough data were available for some sampling sites to use the duration curve technique (Searcy, 1959, p. 29) to estimate annual sulfate loads. This technique depends on the correlation of either sulfate concentration or load with stream discharge and the availability of flow duration curves.

Sufficient data to regress sulfate concentrations on concurrent discharge measurements were available for 14 of the 20 sites sampled during the 1976 and 1977 water years. Computerized regression programs were used to relate log-instantaneous discharge to log-sulfate concentration and to log-instantaneous sulfate load. The discharge per square mile was used in the regressions for sulfate load to facilitate the use of the relationships in the duration curve technique for computing average annual sulfate loads. The standards errors (table 1), given in logarithmic deviations and in average percent deviations from the regression line, apply to both equations.

TABLE 1.—Station data for sulfate-concentration and sulfate-load computations
[Q = discharge in cubic foot per second; A = drainage area in square miles;
CC = Correlation coefficient]

Map number	Station number	Sulfate concentration		Sulfate load		Standard error		Number of measurements
		Equation	CC	Equation	CC	Log	Percent	
1 -----	03382090	$1,400Q^{-0.543}$	-0.86	$19.2(Q/A)^{0.457}$	0.81	0.203	48	21
2 -----	03382100	$2,180Q^{-0.419}$	-0.86	$107(Q/A)^{0.581}$	0.92	0.195	46	25
3 -----	03382130	$1,810Q^{-0.339}$	-0.73	$187(Q/A)^{0.661}$	0.90	0.234	56	20
4 -----	03382170	$162Q^{0.020}$	0.11	$6.11(Q/A)^{1.02}$	0.99	0.157	37	6
5 -----	03382185	$1,640Q^{-0.133}$	-0.60	$194(Q/A)^{0.866}$	0.98	0.133	27	20
8 -----	03382320	$196Q^{-0.056}$	-0.28	$31.6(Q/A)^{0.944}$	0.98	0.200	48	19
11 -----	05597040	$176Q^{-0.137}$	-0.49	$9.72(Q/A)^{0.863}$	0.96	0.269	66	8
12 -----	05597300	$665Q^{-0.272}$	-0.86	$109(Q/A)^{0.728}$	0.98	0.156	37	8
13 -----	05597500	$456Q^{-0.162}$	-0.49	$22.3(Q/A)^{0.838}$	0.95	0.252	61	17
15 -----	05598700	$3,040Q^{-0.332}$	-0.80					8
16 -----	05599000	$3,620Q^{-0.505}$	-0.81	$162(Q/A)^{0.495}$	0.80	0.247	60	16
18 -----	05599080	$1,330Q^{-0.130}$	-0.94	$65.7(Q/A)^{0.760}$	0.99	0.127	30	8
19 -----	05599100	$3,290A^{-0.423}$	-0.81	$167(Q/A)^{0.577}$	0.88	0.229	55	16
21 -----	05599500	$1,350Q^{-0.287}$	-0.75	$869(Q/A)^{0.713}$	0.94	0.146	34	49

Sites 6, 9, and 20 had five or fewer measurements and were considered unsuitable for regression analyses. The measurements covered a wide range of discharge and sulfate concentration; therefore, visually estimated lines of relationship were used for these three sites. Sites 7, 14, and 17 were omitted from the load computations because no relationships between discharge and concentration of sulfate load were apparent.

Continuous discharge records were available for sites 2, 4, 10, 13, 16, and 21 (fig. 4). All gaged sites except site 10 were also sampling sites. Flow-duration curves were prepared from gaging station records for five gaged sites. These six gaging stations were also used to estimate flow-duration curves for the other sampling sites. Two general curves were prepared, one for sites with drainage areas less than 100 mi² (fig. 6) and one for sites with drainage areas greater than 100 mi² (fig. 7). The flow duration curves were adjusted to discharge per square mile of drainage area to facilitate use of the curves with different drainage areas. The generalized flow duration curves in figures 6 and 7 were visually placed in an intermediate position relative to those for the gaged sites.

The five flow-duration curves prepared from station records and the general curves from figures 6 and 7 were used with sulfate load-discharge relationships for the appropriate gaged and ungaged sites to estimate annual sulfate loads.

The procedure for estimating annual sulfate loads was to first select percent times and corresponding discharges from the duration curves to prepare a flow-duration table. A sulfate-load-duration table was then prepared by determining the sulfate load associated with each discharge value in the flow-duration table. The sulfate loads were determined from the relationships to discharge in table 1 or from the graphical relationships for those sites where regression equations were not available. The product of each time interval and the average sulfate load for the time interval was then summed to obtain the estimated daily sulfate load. Table 2 gives an example of the procedure and the values obtained for one sampling site.

The sulfate loads calculated for 16 sites were regressed against the area of mined land (table 3) upstream from the sampling site. The drainage area and the mined area upstream from site 15 (fig. 4) would require extensive fieldwork to be defined because of modification of the basin divide during mining. This site and the three sites where relationships between discharge and concentration of sulfate were indeterminate were not used.

The relationships of annual sulfate loads to the area of surface-mined land (fig. 8) and the average annual sulfate load per square mile to the percent of surface-mined land (fig. 9) both show that sulfate loads are strongly dependent on the amount of land disturbed by surface mining. The regression coefficients indicate that 3,000–4,000 tons of sulfate annually enter the streams per square mile of mined land.




FIGURE 6.—Generalized flow-duration curve for sites less than 100 mi² in the Big Muddy and Saline River basins, Illinois. Location of sites shown in figure 4.




FIGURE 7.—Generalized flow-duration curve for sites greater than 100 mi² in the Big Muddy and Saline River basins, Illinois. Location of sites shown in figure 4.

TABLE 2.—*Tabulation of average annual sulfate load for site 21 by use of the flow-duration curve technique*

Percent time	Discharge ((ft ³ /s)/mi ²)	Sulfate load (tons per day)	Time interval (percent)	Average sulfate load for time interval (tons per day)	Column 4 × Column 5 × 0.01
0 -----	15	6,200			
.1 -----	12	5,200	0.1	5,700	5.70
.2 -----	11	4,900	.1	5,050	5.05
.5 -----	8.7	4,200	.3	4,550	13.65
1.0 -----	7.2	3,600	.5	3,900	19.50
2.0 -----	6.0	3,200	1.0	3,400	34.00
3.0 -----	5.0	2,750	1.0	2,975	29.75
5.0 -----	4.0	2,350	2.0	2,550	51.00
7.0 -----	3.3	2,100	2.0	2,225	44.50
10 -----	2.5	1,700	3.0	1,900	57.00
15 -----	1.5	1,200	5.0	1,450	72.50
20 -----	1.2	1,000	5.0	1,100	55.00
30 -----	.6	620	10	810	81.00
40 -----	.3	380	10	500	50.00
50 -----	.15	230	10	305	30.50
60 -----	.084	150	10	190	19.00
70 -----	.048	100	10	125	12.50
80 -----	.025	64	10	82	8.20
90 -----	.013	40	10	52	5.20
95 -----	.0065	25	5.0	32.5	1.63
100 -----	.0	0	5.0	12.5	.63
Total					596.31

Average tons per day (596.31) times 365 days/yr equals 217,653 tons/yr. Tons per year (217,653) divided by drainage area (2,162 mi²) equals 101 tons/yr/mi².

TABLE 3.—*Drainage areas, mined areas, and sulfate loads*

Map number	Station number	Drainage area (square miles)	Mined area		Annual average sulfate load	
			Square miles	Percent	Tons	Tons per square mile
11 -----	05597040	33.1	0.0	0.0	2,970	90
8 -----	03382320	76.4	.0	.0	10,800	141
4 -----	03382170	13.3	.1	.8	2,410	181
21 -----	05599500	2,162	51.6	2.4	218,000	101
12 -----	05597300	283	6.7	2.4	27,200	96
1 -----	03382090	35.4	1.1	3.1	4,200	119
9 -----	03382450	1,022	31.3	3.1	119,000	116
13 -----	05597500	31.7	1.2	3.8	4,640	146
3 -----	03382130	248	12.1	4.9	45,400	183
20 -----	05599300	516	25.5	4.9	96,500	187
2 -----	03382100	147	9.8	6.7	29,000	197
6 -----	03382205	233	15.8	6.8	52,600	226
19 -----	05599100	162	12.1	7.5	39,800	246
16 -----	05599000	292	24.1	8.3	33,600	115
18 -----	05599080	46.1	5.5	11.9	16,400	356
5 -----	03382185	77.9	14.8	19.0	58,940	757

¹ Gaging station.

² Insufficient data for regression analysis; eye-fit line used for load calculation.




FIGURE 8.—Relationship of annual sulfate load to area of surface-mined land.

DATA NEEDS

The data collected from 1975 to 1977 provide considerable information on chemical characteristics of streams in surface-mined areas in Illinois and suggest that additional data are needed to define better the hydrology.

The concentrations of dissolved solids, sulfate, and many metals are relatively high near the mine sites, where the water is commonly acidic. In larger streams, acidic water from mine drainage is readily neutralized, and concentration of the above constituents are lower. The inverse correlation of discharge to sulfate concentration (table 1) suggests that dilution is the principal cause of attenuation of sulfate.

The dissolved concentrations of most of the major constituents are directly related to each other and to specific conductance. Figure 10 shows two relationships for one station and indicates that measurements of specific conductance could be used to estimate accurately concentrations of some constituents. As specific conductance is readily measurable, these relationships could be used with recorded flow data to calculate, with a fair degree of accuracy, the dissolved loads of certain constituents contributed by mined areas.




FIGURE 9.—Relationship of annual sulfate load per square mile of drainage area to percentage of surface-mined land.




FIGURE 10.—Relationship of specific conductance to dissolved solids and sulfate concentrations for Big Muddy River at Murphysboro, Illinois.

Although many of the major constituents are inversely related to discharge, which suggests that attenuation is largely by dilution, no well-defined relationships were observed for the minor constituents. Metals, in particular, are considered susceptible to adsorption and precipitation, but data are not available to evaluate whether any constituents are being concentrated in bottom materials or how metals absorbed on sediments are transported.

Data are also needed to evaluate the changes in runoff caused by surface mining in Illinois. Corbett (1966) concluded that floodflows in one watershed in southern Indiana were materially reduced by "cast overburden". Comparison studies of runoff from mined areas with that from nearby unmined areas would provide the information needed for this evaluation.

SUMMARY

Bituminous coal reserves in Illinois make up a large part of the Eastern Interior Coal Field. On the periphery of a structural basin in Illinois, the coal is amenable to removal by surface mining. As of June 1974, 181,000 acres had been affected by surface mining.

The water quality in streams has been altered by runoff from the mined areas. Analyses of stream water made from 1975 to 1977 show that acidic water is formed in many mined areas but is usually neutralized before it reaches the larger streams. Sulfate loadings in streams in southern Illinois are directly related to the area of mined land in the basin. Annually, 3,000–4,000 tons of sulfate per square mile of mined land enter the streams.

High sulfate concentrations are associated with high concentrations of dissolved solids. Concentrations of aluminum, arsenic, chromium, copper, iron, manganese, and zinc are significant in the acidic waters.

REFERENCES CITED

- Brown, Eugene, Skougstad, M. W., and Fishman, M. J., 1970, Methods for collection and analysis of water samples for dissolved minerals and gases: U.S. Geological Survey Techniques of Water-Resources Investigations, Book 5, Chapter A1, 160 p.
- Corbett, D. M., 1966, Surface mining for coal—Effect on storm runoff: Water Resources Research Center, Indiana University, first interim report, 19 p.
- Doyle, W. S., 1976, Strip mining of coal, environmental solutions: Noyes Data Corporation, Park, Ridge, N.J., 307 p.
- Greater Egypt Regional Planning and Development Commission and Southeastern Illinois Regional Planning and Development Commission, 1978, Southern Illinois 208 mine waste control program, Volume 3, map appendix section, map 5, location of surface mines, scale, one inch equals two miles.
- Haynes, R. J., and Klimstra, W. D., 1975, Some properties of coal spoil bank and refuse materials resulting from surface-mining coal in Illinois: Illinois Institute of Environmental Quality Document 75-21, 126 p.

- Office of Water Resources Research, 1975, Acid mine water, a bibliography: U.S. Department of Commerce, National Technical Information Service PB-239 523, 563 p.
- Searcy, J. K., 1959, Flow-duration curves: U.S. Geological Survey Water-Supply Paper 1542-A, 33 p.
- Smith, W. H., and Stall, J. B., 1975, Coal and water resources for coal conversion in Illinois: Illinois State Geological Survey and Illinois State Water Survey Cooperative Resources Report 4, 79 p., 3 pls.

TABLES 4, 5

20 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at reconnaissance sites

DATE	DRAINAGE AREA (SQUARE MILES) (81024)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCTI- ANCE (MICRO- MHOS) (00095)	PH (UNITS) (00400)	TEMPER- ATURE (DEG C) (00010)	DIS- SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (MG/L) (00440)	ALKA- LINITY AS CACO3 (MG/L) (00410)	CARBON DIOXIDE (CO2) (MG/L) (00405)	TOTAL SUL- FIDE (S) (00745)
0338090 - JORDAN CREEK AT FAIRMOUNT, IL (LAT 40 03 26 LONG 087 50 11)												
MAY + 1975												
12...	17.8	14	643	7.9	14.0	11.2	.0	.0	260	213	5.2	.0
JUN												
19...	17.8	13	660	7.4	22.5	7.7	.0	.0	278	228	18	1.4
0339040 - GRAPE CREEK AT TILTON, IL (LAT 40 05 42 LONG 087 38 08)												
MAY + 1975												
12...	11.8	7.3	818	7.3	12.0	9.2	.0	.0	244	200	20	.0
JUN												
19...	11.8	11	770	6.8	20.0	8.2	.0	.0	246	202	62	.0
0339142 - FAYETTE DRAIN NEAR INDIANOLA, IL (LAT 39 57 05 LONG 087 42 30)												
MAY + 1975												
12...	10.3	12	666	7.9	13.0	11.5	.0	.0	276	226	5.6	.0
JUN												
19...	10.3	11	752	7.3	20.5	9.4	.0	.0	293	240	23	.5
03346150 - BIG CREEK NEAR OBLONG, IL (LAT 39 00 12 LONG 087 50 28)												
MAY + 1975												
13...	35.0	6.7	615	7.4	15.0	8.6	.0	.0	106	87	6.8	.0
JUN												
16...	35.0	1.2	660	7.3	20.0	7.2	.0	.0	217	178	17	.6
03346180 - DOGWOOD CREEK AT OBLONG, IL (LAT 39 00 07 LONG 087 53 38)												
MAY + 1975												
13...	11.7	.80	984	7.8	15.0	6.6	.0	.0	164	135	4.2	.4
JUN												
16...	11.7	.60	1080	7.3	21.0	6.2	.0	.0	245	201	20	1.8
03382090 - SUGAR CREEK NEAR STONEFORT, IL (LAT 37 39 19 LONG 088 45 48)												
MAY + 1975												
14...	35.4	5.0	760	3.6	16.5	7.7	5.5	273	0	0	.0	.5
JUN												
17...	35.4	84.1	2420	3.3	23.0	.3	44	2180	0	0	.0	1.0
03382120 - LITTLE SALINE RIVER NEAR STONEFORT, IL (LAT 37 35 04 LONG 088 40 09)												
MAY + 1975												
14...	19.5	13	120	6.9	15.0	8.8	.0	.0	23	19	4.6	.0
JUN												
17...	19.5	.50	167	6.9	21.0	5.5	.0	.0	68	56	14	1.4
03382155 - PRAIRIE CREEK NEAR CORINTH, IL (LAT 37 49 37 LONG 088 42 36)												
MAY + 1975												
14...	5.43	1.5	570	7.1	19.0	10.8	.0	.0	92	75	12	.0
JUN												
17...	5.43	.06	758	7.0	24.0	9.2	.0	.0	152	125	24	.1
03382175 - BRUSHY CREEK TRIB NEAR MARCO, IL (LAT 37 46 33 LONG 088 37 09)												
MAY + 1975												
13...	4.04	1.0	2050	3.0	20.0	7.0	16	794	0	0	.0	.0
JUN												
16...	4.04	.04	5090	2.7	27.0	4.2	--	--	--	--	--	.0

TABLES

21

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (504) (MG/L) (00945)	DIS- SOLVED CHLO- RINE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)	PHENOLS (UG/L) (32730)
03338090 - JORDAN CREEK AT FAIRMOUNT, IL (LAT 40 03 26 LONG 087 50 11)												
MAY , 1975												
12...	76	13	30	0	0	0	10	20	<.5	10	6.2	1
JUN												
19...	69	12	20	0	<10	0	40	20	<.5	10	3.0	5
03339040 - GRAPE CREEK AT TILTON, IL (LAT 40 05 42 LONG 087 38 08)												
MAY , 1975												
12...	120	26	70	1	0	0	30	290	.6	1100	5.7	0
JUN												
19...	110	22	60	0	0	0	20	260	<.5	600	19	0
03339142 - FAYETTE DRAIN NEAR INDIANOLA, IL (LAT 39 57 05 LONG 087 42 30)												
MAY , 1975												
12...	66	15	30	2	<10	0	30	20	<.5	10	12	16
JUN												
19...	74	16	20	0	0	0	50	30	<.5	10	4.5	0
03346150 - BIG CREEK NEAR OBLONG, IL (LAT 39 00 12 LONG 087 50 28)												
MAY , 1975												
13...	33	89	180	1	10	10	260	120	.8	390	15	4
JUN												
16...	25	90	20	1	<10	0	60	490	1.3	0	9.6	2
03346180 - DOGWOOD CREEK AT OBLONG, IL (LAT 39 00 07 LONG 087 53 38)												
MAY , 1975												
13...	50	180	110	2	20	20	180	500	.7	60	13	0
JUN												
16...	63	200	40	5	10	10	70	1000	.6	10	18	2
03382090 - SUGAR CREEK NEAR STONEFORT, IL (LAT 37 39 19 LONG 088 45 48)												
MAY , 1975												
14...	320	2.1	20000	0	70	40	3700	5200	1.7	520	14	27
JUN												
17...	2200	6.0	270000	1	600	250	250000	39000	<.5	3700	5.0	0
03382120 - LITTLE SALINE RIVER NEAR STONFFORT, IL (LAT 37 35 04 LONG 088 40 09)												
MAY , 1975												
14...	36	2.4	60	0	<10	0	170	150	.8	20	4.6	0
JUN												
17...	30	4.2	20	1	10	0	360	560	<.5	10	5.9	6
03382155 - PRAIRIE CREEK NEAR CORINTH, IL (LAT 37 49 37 LONG 088 42 36)												
MAY , 1975												
14...	160	16	210	0	0	10	260	60	1.1	20	4.0	3
JUN												
17...	180	68	220	1	20	10	110	90	.7	0	5.2	7
03382175 - BRUSHY CREEK TRIP NEAR HARCO, IL (LAT 37 46 33 LONG 088 37 09)												
MAY , 1975												
17...	1000	22	45000	2	230	190	180000	7000	2.2	5000	7.0	6
JUN												
16...	4100	40	21000	520	640	270	340000	26000	1.1	2000	12	1

22 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DRAINAGE AREA (SQUARE MILES (81024)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPF- CIFIC CON- DUCT- ANCE (MICRO- MMOS) (00095)	PH (UNITS) (00400)	TEMPER- ATURE (DEG C) (00010)	DIS- SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CaCO3 (MG/L) (00435)	BICAR- BONATE (MG/L) (00440)	ALKA- LINITY AS CaCO3 (MG/L) (00410)	CARRON- DIOXIDE (CO2) (MG/L) (00405)	TOTAL SUL- FIDE (S) (MG/L) (00745)
033A21R0 - BANKSTON FORK AT DORRIS HEIGHTS, IL (LAT 37 45 34 LONG 088 34 10)												
MAY • 1975												
13...	73.3	58	2000	7.2	20.0	8.7	.0	.0	124	102	13	.4
JUN												
16...	73.3	6.2	2400	6.7	24.5	8.3	.0	.0	209	171	67	.9
033A2210 - PRIER CREEK NEAR HARRISBURG, IL (LAT 37 41 40 LONG 088 32 10)												
MAY • 1975												
14...	3.22	.40	586	7.3	15.5	8.1	.0	.0	138	113	11	.0
05447370 - MUD CREEK AT ANNAMAW, IL (LAT 41 24 04 LONG 089 55 13)												
MAY • 1975												
15...	80.5	50	679	8.3	18.0	11.1	.0	.0	323	265	2.6	.0
JUN												
18...	80.5	68	683	7.4	24.0	8.1	.0	.0	292	240	19	.9
05447390 - COAL CREEK AT SHEFFIELD, IL (LAT 41 21 40 LONG 089 44 43)												
MAY • 1975												
15...	25.3	16	738	8.7	16.5	15.0	.0	.0	281	230	.9	.0
JUN												
18...	25.3	43	718	7.5	23.0	9.1	.0	.0	278	228	14	.8
05447400 - KING CREEK AT MINERAL, IL (LAT 41 23 00 LONG 089 50 34)												
MAY • 1975												
15...	17.6	14	785	8.4	17.0	11.1	.0	.0	282	231	1.8	.0
JUN												
18...	17.6	17	897	7.7	24.0	8.9	.0	.0	273	224	8.7	1.8
05466010 - MUD CREEK AT OPHIEM, IL (LAT 41 15 03 LONG 090 22 40)												
MAY • 1975												
14...	17.2	9.6	636	8.4	22.0	8.6	.0	.0	268	220	1.7	.0
JUN												
17...	17.2	36	350	7.5	21.0	7.1	.0	.0	147	121	7.4	--
05466600 - POPE CREEK NEAR ALPHA, IL (LAT 41 08 45 LONG 090 22 47)												
MAY • 1975												
14...	41.1	37	708	7.7	16.0	10.8	.0	.0	274	225	8.7	.0
JUN												
17...	41.1	70	585	7.7	20.0	9.0	.0	.0	193	158	6.2	.1
05466630 - NORTH POPE CREEK AT NEW WINDSOR, IL (LAT 41 11 30 LONG 090 26 47)												
MAY • 1975												
14...	6.30	4.1	670	8.7	20.5	15.1	.0	.0	250	205	.8	.0
JUN												
17...	6.30	5.5	620	7.8	21.0	8.8	.0	.0	228	187	5.8	.8
05527002 - HORSE CREEK NEAR ESSEX, IL (LAT 41 10 38 LONG 088 09 00)												
MAY • 1975												
12...	107	46	690	8.3	16.5	14.3	.0	.0	211	173	1.7	.0
JUN												
19...	107	186	703	7.2	25.5	8.5	.0	.0	233	191	24	3.8

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (504) (MG/L) (00945)	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FF) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00600)	PHENOLS (UG/L) (32730)
033P21R0 - BANKSTON FORK AT DORRIS HEIGHTS, IL (LAT 37 45 34 LONG 088 34 10)												
MAY . 1975												
13... 1100		16	20	1	10	10	20	510	.6	0	4.5	6
JUN												
16... 1900		23	110	0	20	20	30	640	<.5	40	16	1
033B2210 - BRIER CREEK NEAR HARRISBURG, IL (LAT 37 41 40 LONG 088 32 10)												
MAY . 1975												
14... 140		9.2	80	1	10	10	150	210	.7	320	9.3	0
05447370 - MUD CREEK AT ANNAMAN, IL (LAT 41 24 04 LONG 089 55 13)												
MAY . 1975												
15... 79		18	30	1	<10	10	50	90	.6	10	4.9	0
JUN												
18... 62		17	40	1	10	0	50	40	<.5	0	13	1
05447390 - COAL CREEK AT SHEFFIELD, IL (LAT 41 21 40 LONG 089 44 43)												
MAY . 1975												
15... 100		15	20	0	20	10	40	80	.5	10	21	--
JUN												
18... 71		13	60	0	10	0	30	30	<.5	0	7.4	0
05447400 - KING CREEK AT MINERAL, IL (LAT 41 23 00 LONG 089 50 34)												
MAY . 1975												
15... 220		8.6	10	1	<10	10	20	70	.5	0	1.8	4
JUN												
18... 230		11	50	1	0	0	50	50	<.5	10	11	3
05466010 - MUD CREEK AT OPHIEM, IL (LAT 41 15 03 LONG 090 22 40)												
MAY . 1975												
14... 48		13	20	0	0	0	20	20	<.5	0	3.7	0
JUN												
17... 27		14	190	1	0	0	160	140	<.5	20	71	1
05466600 - POPE CREEK NEAR ALPHA, IL (LAT 41 08 45 LONG 090 22 47)												
MAY . 1975												
14... 47		18	20	0	0	0	30	120	<.5	0	3.0	0
JUN												
17... 33		13	80	1	0	0	50	130	<.5	0	31	0
05466630 - NORTH POPE CREEK AT NEW WINDSOR, IL (LAT 41 11 30 LONG 090 26 47)												
MAY . 1975												
14... 58		21	20	0	10	0	30	60	<.5	30	--	12
JUN												
17... 44		18	70	1	0	0	30	70	<.5	0	23	0
05527002 - HORSE CREEK NEAR ESSEX, IL (LAT 41 10 38 LONG 088 09 00)												
MAY . 1975												
12... 86		25	50	0	<10	0	20	10	<.5	10	5.0	0
JUN												
19... 68		22	20	1	<10	0	60	10	<.5	50	14	3

24 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DRAINAGE AREA (SQUARE MILES) (81024)	INSTANTANEOUS TANEOUS DISE- CHARGE (CFS) (00061)	SPECIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	PH (UNITS) (00400)	TEMPER- ATURE (DEG C) (00010)	DIS- SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (MG/L) (00440)	ALKA- LINITY AS CACO3 (MG/L) (00410)	CARBON DIOXIDE (CO2) (MG/L) (00405)	TOTAL SUL- FIDE (S) (00745)
05568450 - LITTLE LAMARSH CREEK AT MAPLETON, IL (LAT 40 33 48 LONG 089 44 36)												
MAY, 1975												
13...	8.06	4.6	940	8.0	16.5	10.1	.0	.0	370	303	5.9	.0
JUN												
16...	8.06	3.4	935	8.0	19.0	9.0	.0	.0	345	283	5.5	.2
05568770 - SPOON RIVER AT MODENA, IL (LAT 41 08 08 LONG 089 45 38)												
MAY, 1975												
15...	154	113	732	8.2	16.0	10.2	.0	.0	279	229	2.8	.0
JUN												
19...	154	248	752	7.8	21.0	8.4	.0	.0	273	224	6.9	2.6
05568772 - JACK CREEK AT MODENA, IL (LAT 41 08 05 LONG 089 46 40)												
MAY, 1975												
15...	15.7	12	640	8.3	15.0	12.8	.0	.0	302	248	2.4	.0
JUN												
19...	15.7	18	696	7.9	18.0	9.2	.0	.0	297	244	6.0	.0
05568795 - INDIAN CREEK AT TOULON, IL (LAT 41 05 55 LONG 089 53 06)												
MAY, 1975												
15...	39.6	42	768	7.9	13.0	11.2	.0	.0	284	233	5.7	.0
JUN												
18...	39.6	61	648	7.8	21.5	9.1	.0	.0	254	208	6.4	.0
05568860 - WALNUT CREEK NEAR WEST JERSEY, IL (LAT 41 01 05 LONG 089 57 43)												
MAY, 1975												
15...	161	159	730	7.9	14.0	9.6	.0	.0	263	216	5.3	.0
JUN												
18...	161	176	530	7.8	23.0	7.9	.0	.0	208	171	5.3	.0
05568895 - SNAKEDEN HOLLOW NEAR DAINIDA, IL (LAT 40 57 34 LONG 090 04 15)												
MAY, 1975												
14...	9.82	5.5	1300	8.3	18.0	11.5	.0	.0	250	205	2.0	.0
JUN												
18...	9.82	17	957	7.8	23.0	8.5	.0	.0	205	168	5.2	.3
05568910 - SUGAR CREEK AT DAINIDA, IL (LAT 40 55 48 LONG 090 07 00)												
MAY, 1975												
14...	21.6	15	706	8.4	19.0	9.7	.0	.0	209	171	1.3	.1
JUN												
18...	21.6	30	742	8.1	22.0	8.2	.0	.0	195	160	2.5	.3
05568940 - HICKORY CREEK NEAR MAQUON, IL (LAT 40 46 43 LONG 090 08 07)												
MAY, 1975												
14...	8.99	5.8	1460	8.1	15.5	9.1	.0	.0	324	266	4.1	.0
JUN												
17...	8.99	10	928	7.9	18.0	8.3	.0	.0	201	165	4.0	.0
05569450 - LITTLERS CREEK NEAR RAPATEE, IL (LAT 40 44 53 LONG 090 09 28)												
MAY, 1975												
14...	33.3	14	1080	8.4	16.0	8.0	.0	.0	308	253	2.0	.3
JUN												
17...	33.3	26	1110	7.9	19.0	8.4	.0	.0	258	212	5.2	.0

TABLES

25

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (SO ₄) (MG/L) (00945)	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)	PHENOLS (UG/L) (32730)
05568450 - LITTLE LAMARSH CREEK AT MAPLETON, IL (LAT 40 33 48 LONG 089 44 36)												
MAY + 1975												
13...	190	11	20	1	0	0	20	120	<.5	10	2.5	4
JUN												
16...	190	11	20	0	0	0	60	110	<.5	10	2.3	0
05568770 - SPOON RIVER AT MODENA, IL (LAT 41 08 08 LONG 089 45 38)												
MAY + 1975												
15...	64	31	20	1	<10	0	20	100	.5	10	--	4
JUN												
19...	55	26	30	1	0	0	30	60	<.5	10	8.6	0
05568772 - JACK CREEK AT MODENA, IL (LAT 41 08 05 LONG 089 46 40)												
MAY + 1975												
15...	56	15	20	0	10	10	50	50	.5	10	3.5	0
JUN												
19...	47	14	40	1	0	0	10	40	<.5	0	9.8	5
05568795 - INDIAN CREEK AT TOULON, IL (LAT 41 05 55 LONG 089 53 06)												
MAY + 1975												
15...	51	18	30	0	<10	20	50	60	.9	10	3.2	0
JUN												
18...	43	16	30	0	<10	0	60	40	<.5	10	10	4
05568860 - WALNUT CREEK NEAR WEST JERSEY, IL (LAT 41 01 05 LONG 089 57 43)												
MAY + 1975												
15...	54	13	20	1	0	0	10	40	<.5	10	4.2	4
JUN												
18...	47	12	130	0	0	0	50	0	<.5	10	34	1
05568895 - SNAKEDEN HOLLOW NEAR DAHINDA, IL (LAT 40 57 34 LONG 090 04 15)												
MAY + 1975												
14...	520	9.7	20	1	0	0	30	160	<.5	10	2.5	4
JUN												
18...	340	10	40	0	<10	0	40	90	<.5	10	4.3	0
05568910 - SUGAR CREEK AT DAHINDA, IL (LAT 40 55 40 LONG 090 07 00)												
MAY + 1975												
14...	180	9.5	10	2	0	10	40	100	<.5	10	6.0	0
JUN												
18...	190	8.0	20	6	0	0	30	60	<.5	0	8.2	0
05568940 - HICKORY CREEK NEAR MAQUON, IL (LAT 40 46 43 LONG 090 08 07)												
MAY + 1975												
14...	580	6.0	20	1	0	10	30	420	<.5	10	5.6	0
JUN												
17...	280	9.5	80	1	0	0	80	190	<.5	10	38	0
05569450 - LITTLERS CREEK NEAR RAPATEE, IL (LAT 40 44 53 LONG 090 09 28)												
MAY + 1975												
14...	430	25	30	0	<10	10	30	830	<.5	10	5.0	4
JUN												
17...	320	23	30	1	<10	0	10	320	<.5	0	6.4	0

26 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DRAINAGE AREA (SQUARE MILES) (81024)	INSTANTANEOUS DISCHARGE (CFS) (00061)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (00095)	PH (UNITS) (00400)	TEMPERATURE (DEG F) (00010)	DIS-SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CaCO3 (MG/L) (00435)	BICARBONATE (MG/L) (00440)	ALKALINITY AS CaCO3 (MG/L) (00410)	CARBON DIOXIDE (CO2) (MG/L) (00405)	TOTAL SULFIDE (MG/L) (00745)
05569920 - COAL CREEK NEAR FAIRVIEW, IL (LAT 40 39 33 LONG 090 14 00)												
MAY + 1975												
13...	28.2	13	1250	8.2	21.0	9.9	.0	.0	287	235	2.9	.0
JUN												
16...	28.2	17	1000	8.1	21.0	9.2	.0	.0	257	211	3.3	.0
05569960 - PUT CREEK NEAR CURA, IL (LAT 40 31 27 LONG 090 11 55)												
MAY + 1975												
13...	24.3	15	1200	7.9	21.0	9.4	.0	.0	225	185	4.5	.0
JUN												
16...	24.3	12	1190	8.2	23.5	9.4	.0	.0	212	174	2.1	.0
05569970 - TURKEY CREEK NEAR RLYTON, IL (LAT 40 33 26 LONG 090 15 40)												
MAY + 1975												
13...	35.6	14	612	8.2	23.0	10.0	.0	.0	280	230	2.8	.2
JUN												
16...	35.6	13	704	8.2	24.0	8.7	.0	.0	279	229	2.8	--
05589735 - PRAIRIE DU PONT CREEK NEAR CENTREVILLE, IL (LAT 38 31 28 LONG 090 06 16)												
MAY + 1975												
13...	20.4	16	974	8.4	18.0	8.7	.0	.0	291	239	1.9	1.8
JUN												
17...	20.4	5.1	1230	8.2	24.0	8.6	.0	.0	298	244	3.0	.0
05594795 - HEBERERS BRANCH NEAR FREEBURG, IL (LAT 38 26 20 LONG 089 50 29)												
MAY + 1975												
15...	2.55	.89	1790	7.9	17.0	8.7	.0	.0	138	113	2.8	.1
JUN												
17...	2.55	1.4	2730	7.9	22.0	8.3	.0	.0	137	112	2.8	.8
05595185 - DOUGLAS CREEK NEAR SMITHTON, IL (LAT 38 25 28 LONG 089 59 14)												
MAY + 1975												
13...	16.9	7.4	1090	8.4	18.0	8.8	.0	.0	185	152	1.2	.5
JUN												
17...	16.9	.99	1110	8.1	26.0	11.2	.0	.0	148	121	1.9	.0
05595190 - WEST FORK RICHLAND CREEK AT FLORAVILLE, IL (LAT 38 22 54 LONG 090 02 43)												
MAY + 1975												
13...	15.5	4.1	788	8.6	21.5	10.1	.0	.0	235	193	.9	.1
JUN												
17...	15.5	.21	800	8.1	25.0	9.8	.0	.0	197	162	2.5	.5
05595230 - DOZA CREEK NEAR NEW ATHENS, IL (LAT 38 15 13 LONG 089 51 41)												
MAY + 1975												
13...	37.6	10	1550	9.0	24.0	10.9	.0	.0	131	107	.2	.1
JUN												
17...	37.6	4.1	1420	8.0	25.0	8.1	.0	.0	121	99	1.9	1.4
05595295 - LITTLE PLUM CREEK NEAR WALSH, IL (LAT 38 07 13 LONG 089 50 50)												
MAY + 1975												
14...	17.0	3.5	1140	8.3	16.0	9.1	.0	.0	237	194	1.9	2.7
JUN												
18...	17.0	.76	1060	8.0	22.0	7.0	.0	.0	222	182	3.6	.3

TABLES

27

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (504) (MG/L) (00945)	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (HG) (UG/L) (71090)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)	PHENOLS (UG/L) (32730)
05569920 - COAL CREEK NEAR FAIRVIEW, IL (LAT 40 39 33 LONG 090 14 00)												
MAY , 1975												
13... 440		9.2	10	1	<10	10	20	370	<.5	10	3.1	0
JUN												
16... 99		12	20	0	<10	0	10	120	<.5	0	5.6	0
05569960 - PUT CREEK NEAR CUBA, IL (LAT 40 31 27 LONG 090 11 55)												
MAY , 1975												
13... 500		12	40	1	0	0	20	180	<.5	10	3.3	4
JUN												
16... 460		12	40	1	10	0	30	160	<.5	20	5.8	0
05569970 - TURKEY CREEK NEAR BLYTON, IL (LAT 40 33 26 LONG 090 15 40)												
MAY , 1975												
13... 120		14	20	2	10	10	30	100	<.5	10	6.7	34
JUN												
16... 82		16	20	1	0	0	50	40	<.5	10	4.4	7
05589735 - PRAIRIE DU PONT CREEK NEAR CENTREVILLE, IL (LAT 38 31 20 LONG 090 06 16)												
MAY , 1975												
13... 270		19	40	2	<10	10	20	530	.9	10	7.3	2
JUN												
17... 410		32	40	4	20	10	50	660	<.5	0	9.1	2
05594795 - HEBERERS BRANCH NEAR FREEBURG, IL (LAT 38 26 20 LONG 089 50 29)												
MAY , 1975												
15... 740		50	20	2	<10	20	30	2800	.6	10	16	0
JUN												
17... 1300		78	20	1	<10	10	20	860	<.5	10	5.2	0
05595185 - DOUGLAS CREEK NEAR SMITHTON, IL (LAT 38 25 28 LONG 089 59 14)												
MAY , 1975												
13... 400		17	50	2	10	0	40	210	.9	10	8.2	17
JUN												
17... 500		29	30	1	<10	0	30	280	<.5	10	18	0
05595190 - WEST FORK RICHLAND CREEK AT FLORAVILLE, IL (LAT 38 22 54 LONG 090 02 43)												
MAY , 1975												
13... 190		15	30	0	10	10	20	100	<.5	10	5.6	0
JUN												
17... 220		18	10	0	<10	0	50	200	<.5	10	9.2	7
05595230 - DOZA CREEK NEAR NEW ATHENS, IL (LAT 38 15 13 LONG 089 51 41)												
MAY , 1975												
13... 710		17	40	1	10	10	30	220	.7	10	8.0	0
JUN												
17... 620		32	40	1	20	20	40	240	<.5	10	14	0
05595295 - LITTLE PLUM CREEK NEAR WALSH, IL (LAT 38 07 13 LONG 089 50 50)												
MAY , 1975												
14... 430		13	10	0	<10	20	60	210	.6	10	8.1	0
JUN												
18... 380		12	10	1	0	0	20	200	<.5	0	5.2	0

28 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DRAINAGE AREA (SQUARE MILES) (81024)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	PH (UNITS) (00400)	TEMPER- ATURE (DEG C) (00010)	DIS- SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CACD3 (MG/L) (00435)	BICAR- BONATE (MG/L) (00440)	ALKA- LINITY AS CACD3 (MG/L) (00410)	CARBON DIOXIDE (CO2) (MG/L) (00405)	TOTAL SUL- FIDE (S) (00745)
05595505 - MARYS RIVER NEAR STEELEVILLE, IL (LAT 38 02 01 LONG 089 40 11)												
MAY + 1975												
14...	47.8	10	1720	8.0	19.0	6.4	.0	.0	237	194	3.8	.0
JUN												
18...	47.8	1.4	1500	7.9	25.0	5.8	.0	.0	221	181	4.5	.0
05595520 - NORTH FORK COX CREEK AT STEELEVILLE, IL (LAT 38 00 41 LONG 089 38 46)												
MAY + 1975												
14...	12.8	8.5	2340	8.2	20.0	7.6	.0	.0	305	250	3.1	.5
JUN												
18...	12.8	3.7	3180	8.3	27.0	8.4	.0	.0	305	250	2.4	.5
05595530 - WELGE CREEK NEAR STEELEVILLE, IL (LAT 38 01 33 LONG 089 45 53)												
MAY + 1975												
14...	12.4	2.5	1330	8.3	16.5	9.9	.0	.0	261	214	2.1	.2
JUN												
18...	12.4	2.3	2390	8.0	24.0	7.9	.0	.0	193	158	3.1	.5
05596110 - ANDY CREEK NEAR CHRISTOPHER, IL (LAT 37 57 53 LONG 089 01 37)												
MAY + 1975												
15...	18.4	4.0	830	7.2	17.5	6.8	.0	.0	88	72	8.9	.5
JUN												
18...	18.4	1.0	714	6.8	22.5	4.0	.0	.0	126	103	32	.8
05597035 - PRAIRIE CREEK NEAR ZEIGLER, IL (LAT 37 51 43 LONG 089 04 03)												
MAY + 1975												
15...	16.2	16	200	6.9	21.5	7.1	.0	.0	34	28	6.8	.2
JUN												
17...	16.2	22.0	880	6.7	25.0	5.6	1.0	50	40	33	13	.4
05597045 - LAKE CREEK NEAR HERRIN, IL (LAT 37 50 23 LONG 089 00 03)												
MAY + 1975												
14...	34.0	18	1080	6.9	21.0	9.1	.0	.0	63	52	13	--
JUN												
17...	34.0	6.0	--	7.1	25.0	8.8	.0	.0	57	47	7.2	.0
05597050 - POND CREEK NEAR HERRIN, IL (LAT 37 51 10 LONG 089 00 37)												
MAY + 1975												
14...	95.5	F22	1260	6.9	18.0	7.9	.0	.0	63	52	13	2.3
JUN												
17...	95.5	11	1980	6.7	23.5	7.1	.0	.0	57	47	18	.0
05597080 - HURRICANE CREEK NEAR HERRIN, IL (LAT 37 49 16 LONG 089 05 46)												
MAY + 1975												
15...	23.4	20	970	7.2	18.5	6.7	.0	.0	121	99	12	.7
JUN												
18...	23.4	4.7	1210	7.3	22.0	3.8	.4	20	226	185	18	1.4

TABLES

29

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (504) (MG/L) (00945)	DIS- SOLVED CHLO- RINE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)	PHENOLS (UG/L) (132730)
05505505 - MARYS RIVER NEAR STEFLEVILLE, IL (LAT 38 02 01 LONG 089 40 11)												
MAY + 1975	--	--		1	<10	10	80	1600	<.5	20	10	0
14...												
JUN												
18...	640	17	20	0	0	0	10	470	<.5	10	5.8	1
05505520 - NORTH FORK COX CREEK AT STEELEVILLE, IL (LAT 38 00 41 LONG 089 38 46)												
MAY + 1975	670	18	20	1	20	20	30	1000	.5	20	7.5	0
14...												
JUN												
18...	1800	14	20	1	30	20	60	290	<.5	10	8.4	2
05505530 - WELGE CREEK NEAR STEELEVILLE, IL (LAT 38 01 33 LONG 089 45 53)												
MAY + 1975	1100	11	20	1	10	10	30	180	<.5	10	29	0
14...												
JUN												
18...	1300	6.9	10	1	20	20	10	170	<.5	0	5.3	--
05506110 - ANDY CREEK NEAR CHRISTOPHER, IL (LAT 37 57 53 LONG 089 01 37)												
MAY + 1975	240	43	30	0	<10	10	30	980	.9	50	16	1
15...												
JUN												
18...	190	27	20	1	0	0	80	690	<.5	10	14	1
05507035 - PRAIRIE CREEK NEAR ZEIGLER, IL (LAT 37 51 43 LONG 089 04 03)												
MAY + 1975	58	5.1	160	1	<10	10	260	890	.5	270	8.3	3
15...												
JUN												
17...	270	55	20	1	0	0	60	4900	<.5	0	14	1
05507045 - LAKE CREEK NEAR HERRIN, IL (LAT 37 50 23 LONG 089 00 03)												
MAY + 1975	470	18	60	0	<10	10	100	1600	.6	30	6.6	1
14...												
JUN												
17...	1100	33	50	0	20	20	10	3200	.5	30	5.0	--
05507050 - POND CREEK NEAR HERRIN, IL (LAT 37 51 10 LONG 089 00 37)												
MAY + 1975	570	22	30	1	0	10	70	1600	.9	90	7.3	27
15...												
JUN												
17...	1200	31	40	1	<10	10	60	2600	.6	110	17	0
05507080 - HURRICANE CREEK NEAR HERRIN, IL (LAT 37 49 16 LONG 089 05 46)												
MAY + 1975	360	15	30	1	10	10	110	1500	.7	30	12	1
15...												
JUN												
18...	440	28	30	3	10	0	50	570	<.5	0	8.8	1

30 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 4.--Chemical analyses of samples collected at miscellaneous sites--Continued

DATE	DRAINAGE AREA (SQUARE MILES) (81024)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	PH (UNITS) (00400)	TEMPER- ATURE (DEG C) (00010)	DIS- SOLVED OXYGEN (MG/L) (00300)	TOTAL ACIDITY AS H+ (MG/L) (71825)	TOTAL ACIDITY AS CaCO3 (MG/L) (00435)	BICAR- BONATE (MG/L) (00440)	ALKA- LINITY AS CaCO3 (MG/L) (00410)	CARBON DIOXIDE (CO2) (MG/L) (00405)	TOTAL SUL- FIDE (S) (00745)
05597255 - REESE CREEK NEAR OLO DU QUIN, IL (LAT 37 58 33 LONG 089 10 02)												
MAY • 1975												
15...	37.3	E26	680	7.3	18.5	4.5	.0	.0	121	99	9.7	.3
05597265 - SIXMILE CREEK AT DOWELL, IL (LAT 37 56 08 LONG 089 13 09)												
MAY • 1975												
15...	12.7	3.4	1730	7.2	19.0	7.6	.0	.0	158	130	16	.2
JUN												
18...	12.7	.60	2750	7.3	23.0	7.3	.0	.0	284	233	23	.1
05597490 - LITTLE CRAB ORCHARD CREEK NEAR MARION, IL (LAT 37 44 22 LONG 088 51 21)												
MAY • 1975												
14...	8.50	2.2	1120	5.0	19.0	8.2	.7	35	0	0	.0	.0
05599020 - GALUM CREEK NEAR LOST PRAIRIE, IL (LAT 38 05 13 LONG 089 33 14)												
MAY • 1975												
14...	21.4	1.7	910	8.1	20.0	11.6	.0	.0	184	151	2.3	.2
JUN												
18...	21.4	.05	960	8.7	27.0	14.4	.0	.0	223	183	.7	.3
05599055 - PIPESTONE CREEK NEAR DENMARK, IL (LAT 37 57 58 LONG 089 29 03)												
MAY • 1975												
15...	18.7	8.0	6710	8.4	20.0	8.2	.0	.0	619	508	3.9	.4
JUN												
18...	18.7	7.8	6720	8.4	27.0	9.4	.0	.0	633	519	4.0	.0
05599060 - BRUSHY FORK NEAR DENMARK, IL (LAT 37 57 52 LONG 089 29 03)												
MAY • 1975												
15...	11.9	3.4	1010	8.1	20.5	9.5	.0	.0	136	112	1.7	1.6
JUN												
18...	11.9	.03	2580	8.3	27.5	7.6	.0	.0	203	167	1.6	.3

E Estimated value

TABLES

31

Table 4.--Chemical analyses of samples collected at reconnaissance sites--Continued

DATE	DIS- SOLVED SULFATE (504) (MG/L) (00945)	DIS- SOLVED CHLD- RIDE (CL) (MG/L) (00940)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRD- MIUM (CP) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED MERCURY (MG) (UG/L) (71890)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)	PHENOLS (UG/L) (32730)
05597255 - REESE CREEK NEAR OLD DU QUOIN, IL (LAT 37 58 33 LONG 089 10 02)												
MAY, 1975												
15...	170	21	40	2	<10	0	40	1300	.9	20	28	37
05597265 - SIXMILE CREEK AT DOWELL, IL (LAT 37 56 08 LONG 089 13 09)												
MAY, 1975												
15...	810	17	90	1	10	10	20	2400	.8	140	5.7	4
JUN												
18...	1600	19	120	0	20	10	40	900	<.5	0	3.0	0
05597490 - LITTLE CRAB ORCHARD CREEK NEAR MARION, IL (LAT 37 44 22 LONG 088 51 21)												
MAY, 1975												
14...	560	10	4000	2	20	20	1800	3000	.5	320	18	0
05599020 - GALUM CREEK NEAR LOST PRAIRIE, IL (LAT 38 05 13 LONG 089 33 14)												
MAY, 1975												
14...	250	18	20	1	<10	10	60	<10	<.5	50	7.7	0
JUN												
18...	250	22	20	1	0	0	40	1300	<.5	10	8.1	5
05599055 - PIPESTONE CREEK NEAR DENMARK, IL (LAT 37 57 58 LONG 089 29 03)												
MAY, 1975												
15...	3000	41	20	1	10	10	50	680	.6	10	6.9	0
JUN												
18...	3500	45	30	0	20	20	60	140	<.5	10	18	--
05599060 - BRUSHY FORK NEAR DENMARK, IL (LAT 37 57 52 LONG 089 29 03)												
MAY, 1975												
15...	360	11	30	1	10	0	0	130	.7	10	9.4	0
JUN												
18...	1300	14	20	0	10	20	60	240	<.5	10	4.8	--

32 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins

Samples collected and analyzed by the Illinois Environmental Protection Agency are indicated by an asterisk (*). Metal analyses by IEPA are made on acidified water-suspended sediment mixture. The number in parentheses preceding the station number and name refers to the map location on figure 4.

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LINIT- Y AS CAC03 (MG/L) (00410)	TOTAL ACIDITY AS CAC03 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00600)
(1) 03382090 - SUGAR CREEK NEAR STONEFORT, IL (LAT 37 39 19 LONG 088 45 48)											
05-14-75	1115	16.5	5.0	760	7.7	3.6	0	273	0	0	14
06-17-75	0930	23.0	E4.1	2420	.3	3.3	0	2180	0	0	5.0
12-09-75	1145	5.5	17	600	11.0	4.7	0	179	0	0	--
02-19-76	1630	9.0	98	350	9.8	4.8	0	60	0	0	4.8
03-02-76*	1500	15.5	120	850	3.0	4.8	0	250	--	--	--
05-17-76*	0800	8.0	110	900	3.2	4.9	0	230	--	--	--
04-02-76*	0800	12.0	18	583	6.4	4.8	0	100	--	--	--
04-06-76	1100	14.5	14	810	9.0	4.2	0	253	0	0	10
04-21-76*	0800	19.5	24	1250	.1	4.1	0	420	--	--	--
05-04-76	1400	14.0	12	910	9.0	4.0	0	323	0	0	9.3
05-06-76*	0800	14.5	3.9	967	.7	4.6	0	280	--	--	--
05-20-76*	0800	14.5	7.5	767	3.4	4.7	0	170	--	--	--
06-03-76*	0900	18.5	17	533	8.6	5.0	0	35	--	--	--
06-16-76*	0900	22.0	6.0	1420	.4	3.7	0	510	--	--	--
07-06-76*	0800	20.5	16	567	4.5	4.6	0	136	--	--	--
07-15-76*	0800	--	4.0	950	1.0	3.7	0	280	--	--	--
08-04-76*	0900	21.0	3.6	1070	.7	3.7	0	300	--	--	--
08-18-76*	0800	18.5	2.7	3330	1.4	3.3	0	2100	--	--	--
08-23-76	1415	25.5	.42	7000	6.5	2.9	0	99	0	0	14
03-30-77	1345	16.0	56	375	7.9	4.5	0	--	0	0	5.8
06-30-77	1330	26.5	4.2	1190	5.5	3.2	0	550	0	0	--
08-25-77	1110	25.0	.32	2380	9.9	3.0	0	1340	0	0	18
(2) 03382100 - SOUTH FORK SALINE RIVER NEAR CARRIER MILLS, IL (LAT 37 38 16 LONG 088 40 40)											
12-09-75	1430	5.5	126	685	11.6	6.1	8	15	10	0	--
02-20-76	1030	9.0	1370	260	11.0	6.2	16	10	20	0	7.0
03-04-76*	0900	15.5	85	1070	8.6	5.9	0	50	--	--	--
03-17-76*	0900	6.5	38	1170	9.8	5.1	0	70	--	--	--
03-25-76	1345	14.0	118	515	9.8	6.2	10	10	12	0	6.5
04-02-76*	0900	12.0	95	550	10.0	6.2	4	0	--	--	--
04-21-76*	0900	19.5	42	1150	8.1	3.9	0	110	--	--	--
05-06-76*	0900	16.5	42	1150	7.8	4.9	0	60	--	--	--
05-06-76	1445	17.0	44	1060	9.2	4.7	0	65	0	0	6.9
05-20-76*	0900	15.5	49	1100	9.1	6.4	0	10	--	--	--
06-03-76*	0900	18.5	99	583	8.6	6.4	20	0	--	--	--
06-16-76*	0900	24.5	17	1100	9.4	4.7	0	140	--	--	--
07-06-76*	0900	22.0	796	317	7.4	6.1	0	0	--	--	--
07-15-76*	--	26.5	26	1130	7.8	4.6	0	50	--	--	--
08-24-76	1530	26.0	3.1	1570	7.0	3.4	0	5.0	0	0	12
10-27-76	1000	10.0	11	1480	9.6	3.4	--	292	--	--	--
11-18-76	1245	7.5	4.9	2250	10.2	4.0	--	227	--	--	--
12-10-76	1100	2.5	5.5	1700	13.6	3.8	--	458	--	--	--
01-12-77	1430	.0	3.8	1490	7.4	3.9	--	412	--	--	--
02-03-77	1430	1.0	7.0	1360	--	3.5	--	306	--	--	--
03-03-77	1230	6.5	55	1040	--	4.9	--	64	--	--	--
03-29-77	1400	15.5	4710	220	7.3	6.0	8	--	16	0	5.4
05-05-77	1500	22.0	55	1130	--	4.0	--	90	--	--	--
06-09-77	1315	24.5	4.9	3000	7.6	4.1	--	164	--	--	--
07-01-77	1240	26.5	24	880	8.5	3.9	0	50	0	0	5.4

E Estimated value.

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED SULFATE (SO4) (MG/L) (00945)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)
(1) 03382090 - SUGAR CREEK NEAR STONEFORT, IL (LAT 37 39 19 LONG 088 45 48)											
05-14-75	2.1	320	0	70	40	3700	5200	520	20000	27	1.7
06-17-75	6.0	2200	1	600	250	250000	39000	3700	220000	0	<.5
12-09-75	6.4	290	0	<10	10	33000	4200	350	14000	--	<.5
02-19-76	4.2	130	0	<10	10	8000	1900	140	3300	--	<.5
03-02-76*	13	360	0	70	70	44000	5500	1900	--	10	.4
03-17-76*	--	440	0	30	70	46000	7000	1200	--	0	.7
04-02-76*	--	300	--	--	--	24000	3700	500	--	--	.0
04-06-76	5.7	380	0	10	10	44000	6000	500	18000	--	<.5
04-21-76*	--	600	--	--	--	4400	11000	1900	--	--	.1
05-04-76	5.5	480	0	10	20	48000	6500	630	24000	--	<.5
05-06-76*	--	440	--	--	--	59000	7500	1200	--	0	.0
05-20-76*	--	350	--	--	--	37500	4800	700	--	0	.0
06-03-76*	8.0	140	0	0	0	15000	2200	300	--	20	.0
06-16-76*	5.0	725	0	20	100	95000	14000	2500	--	25	.0
07-06-76*	--	225	--	--	--	26500	--	--	--	--	--
07-15-76*	--	400	--	--	--	54000	--	--	--	--	--
08-04-76*	--	350	--	--	--	48000	--	--	--	--	--
08-18-76*	--	--	--	--	--	31500	--	--	--	--	--
08-23-76	6.7	5300	4	100	240	780000	91000	8800	470000	--	<.5
03-30-77	4.7	160	0	<10	10	9300	2200	150	5400	--	<.5
06-30-77	6.5	700	2	15	31	51000	11000	1000	3700	--	.1
08-25-77	4.4	1700	0	26	140	100000	26000	2600	140000	--	.0
(2) 03382100 - SOUTH FORK SALINE RIVER NEAR CARRIER MILLS, IL (LAT 37 38 16 LONG 088 40 40)											
12-09-75	6.8	320	0	0	0	6800	3700	140	390	--	<.5
02-20-76	4.6	94	0	<10	0	630	760	60	130	--	<.5
03-04-76*	--	400	--	--	--	5500	5000	400	--	0	.0
03-17-76*	--	640	--	--	--	13800	6350	800	--	0	.7
03-25-76	6.1	230	0	10	0	3700	2200	90	30	--	<.5
04-02-76*	8.0	220	0	0	0	4900	2300	200	--	0	.0
04-21-76*	10	680	1	0	50	5200	7750	700	--	5	.0
05-06-76*	--	560	--	--	--	10000	6000	400	--	--	.4
05-06-76	5.0	190	0	20	20	9200	5600	220	3200	--	<.5
05-20-76*	--	525	--	--	--	5400	4300	300	--	0	.0
06-03-76*	--	100	--	--	--	2800	1970	0	--	0	.0
06-16-76*	--	550	--	--	--	1300	--	--	--	--	--
07-06-76*	5.0	120	0	0	0	2600	1100	100	--	0	.0
07-15-76*	8.0	550	0	10	50	1300	4800	700	--	5	.0
08-24-76	6.6	850	0	10	30	3200	9900	770	31000	--	<.5
10-27-76	13	928	--	0	20	13000	10100	610	13000	--	--
11-18-76	10	1590	--	0	20	3600	13700	250	3000	--	--
12-10-76	10	1200	--	0	10	28300	13300	700	20000	--	--
01-12-77	10	864	--	0	20	44000	10900	900	30000	--	--
02-03-77	13	783	--	0	0	30600	9360	830	22000	--	--
03-03-77	17	614	--	0	0	10300	5700	280	2000	--	--
03-29-77	2.0	88	0	0	0	420	780	30	0	--	<.5
05-05-77	11	672	--	0	10	2700	6800	260	8000	--	--
06-09-77	12	2060	--	0	10	740	9800	250	8000	--	--
07-01-77	10	432	2	0	10	630	3810	230	3000	--	.0

34 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00500)	PH (UNITS) (00400)	ALKA- LINITAS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(2) 03382100 - SOUTH FORK SALINE RIVER NEAR CARRIER MILLS, IL (LAT 37 38 16 LONG 088 40 40)--Continued											
08-11-77	1300	30.0	12	2400	--	2.9	--	1000	--	--	--
08-29-77	1130	26.5	6.5	1400	8.7	3.8	0	84	0	0	8.1
09-14-77	1345	20.0	89	1140	8.8	3.1	--	300	--	--	--
(3) 03382150 - SOUTH FORK SALINE RIVER AT MITCHELLSVILLE, IL (LAT 37 39 30 LONG 088 32 14)											
12-12-75	1130	8.0	113	850	11.2	6.0	6	25	7	0	3.2
02-20-76	1520	10.0	1880	278	10.0	6.5	13	10	16	0	6.3
03-04-76*	1000	16.0	104	733	8.8	5.7	0	36	--	--	--
03-17-76*	1000	6.5	67	1030	10.9	5.3	0	40	--	--	--
03-26-76	1400	17.0	137	560	9.3	5.8	2	20	2	0	7.2
04-02-76*	1000	12.0	152	500	10.7	6.3	0	8.0	--	--	--
04-21-76*	1000	18.5	65	867	8.2	4.3	0	60	--	--	--
05-06-76*	0900	16.5	113	967	8.5	4.8	0	330	--	--	--
05-06-76	1430	16.0	57	990	9.0	4.5	0	55	0	0	6.8
05-20-76*	1100	16.5	80	767	9.5	6.5	0	4.0	--	--	--
06-16-76*	1100	23.5	41	1130	9.0	4.0	0	85	--	--	--
07-06-76*	0900	23.0	800	317	8.4	6.5	6	0	--	--	--
07-15-76*	--	21.0	36	1830	6.0	3.5	0	230	--	--	--
08-04-76*	1000	21.5	45	1100	7.7	3.9	0	75	--	--	--
08-18-76*	1000	26.0	48	1120	7.1	4.0	0	100	--	--	--
08-24-76	1230	24.0	3.7	2000	7.0	3.5	0	372	0	0	12
09-03-76*	1000	21.5	38	2000	4.6	3.5	0	330	--	--	--
03-31-77	1645	15.5	4160	350	7.5	6.9	11	--	13	0	8.2
06-30-77	1100	26.5	43	1430	8.9	3.2	0	200	0	0	11
08-24-77	1400	26.0	10	1630	8.3	3.4	0	180	0	0	6.5
(4) 03382170 - BRUSHY CREEK NEAR HARCO, IL (LAT 37 46 30 LONG 088 39 08)											
12-10-75	1030	2.0	4.0	570	13.8	7.6	48	30	58	0	3.4
02-24-76	1130	8.0	10	482	12.0	6.9	44	10	54	0	3.3
03-25-76	1440	15.0	18	560	11.2	7.8	53	10	65	0	8.0
05-04-76*	1515	16.0	13	640	10.4	7.8	70	15	85	0	4.2
03-29-77	1130	14.5	38	330	8.9	6.9	29	--	35	0	5.1
06-29-77	1130	23.0	.20	450	4.3	7.3	49	--	60	0	5.0
(5) 03382185 - BANKSTON FORK NEAR DORRIS HEIGHTS, IL (LAT 37 46 05 LONG 088 32 25)											
12-10-75	1530	3.0	39	1840	12.2	7.3	94	10	114	0	3.6
02-24-76	1330	9.0	95	1750	12.0	7.4	86	15	105	0	7.3
03-04-76*	1300	15.5	19	--	9.6	7.7	100	0	--	--	--
03-17-76*	1300	5.5	9.0	--	12.5	7.6	120	0	--	--	--
03-26-76	1100	16.0	29	2000	9.1	7.5	112	10	136	0	12
04-02-76*	1300	12.5	21	1950	10.8	7.3	110	0	--	--	--
04-21-76*	1300	18.0	29	--	8.3	7.4	90	0	--	--	--
05-06-76*	1300	17.0	2.0	--	8.6	7.8	150	0	--	--	--
05-07-76	1300	15.0	14	2350	9.2	8.1	144	10	176	0	10
05-20-76*	1400	19.0	2.3	--	9.5	7.7	130	0	--	--	--
06-03-76*	1300	18.0	2.0	--	8.7	7.1	65	0	--	--	--
06-16-76*	1400	23.0	9.0	2500	9.0	7.3	95	0	--	--	--
07-06-76*	1200	23.0	290	1400	8.0	7.1	52	0	--	--	--
07-15-76*	1400	26.0	27	2700	7.4	7.5	150	0	--	--	--
08-04-76*	1300	23.5	57	2570	8.4	7.5	110	0	--	--	--
08-18-76*	1300	23.5	45	2170	8.0	7.3	90	0	--	--	--

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS-SOLVED CHLORIDE (CL) (MG/L) (00940)	DIS-SOLVED SULFATE (SO4) (MG/L) (00945)	DIS-SOLVED ARSENIC (AS) (UG/L) (01000)	DIS-SOLVED CHROMIUM (CR) (UG/L) (01030)	DIS-SOLVED COPPER (CU) (UG/L) (01040)	DIS-SOLVED IRON (FE) (UG/L) (01046)	DIS-SOLVED MANGANESE (MN) (UG/L) (01056)	DIS-SOLVED ZINC (ZN) (UG/L) (01090)	DIS-SOLVED ALUMINUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS-SOLVED MERCURY (HG) (UG/L) (71890)
(2) 03382100 - SOUTH FORK SALINE RIVER NEAR CARRIER MILLS, IL (LAT 37 38 16 LONG 088 40 40)--Continued											
08-11-77	8.0	1590	--	10	110	46000	21000	2100	92000	--	--
08-26-77	5.3	760	0	2	11	12000	5200	240	10000	--	.0
09-14-77	10	601	--	0	30	5400	7620	620	25000	--	--
(3) 03382130 - SOUTH FORK SALINE RIVER AT MITCHELLSVILLE, IL (LAT 37 39 30 LONG 088 32 14)											
12-12-75	7.9	440	0	0	0	6400	4900	150	100	--	<.5
02-20-76	4.5	100	0	<10	10	470	830	30	140	--	<.5
03-04-76*	--	180	--	--	--	5000	3440	300	--	--	--
03-17-76*	--	552	--	--	--	9800	4900	400	--	--	--
03-26-76	7.6	240	0	<10	10	2800	2600	110	100	--	--
04-02-76*	--	200	--	--	--	3500	2250	200	--	--	--
04-21-76*	--	420	--	--	--	5000	5800	500	--	--	--
05-06-76*	8.0	450	0	0	0	7600	4900	400	--	--	.4
05-06-76	5.9	180	0	10	20	4800	5300	240	3100	--	<.5
05-20-76*	8.0	300	0	0	50	3700	3000	200	--	--	.8
06-16-76*	--	525	--	--	--	6900	--	--	--	--	--
07-06-76*	--	110	--	--	--	3400	--	--	--	--	--
07-15-76*	10	880	1	30	40	25200	12500	1200	--	--	.0
08-04-76*	5.0	450	0	40	0	8000	6000	900	--	--	.0
08-18-76*	--	525	--	--	--	5900	--	--	--	--	--
08-24-76	9.8	1500	0	10	40	25000	23000	1300	47000	--	<.5
09-03-76*	--	1000	--	--	--	42000	--	--	--	--	--
03-31-77	5.9	140	0	<10	0	170	910	30	110	--	<.5
06-30-77	7.3	760	2	6	23	7900	9400	710	5400	--	.0
08-24-77	6.1	880	0	2	10	18000	10000	460	11000	--	.0
(4) 03382170 - BRUSHY CREEK NEAR HARCO, IL (LAT 37 46 30 LONG 088 39 08)											
12-10-75	11	210	0	<10	0	80	450	10	70	--	<.5
02-24-76	8.7	170	1	<10	0	60	360	0	50	--	<.5
03-25-76	10	220	0	<10	0	60	410	10	30	--	<.5
05-04-76	9.6	220	0	<10	0	30	330	10	70	--	<.5
03-29-77	6.4	100	0	<10	10	230	200	50	160	--	<.5
06-29-77	9.9	130	3	3	6	210	500	20	210	--	.3
(5) 03382185 - BANKSTON FORK NEAR DORRIS HEIGHTS, IL (LAT 37 46 05 LONG 088 32 25)											
12-10-75	21	960	0	0	0	1900	1800	140	30	--	<.5
02-24-76	18	870	1	10	0	440	1800	60	60	--	<.5
03-04-76*	35	600	0	0	10	1300	1470	200	--	--	.0
03-17-76*	25	1500	0	40	50	1200	1700	200	--	--	.0
03-26-76	23	930	0	<10	0	110	1500	50	60	--	<.5
04-02-76*	--	1150	--	--	--	1300	12000	200	--	--	.0
04-21-76*	--	1380	--	--	--	1800	1550	200	--	--	.2
05-06-76*	--	1350	--	--	--	1100	870	100	--	--	.0
05-07-76	25	1300	0	10	0	40	1400	40	40	--	<.5
05-20-76*	--	1200	--	--	--	1000	1100	100	--	--	.0
06-03-76*	30	1000	0	0	30	3500	1800	400	--	--	.0
06-16-76*	30	1000	1	0	50	2900	1400	200	--	--	.0
07-06-76*	--	700	--	--	--	2900	--	--	--	--	--
07-15-76*	--	1700	--	--	--	600	--	--	--	--	--
08-04-76*	--	1300	--	--	--	800	--	--	--	--	--
08-18-76*	--	--	--	--	--	1800	--	--	--	--	--

36 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHO/CM) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LINIT- Y AS CACO ₃ (MG/L) (00410)	TOTAL ACIDITY AS CACO ₃ (MG/L) (00435)	BICAR- BONATE (HCO ₃) (MG/L) (00440)	CAR- BONATE (CO ₃) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(5) 03382185 - BANKSTON FORK NEAR DORRIS HEIGHTS, IL (LAT 37 46 05 LONG 088 32 25)--Continued											
08-24-76	1030	24.0	7.7	2300	7.2	7.5	127	397	155	0	9.0
09-03-76*	1300	22.0	.90	2170	8.6	8.6	160	0	--	--	--
03-30-77	1600	19.0	658	920	7.2	6.8	36	--	44	0	8.9
06-29-77	1530	25.5	23	2200	8.3	6.7	11	--	14	0	6.3
08-25-77	1440	25.0	4.6	3450	10.3	7.6	120	--	150	0	4.8
(6) 03382205 - MIDDLE FORK SALINE RIVER NEAR PANKEYVILL, IL (LAT 37 42 28 LONG 088 29 31)											
12-10-75	1530	5.0	109	1220	12.2	7.8	125	15	152	0	4.1
02-25-76	1500	9.5	--	1080	10.2	7.6	92	15	112	0	5.8
03-04-76*	1100	16.5	--	--	9.5	7.6	120	0	--	--	--
03-17-76*	1300	6.5	--	--	15.0	7.5	120	0	--	--	--
03-26-76	1300	18.0	--	1600	9.2	7.8	122	15	149	0	8.9
04-02-76*	1300	15.5	--	1480	10.3	7.5	100	0	--	--	--
04-21-76*	1300	18.5	--	1380	6.0	7.3	100	0	--	--	--
05-06-76*	1200	16.5	--	--	10.7	8.0	150	0	--	--	--
05-07-76	1545	24.0	28	1550	13.8	8.6	150	10	173	5	11
05-20-76*	1300	21.5	--	1400	8.7	7.6	170	0	--	--	--
06-03-76*	1200	18.0	--	1230	8.0	7.4	120	0	--	--	--
06-16-76*	1400	24.0	--	1620	10.8	7.8	150	0	--	--	--
07-06-76*	1100	23.5	--	933	7.8	7.2	84	0	--	--	--
07-15-76*	1300	28.5	--	2270	9.7	7.6	170	0	--	--	--
08-04-76*	1300	24.5	--	1920	7.7	7.4	110	0	--	--	--
08-18-76*	1300	26.5	--	2000	13.0	8.0	120	0	--	--	--
08-24-76	1545	55.0	9.2	1600	19.0	9.0	126	0	115	19	14
09-03-76*	1300	26.5	--	2830	21.9	7.8	150	0	--	--	--
(7) 03382250 - SALINE RIVER AT EQUALITY, IL (LAT 37 43 53 LONG 088 20 27)											
12-11-75	1400	7.0	249	950	11.0	7.6	56	10	68	0	5.7
02-25-76	1130	10.0	548	362	7.0	7.1	41	10	50	0	9.4
03-05-76*	1400	14.5	--	983	8.9	7.2	60	0	--	--	--
03-17-76*	1200	9.0	--	1230	10.7	6.9	45	0	--	--	--
04-02-76*	1200	15.5	--	750	10.4	6.9	40	0	--	--	--
04-07-76	1100	16.0	153	910	9.1	7.3	39	10	48	0	11
04-21-76*	1200	19.0	--	1070	7.3	7.3	55	0	--	--	--
05-06-76*	1100	16.5	--	1070	8.4	7.2	55	0	--	--	--
05-07-76	1045	15.0	93	1180	8.6	7.3	53	10	65	0	10
05-20-76*	1300	18.5	--	900	8.9	7.3	65	0	--	--	--
06-03-76*	1000	18.5	--	650	8.2	7.0	50	0	--	--	--
06-16-76*	1300	24.5	--	1320	10.3	7.5	65	0	--	--	--
07-06-76*	1100	23.5	--	450	7.4	6.9	28	0	--	--	--
07-15-76*	1200	28.0	--	1480	7.5	6.9	45	0	--	--	--
08-18-76*	1200	23.5	--	1830	7.8	7.1	70	0	--	--	--
09-03-76*	1100	24.5	--	2330	12.3	8.1	90	0	--	--	--
(8) 03382320 - RECTOR CREEK NEAR TEXAS CITY, IL (LAT 37 53 01 LONG 088 26 05)											
12-11-75	1100	4.0	18	780	12.8	7.8	123	10	150	0	4.6
02-25-76	0945	9.0	26	710	12.1	7.5	121	10	147	0	4.4
03-05-76*	0900	13.5	145	950	9.1	7.7	88	0	--	--	--
03-17-76*	1400	7.0	6.0	967	15.4	8.0	130	0	--	--	--
04-02-76*	1400	15.0	64	750	12.4	7.6	95	0	--	--	--
04-07-76	1600	20.0	7.1	880	13.4	8.7	139	10	169	7	12

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS-SOLVED CHLORO- RIDE (CL) (MG/L) (00940)	DIS-SOLVED SULFATE (SO4) (MG/L) (00945)	DIS-SOLVED ARSENIC (AS) (UG/L) (01000)	DIS-SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS-SOLVED COPPER (CU) (UG/L) (01040)	DIS-SOLVED IRON (FE) (UG/L) (01046)	DIS-SOLVED MANG- NESE (MN) (UG/L) (01056)	DIS-SOLVED ZINC (ZN) (UG/L) (01090)	DIS-SOLVED ALUM- INUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS-SOLVED MERCURY (HG) (UG/L) (71890)
(5) 03382185 - BANKSTON FORK NEAR DORRIS HEIGHTS, IL (LAT 37 46 05 LONG 088 32 25)--Continued											
08-24-76	13	1400	0	10	10	60	860	20	970	--	<.5
09-03-76*	15	1500	0	20	0	700	350	0	--	--	.0
03-30-77	9.0	430	0	<10	0	210	920	40	70	--	<.5
06-29-77	14	1300	2	2	0	5000	2200	330	60	--	.0
08-25-77	18	2300	0	1	0	410	1400	60	200	--	.0
(6) 03382205 - MIDDLE FORK SALINE RIVER NEAR PANKEYVILLE, IL (LAT 37 42 28 LONG 088 29 31)											
12-10-75	35	490	0	0	0	0	760	20	40	--	<.5
02-25-76	25	410	1	<10	0	50	860	20	40	--	<.5
03-04-76*	--	750	--	--	--	1000	1050	100	--	--	.0
03-17-76*	--	900	--	--	--	700	850	100	--	--	.4
03-26-76	50	610	0	<10	10	30	760	10	30	--	<.5
04-02-76*	45	600	0	0	50	1200	520	200	--	0	.0
04-21-76*	105	500	5	0	50	4400	800	100	--	5	.0
05-06-76*	--	775	--	--	--	600	370	0	--	--	.1
05-07-76	73	720	4	10	0	30	310	10	60	--	<.5
05-20-76*	--	450	--	--	--	1100	350	100	--	--	.0
06-03-76*	--	400	--	--	--	2000	600	100	--	--	.0
06-16-76*	--	575	--	--	--	1200	--	--	--	--	--
07-06-76*	20	350	0	0	50	3600	600	100	--	0	.0
07-15-76*	45	1200	0	20	50	600	550	0	--	10	.0
08-04-76*	--	830	--	--	--	600	--	--	--	--	--
08-18-76*	--	1050	--	--	--	600	--	--	--	--	--
08-24-76	58	1100	0	10	10	30	250	10	240	--	<.5
09-03-76*	--	350	--	--	--	300	--	--	--	--	--
(7) 03382250 - SALINE RIVER AT EQUALITY, IL (LAT 37 43 53 LONG 088 20 27)											
12-11-75	20	410	0	0	0	1000	2900	60	30	--	<.5
02-25-76	14	92	1	<10	0	320	350	0	140	--	<.5
03-05-76*	20	300	0	20	20	1600	2150	100	--	0	.0
03-17-76*	33	520	0	20	50	1300	2900	100	--	0	.5
04-02-76*	--	320	--	--	--	1300	1600	100	--	--	.0
04-07-76	19	380	0	0	0	40	2000	30	40	--	<.5
04-21-76*	--	400	--	--	--	2800	2300	200	--	--	.0
05-06-76*	--	540	--	--	--	2000	2550	200	--	--	.0
05-07-76	23	570	0	10	0	50	3400	30	40	--	<.5
05-20-76*	--	350	--	--	--	2800	1750	0	--	--	.0
06-03-76*	23	150	0	0	30	2200	1500	100	--	--	.0
06-16-76*	48	650	0	0	0	1700	2700	300	--	--	.0
07-06-76*	--	150	--	--	--	3400	--	--	--	--	--
07-15-76*	--	750	--	--	--	1400	--	--	--	--	--
08-18-76*	--	900	--	--	--	1600	--	--	--	--	--
09-03-76*	58	1100	0	20	0	2100	2650	0	--	5	.0
(8) 03382320 - RECTOR CREEK NEAR TEXAS CITY, IL (LAT 37 53 01 LONG 088 26 05)											
12-11-75	57	190	0	0	0	80	110	10	20	--	<.5
02-25-76	45	160	1	<10	0	60	90	0	50	--	<.5
03-05-76*	--	200	--	--	--	5900	870	100	--	--	.0
03-17-76*	--	240	--	--	--	300	170	200	--	--	.0
04-02-76*	--	220	--	--	--	600	200	100	--	--	.0
04-07-76	61	220	0	0	0	30	90	0	30	--	<.5

38 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LINITY AS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(8) 03382320 - RECTOR CREEK NEAR TEXAS CITY, IL (LAT 37 53 01 LONG 088 26 05)--Continued											
04-21-76*	1400	18.5	17	750	9.0	7.8	120	0	--	--	--
05-06-76	1000	17.5	3.4	920	9.8	8.0	171	10	208	0	--
05-20-76*	1400	23.5	6.7	817	12.8	8.0	160	0	--	--	--
06-03-76*	1300	17.5	39	717	9.0	7.3	110	0	--	--	--
06-16-76*	1500	22.5	200	383	6.7	7.0	0	4.0	--	--	--
07-06-76*	1300	24.5	14.5	600	9.1	7.5	146	0	--	--	--
07-15-76*	1500	29.0	1.1	1080	10.3	7.9	210	0	--	--	--
08-04-76*	1400	24.5	.10	583	9.2	7.7	280	0	--	--	--
08-18-76*	1400	28.0	.10	1070	9.2	7.9	160	0	--	--	--
08-25-76	1430	31.0	.11	1200	10.6	8.0	167	0	204	0	14
09-03-76*	1400	26.0	.10	2670	--	7.8	130	0	--	--	--
03-31-77	1230	12.5	53	460	8.2	7.5	90	--	110	0	6.0
06-29-77	1500	35.0	2.3	930	13.4	8.5	110	--	130	0	11
08-26-77	1520	30.0	2.9	490	8.7	8.0	79	--	96	0	5.4
(9) 03382450 - SALINE RIVER NEAR EQUALITY, IL (LAT 37 42 14 LONG 088 17 14)											
12-12-75	1530	5.0	323	920	11.6	7.5	95	15	116	0	4.0
02-25-76	1345	10.0	--	369	8.2	7.3	54	10	66	0	11
03-05-76*	1300	14.5	--	767	8.4	7.4	60	0	--	--	--
03-17-76*	1100	10.0	--	1170	10.5	6.7	0	36	--	--	--
04-02-76*	1100	15.5	--	650	10.3	6.9	45	0	--	--	--
04-07-76	1300	16.0	--	860	9.8	7.6	67	10	82	0	16
04-21-76*	1100	20.0	--	1270	6.9	7.5	110	0	--	--	--
05-06-76*	1000	18.5	--	1270	9.5	7.1	70	0	--	--	--
05-06-76	1130	18.0	116	1200	9.4	7.7	74	25	90	0	9.7
05-20-76*	1200	18.5	--	850	8.6	7.3	120	0	--	--	--
06-03-76*	1100	19.0	--	567	7.9	7.1	55	0	--	--	--
06-16-76*	1200	26.0	--	1030	9.0	7.4	85	0	--	--	--
07-06-76*	1000	23.5	--	450	6.8	7.0	56	0	--	--	--
07-15-76*	1100	30.0	--	1250	8.6	7.0	70	0	--	--	--
08-04-76*	1100	26.0	--	1100	6.7	6.9	55	0	--	--	--
08-18-76*	1100	25.5	--	1480	8.5	6.9	32	0	--	--	--
08-25-76	1245	27.0	17	2030	8.3	7.5	103	248	125	0	12
09-03-76*	1200	25.0	--	1450	12.4	8.0	90	0	--	--	--
(11) 05597040 - POND CREEK AT WEST FRANKFORT, IL (LAT 37 53 06 LONG 088 55 54)											
12-08-75	1430	5.5	12	520	11.0	7.7	31	10	38	0	8.1
02-19-76	1100	9.0	60	415	9.2	6.6	26	10	32	0	17
03-25-76	1030	13.0	8.2	750	10.0	7.1	59	10	72	0	9.7
05-04-76	1140	11.0	1.2	970	10.0	7.3	61	15	74	0	5.6
08-23-76	1030	22.0	.07	550	5.5	7.0	51	1090	62	0	12
03-30-77	1100	16.0	45	295	6.5	8.1	13	--	16	0	9.6
07-01-77	1000	22.5	5.2	520	5.6	7.2	80	--	97	0	5.3
08-30-77	1115	23.0	71	180	7.6	6.4	30	--	37	0	6.7
(12) 05597300 - LITTLE MUDDY RIVER NEAR DE SOTO, IL (LAT 37 49 53 LONG 089 11 12)											
01-07-76	1300	--	428	500	--	7.4	43	15	52	0	--
02-27-76	1430	12.0	271	530	9.4	7.2	55	10	67	0	15
03-31-76	1330	15.5	357	560	8.0	7.4	64	10	78	0	15
05-19-76*	1500	18.5	--	--	9.3	7.9	180	0	--	--	--
06-02-76*	1200	20.0	195	600	6.6	7.3	170	0	--	--	--

Table 3.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED SULFATE (SO4) (MG/L) (00945)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)
(8) 03382320 - RECTOR CREEK NEAR TEXAS CITY, IL (LAT 37 53 01 LONG 088 26 05)--Continued											
04-21-76*	--	232	--	--	--	1800	220	100	--	--	.7
05-06-76	62	220	0	<10	0	20	40	0	20	--	<.5
05-20-76*	55	190	1	0	50	800	100	0	--	--	.0
06-03-76*	--	150	--	--	--	1300	170	100	--	--	.1
06-16-76*	--	75	--	--	--	25000	--	--	--	--	--
07-06-76*	--	150	--	--	--	1500	--	--	--	--	--
07-15-76*	--	225	--	--	--	400	--	--	--	--	--
08-04-76*	30	95	0	30	0	700	140	100	--	--	.0
08-18-76*	75	245	0	0	20	400	100	100	--	4	.0
08-25-76	87	330	1	<10	10	0	30	10	0	--	<.5
09-03-76*	--	--	--	--	--	700	--	--	--	--	--
03-31-77	32	99	1	<10	0	160	80	20	100	--	<.5
06-29-77	61	360	2	4	6	30	60	10	80	--	--
08-26-77	27	66	0	1	7	190	100	30	210	--	.0
(9) 03382450 - SALINE RIVER NEAR EQUALITY, IL (LAT 37 42 14 LONG 088 17 14)											
12-12-75	49	310	0	0	0	200	1700	40	50	--	<.5
02-25-76	18	92	1	<10	0	320	160	10	170	--	<.5
03-05-76*	--	200	--	50	--	1800	1100	100	--	--	.0
05-17-76*	--	440	--	--	--	1000	2620	200	--	--	.9
04-02-76*	--	220	--	--	--	2300	1100	100	--	--	.0
04-07-76	35	300	0	0	0	20	1300	10	40	--	<.5
04-21-76*	--	440	--	--	--	2000	1400	100	--	--	.0
05-06-76*	55	480	0	0	40	1200	2350	100	--	5	.0
05-06-76	50	520	0	10	0	10	2700	0	40	--	<.5
05-20-76*	45	225	0	0	50	2200	920	100	--	--	.0
06-03-76*	--	100	--	--	--	4800	900	--	--	--	.0
06-16-76*	--	350	--	--	--	1500	--	--	--	--	--
07-06-76*	--	175	--	--	--	4200	--	--	--	--	--
07-15-76*	--	575	--	--	--	700	--	--	--	--	--
08-04-76*	25	400	1	40	0	1600	1510	100	--	9	.0
08-18-76*	23	710	0	30	0	500	0	200	--	5	.0
08-25-76	45	1200	0	<10	10	40	2200	0	60	--	<.5
09-03-76*	--	1000	--	--	--	2100	--	--	--	--	--
(11) 05597040 - POND CREEK AT WEST FRANKFORT, IL (LAT 37 53 06 LONG 088 55 54)											
12-08-75	25	170	1	0	0	240	440	20	120	--	<.5
02-19-76	19	120	0	<10	0	330	550	20	140	--	<.5
03-25-76	43	250	0	<10	0	120	910	10	40	--	<.5
05-04-76	58	310	0	<10	0	50	390	20	40	--	<.5
08-23-76	48	130	0	<10	10	150	680	10	60	--	<.5
03-30-77	17	83	0	<10	0	350	380	20	270	--	<.5
07-01-77	32	160	0	1	4	50	390	0	180	--	.0
08-30-77	9.5	38	0	7	8	300	310	10	230	--	.0
(12) 05597300 - LITTLE MUDDY RIVER NEAR DE SOTO, IL (LAT 37 49 53 LONG 089 11 12)											
01-07-76	19	120	1	<10	0	230	210	20	130	--	<.5
02-27-76	26	180	1	<10	10	300	300	10	120	--	<.5
03-31-76	24	180	0	<10	10	100	640	0	90	--	<.5
05-19-76*	--	625	--	--	--	1600	2050	100	--	--	.0
06-02-76*	--	200	--	--	--	5900	770	100	--	--	.0

40 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00001)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LINITY AS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (MG/L) (00680)
(12) 05597300 - LITTLE MUDDY RIVER NFAR DE SOTO, IL (LAT 37 49 53 LONG 089 11 12)--Continued											
06-15-76*	1500	26.0	--	1270	6.7	7.7	105	0	--	--	--
08-17-76*	1400	24.5	--	1070	11.5	7.4	100	0	--	--	--
08-30-76	1545	24.0	2.4	1570	8.5	7.7	138	0	168	0	--
04-06-77	1445	14.0	962	260	5.0	6.6	36	--	44	0	12
07-05-77	1430	29.5	24	565	5.9	7.3	70	--	85	0	7.9
08-26-77	1415	26.0	14	750	11.4	8.4	77	--	94	0	7.1
(13) 05597500 - CRAB ORCHARD CREEK NEAR MARION, IL (LAT 37 43 52 LONG 088 53 21)											
12-09-75	0945	4.0	12	910	10.8	7.1	26	10	32	0	6.4
02-19-76	1400	10.0	69	520	10.2	6.3	16	15	20	0	9.5
03-02-76*	1300	15.5	7.0	1330	8.9	7.6	44	0	--	--	--
03-17-76*	0800	5.0	5.0	1380	11.4	7.5	65	0	--	--	--
03-25-76	1230	13.0	6.7	1220	9.4	7.3	67	20	82	0	9.1
04-02-76*	0800	10.0	8.0	1020	7.6	7.3	50	0	--	--	--
04-21-76*	0800	16.5	28	1050	7.7	6.2	0	7.0	--	--	--
05-06-76*	0800	16.0	--	1450	7.2	7.3	80	0	--	--	--
05-06-76	1600	16.0	2.6	1420	7.0	7.3	79	10	96	0	13
05-20-76*	0800	15.5	4.2	1130	8.2	7.3	45	0	--	--	--
06-03-76*	0800	18.5	18	733	5.8	7.0	60	0	--	--	--
06-16-76*	0800	20.5	5.0	1080	5.8	7.1	65	0	--	--	--
07-06-76*	0800	21.0	17	767	8.0	6.7	18	0	--	--	--
07-15-76*	0800	24.5	.90	1450	5.7	7.2	65	0	--	--	--
08-23-76	1245	24.0	.34	880	6.5	6.9	59	0	72	0	18
03-29-77	1650	18.3	307	342	6.4	6.1	23	--	28	0	8.6
06-30-77	1500	24.5	.63	1180	6.2	5.0	3	--	4	0	6.1
08-24-77	1145	23.5	.10	1140	9.3	7.3	25	--	31	0	6.9
(14) 05598210 - SYCAMORE CREEK NEAR CARBONDALE, IL (LAT 37 42 30 LONG 089 10 20)											
12-24-75	1030	.0	12	380	13.8	7.6	95	5.0	116	0	2.9
02-27-76	1645	13.0	3.3	1500	11.7	6.1	0	65	0	0	8.4
03-31-76	0845	11.5	7.3	1100	10.6	6.6	4	35	5	0	6.2
05-04-76	0830	9.0	1.1	1600	11.0	4.2	0	149	0	0	5.6
08-30-76	1130	19.0	.02	3070	7.8	3.3	0	94	0	0	--
04-07-77	1600	17.0	4.7	1480	8.2	3.8	0	240	0	0	3.1
07-01-77	1440	26.0	2.6	1160	8.4	3.5	0	150	0	0	6.5
08-29-77	1430	23.0	6.3	570	9.8	4.9	0	--	0	0	7.2
(15) 05598700 - PANTHER CREEK NEAR PYATTS, IL (LAT 38 00 10 LONG 089 20 07)											
12-22-75	1645	2.0	6.9	3000	15.0	8.6	256	20	273	22	3.2
02-26-76	0900	9.0	14	3000	11.6	7.9	195	15	238	0	12
03-30-76	1030	15.0	26	1700	9.0	7.7	126	30	154	0	14
05-03-76	1100	11.5	3.5	5000	9.0	8.0	240	40	293	0	--
08-26-76	1100	26.0	2.2	4050	7.2	7.7	208	10	254	0	9.0
04-07-77	1000	12.5	10	2630	9.5	7.6	200	--	240	0	3.5
07-07-77	1110	28.5	4.6	2880	10.4	8.0	62	--	76	0	4.9
08-26-77	1045	24.0	4.0	3100	9.1	8.1	190	--	230	0	7.4

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED SULFATE (SO4) (MG/L) (00945)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)
(12) 05597300 - LITTLE MUDDY RIVER NEAR DE SOTO, IL (LAT 37 49 53 LONG 089 11 12)--Continued											
06-15-76*	--	540	--	--	--	3600	--	--	--	--	--
08-17-76*	--	390	--	--	--	3100	--	--	--	--	--
08-30-76	20	780	0	<10	10	50	13000	0	20	--	<.5
04-06-77	8.3	80	1	<10	0	260	180	30	110	--	<.5
07-05-77	19	170	2	1	0	100	820	0	220	--	.0
08-26-77	25	230	0	6	6	510	550	0	190	--	.0
(13) 05597500 - CRAB ORCHARD CREEK NEAR MARION, IL (LAT 37 43 52 LONG 088 53 21)											
12-09-75	18	430	0	0	0	1600	2300	110	80	--	<.5
02-19-76	11	210	0	<10	0	850	1200	80	140	--	<.5
03-02-76*	38	480	0	70	50	900	2600	0	--	--	.0
03-17-76*	20	500	0	10	50	900	2600	200	--	--	.0
03-25-76	19	530	0	<10	0	90	2600	30	40	--	<.5
04-02-76*	--	400	--	--	--	1400	2000	200	--	--	.0
04-21-76*	--	552	--	--	--	5400	3000	400	--	--	.2
05-06-76*	--	752	--	--	--	1400	2100	100	--	--	.0
05-06-76	16	79	0	10	0	70	2500	30	30	--	<.5
05-20-76*	--	475	--	--	--	1100	1720	100	--	--	.0
06-03-76*	10	200	0	0	30	1300	1950	0	--	20	.0
06-16-76*	18	425	0	0	50	2200	1180	0	--	15	.0
07-06-76*	--	150	--	--	--	1500	--	--	--	--	--
07-15-76*	--	750	--	--	--	700	--	--	--	--	--
08-23-76	7.6	360	0	<10	10	70	580	10	220	--	<.5
03-29-77	5.5	120	0	<10	10	540	400	40	220	--	<.5
06-30-77	13	630	2	3	7	340	2800	230	820	--	.2
08-24-77	8.4	580	1	1	4	30	1500	10	20	--	.0
(14) 05598210 - SYCAMORE CREEK NFAR CARBONDALE, IL (LAT 37 42 30 LONG 089 10 20)											
12-24-75	11	60	0	0	0	50	660	0	20	--	<.5
02-27-76	10	780	1	<10	10	23000	16000	390	200	--	<.5
03-31-76	8.2	520	0	<10	10	12000	10000	200	10	--	<.5
05-04-76	8.6	850	0	10	20	17000	20000	480	7800	--	<.5
08-30-76	5.7	1900	0	10	50	9000	72000	1300	49000	--	<.5
04-07-77	6.7	770	0	<10	50	26000	16000	520	22000	--	<.5
07-01-77	5.2	660	2	9	26	25000	15000	400	2400	--	.2
08-29-77	4.8	260	1	6	6	1200	6500	110	500	--	.0
(15) 05598700 - PANTHER CREEK NEAR PYATTS, IL (LAT 38 00 10 LONG 089 20 07)											
12-22-75	18	1500	0	<10	10	50	850	20	20	--	<.5
02-26-76	17	1200	1	10	10	49	820	10	30	--	<.5
03-30-76	15	760	0	<10	10	80	750	20	30	--	<.5
05-03-76	20	1900	0	10	10	40	520	10	20	--	<.5
08-26-76	16	2440	0	10	20	80	200	10	20	--	<.5
04-07-77	14	1700	1	10	10	80	1100	20	50	--	<.5
07-07-77	15	1600	1	0	0	10	200	0	130	--	.0
08-26-77	17	1800	0	1	2	30	160	10	50	--	.0

42 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPERATURE (DEG C) (00010)	INSTANTANEOUS DIS- CHARGE (CFS) (00061)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (00095)	DISTOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKALINITY AS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICARBONATE (HCO3) (MG/L) (00440)	CARBONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(16) 05599000 - BEAUCOUP CREEK NEAR MATTHEWS, IL (LAT 37 58 00 LONG 089 21 00)											
12-23-75	--	.0	49	1450	11.6	8.0	118	--	144	0	8.3
02-26-76	--	10.0	97	1040	11.2	7.6	98	--	120	0	11
03-11-76*	0900	9.0	83	1120	9.6	7.7	230	0	--	--	--
03-29-76*	1400	10.5	112	1280	8.8	7.5	120	0	--	--	--
03-30-76	--	15.0	557	860	8.0	7.5	81	--	99	0	24
04-15-76*	1300	17.0	18	1670	9.8	8.0	170	0	--	--	--
05-03-76	--	14.5	18	2000	11.6	8.3	203	--	248	0	12
05-20-76*	0800	19.0	11	--	8.0	7.7	210	0	--	--	--
06-10-76*	0800	22.0	41	1320	6.2	7.6	120	0	--	--	--
06-23-76*	1500	22.0	10	--	8.3	7.8	180	0	--	--	--
07-15-76*	0800	28.0	4.2	2250	5.3	7.7	170	0	--	--	--
07-29-76*	0900	23.5	193	533	6.9	7.7	16	0	--	--	--
08-26-76	--	26.0	4.3	2720	7.6	7.8	185	--	225	0	14
04-07-77	1300	13.0	120	1020	8.4	7.6	90	--	110	0	8.7
07-07-77	1330	29.0	10	2400	5.7	7.8	7	--	8	0	6.3
08-26-77	1200	23.5	10	1550	7.1	7.8	110	--	140	0	7.2
(17) 05599055 - PIPESTONE CREEK NEAR DENMARK, IL (LAT 37 57 58 LONG 089 29 03)											
05-15-75	1530	20.0	8.0	6710	8.2	8.4	508	0	619	0	6.9
06-18-75	1730	27.0	7.8	6720	9.4	8.4	519	0	633	0	18
12-23-75	1600	.0	6.0	4680	13.2	8.6	456	25	517	19	4.1
02-27-76	0930	9.0	6.0	3700	12.0	8.3	331	20	404	0	17
03-30-76	1600	16.0	54	840	9.0	7.7	100	15	122	0	--
05-03-76	1630	14.0	3.5	3980	12.2	8.7	406	30	437	29	8.7
04-06-77	1215	11.0	8.2	2370	11.8	8.2	190	--	230	0	6.6
07-06-77	1330	35.0	1.2	2880	12.8	8.6	200	--	230	7	5.7
08-25-77	1500	27.0	4.8	5600	13.6	8.7	300	--	370	0	7.5
(18) 05599080 - PIPESTONE CREEK NEAR AVA, IL (LAT 37 57 33 LONG 089 26 34)											
12-23-75	1430	.0	14	2900	14.4	8.5	300	15	346	10	4.0
02-26-76	1545	13.0	13	1900	12.4	8.2	207	10	252	0	12
03-30-76	1700	15.5	25	1300	8.4	7.8	127	20	155	0	18
05-03-76	1715	16.5	.07	4360	13.0	8.6	468	30	517	26	9.8
08-27-76	1500	29.0	.05	6050	15.0	8.6	348	20	390	17	--
04-06-77	1120	9.2	17	1300	11.3	8.0	140	--	170	0	3.6
07-06-77	1500	23.5	1.0	4550	12.4	8.6	230	--	260	10	6.0
08-25-77	1315	23.5	4.7	5300	13.0	8.7	300	--	360	0	6.9
(19) 05599100 - GALUM CREEK NEAR PYATTS, IL (LAT 37 56 42 LONG 089 22 45)											
12-23-75	1100	.0	22	2020	13.4	8.3	207	15	252	0	6.4
02-26-76	1030	10.0	46	1300	10.4	7.8	130	10	158	0	12
03-03-76*	1000	16.5	142	--	8.6	8.1	155	0	--	--	--
03-16-76*	0300	9.0	34	--	13.0	8.2	140	0	--	--	--
03-30-76	1345	15.0	556	770	7.4	7.5	80	20	98	0	25
04-01-76*	1000	14.0	94	1020	9.3	7.3	90	0	--	--	--
04-20-76*	0800	19.0	27	--	6.1	7.8	240	0	--	--	--
05-03-76	1330	13.0	11	4000	10.0	8.4	320	15	390	0	7.1
05-05-76*	1000	13.5	8.6	--	10.2	8.1	290	0	--	--	--
05-19-76*	0800	14.5	4.6	--	6.8	8.0	280	0	--	--	--
06-02-76*	1000	19.5	640	467	6.3	7.0	150	0	--	--	--
06-15-76*	0800	23.5	6.0	2830	4.1	7.7	230	0	--	--	--

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED- CHLORO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED- SULFATE (SO4) (MG/L) (00945)	DIS- SOLVED- ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED- CHROMIUM (CR) (UG/L) (01030)	DIS- SOLVED- COPPER (CU) (UG/L) (01040)	DIS- SOLVED- IRON (FE) (UG/L) (01046)	DIS- SOLVED- MANGANESE (MN) (UG/L) (01056)	DIS- SOLVED- ZINC (ZN) (UG/L) (01090)	DIS- SOLVED- ALUMINUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED- MERCURY (HG) (UG/L) (71890)
(16) 05599000 - BEAUCOUP CREEK NEAR MATTHEWS, IL (LAT 37 58 00 LONG 089 21 00)											
12-23-75	36	530	0	0	10	40	500	10	40	--	<.5
02-26-76	31	400	1	<10	0	120	450	0	70	--	<.5
03-11-76*	--	400	--	--	--	2500	650	0	--	--	.7
03-29-76*	--	460	--	--	--	1400	800	0	--	--	.0
03-30-76	42	270	0	20	10	60	510	0	80	--	<.5
04-15-76*	80	940	0	0	30	1200	1100	0	--	--	.1
05-03-76	89	850	0	10	0	30	1000	20	30	--	<.5
05-20-76*	--	1130	--	--	--	1200	1400	0	--	--	.0
06-10-76*	--	1000	--	--	--	2400	950	0	--	--	.0
06-23-76*	--	1250	--	--	--	1100	1250	--	--	--	.1
07-15-76*	38	1400	0	20	70	1200	1650	0	--	--	.0
07-29-76*	25	50	1	40	50	6500	510	0	--	--	.0
08-26-76	21	1500	1	<10	10	10	780	10	0	--	<.5
04-07-77	22	420	1	<10	10	150	490	10	60	--	<.5
07-07-77	16	1300	2	0	0	10	910	0	130	--	.0
08-26-77	19	700	0	0	3	80	330	0	50	--	.0
(17) 05599055 - PIPESTONE CREEK NEAR DENMARK, IL (LAT 37 57 58 LONG 089 29 03)											
05-15-75	41	3000	1	10	10	50	680	10	20	0	.6
06-18-75	45	3500	0	20	20	60	140	10	30	--	<.5
12-23-75	44	2300	0	10	10	50	900	10	40	--	.6
02-27-76	35	1700	1	<10	10	60	1200	10	70	--	<.5
03-30-76	12	280	0	<10	10	230	200	0	90	--	<.5
05-03-76	28	2000	0	10	10	10	340	0	10	--	<.5
04-06-77	31	920	1	<10	0	60	430	20	80	--	<.5
07-06-77	70	2200	0	0	2	10	110	10	200	--	.0
08-25-77	54	2700	0	0	3	40	1100	0	60	--	.0
(18) 05599080 - PIPESTONE CREEK NEAR AVA, IL (LAT 37 57 33 LONG 089 26 34)											
12-23-75	30	1100	0	<10	10	50	600	20	30	--	<.5
02-26-76	19	710	1	<10	10	60	470	10	40	--	<.5
03-30-76	14	470	0	<10	10	220	350	10	110	--	<.5
05-03-76	32	2900	1	10	10	40	20	10	10	--	<.5
08-27-76	45	2300	1	<10	10	30	910	10	20	--	<.5
04-06-77	18	580	0	<10	0	80	250	10	50	--	<.5
07-06-77	66	2200	0	0	0	20	190	0	130	--	.0
08-25-77	51	2500	0	0	2	50	150	10	40	--	.0
(19) 05599100 - GALUM CREEK NEAR PYATTS, IL (LAT 37 56 42 LONG 089 22 45)											
12-23-75	26	850	0	10	0	50	520	10	50	--	<.5
02-26-76	21	500	2	<10	0	80	440	0	40	--	<.5
03-03-76*	--	920	--	--	--	1500	800	100	--	--	.1
03-16-76*	--	75	--	--	--	800	620	100	--	--	.0
03-30-76	12	290	0	<10	10	170	340	0	140	--	<.5
04-01-76*	30	260	0	0	50	740	530	100	--	15	.0
04-20-76*	40	1000	1	0	50	2300	1550	300	--	10	.3
05-03-76	33	1400	0	10	10	30	750	10	10	--	<.5
05-05-76*	--	1450	--	--	--	800	700	100	--	--	.4
05-19-76*	--	3500	--	--	--	1000	1500	100	--	--	.0
06-02-76*	--	145	--	--	--	750	700	0	--	--	.0
06-15-76*	--	1000	--	--	--	2000	--	--	--	--	--

44 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LITY AS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(19) 05599100 - GALUM CREEK NEAR PYATTS, IL (LAT 37 56 42 LONG 089 22 45)--Continued											
07-02-76*	1000	21.5	1.0	3070	5.6	7.8	260	0	--	--	--
08-17-76*	0800	22.0	9.5	4350	8.6	8.0	280	0	--	--	--
08-27-76	1200	25.0	3.1	5050	8.3	8.1	308	258	376	0	--
09-14-76*	0800	18.0	6.0	1120	6.2	7.6	65	0	--	--	--
(20) 05599300 - BEAUCOUP CREEK NEAR ORAVILLE, IL (LAT 37 51 45 LONG 089 19 57)											
12-22-75	1430	1.0	91	1060	12.8	8.0	118	20	144	0	7.2
02-27-76	1215	11.0	172	1040	8.0	7.6	113	10	138	--	12
03-31-76	1045	14.5	1230	760	7.8	7.3	77	10	94	0	24
04-07-77	1400	13.0	403	780	7.2	7.4	74	--	90	0	8.4
07-05-77	1300	28.0	24	1580	4.7	7.5	150	--	180	0	6.3
08-25-77	1045	23.0	41	2260	8.2	8.3	160	--	190	0	7.5
(21) **05599500 - BIG MUDDY RIVER AT MURPHYSBORO, IL (LAT 37 44 55 LONG 089 20 45)											
11-11-74	1530	12.0	3290	330	--	7.1	40	--	49	0	--
12-10-74	1400	3.5	1730	697	--	6.4	77	--	94	0	10
01-06-75	1330	4.0	3510	751	--	7.3	48	--	58	0	--
02-10-75	1345	3.0	4450	448	--	7.0	46	--	56	0	--
03-11-75	1330	5.0	2850	597	--	7.2	54	--	66	0	8.3
04-14-75	1100	11.5	1500	500	--	7.3	59	--	72	0	--
05-06-75	1130	19.5	7000	360	--	6.8	43	--	53	0	--
06-09-75	1200	23.0	872	655	--	7.2	68	--	83	0	--
07-07-75	1400	25.0	1800	690	--	6.6	54	--	66	0	7.7
08-18-75	1600	26.0	1040	650	5.3	7.4	68	--	83	0	--
09-15-75	1530	20.0	312	805	6.5	7.3	109	--	133	--	--
10-15-75	1300	20.0	89	1050	9.7	7.7	121	--	147	0	--
11-10-75	1415	15.0	218	1060	6.2	7.8	128	--	156	0	--
12-15-75	1630	7.0	1120	355	10.0	7.5	56	--	68	0	15
12-22-75	1100	1.0	1560	580	12.2	7.4	51	10	62	0	9.4
01-19-76	1500	.0	683	800	13.8	7.3	84	--	102	0	--
02-09-76	1400	1.0	446	930	12.3	7.3	102	--	124	0	--
02-27-76	0800	9.0	2500	470	9.0	7.1	48	10	59	0	10
03-03-76*	1400	15.5	684	733	8.7	7.6	65	0	--	--	--
03-15-76	1330	11.5	702	690	9.6	7.4	88	--	107	0	13
03-16-76*	1100	10.0	630	700	10.6	7.7	75	0	--	--	--
04-01-76*	1500	14.5	2420	583	8.0	7.2	50	0	--	--	--
04-06-76	1515	16.0	1060	610	7.6	7.3	62	5.0	76	0	15
04-12-76	1345	16.0	390	770	9.0	7.5	89	--	108	0	--
04-20-76*	1100	21.0	318	850	7.2	7.6	100	0	--	--	--
05-05-76*	1400	16.5	450	717	11.3	7.8	68	0	--	--	--
05-17-76	1400	19.0	220	890	5.6	7.4	110	--	134	0	15
05-19-76*	1100	19.0	410	950	7.5	7.7	110	0	--	--	--
06-02-76*	1400	20.0	2310	633	6.2	7.3	90	0	--	--	--
06-07-76	1400	21.5	1860	515	5.7	7.1	52	--	63	0	--
06-15-76*	1000	26.0	288	800	5.8	7.5	80	0	--	--	--
07-02-76*	1400	24.0	514	600	6.2	7.3	64	0	--	--	--
07-12-76	1700	28.0	609	600	5.5	7.2	73	--	89	0	--
07-15-76*	1100	30.5	487	567	8.3	7.5	60	0	--	--	--
08-09-76	1530	24.5	220	710	6.0	7.7	83	--	101	0	8.7

** Discharge values for this station are mean daily discharges.

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED CHLO- RIDE (CL) (MG/L) (00940)	DIS- SOLVED SULFATE (SO4) (MG/L) (00945)	DIS- SOLVED ARSENIC (AS) (UG/L) (01000)	DIS- SOLVED CHRO- MIUM (CR) (UG/L) (01030)	DIS- SOLVED COPPER (CU) (UG/L) (01040)	DIS- SOLVED IRON (FE) (UG/L) (01046)	DIS- SOLVED MAN- GANESE (MN) (UG/L) (01056)	DIS- SOLVED ZINC (ZN) (UG/L) (01090)	DIS- SOLVED ALUM- INUM (AL) (UG/L) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED MERCURY (HG) (UG/L) (71890)
(19) 05599100 - GALUM CREEK NEAR PYATTS, IL (LAT 37 56 42 LONG 089 22 45)--Continued											
07-02-76*	40	1500	1	0	50	2500	1000	100	--	5	.0
08-17-76*	--	2000	--	--	--	2100	--	--	--	--	--
08-27-76	52	2400	1	<10	10	70	580	10	0	--	<.5
09-14-76*	--	500	--	--	--	1500	--	--	--	--	--
(20) 05599300 - BEAUCOUP CREEK NEAR ORAVILLE, IL (LAT 37 51 43 LONG 089 19 57)											
12-22-75	32	440	0	0	0	50	570	10	60	--	<.5
02-27-76	33	430	1	<10	10	100	510	10	50	--	<.5
03-31-76	39	220	0	<10	10	210	200	10	120	--	<.5
04-07-77	19	310	1	<10	10	200	550	30	60	--	<.5
07-05-77	16	1300	2	0	0	10	910	0	130	--	.0
08-25-77	29	1200	1	2	5	40	660	10	50	--	.0
(21) 05599500 - BIG MUDDY RIVER AT MURPHYSBORO, IL (LAT 37 44 55 LONG 089 20 45)											
11-11-74	16	100	--	--	--	--	--	--	--	--	--
12-10-74	48	300	0	0	0	190	400	10	--	--	<.5
01-06-75	16	140	--	--	--	--	--	--	--	--	--
02-10-75	20	130	--	--	--	--	--	--	--	--	--
03-11-75	25	170	0	0	0	40	240	20	--	--	<.5
04-14-75	24	200	--	--	--	--	--	--	--	--	--
05-06-75	14	85	--	--	--	--	--	--	--	--	--
06-09-75	24	190	--	--	--	--	--	--	--	--	--
07-07-75	16	330	1	<10	10	40	1200	10	--	--	<.5
08-18-75	14	230	--	--	--	--	--	--	--	--	--
09-15-75	16	270	--	--	--	--	--	--	--	--	--
10-15-75	31	390	--	--	--	--	--	--	--	--	--
11-10-75	35	420	--	--	--	--	--	--	--	--	--
12-15-75	16	120	2	<10	10	500	390	50	--	--	<.5
12-22-75	20	150	0	<10	0	190	400	20	100	--	<.5
01-19-76	32	270	--	--	--	--	--	--	--	--	--
02-09-76	34	320	--	--	--	--	--	--	--	--	--
02-27-76	21	160	1	<10	10	340	250	10	110	--	<.5
03-03-76*	--	240	--	--	--	1900	1000	1200	--	--	.4
03-15-76	30	260	0	0	0	40	970	10	--	--	<.5
03-16-76*	--	260	--	--	--	1200	1000	300	--	--	.3
04-01-76*	25	180	0	0	70	4900	680	200	--	10	.0
04-06-76	22	170	0	0	10	190	590	0	90	--	<.5
04-12-76	32	230	--	--	--	--	--	--	--	--	--
04-20-76*	45	240	2	0	50	1800	1050	200	--	--	.1
05-05-76*	--	260	--	--	--	700	550	0	--	--	.0
05-17-76	36	290	0	<10	0	30	1800	10	--	--	<.5
05-19-76*	--	300	--	--	--	1600	1800	100	--	--	.0
06-02-76*	--	300	--	--	--	8300	700	100	--	--	.0
06-07-76	19	150	--	--	--	--	--	--	--	--	--
06-15-76*	--	350	--	--	--	1700	--	--	--	--	--
07-02-76*	25	175	0	0	50	3500	850	100	--	0	.0
07-12-76	17	190	--	--	--	--	--	--	--	--	--
07-15-76*	20	175	1	20	20	3500	700	300	--	10	.1
08-09-76	21	230	1	<10	10	30	1400	20	--	--	<.5

46 CHEMICAL CHARACTERISTICS OF MINE DRAINAGE IN ILLINOIS

Table 5.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	TIME	TEMPER- ATURE (DEG C) (00010)	INSTAN- TANEOUS DIS- CHARGE (CFS) (00061)	SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (00095)	DIS- SOLVED OXYGEN (MG/L) (00300)	PH (UNITS) (00400)	ALKA- LINITY AS CACO3 (MG/L) (00410)	TOTAL ACIDITY AS CACO3 (MG/L) (00435)	BICAR- BONATE (HCO3) (MG/L) (00440)	CAR- BONATE (CO3) (MG/L) (00445)	TOTAL ORGANIC CARBON (C) (00680)
(21) **05599500 - BIG MUDDY RIVER AT MURPHYSBORO, IL (LAT 37 44 55 LONG 089 20 45)--Continued											
08-30-76	1330	26.0	57	1020	8.5	7.5	135	0	164	0	--
09-13-76	1530	20.5	365	620	4.1	7.3	67	--	82	0	--
10-18-76	1540	15.0	63	1100	12.2	8.2	130	--	160	0	--
11-15-76	1300	5.0	65	940	9.0	7.5	120	--	140	0	11
12-13-76	1530	1.0	126	1150	15.2	7.5	--	--	--	--	--
01-17-77	1100	.0	75	1280	6.0	7.2	160	--	190	0	--
02-08-77	1130	.0	100	1320	6.5	7.5	170	--	210	0	8.7
03-22-77	1400	11.5	1420	560	8.4	7.2	58	--	71	0	--
04-01-77	1400	15.2	17500	185	5.1	7.2	30	--	36	0	7.6
05-02-77	1400	18.0	808	600	8.0	8.0	66	--	80	0	8.9
06-01-77	1000	25.8	285	625	6.3	7.6	80	--	97	0	--
07-11-77	1545	28.5	413	645	6.3	7.5	210	--	250	0	5.3
08-16-77	1400	26.0	937	395	4.4	7.1	36	--	44	0	8.5
08-29-77	1200	24.0	977	280	7.5	7.3	41	--	50	0	11
09-12-77	1200	23.0	190	850	8.0	7.5	71	--	86	0	--

** Discharge values for this station are mean daily discharges.

Table 1.--Chemical analyses of samples from Saline and Big Muddy River basins--Continued

DATE	DIS- SOLVED CHLO- RIDE (CL) (00940)	DIS- SOLVED SULFATE (SO4) (00945)	DIS- SOLVED ARSENIC (AS) (01000)	DIS- SOLVED CHRO- MIUM (CR) (01030)	DIS- SOLVED COPPER (CU) (01040)	DIS- SOLVED IRON (FE) (01046)	DIS- SOLVED MAN- GANESE (MN) (01056)	DIS- SOLVED ZINC (ZN) (01090)	DIS- SOLVED ALUM- INUM (AL) (01106)	PHENOLS (UG/L) (32730)	DIS- SOLVED MERCURY (HG) (71890)
(21) 05599500 - BIG MUDDY RIVER AT MURPHYSBORO, IL (LAT 37 44 55 LONG 089 20 45)--Continued											
08-30-76	35	420	1	<10	0	10	1600	10	110	--	<.5
09-13-76	26	200	--	--	--	--	--	--	--	--	--
10-18-76	43	420	--	--	--	--	--	--	--	--	--
11-15-76	48	310	1	<10	10	70	690	20	--	--	<.5
12-13-76	--	--	--	--	--	--	--	--	--	--	--
01-17-77	57	480	--	--	--	--	--	--	--	--	--
02-08-77	59	480	1	<10	10	120	1100	20	--	--	<.5
03-22-77	27	170	--	--	--	--	--	--	--	--	--
04-01-77	8.8	53	1	<10	10	290	80	10	360	--	<.5
05-02-77	33	180	1	7	2	10	20	0	--	--	.0
06-01-77	35	160	--	--	--	--	--	--	--	--	--
07-11-77	32	160	0	1	4	50	390	0	180	--	.0
08-16-77	14	130	0	0	0	100	490	20	--	--	.0
08-29-77	11	69	2	3	11	520	320	10	360	--	.0
09-12-77	27	320	--	--	--	--	--	--	--	--	--